

Appendix Test Data

|                  |                     |                    |             |
|------------------|---------------------|--------------------|-------------|
| Report No.:      | 1812C60330212501-01 | Test Sample No.:   | 1-2-2       |
| Start Test Date: | 2026-6-24           | Finish Test Date:  | 2026-6-30   |
| Test Engineer:   | Tracy Liang         | Auditor:           | Justin Feng |
| Temperature:     | 26.3℃               | Relative Humidity: | 52%         |
| Pressure:        | 101kPa              |                    |             |

Appendix A: Frequency Error


Test Result

| Test Condition | Test Mode | Antenna | Frequency [MHz] | Center Freq. [MHz] | Result [ppm] | Limit [ppm] | Verdict |
|----------------|-----------|---------|-----------------|--------------------|--------------|-------------|---------|
| NTNV           | CW        | Ant1    | 2412            | 2411.99101         | -3.72720     | ±50         | PASS    |
| NTNV           | CW        | Ant2    | 2412            | 2411.99101         | -3.72720     | ±50         | PASS    |
| NTNV           | CW        | Ant1    | 2442            | 2441.99051         | -3.88616     | ±50         | PASS    |
| NTNV           | CW        | Ant2    | 2442            | 2441.99051         | -3.88616     | ±50         | PASS    |
| NTNV           | CW        | Ant1    | 2472            | 2471.99051         | -3.83900     | ±50         | PASS    |
| NTNV           | CW        | Ant2    | 2472            | 2471.99051         | -3.83900     | ±50         | PASS    |


Note: Result[ppm]= (Center Freq[MHz] -Freq.[MHz])/Freq.[MHz]\*1000000



## Test Graphs





NTVN-CW-Ant1-2412-PASS



NTVN-CW-Ant2-2412-PASS







## Appendix B: Antenna Power

### Test Result

| Test Condition | Test Mode | Antenna | Frequency[MHz] | Result [dBm/MHz] | Result [mW/MHz] | Limit [mW/MHz] | Verdict |
|----------------|-----------|---------|----------------|------------------|-----------------|----------------|---------|
| NTNV           | 11B       | Ant1    | 2412           | 4.51             | 2.8249          | ≤10            | PASS    |
| NTNV           | 11B       | Ant2    | 2412           | 4.50             | 2.8184          | ≤10            | PASS    |
| NTNV           | 11B       | Ant1    | 2442           | 5.66             | 3.6813          | ≤10            | PASS    |
| NTNV           | 11B       | Ant2    | 2442           | 5.60             | 3.6308          | ≤10            | PASS    |
| NTNV           | 11B       | Ant1    | 2472           | 5.74             | 3.7497          | ≤10            | PASS    |
| NTNV           | 11B       | Ant2    | 2472           | 5.82             | 3.8194          | ≤10            | PASS    |
| NTNV           | 11G       | Ant1    | 2412           | 2.12             | 1.6293          | ≤10            | PASS    |
| NTNV           | 11G       | Ant2    | 2412           | 2.05             | 1.6032          | ≤10            | PASS    |
| NTNV           | 11G       | Ant1    | 2442           | 2.78             | 1.8967          | ≤10            | PASS    |
| NTNV           | 11G       | Ant2    | 2442           | 2.85             | 1.9275          | ≤10            | PASS    |
| NTNV           | 11G       | Ant1    | 2472           | 3.14             | 2.0606          | ≤10            | PASS    |
| NTNV           | 11G       | Ant2    | 2472           | 2.88             | 1.9409          | ≤10            | PASS    |

| Test Condition | Test Mode | Antenna | Frequency[MHz] | Power [mW/MHz] | RatedPower [mW/MHz] | Result [%] | Limit [%]  | Verdict |
|----------------|-----------|---------|----------------|----------------|---------------------|------------|------------|---------|
| NTNV           | 11B       | Ant1    | 2412           | 2.8249         | 4                   | -29.38     | +20        | PASS    |
| NTNV           | 11B       | Ant2    | 2412           | 2.8184         | 4                   | -29.54     | -80 to +20 | PASS    |
| NTNV           | 11B       | Ant1    | 2442           | 3.6813         | 4                   | -7.97      | -80 to +20 | PASS    |
| NTNV           | 11B       | Ant2    | 2442           | 3.6308         | 4                   | -9.23      | -80 to +20 | PASS    |
| NTNV           | 11B       | Ant1    | 2472           | 3.7497         | 4                   | -6.26      | -80 to +20 | PASS    |
| NTNV           | 11B       | Ant2    | 2472           | 3.8194         | 4                   | -4.52      | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant1    | 2412           | 1.6293         | 2                   | -18.54     | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant2    | 2412           | 1.6032         | 2                   | -19.84     | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant1    | 2442           | 1.8967         | 2                   | -5.17      | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant2    | 2442           | 1.9275         | 2                   | -3.63      | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant1    | 2472           | 2.0606         | 2                   | 3.03       | -80 to +20 | PASS    |
| NTNV           | 11G       | Ant2    | 2472           | 1.9409         | 2                   | -2.96      | -80 to +20 | PASS    |




| Test Condition | Test Mode | Antenna | Frequency [MHz] | Result [dBm/MHz] | Gain [dBi] | EIRP (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|----------------|-----------|---------|-----------------|------------------|------------|----------------|-----------------|---------|
| NTNV           | 11B       | Ant1    | 2412            | 4.51             | 3.89       | 8.40           | ≤12.14          | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 4.50             | 3.89       | 8.39           | ≤12.14          | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 5.66             | 3.89       | 9.55           | ≤12.14          | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 5.60             | 3.89       | 9.49           | ≤12.14          | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 5.74             | 3.89       | 9.63           | ≤12.14          | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 5.82             | 3.89       | 9.71           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 2.12             | 3.89       | 6.01           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 2.05             | 3.89       | 5.94           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant1    | 2442            | 2.78             | 3.89       | 6.67           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant2    | 2442            | 2.85             | 3.89       | 6.74           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant1    | 2472            | 3.14             | 3.89       | 7.03           | ≤12.14          | PASS    |
| NTNV           | 11G       | Ant2    | 2472            | 2.88             | 3.89       | 6.77           | ≤12.14          | PASS    |


Note: EIRP[dBm]=Result[dBm]+Gain(dBi)





## Test Graphs



NTNV-11B-Ant1-2412-PASS







## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com





Hotline


400-003-0500


www.anbotek.com





















## Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com








## Appendix C: Occupied Bandwidth

### Test Result


| Test Condition | Test Mode | Antenna | Frequency [MHz] | Result [MHz] | Limit [MHz] | Verdict |
|----------------|-----------|---------|-----------------|--------------|-------------|---------|
| NTNV           | 11B       | Ant1    | 2412            | 14.905       | ≤26         | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 14.865       | ≤26         | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 14.905       | ≤26         | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 14.905       | ≤26         | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 14.945       | ≤26         | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 14.905       | ≤26         | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 16.424       | ≤26         | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 16.424       | ≤26         | PASS    |
| NTNV           | 11G       | Ant1    | 2442            | 16.424       | ≤26         | PASS    |
| NTNV           | 11G       | Ant2    | 2442            | 16.424       | ≤26         | PASS    |
| NTNV           | 11G       | Ant1    | 2472            | 16.424       | ≤26         | PASS    |
| NTNV           | 11G       | Ant2    | 2472            | 16.503       | ≤26         | PASS    |



## Test Graphs




NTNV-11B-Ant1-2412-PASS




NTNV-11B-Ant2-2412-PASS






NTNV-11B-Ant1-2442-PASS




NTNV-11B-Ant2-2442-PASS






NTNV-11B-Ant1-2472-PASS




NTNV-11B-Ant2-2472-PASS






NTNV-11G-Ant1-2412-PASS




NTNV-11G-Ant2-2412-PASS






NTNV-11G-Ant1-2442-PASS




NTNV-11G-Ant2-2442-PASS





NTNV-11G-Ant1-2472-PASS



NTNV-11G-Ant2-2472-PASS



## Appendix D: Spurious Emission of TX

## Test Result

| Test Condition | Test Mode | Antenna | Frequency [MHz] | Freq. Range [MHz] | Freq. [MHz] | Result [dBm/MHz] | Limit [dBm/MHz] | Result [ $\mu$ W/MHz] | Limit [ $\mu$ W/MHz] | Verdict |
|----------------|-----------|---------|-----------------|-------------------|-------------|------------------|-----------------|-----------------------|----------------------|---------|
| NTNV           | 11B       | Ant1    | 2412            | 30~1000           | 827.34      | -50.12           | $\leq -26$      | 0.00973               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 30~1000           | 964.11      | -50.04           | $\leq -26$      | 0.00991               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 1000~2387         | 2386.31     | -45.00           | $\leq -26$      | 0.03162               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 1000~2387         | 2384.92     | -44.64           | $\leq -26$      | 0.03436               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2387~2400         | 2398.00     | -34.40           | $\leq -16$      | 0.36308               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 2387~2400         | 2397.78     | -35.05           | $\leq -16$      | 0.31261               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2483.5~2496.5     | 2487.91     | -37.52           | $\leq -16$      | 0.17701               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 2483.5~2496.5     | 2490.29     | -37.84           | $\leq -16$      | 0.16444               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2496.5~13000      | 4824.08     | -42.61           | $\leq -26$      | 0.05483               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 2496.5~13000      | 5186.97     | -42.44           | $\leq -26$      | 0.05702               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 30~1000           | 877.54      | -49.75           | $\leq -26$      | 0.01059               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 30~1000           | 597.21      | -49.91           | $\leq -26$      | 0.01021               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 1000~2387         | 2353.71     | -47.22           | $\leq -26$      | 0.01897               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 1000~2387         | 2384.57     | -47.27           | $\leq -26$      | 0.01875               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2387~2400         | 2397.87     | -37.92           | $\leq -16$      | 0.16144               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 2387~2400         | 2389.90     | -37.66           | $\leq -16$      | 0.17140               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2483.5~2496.5     | 2483.52     | -36.83           | $\leq -16$      | 0.20749               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 2483.5~2496.5     | 2487.56     | -37.33           | $\leq -16$      | 0.18493               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2496.5~13000      | 4883.95     | -41.49           | $\leq -26$      | 0.07096               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 2496.5~13000      | 4883.95     | -42.17           | $\leq -26$      | 0.06067               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 30~1000           | 650.80      | -49.88           | $\leq -26$      | 0.01028               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 30~1000           | 835.59      | -49.81           | $\leq -26$      | 0.01045               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 1000~2387         | 2381.45     | -47.74           | $\leq -26$      | 0.01683               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 1000~2387         | 2373.48     | -48.16           | $\leq -26$      | 0.01528               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2387~2400         | 2393.10     | -38.46           | $\leq -16$      | 0.14256               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 2387~2400         | 2399.21     | -38.10           | $\leq -16$      | 0.15488               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2483.5~2496.5     | 2490.18     | -32.34           | $\leq -16$      | 0.58345               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 2483.5~2496.5     | 2487.21     | -32.40           | $\leq -16$      | 0.57544               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2496.5~13000      | 4943.82     | -40.79           | $\leq -26$      | 0.08337               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 2496.5~13000      | 4943.82     | -40.87           | $\leq -26$      | 0.08185               | $\leq 2.5$           | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 30~1000           | 739.07      | -49.90           | $\leq -26$      | 0.01023               | $\leq 2.5$           | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 30~1000           | 553.32      | -49.93           | $\leq -26$      | 0.01016               | $\leq 2.5$           | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 1000~2387         | 2384.57     | -42.85           | $\leq -26$      | 0.05188               | $\leq 2.5$           | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 1000~2387         | 2387.00     | -42.04           | $\leq -26$      | 0.06252               | $\leq 2.5$           | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 2387~2400         | 2396.93     | -32.42           | $\leq -16$      | 0.57280               | $\leq 25$            | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 2387~2400         | 2395.33     | -32.61           | $\leq -16$      | 0.54828               | $\leq 25$            | PASS    |

## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500


www.anbotek.com




|      |     |      |      |               |         |        |      |         |      |      |
|------|-----|------|------|---------------|---------|--------|------|---------|------|------|
| NTNV | 11G | Ant1 | 2412 | 2483.5~2496.5 | 2486.54 | -37.43 | ≤-16 | 0.18072 | ≤25  | PASS |
| NTNV | 11G | Ant2 | 2412 | 2483.5~2496.5 | 2493.93 | -37.92 | ≤-16 | 0.16144 | ≤25  | PASS |
| NTNV | 11G | Ant1 | 2412 | 2496.5~13000  | 6985.70 | -44.82 | ≤-26 | 0.03296 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2412 | 2496.5~13000  | 4828.28 | -44.39 | ≤-26 | 0.03639 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2442 | 30~1000       | 844.07  | -49.54 | ≤-26 | 0.01112 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2442 | 30~1000       | 637.95  | -50.18 | ≤-26 | 0.00959 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2442 | 1000~2387     | 2356.49 | -47.70 | ≤-26 | 0.01698 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2442 | 1000~2387     | 2367.58 | -47.58 | ≤-26 | 0.01746 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2442 | 2387~2400     | 2388.70 | -36.89 | ≤-16 | 0.20464 | ≤25  | PASS |
| NTNV | 11G | Ant2 | 2442 | 2387~2400     | 2388.90 | -38.06 | ≤-16 | 0.15631 | ≤25  | PASS |
| NTNV | 11G | Ant1 | 2442 | 2483.5~2496.5 | 2492.91 | -37.63 | ≤-16 | 0.17258 | ≤25  | PASS |
| NTNV | 11G | Ant2 | 2442 | 2483.5~2496.5 | 2490.62 | -37.27 | ≤-16 | 0.18750 | ≤25  | PASS |
| NTNV | 11G | Ant1 | 2442 | 2496.5~13000  | 4890.25 | -43.88 | ≤-26 | 0.04093 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2442 | 2496.5~13000  | 6955.24 | -44.40 | ≤-26 | 0.03631 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2472 | 30~1000       | 927.98  | -49.91 | ≤-26 | 0.01021 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2472 | 30~1000       | 868.57  | -50.29 | ≤-26 | 0.00935 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2472 | 1000~2387     | 2330.13 | -48.00 | ≤-26 | 0.01585 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2472 | 1000~2387     | 2361.69 | -47.71 | ≤-26 | 0.01694 | ≤2.5 | PASS |
| NTNV | 11G | Ant1 | 2472 | 2387~2400     | 2390.07 | -38.63 | ≤-16 | 0.13709 | ≤25  | PASS |
| NTNV | 11G | Ant2 | 2472 | 2387~2400     | 2390.99 | -38.27 | ≤-16 | 0.14894 | ≤25  | PASS |
| NTNV | 11G | Ant1 | 2472 | 2483.5~2496.5 | 2484.39 | -29.68 | ≤-16 | 1.07647 | ≤25  | PASS |
| NTNV | 11G | Ant2 | 2472 | 2483.5~2496.5 | 2489.26 | -31.28 | ≤-16 | 0.74473 | ≤25  | PASS |
| NTNV | 11G | Ant1 | 2472 | 2496.5~13000  | 2497.55 | -38.22 | ≤-26 | 0.15066 | ≤2.5 | PASS |
| NTNV | 11G | Ant2 | 2472 | 2496.5~13000  | 2498.60 | -39.25 | ≤-26 | 0.11885 | ≤2.5 | PASS |



## Test Graphs





NTNV-11B-Ant1-2412-30~1000-PASS




NTNV-11B-Ant2-2412-30~1000-PASS









NTNV-11B-Ant1-2412-2387~2400-PASS





NTNV-11B-Ant2-2412-2387~2400-PASS























NTNV-11B-Ant1-2442-2496.5~13000-PASS





NTNV-11B-Ant2-2442-2496.5~13000-PASS





















































NTNV-11G-Ant1-2472-1000~2387-PASS




NTNV-11G-Ant2-2472-1000~2387-PASS










## Appendix E: Spurious Emission of RX

## Test Result


| Test Condition | Test Mode | Antenna | Frequency [MHz] | Freq. Range [MHz] | Freq. [MHz] | Result [dBm] | Limit [dBm] | Result [nW] | Limit [nW] | Verdict |
|----------------|-----------|---------|-----------------|-------------------|-------------|--------------|-------------|-------------|------------|---------|
| NTNV           | 11B       | Ant1    | 2412            | 30~1000           | 206.69      | -81.79       | ≤-54        | 0.00662     | ≤4         | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 30~1000           | 139.80      | -81.91       | ≤-54        | 0.00644     | ≤4         | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 1000~12500        | 6958.14     | -64.92       | ≤-47        | 0.32211     | ≤20        | PASS    |
| NTNV           | 11B       | Ant2    | 2412            | 1000~12500        | 6147.43     | -65.47       | ≤-47        | 0.28379     | ≤20        | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 30~1000           | 870.81      | -82.20       | ≤-54        | 0.00603     | ≤4         | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 30~1000           | 743.81      | -81.75       | ≤-54        | 0.00668     | ≤4         | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 1000~12500        | 6921.34     | -64.90       | ≤-47        | 0.32359     | ≤20        | PASS    |
| NTNV           | 11B       | Ant2    | 2442            | 1000~12500        | 6901.79     | -64.54       | ≤-47        | 0.35156     | ≤20        | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 30~1000           | 684.67      | -82.14       | ≤-54        | 0.00611     | ≤4         | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 30~1000           | 823.31      | -82.56       | ≤-54        | 0.00555     | ≤4         | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 1000~12500        | 6982.86     | -66.30       | ≤-47        | 0.23442     | ≤20        | PASS    |
| NTNV           | 11B       | Ant2    | 2472            | 1000~12500        | 6904.67     | -65.19       | ≤-47        | 0.30269     | ≤20        | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 30~1000           | 778.71      | -81.79       | ≤-54        | 0.00662     | ≤4         | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 30~1000           | 788.89      | -82.01       | ≤-54        | 0.00630     | ≤4         | PASS    |
| NTNV           | 11G       | Ant1    | 2412            | 1000~12500        | 6945.49     | -65.07       | ≤-47        | 0.31117     | ≤20        | PASS    |
| NTNV           | 11G       | Ant2    | 2412            | 1000~12500        | 6890.87     | -65.44       | ≤-47        | 0.28576     | ≤20        | PASS    |
| NTNV           | 11G       | Ant1    | 2442            | 30~1000           | 880.99      | -81.71       | ≤-54        | 0.00675     | ≤4         | PASS    |
| NTNV           | 11G       | Ant2    | 2442            | 30~1000           | 955.16      | -81.41       | ≤-54        | 0.00723     | ≤4         | PASS    |
| NTNV           | 11G       | Ant1    | 2442            | 1000~12500        | 6932.84     | -64.80       | ≤-47        | 0.33113     | ≤20        | PASS    |
| NTNV           | 11G       | Ant2    | 2442            | 1000~12500        | 6977.69     | -65.82       | ≤-47        | 0.26182     | ≤20        | PASS    |
| NTNV           | 11G       | Ant1    | 2472            | 30~1000           | 738.96      | -81.86       | ≤-54        | 0.00652     | ≤4         | PASS    |
| NTNV           | 11G       | Ant2    | 2472            | 30~1000           | 602.74      | -82.47       | ≤-54        | 0.00566     | ≤4         | PASS    |
| NTNV           | 11G       | Ant1    | 2472            | 1000~12500        | 6114.66     | -66.15       | ≤-47        | 0.24266     | ≤20        | PASS    |
| NTNV           | 11G       | Ant2    | 2472            | 1000~12500        | 6988.61     | -65.02       | ≤-47        | 0.31477     | ≤20        | PASS    |



## Test Graphs




NTNV-11B-Ant1-2412-30~1000-PASS




NTNV-11B-Ant2-2412-30~1000-PASS







NTNV-11B-Ant1-2412-1000~12500-PASS





NTNV-11B-Ant2-2412-1000~12500-PASS





























---End---

