


OffsetB L	-999	-17.37	0	dB	Pass
OffsetB U	-999	-16.55	0	dB	Pass
OffsetC L	-999	-14.38	0	dB	Pass
OffsetC U	-999	-13.56	0	dB	Pass
OffsetD L	-999	-18.32	0	dB	Pass
OffsetD U	-999	-16.38	0	dB	Pass
Carrier Power	NaN	23.09	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:22:18

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QPSK_2

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritcal:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-12.52	0	dB	Pass
OffsetA U	-999	-29.34	0	dB	Pass
OffsetB L	-999	-19.73	0	dB	Pass
OffsetB U	-999	-27.51	0	dB	Pass
OffsetC L	-999	-21.72	0	dB	Pass
OffsetC U	-999	-20.69	0	dB	Pass
OffsetD L	-999	-17.61	0	dB	Pass
OffsetD U	-999	-16.08	0	dB	Pass
Carrier Power	NaN	22.75	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:22:31

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-15.51	0	dB	Pass
OffsetA U	-999	-18.05	0	dB	Pass
OffsetB L	-999	-14.31	0	dB	Pass
OffsetB U	-999	-14.08	0	dB	Pass
OffsetC L	-999	-13.36	0	dB	Pass
OffsetC U	-999	-11.72	0	dB	Pass
OffsetD L	-999	-18.19	0	dB	Pass
OffsetD U	-999	-14.31	0	dB	Pass
Carrier Power	NaN	22.67	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:22:45

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002
 Freq [MHz]: 2510.01MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM16_10
 RB Allocation: Edge1RBLeft
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-12.71	0	dB	Pass
OffsetA U	-999	-30.47	0	dB	Pass
OffsetB L	-999	-20.48	0	dB	Pass
OffsetB U	-999	-27.82	0	dB	Pass
OffsetC L	-999	-23.17	0	dB	Pass
OffsetC U	-999	-22.37	0	dB	Pass
OffsetD L	-999	-18.32	0	dB	Pass
OffsetD U	-999	-16.96	0	dB	Pass
Carrier Power	NaN	21.59	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:22:58

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-19.16	0	dB	Pass
OffsetA U	-999	-19.98	0	dB	Pass
OffsetB L	-999	-17.12	0	dB	Pass
OffsetB U	-999	-16.37	0	dB	Pass
OffsetC L	-999	-15.41	0	dB	Pass
OffsetC U	-999	-14.82	0	dB	Pass
OffsetD L	-999	-17.74	0	dB	Pass
OffsetD U	-999	-14.32	0	dB	Pass
Carrier Power	NaN	21.7	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:23:12

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-12.68	0	dB	Pass
OffsetA U	-999	-29.79	0	dB	Pass

OffsetB L	-999	-19.86	0	dB	Pass
OffsetB U	-999	-28.18	0	dB	Pass
OffsetC L	-999	-22.13	0	dB	Pass
OffsetC U	-999	-21.64	0	dB	Pass
OffsetD L	-999	-18.19	0	dB	Pass
OffsetD U	-999	-16.28	0	dB	Pass
Carrier Power	NaN	21	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:23:25

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-20.43	0	dB	Pass
OffsetA U	-999	-21.31	0	dB	Pass
OffsetB L	-999	-18.85	0	dB	Pass
OffsetB U	-999	-18.45	0	dB	Pass
OffsetC L	-999	-16.78	0	dB	Pass
OffsetC U	-999	-16.97	0	dB	Pass
OffsetD L	-999	-18.55	0	dB	Pass
OffsetD U	-999	-14.04	0	dB	Pass
Carrier Power	NaN	21.21	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:23:41

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM256_20

RB Allocation: Edge1RBLeft

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-13.13	0	dB	Pass
OffsetA U	-999	-30.01	0	dB	Pass
OffsetB L	-999	-20.27	0	dB	Pass
OffsetB U	-999	-28.2	0	dB	Pass
OffsetC L	-999	-22.4	0	dB	Pass
OffsetC U	-999	-21.71	0	dB	Pass
OffsetD L	-999	-18.27	0	dB	Pass
OffsetD U	-999	-16.96	0	dB	Pass
Carrier Power	NaN	19.25	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:23:54

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002
 Freq [MHz]: 2510.01MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM256_20
 RB Allocation: OuterFull
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-27.13	0	dB	Pass
OffsetA U	-999	-26.47	0	dB	Pass
OffsetB L	-999	-24.35	0	dB	Pass
OffsetB U	-999	-23.97	0	dB	Pass
OffsetC L	-999	-22.15	0	dB	Pass
OffsetC U	-999	-21.54	0	dB	Pass
OffsetD L	-999	-18.4	0	dB	Pass
OffsetD U	-999	-14.62	0	dB	Pass
Carrier Power	NaN	19.23	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:05

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: Edge1RBLeft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-10.18	0	dB	Pass
OffsetA U	-999	-28.72	0	dB	Pass
OffsetB L	-999	-18.3	0	dB	Pass
OffsetB U	-999	-27	0	dB	Pass
OffsetC L	-999	-22.46	0	dB	Pass
OffsetC U	-999	-22.31	0	dB	Pass
OffsetD L	-999	-18.15	0	dB	Pass
OffsetD U	-999	-16.1	0	dB	Pass
Carrier Power	NaN	20.52	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:13

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-17.91	0	dB	Pass
OffsetA U	-999	-18.45	0	dB	Pass

OffsetB L	-999	-16.63	0	dB	Pass
OffsetB U	-999	-15.51	0	dB	Pass
OffsetC L	-999	-14.6	0	dB	Pass
OffsetC U	-999	-11.99	0	dB	Pass
OffsetD L	-999	-17.78	0	dB	Pass
OffsetD U	-999	-13.85	0	dB	Pass
Carrier Power	NaN	20.76	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:21

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM16_10

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-13.74	0	dB	Pass
OffsetA U	-999	-29.16	0	dB	Pass
OffsetB L	-999	-22.61	0	dB	Pass
OffsetB U	-999	-27.82	0	dB	Pass
OffsetC L	-999	-25.53	0	dB	Pass
OffsetC U	-999	-24.54	0	dB	Pass
OffsetD L	-999	-17.47	0	dB	Pass
OffsetD U	-999	-16.49	0	dB	Pass
Carrier Power	NaN	20.34	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:29

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image


OFDM: CP

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-19.56	0	dB	Pass
OffsetA U	-999	-17.28	0	dB	Pass
OffsetB L	-999	-16.38	0	dB	Pass
OffsetB U	-999	-16.13	0	dB	Pass
OffsetC L	-999	-14.68	0	dB	Pass
OffsetC U	-999	-13.91	0	dB	Pass
OffsetD L	-999	-18.27	0	dB	Pass
OffsetD U	-999	-14.12	0	dB	Pass
Carrier Power	NaN	20.77	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:37

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002
 Freq [MHz]: 2510.01MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: CP
 Modulation: QAM64_19
 RB Allocation: Edge1RBLeft
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-11	0	dB	Pass
OffsetA U	-999	-30.2	0	dB	Pass
OffsetB L	-999	-21.64	0	dB	Pass
OffsetB U	-999	-28.46	0	dB	Pass
OffsetC L	-999	-23.38	0	dB	Pass
OffsetC U	-999	-23.71	0	dB	Pass
OffsetD L	-999	-18.01	0	dB	Pass
OffsetD U	-999	-17.13	0	dB	Pass
Carrier Power	NaN	20.51	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:45

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM64_19

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-20.5	0	dB	Pass
OffsetA U	-999	-19.84	0	dB	Pass
OffsetB L	-999	-17.1	0	dB	Pass
OffsetB U	-999	-17.31	0	dB	Pass
OffsetC L	-999	-16.04	0	dB	Pass
OffsetC U	-999	-15.39	0	dB	Pass
OffsetD L	-999	-17.75	0	dB	Pass
OffsetD U	-999	-13.47	0	dB	Pass
Carrier Power	NaN	20.17	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:24:56
System: ENDC
Test Case: 6.5B.2.3.1 Spectrum Emission Mask
Description:
Band: n41|B3
Bandwidth: 20MHz|10MHz
SCS: 30kHz
ARFCN: 502002
Freq [MHz]: 2510.01MHz
Expected Power [dBm]: 23
Others: Image
OFDM: CP
Modulation: QAM256_20
RB Allocation: Edge1RBLleft
DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-14.86	0	dB	Pass
OffsetA U	-999	-30.82	0	dB	Pass

OffsetB L	-999	-21.58	0	dB	Pass
OffsetB U	-999	-29.23	0	dB	Pass
OffsetC L	-999	-24.21	0	dB	Pass
OffsetC U	-999	-23.8	0	dB	Pass
OffsetD L	-999	-18.4	0	dB	Pass
OffsetD U	-999	-17.2	0	dB	Pass
Carrier Power	NaN	17.28	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T15:25:04

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 502002

Freq [MHz]: 2510.01MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:


DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-26.58	0	dB	Pass
OffsetA U	-999	-27.47	0	dB	Pass
OffsetB L	-999	-24.35	0	dB	Pass
OffsetB U	-999	-23.95	0	dB	Pass
OffsetC L	-999	-21.21	0	dB	Pass
OffsetC U	-999	-20.19	0	dB	Pass
OffsetD L	-999	-17.78	0	dB	Pass
OffsetD U	-999	-15.53	0	dB	Pass
Carrier Power	NaN	17.34	NaN	dBm	NotSet



Detail Test Result

6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:02:18

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: PI2BPSK_0

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-28.09	0	dB	Pass
OffsetA U	-999	-11.7	0	dB	Pass
OffsetB L	-999	-25.84	0	dB	Pass
OffsetB U	-999	-19.16	0	dB	Pass
OffsetC L	-999	-20.26	0	dB	Pass
OffsetC U	-999	-22.64	0	dB	Pass
OffsetD L	-999	-15.01	0	dB	Pass
OffsetD U	-999	-16.15	0	dB	Pass
Carrier Power	NaN	22.8	NaN	dBm	NotSet




6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:02:31
System: ENDC
Test Case: 6.5B.2.3.1 Spectrum Emission Mask
Description:
Band: n41|B3
Bandwidth: 20MHz|10MHz
SCS: 30kHz
ARFCN: 535998
Freq [MHz]: 2679.99MHz
Expected Power [dBm]: 23
Others: Image
OFDM: DFT
Modulation: PI2BPSK_0
RB Allocation: OuterFull
DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-15.14	0	dB	Pass
OffsetA U	-999	-18.99	0	dB	Pass

OffsetB L	-999	-15.77	0	dB	Pass
OffsetB U	-999	-16.93	0	dB	Pass
OffsetC L	-999	-12.18	0	dB	Pass
OffsetC U	-999	-13.54	0	dB	Pass
OffsetD L	-999	-13.13	0	dB	Pass
OffsetD U	-999	-14.89	0	dB	Pass
Carrier Power	NaN	22.84	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:02:47

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QPSK_2

RB Allocation: Edge1RBRright

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritcal:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.01	0	dB	Pass
OffsetA U	-999	-12	0	dB	Pass
OffsetB L	-999	-26.62	0	dB	Pass
OffsetB U	-999	-19.87	0	dB	Pass
OffsetC L	-999	-21.4	0	dB	Pass
OffsetC U	-999	-23.15	0	dB	Pass
OffsetD L	-999	-15.97	0	dB	Pass
OffsetD U	-999	-16.79	0	dB	Pass
Carrier Power	NaN	22.21	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:03:01

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-14.11	0	dB	Pass
OffsetA U	-999	-17.3	0	dB	Pass
OffsetB L	-999	-13.1	0	dB	Pass
OffsetB U	-999	-13.71	0	dB	Pass
OffsetC L	-999	-10.45	0	dB	Pass
OffsetC U	-999	-13.52	0	dB	Pass
OffsetD L	-999	-15.65	0	dB	Pass
OffsetD U	-999	-16.49	0	dB	Pass
Carrier Power	NaN	22.36	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:03:14

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998
 Freq [MHz]: 2679.99MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM16_10
 RB Allocation: Edge1RBRight
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.3	0	dB	Pass
OffsetA U	-999	-11.81	0	dB	Pass
OffsetB L	-999	-27.09	0	dB	Pass
OffsetB U	-999	-18.88	0	dB	Pass
OffsetC L	-999	-21.3	0	dB	Pass
OffsetC U	-999	-22.94	0	dB	Pass
OffsetD L	-999	-15.38	0	dB	Pass
OffsetD U	-999	-16.11	0	dB	Pass
Carrier Power	NaN	21.04	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:03:27

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-17.65	0	dB	Pass
OffsetA U	-999	-20.39	0	dB	Pass
OffsetB L	-999	-15.05	0	dB	Pass
OffsetB U	-999	-16.93	0	dB	Pass
OffsetC L	-999	-12.14	0	dB	Pass
OffsetC U	-999	-14.01	0	dB	Pass
OffsetD L	-999	-15.33	0	dB	Pass
OffsetD U	-999	-15.91	0	dB	Pass
Carrier Power	NaN	21.38	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:03:41
System: ENDC
Test Case: 6.5B.2.3.1 Spectrum Emission Mask
Description:
Band: n41|B3
Bandwidth: 20MHz|10MHz
SCS: 30kHz
ARFCN: 535998
Freq [MHz]: 2679.99MHz
Expected Power [dBm]: 23
Others: Image
OFDM: DFT
Modulation: QAM64_18
RB Allocation: Edge1RBRight
DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-35.77	0	dB	Pass
OffsetA U	-999	-16.85	0	dB	Pass

OffsetB L	-999	-31.76	0	dB	Pass
OffsetB U	-999	-29.97	0	dB	Pass
OffsetC L	-999	-29.5	0	dB	Pass
OffsetC U	-999	-28.96	0	dB	Pass
OffsetD L	-999	-16.63	0	dB	Pass
OffsetD U	-999	-17.46	0	dB	Pass
Carrier Power	NaN	20.53	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:03:54

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.8	0	dB	Pass
OffsetA U	-999	-20.89	0	dB	Pass
OffsetB L	-999	-16.88	0	dB	Pass
OffsetB U	-999	-18.54	0	dB	Pass
OffsetC L	-999	-14.34	0	dB	Pass
OffsetC U	-999	-16.01	0	dB	Pass
OffsetD L	-999	-12.94	0	dB	Pass
OffsetD U	-999	-15.55	0	dB	Pass
Carrier Power	NaN	20.74	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:11

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QAM256_20

RB Allocation: Edge1RBRight

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-28.8	0	dB	Pass
OffsetA U	-999	-12.98	0	dB	Pass
OffsetB L	-999	-26.97	0	dB	Pass
OffsetB U	-999	-20.75	0	dB	Pass
OffsetC L	-999	-22.19	0	dB	Pass
OffsetC U	-999	-23.73	0	dB	Pass
OffsetD L	-999	-15.92	0	dB	Pass
OffsetD U	-999	-16.52	0	dB	Pass
Carrier Power	NaN	19.26	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:24

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998
 Freq [MHz]: 2679.99MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM256_20
 RB Allocation: OuterFull
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-25.68	0	dB	Pass
OffsetA U	-999	-25.89	0	dB	Pass
OffsetB L	-999	-22.32	0	dB	Pass
OffsetB U	-999	-23.05	0	dB	Pass
OffsetC L	-999	-20.4	0	dB	Pass
OffsetC U	-999	-22.1	0	dB	Pass
OffsetD L	-999	-15.85	0	dB	Pass
OffsetD U	-999	-16.73	0	dB	Pass
Carrier Power	NaN	18.9	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:35

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-33.94	0	dB	Pass
OffsetA U	-999	-17.92	0	dB	Pass
OffsetB L	-999	-31.59	0	dB	Pass
OffsetB U	-999	-28.66	0	dB	Pass
OffsetC L	-999	-28.34	0	dB	Pass
OffsetC U	-999	-29.11	0	dB	Pass
OffsetD L	-999	-17.06	0	dB	Pass
OffsetD U	-999	-17.89	0	dB	Pass
Carrier Power	NaN	20.21	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:43

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-17.66	0	dB	Pass
OffsetA U	-999	-19.29	0	dB	Pass

OffsetB L	-999	-14.82	0	dB	Pass
OffsetB U	-999	-16.46	0	dB	Pass
OffsetC L	-999	-11.99	0	dB	Pass
OffsetC U	-999	-14.31	0	dB	Pass
OffsetD L	-999	-15.72	0	dB	Pass
OffsetD U	-999	-16.5	0	dB	Pass
Carrier Power	NaN	20.36	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:51

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM16_10

RB Allocation: Edge1RBRright

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-31.23	0	dB	Pass
OffsetA U	-999	-15.26	0	dB	Pass
OffsetB L	-999	-29.64	0	dB	Pass
OffsetB U	-999	-24.33	0	dB	Pass
OffsetC L	-999	-25.03	0	dB	Pass
OffsetC U	-999	-26.04	0	dB	Pass
OffsetD L	-999	-16.71	0	dB	Pass
OffsetD U	-999	-16.93	0	dB	Pass
Carrier Power	NaN	20.23	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:04:59

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image


OFDM: CP

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-16.71	0	dB	Pass
OffsetA U	-999	-18.95	0	dB	Pass
OffsetB L	-999	-15.14	0	dB	Pass
OffsetB U	-999	-17.13	0	dB	Pass
OffsetC L	-999	-11.02	0	dB	Pass
OffsetC U	-999	-15.4	0	dB	Pass
OffsetD L	-999	-16.12	0	dB	Pass
OffsetD U	-999	-16.73	0	dB	Pass
Carrier Power	NaN	20.17	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:05:08

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998
 Freq [MHz]: 2679.99MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: CP
 Modulation: QAM64_19
 RB Allocation: Edge1RBRight
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.47	0	dB	Pass
OffsetA U	-999	-14.81	0	dB	Pass
OffsetB L	-999	-28.57	0	dB	Pass
OffsetB U	-999	-24.45	0	dB	Pass
OffsetC L	-999	-24.29	0	dB	Pass
OffsetC U	-999	-25.69	0	dB	Pass
OffsetD L	-999	-16.6	0	dB	Pass
OffsetD U	-999	-16.8	0	dB	Pass
Carrier Power	NaN	20.01	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:05:16

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM64_19

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.9	0	dB	Pass
OffsetA U	-999	-21.36	0	dB	Pass
OffsetB L	-999	-15.87	0	dB	Pass
OffsetB U	-999	-17.99	0	dB	Pass
OffsetC L	-999	-15.39	0	dB	Pass
OffsetC U	-999	-16.79	0	dB	Pass
OffsetD L	-999	-16.12	0	dB	Pass
OffsetD U	-999	-16.8	0	dB	Pass
Carrier Power	NaN	19.7	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:05:26

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-32.84	0	dB	Pass
OffsetA U	-999	-17.28	0	dB	Pass

OffsetB L	-999	-30.16	0	dB	Pass
OffsetB U	-999	-25	0	dB	Pass
OffsetC L	-999	-24.21	0	dB	Pass
OffsetC U	-999	-25.8	0	dB	Pass
OffsetD L	-999	-16.43	0	dB	Pass
OffsetD U	-999	-17.1	0	dB	Pass
Carrier Power	NaN	17.03	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:05:34

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 20MHz|10MHz

SCS: 30kHz

ARFCN: 535998

Freq [MHz]: 2679.99MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:


DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritcal:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-25.54	0	dB	Pass
OffsetA U	-999	-28.87	0	dB	Pass
OffsetB L	-999	-24.9	0	dB	Pass
OffsetB U	-999	-25.47	0	dB	Pass
OffsetC L	-999	-21.92	0	dB	Pass
OffsetC U	-999	-23.41	0	dB	Pass
OffsetD L	-999	-15.29	0	dB	Pass
OffsetD U	-999	-16.39	0	dB	Pass
Carrier Power	NaN	16.98	NaN	dBm	NotSet



Detail Test Result

6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:08:29

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: PI2BPSK_0

RB Allocation: Edge1RBLeft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-4.62	0	dB	Pass
OffsetA U	-999	-29.73	0	dB	Pass
OffsetB L	-999	-19.25	0	dB	Pass
OffsetB U	-999	-31.51	0	dB	Pass
OffsetC L	-999	-13.81	0	dB	Pass
OffsetC U	-999	-24.65	0	dB	Pass
OffsetD L	-999	-18.97	0	dB	Pass
OffsetD U	-999	-16.95	0	dB	Pass
Carrier Power	NaN	21.14	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:08:47
System: ENDC
Test Case: 6.5B.2.3.1 Spectrum Emission Mask
Description:
Band: n41|B3
Bandwidth: 100MHz|10MHz
SCS: 30kHz
ARFCN: 510000
Freq [MHz]: 2550MHz
Expected Power [dBm]: 23
Others: Image
OFDM: DFT
Modulation: PI2BPSK_0
RB Allocation: OuterFull
DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-17.51	0	dB	Pass
OffsetA U	-999	-18.19	0	dB	Pass

OffsetB L	-999	-21.27	0	dB	Pass
OffsetB U	-999	-19.2	0	dB	Pass
OffsetC L	-999	-19.13	0	dB	Pass
OffsetC U	-999	-17.56	0	dB	Pass
OffsetD L	-999	-15.97	0	dB	Pass
OffsetD U	-999	-16.36	0	dB	Pass
Carrier Power	NaN	23.11	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:09:04

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QPSK_2

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-4.29	0	dB	Pass
OffsetA U	-999	-28.58	0	dB	Pass
OffsetB L	-999	-19.98	0	dB	Pass
OffsetB U	-999	-32.25	0	dB	Pass
OffsetC L	-999	-14.23	0	dB	Pass
OffsetC U	-999	-25.33	0	dB	Pass
OffsetD L	-999	-19.38	0	dB	Pass
OffsetD U	-999	-17.45	0	dB	Pass
Carrier Power	NaN	20.75	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:09:20

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.12	0	dB	Pass
OffsetA U	-999	-18.74	0	dB	Pass
OffsetB L	-999	-21.55	0	dB	Pass
OffsetB U	-999	-20.05	0	dB	Pass
OffsetC L	-999	-19.09	0	dB	Pass
OffsetC U	-999	-17.17	0	dB	Pass
OffsetD L	-999	-16.98	0	dB	Pass
OffsetD U	-999	-16.77	0	dB	Pass
Carrier Power	NaN	22.64	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:09:37

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000
 Freq [MHz]: 2550MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM16_10
 RB Allocation: Edge1RBLeft
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-4.38	0	dB	Pass
OffsetA U	-999	-27.91	0	dB	Pass
OffsetB L	-999	-21.11	0	dB	Pass
OffsetB U	-999	-32.34	0	dB	Pass
OffsetC L	-999	-15.31	0	dB	Pass
OffsetC U	-999	-25.97	0	dB	Pass
OffsetD L	-999	-18.97	0	dB	Pass
OffsetD U	-999	-17.72	0	dB	Pass
Carrier Power	NaN	19.33	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:09:54

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-21.5	0	dB	Pass
OffsetA U	-999	-22.57	0	dB	Pass
OffsetB L	-999	-24.51	0	dB	Pass
OffsetB U	-999	-23.1	0	dB	Pass
OffsetC L	-999	-21.72	0	dB	Pass
OffsetC U	-999	-20.43	0	dB	Pass
OffsetD L	-999	-17.52	0	dB	Pass
OffsetD U	-999	-16.48	0	dB	Pass
Carrier Power	NaN	21.52	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:10:11

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-7.14	0	dB	Pass
OffsetA U	-999	-26.96	0	dB	Pass

OffsetB L	-999	-27.46	0	dB	Pass
OffsetB U	-999	-32.77	0	dB	Pass
OffsetC L	-999	-15.5	0	dB	Pass
OffsetC U	-999	-25.39	0	dB	Pass
OffsetD L	-999	-19.23	0	dB	Pass
OffsetD U	-999	-17.6	0	dB	Pass
Carrier Power	NaN	18.96	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:10:28

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-23.14	0	dB	Pass
OffsetA U	-999	-23.19	0	dB	Pass
OffsetB L	-999	-25.94	0	dB	Pass
OffsetB U	-999	-24.23	0	dB	Pass
OffsetC L	-999	-22.38	0	dB	Pass
OffsetC U	-999	-21.55	0	dB	Pass
OffsetD L	-999	-17.66	0	dB	Pass
OffsetD U	-999	-16.76	0	dB	Pass
Carrier Power	NaN	21.07	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:10:46

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QAM256_20

RB Allocation: Edge1RBLeft

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-7.56	0	dB	Pass
OffsetA U	-999	-29.4	0	dB	Pass
OffsetB L	-999	-20.59	0	dB	Pass
OffsetB U	-999	-32.46	0	dB	Pass
OffsetC L	-999	-17.28	0	dB	Pass
OffsetC U	-999	-25.73	0	dB	Pass
OffsetD L	-999	-19.65	0	dB	Pass
OffsetD U	-999	-17.06	0	dB	Pass
Carrier Power	NaN	17.18	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:11:02

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000
 Freq [MHz]: 2550MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM256_20
 RB Allocation: OuterFull
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-27.33	0	dB	Pass
OffsetA U	-999	-29.1	0	dB	Pass
OffsetB L	-999	-30.98	0	dB	Pass
OffsetB U	-999	-30.09	0	dB	Pass
OffsetC L	-999	-26.8	0	dB	Pass
OffsetC U	-999	-25.71	0	dB	Pass
OffsetD L	-999	-17.99	0	dB	Pass
OffsetD U	-999	-15.95	0	dB	Pass
Carrier Power	NaN	19	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:11:16

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: Edge1RBLeft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-6.36	0	dB	Pass
OffsetA U	-999	-28.71	0	dB	Pass
OffsetB L	-999	-30.18	0	dB	Pass
OffsetB U	-999	-32.8	0	dB	Pass
OffsetC L	-999	-16.13	0	dB	Pass
OffsetC U	-999	-25.71	0	dB	Pass
OffsetD L	-999	-19.22	0	dB	Pass
OffsetD U	-999	-17.39	0	dB	Pass
Carrier Power	NaN	18.44	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:11:27

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-21.57	0	dB	Pass
OffsetA U	-999	-18.68	0	dB	Pass

OffsetB L	-999	-23.26	0	dB	Pass
OffsetB U	-999	-23.28	0	dB	Pass
OffsetC L	-999	-20.01	0	dB	Pass
OffsetC U	-999	-18.82	0	dB	Pass
OffsetD L	-999	-17.03	0	dB	Pass
OffsetD U	-999	-16.33	0	dB	Pass
Carrier Power	NaN	20.57	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:11:39

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM16_10

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-5.13	0	dB	Pass
OffsetA U	-999	-26.58	0	dB	Pass
OffsetB L	-999	-26.58	0	dB	Pass
OffsetB U	-999	-33	0	dB	Pass
OffsetC L	-999	-15.5	0	dB	Pass
OffsetC U	-999	-25.98	0	dB	Pass
OffsetD L	-999	-19.25	0	dB	Pass
OffsetD U	-999	-17.5	0	dB	Pass
Carrier Power	NaN	18.91	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:11:51

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image


OFDM: CP

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-21.15	0	dB	Pass
OffsetA U	-999	-20.18	0	dB	Pass
OffsetB L	-999	-24.41	0	dB	Pass
OffsetB U	-999	-23.76	0	dB	Pass
OffsetC L	-999	-20.63	0	dB	Pass
OffsetC U	-999	-19.72	0	dB	Pass
OffsetD L	-999	-17.66	0	dB	Pass
OffsetD U	-999	-16.57	0	dB	Pass
Carrier Power	NaN	20.49	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:12:02

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000
 Freq [MHz]: 2550MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: CP
 Modulation: QAM64_19
 RB Allocation: Edge1RBLeft
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-5.1	0	dB	Pass
OffsetA U	-999	-30.45	0	dB	Pass
OffsetB L	-999	-17.71	0	dB	Pass
OffsetB U	-999	-32.61	0	dB	Pass
OffsetC L	-999	-15.86	0	dB	Pass
OffsetC U	-999	-26.27	0	dB	Pass
OffsetD L	-999	-19.57	0	dB	Pass
OffsetD U	-999	-17.04	0	dB	Pass
Carrier Power	NaN	18.51	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:12:15

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM64_19

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-21.99	0	dB	Pass
OffsetA U	-999	-21.56	0	dB	Pass
OffsetB L	-999	-25.49	0	dB	Pass
OffsetB U	-999	-24.54	0	dB	Pass
OffsetC L	-999	-21.89	0	dB	Pass
OffsetC U	-999	-20.65	0	dB	Pass
OffsetD L	-999	-17.64	0	dB	Pass
OffsetD U	-999	-16.77	0	dB	Pass
Carrier Power	NaN	20.15	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:12:28

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: Edge1RBLleft

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-8.74	0	dB	Pass
OffsetA U	-999	-28.11	0	dB	Pass

OffsetB L	-999	-27.36	0	dB	Pass
OffsetB U	-999	-33.08	0	dB	Pass
OffsetC L	-999	-18.4	0	dB	Pass
OffsetC U	-999	-27.54	0	dB	Pass
OffsetD L	-999	-19.49	0	dB	Pass
OffsetD U	-999	-17.55	0	dB	Pass
Carrier Power	NaN	15.52	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:12:40

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 510000

Freq [MHz]: 2550MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-24.39	0	dB	Pass
OffsetA U	-999	-25.87	0	dB	Pass
OffsetB L	-999	-29.3	0	dB	Pass
OffsetB U	-999	-29.4	0	dB	Pass
OffsetC L	-999	-24.01	0	dB	Pass
OffsetC U	-999	-24.66	0	dB	Pass
OffsetD L	-999	-18.42	0	dB	Pass
OffsetD U	-999	-16.98	0	dB	Pass
Carrier Power	NaN	17.2	NaN	dBm	NotSet



Detail Test Result

6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:22:40

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: PI2BPSK_0

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.94	0	dB	Pass
OffsetA U	-999	-3.55	0	dB	Pass
OffsetB L	-999	-31.25	0	dB	Pass
OffsetB U	-999	-20.14	0	dB	Pass
OffsetC L	-999	-24.85	0	dB	Pass
OffsetC U	-999	-22.24	0	dB	Pass
OffsetD L	-999	-18.89	0	dB	Pass
OffsetD U	-999	-16.6	0	dB	Pass
Carrier Power	NaN	20.72	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:22:58

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: PI2BPSK_0

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.84	0	dB	Pass
OffsetA U	-999	-20.53	0	dB	Pass

OffsetB L	-999	-21.13	0	dB	Pass
OffsetB U	-999	-20.94	0	dB	Pass
OffsetC L	-999	-17.69	0	dB	Pass
OffsetC U	-999	-18.5	0	dB	Pass
OffsetD L	-999	-17.8	0	dB	Pass
OffsetD U	-999	-16.6	0	dB	Pass
Carrier Power	NaN	22.99	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:23:15

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QPSK_2

RB Allocation: Edge1RBRright

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.08	0	dB	Pass
OffsetA U	-999	-4.74	0	dB	Pass
OffsetB L	-999	-31.63	0	dB	Pass
OffsetB U	-999	-20.64	0	dB	Pass
OffsetC L	-999	-25.93	0	dB	Pass
OffsetC U	-999	-21.87	0	dB	Pass
OffsetD L	-999	-19.06	0	dB	Pass
OffsetD U	-999	-17.38	0	dB	Pass
Carrier Power	NaN	20.1	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:23:32

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.2	0	dB	Pass
OffsetA U	-999	-20.34	0	dB	Pass
OffsetB L	-999	-21.25	0	dB	Pass
OffsetB U	-999	-21.92	0	dB	Pass
OffsetC L	-999	-17.89	0	dB	Pass
OffsetC U	-999	-18.94	0	dB	Pass
OffsetD L	-999	-17.5	0	dB	Pass
OffsetD U	-999	-16.4	0	dB	Pass
Carrier Power	NaN	22.48	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:23:49

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000
 Freq [MHz]: 2640MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM16_10
 RB Allocation: Edge1RBRight
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-28.56	0	dB	Pass
OffsetA U	-999	-7.25	0	dB	Pass
OffsetB L	-999	-31.48	0	dB	Pass
OffsetB U	-999	-18.97	0	dB	Pass
OffsetC L	-999	-27.29	0	dB	Pass
OffsetC U	-999	-21.26	0	dB	Pass
OffsetD L	-999	-18.82	0	dB	Pass
OffsetD U	-999	-17.12	0	dB	Pass
Carrier Power	NaN	19	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:24:06

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-19.5	0	dB	Pass
OffsetA U	-999	-22.67	0	dB	Pass
OffsetB L	-999	-22.04	0	dB	Pass
OffsetB U	-999	-22.94	0	dB	Pass
OffsetC L	-999	-18.98	0	dB	Pass
OffsetC U	-999	-20.35	0	dB	Pass
OffsetD L	-999	-16.73	0	dB	Pass
OffsetD U	-999	-17.12	0	dB	Pass
Carrier Power	NaN	21.52	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:24:23

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.67	0	dB	Pass
OffsetA U	-999	-4.7	0	dB	Pass

OffsetB L	-999	-32.49	0	dB	Pass
OffsetB U	-999	-28.36	0	dB	Pass
OffsetC L	-999	-26.27	0	dB	Pass
OffsetC U	-999	-28.51	0	dB	Pass
OffsetD L	-999	-18.72	0	dB	Pass
OffsetD U	-999	-17.28	0	dB	Pass
Carrier Power	NaN	18.56	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:24:39

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: DFT

Modulation: QAM64_18

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritcal:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-21.52	0	dB	Pass
OffsetA U	-999	-22.03	0	dB	Pass
OffsetB L	-999	-24.25	0	dB	Pass
OffsetB U	-999	-24.78	0	dB	Pass
OffsetC L	-999	-21.31	0	dB	Pass
OffsetC U	-999	-21.14	0	dB	Pass
OffsetD L	-999	-17.48	0	dB	Pass
OffsetD U	-999	-16.69	0	dB	Pass
Carrier Power	NaN	20.96	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:24:58

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image


OFDM: DFT

Modulation: QAM256_20

RB Allocation: Edge1RBRright

DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-29.52	0	dB	Pass
OffsetA U	-999	-11.07	0	dB	Pass
OffsetB L	-999	-32.41	0	dB	Pass
OffsetB U	-999	-19.42	0	dB	Pass
OffsetC L	-999	-28.06	0	dB	Pass
OffsetC U	-999	-21.27	0	dB	Pass
OffsetD L	-999	-19.03	0	dB	Pass
OffsetD U	-999	-17.01	0	dB	Pass
Carrier Power	NaN	17.34	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:25:15

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:


Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000
 Freq [MHz]: 2640MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: DFT
 Modulation: QAM256_20
 RB Allocation: OuterFull
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-27.6	0	dB	Pass
OffsetA U	-999	-28.11	0	dB	Pass
OffsetB L	-999	-29.39	0	dB	Pass
OffsetB U	-999	-29.63	0	dB	Pass
OffsetC L	-999	-25.59	0	dB	Pass
OffsetC U	-999	-25.88	0	dB	Pass
OffsetD L	-999	-17.56	0	dB	Pass
OffsetD U	-999	-17.41	0	dB	Pass
Carrier Power	NaN	19.06	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:25:29

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: Edge1RBRight

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-30.18	0	dB	Pass
OffsetA U	-999	-7.34	0	dB	Pass
OffsetB L	-999	-31.6	0	dB	Pass
OffsetB U	-999	-19.3	0	dB	Pass
OffsetC L	-999	-26.72	0	dB	Pass
OffsetC U	-999	-20.56	0	dB	Pass
OffsetD L	-999	-18.99	0	dB	Pass
OffsetD U	-999	-16.75	0	dB	Pass
Carrier Power	NaN	18.31	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:25:41

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QPSK_2

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:

Power Horizontal:


Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-18.99	0	dB	Pass
OffsetA U	-999	-22.11	0	dB	Pass

OffsetB L	-999	-21.96	0	dB	Pass
OffsetB U	-999	-24.25	0	dB	Pass
OffsetC L	-999	-17.36	0	dB	Pass
OffsetC U	-999	-20.01	0	dB	Pass
OffsetD L	-999	-16.45	0	dB	Pass
OffsetD U	-999	-17.17	0	dB	Pass
Carrier Power	NaN	20.55	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:25:53

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM16_10

RB Allocation: Edge1RBRright

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Veritical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-30.15	0	dB	Pass
OffsetA U	-999	-7.22	0	dB	Pass
OffsetB L	-999	-32.66	0	dB	Pass
OffsetB U	-999	-28.91	0	dB	Pass
OffsetC L	-999	-26.4	0	dB	Pass
OffsetC U	-999	-28.72	0	dB	Pass
OffsetD L	-999	-18.77	0	dB	Pass
OffsetD U	-999	-16.61	0	dB	Pass
Carrier Power	NaN	18.45	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:26:04

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image


OFDM: CP

Modulation: QAM16_10

RB Allocation: OuterFull

DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-20.57	0	dB	Pass
OffsetA U	-999	-20.59	0	dB	Pass
OffsetB L	-999	-22.8	0	dB	Pass
OffsetB U	-999	-24.01	0	dB	Pass
OffsetC L	-999	-17.69	0	dB	Pass
OffsetC U	-999	-20.15	0	dB	Pass
OffsetD L	-999	-16.05	0	dB	Pass
OffsetD U	-999	-16.78	0	dB	Pass
Carrier Power	NaN	20.38	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:26:16

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000
 Freq [MHz]: 2640MHz
 Expected Power [dBm]: 23
 Others: Image
 OFDM: CP
 Modulation: QAM64_19
 RB Allocation: Edge1RBRright
 DUT Phi [degrees]:
 DUT Theta [degrees]:
 Azimuth [degrees]:
 Roll [degrees]:
 DUT Orientation:
 DL Polarization:
 Power Horizontal:
 Power Vertical:
 Raw Data:
 Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-31.17	0	dB	Pass
OffsetA U	-999	-8.66	0	dB	Pass
OffsetB L	-999	-32.38	0	dB	Pass
OffsetB U	-999	-17.58	0	dB	Pass
OffsetC L	-999	-26.43	0	dB	Pass
OffsetC U	-999	-19.23	0	dB	Pass
OffsetD L	-999	-18.5	0	dB	Pass
OffsetD U	-999	-17.17	0	dB	Pass
Carrier Power	NaN	17.89	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:26:28

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM64_19

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:

DUT Orientation:

DL Polarization:


Power Horizontal:

Power Vertical:

Raw Data:

Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-20.93	0	dB	Pass
OffsetA U	-999	-21.34	0	dB	Pass
OffsetB L	-999	-23.09	0	dB	Pass
OffsetB U	-999	-24.69	0	dB	Pass
OffsetC L	-999	-19.42	0	dB	Pass
OffsetC U	-999	-20.91	0	dB	Pass
OffsetD L	-999	-16.87	0	dB	Pass
OffsetD U	-999	-16.93	0	dB	Pass
Carrier Power	NaN	20.04	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:26:43
System: ENDC
Test Case: 6.5B.2.3.1 Spectrum Emission Mask
Description:
Band: n41|B3
Bandwidth: 100MHz|10MHz
SCS: 30kHz
ARFCN: 528000
Freq [MHz]: 2640MHz
Expected Power [dBm]: 23
Others: Image
OFDM: CP
Modulation: QAM256_20
RB Allocation: Edge1RBRight
DUT Phi [degrees]:
DUT Theta [degrees]:
Azimuth [degrees]:
Roll [degrees]:
DUT Orientation:
DL Polarization:
Power Horizontal:
Power Vertical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-30.13	0	dB	Pass
OffsetA U	-999	-11.55	0	dB	Pass

OffsetB L	-999	-32.25	0	dB	Pass
OffsetB U	-999	-25.95	0	dB	Pass
OffsetC L	-999	-28.01	0	dB	Pass
OffsetC U	-999	-23.25	0	dB	Pass
OffsetD L	-999	-18.59	0	dB	Pass
OffsetD U	-999	-16.99	0	dB	Pass
Carrier Power	NaN	15.23	NaN	dBm	NotSet



6.5B.2.3.1 Spectrum Emission Mask

Time: 2020-07-24T16:26:55

System: ENDC

Test Case: 6.5B.2.3.1 Spectrum Emission Mask

Description:

Band: n41|B3

Bandwidth: 100MHz|10MHz

SCS: 30kHz

ARFCN: 528000

Freq [MHz]: 2640MHz

Expected Power [dBm]: 23

Others: Image

OFDM: CP

Modulation: QAM256_20

RB Allocation: OuterFull

DUT Phi [degrees]:

DUT Theta [degrees]:

Azimuth [degrees]:

Roll [degrees]:


DUT Orientation:


DL Polarization:

Power Horizontal:

Power Veritical:
Raw Data:
Condition:

Item	Lower Limit	Value	Upper Limit	Unit	Status
OffsetA L	-999	-25.21	0	dB	Pass
OffsetA U	-999	-26.79	0	dB	Pass
OffsetB L	-999	-29.05	0	dB	Pass
OffsetB U	-999	-31.38	0	dB	Pass
OffsetC L	-999	-24.91	0	dB	Pass
OffsetC U	-999	-26.95	0	dB	Pass
OffsetD L	-999	-17.61	0	dB	Pass
OffsetD U	-999	-17.19	0	dB	Pass
Carrier Power	NaN	17.18	NaN	dBm	NotSet





5. 混附發射區域之不必要發射限制之量測結果



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:32:12

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-62.88	3.52	-59.36	-36.00	-23.36	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:32:31

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-73.19	3.46	-69.73	-36.00	-33.73	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:32:50

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	900.5750	-78.22	3.87	-74.35	-36.00	-38.35	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:33:08



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2555.000	-54.07	4.49	-49.58	-30.00	-19.58	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:33:27



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-54.46	4.50	-49.96	-30.00	-19.96	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:33:46



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11454.500	-68.55	6.58	-61.97	-30.00	-31.97	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:35:03

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-62.72	3.52	-59.20	-36.00	-23.20	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:35:22

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	0.5977	-75.32	3.46	-71.86	-36.00	-35.86	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:35:41

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	922.4000	-78.67	3.87	-74.80	-36.00	-38.80	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:36:00



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2555.000	-53.71	4.49	-49.22	-30.00	-19.22	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:36:18



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-54.13	4.50	-49.63	-30.00	-19.63	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:36:37



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11454.500	-68.29	6.58	-61.71	-30.00	-31.71	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:41:13

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-62.37	3.52	-58.85	-36.00	-22.85	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:41:32

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-69.68	3.46	-66.22	-36.00	-30.22	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:41:51

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 100 KHz VBW: 300

....

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	439.8250	-78.83	3.71	-75.12	-36.00	-39.12	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#3

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:42:10

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2555.000	-47.40	4.49	-42.91	-30.00	-12.91	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:42:28

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-48.00	4.50	-43.50	-30.00	-13.50	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:42:47

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH515000(2575 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11435.000	-68.72	6.58	-62.14	-30.00	-32.14	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:45:54

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-61.92	3.52	-58.40	-36.00	-22.40	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:46:13

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-70.98	3.46	-67.52	-36.00	-31.52	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:46:32

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	30.0000	-70.72	3.68	-67.04	-36.00	-31.04	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#3

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:46:51

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-54.15	4.49	-49.66	-30.00	-19.66	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:47:10



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2615.000	-54.80	4.50	-50.30	-30.00	-20.30	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:47:28

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-69.22	6.59	-62.63	-30.00	-32.63	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:49:57

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0273	-62.36	3.52	-58.84	-36.00	-22.84	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:50:16

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-68.43	3.46	-64.97	-36.00	-28.97	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:50:35

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	37.2750	-70.72	3.69	-67.03	-36.00	-31.03	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:50:53

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-53.74	4.49	-49.25	-30.00	-19.25	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:51:12



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2615.000	-54.76	4.50	-50.26	-30.00	-20.26	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:51:31

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.58	6.59	-61.99	-30.00	-31.99	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 07:55:47

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-61.86	3.52	-58.34	-36.00	-22.34	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 07:56:06

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-70.95	3.46	-67.49	-36.00	-31.49	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 07:56:25

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	32.4250	-75.06	3.68	-71.38	-36.00	-35.38	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 07:56:44

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-46.70	4.49	-42.21	-30.00	-12.21	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 07:57:03



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2615.000	-48.38	4.50	-43.88	-30.00	-13.88	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 07:57:22



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11454.500	-68.97	6.58	-62.39	-30.00	-32.39	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:05:24

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.00	3.52	-59.48	-36.00	-23.48	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:05:43

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.58	3.46	-68.12	-36.00	-32.12	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:06:02

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	49.4000	-71.04	3.75	-67.29	-36.00	-31.29	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:06:21



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-53.88	4.50	-49.38	-30.00	-19.38	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:06:40



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2635.000	-54.20	4.51	-49.69	-30.00	-19.69	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:06:59

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.82	6.59	-62.23	-30.00	-32.23	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:13:08

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	0.0270	-62.90	3.52	-59.38	-36.00	-23.38	peak		Comment



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:13:27

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.39	3.46	-67.93	-36.00	-31.93	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:13:46

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	56.6750	-73.30	3.78	-69.52	-36.00	-33.52	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:14:05

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-53.24	4.50	-48.74	-30.00	-18.74	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:14:24



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2635.000	-55.76	4.51	-51.25	-30.00	-21.25	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:14:42



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@23)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	11532.500	-68.01	6.59	-61.42	-30.00	-31.42	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:15:43

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-62.92	3.52	-59.40	-36.00	-23.40	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:16:02

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.27	3.46	-67.81	-36.00	-31.81	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:16:21

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	54.2500	-75.82	3.77	-72.05	-36.00	-36.05	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:16:40

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2595.000	-46.80	4.50	-42.30	-30.00	-12.30	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:16:59



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2635.000	-46.64	4.51	-42.13	-30.00	-12.13	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:17:18

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_10 MHz_SCS=30 kHz_CH523000(2615 MHz)_CP-OFDM_QPSK_Outer_Full(24@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-69.12	6.59	-62.53	-30.00	-32.53	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:28:30

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-63.26	3.52	-59.74	-36.00	-23.74	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:28:49

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-70.72	3.46	-67.26	-36.00	-31.26	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:29:08

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	786.6000	-77.79	3.81	-73.98	-36.00	-37.98	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:29:26

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2550.000	-58.70	4.48	-54.22	-30.00	-24.22	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:29:45

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2605.000	-65.09	4.50	-60.59	-30.00	-30.59	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:30:04

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11552.000	-69.48	6.60	-62.88	-30.00	-32.88	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:32:14

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0273	-63.94	3.52	-60.42	-36.00	-24.42	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:32:33

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-72.57	3.46	-69.11	-36.00	-33.11	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:32:52

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	745.3750	-73.73	3.78	-69.95	-36.00	-33.95	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:33:11



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2550.000	-59.39	4.48	-54.91	-30.00	-24.91	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:33:30



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2605.000	-60.71	4.50	-56.21	-30.00	-26.21	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:33:49



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-68.58	6.59	-61.99	-30.00	-31.99	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:35:57

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.91	3.52	-60.39	-36.00	-24.39	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:36:16

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-70.38	3.46	-66.92	-36.00	-30.92	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:36:34

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	745.3750	-78.65	3.78	-74.87	-36.00	-38.87	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:36:53



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2550.000	-48.76	4.48	-44.28	-30.00	-14.28	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:37:12



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	2605.000	-49.58	4.50	-45.08	-30.00	-15.08			peak	




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:37:31



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH515500(2577.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-69.60	6.59	-63.01	-30.00	-33.01	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:41:34

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.27	3.52	-60.75	-36.00	-24.75	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:41:53

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-73.63	3.46	-70.17	-36.00	-34.17	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:42:12

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	992.7250	-79.17	3.89	-75.28	-36.00	-39.28	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#3

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:42:30

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2567.500	-60.24	4.49	-55.75	-30.00	-25.75	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#4

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:42:49



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2622.500	-61.75	4.51	-57.24	-30.00	-27.24	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:43:08



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11532.500	-69.08	6.59	-62.49	-30.00	-32.49	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:44:44

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.0270	-64.53	3.52	-61.01	-36.00	-25.01			peak	

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:45:03

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-72.45	3.46	-68.99	-36.00	-32.99	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:45:22

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	39.7000	-73.24	3.70	-69.54	-36.00	-33.54	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:45:41

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2567.500	-58.18	4.49	-53.69	-30.00	-23.69	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:46:00

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2622.500	-59.90	4.51	-55.39	-30.00	-25.39	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:46:19



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-68.53	6.59	-61.94	-30.00	-31.94	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 08:47:38

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.77	3.52	-61.25	-36.00	-25.25	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 08:47:57

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-71.00	3.46	-67.54	-36.00	-31.54	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 08:48:16

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	34.8500	-78.33	3.69	-74.64	-36.00	-38.64	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 08:48:35

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2567.500	-48.73	4.49	-44.24	-30.00	-14.24	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 08:48:54



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2622.500	-50.34	4.51	-45.83	-30.00	-15.83	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#5

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 08:49:13



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-67.98	6.59	-61.39	-30.00	-31.39	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 10:16:14

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-65.11	3.52	-61.59	-36.00	-25.59	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 10:16:32

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.77	3.46	-68.31	-36.00	-32.31	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 10:16:51

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	44.5500	-73.63	3.72	-69.91	-36.00	-33.91	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 10:17:10



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2585.000	-58.14	4.50	-53.64	-30.00	-23.64	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 10:17:29

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2640.000	-60.82	4.51	-56.31	-30.00	-26.31	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 10:17:48

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11552.000	-68.95	6.60	-62.35	-30.00	-32.35	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 10:36:51

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	
								Detector	degree	Comment
1	*	0.0270	-63.44	3.52	-59.92	-36.00	-23.92	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 10:37:09

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.5977	-73.13	3.46	-69.67	-36.00	-33.67			peak	

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 10:37:28

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	56.6750	-77.13	3.78	-73.35	-36.00	-37.35	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 10:37:47



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2585.000	-59.24	4.50	-54.74	-30.00	-24.74	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 10:38:06



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2640.000	-59.08	4.51	-54.57	-30.00	-24.57	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 10:38:25



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@37)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-69.11	6.59	-62.52	-30.00	-32.52	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#1

Date: 2020/7/28

Time: 下午 10:43:43

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0273	-64.02	3.52	-60.50	-36.00	-24.50	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#2

Date: 2020/7/28

Time: 下午 10:44:02

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-73.71	3.46	-70.25	-36.00	-34.25	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#3

Date: 2020/7/28

Time: 下午 10:44:21

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	49.4000	-78.26	3.75	-74.51	-36.00	-38.51	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#4

Date: 2020/7/28

Time: 下午 10:44:40



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2585.000	-49.68	4.50	-45.18	-30.00	-15.18	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_1

Data :#5

Date: 2020/7/28

Time: 下午 10:44:58

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2640.000	-50.30	4.51	-45.79	-30.00	-15.79	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_1

Data :#6

Date: 2020/7/28

Time: 下午 10:45:17



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_15 MHz_SCS=30 kHz_CH522500(2612.5 MHz)_CP-OFDM_QPSK_Outer_Full(38@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.25	6.59	-61.66	-30.00	-31.66	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_1\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:14:17

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0273	-63.93	3.52	-60.41	-36.00	-24.41	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:14:36

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-73.51	3.46	-70.05	-36.00	-34.05	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:14:55

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	730.8250	-78.24	3.77	-74.47	-36.00	-38.47	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:15:14

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2537.275	-64.36	4.48	-59.88	-30.00	-29.88	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:15:33

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2620.963	-66.52	4.51	-62.01	-30.00	-32.01	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:15:52



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-69.03	6.59	-62.44	-30.00	-32.44	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:11:37

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.24	3.52	-60.72	-36.00	-24.72	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:11:56

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-73.69	3.46	-70.23	-36.00	-34.23	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:12:15

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	740.5250	-73.91	3.78	-70.13	-36.00	-34.13	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:12:34

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2541.137	-64.80	4.48	-60.32	-30.00	-30.32	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:12:53

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3831.350	-68.36	4.88	-63.48	-30.00	-33.48	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:13:12



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-69.24	6.59	-62.65	-30.00	-32.65	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:05:07

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-65.39	3.52	-61.87	-36.00	-25.87	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:05:26

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-74.90	3.46	-71.44	-36.00	-35.44	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:05:45

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	893.3000	-77.82	3.87	-73.95	-36.00	-37.95	peak		