



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5280MHz_TnomVmax	Pass	14.78	-22.26	37.04	-23.24	38.02	25	-41.31	56.09	-41.49	56.27	40	Sum
5320MHz_TnomVnom	Pass	12.04	-24.81	36.85	-25.48	37.52	25	-43.83	55.87	-43.99	56.03	40	1
5320MHz_TnomVnom	Pass	11.57	-25.60	37.17	-26.06	37.63	25	-44.67	56.24	-44.35	55.92	40	2
5320MHz_TnomVnom	Pass	14.82	-22.17	36.99	-22.75	37.57	25	-41.22	56.04	-41.16	55.98	40	Sum
5320MHz_TnomVmin	Pass	12.02	-24.81	36.83	-25.64	37.66	25	-43.84	55.86	-44.00	56.02	40	1
5320MHz_TnomVmin	Pass	11.57	-25.63	37.20	-26.11	37.68	25	-44.69	56.26	-44.36	55.93	40	2
5320MHz_TnomVmin	Pass	14.81	-22.19	37.00	-22.86	37.67	25	-41.23	56.04	-41.16	55.97	40	Sum
5320MHz_TnomVmax	Pass	12.02	-24.79	36.81	-25.57	37.59	25	-43.82	55.84	-44.00	56.02	40	1
5320MHz_TnomVmax	Pass	11.57	-25.69	37.26	-26.00	37.57	25	-44.68	56.25	-44.34	55.91	40	2
5320MHz_TnomVmax	Pass	14.81	-22.21	37.02	-22.77	37.58	25	-41.22	56.03	-41.15	55.96	40	Sum
5500MHz_TnomVnom	Pass	17.29	-17.52	34.81	-17.58	34.87	25	-35.33	52.62	-35.86	53.15	40	1
5500MHz_TnomVnom	Pass	17.49	-15.39	32.88	-14.61	32.10	25	-30.17	47.66	-31.96	49.45	40	2
5500MHz_TnomVnom	Pass	20.40	-13.31	33.71	-12.84	33.24	25	-29.01	49.41	-30.47	50.87	40	Sum
5500MHz_TnomVmin	Pass	17.35	-17.32	34.67	-17.30	34.65	25	-35.09	52.44	-35.60	52.95	40	1
5500MHz_TnomVmin	Pass	17.47	-15.36	32.83	-14.62	32.09	25	-30.13	47.60	-31.89	49.36	40	2
5500MHz_TnomVmin	Pass	20.42	-13.22	33.64	-12.74	33.16	25	-28.92	49.34	-30.35	50.77	40	Sum
5500MHz_TnomVmax	Pass	17.33	-17.35	34.68	-17.33	34.66	25	-35.05	52.38	-35.59	52.92	40	1
5500MHz_TnomVmax	Pass	17.45	-15.34	32.79	-14.58	32.03	25	-30.12	47.57	-31.86	49.31	40	2
5500MHz_TnomVmax	Pass	20.41	-13.22	33.63	-12.73	33.14	25	-28.91	49.32	-30.33	50.74	40	Sum
5600MHz_TnomVnom	Pass	17.17	-18.37	35.54	-18.27	35.44	25	-36.69	53.86	-36.46	53.63	40	1
5600MHz_TnomVnom	Pass	17.31	-16.08	33.39	-15.20	32.51	25	-31.69	49.00	-33.94	51.25	40	2
5600MHz_TnomVnom	Pass	20.25	-14.07	34.32	-13.45	33.70	25	-30.49	50.74	-32.01	52.26	40	Sum
5600MHz_TnomVmin	Pass	17.17	-18.34	35.51	-18.24	35.41	25	-36.72	53.89	-36.46	53.63	40	1
5600MHz_TnomVmin	Pass	17.32	-16.10	33.42	-15.19	32.51	25	-31.72	49.04	-33.93	51.25	40	2
5600MHz_TnomVmin	Pass	20.25	-14.07	34.32	-13.44	33.69	25	-30.53	50.78	-32.00	52.25	40	Sum
5600MHz_TnomVmax	Pass	17.17	-18.32	35.49	-18.25	35.42	25	-36.70	53.87	-36.48	53.65	40	1
5600MHz_TnomVmax	Pass	17.33	-16.09	33.42	-15.19	32.52	25	-31.71	49.04	-33.95	51.28	40	2
5600MHz_TnomVmax	Pass	20.26	-14.05	34.31	-13.45	33.71	25	-30.52	50.78	-32.03	52.29	40	Sum
5720MHz_TnomVnom	Pass	17.32	-17.99	35.31	-17.38	34.70	25	-36.78	54.10	-36.26	53.58	40	1
5720MHz_TnomVnom	Pass	17.18	-14.18	31.36	-13.17	30.35	25	-28.74	45.92	-29.63	46.81	40	2
5720MHz_TnomVnom	Pass	20.26	-12.67	32.93	-11.77	32.03	25	-28.11	48.37	-28.78	49.04	40	Sum
5720MHz_TnomVmin	Pass	17.31	-17.94	35.25	-17.38	34.69	25	-36.78	54.09	-36.25	53.56	40	1
5720MHz_TnomVmin	Pass	17.18	-14.16	31.34	-13.18	30.36	25	-28.74	45.92	-29.64	46.82	40	2
5720MHz_TnomVmin	Pass	20.26	-12.64	32.90	-11.78	32.04	25	-28.11	48.37	-28.78	49.04	40	Sum
5720MHz_TnomVmax	Pass	17.30	-17.98	35.28	-17.43	34.73	25	-36.79	54.09	-36.28	53.58	40	1
5720MHz_TnomVmax	Pass	17.18	-14.18	31.36	-13.19	30.37	25	-28.75	45.93	-29.65	46.83	40	2
5720MHz_TnomVmax	Pass	20.25	-12.66	32.91	-11.80	32.05	25	-28.12	48.37	-28.80	49.05	40	Sum
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	13.43	-22.14	35.57	-23.01	36.44	25	-42.71	56.14	-42.69	56.12	40	1
5180MHz_TnomVnom	Pass	12.55	-23.50	36.05	-24.32	36.87	25	-44.10	56.65	-43.56	56.11	40	2
5180MHz_TnomVnom	Pass	16.02	-19.76	35.78	-20.61	36.63	25	-40.34	56.36	-40.09	56.11	40	Sum
5180MHz_TnomVmin	Pass	13.45	-22.22	35.67	-23.00	36.45	25	-42.70	56.15	-42.68	56.13	40	1
5180MHz_TnomVmin	Pass	12.57	-23.44	36.01	-24.30	36.87	25	-44.09	56.66	-43.54	56.11	40	2
5180MHz_TnomVmin	Pass	16.04	-19.78	35.82	-20.59	36.63	25	-40.33	56.37	-40.08	56.12	40	Sum
5180MHz_TnomVmax	Pass	13.45	-22.22	35.67	-23.00	36.45	25	-42.72	56.17	-42.68	56.13	40	1
5180MHz_TnomVmax	Pass	12.56	-23.48	36.04	-24.40	36.96	25	-44.09	56.65	-43.54	56.10	40	2



Adjacent Channel Emittted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5180MHz_TnomVmax	Pass	16.03	-19.80	35.83	-20.63	36.66	25	-40.34	56.37	-40.08	56.11	40	Sum
5200MHz_TnomVnom	Pass	13.07	-22.33	35.40	-23.28	36.35	25	-42.25	55.32	-42.36	55.43	40	1
5200MHz_TnomVnom	Pass	12.35	-23.61	35.96	-24.55	36.90	25	-43.93	56.28	-43.46	55.81	40	2
5200MHz_TnomVnom	Pass	15.74	-19.91	35.65	-20.86	36.60	25	-40.00	55.74	-39.86	55.60	40	Sum
5200MHz_TnomVmin	Pass	13.11	-22.22	35.33	-23.28	36.39	25	-42.23	55.34	-42.34	55.45	40	1
5200MHz_TnomVmin	Pass	12.36	-23.59	35.95	-24.45	36.81	25	-43.89	56.25	-43.43	55.79	40	2
5200MHz_TnomVmin	Pass	15.76	-19.84	35.60	-20.82	36.58	25	-39.97	55.73	-39.84	55.60	40	Sum
5200MHz_TnomVmax	Pass	13.06	-22.27	35.33	-23.24	36.30	25	-42.26	55.32	-42.36	55.42	40	1
5200MHz_TnomVmax	Pass	12.32	-23.61	35.93	-24.54	36.86	25	-43.92	56.24	-43.46	55.78	40	2
5200MHz_TnomVmax	Pass	15.71	-19.88	35.59	-20.83	36.54	25	-40.00	55.71	-39.87	55.58	40	Sum
5240MHz_TnomVnom	Pass	13.36	-22.27	35.63	-23.17	36.53	25	-42.59	55.95	-42.81	56.17	40	1
5240MHz_TnomVnom	Pass	12.04	-24.08	36.12	-24.77	36.81	25	-44.22	56.26	-43.90	55.94	40	2
5240MHz_TnomVnom	Pass	15.76	-20.07	35.83	-20.89	36.65	25	-40.32	56.08	-40.31	56.07	40	Sum
5240MHz_TnomVmin	Pass	13.37	-22.32	35.69	-23.12	36.49	25	-42.58	55.95	-42.83	56.20	40	1
5240MHz_TnomVmin	Pass	12.05	-24.00	36.05	-24.76	36.81	25	-44.21	56.26	-43.88	55.93	40	2
5240MHz_TnomVmin	Pass	15.77	-20.07	35.84	-20.85	36.62	25	-40.31	56.08	-40.31	56.08	40	Sum
5240MHz_TnomVmax	Pass	13.36	-22.30	35.66	-23.17	36.53	25	-42.60	55.96	-42.82	56.18	40	1
5240MHz_TnomVmax	Pass	12.05	-24.01	36.06	-24.77	36.82	25	-44.20	56.25	-43.87	55.92	40	2
5240MHz_TnomVmax	Pass	15.77	-20.06	35.83	-20.89	36.66	25	-40.32	56.09	-40.31	56.08	40	Sum
5260MHz_TnomVnom	Pass	12.39	-23.30	35.69	-24.23	36.62	25	-43.60	55.99	-44.01	56.40	40	1
5260MHz_TnomVnom	Pass	12.39	-23.55	35.94	-24.19	36.58	25	-44.03	56.42	-43.92	56.31	40	2
5260MHz_TnomVnom	Pass	15.40	-20.41	35.81	-21.20	36.60	25	-40.80	56.20	-40.95	56.35	40	Sum
5260MHz_TnomVmin	Pass	12.38	-23.23	35.61	-24.21	36.59	25	-43.61	55.99	-44.01	56.39	40	1
5260MHz_TnomVmin	Pass	12.37	-23.72	36.09	-24.21	36.58	25	-44.02	56.39	-43.92	56.29	40	2
5260MHz_TnomVmin	Pass	15.39	-20.45	35.84	-21.20	36.59	25	-40.80	56.19	-40.95	56.34	40	Sum
5260MHz_TnomVmax	Pass	12.39	-23.21	35.60	-24.31	36.70	25	-43.63	56.02	-44.02	56.41	40	1
5260MHz_TnomVmax	Pass	12.38	-23.64	36.02	-24.30	36.68	25	-44.03	56.41	-43.94	56.32	40	2
5260MHz_TnomVmax	Pass	15.39	-20.41	35.80	-21.30	36.69	25	-40.81	56.20	-40.97	56.36	40	Sum
5280MHz_TnomVnom	Pass	12.47	-23.00	35.47	-24.19	36.66	25	-43.31	55.78	-43.83	56.30	40	1
5280MHz_TnomVnom	Pass	12.31	-23.58	35.89	-24.39	36.70	25	-43.77	56.08	-43.71	56.02	40	2
5280MHz_TnomVnom	Pass	15.40	-20.27	35.67	-21.27	36.67	25	-40.52	55.92	-40.76	56.16	40	Sum
5280MHz_TnomVmin	Pass	12.46	-23.11	35.57	-24.14	36.60	25	-43.31	55.77	-43.84	56.30	40	1
5280MHz_TnomVmin	Pass	12.33	-23.62	35.95	-24.39	36.72	25	-43.78	56.11	-43.71	56.04	40	2
5280MHz_TnomVmin	Pass	15.40	-20.35	35.75	-21.26	36.66	25	-40.53	55.93	-40.76	56.16	40	Sum
5280MHz_TnomVmax	Pass	12.48	-23.03	35.51	-24.20	36.68	25	-43.31	55.79	-43.83	56.31	40	1
5280MHz_TnomVmax	Pass	12.33	-23.63	35.96	-24.26	36.59	25	-43.77	56.10	-43.70	56.03	40	2
5280MHz_TnomVmax	Pass	15.42	-20.31	35.73	-21.22	36.64	25	-40.52	55.94	-40.75	56.17	40	Sum
5320MHz_TnomVnom	Pass	12.45	-23.19	35.64	-24.03	36.48	25	-43.84	56.29	-44.01	56.46	40	1
5320MHz_TnomVnom	Pass	12.01	-23.99	36.00	-24.56	36.57	25	-44.42	56.43	-44.19	56.20	40	2
5320MHz_TnomVnom	Pass	15.25	-20.56	35.81	-21.28	36.53	25	-41.11	56.36	-41.09	56.34	40	Sum
5320MHz_TnomVmin	Pass	12.46	-23.23	35.69	-24.03	36.49	25	-43.85	56.31	-44.01	56.47	40	1
5320MHz_TnomVmin	Pass	12.01	-23.96	35.97	-24.71	36.72	25	-44.42	56.43	-44.20	56.21	40	2
5320MHz_TnomVmin	Pass	15.25	-20.57	35.82	-21.34	36.59	25	-41.12	56.37	-41.09	56.34	40	Sum
5320MHz_TnomVmax	Pass	12.45	-23.26	35.71	-24.04	36.49	25	-43.86	56.31	-44.03	56.48	40	1
5320MHz_TnomVmax	Pass	12.02	-23.92	35.94	-24.69	36.71	25	-44.41	56.43	-44.18	56.20	40	2
5320MHz_TnomVmax	Pass	15.25	-20.57	35.82	-21.35	36.60	25	-41.11	56.36	-41.09	56.34	40	Sum



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5500MHz_TnomVnom	Pass	17.70	-15.26	32.96	-14.96	32.66	25	-32.59	50.29	-32.29	49.99	40	1
5500MHz_TnomVnom	Pass	17.79	-13.56	31.35	-12.60	30.39	25	-27.47	45.26	-28.88	46.67	40	2
5500MHz_TnomVnom	Pass	20.75	-11.32	32.07	-10.61	31.36	25	-26.31	47.06	-27.25	48.00	40	Sum
5500MHz_TnomVmin	Pass	17.68	-15.24	32.92	-14.94	32.62	25	-32.54	50.22	-32.26	49.94	40	1
5500MHz_TnomVmin	Pass	17.78	-13.52	31.30	-12.65	30.43	25	-27.44	45.22	-28.89	46.67	40	2
5500MHz_TnomVmin	Pass	20.74	-11.29	32.03	-10.64	31.38	25	-26.27	47.01	-27.24	47.98	40	Sum
5500MHz_TnomVmax	Pass	17.67	-15.30	32.97	-14.96	32.63	25	-32.49	50.16	-32.22	49.89	40	1
5500MHz_TnomVmax	Pass	17.76	-13.52	31.28	-12.57	30.33	25	-27.42	45.18	-28.83	46.59	40	2
5500MHz_TnomVmax	Pass	20.73	-11.31	32.04	-10.59	31.32	25	-26.24	46.97	-27.19	47.92	40	Sum
5600MHz_TnomVnom	Pass	17.84	-15.30	33.14	-14.37	32.21	25	-34.07	51.91	-32.82	50.66	40	1
5600MHz_TnomVnom	Pass	17.63	-13.62	31.25	-12.75	30.38	25	-28.68	46.31	-30.62	48.25	40	2
5600MHz_TnomVnom	Pass	20.75	-11.37	32.12	-10.47	31.22	25	-27.57	48.32	-28.57	49.32	40	Sum
5600MHz_TnomVmin	Pass	17.85	-15.23	33.08	-14.34	32.19	25	-34.07	51.92	-32.84	50.69	40	1
5600MHz_TnomVmin	Pass	17.63	-13.64	31.27	-12.71	30.34	25	-28.67	46.30	-30.61	48.24	40	2
5600MHz_TnomVmin	Pass	20.75	-11.35	32.10	-10.44	31.19	25	-27.57	48.32	-28.57	49.32	40	Sum
5600MHz_TnomVmax	Pass	17.84	-15.25	33.09	-14.35	32.19	25	-34.10	51.94	-32.85	50.69	40	1
5600MHz_TnomVmax	Pass	17.64	-13.60	31.24	-12.72	30.36	25	-28.68	46.32	-30.64	48.28	40	2
5600MHz_TnomVmax	Pass	20.75	-11.34	32.09	-10.45	31.20	25	-27.58	48.33	-28.60	49.35	40	Sum
5720MHz_TnomVnom	Pass	17.58	-16.48	34.06	-15.53	33.11	25	-35.51	53.09	-33.83	51.41	40	1
5720MHz_TnomVnom	Pass	17.32	-13.33	30.65	-12.26	29.58	25	-27.09	44.41	-27.98	45.30	40	2
5720MHz_TnomVnom	Pass	20.46	-11.61	32.07	-10.59	31.05	25	-26.50	46.96	-26.97	47.43	40	Sum
5720MHz_TnomVmin	Pass	17.58	-16.41	33.99	-15.54	33.12	25	-35.54	53.12	-33.82	51.40	40	1
5720MHz_TnomVmin	Pass	17.32	-13.33	30.65	-12.25	29.57	25	-27.07	44.39	-27.97	45.29	40	2
5720MHz_TnomVmin	Pass	20.47	-11.59	32.06	-10.58	31.05	25	-26.49	46.96	-26.97	47.44	40	Sum
5720MHz_TnomVmax	Pass	17.59	-16.45	34.04	-15.54	33.13	25	-35.54	53.13	-33.81	51.40	40	1
5720MHz_TnomVmax	Pass	17.32	-13.29	30.61	-12.24	29.56	25	-27.09	44.41	-28.00	45.32	40	2
5720MHz_TnomVmax	Pass	20.47	-11.58	32.05	-10.57	31.04	25	-26.51	46.98	-26.99	47.46	40	Sum
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	13.14	-28.09	41.23	-27.54	40.68	25	-41.99	55.13	-42.19	55.33	40	1
5190MHz_TnomVnom	Pass	12.54	-28.70	41.24	-28.10	40.64	25	-42.37	54.91	-42.09	54.63	40	2
5190MHz_TnomVnom	Pass	15.86	-25.37	41.23	-24.80	40.66	25	-39.17	55.03	-39.13	54.99	40	Sum
5190MHz_TnomVmin	Pass	13.14	-28.11	41.25	-27.56	40.70	25	-42.01	55.15	-42.18	55.32	40	1
5190MHz_TnomVmin	Pass	12.53	-28.69	41.22	-28.10	40.63	25	-42.39	54.92	-42.10	54.63	40	2
5190MHz_TnomVmin	Pass	15.86	-25.38	41.24	-24.81	40.67	25	-39.18	55.04	-39.13	54.99	40	Sum
5190MHz_TnomVmax	Pass	13.13	-28.15	41.28	-27.53	40.66	25	-42.00	55.13	-42.19	55.32	40	1
5190MHz_TnomVmax	Pass	12.54	-28.70	41.24	-28.16	40.70	25	-42.38	54.92	-42.11	54.65	40	2
5190MHz_TnomVmax	Pass	15.85	-25.41	41.26	-24.82	40.67	25	-39.18	55.03	-39.14	54.99	40	Sum
5230MHz_TnomVnom	Pass	13.69	-27.90	41.59	-27.39	41.08	25	-41.65	55.34	-42.48	56.17	40	1
5230MHz_TnomVnom	Pass	12.66	-29.49	42.15	-28.24	40.90	25	-42.81	55.47	-42.28	54.94	40	2
5230MHz_TnomVnom	Pass	16.22	-25.61	41.83	-24.78	41.00	25	-39.18	55.40	-39.37	55.59	40	Sum
5230MHz_TnomVmin	Pass	13.71	-27.86	41.57	-27.40	41.11	25	-41.64	55.35	-42.48	56.19	40	1
5230MHz_TnomVmin	Pass	12.68	-29.37	42.05	-28.19	40.87	25	-42.81	55.49	-42.28	54.96	40	2
5230MHz_TnomVmin	Pass	16.23	-25.54	41.77	-24.77	41.00	25	-39.18	55.41	-39.37	55.60	40	Sum
5230MHz_TnomVmax	Pass	13.70	-27.87	41.57	-27.37	41.07	25	-41.66	55.36	-42.48	56.18	40	1
5230MHz_TnomVmax	Pass	12.65	-29.51	42.16	-28.20	40.85	25	-42.80	55.45	-42.29	54.94	40	2
5230MHz_TnomVmax	Pass	16.22	-25.60	41.82	-24.75	40.97	25	-39.18	55.40	-39.38	55.60	40	Sum



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5270MHz_TnomVnom	Pass	12.16	-29.07	41.23	-29.53	41.69	25	-42.56	54.72	-43.12	55.28	40	1
5270MHz_TnomVnom	Pass	11.96	-29.83	41.79	-29.62	41.58	25	-43.43	55.39	-42.88	54.84	40	2
5270MHz_TnomVnom	Pass	15.07	-26.42	41.49	-26.56	41.63	25	-39.96	55.03	-39.98	55.05	40	Sum
5270MHz_TnomVmin	Pass	12.17	-29.01	41.18	-29.53	41.70	25	-42.54	54.71	-43.13	55.30	40	1
5270MHz_TnomVmin	Pass	11.97	-29.81	41.78	-29.68	41.65	25	-43.43	55.40	-42.89	54.86	40	2
5270MHz_TnomVmin	Pass	15.09	-26.38	41.47	-26.60	41.69	25	-39.96	55.05	-40.00	55.09	40	Sum
5270MHz_TnomVmax	Pass	12.17	-29.06	41.23	-29.54	41.71	25	-42.57	54.74	-43.09	55.26	40	1
5270MHz_TnomVmax	Pass	11.96	-29.80	41.76	-29.58	41.54	25	-43.42	55.38	-42.90	54.86	40	2
5270MHz_TnomVmax	Pass	15.08	-26.41	41.49	-26.55	41.63	25	-39.97	55.05	-39.98	55.06	40	Sum
5310MHz_TnomVnom	Pass	12.45	-28.85	41.30	-29.07	41.52	25	-42.50	54.95	-43.06	55.51	40	1
5310MHz_TnomVnom	Pass	12.04	-30.07	42.11	-29.92	41.96	25	-43.19	55.23	-42.85	54.89	40	2
5310MHz_TnomVnom	Pass	15.26	-26.40	41.66	-26.46	41.72	25	-39.82	55.08	-39.94	55.20	40	Sum
5310MHz_TnomVmin	Pass	12.45	-28.83	41.28	-29.06	41.51	25	-42.51	54.96	-43.05	55.50	40	1
5310MHz_TnomVmin	Pass	12.02	-29.99	42.01	-29.93	41.95	25	-43.20	55.22	-42.85	54.87	40	2
5310MHz_TnomVmin	Pass	15.25	-26.36	41.61	-26.46	41.71	25	-39.83	55.08	-39.94	55.19	40	Sum
5310MHz_TnomVmax	Pass	12.44	-28.82	41.26	-29.08	41.52	25	-42.51	54.95	-43.07	55.51	40	1
5310MHz_TnomVmax	Pass	12.03	-29.95	41.98	-29.96	41.99	25	-43.20	55.23	-42.85	54.88	40	2
5310MHz_TnomVmax	Pass	15.25	-26.34	41.59	-26.48	41.73	25	-39.83	55.08	-39.95	55.20	40	Sum
5510MHz_TnomVnom	Pass	17.40	-21.70	39.10	-21.27	38.67	25	-34.61	52.01	-35.22	52.62	40	1
5510MHz_TnomVnom	Pass	17.55	-19.43	36.98	-18.90	36.45	25	-29.51	47.06	-31.72	49.27	40	2
5510MHz_TnomVnom	Pass	20.49	-17.41	37.90	-16.92	37.41	25	-28.34	48.83	-30.12	50.61	40	Sum
5510MHz_TnomVmin	Pass	17.40	-21.70	39.10	-21.31	38.71	25	-34.60	52.00	-35.21	52.61	40	1
5510MHz_TnomVmin	Pass	17.57	-19.42	36.99	-18.92	36.49	25	-29.52	47.09	-31.71	49.28	40	2
5510MHz_TnomVmin	Pass	20.50	-17.40	37.90	-16.94	37.44	25	-28.35	48.85	-30.11	50.61	40	Sum
5510MHz_TnomVmax	Pass	17.40	-21.69	39.09	-21.27	38.67	25	-34.62	52.02	-35.22	52.62	40	1
5510MHz_TnomVmax	Pass	17.57	-19.42	36.99	-18.92	36.49	25	-29.51	47.08	-31.70	49.27	40	2
5510MHz_TnomVmax	Pass	20.50	-17.40	37.90	-16.93	37.43	25	-28.34	48.84	-30.10	50.60	40	Sum
5590MHz_TnomVnom	Pass	17.53	-21.62	39.15	-20.82	38.35	25	-34.55	52.08	-34.40	51.93	40	1
5590MHz_TnomVnom	Pass	17.39	-19.42	36.81	-18.67	36.06	25	-28.95	46.34	-32.03	49.42	40	2
5590MHz_TnomVnom	Pass	20.47	-17.37	37.84	-16.60	37.07	25	-27.90	48.37	-30.05	50.52	40	Sum
5590MHz_TnomVmin	Pass	17.54	-21.59	39.13	-20.82	38.36	25	-34.53	52.07	-34.40	51.94	40	1
5590MHz_TnomVmin	Pass	17.37	-19.49	36.86	-18.84	36.21	25	-29.20	46.57	-32.19	49.56	40	2
5590MHz_TnomVmin	Pass	20.46	-17.41	37.87	-16.71	37.17	25	-28.08	48.54	-30.14	50.60	40	Sum
5590MHz_TnomVmax	Pass	17.54	-21.62	39.16	-20.80	38.34	25	-34.53	52.07	-34.39	51.93	40	1
5590MHz_TnomVmax	Pass	17.37	-19.55	36.92	-18.84	36.21	25	-29.27	46.64	-32.21	49.58	40	2
5590MHz_TnomVmax	Pass	20.46	-17.45	37.91	-16.70	37.16	25	-28.14	48.60	-30.15	50.61	40	Sum
5710MHz_TnomVnom	Pass	17.65	-21.20	38.85	-20.39	38.04	25	-33.75	51.40	-33.46	51.11	40	1
5710MHz_TnomVnom	Pass	17.44	-18.67	36.11	-17.86	35.30	25	-28.51	45.95	-31.36	48.80	40	2
5710MHz_TnomVnom	Pass	20.55	-16.74	37.29	-15.93	36.48	25	-27.37	47.92	-29.27	49.82	40	Sum
5710MHz_TnomVmin	Pass	17.64	-21.24	38.88	-20.40	38.04	25	-33.76	51.40	-33.45	51.09	40	1
5710MHz_TnomVmin	Pass	17.50	-18.48	35.98	-17.61	35.11	25	-28.32	45.82	-31.22	48.72	40	2
5710MHz_TnomVmin	Pass	20.58	-16.63	37.21	-15.78	36.36	25	-27.23	47.81	-29.18	49.76	40	Sum
5710MHz_TnomVmax	Pass	17.65	-21.20	38.85	-20.42	38.07	25	-33.78	51.43	-33.43	51.08	40	1
5710MHz_TnomVmax	Pass	17.45	-18.62	36.07	-17.82	35.27	25	-28.47	45.92	-31.36	48.81	40	2
5710MHz_TnomVmax	Pass	20.56	-16.71	37.27	-15.92	36.48	25	-27.35	47.91	-29.26	49.82	40	Sum
802.11ac	-	-	-	-	-	-	-	-	-	-	-	-	-



Adjacent Channel Emittted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
VHT20_Nss1,(MCS0)_2TX													
5180MHz_TnomVnom	Pass	13.11	-22.53	35.64	-23.33	36.44	25	-42.82	55.93	-42.87	55.98	40	1
5180MHz_TnomVnom	Pass	12.43	-23.61	36.04	-24.48	36.91	25	-44.18	56.61	-43.76	56.19	40	2
5180MHz_TnomVnom	Pass	15.79	-20.03	35.82	-20.86	36.65	25	-40.44	56.23	-40.28	56.07	40	Sum
5180MHz_TnomVmin	Pass	13.11	-22.50	35.61	-23.41	36.52	25	-42.80	55.91	-42.87	55.98	40	1
5180MHz_TnomVmin	Pass	12.44	-23.54	35.98	-24.50	36.94	25	-44.18	56.62	-43.74	56.18	40	2
5180MHz_TnomVmin	Pass	15.80	-19.98	35.78	-20.91	36.71	25	-40.43	56.23	-40.27	56.07	40	Sum
5180MHz_TnomVmax	Pass	13.10	-22.49	35.59	-23.29	36.39	25	-42.81	55.91	-42.87	55.97	40	1
5180MHz_TnomVmax	Pass	12.43	-23.55	35.98	-24.44	36.87	25	-44.19	56.62	-43.76	56.19	40	2
5180MHz_TnomVmax	Pass	15.79	-19.97	35.76	-20.82	36.61	25	-40.44	56.23	-40.28	56.07	40	Sum
5200MHz_TnomVnom	Pass	13.15	-22.36	35.51	-23.29	36.44	25	-42.41	55.56	-42.55	55.70	40	1
5200MHz_TnomVnom	Pass	12.35	-23.73	36.08	-24.59	36.94	25	-43.97	56.32	-43.61	55.96	40	2
5200MHz_TnomVnom	Pass	15.78	-19.98	35.76	-20.88	36.66	25	-40.11	55.89	-40.03	55.81	40	Sum
5200MHz_TnomVmin	Pass	13.16	-22.35	35.51	-23.33	36.49	25	-42.43	55.59	-42.54	55.70	40	1
5200MHz_TnomVmin	Pass	12.34	-23.75	36.09	-24.58	36.92	25	-43.97	56.31	-43.60	55.94	40	2
5200MHz_TnomVmin	Pass	15.78	-19.98	35.76	-20.90	36.68	25	-40.12	55.90	-40.03	55.81	40	Sum
5200MHz_TnomVmax	Pass	13.17	-22.27	35.44	-23.31	36.48	25	-42.42	55.59	-42.54	55.71	40	1
5200MHz_TnomVmax	Pass	12.33	-23.69	36.02	-24.52	36.85	25	-43.97	56.30	-43.60	55.93	40	2
5200MHz_TnomVmax	Pass	15.78	-19.91	35.69	-20.86	36.64	25	-40.11	55.89	-40.03	55.81	40	Sum
5240MHz_TnomVnom	Pass	13.46	-22.29	35.75	-23.13	36.59	25	-42.68	56.14	-42.92	56.38	40	1
5240MHz_TnomVnom	Pass	12.25	-23.83	36.08	-24.47	36.72	25	-43.89	56.14	-43.54	55.79	40	2
5240MHz_TnomVnom	Pass	15.91	-19.98	35.89	-20.74	36.65	25	-40.23	56.14	-40.21	56.12	40	Sum
5240MHz_TnomVmin	Pass	13.45	-22.30	35.75	-23.14	36.59	25	-42.71	56.16	-42.91	56.36	40	1
5240MHz_TnomVmin	Pass	12.24	-23.81	36.05	-24.53	36.77	25	-43.91	56.15	-43.54	55.78	40	2
5240MHz_TnomVmin	Pass	15.89	-19.98	35.87	-20.77	36.66	25	-40.25	56.14	-40.21	56.10	40	Sum
5240MHz_TnomVmax	Pass	13.44	-22.32	35.76	-23.11	36.55	25	-42.68	56.12	-42.92	56.36	40	1
5240MHz_TnomVmax	Pass	12.24	-23.82	36.06	-24.51	36.75	25	-43.91	56.15	-43.53	55.77	40	2
5240MHz_TnomVmax	Pass	15.89	-19.99	35.88	-20.74	36.63	25	-40.24	56.13	-40.20	56.09	40	Sum
5260MHz_TnomVnom	Pass	12.28	-23.41	35.69	-24.39	36.67	25	-43.56	55.84	-43.97	56.25	40	1
5260MHz_TnomVnom	Pass	12.48	-23.52	36.00	-24.12	36.60	25	-43.76	56.24	-43.79	56.27	40	2
5260MHz_TnomVnom	Pass	15.39	-20.45	35.84	-21.24	36.63	25	-40.65	56.04	-40.87	56.26	40	Sum
5260MHz_TnomVmin	Pass	12.29	-23.40	35.69	-24.41	36.70	25	-43.54	55.83	-43.97	56.26	40	1
5260MHz_TnomVmin	Pass	12.47	-23.50	35.97	-24.20	36.67	25	-43.77	56.24	-43.81	56.28	40	2
5260MHz_TnomVmin	Pass	15.39	-20.44	35.83	-21.29	36.68	25	-40.65	56.04	-40.88	56.27	40	Sum
5260MHz_TnomVmax	Pass	12.29	-23.37	35.66	-24.44	36.73	25	-43.55	55.84	-43.98	56.27	40	1
5260MHz_TnomVmax	Pass	12.47	-23.57	36.04	-24.19	36.66	25	-43.77	56.24	-43.81	56.28	40	2
5260MHz_TnomVmax	Pass	15.40	-20.46	35.86	-21.30	36.70	25	-40.65	56.05	-40.88	56.28	40	Sum
5280MHz_TnomVnom	Pass	12.46	-23.11	35.57	-24.31	36.77	25	-43.22	55.68	-43.68	56.14	40	1
5280MHz_TnomVnom	Pass	12.41	-23.52	35.93	-24.17	36.58	25	-43.58	55.99	-43.65	56.06	40	2
5280MHz_TnomVnom	Pass	15.45	-20.30	35.75	-21.23	36.68	25	-40.39	55.84	-40.65	56.10	40	Sum
5280MHz_TnomVmin	Pass	12.46	-23.19	35.65	-24.32	36.78	25	-43.21	55.67	-43.68	56.14	40	1
5280MHz_TnomVmin	Pass	12.42	-23.53	35.95	-24.24	36.66	25	-43.59	56.01	-43.66	56.08	40	2
5280MHz_TnomVmin	Pass	15.45	-20.35	35.80	-21.27	36.72	25	-40.38	55.83	-40.66	56.11	40	Sum
5280MHz_TnomVmax	Pass	12.46	-23.16	35.62	-24.27	36.73	25	-43.20	55.66	-43.67	56.13	40	1
5280MHz_TnomVmax	Pass	12.43	-23.41	35.84	-24.24	36.67	25	-43.59	56.02	-43.64	56.07	40	2
5280MHz_TnomVmax	Pass	15.46	-20.27	35.73	-21.25	36.71	25	-40.38	55.84	-40.65	56.11	40	Sum



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5320MHz_TnomVnom	Pass	12.46	-23.40	35.86	-24.13	36.59	25	-43.77	56.23	-43.92	56.38	40	1
5320MHz_TnomVnom	Pass	11.99	-24.07	36.06	-24.76	36.75	25	-44.25	56.24	-43.95	55.94	40	2
5320MHz_TnomVnom	Pass	15.24	-20.71	35.95	-21.42	36.66	25	-40.99	56.23	-40.92	56.16	40	Sum
5320MHz_TnomVmin	Pass	12.46	-23.33	35.79	-24.08	36.54	25	-43.76	56.22	-43.91	56.37	40	1
5320MHz_TnomVmin	Pass	11.99	-24.09	36.08	-24.77	36.76	25	-44.26	56.25	-43.95	55.94	40	2
5320MHz_TnomVmin	Pass	15.24	-20.68	35.92	-21.40	36.64	25	-40.99	56.23	-40.92	56.16	40	Sum
5320MHz_TnomVmax	Pass	12.45	-23.27	35.72	-24.10	36.55	25	-43.77	56.22	-43.91	56.36	40	1
5320MHz_TnomVmax	Pass	11.98	-24.04	36.02	-24.79	36.77	25	-44.26	56.24	-43.96	55.94	40	2
5320MHz_TnomVmax	Pass	15.23	-20.62	35.85	-21.42	36.65	25	-40.99	56.22	-40.92	56.15	40	Sum
5500MHz_TnomVnom	Pass	17.77	-15.41	33.18	-14.88	32.65	25	-33.33	51.10	-32.92	50.69	40	1
5500MHz_TnomVnom	Pass	17.82	-13.77	31.59	-12.66	30.48	25	-28.21	46.03	-29.60	47.42	40	2
5500MHz_TnomVnom	Pass	20.80	-11.50	32.30	-10.62	31.42	25	-27.04	47.84	-27.94	48.74	40	Sum
5500MHz_TnomVmin	Pass	17.75	-15.42	33.17	-14.89	32.64	25	-33.33	51.08	-32.93	50.68	40	1
5500MHz_TnomVmin	Pass	17.81	-13.83	31.64	-12.62	30.43	25	-28.21	46.02	-29.62	47.43	40	2
5500MHz_TnomVmin	Pass	20.80	-11.54	32.34	-10.60	31.40	25	-27.04	47.84	-27.95	48.75	40	Sum
5500MHz_TnomVmax	Pass	17.76	-15.40	33.16	-14.87	32.63	25	-33.36	51.12	-32.94	50.70	40	1
5500MHz_TnomVmax	Pass	17.81	-13.79	31.60	-12.65	30.46	25	-28.19	46.00	-29.62	47.43	40	2
5500MHz_TnomVmax	Pass	20.80	-11.51	32.31	-10.61	31.41	25	-27.04	47.84	-27.96	48.76	40	Sum
5600MHz_TnomVnom	Pass	17.41	-17.44	34.85	-16.82	34.23	25	-37.05	54.46	-35.32	52.73	40	1
5600MHz_TnomVnom	Pass	17.24	-15.73	32.97	-15.09	32.33	25	-30.70	47.94	-33.04	50.28	40	2
5600MHz_TnomVnom	Pass	20.34	-13.49	33.83	-12.86	33.20	25	-29.79	50.13	-31.02	51.36	40	Sum
5600MHz_TnomVmin	Pass	17.41	-17.40	34.81	-16.78	34.19	25	-37.05	54.46	-35.27	52.68	40	1
5600MHz_TnomVmin	Pass	17.25	-15.76	33.01	-15.07	32.32	25	-30.74	47.99	-33.06	50.31	40	2
5600MHz_TnomVmin	Pass	20.34	-13.49	33.83	-12.83	33.17	25	-29.83	50.17	-31.01	51.35	40	Sum
5600MHz_TnomVmax	Pass	17.41	-17.36	34.77	-16.81	34.22	25	-37.05	54.46	-35.28	52.69	40	1
5600MHz_TnomVmax	Pass	17.25	-15.74	32.99	-15.05	32.30	25	-30.73	47.98	-33.03	50.28	40	2
5600MHz_TnomVmax	Pass	20.34	-13.46	33.80	-12.83	33.17	25	-29.82	50.16	-31.00	51.34	40	Sum
5720MHz_TnomVnom	Pass	17.70	-15.96	33.66	-15.11	32.81	25	-34.08	51.78	-32.99	50.69	40	1
5720MHz_TnomVnom	Pass	17.42	-13.31	30.73	-12.62	30.04	25	-28.72	46.14	-29.97	47.39	40	2
5720MHz_TnomVnom	Pass	20.57	-11.42	31.99	-10.68	31.25	25	-27.61	48.18	-28.21	48.78	40	Sum
5720MHz_TnomVmin	Pass	17.72	-15.92	33.64	-15.11	32.83	25	-34.12	51.84	-32.99	50.71	40	1
5720MHz_TnomVmin	Pass	17.44	-13.28	30.72	-12.58	30.02	25	-28.73	46.17	-29.97	47.41	40	2
5720MHz_TnomVmin	Pass	20.59	-11.40	31.99	-10.65	31.24	25	-27.62	48.21	-28.21	48.80	40	Sum
5720MHz_TnomVmax	Pass	17.72	-15.96	33.68	-15.05	32.77	25	-34.12	51.84	-32.98	50.70	40	1
5720MHz_TnomVmax	Pass	17.42	-13.31	30.73	-12.59	30.01	25	-28.74	46.16	-29.98	47.40	40	2
5720MHz_TnomVmax	Pass	20.58	-11.42	32.00	-10.64	31.22	25	-27.63	48.21	-28.22	48.80	40	Sum
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	13.58	-27.86	41.44	-27.45	41.03	25	-41.76	55.34	-42.12	55.70	40	1
5190MHz_TnomVnom	Pass	12.92	-28.75	41.67	-28.36	41.28	25	-42.54	55.46	-42.11	55.03	40	2
5190MHz_TnomVnom	Pass	16.27	-25.27	41.54	-24.87	41.14	25	-39.12	55.39	-39.10	55.37	40	Sum
5190MHz_TnomVmin	Pass	13.56	-27.84	41.40	-27.43	40.99	25	-41.77	55.33	-42.13	55.69	40	1
5190MHz_TnomVmin	Pass	12.92	-28.74	41.66	-28.37	41.29	25	-42.53	55.45	-42.10	55.02	40	2
5190MHz_TnomVmin	Pass	16.26	-25.26	41.52	-24.86	41.12	25	-39.12	55.38	-39.10	55.36	40	Sum
5190MHz_TnomVmax	Pass	13.57	-27.81	41.38	-27.45	41.02	25	-41.76	55.33	-42.12	55.69	40	1
5190MHz_TnomVmax	Pass	12.90	-28.76	41.66	-28.35	41.25	25	-42.54	55.44	-42.10	55.00	40	2



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5190MHz_TnomVmax	Pass	16.26	-25.25	41.51	-24.87	41.13	25	-39.12	55.38	-39.10	55.36	40	Sum
5230MHz_TnomVnom	Pass	13.46	-27.74	41.20	-26.81	40.27	25	-41.62	55.08	-42.44	55.90	40	1
5230MHz_TnomVnom	Pass	12.61	-29.15	41.76	-28.00	40.61	25	-42.57	55.18	-42.11	54.72	40	2
5230MHz_TnomVnom	Pass	16.07	-25.37	41.44	-24.35	40.42	25	-39.05	55.12	-39.26	55.33	40	Sum
5230MHz_TnomVmin	Pass	13.43	-27.71	41.14	-26.82	40.25	25	-41.61	55.04	-42.43	55.86	40	1
5230MHz_TnomVmin	Pass	12.59	-29.17	41.76	-28.06	40.65	25	-42.56	55.15	-42.13	54.72	40	2
5230MHz_TnomVmin	Pass	16.04	-25.37	41.41	-24.38	40.42	25	-39.05	55.09	-39.27	55.31	40	Sum
5230MHz_TnomVmax	Pass	13.43	-27.70	41.13	-26.76	40.19	25	-41.63	55.06	-42.44	55.87	40	1
5230MHz_TnomVmax	Pass	12.58	-29.23	41.81	-27.98	40.56	25	-42.56	55.14	-42.14	54.72	40	2
5230MHz_TnomVmax	Pass	16.04	-25.39	41.43	-24.32	40.36	25	-39.06	55.10	-39.27	55.31	40	Sum
5270MHz_TnomVnom	Pass	12.19	-28.93	41.12	-29.32	41.51	25	-42.64	54.83	-43.19	55.38	40	1
5270MHz_TnomVnom	Pass	11.99	-30.02	42.01	-29.69	41.68	25	-43.40	55.39	-42.81	54.80	40	2
5270MHz_TnomVnom	Pass	15.10	-26.43	41.53	-26.49	41.59	25	-39.99	55.09	-39.99	55.09	40	Sum
5270MHz_TnomVmin	Pass	12.20	-28.92	41.12	-29.29	41.49	25	-42.63	54.83	-43.20	55.40	40	1
5270MHz_TnomVmin	Pass	11.99	-29.86	41.85	-29.58	41.57	25	-43.39	55.38	-42.81	54.80	40	2
5270MHz_TnomVmin	Pass	15.11	-26.35	41.46	-26.43	41.54	25	-39.98	55.09	-39.99	55.10	40	Sum
5270MHz_TnomVmax	Pass	12.20	-28.96	41.16	-29.25	41.45	25	-42.65	54.85	-43.19	55.39	40	1
5270MHz_TnomVmax	Pass	11.99	-29.87	41.86	-29.65	41.64	25	-43.40	55.39	-42.81	54.80	40	2
5270MHz_TnomVmax	Pass	15.10	-26.38	41.48	-26.43	41.53	25	-40.00	55.10	-39.99	55.09	40	Sum
5310MHz_TnomVnom	Pass	12.35	-28.97	41.32	-29.15	41.50	25	-42.56	54.91	-43.09	55.44	40	1
5310MHz_TnomVnom	Pass	11.91	-30.13	42.04	-30.06	41.97	25	-43.29	55.20	-42.91	54.82	40	2
5310MHz_TnomVnom	Pass	15.15	-26.51	41.66	-26.57	41.72	25	-39.90	55.05	-39.99	55.14	40	Sum
5310MHz_TnomVmin	Pass	12.34	-29.00	41.34	-29.19	41.53	25	-42.57	54.91	-43.10	55.44	40	1
5310MHz_TnomVmin	Pass	11.91	-30.12	42.03	-30.09	42.00	25	-43.29	55.20	-42.92	54.83	40	2
5310MHz_TnomVmin	Pass	15.14	-26.51	41.65	-26.61	41.75	25	-39.90	55.04	-40.00	55.14	40	Sum
5310MHz_TnomVmax	Pass	12.35	-29.00	41.35	-29.20	41.55	25	-42.57	54.92	-43.10	55.45	40	1
5310MHz_TnomVmax	Pass	11.92	-30.11	42.03	-30.08	42.00	25	-43.28	55.20	-42.91	54.83	40	2
5310MHz_TnomVmax	Pass	15.15	-26.51	41.66	-26.60	41.75	25	-39.90	55.05	-39.99	55.14	40	Sum
5510MHz_TnomVnom	Pass	17.39	-21.64	39.03	-21.23	38.62	25	-34.33	51.72	-34.98	52.37	40	1
5510MHz_TnomVnom	Pass	17.74	-17.87	35.61	-17.55	35.29	25	-28.07	45.81	-30.34	48.08	40	2
5510MHz_TnomVnom	Pass	20.58	-16.35	36.93	-16.00	36.58	25	-27.15	47.73	-29.06	49.64	40	Sum
5510MHz_TnomVmin	Pass	17.39	-21.63	39.02	-21.21	38.60	25	-34.31	51.70	-34.99	52.38	40	1
5510MHz_TnomVmin	Pass	17.74	-17.81	35.55	-17.53	35.27	25	-28.07	45.81	-30.34	48.08	40	2
5510MHz_TnomVmin	Pass	20.58	-16.30	36.88	-15.98	36.56	25	-27.15	47.73	-29.06	49.64	40	Sum
5510MHz_TnomVmax	Pass	17.40	-21.60	39.00	-21.22	38.62	25	-34.31	51.71	-34.96	52.36	40	1
5510MHz_TnomVmax	Pass	17.74	-17.86	35.60	-17.54	35.28	25	-28.08	45.82	-30.35	48.09	40	2
5510MHz_TnomVmax	Pass	20.58	-16.33	36.91	-15.99	36.57	25	-27.15	47.73	-29.06	49.64	40	Sum
5590MHz_TnomVnom	Pass	17.56	-21.68	39.24	-20.88	38.44	25	-34.57	52.13	-34.58	52.14	40	1
5590MHz_TnomVnom	Pass	17.33	-19.58	36.91	-19.05	36.38	25	-29.55	46.88	-32.45	49.78	40	2
5590MHz_TnomVnom	Pass	20.45	-17.49	37.94	-16.86	37.31	25	-28.36	48.81	-30.37	50.82	40	Sum
5590MHz_TnomVmin	Pass	17.56	-21.66	39.22	-20.87	38.43	25	-34.56	52.12	-34.60	52.16	40	1
5590MHz_TnomVmin	Pass	17.35	-19.54	36.89	-19.03	36.38	25	-29.50	46.85	-32.45	49.80	40	2
5590MHz_TnomVmin	Pass	20.46	-17.46	37.92	-16.84	37.30	25	-28.32	48.78	-30.38	50.84	40	Sum
5590MHz_TnomVmax	Pass	17.58	-21.68	39.26	-20.86	38.44	25	-34.55	52.13	-34.52	52.10	40	1
5590MHz_TnomVmax	Pass	17.35	-19.59	36.94	-19.09	36.44	25	-29.52	46.87	-32.47	49.82	40	2
5590MHz_TnomVmax	Pass	20.47	-17.50	37.97	-16.88	37.35	25	-28.34	48.81	-30.37	50.84	40	Sum



Adjacent Channel Emittted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5710MHz_TnomVnom	Pass	17.62	-21.66	39.28	-20.59	38.21	25	-34.44	52.06	-33.37	50.99	40	1
5710MHz_TnomVnom	Pass	17.32	-20.23	37.55	-18.56	35.88	25	-29.02	46.34	-31.88	49.20	40	2
5710MHz_TnomVnom	Pass	20.48	-17.88	38.36	-16.44	36.92	25	-27.92	48.40	-29.55	50.03	40	Sum
5710MHz_TnomVmin	Pass	17.61	-21.66	39.27	-20.61	38.22	25	-34.45	52.06	-33.38	50.99	40	1
5710MHz_TnomVmin	Pass	17.31	-20.25	37.56	-18.60	35.91	25	-29.03	46.34	-31.89	49.20	40	2
5710MHz_TnomVmin	Pass	20.47	-17.89	38.36	-16.48	36.95	25	-27.94	48.41	-29.56	50.03	40	Sum
5710MHz_TnomVmax	Pass	17.60	-21.65	39.25	-20.63	38.23	25	-34.44	52.04	-33.37	50.97	40	1
5710MHz_TnomVmax	Pass	17.32	-20.24	37.56	-18.60	35.92	25	-29.01	46.33	-31.87	49.19	40	2
5710MHz_TnomVmax	Pass	20.47	-17.88	38.35	-16.49	36.96	25	-27.91	48.38	-29.54	50.01	40	Sum
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	13.35	-28.04	41.39	-27.52	40.87	25	-	-	-	-	-	1
5210MHz_TnomVnom	Pass	12.75	-28.97	41.72	-27.72	40.47	25	-	-	-	-	-	2
5210MHz_TnomVnom	Pass	16.07	-25.47	41.54	-24.61	40.68	25	-	-	-	-	-	Sum
5210MHz_TnomVmin	Pass	13.37	-28.07	41.44	-27.48	40.85	25	-	-	-	-	-	1
5210MHz_TnomVmin	Pass	12.76	-29.03	41.79	-27.72	40.48	25	-	-	-	-	-	2
5210MHz_TnomVmin	Pass	16.09	-25.51	41.60	-24.59	40.68	25	-	-	-	-	-	Sum
5210MHz_TnomVmax	Pass	13.37	-28.01	41.38	-27.50	40.87	25	-	-	-	-	-	1
5210MHz_TnomVmax	Pass	12.79	-29.01	41.80	-27.73	40.52	25	-	-	-	-	-	2
5210MHz_TnomVmax	Pass	16.10	-25.47	41.57	-24.60	40.70	25	-	-	-	-	-	Sum
5290MHz_TnomVnom	Pass	12.68	-28.68	41.36	-28.11	40.79	25	-	-	-	-	-	1
5290MHz_TnomVnom	Pass	12.23	-29.95	42.18	-28.41	40.64	25	-	-	-	-	-	2
5290MHz_TnomVnom	Pass	15.48	-26.26	41.74	-25.25	40.73	25	-	-	-	-	-	Sum
5290MHz_TnomVmin	Pass	12.69	-28.68	41.37	-28.17	40.86	25	-	-	-	-	-	1
5290MHz_TnomVmin	Pass	12.24	-29.98	42.22	-28.38	40.62	25	-	-	-	-	-	2
5290MHz_TnomVmin	Pass	15.48	-26.27	41.75	-25.26	40.74	25	-	-	-	-	-	Sum
5290MHz_TnomVmax	Pass	12.69	-28.69	41.38	-28.12	40.81	25	-	-	-	-	-	1
5290MHz_TnomVmax	Pass	12.25	-29.91	42.16	-28.36	40.61	25	-	-	-	-	-	2
5290MHz_TnomVmax	Pass	15.49	-26.25	41.74	-25.23	40.72	25	-	-	-	-	-	Sum
5530MHz_TnomVnom	Pass	17.94	-19.01	36.95	-18.80	36.74	25	-	-	-	-	-	1
5530MHz_TnomVnom	Pass	18.10	-15.94	34.04	-15.43	33.53	25	-	-	-	-	-	2
5530MHz_TnomVnom	Pass	21.03	-14.20	35.23	-13.79	34.82	25	-	-	-	-	-	Sum
5530MHz_TnomVmin	Pass	17.94	-19.01	36.95	-18.79	36.73	25	-	-	-	-	-	1
5530MHz_TnomVmin	Pass	18.08	-15.92	34.00	-15.43	33.51	25	-	-	-	-	-	2
5530MHz_TnomVmin	Pass	21.02	-14.18	35.20	-13.78	34.80	25	-	-	-	-	-	Sum
5530MHz_TnomVmax	Pass	17.94	-19.00	36.94	-18.80	36.74	25	-	-	-	-	-	1
5530MHz_TnomVmax	Pass	18.09	-15.93	34.02	-15.39	33.48	25	-	-	-	-	-	2
5530MHz_TnomVmax	Pass	21.03	-14.19	35.22	-13.76	34.79	25	-	-	-	-	-	Sum
5610MHz_TnomVnom	Pass	17.80	-19.87	37.67	-19.52	37.32	25	-	-	-	-	-	1
5610MHz_TnomVnom	Pass	17.72	-16.41	34.13	-16.63	34.35	25	-	-	-	-	-	2
5610MHz_TnomVnom	Pass	20.77	-14.80	35.57	-14.83	35.60	25	-	-	-	-	-	Sum
5610MHz_TnomVmin	Pass	17.84	-19.84	37.68	-19.40	37.24	25	-	-	-	-	-	1
5610MHz_TnomVmin	Pass	17.77	-16.43	34.20	-16.61	34.38	25	-	-	-	-	-	2
5610MHz_TnomVmin	Pass	20.82	-14.80	35.62	-14.78	35.60	25	-	-	-	-	-	Sum
5610MHz_TnomVmax	Pass	17.82	-19.87	37.69	-19.45	37.27	25	-	-	-	-	-	1
5610MHz_TnomVmax	Pass	17.73	-16.43	34.16	-16.63	34.36	25	-	-	-	-	-	2



Adjacent Channel Emittted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5610MHz_TnomVmax	Pass	20.79	-14.81	35.60	-14.80	35.59	25	-	-	-	-	-	Sum
5690MHz_TnomVnom	Pass	18.19	-17.80	35.99	-17.30	35.49	25	-	-	-	-	-	1
5690MHz_TnomVnom	Pass	17.74	-15.80	33.54	-14.90	32.64	25	-	-	-	-	-	2
5690MHz_TnomVnom	Pass	20.98	-13.68	34.66	-12.92	33.90	25	-	-	-	-	-	Sum
5690MHz_TnomVmin	Pass	18.18	-17.82	36.00	-17.31	35.49	25	-	-	-	-	-	1
5690MHz_TnomVmin	Pass	17.74	-15.78	33.52	-14.89	32.63	25	-	-	-	-	-	2
5690MHz_TnomVmin	Pass	20.98	-13.67	34.65	-12.92	33.90	25	-	-	-	-	-	Sum
5690MHz_TnomVmax	Pass	18.17	-17.82	35.99	-17.35	35.52	25	-	-	-	-	-	1
5690MHz_TnomVmax	Pass	17.73	-15.79	33.52	-14.89	32.62	25	-	-	-	-	-	2
5690MHz_TnomVmax	Pass	20.97	-13.67	34.64	-12.94	33.91	25	-	-	-	-	-	Sum
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	13.03	-23.89	36.92	-25.04	38.07	25	-42.27	55.30	-42.42	55.45	40	1
5180MHz_TnomVnom	Pass	12.66	-25.14	37.80	-26.13	38.79	25	-43.64	56.30	-43.20	55.86	40	2
5180MHz_TnomVnom	Pass	15.86	-21.46	37.32	-22.54	38.40	25	-39.89	55.75	-39.78	55.64	40	Sum
5180MHz_TnomVmin	Pass	13.03	-23.98	37.01	-25.02	38.05	25	-42.27	55.30	-42.42	55.45	40	1
5180MHz_TnomVmin	Pass	12.66	-25.12	37.78	-26.39	39.05	25	-43.62	56.28	-43.18	55.84	40	2
5180MHz_TnomVmin	Pass	15.86	-21.50	37.36	-22.64	38.50	25	-39.88	55.74	-39.77	55.63	40	Sum
5180MHz_TnomVmax	Pass	13.03	-24.08	37.11	-24.91	37.94	25	-42.26	55.29	-42.40	55.43	40	1
5180MHz_TnomVmax	Pass	12.66	-25.19	37.85	-26.29	38.95	25	-43.61	56.27	-43.19	55.85	40	2
5180MHz_TnomVmax	Pass	15.86	-21.59	37.45	-22.54	38.40	25	-39.88	55.74	-39.76	55.62	40	Sum
5200MHz_TnomVnom	Pass	14.11	-22.46	36.57	-23.73	37.84	25	-40.56	54.67	-40.66	54.77	40	1
5200MHz_TnomVnom	Pass	13.45	-23.65	37.10	-24.58	38.03	25	-41.96	55.41	-41.69	55.14	40	2
5200MHz_TnomVnom	Pass	16.81	-20.01	36.82	-21.12	37.93	25	-38.19	55.00	-38.13	54.94	40	Sum
5200MHz_TnomVmin	Pass	14.11	-22.55	36.66	-23.66	37.77	25	-40.55	54.66	-40.65	54.76	40	1
5200MHz_TnomVmin	Pass	13.51	-23.63	37.14	-24.50	38.01	25	-41.87	55.38	-41.62	55.13	40	2
5200MHz_TnomVmin	Pass	16.83	-20.05	36.88	-21.05	37.88	25	-38.15	54.98	-38.09	54.92	40	Sum
5200MHz_TnomVmax	Pass	14.10	-22.49	36.59	-23.68	37.78	25	-40.52	54.62	-40.64	54.74	40	1
5200MHz_TnomVmax	Pass	13.55	-23.52	37.07	-24.36	37.91	25	-41.79	55.34	-41.54	55.09	40	2
5200MHz_TnomVmax	Pass	16.84	-19.96	36.80	-21.00	37.84	25	-38.10	54.94	-38.06	54.90	40	Sum
5240MHz_TnomVnom	Pass	13.55	-23.86	37.41	-24.80	38.35	25	-42.51	56.06	-42.65	56.20	40	1
5240MHz_TnomVnom	Pass	12.59	-25.26	37.85	-26.01	38.60	25	-43.45	56.04	-43.10	55.69	40	2
5240MHz_TnomVnom	Pass	16.10	-21.49	37.59	-22.35	38.45	25	-39.95	56.05	-39.86	55.96	40	Sum
5240MHz_TnomVmin	Pass	13.57	-23.83	37.40	-24.97	38.54	25	-42.51	56.08	-42.63	56.20	40	1
5240MHz_TnomVmin	Pass	12.62	-25.13	37.75	-26.21	38.83	25	-43.45	56.07	-43.08	55.70	40	2
5240MHz_TnomVmin	Pass	16.13	-21.42	37.55	-22.54	38.67	25	-39.94	56.07	-39.84	55.97	40	Sum
5240MHz_TnomVmax	Pass	13.55	-23.80	37.35	-24.92	38.47	25	-42.52	56.07	-42.65	56.20	40	1
5240MHz_TnomVmax	Pass	12.60	-25.07	37.67	-25.96	38.56	25	-43.45	56.05	-43.08	55.68	40	2
5240MHz_TnomVmax	Pass	16.11	-21.38	37.49	-22.40	38.51	25	-39.95	56.06	-39.85	55.96	40	Sum
5260MHz_TnomVnom	Pass	9.92	-27.51	37.43	-29.03	38.95	25	-44.80	54.72	-45.31	55.23	40	1
5260MHz_TnomVnom	Pass	10.40	-27.31	37.71	-28.76	39.16	25	-45.33	55.73	-45.37	55.77	40	2
5260MHz_TnomVnom	Pass	13.18	-24.40	37.58	-25.88	39.06	25	-42.05	55.23	-42.33	55.51	40	Sum
5260MHz_TnomVmin	Pass	9.92	-27.52	37.44	-28.99	38.91	25	-44.81	54.73	-45.33	55.25	40	1
5260MHz_TnomVmin	Pass	10.40	-27.34	37.74	-28.92	39.32	25	-45.34	55.74	-45.37	55.77	40	2
5260MHz_TnomVmin	Pass	13.18	-24.42	37.60	-25.94	39.12	25	-42.06	55.24	-42.34	55.52	40	Sum
5260MHz_TnomVmax	Pass	9.92	-27.52	37.44	-29.14	39.06	25	-44.79	54.71	-45.30	55.22	40	1



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5260MHz_TnomVmax	Pass	10.40	-27.25	37.65	-28.74	39.14	25	-45.35	55.75	-45.37	55.77	40	2
5260MHz_TnomVmax	Pass	13.18	-24.37	37.55	-25.92	39.10	25	-42.05	55.23	-42.32	55.50	40	Sum
5280MHz_TnomVnom	Pass	12.70	-24.40	37.10	-25.56	38.26	25	-42.49	55.19	-43.02	55.72	40	1
5280MHz_TnomVnom	Pass	12.59	-25.00	37.59	-26.06	38.65	25	-42.99	55.58	-42.99	55.58	40	2
5280MHz_TnomVnom	Pass	15.66	-21.68	37.34	-22.79	38.45	25	-39.72	55.38	-39.99	55.65	40	Sum
5280MHz_TnomVmin	Pass	12.69	-24.41	37.10	-25.65	38.34	25	-42.50	55.19	-43.03	55.72	40	1
5280MHz_TnomVmin	Pass	12.59	-24.93	37.52	-26.20	38.79	25	-42.98	55.57	-42.97	55.56	40	2
5280MHz_TnomVmin	Pass	15.65	-21.65	37.30	-22.91	38.56	25	-39.72	55.37	-39.99	55.64	40	Sum
5280MHz_TnomVmax	Pass	12.69	-24.47	37.16	-25.59	38.28	25	-42.49	55.18	-43.02	55.71	40	1
5280MHz_TnomVmax	Pass	12.57	-25.00	37.57	-26.26	38.83	25	-42.99	55.56	-42.98	55.55	40	2
5280MHz_TnomVmax	Pass	15.65	-21.72	37.37	-22.90	38.55	25	-39.72	55.37	-39.99	55.64	40	Sum
5320MHz_TnomVnom	Pass	12.80	-24.38	37.18	-25.57	38.37	25	-42.63	55.43	-42.97	55.77	40	1
5320MHz_TnomVnom	Pass	12.24	-25.42	37.66	-26.27	38.51	25	-43.29	55.53	-43.10	55.34	40	2
5320MHz_TnomVnom	Pass	15.54	-21.86	37.40	-22.90	38.44	25	-39.94	55.48	-40.03	55.57	40	Sum
5320MHz_TnomVmin	Pass	12.80	-24.50	37.30	-25.56	38.36	25	-42.64	55.44	-42.97	55.77	40	1
5320MHz_TnomVmin	Pass	12.24	-25.23	37.47	-26.24	38.48	25	-43.29	55.53	-43.11	55.35	40	2
5320MHz_TnomVmin	Pass	15.54	-21.84	37.38	-22.88	38.42	25	-39.94	55.48	-40.03	55.57	40	Sum
5320MHz_TnomVmax	Pass	12.79	-24.32	37.11	-25.54	38.33	25	-42.63	55.42	-42.97	55.76	40	1
5320MHz_TnomVmax	Pass	12.24	-25.39	37.63	-26.28	38.52	25	-43.28	55.52	-43.12	55.36	40	2
5320MHz_TnomVmax	Pass	15.53	-21.81	37.34	-22.88	38.41	25	-39.93	55.46	-40.03	55.56	40	Sum
5500MHz_TnomVnom	Pass	17.80	-15.90	33.70	-15.39	33.19	25	-31.14	48.94	-30.44	48.24	40	1
5500MHz_TnomVnom	Pass	18.07	-14.57	32.64	-12.86	30.93	25	-27.42	45.49	-28.68	46.75	40	2
5500MHz_TnomVnom	Pass	20.95	-12.17	33.12	-10.93	31.88	25	-25.89	46.84	-26.46	47.41	40	Sum
5500MHz_TnomVmin	Pass	17.80	-15.90	33.70	-15.45	33.25	25	-31.13	48.93	-30.44	48.24	40	1
5500MHz_TnomVmin	Pass	18.07	-14.61	32.68	-12.89	30.96	25	-27.42	45.49	-28.66	46.73	40	2
5500MHz_TnomVmin	Pass	20.94	-12.20	33.14	-10.97	31.91	25	-25.88	46.82	-26.45	47.39	40	Sum
5500MHz_TnomVmax	Pass	17.79	-15.84	33.63	-15.43	33.22	25	-31.09	48.88	-30.43	48.22	40	1
5500MHz_TnomVmax	Pass	18.06	-14.54	32.60	-12.86	30.92	25	-27.40	45.46	-28.62	46.68	40	2
5500MHz_TnomVmax	Pass	20.94	-12.13	33.07	-10.95	31.89	25	-25.85	46.79	-26.42	47.36	40	Sum
5600MHz_TnomVnom	Pass	18.10	-15.01	33.11	-13.91	32.01	25	-31.65	49.75	-29.98	48.08	40	1
5600MHz_TnomVnom	Pass	17.93	-13.28	31.21	-12.10	30.03	25	-26.68	44.61	-28.25	46.18	40	2
5600MHz_TnomVnom	Pass	21.03	-11.05	32.08	-9.90	30.93	25	-25.48	46.51	-26.02	47.05	40	Sum
5600MHz_TnomVmin	Pass	18.10	-15.03	33.13	-13.93	32.03	25	-31.66	49.76	-29.98	48.08	40	1
5600MHz_TnomVmin	Pass	17.94	-13.29	31.23	-12.07	30.01	25	-26.67	44.61	-28.26	46.20	40	2
5600MHz_TnomVmin	Pass	21.03	-11.06	32.09	-9.89	30.92	25	-25.47	46.50	-26.03	47.06	40	Sum
5600MHz_TnomVmax	Pass	18.10	-15.09	33.19	-13.95	32.05	25	-31.65	49.75	-29.98	48.08	40	1
5600MHz_TnomVmax	Pass	17.94	-13.33	31.27	-12.10	30.04	25	-26.66	44.60	-28.22	46.16	40	2
5600MHz_TnomVmax	Pass	21.03	-11.11	32.14	-9.92	30.95	25	-25.47	46.50	-26.00	47.03	40	Sum
5720MHz_TnomVnom	Pass	17.53	-17.04	34.57	-16.45	33.98	25	-32.77	50.30	-31.07	48.60	40	1
5720MHz_TnomVnom	Pass	17.21	-14.66	31.87	-13.89	31.10	25	-28.58	45.79	-29.47	46.68	40	2
5720MHz_TnomVnom	Pass	20.38	-12.68	33.06	-11.98	32.36	25	-27.17	47.55	-27.18	47.56	40	Sum
5720MHz_TnomVmin	Pass	17.53	-16.96	34.49	-16.48	34.01	25	-32.80	50.33	-31.08	48.61	40	1
5720MHz_TnomVmin	Pass	17.21	-14.66	31.87	-13.85	31.06	25	-28.56	45.77	-29.45	46.66	40	2
5720MHz_TnomVmin	Pass	20.38	-12.65	33.03	-11.96	32.34	25	-27.17	47.55	-27.18	47.56	40	Sum
5720MHz_TnomVmax	Pass	17.54	-17.11	34.65	-16.50	34.04	25	-32.82	50.36	-31.08	48.62	40	1
5720MHz_TnomVmax	Pass	17.20	-14.71	31.91	-13.87	31.07	25	-28.60	45.80	-29.49	46.69	40	2



Adjacent Channel Emitted Power

Appendix E

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5720MHz_TnomVmax	Pass	20.38	-12.73	33.11	-11.98	32.36	25	-27.21	47.59	-27.20	47.58	40	Sum
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	13.19	-28.91	42.10	-28.36	41.55	25	-41.76	54.95	-42.24	55.43	40	1
5190MHz_TnomVnom	Pass	12.79	-29.84	42.63	-29.08	41.87	25	-42.30	55.09	-42.07	54.86	40	2
5190MHz_TnomVnom	Pass	16.01	-26.34	42.35	-25.69	41.70	25	-39.01	55.02	-39.14	55.15	40	Sum
5190MHz_TnomVmin	Pass	13.18	-28.86	42.04	-28.41	41.59	25	-41.76	54.94	-42.24	55.42	40	1
5190MHz_TnomVmin	Pass	12.78	-29.79	42.57	-29.10	41.88	25	-42.30	55.08	-42.06	54.84	40	2
5190MHz_TnomVmin	Pass	16.00	-26.29	42.29	-25.73	41.73	25	-39.01	55.01	-39.14	55.14	40	Sum
5190MHz_TnomVmax	Pass	13.19	-28.89	42.08	-28.35	41.54	25	-41.76	54.95	-42.22	55.41	40	1
5190MHz_TnomVmax	Pass	12.80	-29.79	42.59	-29.08	41.88	25	-42.29	55.09	-42.05	54.85	40	2
5190MHz_TnomVmax	Pass	16.01	-26.31	42.32	-25.69	41.70	25	-39.01	55.02	-39.13	55.14	40	Sum
5230MHz_TnomVnom	Pass	13.70	-28.57	42.27	-27.62	41.32	25	-41.43	55.13	-42.40	56.10	40	1
5230MHz_TnomVnom	Pass	12.61	-30.34	42.95	-28.70	41.31	25	-42.37	54.98	-42.04	54.65	40	2
5230MHz_TnomVnom	Pass	16.20	-26.36	42.56	-25.12	41.32	25	-38.87	55.07	-39.20	55.40	40	Sum
5230MHz_TnomVmin	Pass	13.71	-28.56	42.27	-27.62	41.33	25	-41.45	55.16	-42.38	56.09	40	1
5230MHz_TnomVmin	Pass	12.61	-30.29	42.90	-28.72	41.33	25	-42.37	54.98	-42.06	54.67	40	2
5230MHz_TnomVmin	Pass	16.21	-26.33	42.54	-25.13	41.34	25	-38.87	55.08	-39.20	55.41	40	Sum
5230MHz_TnomVmax	Pass	13.72	-28.54	42.26	-27.68	41.40	25	-41.42	55.14	-42.38	56.10	40	1
5230MHz_TnomVmax	Pass	12.62	-30.25	42.87	-28.65	41.27	25	-42.36	54.98	-42.04	54.66	40	2
5230MHz_TnomVmax	Pass	16.21	-26.30	42.51	-25.13	41.34	25	-38.86	55.07	-39.20	55.41	40	Sum
5270MHz_TnomVnom	Pass	12.29	-29.57	41.86	-29.87	42.16	25	-42.43	54.72	-43.06	55.35	40	1
5270MHz_TnomVnom	Pass	11.91	-30.91	42.82	-30.16	42.07	25	-43.13	55.04	-42.60	54.51	40	2
5270MHz_TnomVnom	Pass	15.11	-27.18	42.29	-27.00	42.11	25	-39.76	54.87	-39.81	54.92	40	Sum
5270MHz_TnomVmin	Pass	12.29	-29.60	41.89	-29.82	42.11	25	-42.43	54.72	-43.06	55.35	40	1
5270MHz_TnomVmin	Pass	11.91	-30.89	42.80	-30.15	42.06	25	-43.11	55.02	-42.58	54.49	40	2
5270MHz_TnomVmin	Pass	15.11	-27.18	42.29	-26.97	42.08	25	-39.75	54.86	-39.80	54.91	40	Sum
5270MHz_TnomVmax	Pass	12.28	-29.55	41.83	-29.86	42.14	25	-42.43	54.71	-43.05	55.33	40	1
5270MHz_TnomVmax	Pass	11.91	-30.86	42.77	-30.13	42.04	25	-43.10	55.01	-42.58	54.49	40	2
5270MHz_TnomVmax	Pass	15.11	-27.15	42.26	-26.98	42.09	25	-39.75	54.86	-39.80	54.91	40	Sum
5310MHz_TnomVnom	Pass	12.38	-29.67	42.05	-29.56	41.94	25	-42.31	54.69	-42.99	55.37	40	1
5310MHz_TnomVnom	Pass	11.88	-31.23	43.11	-30.62	42.50	25	-43.12	55.00	-42.86	54.74	40	2
5310MHz_TnomVnom	Pass	15.15	-27.37	42.52	-27.05	42.20	25	-39.69	54.84	-39.91	55.06	40	Sum
5310MHz_TnomVmin	Pass	12.38	-29.75	42.13	-29.55	41.93	25	-42.32	54.70	-42.98	55.36	40	1
5310MHz_TnomVmin	Pass	11.88	-31.23	43.11	-30.65	42.53	25	-43.14	55.02	-42.85	54.73	40	2
5310MHz_TnomVmin	Pass	15.15	-27.42	42.57	-27.05	42.20	25	-39.70	54.85	-39.90	55.05	40	Sum
5310MHz_TnomVmax	Pass	12.37	-29.73	42.10	-29.55	41.92	25	-42.31	54.68	-42.99	55.36	40	1
5310MHz_TnomVmax	Pass	11.87	-31.26	43.13	-30.65	42.52	25	-43.14	55.01	-42.88	54.75	40	2
5310MHz_TnomVmax	Pass	15.14	-27.42	42.56	-27.06	42.20	25	-39.69	54.83	-39.92	55.06	40	Sum
5510MHz_TnomVnom	Pass	17.15	-21.82	38.97	-21.49	38.64	25	-34.07	51.22	-34.33	51.48	40	1
5510MHz_TnomVnom	Pass	17.26	-19.60	36.86	-19.01	36.27	25	-29.30	46.56	-31.12	48.38	40	2
5510MHz_TnomVnom	Pass	20.21	-17.56	37.77	-17.07	37.28	25	-28.05	48.26	-29.42	49.63	40	Sum
5510MHz_TnomVmin	Pass	17.16	-21.86	39.02	-21.50	38.66	25	-34.08	51.24	-34.31	51.47	40	1
5510MHz_TnomVmin	Pass	17.27	-19.69	36.96	-19.06	36.33	25	-29.32	46.59	-31.12	48.39	40	2
5510MHz_TnomVmin	Pass	20.23	-17.63	37.86	-17.10	37.33	25	-28.07	48.30	-29.41	49.64	40	Sum
5510MHz_TnomVmax	Pass	17.15	-21.84	38.99	-21.48	38.63	25	-34.07	51.22	-34.32	51.47	40	1

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5510MHz_TnomVmax	Pass	17.26	-19.64	36.90	-18.99	36.25	25	-29.34	46.60	-31.13	48.39	40	2
5510MHz_TnomVmax	Pass	20.22	-17.59	37.81	-17.05	37.27	25	-28.08	48.30	-29.43	49.65	40	Sum
5590MHz_TnomVnom	Pass	17.45	-21.19	38.64	-20.45	37.90	25	-33.35	50.80	-32.79	50.24	40	1
5590MHz_TnomVnom	Pass	17.40	-19.02	36.42	-18.18	35.58	25	-27.89	45.29	-31.01	48.41	40	2
5590MHz_TnomVnom	Pass	20.44	-16.96	37.40	-16.16	36.60	25	-26.80	47.24	-28.80	49.24	40	Sum
5590MHz_TnomVmin	Pass	17.46	-21.19	38.65	-20.44	37.90	25	-33.31	50.77	-32.74	50.20	40	1
5590MHz_TnomVmin	Pass	17.40	-19.00	36.40	-18.18	35.58	25	-27.89	45.29	-31.01	48.41	40	2
5590MHz_TnomVmin	Pass	20.45	-16.95	37.40	-16.15	36.60	25	-26.80	47.25	-28.78	49.23	40	Sum
5590MHz_TnomVmax	Pass	17.47	-21.19	38.66	-20.43	37.90	25	-33.32	50.79	-32.76	50.23	40	1
5590MHz_TnomVmax	Pass	17.42	-19.03	36.45	-18.21	35.63	25	-27.90	45.32	-31.03	48.45	40	2
5590MHz_TnomVmax	Pass	20.46	-16.97	37.43	-16.17	36.63	25	-26.80	47.26	-28.80	49.26	40	Sum
5710MHz_TnomVnom	Pass	17.21	-21.96	39.17	-21.15	38.36	25	-34.00	51.21	-33.08	50.29	40	1
5710MHz_TnomVnom	Pass	17.08	-20.62	37.70	-18.75	35.83	25	-28.85	45.93	-31.30	48.38	40	2
5710MHz_TnomVnom	Pass	20.16	-18.23	38.39	-16.78	36.94	25	-27.69	47.85	-29.09	49.25	40	Sum
5710MHz_TnomVmin	Pass	17.22	-21.93	39.15	-21.12	38.34	25	-33.98	51.20	-33.09	50.31	40	1
5710MHz_TnomVmin	Pass	17.08	-20.57	37.65	-18.74	35.82	25	-28.83	45.91	-31.27	48.35	40	2
5710MHz_TnomVmin	Pass	20.16	-18.19	38.35	-16.76	36.92	25	-27.67	47.83	-29.07	49.23	40	Sum
5710MHz_TnomVmax	Pass	17.21	-21.97	39.18	-21.13	38.34	25	-33.99	51.20	-33.08	50.29	40	1
5710MHz_TnomVmax	Pass	17.08	-20.58	37.66	-18.76	35.84	25	-28.83	45.91	-31.28	48.36	40	2
5710MHz_TnomVmax	Pass	20.16	-18.21	38.37	-16.77	36.93	25	-27.67	47.83	-29.08	49.24	40	Sum
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	13.64	-28.47	42.11	-27.67	41.31	25	-	-	-	-	-	1
5210MHz_TnomVnom	Pass	12.78	-30.10	42.88	-28.61	41.39	25	-	-	-	-	-	2
5210MHz_TnomVnom	Pass	16.24	-26.20	42.44	-25.10	41.34	25	-	-	-	-	-	Sum
5210MHz_TnomVmin	Pass	13.66	-28.41	42.07	-27.68	41.34	25	-	-	-	-	-	1
5210MHz_TnomVmin	Pass	12.79	-30.13	42.92	-28.56	41.35	25	-	-	-	-	-	2
5210MHz_TnomVmin	Pass	16.25	-26.17	42.42	-25.09	41.34	25	-	-	-	-	-	Sum
5210MHz_TnomVmax	Pass	13.66	-28.52	42.18	-27.64	41.30	25	-	-	-	-	-	1
5210MHz_TnomVmax	Pass	12.79	-30.12	42.91	-28.55	41.34	25	-	-	-	-	-	2
5210MHz_TnomVmax	Pass	16.25	-26.23	42.48	-25.06	41.31	25	-	-	-	-	-	Sum
5290MHz_TnomVnom	Pass	12.35	-29.77	42.12	-28.82	41.17	25	-	-	-	-	-	1
5290MHz_TnomVnom	Pass	12.06	-31.28	43.34	-29.20	41.26	25	-	-	-	-	-	2
5290MHz_TnomVnom	Pass	15.22	-27.45	42.67	-26.00	41.22	25	-	-	-	-	-	Sum
5290MHz_TnomVmin	Pass	12.35	-29.78	42.13	-28.85	41.20	25	-	-	-	-	-	1
5290MHz_TnomVmin	Pass	12.07	-31.25	43.32	-29.14	41.21	25	-	-	-	-	-	2
5290MHz_TnomVmin	Pass	15.22	-27.44	42.66	-25.99	41.21	25	-	-	-	-	-	Sum
5290MHz_TnomVmax	Pass	12.34	-29.74	42.08	-28.84	41.18	25	-	-	-	-	-	1
5290MHz_TnomVmax	Pass	12.07	-31.22	43.29	-29.16	41.23	25	-	-	-	-	-	2
5290MHz_TnomVmax	Pass	15.21	-27.41	42.62	-25.99	41.20	25	-	-	-	-	-	Sum
5530MHz_TnomVnom	Pass	17.43	-19.72	37.15	-20.04	37.47	25	-	-	-	-	-	1
5530MHz_TnomVnom	Pass	17.66	-17.05	34.71	-16.85	34.51	25	-	-	-	-	-	2
5530MHz_TnomVnom	Pass	20.56	-15.17	35.73	-15.15	35.71	25	-	-	-	-	-	Sum
5530MHz_TnomVmin	Pass	17.43	-19.68	37.11	-20.06	37.49	25	-	-	-	-	-	1
5530MHz_TnomVmin	Pass	17.66	-17.05	34.71	-16.86	34.52	25	-	-	-	-	-	2
5530MHz_TnomVmin	Pass	20.56	-15.16	35.72	-15.16	35.72	25	-	-	-	-	-	Sum

Mode	Result	Carrier (dBm)	-Adj Ch (dBm)	-Adj Ch (dB)	+Adj Ch (dBm)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dBm)	-Alt Ch (dB)	+Alt Ch (dBm)	+Alt Ch (dB)	Limit (dB)	Port
5530MHz_TnomVmax	Pass	17.44	-19.71	37.15	-20.06	37.50	25	-	-	-	-	-	1
5530MHz_TnomVmax	Pass	17.67	-17.04	34.71	-16.82	34.49	25	-	-	-	-	-	2
5530MHz_TnomVmax	Pass	20.57	-15.16	35.73	-15.13	35.70	25	-	-	-	-	-	Sum
5610MHz_TnomVnom	Pass	17.47	-20.30	37.77	-20.05	37.52	25	-	-	-	-	-	1
5610MHz_TnomVnom	Pass	17.23	-17.26	34.49	-17.81	35.04	25	-	-	-	-	-	2
5610MHz_TnomVnom	Pass	20.36	-15.51	35.87	-15.78	36.14	25	-	-	-	-	-	Sum
5610MHz_TnomVmin	Pass	17.46	-20.30	37.76	-20.08	37.54	25	-	-	-	-	-	1
5610MHz_TnomVmin	Pass	17.21	-17.22	34.43	-17.81	35.02	25	-	-	-	-	-	2
5610MHz_TnomVmin	Pass	20.35	-15.48	35.83	-15.79	36.14	25	-	-	-	-	-	Sum
5610MHz_TnomVmax	Pass	17.46	-20.30	37.76	-20.08	37.54	25	-	-	-	-	-	1
5610MHz_TnomVmax	Pass	17.21	-17.25	34.46	-17.80	35.01	25	-	-	-	-	-	2
5610MHz_TnomVmax	Pass	20.35	-15.51	35.86	-15.78	36.13	25	-	-	-	-	-	Sum
5690MHz_TnomVnom	Pass	17.69	-19.05	36.74	-18.36	36.05	25	-	-	-	-	-	1
5690MHz_TnomVnom	Pass	17.47	-16.37	33.84	-15.40	32.87	25	-	-	-	-	-	2
5690MHz_TnomVnom	Pass	20.60	-14.50	35.10	-13.63	34.23	25	-	-	-	-	-	Sum
5690MHz_TnomVmin	Pass	17.69	-19.04	36.73	-18.38	36.07	25	-	-	-	-	-	1
5690MHz_TnomVmin	Pass	17.47	-16.38	33.85	-15.41	32.88	25	-	-	-	-	-	2
5690MHz_TnomVmin	Pass	20.59	-14.50	35.09	-13.63	34.22	25	-	-	-	-	-	Sum
5690MHz_TnomVmax	Pass	17.69	-19.05	36.74	-18.36	36.05	25	-	-	-	-	-	1
5690MHz_TnomVmax	Pass	17.46	-16.36	33.82	-15.39	32.85	25	-	-	-	-	-	2
5690MHz_TnomVmax	Pass	20.59	-14.49	35.08	-13.62	34.21	25	-	-	-	-	-	Sum




5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5180MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5180MHz_TnomVmin

07/04/2026






5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5180MHz_TnomVmax

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.95	-23.85	36.80	-24.78	37.73	25	-43.24	56.19	-43.24	56.19	40	1
12.26	-25.07	37.33	-25.69	37.95	25	-44.30	56.56	-43.78	56.04	40	2
15.63	-21.40	37.03	-22.20	37.83	25	-40.72	56.35	-40.49	56.12	40	Sum


5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR


5200MHz_TnomVnom

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.82	-23.76	36.58	-24.74	37.56	25	-42.86	55.68	-42.94	55.76	40	1
12.16	-25.13	37.29	-25.94	38.10	25	-44.30	56.46	-43.81	55.97	40	2
15.51	-21.38	36.89	-22.29	37.80	25	-40.51	56.02	-40.34	55.85	40	Sum






5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5240MHz_TnomVnom

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5240MHz_TnomVmin

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS






5.15-5.25GHz_802.11a_(6Mbps)_2TX

ACLR

5240MHz_TnomVmax

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.07	-23.87	36.94	-24.97	38.04	25	-43.08	56.15	-43.34	56.41	40	1
11.62	-25.72	37.34	-26.22	37.84	25	-44.53	56.15	-44.18	55.80	40	2
15.41	-21.69	37.10	-22.54	37.95	25	-40.73	56.14	-40.73	56.14	40	Sum


5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5260MHz_TnomVnom

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.02	-24.90	36.92	-25.88	37.90	25	-43.68	55.70	-44.08	56.10	40	1
11.55	-25.85	37.40	-26.45	38.00	25	-45.08	56.63	-45.07	56.62	40	2
14.80	-22.34	37.14	-23.14	37.94	25	-41.32	56.12	-41.54	56.34	40	Sum




5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5260MHz_TnomVmin

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
11.98	-24.92	36.90	-25.77	37.75	25	-43.69	55.67	-44.08	56.06	40	1
11.56	-25.86	37.42	-26.44	38.00	25	-45.11	56.67	-45.07	56.63	40	2
14.79	-22.35	37.14	-23.08	37.87	25	-41.34	56.13	-41.54	56.33	40	Sum


5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5260MHz_TnomVmax

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.01	-24.85	36.86	-25.85	37.86	25	-43.68	55.69	-44.08	56.09	40	1
11.58	-25.91	37.49	-26.47	38.05	25	-45.10	56.68	-45.06	56.64	40	2
14.81	-22.34	37.15	-23.14	37.95	25	-41.32	56.13	-41.53	56.34	40	Sum




5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
11.92	-24.92	36.84	-26.03	37.95	25	-43.94	55.86	-44.42	56.34	40	1
11.60	-25.68	37.28	-26.35	37.95	25	-44.74	56.34	-44.60	56.20	40	2
14.77	-22.27	37.04	-23.18	37.95	25	-41.31	56.08	-41.50	56.27	40	Sum


5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5280MHz_TnomVmin

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
11.94	-24.93	36.87	-25.98	37.92	25	-43.93	55.87	-44.40	56.34	40	1
11.61	-25.70	37.31	-26.42	38.03	25	-44.72	56.33	-44.59	56.20	40	2
14.79	-22.29	37.08	-23.18	37.97	25	-41.30	56.09	-41.48	56.27	40	Sum




5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5280MHz_TnomVmax

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
11.93	-24.93	36.86	-26.03	37.96	25	-43.94	55.87	-44.40	56.33	40	1
11.61	-25.63	37.24	-26.47	38.08	25	-44.73	56.34	-44.61	56.22	40	2
14.78	-22.26	37.04	-23.24	38.02	25	-41.31	56.09	-41.49	56.27	40	Sum


5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.04	-24.81	36.85	-25.48	37.52	25	-43.83	55.87	-43.99	56.03	40	1
11.57	-25.60	37.17	-26.06	37.63	25	-44.67	56.24	-44.35	55.92	40	2
14.82	-22.17	36.99	-22.75	37.57	25	-41.22	56.04	-41.16	55.98	40	Sum




5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.02	-24.81	36.83	-25.64	37.66	25	-43.84	55.86	-44.00	56.02	40	1
11.57	-25.63	37.20	-26.11	37.68	25	-44.69	56.26	-44.36	55.93	40	2
14.81	-22.19	37.00	-22.86	37.67	25	-41.23	56.04	-41.16	55.97	40	Sum


5.25-5.35GHz_802.11a_(6Mbps)_2TX

ACLR


5320MHz_TnomVmax

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.02	-24.79	36.81	-25.57	37.59	25	-43.82	55.84	-44.00	56.02	40	1
11.57	-25.69	37.26	-26.00	37.57	25	-44.68	56.25	-44.34	55.91	40	2
14.81	-22.21	37.02	-22.77	37.58	25	-41.22	56.03	-41.15	55.96	40	Sum






5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5500MHz_TnomVmax

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS






5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.17	-18.34	35.51	-18.24	35.41	25	-36.72	53.89	-36.46	53.63	40	1
17.32	-16.10	33.42	-15.19	32.51	25	-31.72	49.04	-33.93	51.25	40	2
20.25	-14.07	34.32	-13.44	33.69	25	-30.53	50.78	-32.00	52.25	40	Sum


5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.17	-18.32	35.49	-18.25	35.42	25	-36.70	53.87	-36.48	53.65	40	1
17.33	-16.09	33.42	-15.19	32.52	25	-31.71	49.04	-33.95	51.28	40	2
20.26	-14.05	34.31	-13.45	33.71	25	-30.52	50.78	-32.03	52.29	40	Sum




5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5720MHz_TnomVnom

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.32	-17.99	35.31	-17.38	34.70	25	-36.78	54.10	-36.26	53.58	40	1
17.18	-14.18	31.36	-13.17	30.35	25	-28.74	45.92	-29.63	46.81	40	2
20.26	-12.67	32.93	-11.77	32.03	25	-28.11	48.37	-28.78	49.04	40	Sum


5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5720MHz_TnomVmin

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.31	-17.94	35.25	-17.38	34.69	25	-36.78	54.09	-36.25	53.56	40	1
17.18	-14.16	31.34	-13.18	30.36	25	-28.74	45.92	-29.64	46.82	40	2
20.26	-12.64	32.90	-11.78	32.04	25	-28.11	48.37	-28.78	49.04	40	Sum




5.47-5.73GHz_802.11a_(6Mbps)_2TX

ACLR

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.30	-17.98	35.28	-17.43	34.73	25	-36.79	54.09	-36.28	53.58	40	1
17.18	-14.18	31.36	-13.19	30.37	25	-28.75	45.93	-29.65	46.83	40	2
20.25	-12.66	32.91	-11.80	32.05	25	-28.12	48.37	-28.80	49.05	40	Sum


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVnom

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.43	-22.14	35.57	-23.01	36.44	25	-42.71	56.14	-42.69	56.12	40	1
12.55	-23.50	36.05	-24.32	36.87	25	-44.10	56.65	-43.56	56.11	40	2
16.02	-19.76	35.78	-20.61	36.63	25	-40.34	56.36	-40.09	56.11	40	Sum




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmin

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.45	-22.22	35.67	-23.00	36.45	25	-42.70	56.15	-42.68	56.13	40	1
12.57	-23.44	36.01	-24.30	36.87	25	-44.09	56.66	-43.54	56.11	40	2
16.04	-19.78	35.82	-20.59	36.63	25	-40.33	56.37	-40.08	56.12	40	Sum


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmax

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.45	-22.22	35.67	-23.00	36.45	25	-42.72	56.17	-42.68	56.13	40	1
12.56	-23.48	36.04	-24.40	36.96	25	-44.09	56.65	-43.54	56.10	40	2
16.03	-19.80	35.83	-20.63	36.66	25	-40.34	56.37	-40.08	56.11	40	Sum




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVnom

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.07	-22.33	35.40	-23.28	36.35	25	-42.25	55.32	-42.36	55.43	40	1
12.35	-23.61	35.96	-24.55	36.90	25	-43.93	56.28	-43.46	55.81	40	2
15.74	-19.91	35.65	-20.86	36.60	25	-40.00	55.74	-39.86	55.60	40	Sum


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmin

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.11	-22.22	35.33	-23.28	36.39	25	-42.23	55.34	-42.34	55.45	40	1
12.36	-23.59	35.95	-24.45	36.81	25	-43.89	56.25	-43.43	55.79	40	2
15.76	-19.84	35.60	-20.82	36.58	25	-39.97	55.73	-39.84	55.60	40	Sum




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.06	-22.27	35.33	-23.24	36.30	25	-42.26	55.32	-42.36	55.42	40	1
12.32	-23.61	35.93	-24.54	36.86	25	-43.92	56.24	-43.46	55.78	40	2
15.71	-19.88	35.59	-20.83	36.54	25	-40.00	55.71	-39.87	55.58	40	Sum


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVnom

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.36	-22.27	35.63	-23.17	36.53	25	-42.59	55.95	-42.81	56.17	40	1
12.04	-24.08	36.12	-24.77	36.81	25	-44.22	56.26	-43.90	55.94	40	2
15.76	-20.07	35.83	-20.89	36.65	25	-40.32	56.08	-40.31	56.07	40	Sum




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmin

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.37	-22.32	35.69	-23.12	36.49	25	-42.58	55.95	-42.83	56.20	40	1
12.05	-24.00	36.05	-24.76	36.81	25	-44.21	56.26	-43.88	55.93	40	2
15.77	-20.07	35.84	-20.85	36.62	25	-40.31	56.08	-40.31	56.08	40	Sum


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmax

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.36	-22.30	35.66	-23.17	36.53	25	-42.60	55.96	-42.82	56.18	40	1
12.05	-24.01	36.06	-24.77	36.82	25	-44.20	56.25	-43.87	55.92	40	2
15.77	-20.06	35.83	-20.89	36.66	25	-40.32	56.09	-40.31	56.08	40	Sum




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVnom

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.39	-23.30	35.69	-24.23	36.62	25	-43.60	55.99	-44.01	56.40	40	1
12.39	-23.55	35.94	-24.19	36.58	25	-44.03	56.42	-43.92	56.31	40	2
15.40	-20.41	35.81	-21.20	36.60	25	-40.80	56.20	-40.95	56.35	40	Sum


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmin

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.38	-23.23	35.61	-24.21	36.59	25	-43.61	55.99	-44.01	56.39	40	1
12.37	-23.72	36.09	-24.21	36.58	25	-44.02	56.39	-43.92	56.29	40	2
15.39	-20.45	35.84	-21.20	36.59	25	-40.80	56.19	-40.95	56.34	40	Sum




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmax

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.39	-23.21	35.60	-24.31	36.70	25	-43.63	56.02	-44.02	56.41	40	1
12.38	-23.64	36.02	-24.30	36.68	25	-44.03	56.41	-43.94	56.32	40	2
15.39	-20.41	35.80	-21.30	36.69	25	-40.81	56.20	-40.97	56.36	40	Sum


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.47	-23.00	35.47	-24.19	36.66	25	-43.31	55.78	-43.83	56.30	40	1
12.31	-23.58	35.89	-24.39	36.70	25	-43.77	56.08	-43.71	56.02	40	2
15.40	-20.27	35.67	-21.27	36.67	25	-40.52	55.92	-40.76	56.16	40	Sum




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmin

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.11	35.57	-24.14	36.60	25	-43.31	55.77	-43.84	56.30	40	1
12.33	-23.62	35.95	-24.39	36.72	25	-43.78	56.11	-43.71	56.04	40	2
15.40	-20.35	35.75	-21.26	36.66	25	-40.53	55.93	-40.76	56.16	40	Sum


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmax

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.48	-23.03	35.51	-24.20	36.68	25	-43.31	55.79	-43.83	56.31	40	1
12.33	-23.63	35.96	-24.26	36.59	25	-43.77	56.10	-43.70	56.03	40	2
15.42	-20.31	35.73	-21.22	36.64	25	-40.52	55.94	-40.75	56.17	40	Sum




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.45	-23.19	35.64	-24.03	36.48	25	-43.84	56.29	-44.01	56.46	40	1
12.01	-23.99	36.00	-24.56	36.57	25	-44.42	56.43	-44.19	56.20	40	2
15.25	-20.56	35.81	-21.28	36.53	25	-41.11	56.36	-41.09	56.34	40	Sum


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.23	35.69	-24.03	36.49	25	-43.85	56.31	-44.01	56.47	40	1
12.01	-23.96	35.97	-24.71	36.72	25	-44.42	56.43	-44.20	56.21	40	2
15.25	-20.57	35.82	-21.34	36.59	25	-41.12	56.37	-41.09	56.34	40	Sum




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.45	-23.26	35.71	-24.04	36.49	25	-43.86	56.31	-44.03	56.48	40	1
12.02	-23.92	35.94	-24.69	36.71	25	-44.41	56.43	-44.18	56.20	40	2
15.25	-20.57	35.82	-21.35	36.60	25	-41.11	56.36	-41.09	56.34	40	Sum


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.70	-15.26	32.96	-14.96	32.66	25	-32.59	50.29	-32.29	49.99	40	1
17.79	-13.56	31.35	-12.60	30.39	25	-27.47	45.26	-28.88	46.67	40	2
20.75	-11.32	32.07	-10.61	31.36	25	-26.31	47.06	-27.25	48.00	40	Sum




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.68	-15.24	32.92	-14.94	32.62	25	-32.54	50.22	-32.26	49.94	40	1
17.78	-13.52	31.30	-12.65	30.43	25	-27.44	45.22	-28.89	46.67	40	2
20.74	-11.29	32.03	-10.64	31.38	25	-26.27	47.01	-27.24	47.98	40	Sum


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.67	-15.30	32.97	-14.96	32.63	25	-32.49	50.16	-32.22	49.89	40	1
17.76	-13.52	31.28	-12.57	30.33	25	-27.42	45.18	-28.83	46.59	40	2
20.73	-11.31	32.04	-10.59	31.32	25	-26.24	46.97	-27.19	47.92	40	Sum




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.84	-15.30	33.14	-14.37	32.21	25	-34.07	51.91	-32.82	50.66	40	1
17.63	-13.62	31.25	-12.75	30.38	25	-28.68	46.31	-30.62	48.25	40	2
20.75	-11.37	32.12	-10.47	31.22	25	-27.57	48.32	-28.57	49.32	40	Sum


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.85	-15.23	33.08	-14.34	32.19	25	-34.07	51.92	-32.84	50.69	40	1
17.63	-13.64	31.27	-12.71	30.34	25	-28.67	46.30	-30.61	48.24	40	2
20.75	-11.35	32.10	-10.44	31.19	25	-27.57	48.32	-28.57	49.32	40	Sum




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.84	-15.25	33.09	-14.35	32.19	25	-34.10	51.94	-32.85	50.69	40	1
17.64	-13.60	31.24	-12.72	30.36	25	-28.68	46.32	-30.64	48.28	40	2
20.75	-11.34	32.09	-10.45	31.20	25	-27.58	48.33	-28.60	49.35	40	Sum


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.58	-16.48	34.06	-15.53	33.11	25	-35.51	53.09	-33.83	51.41	40	1
17.32	-13.33	30.65	-12.26	29.58	25	-27.09	44.41	-27.98	45.30	40	2
20.46	-11.61	32.07	-10.59	31.05	25	-26.50	46.96	-26.97	47.43	40	Sum




5.47-5.73GHz_802.11n_HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.58	-16.41	33.99	-15.54	33.12	25	-35.54	53.12	-33.82	51.40	40	1
17.32	-13.33	30.65	-12.25	29.57	25	-27.07	44.39	-27.97	45.29	40	2
20.47	-11.59	32.06	-10.58	31.05	25	-26.49	46.96	-26.97	47.44	40	Sum


5.47-5.73GHz_802.11n_HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.59	-16.45	34.04	-15.54	33.13	25	-35.54	53.13	-33.81	51.40	40	1
17.32	-13.29	30.61	-12.24	29.56	25	-27.09	44.41	-28.00	45.32	40	2
20.47	-11.58	32.05	-10.57	31.04	25	-26.51	46.98	-26.99	47.46	40	Sum




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.14	-28.09	41.23	-27.54	40.68	25	-41.99	55.13	-42.19	55.33	40	1
12.54	-28.70	41.24	-28.10	40.64	25	-42.37	54.91	-42.09	54.63	40	2
15.86	-25.37	41.23	-24.80	40.66	25	-39.17	55.03	-39.13	54.99	40	Sum


5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.14	-28.11	41.25	-27.56	40.70	25	-42.01	55.15	-42.18	55.32	40	1
12.53	-28.69	41.22	-28.10	40.63	25	-42.39	54.92	-42.10	54.63	40	2
15.86	-25.38	41.24	-24.81	40.67	25	-39.18	55.04	-39.13	54.99	40	Sum




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.13	-28.15	41.28	-27.53	40.66	25	-42.00	55.13	-42.19	55.32	40	1
12.54	-28.70	41.24	-28.16	40.70	25	-42.38	54.92	-42.11	54.65	40	2
15.85	-25.41	41.26	-24.82	40.67	25	-39.18	55.03	-39.14	54.99	40	Sum


5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.69	-27.90	41.59	-27.39	41.08	25	-41.65	55.34	-42.48	56.17	40	1
12.66	-29.49	42.15	-28.24	40.90	25	-42.81	55.47	-42.28	54.94	40	2
16.22	-25.61	41.83	-24.78	41.00	25	-39.18	55.40	-39.37	55.59	40	Sum




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.71	-27.86	41.57	-27.40	41.11	25	-41.64	55.35	-42.48	56.19	40	1
12.68	-29.37	42.05	-28.19	40.87	25	-42.81	55.49	-42.28	54.96	40	2
16.23	-25.54	41.77	-24.77	41.00	25	-39.18	55.41	-39.37	55.60	40	Sum


5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.70	-27.87	41.57	-27.37	41.07	25	-41.66	55.36	-42.48	56.18	40	1
12.65	-29.51	42.16	-28.20	40.85	25	-42.80	55.45	-42.29	54.94	40	2
16.22	-25.60	41.82	-24.75	40.97	25	-39.18	55.40	-39.38	55.60	40	Sum




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVnom

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.16	-29.07	41.23	-29.53	41.69	25	-42.56	54.72	-43.12	55.28	40	1
11.96	-29.83	41.79	-29.62	41.58	25	-43.43	55.39	-42.88	54.84	40	2
15.07	-26.42	41.49	-26.56	41.63	25	-39.96	55.03	-39.98	55.05	40	Sum


5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmin

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.17	-29.01	41.18	-29.53	41.70	25	-42.54	54.71	-43.13	55.30	40	1
11.97	-29.81	41.78	-29.68	41.65	25	-43.43	55.40	-42.89	54.86	40	2
15.09	-26.38	41.47	-26.60	41.69	25	-39.96	55.05	-40.00	55.09	40	Sum




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.17	-29.06	41.23	-29.54	41.71	25	-42.57	54.74	-43.09	55.26	40	1
11.96	-29.80	41.76	-29.58	41.54	25	-43.42	55.38	-42.90	54.86	40	2
15.08	-26.41	41.49	-26.55	41.63	25	-39.97	55.05	-39.98	55.06	40	Sum


5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.45	-28.85	41.30	-29.07	41.52	25	-42.50	54.95	-43.06	55.51	40	1
12.04	-30.07	42.11	-29.92	41.96	25	-43.19	55.23	-42.85	54.89	40	2
15.26	-26.40	41.66	-26.46	41.72	25	-39.82	55.08	-39.94	55.20	40	Sum




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.45	-28.83	41.28	-29.06	41.51	25	-42.51	54.96	-43.05	55.50	40	1
12.02	-29.99	42.01	-29.93	41.95	25	-43.20	55.22	-42.85	54.87	40	2
15.25	-26.36	41.61	-26.46	41.71	25	-39.83	55.08	-39.94	55.19	40	Sum


5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.44	-28.82	41.26	-29.08	41.52	25	-42.51	54.95	-43.07	55.51	40	1
12.03	-29.95	41.98	-29.96	41.99	25	-43.20	55.23	-42.85	54.88	40	2
15.25	-26.34	41.59	-26.48	41.73	25	-39.83	55.08	-39.95	55.20	40	Sum




5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.40	-21.70	39.10	-21.27	38.67	25	-34.61	52.01	-35.22	52.62	40	1
17.55	-19.43	36.98	-18.90	36.45	25	-29.51	47.06	-31.72	49.27	40	2
20.49	-17.41	37.90	-16.92	37.41	25	-28.34	48.83	-30.12	50.61	40	Sum


5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.40	-21.70	39.10	-21.31	38.71	25	-34.60	52.00	-35.21	52.61	40	1
17.57	-19.42	36.99	-18.92	36.49	25	-29.52	47.09	-31.71	49.28	40	2
20.50	-17.40	37.90	-16.94	37.44	25	-28.35	48.85	-30.11	50.61	40	Sum




5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.40	-21.69	39.09	-21.27	38.67	25	-34.62	52.02	-35.22	52.62	40	1
17.57	-19.42	36.99	-18.92	36.49	25	-29.51	47.08	-31.70	49.27	40	2
20.50	-17.40	37.90	-16.93	37.43	25	-28.34	48.84	-30.10	50.60	40	Sum


5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.53	-21.62	39.15	-20.82	38.35	25	-34.55	52.08	-34.40	51.93	40	1
17.39	-19.42	36.81	-18.67	36.06	25	-28.95	46.34	-32.03	49.42	40	2
20.47	-17.37	37.84	-16.60	37.07	25	-27.90	48.37	-30.05	50.52	40	Sum




5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmin

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.54	-21.59	39.13	-20.82	38.36	25	-34.53	52.07	-34.40	51.94	40	1
17.37	-19.49	36.86	-18.84	36.21	25	-29.20	46.57	-32.19	49.56	40	2
20.46	-17.41	37.87	-16.71	37.17	25	-28.08	48.54	-30.14	50.60	40	Sum


5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmax

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.54	-21.62	39.16	-20.80	38.34	25	-34.53	52.07	-34.39	51.93	40	1
17.37	-19.55	36.92	-18.84	36.21	25	-29.27	46.64	-32.21	49.58	40	2
20.46	-17.45	37.91	-16.70	37.16	25	-28.14	48.60	-30.15	50.61	40	Sum




5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.65	-21.20	38.85	-20.39	38.04	25	-33.75	51.40	-33.46	51.11	40	1
17.44	-18.67	36.11	-17.86	35.30	25	-28.51	45.95	-31.36	48.80	40	2
20.55	-16.74	37.29	-15.93	36.48	25	-27.37	47.92	-29.27	49.82	40	Sum


5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.64	-21.24	38.88	-20.40	38.04	25	-33.76	51.40	-33.45	51.09	40	1
17.50	-18.48	35.98	-17.61	35.11	25	-28.32	45.82	-31.22	48.72	40	2
20.58	-16.63	37.21	-15.78	36.36	25	-27.23	47.81	-29.18	49.76	40	Sum




5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.65	-21.20	38.85	-20.42	38.07	25	-33.78	51.43	-33.43	51.08	40	1
17.45	-18.62	36.07	-17.82	35.27	25	-28.47	45.92	-31.36	48.81	40	2
20.56	-16.71	37.27	-15.92	36.48	25	-27.35	47.91	-29.26	49.82	40	Sum


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVnom

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.11	-22.53	35.64	-23.33	36.44	25	-42.82	55.93	-42.87	55.98	40	1
12.43	-23.61	36.04	-24.48	36.91	25	-44.18	56.61	-43.76	56.19	40	2
15.79	-20.03	35.82	-20.86	36.65	25	-40.44	56.23	-40.28	56.07	40	Sum




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmin

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.11	-22.50	35.61	-23.41	36.52	25	-42.80	55.91	-42.87	55.98	40	1
12.44	-23.54	35.98	-24.50	36.94	25	-44.18	56.62	-43.74	56.18	40	2
15.80	-19.98	35.78	-20.91	36.71	25	-40.43	56.23	-40.27	56.07	40	Sum


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmax

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.10	-22.49	35.59	-23.29	36.39	25	-42.81	55.91	-42.87	55.97	40	1
12.43	-23.55	35.98	-24.44	36.87	25	-44.19	56.62	-43.76	56.19	40	2
15.79	-19.97	35.76	-20.82	36.61	25	-40.44	56.23	-40.28	56.07	40	Sum




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVnom

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.15	-22.36	35.51	-23.29	36.44	25	-42.41	55.56	-42.55	55.70	40	1
12.35	-23.73	36.08	-24.59	36.94	25	-43.97	56.32	-43.61	55.96	40	2
15.78	-19.98	35.76	-20.88	36.66	25	-40.11	55.89	-40.03	55.81	40	Sum


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmin

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.16	-22.35	35.51	-23.33	36.49	25	-42.43	55.59	-42.54	55.70	40	1
12.34	-23.75	36.09	-24.58	36.92	25	-43.97	56.31	-43.60	55.94	40	2
15.78	-19.98	35.76	-20.90	36.68	25	-40.12	55.90	-40.03	55.81	40	Sum




5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.17	-22.27	35.44	-23.31	36.48	25	-42.42	55.59	-42.54	55.71	40	1
12.33	-23.69	36.02	-24.52	36.85	25	-43.97	56.30	-43.60	55.93	40	2
15.78	-19.91	35.69	-20.86	36.64	25	-40.11	55.89	-40.03	55.81	40	Sum


5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR


5240MHz_TnomVnom

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.46	-22.29	35.75	-23.13	36.59	25	-42.68	56.14	-42.92	56.38	40	1
12.25	-23.83	36.08	-24.47	36.72	25	-43.89	56.14	-43.54	55.79	40	2
15.91	-19.98	35.89	-20.74	36.65	25	-40.23	56.14	-40.21	56.12	40	Sum






5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVnom

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.28	-23.41	35.69	-24.39	36.67	25	-43.56	55.84	-43.97	56.25	40	1
12.48	-23.52	36.00	-24.12	36.60	25	-43.76	56.24	-43.79	56.27	40	2
15.39	-20.45	35.84	-21.24	36.63	25	-40.65	56.04	-40.87	56.26	40	Sum


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmin

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.29	-23.40	35.69	-24.41	36.70	25	-43.54	55.83	-43.97	56.26	40	1
12.47	-23.50	35.97	-24.20	36.67	25	-43.77	56.24	-43.81	56.28	40	2
15.39	-20.44	35.83	-21.29	36.68	25	-40.65	56.04	-40.88	56.27	40	Sum




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmax

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.29	-23.37	35.66	-24.44	36.73	25	-43.55	55.84	-43.98	56.27	40	1
12.47	-23.57	36.04	-24.19	36.66	25	-43.77	56.24	-43.81	56.28	40	2
15.40	-20.46	35.86	-21.30	36.70	25	-40.65	56.05	-40.88	56.28	40	Sum


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.11	35.57	-24.31	36.77	25	-43.22	55.68	-43.68	56.14	40	1
12.41	-23.52	35.93	-24.17	36.58	25	-43.58	55.99	-43.65	56.06	40	2
15.45	-20.30	35.75	-21.23	36.68	25	-40.39	55.84	-40.65	56.10	40	Sum




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmin

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.19	35.65	-24.32	36.78	25	-43.21	55.67	-43.68	56.14	40	1
12.42	-23.53	35.95	-24.24	36.66	25	-43.59	56.01	-43.66	56.08	40	2
15.45	-20.35	35.80	-21.27	36.72	25	-40.38	55.83	-40.66	56.11	40	Sum


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmax

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.16	35.62	-24.27	36.73	25	-43.20	55.66	-43.67	56.13	40	1
12.43	-23.41	35.84	-24.24	36.67	25	-43.59	56.02	-43.64	56.07	40	2
15.46	-20.27	35.73	-21.25	36.71	25	-40.38	55.84	-40.65	56.11	40	Sum




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.40	35.86	-24.13	36.59	25	-43.77	56.23	-43.92	56.38	40	1
11.99	-24.07	36.06	-24.76	36.75	25	-44.25	56.24	-43.95	55.94	40	2
15.24	-20.71	35.95	-21.42	36.66	25	-40.99	56.23	-40.92	56.16	40	Sum


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.46	-23.33	35.79	-24.08	36.54	25	-43.76	56.22	-43.91	56.37	40	1
11.99	-24.09	36.08	-24.77	36.76	25	-44.26	56.25	-43.95	55.94	40	2
15.24	-20.68	35.92	-21.40	36.64	25	-40.99	56.23	-40.92	56.16	40	Sum




5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.45	-23.27	35.72	-24.10	36.55	25	-43.77	56.22	-43.91	56.36	40	1
11.98	-24.04	36.02	-24.79	36.77	25	-44.26	56.24	-43.96	55.94	40	2
15.23	-20.62	35.85	-21.42	36.65	25	-40.99	56.22	-40.92	56.15	40	Sum


5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.77	-15.41	33.18	-14.88	32.65	25	-33.33	51.10	-32.92	50.69	40	1
17.82	-13.77	31.59	-12.66	30.48	25	-28.21	46.03	-29.60	47.42	40	2
20.80	-11.50	32.30	-10.62	31.42	25	-27.04	47.84	-27.94	48.74	40	Sum




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.75	-15.42	33.17	-14.89	32.64	25	-33.33	51.08	-32.93	50.68	40	1
17.81	-13.83	31.64	-12.62	30.43	25	-28.21	46.02	-29.62	47.43	40	2
20.80	-11.54	32.34	-10.60	31.40	25	-27.04	47.84	-27.95	48.75	40	Sum


5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.76	-15.40	33.16	-14.87	32.63	25	-33.36	51.12	-32.94	50.70	40	1
17.81	-13.79	31.60	-12.65	30.46	25	-28.19	46.00	-29.62	47.43	40	2
20.80	-11.51	32.31	-10.61	31.41	25	-27.04	47.84	-27.96	48.76	40	Sum




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.41	-17.44	34.85	-16.82	34.23	25	-37.05	54.46	-35.32	52.73	40	1
17.24	-15.73	32.97	-15.09	32.33	25	-30.70	47.94	-33.04	50.28	40	2
20.34	-13.49	33.83	-12.86	33.20	25	-29.79	50.13	-31.02	51.36	40	Sum


5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.41	-17.40	34.81	-16.78	34.19	25	-37.05	54.46	-35.27	52.68	40	1
17.25	-15.76	33.01	-15.07	32.32	25	-30.74	47.99	-33.06	50.31	40	2
20.34	-13.49	33.83	-12.83	33.17	25	-29.83	50.17	-31.01	51.35	40	Sum




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.41	-17.36	34.77	-16.81	34.22	25	-37.05	54.46	-35.28	52.69	40	1
17.25	-15.74	32.99	-15.05	32.30	25	-30.73	47.98	-33.03	50.28	40	2
20.34	-13.46	33.80	-12.83	33.17	25	-29.82	50.16	-31.00	51.34	40	Sum


5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.70	-15.96	33.66	-15.11	32.81	25	-34.08	51.78	-32.99	50.69	40	1
17.42	-13.31	30.73	-12.62	30.04	25	-28.72	46.14	-29.97	47.39	40	2
20.57	-11.42	31.99	-10.68	31.25	25	-27.61	48.18	-28.21	48.78	40	Sum




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.72	-15.92	33.64	-15.11	32.83	25	-34.12	51.84	-32.99	50.71	40	1
17.44	-13.28	30.72	-12.58	30.02	25	-28.73	46.17	-29.97	47.41	40	2
20.59	-11.40	31.99	-10.65	31.24	25	-27.62	48.21	-28.21	48.80	40	Sum


5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.72	-15.96	33.68	-15.05	32.77	25	-34.12	51.84	-32.98	50.70	40	1
17.42	-13.31	30.73	-12.59	30.01	25	-28.74	46.16	-29.98	47.40	40	2
20.58	-11.42	32.00	-10.64	31.22	25	-27.63	48.21	-28.22	48.80	40	Sum




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.58	-27.86	41.44	-27.45	41.03	25	-41.76	55.34	-42.12	55.70	40	1
12.92	-28.75	41.67	-28.36	41.28	25	-42.54	55.46	-42.11	55.03	40	2
16.27	-25.27	41.54	-24.87	41.14	25	-39.12	55.39	-39.10	55.37	40	Sum


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.56	-27.84	41.40	-27.43	40.99	25	-41.77	55.33	-42.13	55.69	40	1
12.92	-28.74	41.66	-28.37	41.29	25	-42.53	55.45	-42.10	55.02	40	2
16.26	-25.26	41.52	-24.86	41.12	25	-39.12	55.38	-39.10	55.36	40	Sum




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.57	-27.81	41.38	-27.45	41.02	25	-41.76	55.33	-42.12	55.69	40	1
12.90	-28.76	41.66	-28.35	41.25	25	-42.54	55.44	-42.10	55.00	40	2
16.26	-25.25	41.51	-24.87	41.13	25	-39.12	55.38	-39.10	55.36	40	Sum


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.46	-27.74	41.20	-26.81	40.27	25	-41.62	55.08	-42.44	55.90	40	1
12.61	-29.15	41.76	-28.00	40.61	25	-42.57	55.18	-42.11	54.72	40	2
16.07	-25.37	41.44	-24.35	40.42	25	-39.05	55.12	-39.26	55.33	40	Sum




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.43	-27.71	41.14	-26.82	40.25	25	-41.61	55.04	-42.43	55.86	40	1
12.59	-29.17	41.76	-28.06	40.65	25	-42.56	55.15	-42.13	54.72	40	2
16.04	-25.37	41.41	-24.38	40.42	25	-39.05	55.09	-39.27	55.31	40	Sum


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.43	-27.70	41.13	-26.76	40.19	25	-41.63	55.06	-42.44	55.87	40	1
12.58	-29.23	41.81	-27.98	40.56	25	-42.56	55.14	-42.14	54.72	40	2
16.04	-25.39	41.43	-24.32	40.36	25	-39.06	55.10	-39.27	55.31	40	Sum




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVnom

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.19	-28.93	41.12	-29.32	41.51	25	-42.64	54.83	-43.19	55.38	40	1
11.99	-30.02	42.01	-29.69	41.68	25	-43.40	55.39	-42.81	54.80	40	2
15.10	-26.43	41.53	-26.49	41.59	25	-39.99	55.09	-39.99	55.09	40	Sum


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmin

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.20	-28.92	41.12	-29.29	41.49	25	-42.63	54.83	-43.20	55.40	40	1
11.99	-29.86	41.85	-29.58	41.57	25	-43.39	55.38	-42.81	54.80	40	2
15.11	-26.35	41.46	-26.43	41.54	25	-39.98	55.09	-39.99	55.10	40	Sum




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.20	-28.96	41.16	-29.25	41.45	25	-42.65	54.85	-43.19	55.39	40	1
11.99	-29.87	41.86	-29.65	41.64	25	-43.40	55.39	-42.81	54.80	40	2
15.10	-26.38	41.48	-26.43	41.53	25	-40.00	55.10	-39.99	55.09	40	Sum


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.35	-28.97	41.32	-29.15	41.50	25	-42.56	54.91	-43.09	55.44	40	1
11.91	-30.13	42.04	-30.06	41.97	25	-43.29	55.20	-42.91	54.82	40	2
15.15	-26.51	41.66	-26.57	41.72	25	-39.90	55.05	-39.99	55.14	40	Sum




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

08/04/2026




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

08/04/2026






5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.39	-21.64	39.03	-21.23	38.62	25	-34.33	51.72	-34.98	52.37	40	1
17.74	-17.87	35.61	-17.55	35.29	25	-28.07	45.81	-30.34	48.08	40	2
20.58	-16.35	36.93	-16.00	36.58	25	-27.15	47.73	-29.06	49.64	40	Sum


5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.39	-21.63	39.02	-21.21	38.60	25	-34.31	51.70	-34.99	52.38	40	1
17.74	-17.81	35.55	-17.53	35.27	25	-28.07	45.81	-30.34	48.08	40	2
20.58	-16.30	36.88	-15.98	36.56	25	-27.15	47.73	-29.06	49.64	40	Sum




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.40	-21.60	39.00	-21.22	38.62	25	-34.31	51.71	-34.96	52.36	40	1
17.74	-17.86	35.60	-17.54	35.28	25	-28.08	45.82	-30.35	48.09	40	2
20.58	-16.33	36.91	-15.99	36.57	25	-27.15	47.73	-29.06	49.64	40	Sum


5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.56	-21.68	39.24	-20.88	38.44	25	-34.57	52.13	-34.58	52.14	40	1
17.33	-19.58	36.91	-19.05	36.38	25	-29.55	46.88	-32.45	49.78	40	2
20.45	-17.49	37.94	-16.86	37.31	25	-28.36	48.81	-30.37	50.82	40	Sum




5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmin

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.56	-21.66	39.22	-20.87	38.43	25	-34.56	52.12	-34.60	52.16	40	1
17.35	-19.54	36.89	-19.03	36.38	25	-29.50	46.85	-32.45	49.80	40	2
20.46	-17.46	37.92	-16.84	37.30	25	-28.32	48.78	-30.38	50.84	40	Sum


5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmax

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.58	-21.68	39.26	-20.86	38.44	25	-34.55	52.13	-34.52	52.10	40	1
17.35	-19.59	36.94	-19.09	36.44	25	-29.52	46.87	-32.47	49.82	40	2
20.47	-17.50	37.97	-16.88	37.35	25	-28.34	48.81	-30.37	50.84	40	Sum




5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.62	-21.66	39.28	-20.59	38.21	25	-34.44	52.06	-33.37	50.99	40	1
17.32	-20.23	37.55	-18.56	35.88	25	-29.02	46.34	-31.88	49.20	40	2
20.48	-17.88	38.36	-16.44	36.92	25	-27.92	48.40	-29.55	50.03	40	Sum


5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.61	-21.66	39.27	-20.61	38.22	25	-34.45	52.06	-33.38	50.99	40	1
17.31	-20.25	37.56	-18.60	35.91	25	-29.03	46.34	-31.89	49.20	40	2
20.47	-17.89	38.36	-16.48	36.95	25	-27.94	48.41	-29.56	50.03	40	Sum




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.60	-21.65	39.25	-20.63	38.23	25	-34.44	52.04	-33.37	50.97	40	1
17.32	-20.24	37.56	-18.60	35.92	25	-29.01	46.33	-31.87	49.19	40	2
20.47	-17.88	38.35	-16.49	36.96	25	-27.91	48.38	-29.54	50.01	40	Sum


5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVnom

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.35	-28.04	41.39	-27.52	40.87	25	-	-	-	-	-	1
12.75	-28.97	41.72	-27.72	40.47	25	-	-	-	-	-	2
16.07	-25.47	41.54	-24.61	40.68	25	-	-	-	-	-	Sum




5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmin

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.37	-28.07	41.44	-27.48	40.85	25	-	-	-	-	-	1
12.76	-29.03	41.79	-27.72	40.48	25	-	-	-	-	-	2
16.09	-25.51	41.60	-24.59	40.68	25	-	-	-	-	-	Sum


5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmax

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.37	-28.01	41.38	-27.50	40.87	25	-	-	-	-	-	1
12.79	-29.01	41.80	-27.73	40.52	25	-	-	-	-	-	2
16.10	-25.47	41.57	-24.60	40.70	25	-	-	-	-	-	Sum




5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVnom

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.68	-28.68	41.36	-28.11	40.79	25	-	-	-	-	-	1
12.23	-29.95	42.18	-28.41	40.64	25	-	-	-	-	-	2
15.48	-26.26	41.74	-25.25	40.73	25	-	-	-	-	-	Sum


5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmin

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.69	-28.68	41.37	-28.17	40.86	25	-	-	-	-	-	1
12.24	-29.98	42.22	-28.38	40.62	25	-	-	-	-	-	2
15.48	-26.27	41.75	-25.26	40.74	25	-	-	-	-	-	Sum




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmax

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.69	-28.69	41.38	-28.12	40.81	25	-	-	-	-	-	1
12.25	-29.91	42.16	-28.36	40.61	25	-	-	-	-	-	2
15.49	-26.25	41.74	-25.23	40.72	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVnom

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.94	-19.01	36.95	-18.80	36.74	25	-	-	-	-	-	1
18.10	-15.94	34.04	-15.43	33.53	25	-	-	-	-	-	2
21.03	-14.20	35.23	-13.79	34.82	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmin

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.94	-19.01	36.95	-18.79	36.73	25	-	-	-	-	-	1
18.08	-15.92	34.00	-15.43	33.51	25	-	-	-	-	-	2
21.02	-14.18	35.20	-13.78	34.80	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmax

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.94	-19.00	36.94	-18.80	36.74	25	-	-	-	-	-	1
18.09	-15.93	34.02	-15.39	33.48	25	-	-	-	-	-	2
21.03	-14.19	35.22	-13.76	34.79	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVnom

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.80	-19.87	37.67	-19.52	37.32	25	-	-	-	-	-	1
17.72	-16.41	34.13	-16.63	34.35	25	-	-	-	-	-	2
20.77	-14.80	35.57	-14.83	35.60	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmin

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.84	-19.84	37.68	-19.40	37.24	25	-	-	-	-	-	1
17.77	-16.43	34.20	-16.61	34.38	25	-	-	-	-	-	2
20.82	-14.80	35.62	-14.78	35.60	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmax

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.82	-19.87	37.69	-19.45	37.27	25	-	-	-	-	-	1
17.73	-16.43	34.16	-16.63	34.36	25	-	-	-	-	-	2
20.79	-14.81	35.60	-14.80	35.59	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVnom

07/04/2026

CF
5.69GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.19	-17.80	35.99	-17.30	35.49	25	-	-	-	-	-	1
17.74	-15.80	33.54	-14.90	32.64	25	-	-	-	-	-	2
20.98	-13.68	34.66	-12.92	33.90	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmin

07/04/2026

CF
5.69GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.18	-17.82	36.00	-17.31	35.49	25	-	-	-	-	-	1
17.74	-15.78	33.52	-14.89	32.63	25	-	-	-	-	-	2
20.98	-13.67	34.65	-12.92	33.90	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmax

07/04/2026

CF
5.69GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.17	-17.82	35.99	-17.35	35.52	25	-	-	-	-	-	1
17.73	-15.79	33.52	-14.89	32.62	25	-	-	-	-	-	2
20.97	-13.67	34.64	-12.94	33.91	25	-	-	-	-	-	Sum




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVnom

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.03	-23.89	36.92	-25.04	38.07	25	-42.27	55.30	-42.42	55.45	40	1
12.66	-25.14	37.80	-26.13	38.79	25	-43.64	56.30	-43.20	55.86	40	2
15.86	-21.46	37.32	-22.54	38.40	25	-39.89	55.75	-39.78	55.64	40	Sum


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR



5180MHz_TnomVmin

07/04/2026

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.03	-23.98	37.01	-25.02	38.05	25	-42.27	55.30	-42.42	55.45	40	1
12.66	-25.12	37.78	-26.39	39.05	25	-43.62	56.28	-43.18	55.84	40	2
15.86	-21.50	37.36	-22.64	38.50	25	-39.88	55.74	-39.77	55.63	40	Sum






5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmin

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
14.11	-22.55	36.66	-23.66	37.77	25	-40.55	54.66	-40.65	54.76	40	1
13.51	-23.63	37.14	-24.50	38.01	25	-41.87	55.38	-41.62	55.13	40	2
16.83	-20.05	36.88	-21.05	37.88	25	-38.15	54.98	-38.09	54.92	40	Sum


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/04/2026

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
14.10	-22.49	36.59	-23.68	37.78	25	-40.52	54.62	-40.64	54.74	40	1
13.55	-23.52	37.07	-24.36	37.91	25	-41.79	55.34	-41.54	55.09	40	2
16.84	-19.96	36.80	-21.00	37.84	25	-38.10	54.94	-38.06	54.90	40	Sum




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVnom

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.55	-23.86	37.41	-24.80	38.35	25	-42.51	56.06	-42.65	56.20	40	1
12.59	-25.26	37.85	-26.01	38.60	25	-43.45	56.04	-43.10	55.69	40	2
16.10	-21.49	37.59	-22.35	38.45	25	-39.95	56.05	-39.86	55.96	40	Sum


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmin

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.57	-23.83	37.40	-24.97	38.54	25	-42.51	56.08	-42.63	56.20	40	1
12.62	-25.13	37.75	-26.21	38.83	25	-43.45	56.07	-43.08	55.70	40	2
16.13	-21.42	37.55	-22.54	38.67	25	-39.94	56.07	-39.84	55.97	40	Sum




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmax

07/04/2026

CF
5.24GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.55	-23.80	37.35	-24.92	38.47	25	-42.52	56.07	-42.65	56.20	40	1
12.60	-25.07	37.67	-25.96	38.56	25	-43.45	56.05	-43.08	55.68	40	2
16.11	-21.38	37.49	-22.40	38.51	25	-39.95	56.06	-39.85	55.96	40	Sum


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR



5260MHz_TnomVnom

07/04/2026

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
9.92	-27.51	37.43	-29.03	38.95	25	-44.80	54.72	-45.31	55.23	40	1
10.40	-27.31	37.71	-28.76	39.16	25	-45.33	55.73	-45.37	55.77	40	2
13.18	-24.40	37.58	-25.88	39.06	25	-42.05	55.23	-42.33	55.51	40	Sum






5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.70	-24.40	37.10	-25.56	38.26	25	-42.49	55.19	-43.02	55.72	40	1
12.59	-25.00	37.59	-26.06	38.65	25	-42.99	55.58	-42.99	55.58	40	2
15.66	-21.68	37.34	-22.79	38.45	25	-39.72	55.38	-39.99	55.65	40	Sum


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmin

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.69	-24.41	37.10	-25.65	38.34	25	-42.50	55.19	-43.03	55.72	40	1
12.59	-24.93	37.52	-26.20	38.79	25	-42.98	55.57	-42.97	55.56	40	2
15.65	-21.65	37.30	-22.91	38.56	25	-39.72	55.37	-39.99	55.64	40	Sum




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmax

07/04/2026

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.69	-24.47	37.16	-25.59	38.28	25	-42.49	55.18	-43.02	55.71	40	1
12.57	-25.00	37.57	-26.26	38.83	25	-42.99	55.56	-42.98	55.55	40	2
15.65	-21.72	37.37	-22.90	38.55	25	-39.72	55.37	-39.99	55.64	40	Sum


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.80	-24.38	37.18	-25.57	38.37	25	-42.63	55.43	-42.97	55.77	40	1
12.24	-25.42	37.66	-26.27	38.51	25	-43.29	55.53	-43.10	55.34	40	2
15.54	-21.86	37.40	-22.90	38.44	25	-39.94	55.48	-40.03	55.57	40	Sum




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.80	-24.50	37.30	-25.56	38.36	25	-42.64	55.44	-42.97	55.77	40	1
12.24	-25.23	37.47	-26.24	38.48	25	-43.29	55.53	-43.11	55.35	40	2
15.54	-21.84	37.38	-22.88	38.42	25	-39.94	55.48	-40.03	55.57	40	Sum


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/04/2026

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.79	-24.32	37.11	-25.54	38.33	25	-42.63	55.42	-42.97	55.76	40	1
12.24	-25.39	37.63	-26.28	38.52	25	-43.28	55.52	-43.12	55.36	40	2
15.53	-21.81	37.34	-22.88	38.41	25	-39.93	55.46	-40.03	55.56	40	Sum




5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.80	-15.90	33.70	-15.39	33.19	25	-31.14	48.94	-30.44	48.24	40	1
18.07	-14.57	32.64	-12.86	30.93	25	-27.42	45.49	-28.68	46.75	40	2
20.95	-12.17	33.12	-10.93	31.88	25	-25.89	46.84	-26.46	47.41	40	Sum


5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.80	-15.90	33.70	-15.45	33.25	25	-31.13	48.93	-30.44	48.24	40	1
18.07	-14.61	32.68	-12.89	30.96	25	-27.42	45.49	-28.66	46.73	40	2
20.94	-12.20	33.14	-10.97	31.91	25	-25.88	46.82	-26.45	47.39	40	Sum




5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

07/04/2026

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.79	-15.84	33.63	-15.43	33.22	25	-31.09	48.88	-30.43	48.22	40	1
18.06	-14.54	32.60	-12.86	30.92	25	-27.40	45.46	-28.62	46.68	40	2
20.94	-12.13	33.07	-10.95	31.89	25	-25.85	46.79	-26.42	47.36	40	Sum


5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.10	-15.01	33.11	-13.91	32.01	25	-31.65	49.75	-29.98	48.08	40	1
17.93	-13.28	31.21	-12.10	30.03	25	-26.68	44.61	-28.25	46.18	40	2
21.03	-11.05	32.08	-9.90	30.93	25	-25.48	46.51	-26.02	47.05	40	Sum




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.10	-15.03	33.13	-13.93	32.03	25	-31.66	49.76	-29.98	48.08	40	1
17.94	-13.29	31.23	-12.07	30.01	25	-26.67	44.61	-28.26	46.20	40	2
21.03	-11.06	32.09	-9.89	30.92	25	-25.47	46.50	-26.03	47.06	40	Sum


5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
18.10	-15.09	33.19	-13.95	32.05	25	-31.65	49.75	-29.98	48.08	40	1
17.94	-13.33	31.27	-12.10	30.04	25	-26.66	44.60	-28.22	46.16	40	2
21.03	-11.11	32.14	-9.92	30.95	25	-25.47	46.50	-26.00	47.03	40	Sum




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS






5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.54	-17.11	34.65	-16.50	34.04	25	-32.82	50.36	-31.08	48.62	40	1
17.20	-14.71	31.91	-13.87	31.07	25	-28.60	45.80	-29.49	46.69	40	2
20.38	-12.73	33.11	-11.98	32.36	25	-27.21	47.59	-27.20	47.58	40	Sum


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.19	-28.91	42.10	-28.36	41.55	25	-41.76	54.95	-42.24	55.43	40	1
12.79	-29.84	42.63	-29.08	41.87	25	-42.30	55.09	-42.07	54.86	40	2
16.01	-26.34	42.35	-25.69	41.70	25	-39.01	55.02	-39.14	55.15	40	Sum




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.18	-28.86	42.04	-28.41	41.59	25	-41.76	54.94	-42.24	55.42	40	1
12.78	-29.79	42.57	-29.10	41.88	25	-42.30	55.08	-42.06	54.84	40	2
16.00	-26.29	42.29	-25.73	41.73	25	-39.01	55.01	-39.14	55.14	40	Sum


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

08/04/2026

CF
5.19GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.19	-28.89	42.08	-28.35	41.54	25	-41.76	54.95	-42.22	55.41	40	1
12.80	-29.79	42.59	-29.08	41.88	25	-42.29	55.09	-42.05	54.85	40	2
16.01	-26.31	42.32	-25.69	41.70	25	-39.01	55.02	-39.13	55.14	40	Sum




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.70	-28.57	42.27	-27.62	41.32	25	-41.43	55.13	-42.40	56.10	40	1
12.61	-30.34	42.95	-28.70	41.31	25	-42.37	54.98	-42.04	54.65	40	2
16.20	-26.36	42.56	-25.12	41.32	25	-38.87	55.07	-39.20	55.40	40	Sum


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.71	-28.56	42.27	-27.62	41.33	25	-41.45	55.16	-42.38	56.09	40	1
12.61	-30.29	42.90	-28.72	41.33	25	-42.37	54.98	-42.06	54.67	40	2
16.21	-26.33	42.54	-25.13	41.34	25	-38.87	55.08	-39.20	55.41	40	Sum




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

08/04/2026

CF
5.23GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.72	-28.54	42.26	-27.68	41.40	25	-41.42	55.14	-42.38	56.10	40	1
12.62	-30.25	42.87	-28.65	41.27	25	-42.36	54.98	-42.04	54.66	40	2
16.21	-26.30	42.51	-25.13	41.34	25	-38.86	55.07	-39.20	55.41	40	Sum


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVnom

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.29	-29.57	41.86	-29.87	42.16	25	-42.43	54.72	-43.06	55.35	40	1
11.91	-30.91	42.82	-30.16	42.07	25	-43.13	55.04	-42.60	54.51	40	2
15.11	-27.18	42.29	-27.00	42.11	25	-39.76	54.87	-39.81	54.92	40	Sum




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmin

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.29	-29.60	41.89	-29.82	42.11	25	-42.43	54.72	-43.06	55.35	40	1
11.91	-30.89	42.80	-30.15	42.06	25	-43.11	55.02	-42.58	54.49	40	2
15.11	-27.18	42.29	-26.97	42.08	25	-39.75	54.86	-39.80	54.91	40	Sum


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

08/04/2026

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.28	-29.55	41.83	-29.86	42.14	25	-42.43	54.71	-43.05	55.33	40	1
11.91	-30.86	42.77	-30.13	42.04	25	-43.10	55.01	-42.58	54.49	40	2
15.11	-27.15	42.26	-26.98	42.09	25	-39.75	54.86	-39.80	54.91	40	Sum




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.38	-29.67	42.05	-29.56	41.94	25	-42.31	54.69	-42.99	55.37	40	1
11.88	-31.23	43.11	-30.62	42.50	25	-43.12	55.00	-42.86	54.74	40	2
15.15	-27.37	42.52	-27.05	42.20	25	-39.69	54.84	-39.91	55.06	40	Sum


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.38	-29.75	42.13	-29.55	41.93	25	-42.32	54.70	-42.98	55.36	40	1
11.88	-31.23	43.11	-30.65	42.53	25	-43.14	55.02	-42.85	54.73	40	2
15.15	-27.42	42.57	-27.05	42.20	25	-39.70	54.85	-39.90	55.05	40	Sum




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

08/04/2026

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.37	-29.73	42.10	-29.55	41.92	25	-42.31	54.68	-42.99	55.36	40	1
11.87	-31.26	43.13	-30.65	42.52	25	-43.14	55.01	-42.88	54.75	40	2
15.14	-27.42	42.56	-27.06	42.20	25	-39.69	54.83	-39.92	55.06	40	Sum


5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.15	-21.82	38.97	-21.49	38.64	25	-34.07	51.22	-34.33	51.48	40	1
17.26	-19.60	36.86	-19.01	36.27	25	-29.30	46.56	-31.12	48.38	40	2
20.21	-17.56	37.77	-17.07	37.28	25	-28.05	48.26	-29.42	49.63	40	Sum




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.16	-21.86	39.02	-21.50	38.66	25	-34.08	51.24	-34.31	51.47	40	1
17.27	-19.69	36.96	-19.06	36.33	25	-29.32	46.59	-31.12	48.39	40	2
20.23	-17.63	37.86	-17.10	37.33	25	-28.07	48.30	-29.41	49.64	40	Sum


5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

08/04/2026

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.15	-21.84	38.99	-21.48	38.63	25	-34.07	51.22	-34.32	51.47	40	1
17.26	-19.64	36.90	-18.99	36.25	25	-29.34	46.60	-31.13	48.39	40	2
20.22	-17.59	37.81	-17.05	37.27	25	-28.08	48.30	-29.43	49.65	40	Sum




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.45	-21.19	38.64	-20.45	37.90	25	-33.35	50.80	-32.79	50.24	40	1
17.40	-19.02	36.42	-18.18	35.58	25	-27.89	45.29	-31.01	48.41	40	2
20.44	-16.96	37.40	-16.16	36.60	25	-26.80	47.24	-28.80	49.24	40	Sum


5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmin

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.46	-21.19	38.65	-20.44	37.90	25	-33.31	50.77	-32.74	50.20	40	1
17.40	-19.00	36.40	-18.18	35.58	25	-27.89	45.29	-31.01	48.41	40	2
20.45	-16.95	37.40	-16.15	36.60	25	-26.80	47.25	-28.78	49.23	40	Sum




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmax

08/04/2026

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.47	-21.19	38.66	-20.43	37.90	25	-33.32	50.79	-32.76	50.23	40	1
17.42	-19.03	36.45	-18.21	35.63	25	-27.90	45.32	-31.03	48.45	40	2
20.46	-16.97	37.43	-16.17	36.63	25	-26.80	47.26	-28.80	49.26	40	Sum


5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Sum
Port 1
Port 2

Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.21	-21.96	39.17	-21.15	38.36	25	-34.00	51.21	-33.08	50.29	40	1
17.08	-20.62	37.70	-18.75	35.83	25	-28.85	45.93	-31.30	48.38	40	2
20.16	-18.23	38.39	-16.78	36.94	25	-27.69	47.85	-29.09	49.25	40	Sum




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.22	-21.93	39.15	-21.12	38.34	25	-33.98	51.20	-33.09	50.31	40	1
17.08	-20.57	37.65	-18.74	35.82	25	-28.83	45.91	-31.27	48.35	40	2
20.16	-18.19	38.35	-16.76	36.92	25	-27.67	47.83	-29.07	49.23	40	Sum


5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

08/04/2026

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.21	-21.97	39.18	-21.13	38.34	25	-33.99	51.20	-33.08	50.29	40	1
17.08	-20.58	37.66	-18.76	35.84	25	-28.83	45.91	-31.28	48.36	40	2
20.16	-18.21	38.37	-16.77	36.93	25	-27.67	47.83	-29.08	49.24	40	Sum




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVnom

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.64	-28.47	42.11	-27.67	41.31	25	-	-	-	-	-	1
12.78	-30.10	42.88	-28.61	41.39	25	-	-	-	-	-	2
16.24	-26.20	42.44	-25.10	41.34	25	-	-	-	-	-	Sum


5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmin

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.66	-28.41	42.07	-27.68	41.34	25	-	-	-	-	-	1
12.79	-30.13	42.92	-28.56	41.35	25	-	-	-	-	-	2
16.25	-26.17	42.42	-25.09	41.34	25	-	-	-	-	-	Sum




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmax

07/04/2026

CF
5.21GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
13.66	-28.52	42.18	-27.64	41.30	25	-	-	-	-	-	1
12.79	-30.12	42.91	-28.55	41.34	25	-	-	-	-	-	2
16.25	-26.23	42.48	-25.06	41.31	25	-	-	-	-	-	Sum


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVnom

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.35	-29.77	42.12	-28.82	41.17	25	-	-	-	-	-	1
12.06	-31.28	43.34	-29.20	41.26	25	-	-	-	-	-	2
15.22	-27.45	42.67	-26.00	41.22	25	-	-	-	-	-	Sum




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmin

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.35	-29.78	42.13	-28.85	41.20	25	-	-	-	-	-	1
12.07	-31.25	43.32	-29.14	41.21	25	-	-	-	-	-	2
15.22	-27.44	42.66	-25.99	41.21	25	-	-	-	-	-	Sum


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmax

07/04/2026

CF
5.29GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
12.34	-29.74	42.08	-28.84	41.18	25	-	-	-	-	-	1
12.07	-31.22	43.29	-29.16	41.23	25	-	-	-	-	-	2
15.21	-27.41	42.62	-25.99	41.20	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVnom

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.43	-19.72	37.15	-20.04	37.47	25	-	-	-	-	-	1
17.66	-17.05	34.71	-16.85	34.51	25	-	-	-	-	-	2
20.56	-15.17	35.73	-15.15	35.71	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmin

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.43	-19.68	37.11	-20.06	37.49	25	-	-	-	-	-	1
17.66	-17.05	34.71	-16.86	34.52	25	-	-	-	-	-	2
20.56	-15.16	35.72	-15.16	35.72	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmax

07/04/2026

CF
5.53GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.44	-19.71	37.15	-20.06	37.50	25	-	-	-	-	-	1
17.67	-17.04	34.71	-16.82	34.49	25	-	-	-	-	-	2
20.57	-15.16	35.73	-15.13	35.70	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVnom

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.47	-20.30	37.77	-20.05	37.52	25	-	-	-	-	-	1
17.23	-17.26	34.49	-17.81	35.04	25	-	-	-	-	-	2
20.36	-15.51	35.87	-15.78	36.14	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmin

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.46	-20.30	37.76	-20.08	37.54	25	-	-	-	-	-	1
17.21	-17.22	34.43	-17.81	35.02	25	-	-	-	-	-	2
20.35	-15.48	35.83	-15.79	36.14	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmax

07/04/2026

CF
5.61GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.46	-20.30	37.76	-20.08	37.54	25	-	-	-	-	-	1
17.21	-17.25	34.46	-17.80	35.01	25	-	-	-	-	-	2
20.35	-15.51	35.86	-15.78	36.13	25	-	-	-	-	-	Sum




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVnom

07/04/2026

CF
5.69GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.69	-19.05	36.74	-18.36	36.05	25	-	-	-	-	-	1
17.47	-16.37	33.84	-15.40	32.87	25	-	-	-	-	-	2
20.60	-14.50	35.10	-13.63	34.23	25	-	-	-	-	-	Sum


5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

ACLR


5690MHz_TnomVmin

07/04/2026

CF
5.69GHz
Span
480MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Carrier(dBm)	-Adj Ch(dBm)	-Adj Ch(dB)	+Adj Ch(dBm)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dBm)	-Alt Ch(dB)	+Alt Ch(dBm)	+Alt Ch(dB)	Limit(dB)	Port
17.69	-19.04	36.73	-18.38	36.07	25	-	-	-	-	-	1
17.47	-16.38	33.85	-15.41	32.88	25	-	-	-	-	-	2
20.59	-14.50	35.09	-13.63	34.22	25	-	-	-	-	-	Sum



Summary

Mode	Max-Dwell (s)
5.15-5.25GHz	-
802.11a_(6Mbps)_2TX	2.065625m
802.11n HT20_Nss1,(MCS0)_2TX	1.921875m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.934375m
802.11ax HEW20_Nss1,(MCS0)_2TX	1.489063m
802.11n HT40_Nss1,(MCS0)_2TX	1.834375m
802.11ac VHT40_Nss1,(MCS0)_2TX	1.842188m
802.11ax HEW40_Nss1,(MCS0)_2TX	1.471875m
802.11ac VHT80_Nss1,(MCS0)_2TX	1.69375m
802.11ax HEW80_Nss1,(MCS0)_2TX	1.404688m
5.25-5.35GHz	-
802.11a_(6Mbps)_2TX	2.065625m
802.11n HT20_Nss1,(MCS0)_2TX	1.921875m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.934375m
802.11ax HEW20_Nss1,(MCS0)_2TX	1.489063m
802.11n HT40_Nss1,(MCS0)_2TX	1.834375m
802.11ac VHT40_Nss1,(MCS0)_2TX	1.842188m
802.11ax HEW40_Nss1,(MCS0)_2TX	1.471875m
802.11ac VHT80_Nss1,(MCS0)_2TX	1.69375m
802.11ax HEW80_Nss1,(MCS0)_2TX	1.404688m
5.47-5.73GHz	-
802.11a_(6Mbps)_2TX	2.065625m
802.11n HT20_Nss1,(MCS0)_2TX	1.921875m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.934375m
802.11ax HEW20_Nss1,(MCS0)_2TX	1.489063m
802.11n HT40_Nss1,(MCS0)_2TX	1.834375m
802.11ac VHT40_Nss1,(MCS0)_2TX	1.842188m
802.11ax HEW40_Nss1,(MCS0)_2TX	1.471875m
802.11ac VHT80_Nss1,(MCS0)_2TX	1.69375m
802.11ax HEW80_Nss1,(MCS0)_2TX	1.404688m


Result	Mode	Result	TX Burst Time (s)	Limit (s)
	802.11a_(6Mbps)_2TX	-	-	-
	5180MHz_TnomVnom	Pass	2.065625m	8m
	5180MHz_TnomVmin	Pass	2.065625m	8m
	5180MHz_TnomVmax	Pass	2.065625m	8m
	5200MHz_TnomVnom	Pass	2.065625m	8m
	5200MHz_TnomVmin	Pass	2.065625m	8m
	5200MHz_TnomVmax	Pass	2.065625m	8m
	5240MHz_TnomVnom	Pass	2.065625m	8m
	5240MHz_TnomVmin	Pass	2.065625m	8m
	5240MHz_TnomVmax	Pass	2.065625m	8m
	5260MHz_TnomVnom	Pass	2.065625m	8m
	5260MHz_TnomVmin	Pass	2.065625m	8m
	5260MHz_TnomVmax	Pass	2.065625m	8m
	5280MHz_TnomVnom	Pass	2.065625m	8m
	5280MHz_TnomVmin	Pass	2.065625m	8m
	5280MHz_TnomVmax	Pass	2.065625m	8m
	5320MHz_TnomVnom	Pass	2.065625m	8m
	5320MHz_TnomVmin	Pass	2.065625m	8m
	5320MHz_TnomVmax	Pass	2.065625m	8m
	5500MHz_TnomVnom	Pass	2.065625m	8m
	5500MHz_TnomVmin	Pass	2.065625m	8m
	5500MHz_TnomVmax	Pass	2.065625m	8m
	5600MHz_TnomVnom	Pass	2.065625m	8m
	5600MHz_TnomVmin	Pass	2.065625m	8m
	5600MHz_TnomVmax	Pass	2.065625m	8m
	5720MHz_TnomVnom	Pass	2.065625m	8m
	5720MHz_TnomVmin	Pass	2.065625m	8m
	5720MHz_TnomVmax	Pass	2.065625m	8m
	802.11n_HT20_Nss1,(MCS0)_2TX	-	-	-
	5180MHz_TnomVnom	Pass	1.921875m	8m
	5180MHz_TnomVmin	Pass	1.921875m	8m
	5180MHz_TnomVmax	Pass	1.921875m	8m
	5200MHz_TnomVnom	Pass	1.921875m	8m
	5200MHz_TnomVmin	Pass	1.921875m	8m
	5200MHz_TnomVmax	Pass	1.921875m	8m
	5240MHz_TnomVnom	Pass	1.921875m	8m
	5240MHz_TnomVmin	Pass	1.921875m	8m
	5240MHz_TnomVmax	Pass	1.921875m	8m
	5260MHz_TnomVnom	Pass	1.921875m	8m
	5260MHz_TnomVmin	Pass	1.921875m	8m
	5260MHz_TnomVmax	Pass	1.921875m	8m
	5280MHz_TnomVnom	Pass	1.921875m	8m
	5280MHz_TnomVmin	Pass	1.921875m	8m
	5280MHz_TnomVmax	Pass	1.921875m	8m
	5320MHz_TnomVnom	Pass	1.921875m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5320MHz_TnomVmin	Pass	1.921875m	8m
5320MHz_TnomVmax	Pass	1.921875m	8m
5500MHz_TnomVnom	Pass	1.921875m	8m
5500MHz_TnomVmin	Pass	1.921875m	8m
5500MHz_TnomVmax	Pass	1.921875m	8m
5600MHz_TnomVnom	Pass	1.921875m	8m
5600MHz_TnomVmin	Pass	1.921875m	8m
5600MHz_TnomVmax	Pass	1.921875m	8m
5720MHz_TnomVnom	Pass	1.921875m	8m
5720MHz_TnomVmin	Pass	1.921875m	8m
5720MHz_TnomVmax	Pass	1.921875m	8m
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	1.834375m	8m
5190MHz_TnomVmin	Pass	1.834375m	8m
5190MHz_TnomVmax	Pass	1.834375m	8m
5230MHz_TnomVnom	Pass	1.834375m	8m
5230MHz_TnomVmin	Pass	1.834375m	8m
5230MHz_TnomVmax	Pass	1.834375m	8m
5270MHz_TnomVnom	Pass	1.834375m	8m
5270MHz_TnomVmin	Pass	1.834375m	8m
5270MHz_TnomVmax	Pass	1.834375m	8m
5310MHz_TnomVnom	Pass	1.834375m	8m
5310MHz_TnomVmin	Pass	1.834375m	8m
5310MHz_TnomVmax	Pass	1.834375m	8m
5510MHz_TnomVnom	Pass	1.834375m	8m
5510MHz_TnomVmin	Pass	1.834375m	8m
5510MHz_TnomVmax	Pass	1.834375m	8m
5590MHz_TnomVnom	Pass	1.834375m	8m
5590MHz_TnomVmin	Pass	1.834375m	8m
5590MHz_TnomVmax	Pass	1.834375m	8m
5710MHz_TnomVnom	Pass	1.834375m	8m
5710MHz_TnomVmin	Pass	1.834375m	8m
5710MHz_TnomVmax	Pass	1.834375m	8m
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	1.934375m	8m
5180MHz_TnomVmin	Pass	1.934375m	8m
5180MHz_TnomVmax	Pass	1.934375m	8m
5200MHz_TnomVnom	Pass	1.934375m	8m
5200MHz_TnomVmin	Pass	1.934375m	8m
5200MHz_TnomVmax	Pass	1.934375m	8m
5240MHz_TnomVnom	Pass	1.934375m	8m
5240MHz_TnomVmin	Pass	1.934375m	8m
5240MHz_TnomVmax	Pass	1.934375m	8m
5260MHz_TnomVnom	Pass	1.934375m	8m
5260MHz_TnomVmin	Pass	1.934375m	8m
5260MHz_TnomVmax	Pass	1.934375m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5280MHz_TnomVnom	Pass	1.934375m	8m
5280MHz_TnomVmin	Pass	1.934375m	8m
5280MHz_TnomVmax	Pass	1.934375m	8m
5320MHz_TnomVnom	Pass	1.934375m	8m
5320MHz_TnomVmin	Pass	1.934375m	8m
5320MHz_TnomVmax	Pass	1.934375m	8m
5500MHz_TnomVnom	Pass	1.934375m	8m
5500MHz_TnomVmin	Pass	1.934375m	8m
5500MHz_TnomVmax	Pass	1.934375m	8m
5600MHz_TnomVnom	Pass	1.934375m	8m
5600MHz_TnomVmin	Pass	1.934375m	8m
5600MHz_TnomVmax	Pass	1.934375m	8m
5720MHz_TnomVnom	Pass	1.934375m	8m
5720MHz_TnomVmin	Pass	1.934375m	8m
5720MHz_TnomVmax	Pass	1.934375m	8m
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	1.842188m	8m
5190MHz_TnomVmin	Pass	1.842188m	8m
5190MHz_TnomVmax	Pass	1.842188m	8m
5230MHz_TnomVnom	Pass	1.842188m	8m
5230MHz_TnomVmin	Pass	1.842188m	8m
5230MHz_TnomVmax	Pass	1.842188m	8m
5270MHz_TnomVnom	Pass	1.842188m	8m
5270MHz_TnomVmin	Pass	1.842188m	8m
5270MHz_TnomVmax	Pass	1.842188m	8m
5310MHz_TnomVnom	Pass	1.842188m	8m
5310MHz_TnomVmin	Pass	1.842188m	8m
5310MHz_TnomVmax	Pass	1.842188m	8m
5510MHz_TnomVnom	Pass	1.842188m	8m
5510MHz_TnomVmin	Pass	1.842188m	8m
5510MHz_TnomVmax	Pass	1.842188m	8m
5590MHz_TnomVnom	Pass	1.842188m	8m
5590MHz_TnomVmin	Pass	1.842188m	8m
5590MHz_TnomVmax	Pass	1.842188m	8m
5710MHz_TnomVnom	Pass	1.842188m	8m
5710MHz_TnomVmin	Pass	1.842188m	8m
5710MHz_TnomVmax	Pass	1.842188m	8m
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	1.69375m	8m
5210MHz_TnomVmin	Pass	1.69375m	8m
5210MHz_TnomVmax	Pass	1.69375m	8m
5290MHz_TnomVnom	Pass	1.69375m	8m
5290MHz_TnomVmin	Pass	1.69375m	8m
5290MHz_TnomVmax	Pass	1.69375m	8m
5530MHz_TnomVnom	Pass	1.69375m	8m
5530MHz_TnomVmin	Pass	1.69375m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5530MHz_TnomVmax	Pass	1.69375m	8m
5610MHz_TnomVnom	Pass	1.69375m	8m
5610MHz_TnomVmin	Pass	1.69375m	8m
5610MHz_TnomVmax	Pass	1.69375m	8m
5690MHz_TnomVnom	Pass	1.69375m	8m
5690MHz_TnomVmin	Pass	1.69375m	8m
5690MHz_TnomVmax	Pass	1.69375m	8m
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	1.489063m	8m
5180MHz_TnomVmin	Pass	1.489063m	8m
5180MHz_TnomVmax	Pass	1.489063m	8m
5200MHz_TnomVnom	Pass	1.489063m	8m
5200MHz_TnomVmin	Pass	1.489063m	8m
5200MHz_TnomVmax	Pass	1.489063m	8m
5240MHz_TnomVnom	Pass	1.489063m	8m
5240MHz_TnomVmin	Pass	1.489063m	8m
5240MHz_TnomVmax	Pass	1.489063m	8m
5260MHz_TnomVnom	Pass	1.489063m	8m
5260MHz_TnomVmin	Pass	1.489063m	8m
5260MHz_TnomVmax	Pass	1.489063m	8m
5280MHz_TnomVnom	Pass	1.489063m	8m
5280MHz_TnomVmin	Pass	1.489063m	8m
5280MHz_TnomVmax	Pass	1.489063m	8m
5320MHz_TnomVnom	Pass	1.489063m	8m
5320MHz_TnomVmin	Pass	1.489063m	8m
5320MHz_TnomVmax	Pass	1.489063m	8m
5500MHz_TnomVnom	Pass	1.489063m	8m
5500MHz_TnomVmin	Pass	1.489063m	8m
5500MHz_TnomVmax	Pass	1.489063m	8m
5600MHz_TnomVnom	Pass	1.489063m	8m
5600MHz_TnomVmin	Pass	1.489063m	8m
5600MHz_TnomVmax	Pass	1.489063m	8m
5720MHz_TnomVnom	Pass	1.489063m	8m
5720MHz_TnomVmin	Pass	1.489063m	8m
5720MHz_TnomVmax	Pass	1.489063m	8m
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	1.471875m	8m
5190MHz_TnomVmin	Pass	1.471875m	8m
5190MHz_TnomVmax	Pass	1.471875m	8m
5230MHz_TnomVnom	Pass	1.471875m	8m
5230MHz_TnomVmin	Pass	1.471875m	8m
5230MHz_TnomVmax	Pass	1.471875m	8m
5270MHz_TnomVnom	Pass	1.471875m	8m
5270MHz_TnomVmin	Pass	1.471875m	8m
5270MHz_TnomVmax	Pass	1.471875m	8m
5310MHz_TnomVnom	Pass	1.471875m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5310MHz_TnomVmin	Pass	1.471875m	8m
5310MHz_TnomVmax	Pass	1.471875m	8m
5510MHz_TnomVnom	Pass	1.471875m	8m
5510MHz_TnomVmin	Pass	1.471875m	8m
5510MHz_TnomVmax	Pass	1.471875m	8m
5590MHz_TnomVnom	Pass	1.471875m	8m
5590MHz_TnomVmin	Pass	1.471875m	8m
5590MHz_TnomVmax	Pass	1.471875m	8m
5710MHz_TnomVnom	Pass	1.471875m	8m
5710MHz_TnomVmin	Pass	1.471875m	8m
5710MHz_TnomVmax	Pass	1.471875m	8m
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	1.404688m	8m
5210MHz_TnomVmin	Pass	1.404688m	8m
5210MHz_TnomVmax	Pass	1.404688m	8m
5290MHz_TnomVnom	Pass	1.404688m	8m
5290MHz_TnomVmin	Pass	1.404688m	8m
5290MHz_TnomVmax	Pass	1.404688m	8m
5530MHz_TnomVnom	Pass	1.404688m	8m
5530MHz_TnomVmin	Pass	1.404688m	8m
5530MHz_TnomVmax	Pass	1.404688m	8m
5610MHz_TnomVnom	Pass	1.404688m	8m
5610MHz_TnomVmin	Pass	1.404688m	8m
5610MHz_TnomVmax	Pass	1.404688m	8m
5690MHz_TnomVnom	Pass	1.404688m	8m
5690MHz_TnomVmin	Pass	1.404688m	8m
5690MHz_TnomVmax	Pass	1.404688m	8m






5.15-5.25GHz_802.11a_(6Mbps)_2TX

TX Burst

5180MHz_TnomVmax

07/04/2026




5.15-5.25GHz_802.11a_(6Mbps)_2TX

TX Burst

5200MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11a_(6Mbps)_2TX

TX Burst

5200MHz_TnomVmin

07/04/2026





5.15-5.25GHz_802.11a_(6Mbps)_2TX

TX Burst

5200MHz_TnomVmax

07/04/2026








5.15-5.25GHz_802.11a_(6Mbps)_2TX

TX Burst

5240MHz_TnomVmax

07/04/2026





5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5260MHz_TnomVnom

07/04/2026





5.25-5.35GHz_802.11a_(6Mbps)_2TX

5260MHz_TnomVmax

CF

5.26GHz

RBW

10MHz

VBW

10MHz

Sweep Time

50ms

TX Time

2.065625ms

TX Burst

07/04/2026

Port 1




5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5280MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5280MHz_TnomVmin

07/04/2026






5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5280MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5320MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11a_(6Mbps)_2TX

TX Burst

5320MHz_TnomVmin

07/04/2026





5.25-5.35GHz_802.11a_(6Mbps)_2TX


TX Burst

5320MHz_TnomVmax

07/04/2026










5.47-5.73GHz_802.11a_(6Mbps)_2TX

TX Burst

5600MHz_TnomVmin

07/04/2026





5.47-5.73GHz_802.11a_(6Mbps)_2TX

TX Burst

5600MHz_TnomVmax

07/04/2026








5.47-5.73GHz_802.11a_(6Mbps)_2TX

TX Burst

5720MHz_TnomVmax

07/04/2026





5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVnom

07/04/2026








5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmin

07/04/2026






5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmax

07/04/2026




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVnom

07/04/2026






5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmin

07/04/2026




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmin

07/04/2026






5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVnom

07/04/2026






5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmin

07/04/2026





5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmax

07/04/2026








5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVnom

07/04/2026




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmin

07/04/2026




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVnom

07/04/2026




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmin

07/04/2026






5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmax

07/04/2026





5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX


TX Burst

5720MHz_TnomVnom

07/04/2026










5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmax

08/04/2026




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVnom

08/04/2026




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmin

08/04/2026






5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmax

08/04/2026








5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmax

08/04/2026




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVnom

08/04/2026




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmin

08/04/2026






5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


TX Burst



5310MHz_TnomVmax


08/04/2026














5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmax

08/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmin

07/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmax

07/04/2026






5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmin

07/04/2026






5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmax

07/04/2026




5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmin

07/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmax

07/04/2026






5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVnom

07/04/2026



5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmin

07/04/2026

