








































Appendix F: Secondary Radiated Emission Strength

Test Result

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5260	30~1000	938.89	-87.94	0.00161	≤4	PASS
NTNV	11A	Ant2	5260	30~1000	547.01	-87.93	0.00161	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	25863.75	-68.64	0.13677	≤20	PASS
NTNV	11A	Ant2	5260	1000~26000	25488.75	-68.80	0.13183	≤20	PASS
NTNV	11A	Ant1	5280	30~1000	928.22	-86.54	0.00222	≤4	PASS
NTNV	11A	Ant2	5280	30~1000	820.55	-87.65	0.00172	≤4	PASS
NTNV	11A	Ant1	5280	1000~26000	22483.75	-68.99	0.12618	≤20	PASS
NTNV	11A	Ant2	5280	1000~26000	23612.50	-69.29	0.11776	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	997.58	-87.39	0.00182	≤4	PASS
NTNV	11A	Ant2	5300	30~1000	854.99	-86.77	0.00210	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	25871.25	-68.69	0.13521	≤20	PASS
NTNV	11A	Ant2	5300	1000~26000	23891.25	-68.54	0.13996	≤20	PASS
NTNV	11A	Ant1	5320	30~1000	861.29	-87.73	0.00169	≤4	PASS
NTNV	11A	Ant2	5320	30~1000	410.73	-88.04	0.00157	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	25765.00	-69.51	0.11194	≤20	PASS
NTNV	11A	Ant2	5320	1000~26000	25462.50	-68.95	0.12735	≤20	PASS
NTNV	11A-CDD	Ant1	5260	30~1000	851.59	-87.25	0.00188	≤4	PASS
NTNV	11A-CDD	Ant2	5260	30~1000	855.96	-87.68	0.00171	≤4	PASS
NTNV	11A-CDD	total	5260	30~1000	---	---	0.00359	≤4	PASS
NTNV	11A-CDD	Ant1	5260	1000~26000	25961.25	-69.09	0.12331	≤20	PASS
NTNV	11A-CDD	Ant2	5260	1000~26000	25968.75	-68.67	0.13583	≤20	PASS
NTNV	11A-CDD	total	5260	1000~26000	---	---	0.25914	≤20	PASS
NTNV	11A-CDD	Ant1	5280	30~1000	881.66	-86.76	0.00211	≤4	PASS
NTNV	11A-CDD	Ant2	5280	30~1000	733.25	-87.67	0.00171	≤4	PASS
NTNV	11A-CDD	total	5280	30~1000	---	---	0.00382	≤4	PASS
NTNV	11A-CDD	Ant1	5280	1000~26000	25736.25	-68.70	0.13490	≤20	PASS
NTNV	11A-CDD	Ant2	5280	1000~26000	25035.00	-68.87	0.12972	≤20	PASS
NTNV	11A-CDD	total	5280	1000~26000	---	---	0.26462	≤20	PASS
NTNV	11A-CDD	Ant1	5300	30~1000	919.01	-87.59	0.00174	≤4	PASS
NTNV	11A-CDD	Ant2	5300	30~1000	799.21	-87.28	0.00187	≤4	PASS
NTNV	11A-CDD	total	5300	30~1000	---	---	0.00361	≤4	PASS
NTNV	11A-CDD	Ant1	5300	1000~26000	25518.75	-69.11	0.12274	≤20	PASS
NTNV	11A-CDD	Ant2	5300	1000~26000	25652.50	-68.98	0.12647	≤20	PASS
NTNV	11A-CDD	total	5300	1000~26000	---	---	0.24921	≤20	PASS
NTNV	11A-CDD	Ant1	5320	30~1000	876.81	-87.59	0.00174	≤4	PASS
NTNV	11A-CDD	Ant2	5320	30~1000	204.60	-87.83	0.00165	≤4	PASS

NTNV	11A-CDD	total	5320	30~1000	---	---	0.00339	≤4	PASS
NTNV	11A-CDD	Ant1	5320	1000~26000	25766.25	-69.51	0.11194	≤20	PASS
NTNV	11A-CDD	Ant2	5320	1000~26000	25400.00	-68.56	0.13932	≤20	PASS
NTNV	11A-CDD	total	5320	1000~26000	---	---	0.25126	≤20	PASS
NTNV	11N20SIS O	Ant1	5260	30~1000	814.73	-88.07	0.00156	≤4	PASS
NTNV	11N20SIS O	Ant2	5260	30~1000	746.83	-87.60	0.00174	≤4	PASS
NTNV	11N20SIS O	Ant1	5260	1000~26000	23626.25	-68.76	0.13305	≤20	PASS
NTNV	11N20SIS O	Ant2	5260	1000~26000	24616.25	-69.20	0.12023	≤20	PASS
NTNV	11N20SIS O	Ant1	5280	30~1000	898.64	-87.45	0.00180	≤4	PASS
NTNV	11N20SIS O	Ant2	5280	30~1000	892.33	-87.81	0.00166	≤4	PASS
NTNV	11N20SIS O	Ant1	5280	1000~26000	25856.25	-68.91	0.12853	≤20	PASS
NTNV	11N20SIS O	Ant2	5280	1000~26000	18405.00	-69.25	0.11885	≤20	PASS
NTNV	11N20SIS O	Ant1	5300	30~1000	816.19	-86.97	0.00201	≤4	PASS
NTNV	11N20SIS O	Ant2	5300	30~1000	879.24	-86.79	0.00209	≤4	PASS
NTNV	11N20SIS O	Ant1	5300	1000~26000	25741.25	-69.18	0.12078	≤20	PASS
NTNV	11N20SIS O	Ant2	5300	1000~26000	25668.75	-69.11	0.12274	≤20	PASS
NTNV	11N20SIS O	Ant1	5320	30~1000	943.26	-86.80	0.00209	≤4	PASS
NTNV	11N20SIS O	Ant2	5320	30~1000	901.06	-86.14	0.00243	≤4	PASS
NTNV	11N20SIS O	Ant1	5320	1000~26000	25345.00	-69.08	0.12359	≤20	PASS
NTNV	11N20SIS O	Ant2	5320	1000~26000	23633.75	-68.52	0.14060	≤20	PASS
NTNV	11N20MI MO	Ant1	5260	30~1000	862.26	-87.73	0.00169	≤4	PASS
NTNV	11N20MI MO	Ant2	5260	30~1000	862.26	-87.60	0.00174	≤4	PASS
NTNV	11N20MI MO	total	5260	30~1000	---	---	0.00343	≤4	PASS

NTNV	11N20MI MO	Ant1	5260	1000~26000	24511.25	-69.11	0.12274	≤20	PASS
NTNV	11N20MI MO	Ant2	5260	1000~26000	24805.00	-68.65	0.13646	≤20	PASS
NTNV	11N20MI MO	total	5260	1000~26000	---	---	0.25920	≤20	PASS
NTNV	11N20MI MO	Ant1	5280	30~1000	837.04	-87.72	0.00169	≤4	PASS
NTNV	11N20MI MO	Ant2	5280	30~1000	784.66	-87.03	0.00198	≤4	PASS
NTNV	11N20MI MO	total	5280	30~1000	---	---	0.00367	≤4	PASS
NTNV	11N20MI MO	Ant1	5280	1000~26000	24943.75	-68.95	0.12735	≤20	PASS
NTNV	11N20MI MO	Ant2	5280	1000~26000	26000.00	-69.08	0.12359	≤20	PASS
NTNV	11N20MI MO	total	5280	1000~26000	---	---	0.25094	≤20	PASS
NTNV	11N20MI MO	Ant1	5300	30~1000	777.39	-88.27	0.00149	≤4	PASS
NTNV	11N20MI MO	Ant2	5300	30~1000	809.88	-87.62	0.00173	≤4	PASS
NTNV	11N20MI MO	total	5300	30~1000	---	---	0.00322	≤4	PASS
NTNV	11N20MI MO	Ant1	5300	1000~26000	24956.25	-68.67	0.13583	≤20	PASS
NTNV	11N20MI MO	Ant2	5300	1000~26000	25735.00	-68.91	0.12853	≤20	PASS
NTNV	11N20MI MO	total	5300	1000~26000	---	---	0.26436	≤20	PASS
NTNV	11N20MI MO	Ant1	5320	30~1000	860.32	-87.32	0.00185	≤4	PASS
NTNV	11N20MI MO	Ant2	5320	30~1000	928.71	-87.52	0.00177	≤4	PASS
NTNV	11N20MI MO	total	5320	30~1000	---	---	0.00362	≤4	PASS
NTNV	11N20MI MO	Ant1	5320	1000~26000	24222.50	-69.03	0.12503	≤20	PASS
NTNV	11N20MI MO	Ant2	5320	1000~26000	25697.50	-67.70	0.16982	≤20	PASS
NTNV	11N20MI MO	total	5320	1000~26000	---	---	0.29485	≤20	PASS

NTNV	11N40SIS O	Ant1	5270	30~1000	891.85	-86.84	0.00207	≤4	PASS
NTNV	11N40SIS O	Ant2	5270	30~1000	856.93	-87.86	0.00164	≤4	PASS
NTNV	11N40SIS O	Ant1	5270	1000~26000	23667.50	-68.92	0.12823	≤20	PASS
NTNV	11N40SIS O	Ant2	5270	1000~26000	25945.00	-68.64	0.13677	≤20	PASS
NTNV	11N40SIS O	Ant1	5310	30~1000	830.74	-87.31	0.00186	≤4	PASS
NTNV	11N40SIS O	Ant2	5310	30~1000	509.67	-87.93	0.00161	≤4	PASS
NTNV	11N40SIS O	Ant1	5310	1000~26000	24932.50	-68.71	0.13459	≤20	PASS
NTNV	11N40SIS O	Ant2	5310	1000~26000	25161.25	-68.54	0.13996	≤20	PASS
NTNV	11N40MI MO	Ant1	5270	30~1000	853.05	-86.98	0.00200	≤4	PASS
NTNV	11N40MI MO	Ant2	5270	30~1000	993.70	-87.28	0.00187	≤4	PASS
NTNV	11N40MI MO	total	5270	30~1000	---	---	0.00387	≤4	PASS
NTNV	11N40MI MO	Ant1	5270	1000~26000	25376.25	-69.52	0.11169	≤20	PASS
NTNV	11N40MI MO	Ant2	5270	1000~26000	25827.50	-68.63	0.13709	≤20	PASS
NTNV	11N40MI MO	total	5270	1000~26000	---	---	0.24878	≤20	PASS
NTNV	11N40MI MO	Ant1	5310	30~1000	439.34	-87.93	0.00161	≤4	PASS
NTNV	11N40MI MO	Ant2	5310	30~1000	738.59	-87.40	0.00182	≤4	PASS
NTNV	11N40MI MO	total	5310	30~1000	---	---	0.00343	≤4	PASS
NTNV	11N40MI MO	Ant1	5310	1000~26000	25922.50	-69.02	0.12531	≤20	PASS
NTNV	11N40MI MO	Ant2	5310	1000~26000	23975.00	-68.71	0.13459	≤20	PASS
NTNV	11N40MI MO	total	5310	1000~26000	---	---	0.25990	≤20	PASS
NTNV	11AC20SI SO	Ant1	5260	30~1000	724.52	-87.23	0.00189	≤4	PASS

NTNV	11AC20SI SO	Ant2	5260	30~1000	854.50	-88.16	0.00153	≤4	PASS
NTNV	11AC20SI SO	Ant1	5260	1000~26000	25550.00	-68.71	0.13459	≤20	PASS
NTNV	11AC20SI SO	Ant2	5260	1000~26000	25605.00	-67.97	0.15959	≤20	PASS
NTNV	11AC20SI SO	Ant1	5280	30~1000	920.95	-87.35	0.00184	≤4	PASS
NTNV	11AC20SI SO	Ant2	5280	30~1000	913.67	-87.54	0.00176	≤4	PASS
NTNV	11AC20SI SO	Ant1	5280	1000~26000	24066.25	-68.23	0.15031	≤20	PASS
NTNV	11AC20SI SO	Ant2	5280	1000~26000	25965.00	-68.97	0.12677	≤20	PASS
NTNV	11AC20SI SO	Ant1	5300	30~1000	755.56	-87.15	0.00193	≤4	PASS
NTNV	11AC20SI SO	Ant2	5300	30~1000	913.19	-86.93	0.00203	≤4	PASS
NTNV	11AC20SI SO	Ant1	5300	1000~26000	25832.50	-69.18	0.12078	≤20	PASS
NTNV	11AC20SI SO	Ant2	5300	1000~26000	25341.25	-69.16	0.12134	≤20	PASS
NTNV	11AC20SI SO	Ant1	5320	30~1000	692.03	-87.64	0.00172	≤4	PASS
NTNV	11AC20SI SO	Ant2	5320	30~1000	902.03	-87.48	0.00179	≤4	PASS
NTNV	11AC20SI SO	Ant1	5320	1000~26000	25408.75	-68.80	0.13183	≤20	PASS
NTNV	11AC20SI SO	Ant2	5320	1000~26000	25851.25	-68.08	0.15560	≤20	PASS
NTNV	11AC20M IMO	Ant1	5260	30~1000	987.88	-87.01	0.00199	≤4	PASS
NTNV	11AC20M IMO	Ant2	5260	30~1000	873.90	-87.39	0.00182	≤4	PASS
NTNV	11AC20M IMO	total	5260	30~1000	---	---	0.00381	≤4	PASS
NTNV	11AC20M IMO	Ant1	5260	1000~26000	25807.50	-68.33	0.14689	≤20	PASS
NTNV	11AC20M IMO	Ant2	5260	1000~26000	25740.00	-68.64	0.13677	≤20	PASS
NTNV	11AC20M IMO	total	5260	1000~26000	---	---	0.28366	≤20	PASS

NTNV	11AC20M IMO	Ant1	5280	30~1000	889.91	-87.76	0.00167	≤4	PASS
NTNV	11AC20M IMO	Ant2	5280	30~1000	918.04	-87.42	0.00181	≤4	PASS
NTNV	11AC20M IMO	total	5280	30~1000	---	---	0.00348	≤4	PASS
NTNV	11AC20M IMO	Ant1	5280	1000~26000	24520.00	-69.36	0.11588	≤20	PASS
NTNV	11AC20M IMO	Ant2	5280	1000~26000	25860.00	-69.58	0.11015	≤20	PASS
NTNV	11AC20M IMO	total	5280	1000~26000	---	---	0.22603	≤20	PASS
NTNV	11AC20M IMO	Ant1	5300	30~1000	920.46	-87.76	0.00167	≤4	PASS
NTNV	11AC20M IMO	Ant2	5300	30~1000	575.63	-86.33	0.00233	≤4	PASS
NTNV	11AC20M IMO	total	5300	30~1000	---	---	0.00400	≤4	PASS
NTNV	11AC20M IMO	Ant1	5300	1000~26000	22253.75	-69.47	0.11298	≤20	PASS
NTNV	11AC20M IMO	Ant2	5300	1000~26000	25691.25	-69.52	0.11169	≤20	PASS
NTNV	11AC20M IMO	total	5300	1000~26000	---	---	0.22467	≤20	PASS
NTNV	11AC20M IMO	Ant1	5320	30~1000	885.06	-87.46	0.00179	≤4	PASS
NTNV	11AC20M IMO	Ant2	5320	30~1000	909.79	-87.47	0.00179	≤4	PASS
NTNV	11AC20M IMO	total	5320	30~1000	---	---	0.00358	≤4	PASS
NTNV	11AC20M IMO	Ant1	5320	1000~26000	25788.75	-68.47	0.14223	≤20	PASS
NTNV	11AC20M IMO	Ant2	5320	1000~26000	24478.75	-68.48	0.14191	≤20	PASS
NTNV	11AC20M IMO	total	5320	1000~26000	---	---	0.28414	≤20	PASS
NTNV	11AC40SI SO	Ant1	5270	30~1000	770.11	-87.81	0.00166	≤4	PASS
NTNV	11AC40SI SO	Ant2	5270	30~1000	910.28	-87.28	0.00187	≤4	PASS
NTNV	11AC40SI SO	Ant1	5270	1000~26000	25936.25	-68.34	0.14655	≤20	PASS

NTNV	11AC40SI SO	Ant2	5270	1000~26000	25740.00	-69.02	0.12531	≤20	PASS
NTNV	11AC40SI SO	Ant1	5310	30~1000	975.27	-87.91	0.00162	≤4	PASS
NTNV	11AC40SI SO	Ant2	5310	30~1000	859.35	-87.16	0.00192	≤4	PASS
NTNV	11AC40SI SO	Ant1	5310	1000~26000	25626.25	-67.45	0.17989	≤20	PASS
NTNV	11AC40SI SO	Ant2	5310	1000~26000	23601.25	-68.91	0.12853	≤20	PASS
NTNV	11AC40M IMO	Ant1	5270	30~1000	853.53	-87.81	0.00166	≤4	PASS
NTNV	11AC40M IMO	Ant2	5270	30~1000	899.12	-87.98	0.00159	≤4	PASS
NTNV	11AC40M IMO	total	5270	30~1000	---	---	0.00325	≤4	PASS
NTNV	11AC40M IMO	Ant1	5270	1000~26000	24056.25	-68.72	0.13428	≤20	PASS
NTNV	11AC40M IMO	Ant2	5270	1000~26000	25942.50	-68.97	0.12677	≤20	PASS
NTNV	11AC40M IMO	total	5270	1000~26000	---	---	0.26105	≤20	PASS
NTNV	11AC40M IMO	Ant1	5310	30~1000	766.72	-87.39	0.00182	≤4	PASS
NTNV	11AC40M IMO	Ant2	5310	30~1000	858.87	-87.15	0.00193	≤4	PASS
NTNV	11AC40M IMO	total	5310	30~1000	---	---	0.00375	≤4	PASS
NTNV	11AC40M IMO	Ant1	5310	1000~26000	25526.25	-69.49	0.11246	≤20	PASS
NTNV	11AC40M IMO	Ant2	5310	1000~26000	25663.75	-69.11	0.12274	≤20	PASS
NTNV	11AC40M IMO	total	5310	1000~26000	---	---	0.23520	≤20	PASS
NTNV	11AC80SI SO	Ant1	5290	30~1000	908.82	-86.82	0.00208	≤4	PASS
NTNV	11AC80SI SO	Ant2	5290	30~1000	803.58	-87.40	0.00182	≤4	PASS
NTNV	11AC80SI SO	Ant1	5290	1000~26000	23712.50	-68.95	0.12735	≤20	PASS
NTNV	11AC80SI SO	Ant2	5290	1000~26000	25842.50	-68.83	0.13092	≤20	PASS


NTNV	11AC80M IMO	Ant1	5290	30~1000	939.86	-88.26	0.00149	≤4	PASS
NTNV	11AC80M IMO	Ant2	5290	30~1000	788.54	-86.76	0.00211	≤4	PASS
NTNV	11AC80M IMO	total	5290	30~1000	---	---	0.00360	≤4	PASS
NTNV	11AC80M IMO	Ant1	5290	1000~26000	24952.50	-68.04	0.15704	≤20	PASS
NTNV	11AC80M IMO	Ant2	5290	1000~26000	24423.75	-69.76	0.10568	≤20	PASS
NTNV	11AC80M IMO	total	5290	1000~26000	---	---	0.26272	≤20	PASS
NTNV	11AC160 SISO	Ant1	5250	30~1000	776.42	-88.03	0.00157	≤4	PASS
NTNV	11AC160 SISO	Ant1	5250	1000~26000	25638.75	-69.19	0.12050	≤20	PASS
NTNV	11AC160 SISO	Ant1	5570	30~1000	725.98	-87.52	0.00177	≤4	PASS
NTNV	11AC160 SISO	Ant1	5570	1000~26000	24747.50	-69.09	0.12331	≤20	PASS
NTNV	11AX20SI SO	Ant1	5260	30~1000	893.30	-87.47	0.00179	≤4	PASS
NTNV	11AX20SI SO	Ant2	5260	30~1000	901.55	-87.93	0.00161	≤4	PASS
NTNV	11AX20SI SO	Ant1	5260	1000~26000	25981.25	-69.13	0.12218	≤20	PASS
NTNV	11AX20SI SO	Ant2	5260	1000~26000	24071.25	-67.79	0.16634	≤20	PASS
NTNV	11AX20SI SO	Ant1	5280	30~1000	726.95	-87.52	0.00177	≤4	PASS
NTNV	11AX20SI SO	Ant2	5280	30~1000	903.00	-85.94	0.00255	≤4	PASS
NTNV	11AX20SI SO	Ant1	5280	1000~26000	23737.50	-69.06	0.12417	≤20	PASS
NTNV	11AX20SI SO	Ant2	5280	1000~26000	25993.75	-68.50	0.14125	≤20	PASS
NTNV	11AX20SI SO	Ant1	5300	30~1000	925.80	-87.85	0.00164	≤4	PASS
NTNV	11AX20SI SO	Ant2	5300	30~1000	888.45	-87.73	0.00169	≤4	PASS
NTNV	11AX20SI SO	Ant1	5300	1000~26000	23927.50	-68.53	0.14028	≤20	PASS

NTNV	11AX20SI SO	Ant2	5300	1000~26000	25911.25	-68.94	0.12764	≤20	PASS
NTNV	11AX20SI SO	Ant1	5320	30~1000	933.07	-87.79	0.00166	≤4	PASS
NTNV	11AX20SI SO	Ant2	5320	30~1000	813.76	-87.31	0.00186	≤4	PASS
NTNV	11AX20SI SO	Ant1	5320	1000~26000	23668.75	-67.58	0.17458	≤20	PASS
NTNV	11AX20SI SO	Ant2	5320	1000~26000	25410.00	-69.17	0.12106	≤20	PASS
NTNV	11AX20MI MO	Ant1	5260	30~1000	957.32	-88.25	0.00150	≤4	PASS
NTNV	11AX20MI MO	Ant2	5260	30~1000	879.24	-87.73	0.00169	≤4	PASS
NTNV	11AX20MI MO	total	5260	30~1000	---	---	0.00319	≤4	PASS
NTNV	11AX20MI MO	Ant1	5260	1000~26000	25727.50	-68.83	0.13092	≤20	PASS
NTNV	11AX20MI MO	Ant2	5260	1000~26000	25553.75	-68.57	0.13900	≤20	PASS
NTNV	11AX20MI MO	total	5260	1000~26000	---	---	0.26992	≤20	PASS
NTNV	11AX20MI MO	Ant1	5280	30~1000	977.69	-87.50	0.00178	≤4	PASS
NTNV	11AX20MI MO	Ant2	5280	30~1000	844.80	-87.40	0.00182	≤4	PASS
NTNV	11AX20MI MO	total	5280	30~1000	---	---	0.00360	≤4	PASS
NTNV	11AX20MI MO	Ant1	5280	1000~26000	25605.00	-68.24	0.14997	≤20	PASS
NTNV	11AX20MI MO	Ant2	5280	1000~26000	25972.50	-68.74	0.13366	≤20	PASS
NTNV	11AX20MI MO	total	5280	1000~26000	---	---	0.28363	≤20	PASS
NTNV	11AX20MI MO	Ant1	5300	30~1000	723.55	-87.50	0.00178	≤4	PASS
NTNV	11AX20MI MO	Ant2	5300	30~1000	793.39	-88.15	0.00153	≤4	PASS
NTNV	11AX20MI MO	total	5300	30~1000	---	---	0.00331	≤4	PASS
NTNV	11AX20MI MO	Ant1	5300	1000~26000	22800.00	-69.56	0.11066	≤20	PASS


NTNV	11AX20MI MO	Ant2	5300	1000~26000	25968.75	-68.86	0.13002	≤20	PASS
NTNV	11AX20MI MO	total	5300	1000~26000	---	---	0.24068	≤20	PASS
NTNV	11AX20MI MO	Ant1	5320	30~1000	804.06	-87.02	0.00199	≤4	PASS
NTNV	11AX20MI MO	Ant2	5320	30~1000	929.68	-87.84	0.00164	≤4	PASS
NTNV	11AX20MI MO	total	5320	30~1000	---	---	0.00363	≤4	PASS
NTNV	11AX20MI MO	Ant1	5320	1000~26000	25915.00	-69.58	0.11015	≤20	PASS
NTNV	11AX20MI MO	Ant2	5320	1000~26000	24570.00	-68.90	0.12882	≤20	PASS
NTNV	11AX20MI MO	total	5320	1000~26000	---	---	0.23897	≤20	PASS
NTNV	11AX40SI SO	Ant1	5270	30~1000	604.24	-87.99	0.00159	≤4	PASS
NTNV	11AX40SI SO	Ant2	5270	30~1000	912.70	-87.43	0.00181	≤4	PASS
NTNV	11AX40SI SO	Ant1	5270	1000~26000	24407.50	-68.81	0.13152	≤20	PASS
NTNV	11AX40SI SO	Ant2	5270	1000~26000	25258.75	-69.20	0.12023	≤20	PASS
NTNV	11AX40SI SO	Ant1	5310	30~1000	887.00	-87.09	0.00195	≤4	PASS
NTNV	11AX40SI SO	Ant2	5310	30~1000	781.75	-87.85	0.00164	≤4	PASS
NTNV	11AX40SI SO	Ant1	5310	1000~26000	25652.50	-68.59	0.13836	≤20	PASS
NTNV	11AX40SI SO	Ant2	5310	1000~26000	25807.50	-69.16	0.12134	≤20	PASS
NTNV	11AX40MI MO	Ant1	5270	30~1000	894.76	-87.00	0.00200	≤4	PASS
NTNV	11AX40MI MO	Ant2	5270	30~1000	879.24	-87.57	0.00175	≤4	PASS
NTNV	11AX40MI MO	total	5270	30~1000	---	---	0.00375	≤4	PASS
NTNV	11AX40MI MO	Ant1	5270	1000~26000	25751.25	-68.95	0.12735	≤20	PASS
NTNV	11AX40MI MO	Ant2	5270	1000~26000	24950.00	-69.39	0.11508	≤20	PASS

NTNV	11AX40MI MO	total	5270	1000~26000	---	---	0.24243	≤20	PASS
NTNV	11AX40MI MO	Ant1	5310	30~1000	731.31	-87.40	0.00182	≤4	PASS
NTNV	11AX40MI MO	Ant2	5310	30~1000	871.48	-86.87	0.00206	≤4	PASS
NTNV	11AX40MI MO	total	5310	30~1000	---	---	0.00388	≤4	PASS
NTNV	11AX40MI MO	Ant1	5310	1000~26000	22032.50	-68.72	0.13428	≤20	PASS
NTNV	11AX40MI MO	Ant2	5310	1000~26000	25401.25	-69.05	0.12445	≤20	PASS
NTNV	11AX40MI MO	total	5310	1000~26000	---	---	0.25873	≤20	PASS
NTNV	11AX80SI SO	Ant1	5290	30~1000	779.81	-87.08	0.00196	≤4	PASS
NTNV	11AX80SI SO	Ant2	5290	30~1000	715.31	-87.09	0.00195	≤4	PASS
NTNV	11AX80SI SO	Ant1	5290	1000~26000	25760.00	-69.08	0.12359	≤20	PASS
NTNV	11AX80SI SO	Ant2	5290	1000~26000	25997.50	-69.50	0.11220	≤20	PASS
NTNV	11AX80MI MO	Ant1	5290	30~1000	894.76	-87.61	0.00173	≤4	PASS
NTNV	11AX80MI MO	Ant2	5290	30~1000	890.88	-88.08	0.00156	≤4	PASS
NTNV	11AX80MI MO	total	5290	30~1000	---	---	0.00329	≤4	PASS
NTNV	11AX80MI MO	Ant1	5290	1000~26000	23512.50	-69.67	0.10789	≤20	PASS
NTNV	11AX80MI MO	Ant2	5290	1000~26000	25983.75	-68.18	0.15205	≤20	PASS
NTNV	11AX80MI MO	total	5290	1000~26000	---	---	0.25994	≤20	PASS
NTNV	11AX160 SISO	Ant1	5250	30~1000	902.03	-87.54	0.00176	≤4	PASS
NTNV	11AX160 SISO	Ant1	5250	1000~26000	23971.25	-68.73	0.13397	≤20	PASS
NTNV	11AX160 SISO	Ant1	5570	30~1000	494.63	-87.70	0.00170	≤4	PASS
NTNV	11AX160 SISO	Ant1	5570	1000~26000	25653.75	-68.46	0.14256	≤20	PASS

Test Graphs



NTNV-11A-Ant1-5260-30~1000-PASS



NTNV-11A-Ant2-5260-30~1000-PASS

