




802.11ac(VHT40) LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40) MCH_5590MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV





7. Spurious Emission Intensity

7.1 Test Result


7.1.1 TxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11a	SISO	5180	1	30	5142	5102.5	-43.37	0.046	/	/	2.5	Pass
				5266.7	26000	25832.498	-31.52	0.705	/	/	2.5	Pass
		5200	1	30	5142	5123	-43.71	0.043	/	/	2.5	Pass
				5266.7	26000	24845.483	-31.76	0.667	/	/	2.5	Pass
		5240	1	30	5142	2600	-43.00	0.050	/	/	2.5	Pass
				5266.7	26000	25006.486	-32.22	0.600	/	/	2.5	Pass
		5260	1	30	5233.3	2701.654	-43.90	0.041	/	/	2.5	Pass
				5350	26000	25961.5	-31.65	0.684	/	/	2.5	Pass
		5300	1	30	5233.3	2578.147	-43.59	0.044	/	/	2.5	Pass
				5350	26000	25393	-31.24	0.752	/	/	2.5	Pass
		5320	1	30	5233.3	2639.15	-43.94	0.040	/	/	2.5	Pass
				5350	26000	25896	-32.34	0.583	/	/	2.5	Pass
		5500	1	30	5460	5416	-41.61	0.069	/	/	2.5	Pass
				5765	26000	25929.5	-31.54	0.701	/	/	2.5	Pass
		5600	1	30	5460	5314.5	-41.89	0.065	/	/	2.5	Pass
				5765	26000	25921	-31.17	0.764	/	/	2.5	Pass
		5700	1	30	5460	2666	-42.73	0.053	/	/	2.5	Pass
				5765	26000	25844.5	-31.65	0.684	/	/	2.5	Pass
802.11n (HT20)	SISO	5180	1	30	5142	3407.5	-30.20	0.955	/	/	2.5	Pass
				5266.7	26000	25970	-31.82	0.658	/	/	2.5	Pass
		5200	1	30	5142	2631.5	-42.67	0.054	/	/	2.5	Pass
				5266.7	26000	25678.995	-32.13	0.612	/	/	2.5	Pass
		5240	1	30	5142	2620	-43.42	0.045	/	/	2.5	Pass
				5266.7	26000	25607.994	-32.28	0.592	/	/	2.5	Pass
		5260	1	30	5233.3	5220.299	-43.04	0.050	/	/	2.5	Pass
				5350	26000	25518.5	-32.39	0.577	/	/	2.5	Pass
		5300	1	30	5233.3	2691.653	-43.94	0.040	/	/	2.5	Pass
				5350	26000	24991	-31.60	0.692	/	/	2.5	Pass
		5320	1	30	5233.3	3084.176	-43.48	0.045	/	/	2.5	Pass
				5350	26000	25548.5	-31.88	0.649	/	/	2.5	Pass
		5500	1	30	5460	5423	-43.08	0.049	/	/	2.5	Pass
				5765	26000	25840	-32.21	0.601	/	/	2.5	Pass
		5600	1	30	5460	2953	-43.89	0.041	/	/	2.5	Pass
				5765	26000	25948	-31.11	0.774	/	/	2.5	Pass
		5700	1	30	5460	2500.5	-43.30	0.047	/	/	2.5	Pass
				5765	26000	25842.5	-31.70	0.676	/	/	2.5	Pass
802.11n (HT40)	SISO	5190	1	30	5141.6	5136.1	-32.59	0.551	/	/	2.5	Pass
				5278.4	26000	25625.998	-32.19	0.604	/	/	2.5	Pass
		5230	1	30	5141.6	2973.058	-44.39	0.036	/	/	2.5	Pass
				5278.4	26000	25892.999	-31.37	0.729	/	/	2.5	Pass
		5270	1	30	5221.6	5217.6	-35.41	0.288	/	/	2.5	Pass
				5358.4	26000	25487.998	-31.90	0.646	/	/	2.5	Pass
		5310	1	30	5221.6	5220.1	-33.55	0.442	/	/	2.5	Pass
				5358.4	26000	5360.9	-30.88	0.817	/	/	2.5	Pass


		5510	1	30	5460	2610	-42.25	0.060	/	/	12.5	Pass
				5770	26000	25563	-32.07	0.621	/	/	12.5	Pass
		5590	1	30	5460	1758	-40.78	0.084	/	/	12.5	Pass
				5770	26000	25983	-30.43	0.906	/	/	12.5	Pass
		5670	1	30	5460	2645.5	-43.26	0.047	/	/	12.5	Pass
				5770	26000	25575.5	-31.77	0.665	/	/	12.5	Pass
802.11ac (VHT20)	SISO	5180	1	30	5142	2534.5	-40.82	0.083	/	/	2.5	Pass
				5266.7	26000	25915.499	-32.34	0.583	/	/	2.5	Pass
		5200	1	30	5142	2519	-42.47	0.057	/	/	2.5	Pass
				5266.7	26000	24651.98	-32.13	0.612	/	/	2.5	Pass
		5240	1	30	5142	2660	-43.98	0.040	/	/	2.5	Pass
				5266.7	26000	25423.992	-32.13	0.612	/	/	2.5	Pass
		5260	1	30	5233.3	2518.143	-37.31	0.186	/	/	2.5	Pass
				5350	26000	25691	-30.94	0.805	/	/	2.5	Pass
		5300	1	30	5233.3	2419.638	-38.40	0.145	/	/	2.5	Pass
				5350	26000	25909.5	-32.14	0.611	/	/	2.5	Pass
		5320	1	30	5233.3	2729.156	-43.97	0.040	/	/	2.5	Pass
				5350	26000	25846	-31.87	0.650	/	/	2.5	Pass
		5500	1	30	5460	5423	-42.35	0.058	/	/	2.5	Pass
				5765	26000	25595	-31.87	0.650	/	/	2.5	Pass
802.11ac (VHT40)	SISO	5600	1	30	5460	2625.5	-43.28	0.047	/	/	2.5	Pass
				5765	26000	25849	-31.45	0.716	/	/	2.5	Pass
		5700	1	30	5460	1937.5	-36.83	0.207	/	/	2.5	Pass
				5765	26000	25251.5	-31.71	0.675	/	/	2.5	Pass
		5190	1	30	5141.6	5138.6	-43.34	0.046	/	/	2.5	Pass
				5278.4	26000	25903.5	-31.73	0.671	/	/	2.5	Pass
		5230	1	30	5141.6	2458.548	-43.97	0.040	/	/	2.5	Pass
				5278.4	26000	25757.499	-31.99	0.632	/	/	2.5	Pass
		5270	1	30	5221.6	2421.546	-39.43	0.114	/	/	2.5	Pass
				5358.4	26000	25307.997	-32.19	0.604	/	/	2.5	Pass
		5310	1	30	5221.6	1752.533	-36.86	0.206	/	/	2.5	Pass
				5358.4	26000	25809.999	-32.13	0.612	/	/	2.5	Pass
		5510	1	30	5460	1753	-39.37	0.116	/	/	12.5	Pass
				5770	26000	25492	-31.42	0.721	/	/	12.5	Pass
802.11ac (VHT80)	SISO	5590	1	30	5460	3453	-42.00	0.063	/	/	12.5	Pass
				5770	26000	25805	-31.33	0.736	/	/	12.5	Pass
		5670	1	30	5460	2658	-43.18	0.048	/	/	12.5	Pass
				5770	26000	25403	-31.51	0.706	/	/	12.5	Pass
		5210	1	30	5123.2	5122.2	-39.34	0.116	/	/	2.5	Pass
				5296.7	26000	25992	-31.77	0.665	/	/	2.5	Pass
		5290	1	30	5203.3	5196.8	-37.69	0.170	/	/	2.5	Pass
				5376.8	26000	25846.999	-32.14	0.611	/	/	2.5	Pass
		5530	1	30	5460	5448.5	-40.55	0.088	/	/	12.5	Pass
				5770	26000	24870	-31.75	0.668	/	/	12.5	Pass
		5610	1	30	5460	2595.5	-43.14	0.049	/	/	12.5	Pass
				5770	26000	25884.5	-31.48	0.711	/	/	12.5	Pass

7.2 Test Graph


7.2.1 TxSe_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK EIRP (dBm)	Avg EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	5123.000	-47.48	/	3.77	-43.71	/	-26.02	Pass
5266.7	26000	1	1	24845.483	-35.53	/	3.77	-31.76	/	-26.02	Pass

802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A1 Power (dBm)	Gain (dB)	PK ERP (dBm)	A1 ERP (dBm)	Limit (dBm)	Result
30	5142	1	1	2500.000	-46.77	/	3.77	-43.00	/	-26.02	Pass
5266.7	26000	1	1	25006.486	-35.99	/	3.77	-32.22	/	-26.02	Pass

802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2701.654	-47.67	/	3.77	-43.90	/	-26.02	Pass
5350	26000	1	1	25961.500	-35.42	/	3.77	-31.65	/	-26.02	Pass



802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2578.147	-47.36	/	3.77	-43.59	/	-26.02	Pass
5350	26000	1	1	25383.000	-35.01	/	3.77	-31.24	/	-26.02	Pass



802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2639.150	-47.71	/	3.77	-43.94	/	-26.02	Pass
5350	26000	1	1	25896.000	-36.11	/	3.77	-32.34	/	-26.02	Pass

802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	5416.000	-45.38	/	3.77	-41.61	/	-26.02	Pass
5765	26000	1	1	25929.500	-35.31	/	3.77	-31.54	/	-26.02	Pass



802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	5314.500	-45.66	/	3.77	-41.89	/	-26.02	Pass
5765	26000	1	1	25921.000	-34.94	/	3.77	-31.17	/	-26.02	Pass

802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A1 Power (dBm)	Gain (dB)	PK ERP (dBm)	A1 ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2566.000	-46.50	/	3.77	-42.73	/	-26.02	Pass
5765	26000	1	1	25844.500	-35.42	/	3.77	-31.65	/	-26.02	Pass

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5142	1	1	3407.500	-33.97	/	3.77	-30.20	/	-26.02	Pass
5266.7	26000	1	1	25970.000	-35.59	/	3.77	-31.82	/	-26.02	Pass

802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5142	1	1	2631.500	-46.44	/	3.77	-42.67	/	-26.02	Pass
5266.7	26000	1	1	25678.995	-35.90	/	3.77	-32.13	/	-26.02	Pass

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK EIRP (dBm)	Avg EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2620.000	-47.19	/	3.77	-43.42	/	-26.02	Pass
5266.7	26000	1	1	25607.994	-36.05	/	3.77	-32.28	/	-26.02	Pass

802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	5220.299	-46.81	/	3.77	-43.04	/	-26.02	Pass
5350	26000	1	1	25518.500	-36.16	/	3.77	-32.39	/	-26.02	Pass

802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2691.653	-47.71	/	3.77	-43.94	/	-26.02	Pass
5350	26000	1	1	24991.000	-35.37	/	3.77	-31.60	/	-26.02	Pass



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	3084.176	-47.25	/	3.77	-43.48	/	-26.02	Pass
5350	26000	1	1	25548.500	-35.65	/	3.77	-31.88	/	-26.02	Pass

802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/P Power (dBm)	Gain (dB)	PK ERP (dBm)	A/P ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	5423.000	-46.85	/	3.77	-43.08	/	-26.02	Pass
5765	26000	1	1	25840.000	-35.98	/	3.77	-32.21	/	-26.02	Pass

802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dB)	PK ERP (dBm)	A/V ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2953.000	-47.66	/	3.77	-43.89	/	-26.02	Pass
5765	26000	1	1	25948.000	-34.88	/	3.77	-31.11	/	-26.02	Pass

802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A1 Power (dBm)	Gain (dB)	PK ERP (dBm)	A1 ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2500.500	-47.07	/	3.77	-43.30	/	-26.02	Pass
5765	26000	1	1	25842.500	-35.47	/	3.77	-31.70	/	-26.02	Pass

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	5136.100	-36.36	/	3.77	-32.59	/	-26.02	Pass
5278.4	26000	1	1	25625.998	-35.96	/	3.77	-32.19	/	-26.02	Pass



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	2973.058	-48.16	/	3.77	-44.39	/	-26.02	Pass
5278.4	26000	1	1	25892.999	-35.14	/	3.77	-31.37	/	-26.02	Pass

802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5221.6	1	1	5217.600	-39.18	/	3.77	-35.41	/	-26.02	Pass
5358.4	26000	1	1	25487.998	-35.67	/	3.77	-31.90	/	-26.02	Pass

802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5221.6	1	1	5220.100	-37.32	/	3.77	-33.55	/	-26.02	Pass
5358.4	26000	1	1	5360.900	-34.65	/	3.77	-30.88	/	-26.02	Pass

802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2510.000	-46.02	/	3.77	-42.25	/	-19.03	Pass
5770	26000	1	1	25563.000	-35.84	/	3.77	-32.07	/	-19.03	Pass

802.11n(HT40)_MCH_5590MHz_Ant1_NTNV




802.11n(HT40)_MCH_5590MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	1758.000	-44.55	/	3.77	-40.78	/	-19.03	Pass
5770	26000	1	1	25983.000	-34.20	/	3.77	-30.43	/	-19.03	Pass

802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/P Power (dBm)	Gain (dB)	PK ERP (dBm)	A/P ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2645.500	-47.03	/	3.77	-43.26	/	-19.03	Pass
5770	26000	1	1	25575.500	-35.54	/	3.77	-31.77	/	-19.03	Pass

802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5142	1	1	2534.500	-44.59	/	3.77	-40.82	/	-26.02	Pass
5266.7	26000	1	1	25915.499	-36.11	/	3.77	-32.34	/	-26.02	Pass

802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2519.000	-46.24	/	3.77	-42.47	/	-26.02	Pass
5266.7	26000	1	1	24651.980	-35.90	/	3.77	-32.13	/	-26.02	Pass

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5142	1	1	25660.000	-47.75	/	3.77	-43.98	/	-26.02	Pass
5266.7	26000	1	1	25423.992	-35.90	/	3.77	-32.13	/	-26.02	Pass

802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2518.143	-41.08	/	3.77	-37.31	/	-26.02	Pass
5350	26000	1	1	25691.000	-34.71	/	3.77	-30.94	/	-26.02	Pass

802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2419.638	-42.17	/	3.77	-38.40	/	-26.02	Pass
5350	26000	1	1	25909.500	-35.91	/	3.77	-32.14	/	-26.02	Pass

802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5233.3	1	1	2729.156	-47.74	/	3.77	-43.97	/	-26.02	Pass
5350	26000	1	1	25846.000	-35.64	/	3.77	-31.87	/	-26.02	Pass

802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5423.000	-46.12	/	3.77	-42.35	/	-26.02	Pass
5765	26000	1	1	25595.000	-35.64	/	3.77	-31.87	/	-26.02	Pass

802.11ac(VHT20)_MCH_5600MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2625.500	-47.05	/	3.77	-43.28	/	-26.02	Pass
5765	26000	1	1	25849.000	-35.22	/	3.77	-31.45	/	-26.02	Pass

802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	1937.500	-40.60	/	3.77	-36.83	/	-26.02	Pass
5765	26000	1	1	25251.500	-35.48	/	3.77	-31.71	/	-26.02	Pass

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	5138.600	-47.11	/	3.77	-43.34	/	-26.02	Pass
5278.4	26000	1	1	25903.500	-35.50	/	3.77	-31.73	/	-26.02	Pass

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	2458.548	-47.74	/	3.77	-43.97	/	-26.02	Pass
5278.4	26000	1	1	25757.499	-35.76	/	3.77	-31.99	/	-26.02	Pass

802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5221.6	1	1	2421.546	-43.20	/	3.77	-39.43	/	-26.02	Pass
5358.4	26000	1	1	25307.997	-35.96	/	3.77	-32.19	/	-26.02	Pass

802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5221.6	1	1	1752.533	-40.63	/	3.77	-36.86	/	-26.02	Pass
5358.4	26000	1	1	25809.999	-35.90	/	3.77	-32.13	/	-26.02	Pass

802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dB)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	1753.000	-43.14	/	3.77	-39.37	/	-19.03	Pass
5770	26000	1	1	25492.000	-35.19	/	3.77	-31.42	/	-19.03	Pass

802.11ac(VHT40)_MCH_5590MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5590MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	3453.000	-45.77	/	3.77	-42.00	/	-19.03	Pass
5770	26000	1	1	25805.000	-35.10	/	3.77	-31.33	/	-19.03	Pass

802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	2558.000	-46.95	/	3.77	-43.18	/	-19.03	Pass
5770	26000	1	1	25403.000	-35.28	/	3.77	-31.51	/	-19.03	Pass

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5123.2	1	1	5122.200	-43.11	/	3.77	-39.34	/	-26.02	Pass
5296.7	26000	1	1	25992.000	-35.54	/	3.77	-31.77	/	-26.02	Pass

802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK ERP (dBm)	AV ERP (dBm)	Limit (dBm)	Result
30	5203.3	1	1	5196.800	-41.46	/	3.77	-37.69	/	-26.02	Pass
5376.8	26000	1	1	25846.999	-35.91	/	3.77	-32.14	/	-26.02	Pass

802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK EIRP (dBm)	Avg EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5448.500	-44.32	/	3.77	-40.55	/	-19.03	Pass
5770	26000	1	1	24870.000	-35.52	/	3.77	-31.75	/	-19.03	Pass

802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	Avg Power (dBm)	Gain (dB)	PK ERP (dBm)	Avg ERP (dBm)	Limit (dBm)	Result
30	5460	1	1	2595.500	-46.91	/	3.77	-43.14	/	-19.03	Pass
5770	26000	1	1	25884.500	-35.25	/	3.77	-31.48	/	-19.03	Pass

8. Secondary Radiated Emission

8.1 Test Result

8.1.1 RxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
802.11a	SISO	5180	1	30	1000	410.55	-76.97	0.020	/	/	4	Pass
				1000	26500	24863.5	-52.19	6.039	-63.02	0.499	20	Pass
						25012.5	-52.05	6.237	-62.98	0.504	20	Pass
						25465.5	-52.31	5.875	-63.08	0.492	20	Pass
						25540.5	-51.95	6.383	-62.94	0.508	20	Pass
						25910.5	-52.44	5.702	-62.35	0.582	20	Pass
		5200	1	30	1000	956.95	-77.08	0.020	/	/	4	Pass
				1000	26500	24958.5	-52.64	5.445	-63.14	0.485	20	Pass
						25066.5	-52.61	5.483	-63.21	0.478	20	Pass
						25283	-52.06	6.223	-63.20	0.479	20	Pass
						25696.5	-52.72	5.346	-62.80	0.525	20	Pass
						26499.5	-52.19	6.039	-62.69	0.538	20	Pass
		5240	1	30	1000	107.95	-76.59	0.022	/	/	4	Pass
				1000	26500	25208	-52.10	6.166	-63.54	0.443	20	Pass
						25508.5	-52.23	5.984	-63.00	0.501	20	Pass
						25573	-52.51	5.610	-63.07	0.493	20	Pass
						25866.5	-51.28	7.447	-62.55	0.556	20	Pass
						26442	-51.91	6.442	-62.90	0.513	20	Pass
		5260	1	30	1000	948.55	-72.95	0.051	/	/	4	Pass
				1000	26500	2451.5	-50.16	9.638	-75.63	0.027	20	Pass
						25555	-51.73	6.714	-62.81	0.524	20	Pass
						25619.5	-52.67	5.408	-63.00	0.501	20	Pass
						25877.5	-52.42	5.728	-62.48	0.565	20	Pass
						26103.5	-51.86	6.516	-63.27	0.471	20	Pass
		5300	1	30	1000	925.95	-76.11	0.024	/	/	4	Pass
				1000	26500	2477.5	-51.39	7.261	-75.36	0.029	20	Pass
						25602.5	-52.43	5.715	-62.96	0.506	20	Pass
						25856	-52.82	5.224	-62.52	0.560	20	Pass
						26155	-52.89	5.140	-63.45	0.452	20	Pass
						26447	-52.86	5.176	-62.77	0.528	20	Pass
		5320	1	30	1000	917.6	-76.55	0.022	/	/	4	Pass
				1000	26500	2474.5	-51.71	6.745	-75.26	0.030	20	Pass
						25398.5	-52.27	5.929	-62.93	0.509	20	Pass
						25896.5	-51.83	6.561	-62.28	0.592	20	Pass
						26019	-51.79	6.622	-62.82	0.522	20	Pass
						26339	-51.58	6.950	-63.14	0.485	20	Pass
		5500	1	30	1000	942.1	-73.38	0.046	/	/	4	Pass
				1000	26500	25034.5	-52.45	5.689	-62.70	0.537	20	Pass
						25310	-52.34	5.834	-63.05	0.495	20	Pass
						25511	-51.24	7.516	-62.79	0.526	20	Pass
						25906	-51.22	7.551	-62.20	0.603	20	Pass
						26474.5	-52.59	5.508	-58.08	1.556	20	Pass
		5600	1	30	1000	938.8	-75.43	0.029	/	/	4	Pass
				1000	26500	25363.5	-52.00	6.310	-63.00	0.501	20	Pass
						25644.5	-52.42	5.728	-62.85	0.519	20	Pass

802.11n (HT20)	SISO	5700	1	30	1000	25914.5	-52.04	6.252	-62.33	0.585	20	Pass
						26359.5	-52.59	5.508	-63.02	0.499	20	Pass
						26500	-52.37	5.794	-62.57	0.553	20	Pass
				1000	26500	948.65	-74.94	0.032	/	/	4	Pass
						2426.5	-50.49	8.933	-75.31	0.029	20	Pass
						25598	-51.87	6.501	-62.55	0.556	20	Pass
						25666	-51.57	6.966	-62.56	0.555	20	Pass
						25920.5	-52.14	6.109	-56.23	2.382	20	Pass
						25983	-51.57	6.966	-62.36	0.581	20	Pass
		5180	1	30	1000	676.8	-76.44	0.023	/	/	4	Pass
						24686.5	-52.94	5.082	-63.96	0.402	20	Pass
						25085.5	-52.58	5.521	-63.33	0.465	20	Pass
				1000	26500	25747.5	-52.33	5.848	-63.18	0.481	20	Pass
						25924	-52.50	5.623	-62.54	0.557	20	Pass
						26022.5	-52.99	5.023	-63.12	0.488	20	Pass
		5200	1	30	1000	948.55	-75.20	0.030	/	/	4	Pass
						25113.5	-52.73	5.333	-63.51	0.446	20	Pass
						25537.5	-52.50	5.623	-62.95	0.507	20	Pass
				1000	26500	25636.5	-52.27	5.929	-63.12	0.488	20	Pass
						25835	-52.24	5.970	-62.82	0.522	20	Pass
						25895.5	-52.06	6.223	-62.48	0.565	20	Pass
		5240	1	30	1000	903.45	-76.38	0.023	/	/	4	Pass
						24873.5	-52.26	5.943	-63.01	0.500	20	Pass
						25616	-52.72	5.346	-63.06	0.494	20	Pass
				1000	26500	25850.5	-52.77	5.284	-62.61	0.548	20	Pass
						25913	-52.73	5.333	-62.45	0.569	20	Pass
						26080	-52.57	5.534	-63.20	0.479	20	Pass
		5260	1	30	1000	948.6	-75.57	0.028	/	/	4	Pass
						2411.5	-47.86	16.368	-75.82	0.026	20	Pass
						25362	-51.64	6.855	-63.08	0.492	20	Pass
				1000	26500	25553.5	-52.31	5.875	-62.93	0.509	20	Pass
						25847	-52.09	6.180	-62.63	0.546	20	Pass
						25922.5	-52.61	5.483	-62.45	0.569	20	Pass
		5300	1	30	1000	842.65	-76.11	0.024	/	/	4	Pass
						24932	-52.62	5.470	-63.08	0.492	20	Pass
						25534	-52.11	6.152	-62.77	0.528	20	Pass
				1000	26500	25602	-52.31	5.875	-62.97	0.505	20	Pass
						25917	-52.79	5.260	-62.39	0.577	20	Pass
						25977.5	-52.53	5.585	-62.70	0.537	20	Pass
		5320	1	30	1000	948.6	-73.17	0.048	/	/	4	Pass
						24661.5	-51.97	6.353	-63.64	0.433	20	Pass
						24997	-52.30	5.888	-62.86	0.518	20	Pass
				1000	26500	25385.5	-52.03	6.266	-62.96	0.506	20	Pass
						25530.5	-51.99	6.324	-57.67	1.710	20	Pass
						25934	-52.28	5.916	-62.40	0.575	20	Pass
		5500	1	30	1000	948.45	-74.73	0.034	/	/	4	Pass
						2450.5	-51.61	6.902	-75.51	0.028	20	Pass
						25284	-52.40	5.754	-62.89	0.514	20	Pass
				1000	26500	25796.5	-51.33	7.362	-62.72	0.535	20	Pass
						25870.5	-52.50	5.623	-62.27	0.593	20	Pass
						25935.5	-50.95	8.035	-62.33	0.585	20	Pass
		5600	1	30	1000	819.85	-76.75	0.021	/	/	4	Pass
						2408.5	-50.56	8.790	-75.69	0.027	20	Pass
						25349	-52.35	5.821	-62.93	0.509	20	Pass
				1000	26500	25809.5	-52.41	5.741	-62.74	0.532	20	Pass
						25983.5	-52.26	5.943	-62.58	0.552	20	Pass
						26424	-52.28	5.916	-62.82	0.522	20	Pass
		5700	1	30	1000	948.65	-73.23	0.048	/	/	4	Pass
				1000	26500	25416.5	-52.48	5.649	-62.56	0.555	20	Pass


						25572.5	-52.14	6.109	-59.92	1.019	20	Pass
						25739.5	-52.33	5.848	-62.59	0.551	20	Pass
						25945	-51.38	7.278	-58.23	1.503	20	Pass
						26024	-52.08	6.194	-62.43	0.571	20	Pass
802.11n (HT40)	SISO	5190	1	30	1000	650.95	-75.67	0.027	/	/	4	Pass
				1000	26500	2424	-48.27	14.894	-75.69	0.027	20	Pass
						25539.5	-52.86	5.176	-62.97	0.505	20	Pass
						25756	-51.37	7.295	-63.16	0.483	20	Pass
						25915	-52.33	5.848	-56.46	2.259	20	Pass
						26463	-52.35	5.821	-62.87	0.516	20	Pass
		5230	1	30	1000	948.65	-76.12	0.024	/	/	4	Pass
				1000	26500	24954	-52.35	5.821	-63.19	0.480	20	Pass
						25322.5	-52.27	5.929	-63.23	0.475	20	Pass
						25680.5	-52.64	5.445	-62.90	0.513	20	Pass
						26026.5	-52.50	5.623	-63.00	0.501	20	Pass
		5270	1	30	1000	948.65	-74.46	0.036	/	/	4	Pass
				1000	26500	24584.5	-52.25	5.957	-63.76	0.421	20	Pass
						24914	-52.88	5.152	-63.19	0.480	20	Pass
						25039.5	-52.30	5.888	-62.91	0.512	20	Pass
						25921.5	-52.69	5.383	-62.36	0.581	20	Pass
		5310	1	30	1000	948.2	-75.12	0.031	/	/	4	Pass
				1000	26500	25032.5	-52.54	5.572	-62.75	0.531	20	Pass
						25288.5	-52.80	5.248	-63.13	0.486	20	Pass
						25722.5	-51.98	6.339	-62.87	0.516	20	Pass
						25859	-52.26	5.943	-58.41	1.442	20	Pass
		5510	1	30	1000	948.65	-73.59	0.044	/	/	4	Pass
				1000	26500	2425.5	-52.16	6.081	-75.25	0.030	20	Pass
						24992.5	-52.12	6.138	-62.80	0.525	20	Pass
						25649.5	-52.49	5.636	-62.68	0.540	20	Pass
						25995.5	-52.50	5.623	-62.52	0.560	20	Pass
		5590	1	30	1000	948.65	-73.46	0.045	/	/	4	Pass
				1000	26500	24961.5	-52.07	6.209	-63.01	0.500	20	Pass
						25481	-52.22	5.998	-62.85	0.519	20	Pass
						26003	-52.53	5.585	-62.66	0.542	20	Pass
						26299	-52.00	6.310	-63.19	0.480	20	Pass
		5670	1	30	1000	948.55	-73.89	0.041	/	/	4	Pass
				1000	26500	2657	-50.46	8.995	-74.46	0.036	20	Pass
						25072	-52.53	5.585	-62.76	0.530	20	Pass
						25528	-51.91	6.442	-62.50	0.562	20	Pass
						25912	-52.33	5.848	-60.03	0.993	20	Pass
802.11ac (VHT20)	SISO	5180	1	30	1000	948.55	-75.55	0.028	/	/	4	Pass
				1000	26500	2427.5	-51.76	6.668	-75.91	0.026	20	Pass
						25380.5	-52.69	5.383	-63.15	0.484	20	Pass
						25838	-51.03	7.889	-62.79	0.526	20	Pass
						25911.5	-51.73	6.714	-62.52	0.560	20	Pass
		5200	1	30	1000	948.65	-74.55	0.035	/	/	4	Pass
				1000	26500	2458.5	-50.34	9.247	-72.67	0.054	20	Pass
						25223	-52.81	5.236	-63.61	0.436	20	Pass
						25521	-52.91	5.117	-62.94	0.508	20	Pass
						25916.5	-52.79	5.260	-62.48	0.565	20	Pass
		5240	1	30	1000	948.55	-72.70	0.054	/	/	4	Pass
				1000	26500	2458	-50.72	8.472	-75.62	0.027	20	Pass

802.11ac (VHT40)	SISO					25254.5	-52.18	6.053	-63.30	0.468	20	Pass		
						25810	-52.06	6.223	-62.89	0.514	20	Pass		
						25945.5	-51.87	6.501	-62.60	0.550	20	Pass		
						26131	-52.28	5.916	-63.42	0.455	20	Pass		
		5260	1	30	1000	26500	948.6	-73.30	0.047	/	/	4	Pass	
							2534	-52.81	5.236	-71.31	0.074	20	Pass	
				1000	25635.5		-52.61	5.483	-62.87	0.516	20	Pass		
					25904.5		-52.28	5.916	-62.37	0.579	20	Pass		
					25987.5		-52.05	6.237	-62.71	0.536	20	Pass		
					26440		-52.42	5.728	-62.85	0.519	20	Pass		
		5300	1	30	1000	26500	948.6	-72.76	0.053	/	/	4	Pass	
							2523.5	-45.78	26.424	-75.27	0.030	20	Pass	
				1000	25567		-52.37	5.794	-62.89	0.514	20	Pass		
					25856		-51.80	6.607	-62.56	0.555	20	Pass		
					25955		-52.07	6.209	-62.49	0.564	20	Pass		
					26486		-52.10	6.166	-58.32	1.472	20	Pass		
		5320	1	30	1000	26500	948.55	-72.23	0.060	/	/	4	Pass	
							25464.5	-52.79	5.260	-62.93	0.509	20	Pass	
				1000	25575		-52.59	5.508	-62.96	0.506	20	Pass		
					25661		-52.68	5.395	-62.82	0.522	20	Pass		
					25941		-52.47	5.662	-62.43	0.571	20	Pass		
					26386.5		-52.54	5.572	-62.96	0.506	20	Pass		
		5500	1	30	1000	26500	948.5	-71.84	0.065	/	/	4	Pass	
							25517.5	-52.28	5.916	-62.60	0.550	20	Pass	
				1000	25607.5		-52.36	5.808	-62.86	0.518	20	Pass		
					25815		-51.85	6.531	-62.68	0.540	20	Pass		
					26061.5		-51.68	6.792	-62.90	0.513	20	Pass		
					26450		-51.40	7.244	-59.10	1.230	20	Pass		
		5600	1	30	1000	26500	891.75	-76.02	0.025	/	/	4	Pass	
							2413.5	-42.83	52.119	-75.12	0.031	20	Pass	
				1000	25291.5		-52.07	6.209	-56.90	2.042	20	Pass		
					25431.5		-52.35	5.821	-62.94	0.508	20	Pass		
					25694		-52.17	6.067	-62.70	0.537	20	Pass		
					25989		-52.19	6.039	-62.56	0.555	20	Pass		
		5700	1	30	1000	26500	890.7	-75.20	0.030	/	/	4	Pass	
							2413	-43.67	42.954	-75.37	0.029	20	Pass	
				1000	2518.5		-52.02	6.281	-55.15	3.055	20	Pass		
					24903		-52.02	6.281	-56.92	2.032	20	Pass		
					25485		-51.88	6.486	-62.52	0.560	20	Pass		
					26380		-52.26	5.943	-62.57	0.553	20	Pass		
		5190	1	30	1000	948.55	-72.03	0.063	/	/	4	Pass		
						25057	-52.70	5.370	-63.11	0.489	20	Pass		
						25516	-52.02	6.281	-62.99	0.502	20	Pass		
						25853	-51.75	6.683	-62.70	0.537	20	Pass		
		5230	1	30	1000	26500	776.9	-76.24	0.024	/	/	4	Pass	
							2534.5	-48.31	14.757	-55.93	2.553	20	Pass	
				1000	25405.5		-52.64	5.445	-63.13	0.486	20	Pass		
					25791.5		-51.77	6.653	-63.03	0.498	20	Pass		
					25948.5		-52.63	5.458	-62.58	0.552	20	Pass		
					26448		-51.84	6.546	-57.93	1.611	20	Pass		
		5270	1	30	1000	26500	948.65	-73.72	0.042	/	/	4	Pass	
							25133.5	-52.16	6.081	-63.54	0.443	20	Pass	
				1000	25595		-52.25	5.957	-63.02	0.499	20	Pass		
					25806.5		-50.90	8.128	-62.80	0.525	20	Pass		
					26037		-51.58	6.950	-62.95	0.507	20	Pass		
					26386		-52.21	6.012	-63.00	0.501	20	Pass		
		5310	1	30	1000	26500	948.5	-75.33	0.029	/	/	4	Pass	
							2453.5	-49.94	10.139	-75.53	0.028	20	Pass	
				1000	24902.5		-52.47	5.662	-62.99	0.502	20	Pass		


		5510	1	30	1000	25210.5	-52.32	5.861	-63.56	0.441	20	Pass
						25891	-52.59	5.508	-62.25	0.596	20	Pass
						26329	-52.43	5.715	-63.11	0.489	20	Pass
				1000	26500	948.6	-73.94	0.040	/	/	4	Pass
						25397	-52.60	5.495	-62.93	0.509	20	Pass
						25679.5	-52.09	6.180	-62.61	0.548	20	Pass
						25823.5	-51.57	6.966	-62.62	0.547	20	Pass
						25973.5	-51.24	7.516	-60.56	0.879	20	Pass
						26480	-52.52	5.598	-62.50	0.562	20	Pass
		5590	1	30	1000	948.65	-72.29	0.059	/	/	4	Pass
						24903.5	-52.06	6.223	-62.90	0.513	20	Pass
						25374	-51.43	7.194	-63.00	0.501	20	Pass
				1000	26500	25526	-51.97	6.353	-62.77	0.528	20	Pass
						25845.5	-51.74	6.699	-62.52	0.560	20	Pass
						26034	-52.31	5.875	-62.83	0.521	20	Pass
		5670	1	30	1000	948.55	-73.37	0.046	/	/	4	Pass
						2410	-48.56	13.932	-75.36	0.029	20	Pass
						24995	-52.32	5.861	-62.59	0.551	20	Pass
				1000	26500	25262.5	-52.42	5.728	-62.90	0.513	20	Pass
						25902.5	-52.08	6.194	-60.18	0.959	20	Pass
						26079.5	-52.23	5.984	-62.76	0.530	20	Pass
802.11ac (VHT80)	SISO	5210	1	30	1000	948.6	-73.90	0.041	/	/	4	Pass
						25017	-52.90	5.129	-62.94	0.508	20	Pass
						25301	-52.82	5.224	-63.17	0.482	20	Pass
				1000	26500	25597	-52.34	5.834	-63.07	0.493	20	Pass
						25998.5	-52.18	6.053	-62.77	0.528	20	Pass
						26240.5	-52.92	5.105	-63.54	0.443	20	Pass
		5290	1	30	1000	948.6	-74.07	0.039	/	/	4	Pass
						2424.5	-47.37	18.323	-75.79	0.026	20	Pass
						24880.5	-52.07	6.209	-62.87	0.516	20	Pass
				1000	26500	25419	-52.47	5.662	-63.04	0.497	20	Pass
						25909	-52.50	5.623	-62.28	0.592	20	Pass
						26429	-52.37	5.794	-62.82	0.522	20	Pass
		5530	1	30	1000	948.55	-72.75	0.053	/	/	4	Pass
						2552.5	-50.19	9.572	-75.09	0.031	20	Pass
						24541	-52.00	6.310	-63.62	0.435	20	Pass
				1000	26500	24939.5	-51.98	6.339	-62.99	0.502	20	Pass
						25521	-51.73	6.714	-62.75	0.531	20	Pass
						25855	-51.99	6.324	-62.39	0.577	20	Pass
		5610	1	30	1000	948.6	-73.66	0.043	/	/	4	Pass
						2419.5	-50.23	9.484	-75.47	0.028	20	Pass
						25015	-52.55	5.559	-62.77	0.528	20	Pass
				1000	26500	25476.5	-52.49	5.636	-62.89	0.514	20	Pass
						26056	-52.06	6.223	-62.96	0.506	20	Pass
						26380	-52.65	5.433	-62.95	0.507	20	Pass

8.2 Test Graph


8.2.1 RxSe_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	956.950	-77.08	-	-54	Pass
1000	26500	1	1	24958.500	-52.64	-63.14	-47	Pass
1000	26500	1	1	25066.500	-52.61	-63.21	-47	Pass
1000	26500	1	1	25283.000	-52.06	-63.20	-47	Pass
1000	26500	1	1	25696.500	-52.72	-62.80	-47	Pass
1000	26500	1	1	26499.500	-52.19	-62.69	-47	Pass


802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	107.950	-76.59	-	-54	Pass
1000	26500	1	1	25208.000	-52.10	-63.54	-47	Pass
1000	26500	1	1	25508.500	-52.23	-63.00	-47	Pass
1000	26500	1	1	25573.000	-52.51	-63.07	-47	Pass
1000	26500	1	1	25866.500	-51.28	-62.55	-47	Pass
1000	26500	1	1	26442.000	-51.91	-62.90	-47	Pass


802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.550	-72.95	-75.63	-54	Pass
1000	26500	1	1	2451.500	-50.16	-62.81	-47	Pass
1000	26500	1	1	25555.000	-51.73	-62.81	-47	Pass
1000	26500	1	1	25619.500	-52.67	-63.00	-47	Pass
1000	26500	1	1	25877.500	-52.42	-62.48	-47	Pass
1000	26500	1	1	26103.500	-51.86	-63.27	-47	Pass


802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	925.950	-76.11	-	-54	Pass
1000	26500	1	1	2477.500	-51.39	-75.36	-47	Pass
1000	26500	1	1	25602.500	-52.43	-62.96	-47	Pass
1000	26500	1	1	25856.000	-52.82	-62.52	-47	Pass
1000	26500	1	1	26155.000	-52.89	-63.45	-47	Pass
1000	26500	1	1	26447.000	-52.86	-62.77	-47	Pass


802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	917.600	-76.55	-	-54	Pass
1000	26500	1	1	2474.500	-51.71	-75.26	-47	Pass
1000	26500	1	1	25398.500	-52.27	-62.93	-47	Pass
1000	26500	1	1	25896.500	-51.83	-62.28	-47	Pass
1000	26500	1	1	26019.000	-51.79	-62.82	-47	Pass
1000	26500	1	1	26339.000	-51.58	-63.14	-47	Pass


802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	942.100	-73.38	-	-54	Pass
1000	26500	1	1	25034.500	-52.45	-62.70	-47	Pass
1000	26500	1	1	25310.000	-52.34	-63.05	-47	Pass
1000	26500	1	1	25511.000	-51.24	-62.79	-47	Pass
1000	26500	1	1	25906.000	-51.22	-62.20	-47	Pass
1000	26500	1	1	26474.500	-52.59	-58.08	-47	Pass


802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV



802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	938.800	-75.43	-	-54	Pass
1000	26500	1	1	25363.500	-52.00	-63.00	-47	Pass
1000	26500	1	1	25644.500	-52.42	-62.85	-47	Pass
1000	26500	1	1	25914.500	-52.04	-62.33	-47	Pass
1000	26500	1	1	26359.500	-52.59	-63.02	-47	Pass
1000	26500	1	1	26500.000	-52.37	-62.57	-47	Pass


802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV




802.11a_MCH_5600MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.650	-74.94	-	-54	Pass
1000	26500	1	1	2426.500	-50.49	-75.31	-47	Pass
1000	26500	1	1	25598.000	-51.87	-62.55	-47	Pass
1000	26500	1	1	25666.000	-51.57	-62.56	-47	Pass
1000	26500	1	1	25920.500	-52.14	-56.23	-47	Pass
1000	26500	1	1	25983.000	-51.57	-62.36	-47	Pass


802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	676.800	-76.44	-	-54	Pass
1000	26500	1	1	24686.500	-52.94	-63.96	-47	Pass
1000	26500	1	1	25085.500	-52.58	-63.33	-47	Pass
1000	26500	1	1	25747.500	-52.33	-63.18	-47	Pass
1000	26500	1	1	25924.000	-52.50	-62.54	-47	Pass
1000	26500	1	1	26022.500	-52.99	-63.12	-47	Pass


802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.550	-75.20	-	-54	Pass
1000	26500	1	1	25113.500	-52.73	-63.51	-47	Pass
1000	26500	1	1	25537.500	-52.50	-62.95	-47	Pass
1000	26500	1	1	25636.500	-52.27	-63.12	-47	Pass
1000	26500	1	1	25835.000	-52.24	-62.82	-47	Pass
1000	26500	1	1	25895.500	-52.06	-62.48	-47	Pass


802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV



802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	903.450	-76.38	-	-54	Pass
1000	26500	1	1	24873.500	-52.26	-63.01	-47	Pass
1000	26500	1	1	25616.000	-52.72	-63.06	-47	Pass
1000	26500	1	1	25850.500	-52.77	-62.61	-47	Pass
1000	26500	1	1	25913.000	-52.73	-62.45	-47	Pass
1000	26500	1	1	26080.000	-52.57	-63.20	-47	Pass


802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20) HCH 5240MHz_Ant1_NTNV




802.11n(HT20) HCH 5240MHz_Ant1_NTNV




802.11n(HT20) HCH 5240MHz Ant1_NTNV




802.11n(HT20) HCH 5240MHz Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.600	-75.57	-	-54	Pass
1000	26500	1	1	2411.500	-47.86	-75.82	-47	Pass
1000	26500	1	1	25362.000	-51.64	-63.08	-47	Pass
1000	26500	1	1	25553.500	-52.31	-62.93	-47	Pass
1000	26500	1	1	25847.000	-52.09	-62.63	-47	Pass
1000	26500	1	1	25922.500	-52.61	-62.45	-47	Pass


802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV







802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	842.650	-76.11	-	-54	Pass
1000	26500	1	1	24932.000	-52.62	-63.08	-47	Pass
1000	26500	1	1	25534.000	-52.11	-62.77	-47	Pass
1000	26500	1	1	25602.000	-52.31	-62.97	-47	Pass
1000	26500	1	1	25917.000	-52.79	-62.39	-47	Pass
1000	26500	1	1	25977.500	-52.53	-62.70	-47	Pass


802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.600	-73.17	-	-54	Pass
1000	26500	1	1	24661.500	-51.97	-63.64	-47	Pass
1000	26500	1	1	24997.000	-52.30	-62.86	-47	Pass
1000	26500	1	1	25385.500	-52.03	-62.96	-47	Pass
1000	26500	1	1	25530.500	-51.99	-57.67	-47	Pass
1000	26500	1	1	25934.000	-52.28	-62.40	-47	Pass


802.11n(HT20) HCH 5320MHz Ant1_NTNV




802.11n(HT20) HCH 5320MHz Ant1_NTNV




802.11n(HT20) HCH 5320MHz_Ant1_NTNV




802.11n(HT20) HCH 5320MHz_Ant1_NTNV




802.11n(HT20) HCH 5320MHz_Ant1_NTNV



802.11n(HT20) LCH 5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.450	-74.73	-	-54	Pass
1000	26500	1	1	2450.500	-51.61	-75.51	-47	Pass
1000	26500	1	1	25284.000	-52.40	-62.89	-47	Pass
1000	26500	1	1	25796.500	-51.33	-62.72	-47	Pass
1000	26500	1	1	25870.500	-52.50	-62.27	-47	Pass
1000	26500	1	1	25935.500	-50.95	-62.33	-47	Pass


802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	819.850	-76.75	-	-54	Pass
1000	26500	1	1	2408.500	-50.56	-75.69	-47	Pass
1000	26500	1	1	25349.000	-52.35	-62.93	-47	Pass
1000	26500	1	1	25809.500	-52.41	-62.74	-47	Pass
1000	26500	1	1	25983.500	-52.26	-62.58	-47	Pass
1000	26500	1	1	26424.000	-52.28	-62.82	-47	Pass


802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




802.11n(HT20)_MCH_5600MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	948.650	-73.23	-	-54	Pass
1000	26500	1	1	25416.500	-52.48	-62.56	-47	Pass
1000	26500	1	1	25572.500	-52.14	-59.92	-47	Pass
1000	26500	1	1	25739.500	-52.33	-62.59	-47	Pass
1000	26500	1	1	25945.000	-51.38	-58.23	-47	Pass
1000	26500	1	1	26024.000	-52.08	-62.43	-47	Pass


802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT20) HCH 5700MHz_Ant1_NTNV




802.11n(HT20) HCH 5700MHz_Ant1_NTNV





802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV

