


802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5785MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.614G	58.71	68.20	-9.49	5.73	3	Horizontal	271	2.71	-
PK	5.786G	111.13	Inf	-Inf	6.02	3	Horizontal	271	2.71	-
AV	5.783G	99.71	Inf	-Inf	6.02	3	Horizontal	271	2.71	-
PK	5.981G	59.95	68.20	-8.25	7.17	3	Horizontal	271	2.71	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT Z_2TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.606G	59.50	68.20	-8.70	5.73	3	Vertical	92	2.62	-
PK	5.828G	116.75	Inf	-Inf	6.27	3	Vertical	92	2.62	-
AV	5.82G	105.42	Inf	-Inf	6.21	3	Vertical	92	2.62	-
PK	5.931G	60.79	68.20	-7.41	6.94	3	Vertical	92	2.62	-

802.11ax HEW20_Nss2,(MCS0)_2TX

01/12/2018

5825MHz_TX




EUT_Z_2TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.578G	60.04	68.20	-8.16	5.66	3	Horizontal	272	2.80	-
PK	5.826G	109.98	Inf	-Inf	6.25	3	Horizontal	272	2.80	-
AV	5.824G	98.76	Inf	-Inf	6.24	3	Horizontal	272	2.80	-
PK	5.967G	59.86	68.20	-8.34	7.11	3	Horizontal	272	2.80	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	68.02	68.20	-0.18	5.78	3	Vertical	47	2.57	-
PK	5.76G	115.06	Inf	-Inf	5.96	3	Vertical	47	2.57	-
AV	5.747G	103.49	Inf	-Inf	5.94	3	Vertical	47	2.57	-
PK	5.926G	62.89	68.20	-5.31	6.92	3	Vertical	47	2.57	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5755MHz_TX




EUT_Z_2TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	62.88	68.94	-6.06	5.78	3	Horizontal	272	2.70	-
PK	5.751G	108.75	Inf	-Inf	5.94	3	Horizontal	272	2.70	-
AV	5.759G	97.71	Inf	-Inf	5.96	3	Horizontal	272	2.70	-
PK	5.93G	60.44	68.20	-7.76	6.94	3	Horizontal	272	2.70	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT Z_2TX
Setting 98
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	64.24	68.20	-3.96	5.78	3	Vertical	59	2.87	-
PK	5.79G	116.64	Inf	-Inf	6.04	3	Vertical	59	2.87	-
AV	5.8G	104.82	Inf	-Inf	6.06	3	Vertical	59	2.87	-
PK	5.926G	68.04	68.20	-0.16	6.92	3	Vertical	59	2.87	-

802.11ax HEW40_Nss2,(MCS0)_2TX

01/12/2018

5795MHz_TX




EUT_Z_2TX
Setting 98
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	60.09	68.20	-8.11	5.75	3	Horizontal	266	2.82	-
PK	5.806G	109.45	Inf	-Inf	6.11	3	Horizontal	266	2.82	-
AV	5.794G	97.63	Inf	-Inf	6.05	3	Horizontal	266	2.82	-
PK	5.928G	65.78	68.20	-2.42	6.93	3	Horizontal	266	2.82	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX




EUT Z_2TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.09	68.20	-0.11	5.77	3	Vertical	88	2.80	-
PK	5.788G	109.99	Inf	-Inf	6.04	3	Vertical	88	2.80	-
AV	5.789G	99.58	Inf	-Inf	6.04	3	Vertical	88	2.80	-
PK	5.938G	67.56	68.20	-0.64	6.97	3	Vertical	88	2.80	-

802.11ax HEW80_Nss2,(MCS0)_2TX

01/12/2018

5775MHz_TX



EUT Z_2TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	64.09	68.20	-4.11	5.77	3	Horizontal	272	2.71	-
PK	5.767G	103.77	Inf	-Inf	5.98	3	Horizontal	272	2.71	-
AV	5.763G	93.50	Inf	-Inf	5.98	3	Horizontal	272	2.71	-
PK	5.93G	62.65	68.20	-5.55	6.94	3	Horizontal	272	2.71	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.75-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.629G	60.82	68.20	-7.38	5.75	3	Vertical	138	2.42	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.645G	60.16	68.20	-8.04	5.76	3	Vertical	139	2.32	-
PK	5.747G	120.62	Inf	-Inf	5.94	3	Vertical	139	2.32	-
AV	5.747G	110.97	Inf	-Inf	5.94	3	Vertical	139	2.32	-
PK	5.97G	60.56	68.20	-7.64	7.13	3	Vertical	139	2.32	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 80
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	58.66	68.20	-9.54	5.77	3	Horizontal	177	2.99	-
PK	5.741G	113.21	Inf	-Inf	5.93	3	Horizontal	177	2.99	-
AV	5.74G	103.90	Inf	-Inf	5.93	3	Horizontal	177	2.99	-
PK	5.985G	60.23	68.20	-7.97	7.18	3	Horizontal	177	2.99	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX



Lim.PK
PK
Lim.AV
AV


EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.629G	60.82	68.20	-7.38	5.75	3	Vertical	138	2.42	-
PK	5.788G	123.14	Inf	-Inf	6.04	3	Vertical	138	2.42	-
AV	5.787G	113.66	Inf	-Inf	6.02	3	Vertical	138	2.42	-
PK	5.968G	60.75	68.20	-7.45	7.12	3	Vertical	138	2.42	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	59.06	68.20	-9.14	5.77	3	Horizontal	178	2.93	-
PK	5.779G	115.18	Inf	-Inf	6.01	3	Horizontal	178	2.93	-
AV	5.779G	105.53	Inf	-Inf	6.01	3	Horizontal	178	2.93	-
PK	5.968G	60.35	68.20	-7.85	7.12	3	Horizontal	178	2.93	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 83
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.604G	60.48	68.20	-7.72	5.72	3	Vertical	139	2.22	-
PK	5.827G	120.71	Inf	-Inf	6.26	3	Vertical	139	2.22	-
AV	5.828G	111.22	Inf	-Inf	6.27	3	Vertical	139	2.22	-
PK	5.941G	60.60	68.20	-7.60	6.99	3	Vertical	139	2.22	-

802.11a_Nss1,(6Mbps)_4TX

01/12/2018

5825MHz_TX



EUT_Z_4TX
Setting 83
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	59.05	68.20	-9.15	5.78	3	Horizontal	8	2.76	-
PK	5.827G	112.96	Inf	-Inf	6.26	3	Horizontal	8	2.76	-
AV	5.826G	103.64	Inf	-Inf	6.25	3	Horizontal	8	2.76	-
PK	5.978G	60.03	68.20	-8.17	7.15	3	Horizontal	8	2.76	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.649G	68.13	68.20	-0.07	5.77	3	Vertical	89	2.65	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	65.64	68.20	-2.56	5.77	3	Vertical	88	2.52	-
PK	5.744G	123.86	Inf	-Inf	5.94	3	Vertical	88	2.52	-
AV	5.739G	112.13	Inf	-Inf	5.93	3	Vertical	88	2.52	-
PK	5.977G	60.70	68.20	-7.50	7.15	3	Vertical	88	2.52	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.646G	59.13	68.20	-9.07	5.77	3	Horizontal	170	2.91	-
PK	5.745G	115.58	Inf	-Inf	5.94	3	Horizontal	170	2.91	-
AV	5.739G	103.90	Inf	-Inf	5.93	3	Horizontal	170	2.91	-
PK	5.986G	60.37	68.20	-7.83	7.20	3	Horizontal	170	2.91	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.621G	60.62	68.20	-7.58	5.75	3	Vertical	89	2.63	-
PK	5.789G	123.28	Inf	-Inf	6.04	3	Vertical	89	2.63	-
AV	5.789G	110.77	Inf	-Inf	6.04	3	Vertical	89	2.63	-
PK	5.938G	61.02	68.20	-7.18	6.97	3	Vertical	89	2.63	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.603G	58.75	68.20	-9.45	5.72	3	Horizontal	170	2.99	-
PK	5.785G	115.67	Inf	-Inf	6.02	3	Horizontal	170	2.99	-
AV	5.784G	102.98	Inf	-Inf	6.02	3	Horizontal	170	2.99	-
PK	5.977G	59.68	68.20	-8.52	7.15	3	Horizontal	170	2.99	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.618G	60.18	68.20	-8.02	5.75	3	Vertical	87	2.62	-
PK	5.829G	121.34	Inf	-Inf	6.27	3	Vertical	87	2.62	-
AV	5.819G	109.48	Inf	-Inf	6.20	3	Vertical	87	2.62	-
PK	5.978G	60.74	68.20	-7.46	7.15	3	Vertical	87	2.62	-

802.11ax HEW20_Nss1,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.613G	58.94	68.20	-9.26	5.73	3	Horizontal	171	2.94	-
PK	5.824G	114.45	Inf	-Inf	6.24	3	Horizontal	171	2.94	-
AV	5.824G	102.49	Inf	-Inf	6.24	3	Horizontal	171	2.94	-
PK	5.95G	60.67	68.20	-7.53	7.03	3	Horizontal	171	2.94	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.643G	68.12	68.20	-0.08	5.76	3	Vertical	89	2.63	-
PK	5.749G	119.52	Inf	-Inf	5.95	3	Vertical	89	2.63	-
AV	5.759G	109.17	Inf	-Inf	5.96	3	Vertical	89	2.63	-
PK	5.96G	61.57	68.20	-6.63	7.08	3	Vertical	89	2.63	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	61.02	68.20	-7.18	5.77	3	Horizontal	178	2.91	-
PK	5.757G	112.03	Inf	-Inf	5.95	3	Horizontal	178	2.91	-
AV	5.762G	101.07	Inf	-Inf	5.96	3	Horizontal	178	2.91	-
PK	5.975G	59.94	68.20	-8.26	7.16	3	Horizontal	178	2.91	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	64.61	68.20	-3.59	5.77	3	Vertical	182	2.33	-
PK	5.811G	120.36	Inf	-Inf	6.15	3	Vertical	182	2.33	-
AV	5.791G	108.22	Inf	-Inf	6.04	3	Vertical	182	2.33	-
PK	5.926G	68.09	68.20	-0.11	6.92	3	Vertical	182	2.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	60.18	68.94	-8.76	5.78	3	Horizontal	179	2.75	-
PK	5.787G	114.33	Inf	-Inf	6.02	3	Horizontal	179	2.75	-
AV	5.792G	102.43	Inf	-Inf	6.04	3	Horizontal	179	2.75	-
PK	5.928G	61.76	68.20	-6.44	6.93	3	Horizontal	179	2.75	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 71
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.13	68.20	-0.07	5.77	3	Vertical	89	2.65	-
PK	5.769G	114.52	Inf	-Inf	5.99	3	Vertical	89	2.65	-
AV	5.764G	103.16	Inf	-Inf	5.98	3	Vertical	89	2.65	-
PK	5.934G	65.62	68.20	-2.58	6.96	3	Vertical	89	2.65	-

802.11ax HEW80_Nss1,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 71
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.624G	61.63	68.20	-6.57	5.75	3	Horizontal	171	2.99	-
PK	5.779G	106.04	Inf	-Inf	6.01	3	Horizontal	171	2.99	-
AV	5.784G	95.08	Inf	-Inf	6.02	3	Horizontal	171	2.99	-
PK	5.925G	60.82	68.20	-7.38	6.92	3	Horizontal	171	2.99	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.75-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.926G	68.01	68.20	-0.19	6.92	3	Vertical	2	1.10	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	65.23	68.20	-2.97	5.77	3	Vertical	181	2.46	-
PK	5.751G	123.63	Inf	-Inf	5.94	3	Vertical	181	2.46	-
AV	5.754G	113.40	Inf	-Inf	5.95	3	Vertical	181	2.46	-
PK	5.928G	60.94	68.20	-7.26	6.93	3	Vertical	181	2.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.593G	59.48	68.20	-8.72	5.70	3	Horizontal	171	2.41	-
PK	5.751G	113.96	Inf	-Inf	5.94	3	Horizontal	171	2.41	-
AV	5.754G	103.17	Inf	-Inf	5.95	3	Horizontal	171	2.41	-
PK	5.956G	59.69	68.20	-8.51	7.07	3	Horizontal	171	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-5-5-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.637G	60.54	68.20	-7.66	5.76	3	Vertical	270	2.56	-
PK	5.783G	124.08	Inf	-Inf	6.02	3	Vertical	270	2.56	-
AV	5.782G	111.19	Inf	-Inf	6.01	3	Vertical	270	2.56	-
PK	5.958G	60.46	68.20	-7.74	7.07	3	Vertical	270	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.543G	59.28	68.20	-8.92	5.57	3	Horizontal	78	2.54	-
PK	5.782G	114.79	Inf	-Inf	6.01	3	Horizontal	78	2.54	-
AV	5.78G	103.92	Inf	-Inf	6.01	3	Horizontal	78	2.54	-
PK	5.943G	59.89	68.20	-8.31	7.00	3	Horizontal	78	2.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.606G	59.83	68.20	-8.37	5.73	3	Vertical	174	2.66	-
PK	5.817G	121.93	Inf	-Inf	6.19	3	Vertical	174	2.66	-
AV	5.816G	110.55	Inf	-Inf	6.19	3	Vertical	174	2.66	-
PK	5.979G	60.67	68.20	-7.53	7.16	3	Vertical	174	2.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

03/12/2018

5825MHz_TX



Lim.PK
PK
Lim.AV
AV


EUT_Z_4TX
Setting 86
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.623G	58.41	68.20	-9.79	5.75	3	Horizontal	91	2.66	-
PK	5.82G	112.14	Inf	-Inf	6.21	3	Horizontal	91	2.66	-
AV	5.817G	100.80	Inf	-Inf	6.19	3	Horizontal	91	2.66	-
PK	5.929G	60.49	68.20	-7.71	6.94	3	Horizontal	91	2.66	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 87
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.99	68.20	-0.21	5.77	3	Vertical	173	2.61	-
PK	5.761G	119.81	Inf	-Inf	5.96	3	Vertical	173	2.61	-
AV	5.761G	108.50	Inf	-Inf	5.96	3	Vertical	173	2.61	-
PK	5.966G	60.62	68.20	-7.58	7.11	3	Vertical	173	2.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 87
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.641G	66.84	68.20	-1.36	8.70	3	Horizontal	33	2.39	-
PK	5.76G	119.96	Inf	-Inf	8.84	3	Horizontal	33	2.39	-
AV	5.766G	107.74	Inf	-Inf	8.84	3	Horizontal	33	2.39	-
PK	5.924G	62.37	68.94	-6.57	8.85	3	Horizontal	33	2.39	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 94
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	63.55	68.20	-4.65	5.78	3	Vertical	2	1.10	-
PK	5.808G	119.78	Inf	-Inf	6.12	3	Vertical	2	1.10	-
AV	5.81G	108.27	Inf	-Inf	6.14	3	Vertical	2	1.10	-
PK	5.926G	68.01	68.20	-0.19	6.92	3	Vertical	2	1.10	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

03/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 94
01-S-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	61.28	68.20	-6.92	5.77	3	Horizontal	92	2.81	-
PK	5.808G	112.32	Inf	-Inf	6.12	3	Horizontal	92	2.81	-
AV	5.81G	99.83	Inf	-Inf	6.14	3	Horizontal	92	2.81	-
PK	5.923G	63.86	69.68	-5.82	6.92	3	Horizontal	92	2.81	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 71
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	67.98	68.20	-0.22	5.75	3	Vertical	270	2.20	-
PK	5.783G	113.82	Inf	-Inf	6.02	3	Vertical	270	2.20	-
AV	5.783G	101.39	Inf	-Inf	6.02	3	Vertical	270	2.20	-
PK	5.925G	62.74	68.20	-5.46	6.91	3	Vertical	270	2.20	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 71
01-5-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	60.37	68.20	-7.83	5.76	3	Horizontal	350	2.91	-
PK	5.747G	107.98	Inf	-Inf	5.94	3	Horizontal	350	2.91	-
AV	5.792G	95.13	Inf	-Inf	6.04	3	Horizontal	350	2.91	-
PK	5.943G	59.70	68.20	-8.50	7.00	3	Horizontal	350	2.91	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.644G	68.18	68.20	-0.02	5.76	3	Vertical	34	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	62.56	68.20	-5.64	5.78	3	Vertical	37	2.30	-
PK	5.744G	121.00	Inf	-Inf	5.94	3	Vertical	37	2.30	-
AV	5.744G	109.06	Inf	-Inf	5.94	3	Vertical	37	2.30	-
PK	5.956G	60.85	68.20	-7.35	7.07	3	Vertical	37	2.30	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5745MHz_TX




EUT_Z_4TX
Setting 97
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	59.38	68.20	-8.82	5.77	3	Horizontal	356	2.57	-
PK	5.752G	113.40	Inf	-Inf	5.94	3	Horizontal	356	2.57	-
AV	5.742G	102.45	Inf	-Inf	5.93	3	Horizontal	356	2.57	-
PK	5.98G	60.19	68.20	-8.01	7.17	3	Horizontal	356	2.57	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.556G	60.45	68.20	-7.75	5.60	3	Vertical	36	2.27	-
PK	5.784G	120.15	Inf	-Inf	6.02	3	Vertical	36	2.27	-
AV	5.789G	108.85	Inf	-Inf	6.04	3	Vertical	36	2.27	-
PK	5.962G	60.50	68.20	-7.70	7.10	3	Vertical	36	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5785MHz_TX




EUT_Z_4TX
Setting 93
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.565G	59.07	68.20	-9.13	5.63	3	Horizontal	175	2.86	-
PK	5.78G	114.61	Inf	-Inf	6.01	3	Horizontal	175	2.86	-
AV	5.781G	101.46	Inf	-Inf	6.01	3	Horizontal	175	2.86	-
PK	5.979G	60.02	68.20	-8.18	7.16	3	Horizontal	175	2.86	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.645G	59.70	68.20	-8.50	5.76	3	Vertical	42	2.27	-
PK	5.83G	119.64	Inf	-Inf	6.28	3	Vertical	42	2.27	-
AV	5.822G	107.17	Inf	-Inf	6.23	3	Vertical	42	2.27	-
PK	5.964G	60.45	68.20	-7.75	7.10	3	Vertical	42	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/12/2018

5825MHz_TX




EUT_Z_4TX
Setting 86
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.588G	58.67	68.20	-9.53	5.69	3	Horizontal	356	2.72	-
PK	5.82G	112.01	Inf	-Inf	6.21	3	Horizontal	356	2.72	-
AV	5.822G	100.39	Inf	-Inf	6.23	3	Horizontal	356	2.72	-
PK	5.978G	59.53	68.20	-8.67	7.15	3	Horizontal	356	2.72	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.642G	68.05	68.20	-0.15	5.76	3	Vertical	32	2.29	-
PK	5.744G	117.71	Inf	-Inf	5.94	3	Vertical	32	2.29	-
AV	5.75G	106.45	Inf	-Inf	5.94	3	Vertical	32	2.29	-
PK	5.933G	60.63	68.20	-7.57	6.96	3	Vertical	32	2.29	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5755MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	60.21	68.20	-7.99	5.77	3	Horizontal	0	2.53	-
PK	5.76G	109.93	Inf	-Inf	5.96	3	Horizontal	0	2.53	-
AV	5.763G	99.67	Inf	-Inf	5.98	3	Horizontal	0	2.53	-
PK	5.949G	59.68	68.20	-8.52	7.03	3	Horizontal	0	2.53	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	66.77	68.20	-1.43	5.77	3	Vertical	36	2.48	-
PK	5.784G	119.17	Inf	-Inf	6.02	3	Vertical	36	2.48	-
AV	5.799G	108.63	Inf	-Inf	6.06	3	Vertical	36	2.48	-
PK	5.928G	68.03	68.20	-0.17	6.93	3	Vertical	36	2.48	-

802.11ax HEW40_Nss4,(MCS0)_4TX

01/12/2018

5795MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	60.43	68.20	-7.77	5.78	3	Horizontal	6	2.89	-
PK	5.804G	111.08	Inf	-Inf	6.09	3	Horizontal	6	2.89	-
AV	5.797G	100.36	Inf	-Inf	6.05	3	Horizontal	6	2.89	-
PK	5.933G	63.96	68.20	-4.24	6.96	3	Horizontal	6	2.89	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX




EUT_Z_4TX
Setting 73
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	68.18	68.20	-0.02	5.76	3	Vertical	34	2.27	-
PK	5.783G	110.42	Inf	-Inf	6.02	3	Vertical	34	2.27	-
AV	5.763G	100.95	Inf	-Inf	5.98	3	Vertical	34	2.27	-
PK	5.934G	64.43	68.20	-3.77	6.96	3	Vertical	34	2.27	-

802.11ax HEW80_Nss4,(MCS0)_4TX

01/12/2018

5775MHz_TX



EUT_Z_4TX
Setting 73
01-J-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	61.90	68.20	-6.30	5.76	3	Horizontal	12	2.93	-
PK	5.782G	103.48	Inf	-Inf	6.01	3	Horizontal	12	2.93	-
AV	5.791G	94.20	Inf	-Inf	6.04	3	Horizontal	12	2.93	-
PK	5.931G	61.59	68.20	-6.61	6.94	3	Horizontal	12	2.93	-