




NTHV 11A Ant1 5180 5260~5266.7



NTHV 11A Ant1 5180 5266.7~26000




NTHV 11A Ant1 5240 30~5142




NTHV_11A Ant1_5240_5142~5150




NTHV_11A Ant1_5240_5250~5251



NTHV_11A Ant1_5240_5251~5260



NTHV_11A_Ant1_5240_5260~5266.7



NTHV_11A_Ant1_5240_5266.7~26000



NTHV_11A_Ant1_5320_30~5233.3




NTHV 11A Ant1 5320 5233.3~5240



NTHV 11A Ant1 5320 5240~5249



NTHV 11A Ant1 5320 5249~5250



NTHV_11A_Ant1_5320_5350~26000



NTHV_11A_Ant1_5500_30~5460




NTHV_11A_Ant1_5500_5460~5470



NTHV 11A Ant1 5500 5745~5765




NTHV 11A Ant1 5500 5765~26000



NTHV 11N20SISO Ant1 5180 30~5142



NTHV 11N20SISO Ant1 5180 5142~5150



NTHV 11N20SISO Ant1 5180 5250~5251



NTHV 11N20SISO Ant1 5180 5251~5260



NTHV_11N20SISO_Ant1 5180 5260~5266.7



NTHV_11N20SISO_Ant1 5180 5266.7~26000



NTHV_11N20SISO_Ant1 5240 30~5142




NTHV 11N20SISO Ant1 5240 5142~5150




NTHV 11N20SISO Ant1 5240 5250~5251



NTHV 11N20SISO Ant1 5240 5251~5260



NTHV_11N20SISO_Ant1 5240 5260~5266.7



NTHV_11N20SISO_Ant1 5240 5266.7~26000



NTHV_11N20SISO_Ant1 5320 30~5233.3




NTHV 11N20SISO Ant1 5320 5233.3~5240



NTHV 11N20SISO Ant1 5320 5240~5249



NTHV 11N20SISO Ant1 5320 5249~5250



NTHV 11N20SISO Ant1 5320 5350~26000



NTHV 11N20SISO Ant1 5500 30~5460




NTHV 11N20SISO Ant1 5500 5460~5470



NTHV 11N20SISO Ant1 5500 5745~5765




NTHV 11N20SISO Ant1 5500 5765~26000




NTHV 11N40SISO Ant1 5190 30~5141.6




NTHV 11N40SISO Ant1 5190 5141.6~5150




NTHV 11N40SISO Ant1 5190 5250~5251



NTHV 11N40SISO Ant1 5190 5251~5270



NTHV_11N40SISO_Ant1_5190_5270~5278.4



NTHV_11N40SISO_Ant1_5190_5278.4~26000



NTHV_11N40SISO_Ant1_5230_30~5141.6



NTHV 11N40SISO Ant1 5230 5141.6~5150



NTHV 11N40SISO Ant1 5230 5250~5251



NTHV 11N40SISO Ant1 5230 5251~5270



NTHV_11N40SISO_Ant1 5230 5270~5278.4



NTHV_11N40SISO_Ant1 5230 5278.4~26000



NTHV_11AC20SISO_Ant1 5180 30~5142



NTHV 11AC20SISO Ant1 5180 5142~5150



NTHV 11AC20SISO Ant1 5180 5250~5251



NTHV 11AC20SISO Ant1 5180 5251~5260




NTHV_11AC20SISO_Ant1_5180_5260~5266.7




NTHV_11AC20SISO_Ant1_5180_5266.7~26000



NTHV_11AC20SISO_Ant1_5240_30~5142




NTHV 11AC20SISO Ant1 5240 5142~5150



NTHV 11AC20SISO Ant1 5240 5250~5251



NTHV 11AC20SISO Ant1 5240 5251~5260



NTHV 11AC20SISO Ant1 5240 5260~5266.7



NTHV 11AC20SISO Ant1 5240 5266.7~26000



NTHV 11AC20SISO Ant1 5320 30~5233.3



NTHV 11AC20SISO Ant1 5320 5233.3~5240



NTHV 11AC20SISO Ant1 5320 5240~5249



NTHV 11AC20SISO Ant1 5320 5249~5250



NTHV 11AC20SISO Ant1 5320 5350~26000



NTHV 11AC20SISO Ant1 5500 30~5460



NTHV 11AC20SISO Ant1 5500 5460~5470



NTHV 11AC20SISO Ant1 5500 5745~5765



NTHV 11AC20SISO Ant1 5500 5765~26000



NTHV 11AC40SISO Ant1 5190 30~5141.6




NTHV 11AC40SISO Ant1 5190 5141.6~5150



NTHV 11AC40SISO Ant1 5190 5250~5251




NTHV 11AC40SISO Ant1 5190 5251~5270



NTHV 11AC40SISO Ant1 5190 5270~5278.4



NTHV 11AC40SISO Ant1 5190 5278.4~26000



NTHV 11AC40SISO Ant1 5230 30~5141.6




NTHV 11AC40SISO Ant1 5230 5141.6~5150




NTHV 11AC40SISO Ant1 5230 5250~5251



NTHV 11AC40SISO Ant1 5230 5251~5270



NTHV 11AC40SISO Ant1 5230 5270~5278.4




NTHV 11AC40SISO Ant1 5230 5278.4~26000




NTHV 11AC80SISO Ant1 5210 30~5123.2



NTHV 11AC80SISO Ant1 5210 5132.5~5150



NTHV 11AC80SISO Ant1 5210 5250~5251



NTHV 11AC80SISO Ant1 5210 5251~5290



NTHV_11AC80SISO_Ant1_5210_5290~5296.7



NTHV_11AC80SISO_Ant1_5210_5296.7~26000



NTHV_11AC80SISO_Ant1_5530_30~5460



NTHV 11AC80SISO Ant1 5530 5460~5469.5




NTHV 11AC80SISO Ant1 5530 5469.5~5470




NTHV 11AC80SISO Ant1 5530 5770~26000




Test Graphs_Step2






NTNV 11N20SISO Ant1 5240 5254.86 Ant1






NTNV 11N20SISO Ant1 5240 5260.07 Ant1




NTNV 11N40SISO Ant1 5230 5250.99 Ant1





NTNV 11AC20SISO Ant1 5240 5250.41 Ant1





NTNV 11AC20SISO Ant1 5240 5251.06 Ant1



NTNV 11AC20SISO Ant1 5240 5260.07 Ant1






NTNV 11AC80SISO Ant1 5210 5250.75 Ant1



NTLV 11A Ant1 5240 5250.47 Ant1




NTLV 11N20SISO Ant1 5240 5250.47 Ant1





NTLV 11N20SISO Ant1 5240 5252.12 Ant1




NTLV 11N20SISO Ant1 5240 5260.23 Ant1



NTLV 11N40SISO Ant1 5230 5250.99 Ant1






NTLV 11AC20SISO Ant1 5240 5250.39 Ant1



NTLV 11AC20SISO Ant1 5240 5251.31 Ant1





NTLV 11AC20SISO Ant1 5240 5251.31 Ant1




NTLV 11AC20SISO Ant1 5240 5260.15 Ant1











NTHV 11N20SISO Ant1 5240 5250.28 Ant1




NTHV 11N20SISO Ant1 5240 5254.17 Ant1




NTHV 11N20SISO Ant1 5240 5260.49 Ant1





NTHV 11N40SISO Ant1 5230 5250.95 Ant1




NTHV 11AC20SISO Ant1 5240 5250.11 Ant1



NTHV 11AC20SISO Ant1 5240 5251.05 Ant1







NTHV 11AC20SISO Ant1 5240 5260.08 Ant1



NTHV 11AC40SISO Ant1 5230 5250.73 Ant1







Appendix A.5: Test Results of Spurious Emissions for Receiver


Test Result

Test Condition	TestMode	Antenn a	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~500	178.05	-66.38	≤-54	0.23014	≤4	PASS
				500~1000	937.00	-74.03	≤-54	0.03954	≤4	PASS
				1000~26000	3803.75	-60.61	≤-47	0.86896	≤20	PASS
			5200	30~500	186.04	-65.34	≤-54	0.29242	≤4	PASS
				500~1000	731.75	-72.44	≤-54	0.05702	≤4	PASS
				1000~26000	25712.50	-60.60	≤-47	0.87096	≤20	PASS
			5240	30~500	204.37	-66.19	≤-54	0.24044	≤4	PASS
				500~1000	731.75	-74.34	≤-54	0.03681	≤4	PASS
				1000~26000	25671.25	-60.95	≤-47	0.80353	≤20	PASS
			5320	30~500	142.57	-64.91	≤-54	0.32285	≤4	PASS
				500~1000	731.75	-72.68	≤-54	0.05395	≤4	PASS
				1000~26000	23928.75	-60.24	≤-47	0.94624	≤20	PASS
	11N20SISO	Ant1	5180	30~500	187.69	-66.34	≤-54	0.23227	≤4	PASS
				500~1000	174.06	-66.23	≤-54	0.23823	≤4	PASS
				1000~26000	24175.00	-60.79	≤-47	0.83368	≤20	PASS
			5200	30~500	176.88	-65.42	≤-54	0.28708	≤4	PASS
				500~1000	731.75	-74.69	≤-54	0.03396	≤4	PASS
				1000~26000	25743.75	-60.71	≤-47	0.84918	≤20	PASS
			5240	30~500	178.76	-66.28	≤-54	0.23550	≤4	PASS
				500~1000	731.75	-74.14	≤-54	0.03855	≤4	PASS
				1000~26000	23946.25	-60.82	≤-47	0.82794	≤20	PASS
			5320	30~500	179.23	-66.80	≤-54	0.20893	≤4	PASS
				500~1000	731.75	-73.70	≤-54	0.04266	≤4	PASS
				1000~26000	25596.25	-60.30	≤-47	0.93325	≤20	PASS
	11N40SISO	Ant1	5190	30~500	195.68	-66.75	≤-54	0.21135	≤4	PASS
				500~1000	731.75	-74.43	≤-54	0.03606	≤4	PASS
				1000~26000	25756.25	-60.67	≤-47	0.85704	≤20	PASS
			5230	30~500	189.10	-66.37	≤-54	0.23067	≤4	PASS
				500~1000	731.75	-73.86	≤-54	0.04111	≤4	PASS
				1000~26000	24041.25	-59.90	≤-47	1.02329	≤20	PASS
	11AC20SISO	Ant1	5180	30~500	193.80	-65.71	≤-54	0.26853	≤4	PASS
				500~1000	731.75	-73.67	≤-54	0.04295	≤4	PASS
				1000~26000	25662.50	-60.50	≤-47	0.89125	≤20	PASS
			5200	30~500	173.35	-66.19	≤-54	0.24044	≤4	PASS
				500~1000	731.75	-72.00	≤-54	0.06310	≤4	PASS
				1000~26000	25800.00	-59.72	≤-47	1.06660	≤20	PASS
			5240	30~500	186.98	-66.51	≤-54	0.22336	≤4	PASS
				500~1000	731.75	-73.59	≤-54	0.04375	≤4	PASS
				1000~26000	23795.00	-60.77	≤-47	0.83753	≤20	PASS
			5320	30~500	167.71	-66.86	≤-54	0.20606	≤4	PASS
				500~1000	731.75	-73.34	≤-54	0.04634	≤4	PASS
				1000~26000	25672.50	-60.41	≤-47	0.90991	≤20	PASS
	11AC40SISO	Ant1	5190	30~500	186.04	-65.29	≤-54	0.29580	≤4	PASS
				500~1000	731.75	-73.63	≤-54	0.04335	≤4	PASS
				1000~26000	25697.50	-59.59	≤-47	1.09901	≤20	PASS
			5230	30~500	167.01	-66.69	≤-54	0.21429	≤4	PASS
				500~1000	731.75	-73.63	≤-54	0.04335	≤4	PASS
				1000~26000	25788.75	-60.07	≤-47	0.98401	≤20	PASS
	11AC80SISO	Ant1	5210	30~500	194.74	-67.07	≤-54	0.19634	≤4	PASS
				500~1000	731.75	-74.18	≤-54	0.03819	≤4	PASS
				1000~26000	23710.00	-60.98	≤-47	0.79799	≤20	PASS
			5530	30~500	194.50	-66.92	≤-54	0.20324	≤4	PASS
				500~1000	731.75	-74.58	≤-54	0.03483	≤4	PASS
				1000~26000	23797.50	-61.14	≤-47	0.76913	≤20	PASS
	NTLV	Ant1	5180	30~500	181.11	-66.90	≤-54	0.20417	≤4	PASS
				500~1000	731.75	-73.85	≤-54	0.04121	≤4	PASS
				1000~26000	23888.75	-61.15	≤-47	0.76736	≤20	PASS
			5530	30~500	194.50	-66.78	≤-54	0.20989	≤4	PASS
				500~1000	731.75	-74.04	≤-54	0.03945	≤4	PASS
				1000~26000	24103.75	-60.04	≤-47	0.99083	≤20	PASS
			5180	30~500	175.23	-66.34	≤-54	0.23227	≤4	PASS
				500~1000	174.06	-66.23	≤-54	0.23823	≤4	PASS
				1000~26000	24175.00	-60.79	≤-47	0.83368	≤20	PASS
			5200	30~500	176.88	-65.42	≤-54	0.28708	≤4	PASS
				500~1000	731.75	-74.69	≤-54	0.03396	≤4	PASS
				1000~26000	25743.75	-60.71	≤-47	0.84918	≤20	PASS

			5200	500~1000	731.75	-72.87	≤-54	0.05164	≤4	PASS	
				1000~26000	23966.25	-60.83	≤-47	0.82604	≤20	PASS	
				30~500	183.93	-66.72	≤-54	0.21281	≤4	PASS	
				500~1000	731.75	-73.80	≤-54	0.04169	≤4	PASS	
				1000~26000	25935.00	-60.77	≤-47	0.83753	≤20	PASS	
				30~500	204.84	-65.86	≤-54	0.25942	≤4	PASS	
				500~1000	731.75	-74.44	≤-54	0.03597	≤4	PASS	
				1000~26000	24848.75	-61.08	≤-47	0.77983	≤20	PASS	
				30~500	171.24	-65.35	≤-54	0.29174	≤4	PASS	
			500~1000	731.75	-74.26	≤-54	0.03750	≤4	PASS		
			1000~26000	23996.25	-60.39	≤-47	0.91411	≤20	PASS		
			30~500	194.27	-66.06	≤-54	0.24774	≤4	PASS		
			500~1000	731.75	-73.62	≤-54	0.04345	≤4	PASS		
			1000~26000	25688.75	-59.22	≤-47	1.19674	≤20	PASS		
			30~500	201.08	-66.50	≤-54	0.22387	≤4	PASS		
			500~1000	731.75	-73.42	≤-54	0.04550	≤4	PASS		
			1000~26000	25695.00	-60.29	≤-47	0.93541	≤20	PASS		
			5240	30~500	192.39	-66.68	≤-54	0.21478	≤4	PASS	
	500~1000	731.75	-73.66	≤-54	0.04305	≤4	PASS				
	1000~26000	25131.25	-59.57	≤-47	1.10408	≤20	PASS				
	5240	30~500	188.16	-66.41	≤-54	0.22856	≤4	PASS			
	500~1000	731.75	-73.43	≤-54	0.04539	≤4	PASS				
	1000~26000	25716.25	-60.09	≤-47	0.97949	≤20	PASS				
	5320	30~500	194.50	-66.86	≤-54	0.20606	≤4	PASS			
	500~1000	731.75	-72.84	≤-54	0.05200	≤4	PASS				
	1000~26000	24012.50	-60.58	≤-47	0.87498	≤20	PASS				
	5500	30~500	142.57	-66.72	≤-54	0.21281	≤4	PASS			
	500~1000	731.75	-73.47	≤-54	0.04498	≤4	PASS				
	1000~26000	25675.00	-60.62	≤-47	0.86696	≤20	PASS				
				5190	30~500	185.57	-66.25	≤-54	0.23714	≤4	PASS
					500~1000	731.75	-74.39	≤-54	0.03639	≤4	PASS
					1000~26000	23883.75	-60.88	≤-47	0.81658	≤20	PASS
					30~500	188.63	-66.21	≤-54	0.23933	≤4	PASS
				500~1000	731.75	-74.42	≤-54	0.03614	≤4	PASS	
				1000~26000	23747.50	-60.19	≤-47	0.95719	≤20	PASS	
				5230	30~500	178.52	-66.74	≤-54	0.21184	≤4	PASS
				500~1000	564.00	-74.50	≤-54	0.03548	≤4	PASS	
				1000~26000	23933.75	-60.89	≤-47	0.81470	≤20	PASS	
				30~500	194.50	-66.22	≤-54	0.23878	≤4	PASS	
	500~1000	589.00	-74.73	≤-54	0.03365	≤4	PASS				
	1000~26000	24348.75	-60.08	≤-47	0.98175	≤20	PASS				
	5240	30~500	201.08	-66.61	≤-54	0.21827	≤4	PASS			
	500~1000	731.75	-73.22	≤-54	0.04764	≤4	PASS				
	1000~26000	24097.50	-61.10	≤-47	0.77625	≤20	PASS				
	5320	30~500	183.69	-66.34	≤-54	0.23227	≤4	PASS			
	500~1000	731.75	-73.26	≤-54	0.04721	≤4	PASS				
	1000~26000	25688.75	-59.86	≤-47	1.03276	≤20	PASS				
	5500	30~500	199.91	-66.10	≤-54	0.24547	≤4	PASS			
	500~1000	731.75	-73.55	≤-54	0.04416	≤4	PASS				
	1000~26000	25718.75	-60.82	≤-47	0.82794	≤20	PASS				
				5190	30~500	185.57	-66.77	≤-54	0.21038	≤4	PASS
					500~1000	731.75	-74.42	≤-54	0.03614	≤4	PASS
					1000~26000	23791.25	-60.60	≤-47	0.87096	≤20	PASS
				5230	30~500	185.81	-66.30	≤-54	0.23442	≤4	PASS
				500~1000	731.75	-73.10	≤-54	0.04898	≤4	PASS	
				1000~26000	25052.50	-60.02	≤-47	0.99541	≤20	PASS	
				5210	30~500	234.22	-66.44	≤-54	0.22699	≤4	PASS
					500~1000	731.75	-74.54	≤-54	0.03516	≤4	PASS
					1000~26000	25716.25	-60.43	≤-47	0.90573	≤20	PASS
				5530	30~500	187.45	-65.61	≤-54	0.27479	≤4	PASS
				500~1000	880.25	-73.73	≤-54	0.04236	≤4	PASS	
				1000~26000	23537.50	-60.62	≤-47	0.86696	≤20	PASS	
				5180	30~500	189.80	-66.25	≤-54	0.23714	≤4	PASS
					500~1000	731.75	-74.13	≤-54	0.03864	≤4	PASS
					1000~26000	24250.00	-60.81	≤-47	0.82985	≤20	PASS
				5200	30~500	183.46	-65.38	≤-54	0.28973	≤4	PASS
				500~1000	731.75	-73.77	≤-54	0.04198	≤4	PASS	
				1000~26000	25698.75	-60.87	≤-47	0.81846	≤20	PASS	
				5240	30~500	180.64	-66.17	≤-54	0.24155	≤4	PASS
				500~1000	731.75	-74.05	≤-54	0.03936	≤4	PASS	
				1000~26000	25887.50	-59.30	≤-47	1.17490	≤20	PASS	

	11N20SISO	Ant1	5320	30~500	214.71	-66.22	≤-54	0.23878	≤4	PASS
				500~1000	731.75	-75.03	≤-54	0.03141	≤4	PASS
				1000~26000	23810.00	-60.80	≤-47	0.83176	≤20	PASS
			5500	30~500	176.41	-66.39	≤-54	0.22961	≤4	PASS
				500~1000	543.50	-74.66	≤-54	0.03420	≤4	PASS
				1000~26000	23837.50	-59.83	≤-47	1.03992	≤20	PASS
			5180	30~500	200.85	-66.49	≤-54	0.22439	≤4	PASS
				500~1000	731.75	-74.76	≤-54	0.03342	≤4	PASS
				1000~26000	25797.50	-60.55	≤-47	0.88105	≤20	PASS
	11N40SISO	Ant1	5200	30~500	190.74	-66.15	≤-54	0.24266	≤4	PASS
				500~1000	731.75	-74.09	≤-54	0.03899	≤4	PASS
				1000~26000	25617.50	-60.06	≤-47	0.98628	≤20	PASS
			5240	30~500	181.58	-65.40	≤-54	0.28840	≤4	PASS
				500~1000	731.75	-74.59	≤-54	0.03475	≤4	PASS
				1000~26000	23813.75	-60.44	≤-47	0.90365	≤20	PASS
			5320	30~500	142.57	-66.14	≤-54	0.24322	≤4	PASS
				500~1000	731.75	-73.33	≤-54	0.04645	≤4	PASS
				1000~26000	24176.25	-60.47	≤-47	0.89743	≤20	PASS
			5500	30~500	186.51	-65.04	≤-54	0.31333	≤4	PASS
				500~1000	731.75	-74.14	≤-54	0.03855	≤4	PASS
				1000~26000	25838.75	-60.73	≤-47	0.84528	≤20	PASS
	11AC20SISO	Ant1	5190	30~500	142.57	-65.36	≤-54	0.29107	≤4	PASS
				500~1000	731.75	-74.29	≤-54	0.03724	≤4	PASS
				1000~26000	25681.25	-60.58	≤-47	0.87498	≤20	PASS
			5230	30~500	185.10	-66.00	≤-54	0.25119	≤4	PASS
				500~1000	731.75	-74.87	≤-54	0.03258	≤4	PASS
				1000~26000	25492.50	-60.06	≤-47	0.98628	≤20	PASS
			5180	30~500	142.57	-66.90	≤-54	0.20417	≤4	PASS
				500~1000	731.75	-73.81	≤-54	0.04159	≤4	PASS
				1000~26000	25628.75	-61.01	≤-47	0.79250	≤20	PASS
			5200	30~500	194.50	-65.79	≤-54	0.26363	≤4	PASS
				500~1000	731.75	-73.61	≤-54	0.04355	≤4	PASS
				1000~26000	25768.75	-60.14	≤-47	0.96828	≤20	PASS
	11AC40SISO	Ant1	5240	30~500	142.57	-66.57	≤-54	0.22029	≤4	PASS
				500~1000	731.75	-72.74	≤-54	0.05321	≤4	PASS
				1000~26000	24003.75	-61.03	≤-47	0.78886	≤20	PASS
			5320	30~500	183.46	-66.32	≤-54	0.23335	≤4	PASS
				500~1000	731.75	-73.59	≤-54	0.04375	≤4	PASS
				1000~26000	25661.25	-60.14	≤-47	0.96828	≤20	PASS
			5500	30~500	186.04	-65.78	≤-54	0.26424	≤4	PASS
				500~1000	731.75	-74.45	≤-54	0.03589	≤4	PASS
				1000~26000	25786.25	-60.98	≤-47	0.79799	≤20	PASS
	11AC80SISO	Ant1	5190	30~500	190.51	-66.63	≤-54	0.21727	≤4	PASS
				500~1000	731.75	-72.91	≤-54	0.05117	≤4	PASS
				1000~26000	23997.50	-60.65	≤-47	0.86099	≤20	PASS
			5230	30~500	185.81	-66.54	≤-54	0.22182	≤4	PASS
				500~1000	731.75	-72.05	≤-54	0.06237	≤4	PASS
				1000~26000	25847.50	-60.89	≤-47	0.81470	≤20	PASS
	11AC80SISO	Ant1	5210	30~500	172.88	-66.57	≤-54	0.22029	≤4	PASS
				500~1000	731.75	-73.46	≤-54	0.04508	≤4	PASS
				1000~26000	24093.75	-60.79	≤-47	0.83368	≤20	PASS
			5530	30~500	176.64	-66.36	≤-54	0.23121	≤4	PASS
				500~1000	731.75	-74.15	≤-54	0.03846	≤4	PASS
				1000~26000	23795.00	-60.49	≤-47	0.89331	≤20	PASS

Test Graphs





NTNV_11A_Ant1_5200_30~500



NTNV_11A_Ant1_5200_500~1000



NTNV_11A_Ant1_5200_1000~26000



NTNV_11A Ant1 5240 30~500




NTNV_11A Ant1 5240 500~1000



NTNV_11A Ant1 5240 1000~26000




NTNV_11A_Ant1_5320_30~500




NTNV_11A_Ant1_5320_500~1000



NTNV_11A_Ant1_5320_1000~26000





NTNV_11A_Ant1_5500_30~500



NTNV_11A_Ant1_5500_500~1000



NTNV_11A_Ant1_5500_1000~26000





NTNV 11N20SISO Ant1 5200 30~500



NTNV 11N20SISO Ant1 5200 500~1000



NTNV 11N20SISO Ant1 5200 1000~2600



NTNV 11N20SISO Ant1 5240 30~500



NTNV 11N20SISO Ant1 5240 500~1000



NTNV 11N20SISO Ant1 5240 1000~26000



NTNV 11N20SISO Ant1 5320 30~500




NTNV 11N20SISO Ant1 5320 500~1000



NTNV 11N20SISO Ant1 5320 1000~26000



NTNV 11N20SISO Ant1 5500 30~500



NTNV 11N20SISO Ant1 5500 500~1000



NTNV 11N20SISO Ant1 5500 1000~26000





NTNV 11N40SISO Ant1 5190 30~500



NTNV 11N40SISO Ant1 5190 500~1000



NTNV 11N40SISO Ant1 5190 1000~26000





NTNV 11AC20SISO Ant1 5180 30~500



NTNV 11AC20SISO Ant1 5180 500~1000



NTNV 11AC20SISO Ant1 5180 1000~26000



NTNV 11AC20SISO Ant1 5200 30~500




NTNV 11AC20SISO Ant1 5200 500~1000




NTNV 11AC20SISO Ant1 5200 1000~26000




NTNV 11AC20SISO Ant1 5240 30~500




NTNV 11AC20SISO Ant1 5240 500~1000



NTNV 11AC20SISO Ant1 5240 1000~26000




NTNV 11AC20SISO Ant1 5320 30~500




NTNV 11AC20SISO Ant1 5320 500~1000




NTNV 11AC20SISO Ant1 5320 1000~26000




NTNV 11AC20SISO Ant1 5500 30~500




NTNV 11AC20SISO Ant1 5500 500~1000




NTNV 11AC20SISO Ant1 5500 1000~26000



NTNV 11AC40SISO Ant1 5190 30~500



NTNV 11AC40SISO Ant1 5190 500~1000




NTNV 11AC40SISO Ant1 5190 1000~26000




NTNV 11AC40SISO Ant1 5230 30~500




NTNV 11AC40SISO Ant1 5230 500~1000



NTNV 11AC40SISO Ant1 5230 1000~26000



NTNV 11AC80SISO Ant1 5210 30~500



NTNV 11AC80SISO Ant1 5210 500~1000



NTNV 11AC80SISO Ant1 5210 1000~26000




NTNV 11AC80SISO Ant1 5530 30~500




NTNV 11AC80SISO Ant1 5530 500~1000



NTNV 11AC80SISO Ant1 5530 1000~26000




NTLV 11A Ant1 5180 30~500




NTLV 11A Ant1 5180 500~1000



NTLV 11A Ant1 5180 1000~26000



NTLV 11A Ant1 5200 30~500



NTLV 11A Ant1 5200 500~1000



NTLV 11A Ant1 5200 1000~26000



NTLV 11A Ant1 5240 30~500



NTLV 11A Ant1 5240 500~1000



NTLV 11A Ant1 5240 1000~26000



NTLV 11A Ant1 5320 30~500



NTLV 11A Ant1 5320 500~1000



NTLV 11A Ant1 5320 1000~26000





NTLV 11A Ant1 5500 30~500



NTLV 11A Ant1 5500 500~1000



NTLV 11A Ant1 5500 1000~26000







NTLV 11N20SISO Ant1 5200 30~500



NTLV 11N20SISO Ant1 5200 500~1000



NTLV 11N20SISO Ant1 5200 1000~26000





NTLV 11N20SISO Ant1 5320 30~500



NTLV 11N20SISO Ant1 5320 500~1000



NTLV 11N20SISO Ant1 5320 1000~26000



NTLV 11N20SISO Ant1 5500 30~500



NTLV 11N20SISO Ant1 5500 500~1000



NTLV 11N20SISO Ant1 5500 1000~26000



NTLV 11N40SISO Ant1 5190 30~500



NTLV 11N40SISO Ant1 5190 500~1000



NTLV 11N40SISO Ant1 5190 1000~26000




NTLV 11N40SISO Ant1 5230 30~500




NTLV 11N40SISO Ant1 5230 500~1000



NTLV 11N40SISO Ant1 5230 1000~26000





NTLV 11AC20SISO Ant1 5180 30~500



NTLV 11AC20SISO Ant1 5180 500~1000



NTLV 11AC20SISO Ant1 5180 1000~26000





NTLV 11AC20SISO Ant1 5240 30~500



NTLV 11AC20SISO Ant1 5240 500~1000



NTLV 11AC20SISO Ant1 5240 1000~26000



NTLV 11AC20SISO Ant1 5320 30~500



NTLV 11AC20SISO Ant1 5320 500~1000



NTLV 11AC20SISO Ant1 5320 1000~26000




NTLV 11AC20SISO Ant1 5500 30~500




NTLV 11AC20SISO Ant1 5500 500~1000



NTLV 11AC20SISO Ant1 5500 1000~26000




NTLV 11AC40SISO Ant1 5190 30~500




NTLV 11AC40SISO Ant1 5190 500~1000




NTLV 11AC40SISO Ant1 5190 1000~26000





NTLV 11AC80SISO Ant1 5210 30~500




NTLV 11AC80SISO Ant1 5210 500~1000



NTLV 11AC80SISO Ant1 5210 1000~26000



NTLV 11AC80SISO Ant1 5530 30~500



NTLV 11AC80SISO Ant1 5530 500~1000



NTLV 11AC80SISO Ant1 5530 1000~26000



NTHV_11A Ant1 5180 30~500



NTHV_11A Ant1 5180 500~1000



NTHV_11A Ant1 5180 1000~26000



NTHV_11A_Ant1_5200_30~500



NTHV_11A_Ant1_5200_500~1000



NTHV_11A_Ant1_5200_1000~26000