

Test Report No.60383513 001


Appendix D: Radiated Spurious Emission Data


(File: 60383513 001 Appendix D)

Contents

Spurious Emissions, RX Mode, 9kHz-30MHz.....	2
Spurious Emissions, RX Mode, 30MHz-1GHz.....	4
Spurious Emissions, RX Mode, 1GHz-26.5GHz.....	6

2446MHz






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	0.51	59.74	13.20	46.54	73.38	-13.64	100	325 QP	vertical	
2	5.30	49.81	11.47	38.34	69.50	-19.69	100	280 QP	vertical	
3	10.36	49.41	11.96	37.45	69.50	-20.09	100	301 QP	vertical	
4	14.07	49.81	12.18	37.63	69.50	-19.69	100	85 QP	vertical	
5	18.47	50.29	13.63	36.66	69.50	-19.21	100	339 QP	vertical	
6	22.73	48.74	13.08	35.66	69.50	-20.76	100	188 QP	vertical	

Spurious Emissions, RX Mode, 30MHz-1GHz


2446MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	48.04	21.89	29.41	-7.52	40.00	-18.11	100	276 QP	horizontal	
2	170.07	21.65	28.93	-7.28	43.50	-21.85	100	127 QP	horizontal	
3	380.85	25.42	30.42	-5.00	46.00	-20.58	100	265 QP	horizontal	
4	531.01	28.50	31.17	-2.67	46.00	-17.50	200	131 QP	horizontal	
5	683.00	29.93	30.07	-0.14	46.00	-16.07	200	11 QP	horizontal	
6	843.44	33.21	30.87	2.34	46.00	-12.79	300	45 QP	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.29	22.59	30.37	-7.78	40.00	-17.41	300	73 QP	vertical	
2	165.70	22.33	29.58	-7.25	43.50	-21.17	200	325 QP	vertical	
3	454.08	27.02	30.71	-3.69	46.00	-18.98	300	2 QP	vertical	
4	644.50	29.59	30.20	-0.61	46.00	-16.41	200	234 QP	vertical	
5	718.99	31.23	30.75	0.48	46.00	-14.77	200	360 QP	vertical	
6	851.59	32.25	29.86	2.39	46.00	-13.75	200	0 QP	vertical	

Spurious Emissions, RX Mode, 1GHz-26.5GHz


2446MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4919.00	41.00	50.91	-9.91	74.00	-33.00	196	360 Peak	horizontal	
2	5904.00	41.93	50.35	-8.42	74.00	-32.07	300	360 Peak	horizontal	
3	6871.00	42.43	50.23	-7.80	74.00	-31.57	200	248 Peak	horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	3280.00	39.02	51.56	-12.54	74.00	-34.98	400	360 Peak	vertical	
2	5092.00	41.29	50.95	-9.66	74.00	-32.71	145	360 Peak	vertical	
3	6234.00	42.26	50.29	-8.03	74.00	-31.74	133	20 Peak	vertical	