




Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

Appendix F: Adjacent Channel Power Tolerance

Test Result

Test Condition	Test Mode	Antenna	Freq(M Hz)	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5180	-40	-43.26	≤-40	PASS
				-20	-35.92	≤-25	PASS
				+20	-36.32	≤-25	PASS
				+40	-43.10	≤-40	PASS
			5200	-40	-42.85	≤-40	PASS
				-20	-36.22	≤-25	PASS
				+20	-36.41	≤-25	PASS
				+40	-42.80	≤-40	PASS
			5240	-40	-43.60	≤-40	PASS
				-20	-36.97	≤-25	PASS
				+20	-36.77	≤-25	PASS
				+40	-43.59	≤-40	PASS
			5260	-40	-44.88	≤-40	PASS
				-20	-36.11	≤-25	PASS
				+20	-36.68	≤-25	PASS
				+40	-44.92	≤-40	PASS
			5300	-40	-43.25	≤-40	PASS
				-20	-36.27	≤-25	PASS
				+20	-36.24	≤-25	PASS
				+40	-43.18	≤-40	PASS
			5320	-40	-43.15	≤-40	PASS
				-20	-36.46	≤-25	PASS
				+20	-36.53	≤-25	PASS
				+40	-43.21	≤-40	PASS
			5500	-40	-44.24	≤-40	PASS
				-20	-36.72	≤-25	PASS
				+20	-37.06	≤-25	PASS
				+40	-44.25	≤-40	PASS
			5580	-40	-44.42	≤-40	PASS
				-20	-36.25	≤-25	PASS
				+20	-36.92	≤-25	PASS
				+40	-44.43	≤-40	PASS
			5700	-40	-43.71	≤-40	PASS
				-20	-36.63	≤-25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

	11N20SI SO	Ant1	5180	+20	-36.59	≤-25	PASS
				+40	-43.06	≤-40	PASS
				-40	-44.58	≤-40	PASS
				-20	-36.55	≤-25	PASS
				+20	-36.36	≤-25	PASS
				+40	-44.62	≤-40	PASS
			5200	-40	-44.36	≤-40	PASS
				-20	-36.24	≤-25	PASS
				+20	-36.39	≤-25	PASS
				+40	-44.40	≤-40	PASS
			5240	-40	-44.58	≤-40	PASS
				-20	-36.49	≤-25	PASS
				+20	-35.99	≤-25	PASS
				+40	-44.86	≤-40	PASS
			5260	-40	-45.97	≤-40	PASS
				-20	-35.99	≤-25	PASS
				+20	-36.19	≤-25	PASS
				+40	-46.14	≤-40	PASS
	11N40SI SO	Ant1	5300	-40	-44.42	≤-40	PASS
				-20	-36.03	≤-25	PASS
				+20	-36.32	≤-25	PASS
				+40	-44.29	≤-40	PASS
			5320	-40	-44.23	≤-40	PASS
				-20	-36.66	≤-25	PASS
				+20	-36.23	≤-25	PASS
				+40	-44.28	≤-40	PASS
			5500	-40	-45.05	≤-40	PASS
				-20	-36.11	≤-25	PASS
				+20	-36.20	≤-25	PASS
				+40	-44.83	≤-40	PASS
			5580	-40	-44.76	≤-40	PASS
				-20	-36.09	≤-25	PASS
				+20	-36.30	≤-25	PASS
				+40	-44.89	≤-40	PASS
			5700	-40	-44.14	≤-40	PASS
				-20	-35.75	≤-25	PASS
				+20	-36.03	≤-25	PASS
				+40	-43.66	≤-40	PASS
	11N40SI SO	Ant1	5190	-80	-42.22	≤-40	PASS
				-40	-38.98	≤-25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			5230	+40	-39.09	≤25	PASS
				+80	-42.32	≤40	PASS
				-80	-41.73	≤40	PASS
				-40	-38.76	≤25	PASS
				+40	-38.77	≤25	PASS
				+80	-41.92	≤40	PASS
			5270	-80	-41.29	≤40	PASS
				-40	-38.58	≤25	PASS
				+40	-38.89	≤25	PASS
				+80	-41.58	≤40	PASS
			5310	-80	-41.16	≤40	PASS
				-40	-38.98	≤25	PASS
				+40	-38.70	≤25	PASS
				+80	-41.30	≤40	PASS
			5510	-80	-42.02	≤40	PASS
				-40	-38.78	≤25	PASS
				+40	-39.04	≤25	PASS
				+80	-41.80	≤40	PASS
			5550	-80	-42.34	≤40	PASS
				-40	-39.04	≤25	PASS
				+40	-38.81	≤25	PASS
				+80	-41.88	≤40	PASS
			5670	-80	-40.91	≤40	PASS
				-40	-38.16	≤25	PASS
				+40	-38.42	≤25	PASS
				+80	-40.15	≤40	PASS
	11AC20S ISO	Ant1	5180	-40	-43.70	≤40	PASS
				-20	-35.06	≤25	PASS
				+20	-35.55	≤25	PASS
				+40	-43.83	≤40	PASS
			5200	-40	-44.15	≤40	PASS
				-20	-35.26	≤25	PASS
				+20	-35.62	≤25	PASS
				+40	-44.24	≤40	PASS
			5240	-40	-43.61	≤40	PASS
				-20	-35.17	≤25	PASS
				+20	-35.55	≤25	PASS
			5260	+40	-43.95	≤40	PASS
				-40	-41.24	≤40	PASS
				-20	-33.37	≤25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			5300	+20	-34.38	≤25	PASS
				+40	-41.42	≤40	PASS
				-40	-40.22	≤40	PASS
				-20	-33.70	≤25	PASS
				+20	-33.85	≤25	PASS
				+40	-40.36	≤40	PASS
			5320	-40	-40.42	≤40	PASS
				-20	-34.18	≤25	PASS
				+20	-34.04	≤25	PASS
				+40	-40.62	≤40	PASS
			5500	-40	-40.75	≤40	PASS
				-20	-34.30	≤25	PASS
				+20	-34.50	≤25	PASS
				+40	-40.55	≤40	PASS
			5580	-40	-44.14	≤40	PASS
				-20	-35.04	≤25	PASS
				+20	-35.80	≤25	PASS
				+40	-43.79	≤40	PASS
			5700	-40	-43.57	≤40	PASS
				-20	-34.91	≤25	PASS
				+20	-35.18	≤25	PASS
				+40	-42.91	≤40	PASS
	11AC40S ISO	Ant1	5190	-80	-40.09	≤40	PASS
				-40	-38.38	≤25	PASS
				+40	-38.63	≤25	PASS
				+80	-40.52	≤40	PASS
			5230	-80	-40.78	≤40	PASS
				-40	-37.89	≤25	PASS
				+40	-38.46	≤25	PASS
				+80	-40.90	≤40	PASS
			5270	-80	-40.26	≤40	PASS
				-40	-38.25	≤25	PASS
				+40	-38.23	≤25	PASS
				+80	-40.37	≤40	PASS
			5310	-80	-41.02	≤40	PASS
				-40	-38.89	≤25	PASS
				+40	-38.57	≤25	PASS
			5510	+80	-40.76	≤40	PASS
				-80	-40.79	≤40	PASS
				-40	-38.32	≤25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			5550	+40	-38.70	≤25	PASS
				+80	-40.87	≤40	PASS
				-80	-41.10	≤40	PASS
				-40	-38.70	≤25	PASS
				+40	-38.89	≤25	PASS
				+80	-40.83	≤40	PASS
			5670	-80	-42.16	≤40	PASS
				-40	-38.82	≤25	PASS
				+40	-38.66	≤25	PASS
				+80	-40.84	≤40	PASS
	11AC80S ISO	Ant1	5210	-80	-33.01	≤25	PASS
				+80	-33.29	≤25	PASS
			5290	-80	-32.40	≤25	PASS
				+80	-32.70	≤25	PASS
			5530	-80	-33.60	≤25	PASS
				+80	-33.47	≤25	PASS
			5610	-80	-32.96	≤25	PASS
				+80	-32.66	≤25	PASS
	11AX20S ISO	Ant1	5180	-40	-40.67	≤40	PASS
				-20	-33.75	≤25	PASS
				+20	-33.54	≤25	PASS
				+40	-40.64	≤40	PASS
			5200	-40	-40.89	≤40	PASS
				-20	-32.54	≤25	PASS
				+20	-34.34	≤25	PASS
				+40	-40.97	≤40	PASS
			5240	-40	-40.36	≤40	PASS
				-20	-33.31	≤25	PASS
				+20	-34.17	≤25	PASS
				+40	-40.92	≤40	PASS
			5260	-40	-41.99	≤40	PASS
				-20	-33.28	≤25	PASS
				+20	-33.47	≤25	PASS
				+40	-42.11	≤40	PASS
			5300	-40	-41.04	≤40	PASS
				-20	-32.46	≤25	PASS
				+20	-33.32	≤25	PASS
				+40	-41.14	≤40	PASS
			5320	-40	-41.19	≤40	PASS
				-20	-33.22	≤25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

				+20	-34.06	≤25	PASS
				+40	-41.31	≤40	PASS
				-40	-41.40	≤40	PASS
				-20	-33.35	≤25	PASS
				+20	-34.09	≤25	PASS
				+40	-41.20	≤40	PASS
				-40	-40.87	≤40	PASS
				-20	-33.15	≤25	PASS
				+20	-33.64	≤25	PASS
				+40	-40.70	≤40	PASS
				-40	-40.74	≤40	PASS
				-20	-33.03	≤25	PASS
				+20	-33.85	≤25	PASS
				+40	-40.12	≤40	PASS
				-80	-41.02	≤40	PASS
				-40	-38.58	≤25	PASS
				+40	-38.95	≤25	PASS
				+80	-41.33	≤40	PASS
				-80	-41.66	≤40	PASS
				-40	-38.23	≤25	PASS
				+40	-38.86	≤25	PASS
				+80	-41.72	≤40	PASS
				-80	-40.58	≤40	PASS
				-40	-37.96	≤25	PASS
				+40	-38.42	≤25	PASS
				+80	-40.99	≤40	PASS
				-80	-41.94	≤40	PASS
				-40	-38.91	≤25	PASS
				+40	-38.52	≤25	PASS
				+80	-41.58	≤40	PASS
				-80	-41.77	≤40	PASS
				-40	-38.89	≤25	PASS
				+40	-38.77	≤25	PASS
				+80	-41.77	≤40	PASS
				-80	-41.87	≤40	PASS
				-40	-39.08	≤25	PASS
				+40	-39.14	≤25	PASS
				+80	-41.79	≤40	PASS
				-80	-43.12	≤40	PASS
				-40	-38.83	≤25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


	11AX80S ISO	Ant1		+40	-38.91	≤25	PASS
				+80	-41.77	≤40	PASS
			5210	-80	-33.88	≤25	PASS
				+80	-33.98	≤25	PASS
			5290	-80	-33.11	≤25	PASS
				+80	-33.49	≤25	PASS
			5530	-80	-34.30	≤25	PASS
				+80	-34.02	≤25	PASS
			5610	-80	-33.74	≤25	PASS
				+80	-33.23	≤25	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


Test Graphs





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

Appendix RF Test Data for 5GWIFI Ant 2

Appendix A: Frequency Error

Test Result

Test Condition	Test Mode	Antenna	Freq(M Hz)	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	11A	Ant2	5180	5179.9870 1	-2.50772	±20	PASS
			5200	5199.9855 1	-2.78654	±20	PASS
			5240	5239.9850 1	-2.86069	±20	PASS
			5260	5259.9850 1	-2.84981	±20	PASS
			5300	5299.9845 2	-2.92076	±20	PASS
			5320	5319.9845 2	-2.90977	±20	PASS
			5500	5499.9840 2	-2.90546	±20	PASS
			5580	5579.9835 2	-2.95341	±20	PASS
			5700	5699.9825 2	-3.06667	±20	PASS
	11N20SI SO	Ant2	5180	5179.9840 2	-3.08494	±20	PASS
			5200	5199.9840 2	-3.07308	±20	PASS
			5240	5239.9835 2	-3.14504	±20	PASS
			5260	5259.9835 2	-3.13308	±20	PASS
			5300	5299.9830 2	-3.20377	±20	PASS
			5320	5319.9825 2	-3.28571	±20	PASS
			5500	5499.9915 1	-1.54364	±20	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			5580	5579.9820 2	-3.22222	±20	PASS
			5700	5699.9815 2	-3.24211	±20	PASS
11N40SI SO	Ant2		5190	5189.9825 2	-3.36802	±20	PASS
			5230	5229.9825 2	-3.34226	±20	PASS
			5270	5269.9825 2	-3.31689	±20	PASS
			5310	5309.9820 2	-3.38606	±20	PASS
			5510	5509.9830 2	-3.08167	±20	PASS
			5550	5549.9820 2	-3.23964	±20	PASS
			5670	5669.9820 2	-3.17108	±20	PASS
			5180	5179.9835 2	-3.18147	±20	PASS
11AC20S ISO	Ant2		5200	5199.9835 2	-3.16923	±20	PASS
			5240	5239.9835 2	-3.14504	±20	PASS
			5260	5259.9835 2	-3.13308	±20	PASS
			5300	5299.9830 2	-3.20377	±20	PASS
			5320	5319.9830 2	-3.19173	±20	PASS
			5500	5499.9825 2	-3.17818	±20	PASS
			5580	5579.9820 2	-3.22222	±20	PASS
			5700	5699.9820 2	-3.15439	±20	PASS
11AC40S ISO	Ant2		5190	5189.9835 2	-3.17534	±20	PASS
			5230	5229.9835 2	-3.15105	±20	PASS
			5270	5269.9835	-3.12714	±20	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			2			
			5310	5309.9830 2	-3.19774	±20 PASS
			5510	5509.9825 2	-3.17241	±20 PASS
			5550	5549.9820 2	-3.23964	±20 PASS
			5670	5669.9820 2	-3.17108	±20 PASS
	11AC80S ISO	Ant2	5210	5209.9835 2	-3.16315	±20 PASS
			5290	5289.9830 2	-3.20983	±20 PASS
			5530	5529.9820 2	-3.25136	±20 PASS
			5610	5609.9820 2	-3.20499	±20 PASS
	11AC160 SISO	Ant2	5250	5249.982	-3.42857	±20 PASS
			5570	5569.981	-3.41113	±20 PASS
	11AX20S ISO	Ant2	5180	5179.9995	-0.09653	±20 PASS
			5200	5199.9830 2	-3.26539	±20 PASS
			5240	5239.9830 2	-3.24046	±20 PASS
			5260	5259.9830 2	-3.22814	±20 PASS
			5300	5299.9830 2	-3.20377	±20 PASS
			5320	5319.9825 2	-3.28571	±20 PASS
			5500	5499.9820 2	-3.26909	±20 PASS
			5580	5579.9815 2	-3.31183	±20 PASS
			5700	5699.9810 2	-3.32983	±20 PASS
	11AX40S ISO	Ant2	5190	5189.9825 2	-3.36802	±20 PASS
			5230	5229.9820 2	-3.43786	±20 PASS
			5270	5269.9820	-3.41177	±20 PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


			2			
			5310	5309.9820 2	-3.38606	±20 PASS
			5510	5509.9815 2	-3.35390	±20 PASS
			5550	5549.9810 2	-3.41982	±20 PASS
			5670	5669.9805 2	-3.43563	±20 PASS
	11AX80S ISO	Ant2	5210	5209.9820 2	-3.45106	±20 PASS
			5290	5289.9820 2	-3.39887	±20 PASS
			5530	5529.9805 2	-3.52260	±20 PASS
			5610	5609.9805 2	-3.47237	±20 PASS
	11AX160 SISO	Ant2	5250	5249.982	-3.42857	±20 PASS
			5570	5569.981	-3.41113	±20 PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


Test Graphs





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

Appendix B: Occupied Bandwidth

Test Result

Test Condition	Test Mode	Antenna	Freq(MHz)	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant2	5180	16.264	≤20	PASS
			5200	16.344	≤20	PASS
			5240	16.344	≤20	PASS
			5260	16.304	≤20	PASS
			5300	16.344	≤20	PASS
			5320	16.264	≤20	PASS
			5500	16.304	≤20	PASS
			5580	16.304	≤20	PASS
			5700	16.344	≤20	PASS
	11N20SI SO	Ant2	5180	17.542	≤20	PASS
			5200	17.502	≤20	PASS
			5240	17.502	≤20	PASS
			5260	17.463	≤20	PASS
			5300	17.502	≤20	PASS
			5320	17.542	≤20	PASS
			5500	17.463	≤20	PASS
			5580	17.502	≤20	PASS
			5700	17.542	≤20	PASS
	11N40SI SO	Ant2	5190	35.804	≤40	PASS
			5230	35.724	≤40	PASS
			5270	35.884	≤40	PASS
			5310	35.884	≤40	PASS
			5510	35.804	≤40	PASS
			5550	35.804	≤40	PASS
			5670	35.884	≤40	PASS
			5700	35.884	≤40	PASS
	11AC20S ISO	Ant2	5180	17.542	≤20	PASS
			5200	17.542	≤20	PASS
			5240	17.502	≤20	PASS
			5260	17.542	≤20	PASS
			5300	17.463	≤20	PASS
			5320	17.463	≤20	PASS
			5500	17.542	≤20	PASS
			5580	17.463	≤20	PASS
			5700	17.542	≤20	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


	11AC40S ISO	Ant2	5190	35.724	≤40	PASS
			5230	35.804	≤40	PASS
			5270	35.884	≤40	PASS
			5310	35.884	≤40	PASS
			5510	35.804	≤40	PASS
			5550	35.884	≤40	PASS
			5670	35.884	≤40	PASS
	11AC80S ISO	Ant2	5210	74.965	≤80	PASS
			5290	75.125	≤80	PASS
			5530	74.805	≤80	PASS
			5610	74.965	≤80	PASS
	11AC160 SISO	Ant2	5250	153.770	≤160	PASS
			5570	153.770	≤160	PASS
	11AX20S ISO	Ant2	5180	18.861	≤20	PASS
			5200	18.821	≤20	PASS
			5240	18.861	≤20	PASS
			5260	18.821	≤20	PASS
			5300	18.901	≤20	PASS
			5320	18.781	≤20	PASS
			5500	18.821	≤20	PASS
			5580	18.901	≤20	PASS
	11AX40S ISO	Ant2	5190	37.483	≤40	PASS
			5230	37.483	≤40	PASS
			5270	37.483	≤40	PASS
			5310	37.483	≤40	PASS
			5510	37.483	≤40	PASS
			5550	37.562	≤40	PASS
			5670	37.483	≤40	PASS
	11AX80S ISO	Ant2	5210	76.563	≤80	PASS
			5290	76.563	≤80	PASS
			5530	76.723	≤80	PASS
			5610	76.723	≤80	PASS
	11AX160 SISO	Ant2	5250	155.040	≤160	PASS
			5570	155.360	≤160	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


Test Graphs





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

Appendix C: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Freq(M Hz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Result [μ W]	Limit [μ W]	Verdict
NTNV	11A	Ant2	5180	30~5142	4144.14	-50.15	0.00966	≤ 2.5	PASS
				5142~5150	5143.11	-58.34	0.00147	≤ 15	PASS
				5250~5251	5250.99	-58.22	0.00151	≤ 102.3	PASS
				5251~5260	5258.84	-52.57	0.00553	≤ 20.1	PASS
				5260~5266.7	5266.57	-54.56	0.00350	≤ 2.6	PASS
				5266.7~26000	17882.91	-50.42	0.00908	≤ 2.5	PASS
			5200	30~5142	4159.98	-50.52	0.00887	≤ 2.5	PASS
				5142~5150	5149.99	-58.05	0.00157	≤ 15	PASS
				5250~5251	5250.99	-58.22	0.00151	≤ 102.3	PASS
				5251~5260	5256.62	-50.33	0.00927	≤ 31.7	PASS
				5260~5266.7	5266.53	-58.78	0.00132	≤ 2.6	PASS
				5266.7~26000	20249.27	-50.76	0.00839	≤ 2.5	PASS
			5240	30~5142	4800.01	-45.32	0.02938	≤ 2.5	PASS
				5142~5150	5142.76	-52.98	0.00504	≤ 15	PASS
				5250~5251	5250.99	-25.48	2.83139	≤ 102.3	PASS
				5251~5260	5251.01	-25.68	2.70396	≤ 99.8	PASS
				5260~5266.7	5266.16	-51.77	0.00665	≤ 2.9	PASS
				5266.7~26000	5430.49	-47.56	0.01754	≤ 2.5	PASS
			5260	30~5233.3	4208.25	-48.29	0.01483	≤ 2.5	PASS
				5233.3~5240	5235.14	-51.43	0.00719	≤ 4.1	PASS
				5240~5249	5248.99	-31.51	0.70632	≤ 99.8	PASS
				5249~5250	5249.01	-31.23	0.75336	≤ 102.3	PASS
				5350~26000	5759.56	-49.34	0.01164	≤ 2.5	PASS
			5300	30~5233.3	5187.51	-49.67	0.01079	≤ 2.5	PASS
				5233.3~5240	5233.86	-51.33	0.00736	≤ 2.9	PASS
				5240~5249	5240.67	-51.27	0.00746	≤ 18.2	PASS
				5249~5250	5249.01	-58.32	0.00147	≤ 102.3	PASS
				5350~26000	19546.19	-50.37	0.00918	≤ 2.5	PASS
			5320	30~5233.3	5204.16	-43.97	0.04009	≤ 2.5	PASS
				5233.3~5240	5233.82	-50.47	0.00897	≤ 2.9	PASS
				5240~5249	5240.61	-50.70	0.00851	≤ 18.0	PASS
				5249~5250	5249.00	-57.29	0.00187	≤ 100.0	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

	11N20SI SO	Ant2	5500	5350~26000	20328.82	-50.22	0.00951	≤2.5	PASS
				30~5460	5207.51	-40.77	0.08375	≤2.5	PASS
				5460~5470	5469.87	-57.80	0.00166	≤12.5	PASS
				5745~5765	5760.02	-51.14	0.00769	≤12.5	PASS
				5765~26000	15811.68	-49.71	0.01069	≤2.5	PASS
			5580	30~5460	5221.62	-49.82	0.01042	≤2.5	PASS
				5460~5470	5463.88	-58.01	0.00158	≤12.5	PASS
				5745~5765	5760.08	-53.12	0.00488	≤12.5	PASS
			5700	5765~26000	19677.91	-50.12	0.00973	≤2.5	PASS
				30~5460	5206.96	-40.67	0.08570	≤2.5	PASS
				5460~5470	5461.67	-57.40	0.00182	≤12.5	PASS
				5745~5765	5759.84	-51.72	0.00673	≤12.5	PASS
				5765~26000	20277.54	-49.88	0.01028	≤2.5	PASS
			5180	30~5142	4144.14	-50.76	0.00839	≤2.5	PASS
				5142~5150	5148.15	-58.35	0.00146	≤15	PASS
				5250~5251	5250.99	-58.89	0.00129	≤102.3	PASS
				5251~5260	5257.40	-52.21	0.00601	≤27.0	PASS
				5260~5266.7	5266.22	-56.27	0.00236	≤2.9	PASS
				5266.7~26000	20234.07	-50.51	0.00889	≤2.5	PASS
			5200	30~5142	4159.98	-50.70	0.00851	≤2.5	PASS
				5142~5150	5149.44	-58.07	0.00156	≤15	PASS
				5250~5251	5250.99	-58.66	0.00136	≤102.3	PASS
				5251~5260	5256.49	-54.31	0.00371	≤32.5	PASS
				5260~5266.7	5266.65	-59.27	0.00118	≤2.5	PASS
				5266.7~26000	19918.23	-50.50	0.00891	≤2.5	PASS
			5240	30~5142	4192.19	-49.12	0.01225	≤2.5	PASS
				5142~5150	5145.66	-56.81	0.00208	≤15	PASS
				5250~5251	5251.00	-30.42	0.90782	≤100.0	PASS
				5251~5260	5251.05	-30.85	0.82224	≤99.0	PASS
				5260~5266.7	5266.18	-55.49	0.00282	≤2.9	PASS
				5266.7~26000	20280.37	-50.74	0.00843	≤2.5	PASS
			5260	30~5233.3	4208.25	-48.17	0.01524	≤2.5	PASS
				5233.3~5240	5234.78	-50.02	0.00995	≤3.7	PASS
				5240~5249	5248.95	-29.16	1.21339	≤99.0	PASS
				5249~5250	5249.03	-28.78	1.32434	≤107.2	PASS
				5350~26000	20244.85	-50.41	0.00910	≤2.5	PASS
			5300	30~5233.3	5201.56	-43.34	0.04634	≤2.5	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

				5233.3~5240	5233.37	-46.43	0.02275	≤2.5	PASS
				5240~5249	5241.01	-53.91	0.00406	≤19.5	PASS
				5249~5250	5249.02	-58.47	0.00142	≤104.7	PASS
				5350~26000	20317.12	-50.45	0.00902	≤2.5	PASS
			5320	30~5233.3	4800.39	-51.59	0.00693	≤2.5	PASS
				5233.3~5240	5234.66	-52.18	0.00605	≤3.6	PASS
				5240~5249	5242.04	-50.56	0.00879	≤24.1	PASS
				5249~5250	5249.01	-58.39	0.00145	≤102.3	PASS
				5350~26000	20249.66	-50.11	0.00975	≤2.5	PASS
			5500	30~5460	4800.26	-52.69	0.00538	≤2.5	PASS
				5460~5470	5469.63	-57.90	0.00162	≤12.5	PASS
				5745~5765	5759.96	-52.29	0.00590	≤12.5	PASS
				5765~26000	20232.35	-49.52	0.01117	≤2.5	PASS
			5580	30~5460	5207.51	-44.84	0.03281	≤2.5	PASS
				5460~5470	5461.50	-58.18	0.00152	≤12.5	PASS
				5745~5765	5759.94	-52.80	0.00525	≤12.5	PASS
				5765~26000	20325.43	-50.04	0.00991	≤2.5	PASS
			5700	30~5460	5207.51	-44.77	0.03334	≤2.5	PASS
				5460~5470	5460.94	-57.47	0.00179	≤12.5	PASS
				5745~5765	5760.08	-51.36	0.00731	≤12.5	PASS
				5765~26000	17868.23	-49.98	0.01005	≤2.5	PASS
	11N40SI SO	Ant2	5190	30~5141.6	4151.99	-50.98	0.00798	≤2.5	PASS
				5141.6~5150	5149.87	-55.48	0.00283	≤15	PASS
				5250~5251	5251.00	-58.57	0.00139	≤50	PASS
				5251~5270	5259.46	-54.40	0.00363	≤22.0	PASS
				5270~5278.4	5278.39	-53.92	0.00406	≤2.5	PASS
				5278.4~26000	18232.16	-50.78	0.00836	≤2.5	PASS
			5230	30~5141.6	4800.15	-48.39	0.01449	≤2.5	PASS
				5141.6~5150	5144.15	-57.92	0.00161	≤15	PASS
				5250~5251	5250.96	-35.81	0.26242	≤54.8	PASS
				5251~5270	5251.02	-36.50	0.22387	≤49.9	PASS
				5270~5278.4	5277.85	-53.77	0.00420	≤2.7	PASS
				5278.4~26000	19561.80	-50.09	0.00979	≤2.5	PASS
			5270	30~5221.6	5204.47	-47.25	0.01884	≤2.5	PASS
				5221.6~5230	5222.44	-49.00	0.01259	≤2.8	PASS
				5230~5249	5248.94	-36.21	0.23933	≤49.7	PASS
				5249~5250	5249.00	-36.18	0.24099	≤50	PASS
				5348.4~26000	21262.52	-50.51	0.00889	≤2.5	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

	11AC20S ISO	Ant2	5310	0					
				5350~5348.4	5348.40	-58.34	0.00147	≤15	PASS
				30~5221.6	5182.66	-47.27	0.01875	≤2.5	PASS
				5221.6~5230	5222.73	-50.92	0.00809	≤2.9	PASS
				5230~5249	5232.66	-54.08	0.00391	≤10.3	PASS
				5249~5250	5249.01	-58.64	0.00137	≤51.2	PASS
				5348.4~2600 0	19223.52	-50.50	0.00891	≤2.5	PASS
				5350~5348.4	5348.40	-53.75	0.00422	≤15	PASS
			5510	30~5460	5208.05	-42.85	0.05188	≤12.5	PASS
				5460~5470	5469.83	-55.54	0.00279	≤50	PASS
				5770~26000	15854.66	-49.82	0.01042	≤12.5	PASS
			5550	30~5460	5198.27	-42.11	0.06152	≤12.5	PASS
				5460~5470	5460.14	-57.41	0.00182	≤50	PASS
				5770~26000	15791.27	-50.28	0.00938	≤12.5	PASS
			5670	30~5460	5205.33	-41.06	0.07834	≤12.5	PASS
				5460~5470	5469.86	-56.56	0.00221	≤50	PASS
				5770~26000	15514.12	-50.38	0.00916	≤12.5	PASS
			5180	30~5142	4144.14	-50.17	0.00962	≤2.5	PASS
				5142~5150	5143.15	-58.21	0.00151	≤15	PASS
				5250~5251	5250.91	-52.90	0.00513	≤123.0	PASS
				5251~5260	5259.68	-54.24	0.00377	≤16.9	PASS
				5260~5266.7	5266.57	-55.54	0.00279	≤2.6	PASS
				5266.7~2600 0	19560.24	-50.39	0.00914	≤2.5	PASS
			5200	30~5142	4800.01	-49.23	0.01194	≤2.5	PASS
				5142~5150	5148.37	-58.03	0.00157	≤15	PASS
				5250~5251	5250.98	-58.48	0.00142	≤104.7	PASS
				5251~5260	5259.88	-59.26	0.00119	≤16.2	PASS
				5260~5266.7	5266.55	-58.95	0.00127	≤2.6	PASS
				5266.7~2600 0	20318.38	-50.60	0.00871	≤2.5	PASS
			5240	30~5142	4192.19	-48.76	0.01330	≤2.5	PASS
				5142~5150	5144.54	-56.56	0.00221	≤15	PASS
				5250~5251	5250.99	-29.22	1.19674	≤102.3	PASS
				5251~5260	5251.01	-29.60	1.09648	≤99.8	PASS
				5260~5266.7	5266.47	-55.90	0.00257	≤2.7	PASS
				5266.7~2600 0	20258.95	-50.58	0.00875	≤2.5	PASS
			5260	30~5233.3	5193.75	-42.17	0.06067	≤2.5	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

				5233.3~5240	5235.44	-48.44	0.01432	≤4.5	PASS		
				5240~5249	5248.93	-28.47	1.42233	≤98.6	PASS		
				5249~5250	5249.01	-27.79	1.66341	≤102.3	PASS		
				5350~26000	20318.50	-50.53	0.00885	≤2.5	PASS		
			5300	30~5233.3	5204.16	-41.94	0.06397	≤2.5	PASS		
				5233.3~5240	5235.06	-48.36	0.01459	≤4.0	PASS		
				5240~5249	5244.48	-49.87	0.01030	≤39.6	PASS		
				5249~5250	5249.06	-56.67	0.00215	≤114.8	PASS		
			5320	5350~26000	20304.04	-50.31	0.00931	≤2.5	PASS		
				30~5233.3	5201.56	-43.17	0.04819	≤2.5	PASS		
				5233.3~5240	5234.17	-54.57	0.00349	≤3.2	PASS		
				5240~5249	5241.10	-54.67	0.00341	≤19.9	PASS		
			5500	5249~5250	5249.07	-55.17	0.00304	≤117.5	PASS		
				5350~26000	20283.39	-50.40	0.00912	≤2.5	PASS		
				30~5460	4800.26	-48.03	0.01574	≤2.5	PASS		
				5460~5470	5461.47	-57.82	0.00165	≤12.5	PASS		
			5580	5745~5765	5759.90	-52.29	0.00590	≤12.5	PASS		
				5765~26000	19555.15	-49.79	0.01050	≤2.5	PASS		
				30~5460	4800.26	-49.54	0.01112	≤2.5	PASS		
				5460~5470	5468.96	-57.86	0.00164	≤12.5	PASS		
			5700	5745~5765	5759.80	-53.03	0.00498	≤12.5	PASS		
				5765~26000	20270.80	-49.43	0.01140	≤2.5	PASS		
				30~5460	5205.88	-42.64	0.05445	≤2.5	PASS		
				5460~5470	5460.66	-57.33	0.00185	≤12.5	PASS		
			11AC40S ISO	Ant2	5190	5745~5765	5759.88	-52.93	0.00509	≤12.5	PASS
						5765~26000	20297.10	-50.07	0.00984	≤2.5	PASS
						30~5141.6	4800.15	-44.33	0.03690	≤2.5	PASS
						5141.6~5150	5149.98	-55.86	0.00259	≤15	PASS
						5250~5251	5251.00	-58.52	0.00141	≤50	PASS
						5251~5270	5268.78	-57.86	0.00164	≤8.9	PASS
5230	5270~5278.4	5278.24			-58.76	0.00133	≤2.5	PASS			
	5278.4~26000	15782.87			-50.42	0.00908	≤2.5	PASS			
	30~5141.6	4800.15	-48.41	0.01442	≤2.5	PASS					
	5141.6~5150	5142.80	-57.57	0.00175	≤15	PASS					
	5250~5251	5250.99	-34.79	0.33189	≤51.2	PASS					
	5251~5270	5251.11	-35.31	0.29444	≤49.5	PASS					
5270~5278.4	5278.16	-52.75	0.00531	≤2.6	PASS						
5278.4~26000	20258.74	-50.67	0.00857	≤2.5	PASS						



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

			5270	30~5221.6	5193.05	-43.57	0.04395	≤2.5	PASS
				5221.6~5230	5225.80	-44.71	0.03381	≤4.4	PASS
				5230~5249	5248.96	-34.91	0.32285	≤49.8	PASS
				5249~5250	5249.01	-34.60	0.34674	≤51.2	PASS
				5348.4~2600 0	20285.01	-50.43	0.00906	≤2.5	PASS
				5350~5348.4	5348.40	-58.24	0.00150	≤15	PASS
			5310	30~5221.6	5195.64	-41.20	0.07586	≤2.5	PASS
				5221.6~5230	5222.30	-53.27	0.00471	≤2.7	PASS
				5230~5249	5233.88	-52.69	0.00538	≤11.5	PASS
				5249~5250	5249.00	-58.69	0.00135	≤50	PASS
				5348.4~2600 0	19536.05	-49.91	0.01021	≤2.5	PASS
				5350~5348.4	5348.40	-51.90	0.00646	≤15	PASS
			5510	30~5460	4800.26	-47.07	0.01963	≤12.5	PASS
				5460~5470	5469.87	-53.77	0.00420	≤50	PASS
				5770~26000	20285.70	-49.99	0.01002	≤12.5	PASS
			5550	30~5460	5207.51	-44.00	0.03981	≤12.5	PASS
				5460~5470	5461.12	-57.24	0.00189	≤50	PASS
				5770~26000	15816.22	-50.58	0.00875	≤12.5	PASS
			5670	30~5460	4800.26	-49.11	0.01227	≤12.5	PASS
				5460~5470	5469.86	-56.57	0.00220	≤50	PASS
				5770~26000	20135.32	-49.80	0.01047	≤12.5	PASS
	11AC80S ISO	Ant2	5210	30~5123.2	4320.00	-47.48	0.01786	≤2.5	PASS
				5123.2~5150	5149.30	-53.62	0.00435	≤15	PASS
				5250~5251	5250.99	-34.88	0.32509	≤25.6	PASS
				5251~5290	5251.04	-35.18	0.30339	≤25.0	PASS
				5290~5296.7	5296.39	-56.62	0.00218	≤2.5	PASS
				5296.7~2600 0	19953.95	-50.01	0.00998	≤2.5	PASS
			5290	30~5203.3	5199.16	-45.35	0.02917	≤2.5	PASS
				5203.3~5210	5203.39	-45.96	0.02535	≤2.5	PASS
				5210~5249	5248.92	-35.73	0.26730	≤24.9	PASS
				5249~5250	5249.01	-35.41	0.28774	≤25.6	PASS
				5350~5376.8	5350.11	-52.20	0.00603	≤15	PASS
				5376.8~2600 0	20291.50	-50.14	0.00968	≤2.5	PASS
			5530	30~5460	5206.42	-45.43	0.02864	≤12.5	PASS
				5460~5469.5	5468.84	-52.72	0.00535	≤50	PASS
				5469.5~5470	5469.60	-52.63	0.00546	≤51.2	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

	11AC160 SISO	Ant2		5770~26000	16204.63	-50.18	0.00959	≤12.5	PASS
			5610	30~5460	5201.53	-44.45	0.03589	≤12.5	PASS
				5460~5469.5	5467.49	-57.59	0.00174	≤50	PASS
				5469.5~5470	5469.57	-57.41	0.00182	≤51.2	PASS
				5770~26000	19562.81	-50.12	0.00973	≤12.5	PASS
			5250	30~5099.6	4320.40	-47.95	0.01603	≤2.5	PASS
				5099.6~5150	5136.54	-52.99	0.00502	≤15	PASS
				5350~5400.4	5350.76	-52.02	0.00628	≤15	PASS
				5400.4~2600 0	19702.02	-46.49	0.02244	≤2.5	PASS
			5570	30~5419.6	5204.02	-46.25	0.02371	≤12.5	PASS
				5419.6~5470	5460.32	-52.78	0.00527	≤50	PASS
				5725~26000	15793.57	-45.89	0.02576	≤12.5	PASS
	11AX20S ISO	Ant2	5180	30~5142	4800.01	-49.90	0.01023	≤2.5	PASS
				5142~5150	5144.56	-58.30	0.00148	≤15	PASS
				5250~5250.2	5250.19	-58.66	0.00136	≤670.9	PASS
				5250.2~5251	5251.00	-53.09	0.00491	≤100.0	PASS
				5251~5260	5258.56	-54.75	0.00335	≤21.3	PASS
				5260~5266.7	5266.17	-55.12	0.00308	≤2.9	PASS
				5266.7~2600 0	20294.89	-50.42	0.00908	≤2.5	PASS
			5200	30~5142	905.17	-44.04	0.03945	≤2.5	PASS
				5142~5150	5147.86	-58.09	0.00155	≤15	PASS
				5250~5250.2	5250.20	-58.18	0.00152	≤631.0	PASS
				5250.2~5251	5250.41	-46.37	0.02307	≤389.0	PASS
				5251~5260	5258.23	-55.60	0.00275	≤22.8	PASS
				5260~5266.7	5266.67	-59.13	0.00122	≤2.5	PASS
				5266.7~2600 0	15855.20	-50.41	0.00910	≤2.5	PASS
			5240	30~5142	911.31	-47.48	0.01786	≤2.5	PASS
				5142~5150	5142.50	-56.43	0.00228	≤15	PASS
				5250~5250.2	5250.20	-14.48	35.6451 1	≤631.0	PASS
				5250.2~5251	5250.20	-14.62	34.5143 7	≤631.0	PASS
				5251~5260	5251.00	-28.94	1.27644	≤100.0	PASS
				5260~5266.7	5266.61	-52.89	0.00514	≤2.6	PASS
				5266.7~2600 0	19509.79	-49.59	0.01099	≤2.5	PASS
			5260	30~5233.3	5194.80	-46.31	0.02339	≤2.5	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

				5233.3~5240	5233.93	-54.10	0.00389	≤3.0	PASS
				5240~5249	5248.99	-27.80	1.65959	≤99.8	PASS
				5249~5249.8	5249.79	-13.14	48.5288 5	≤616.6	PASS
				5249.8~5250	5249.80	-12.99	50.2342 6	≤631.0	PASS
				5350~26000	15844.33	-50.30	0.00933	≤2.5	PASS
			5300	30~5233.3	5203.64	-43.97	0.04009	≤2.5	PASS
				5233.3~5240	5234.25	-48.83	0.01309	≤3.2	PASS
				5240~5249	5240.86	-47.27	0.01875	≤18.9	PASS
				5249~5249.8	5249.00	-58.65	0.00136	≤100.0	PASS
				5249.8~5250	5249.80	-58.66	0.00136	≤631.0	PASS
				5350~26000	15831.94	-50.75	0.00841	≤2.5	PASS
			5320	30~5233.3	5206.24	-40.67	0.08570	≤2.5	PASS
				5233.3~5240	5233.57	-55.48	0.00283	≤2.7	PASS
				5240~5249	5240.18	-52.33	0.00585	≤16.4	PASS
				5249~5249.8	5249.00	-58.96	0.00127	≤100.0	PASS
				5249.8~5250	5249.80	-58.74	0.00134	≤631.0	PASS
				5350~26000	5511.76	-50.47	0.00897	≤2.5	PASS
			5500	30~5460	4800.26	-47.71	0.01694	≤2.5	PASS
				5460~5470	5469.50	-57.85	0.00164	≤12.5	PASS
				5745~5765	5759.98	-52.09	0.00618	≤12.5	PASS
				5765~26000	18198.73	-50.63	0.00865	≤2.5	PASS
			5580	30~5460	4800.26	-49.09	0.01233	≤2.5	PASS
				5460~5470	5465.94	-57.98	0.00159	≤12.5	PASS
				5745~5765	5759.98	-52.80	0.00525	≤12.5	PASS
				5765~26000	15848.10	-50.48	0.00895	≤2.5	PASS
			5700	30~5460	5206.42	-42.36	0.05808	≤2.5	PASS
				5460~5470	5461.67	-57.22	0.00190	≤12.5	PASS
				5745~5765	5759.94	-52.93	0.00509	≤12.5	PASS
				5765~26000	15793.47	-49.90	0.01023	≤2.5	PASS
	11AX40S ISO	Ant2	5190	30~5141.6	4800.15	-44.07	0.03917	≤2.5	PASS
				5141.6~5150	5149.84	-55.78	0.00264	≤15	PASS
				5250~5251	5251.00	-58.47	0.00142	≤50	PASS
				5251~5270	5269.62	-58.74	0.00134	≤8.2	PASS
				5270~5278.4	5275.51	-56.83	0.00207	≤3.7	PASS
				5278.4~2600 0	5759.83	-48.22	0.01507	≤2.5	PASS
			5230	30~5141.6	4800.15	-48.34	0.01466	≤2.5	PASS
				5141.6~5150	5141.79	-57.71	0.00169	≤15	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

				5250~5251	5250.02	-22.99	5.02343	≤477.5	PASS
				5251~5270	5251.00	-34.90	0.32359	≤50	PASS
				5270~5278.4	5278.24	-56.90	0.00204	≤2.5	PASS
				5278.4~2600 0	20251.83	-50.43	0.00906	≤2.5	PASS
			5270	30~5221.6	5207.06	-45.26	0.02979	≤2.5	PASS
				5221.6~5230	5221.63	-52.46	0.00568	≤2.5	PASS
				5230~5249	5248.89	-35.60	0.27542	≤49.5	PASS
				5249~5250	5250.00	-22.62	5.47016	≤500.0	PASS
				5348.4~2600 0	15769.20	-50.58	0.00875	≤2.5	PASS
				5350~5348.4	5348.40	-58.22	0.00151	≤15	PASS
			5310	30~5221.6	4800.04	-47.94	0.01607	≤2.5	PASS
				5221.6~5230	5223.80	-54.59	0.00348	≤3.4	PASS
				5230~5249	5232.70	-56.49	0.00224	≤10.3	PASS
				5249~5250	5249.02	-58.27	0.00149	≤52.4	PASS
				5348.4~2600 0	20300.85	-50.56	0.00879	≤2.5	PASS
				5350~5348.4	5348.40	-52.21	0.00601	≤15	PASS
			5510	30~5460	5206.96	-41.43	0.07194	≤12.5	PASS
				5460~5470	5469.86	-54.14	0.00385	≤50	PASS
				5770~26000	15858.70	-50.20	0.00955	≤12.5	PASS
			5550	30~5460	5207.51	-42.73	0.05333	≤12.5	PASS
				5460~5470	5461.14	-57.32	0.00185	≤50	PASS
				5770~26000	15783.18	-49.62	0.01091	≤12.5	PASS
			5670	30~5460	5183.07	-47.06	0.01968	≤12.5	PASS
				5460~5470	5469.63	-56.62	0.00218	≤50	PASS
				5770~26000	15793.97	-49.43	0.01140	≤12.5	PASS
	11AX80S ISO	Ant2	5210	30~5123.2	4320.00	-45.88	0.02582	≤2.5	PASS
				5123.2~5150	5148.63	-53.50	0.00447	≤15	PASS
				5250~5251	5250.98	-35.48	0.28314	≤26.2	PASS
				5251~5290	5251.04	-35.49	0.28249	≤25.0	PASS
				5290~5296.7	5295.97	-56.38	0.00230	≤2.6	PASS
				5296.7~2600 0	20274.85	-49.70	0.01072	≤2.5	PASS
			5290	30~5203.3	4320.22	-45.84	0.02606	≤2.5	PASS
				5203.3~5210	5206.09	-41.75	0.06683	≤3.0	PASS
				5210~5249	5248.77	-36.23	0.23823	≤24.7	PASS
				5249~5250	5249.02	-35.32	0.29376	≤26.2	PASS
				5350~5376.8	5350.27	-52.07	0.00621	≤15	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


			5530	5376.8~26000	20287.37	-49.92	0.01019	≤2.5	PASS
				30~5460	4320.24	-45.62	0.02742	≤12.5	PASS
				5460~5469.5	5469.47	-52.84	0.00520	≤50	PASS
				5469.5~5470	5469.93	-52.80	0.00525	≤51.2	PASS
				5770~26000	15824.98	-50.39	0.00914	≤12.5	PASS
			5610	30~5460	5207.51	-44.19	0.03811	≤12.5	PASS
				5460~5469.5	5462.14	-57.57	0.00175	≤50	PASS
				5469.5~5470	5469.82	-57.45	0.00180	≤51.2	PASS
				5770~26000	20256.03	-50.02	0.00995	≤12.5	PASS
	11AX160 SISO	Ant2	5250	30~5099.6	4319.90	-48.01	0.01581	≤2.5	PASS
				5099.6~5150	5135.84	-52.99	0.00502	≤15	PASS
				5350~5400.4	5352.82	-52.02	0.00628	≤15	PASS
				5400.4~26000	20294.60	-46.22	0.02388	≤2.5	PASS
			5570	30~5419.6	5206.17	-46.81	0.02084	≤12.5	PASS
				5419.6~5470	5466.22	-52.85	0.00519	≤50	PASS
				5725~26000	20293.94	-45.40	0.02884	≤12.5	PASS



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China


Test Graphs





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11A_Ant2_5180_5266.7~26000




NTNV_11A_Ant2_5200_30~5142



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11A_Ant2_5320_5249~5250




NTNV_11A_Ant2_5320_5350~26000



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China








Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China








Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N20SISO_Ant2_5260_5240~5249




NTNV_11N20SISO_Ant2_5260_5249~5250



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N20SISO_Ant2_5300_5249~5250




NTNV_11N20SISO_Ant2_5300_5350~26000



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N20SISO_Ant2_5320_5240~5249




NTNV_11N20SISO_Ant2_5320_5249~5250



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N20SISO_Ant2_5500_5460~5470




NTNV_11N20SISO_Ant2_5500_5745~5765



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N20SISO_Ant2_5580_5460~5470




NTNV_11N20SISO_Ant2_5580_5745~5765



Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China





Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China



NTNV_11N40SISO_Ant2_5270_5249~5250



NTNV_11N40SISO_Ant2_5270_5348.4~26000



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen, China

