

JAPAN MIC

Radio Test Report

Applicant: Coretronic Reality Inc.
15F., No. 225, Sec. 3, Beixin Rd., Xindian Dist., New Taipei City
231030, Taiwan (ROC)

Manufacturer: Coretronic Reality Inc.
15F., No. 225, Sec. 3, Beixin Rd., Xindian Dist., New Taipei City
231030, Taiwan (ROC)

Product Name: COREXOM

Brand Name: Coretronic Reality Inc.

Model No.: R6490WGQ

Family Model No.: R5430WGQ

Model Difference: Refer to section 1.2

Report Number: TERF2606002103E2

Place of Testing SGS Taiwan Ltd. Central RF Lab
No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

Test Result PASS

Classification of Specified Radio Equipment Article 2 Clause 1 Item 80

Date of EUT Received: June 12, 2026

Date of Test: June 16, 2026~July 8, 2026

Issue Date: July 30, 2026

Approved By:

Jay Lin

We hereby declare that:

The data presented with this application to be true and correct; and that our testing equipment is regularly serviced and properly calibrated; and We agree to maintain records of data for a minimum of ten (10) years in our laboratory for immediate presentation upon request by the Certification Body.

Measurement was conducted by the following test method:

the test method was conducted by the temporary test method which DSPR submitted to the Minister for Internal Affairs and Communications based on the Ordinance Concerning Technical Regulations Conformity Certification etc. of Specified Radio Equipment in Annex 1, the Ministry of internal Affairs and Communication notification in Article 88, Paragraph 2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2606002103E2	00	Original	July 30, 2026	Susan Lin	

Note:

- 1、The remark "" indicates modification of the report upon requests from certification body.
- 2、Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received. And are assessed as identical in hardware and firmware to each other.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

CONTENTS

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
2	DESCRIPTION OF TEST	7
3	ABOUT UNCERTAINTY OF MEASURED VALUE.....	19
4	MEASUREMENT EQUIPMENT LIST	20
5	RF OUTPUT POWER	21
6	FREQUENCY TOLERANCE.....	26
7	OCCUPIED BANDWIDTH	29
8	ADJACENT CHANNEL LEAKAGE POWER	42
9	OUT-BAND LEAKAGE POWER & UNWANTED EMISSION STRENGTH.....	68
10	SECONDARILY EMITTED RADIO WAVE STRENGTH.....	115
11	TRANSMITTER BURST LENGTH & CARRIER SENSE CAPABILITY.....	147
12	TEST SETUP	148

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 Product Description

Product Name:	COREXOM
Brand Name:	Coretronic Reality Inc.
Model No.:	R6490WGQ
Family Model No.:	R5430WGQ
Model Difference:	Refer to section 1.2
Hardware Version:	N/A
Firmware Version:	Android13
Power Supply:	3.8 Vdc

1.2 Model Difference

Model	Difference
R6490WGQ	With BT+Wi-Fi/GPS, Memory : uMCP 8GB LPDDR4X + 128GB UFS
R5430WGQ	With BT+Wi-Fi/GPS, Memory : uMCP 4GB LPDDR4X + 64GB UFS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3 RF Specification

Mode	Type of Emission	Band	Channels	Interval (MHz)	Frequency Range (GHz)	Rated Power (W/MHz):
a	D1D, G1D	6GHz	24	20	5.955 ~ 6.415	0.0028380
n_HT 20 ac_VHT 20	D1D, G1D	6GHz	24	20	5.955 ~ 6.415	0.0026974
n_HT 40 ac_VHT 40	D1D, G1D	6GHz	12	40	5.965 ~ 6.405	0.0013809
ac_VHT 80	D1D, G1D	6GHz	6	80	5.985 ~ 6.385	0.0005840
ac_VHT 160	D1D, G1D	6GHz	3	160	6.025 ~ 6.345	0.0002992
ax_HE 20	D1D, G1D	6GHz	24	20	5.955 ~ 6.415	0.0026042
ax_HE 40	D1D, G1D	6GHz	12	40	5.965 ~ 6.405	0.0013388
ax_HE 80	D1D, G1D	6GHz	6	80	5.985 ~ 6.385	0.0006537
ax_HE 160	D1D, G1D	6GHz	3	160	6.025 ~ 6.345	0.0003286

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Antenna Designation

Antenna Type	Part Number	Supplier	Polarization (H or V)	Freq. (MHz)	Peak Gain (dBi)
Dipole	AN2457-3908BRS	Cortec Technology Inc.	H+V	5925~6425	5.44
Dipole	A8MEE-100007	ADVANCED WIRELESS & ANTENNA Inc.	H+V	5925~6425	3

Note: The antenna information is provided by the applicant, and the laboratory shall not be held liable for the accuracy, completeness, or reliability of any applicant-supplied data.

1.5 Assemble

The shielding is directly soldered to the PCB board.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 DESCRIPTION OF TEST

2.1 Voltage Variation

Voltage Fluctuation Test	Normal Voltage	High Voltage + 10% of Normal Voltage	Low Voltage - 10% of Normal Voltage
Input DC Power	3.80	4.18	3.42
Output DC Power	2.22	2.22	2.22
Voltage Variation (%)	0	0	0
During the input supply voltage to the EUT from the external power source is varied by +/- 10%, if output voltage had been confirmed that the fluctuation of power supply to the RF circuit of EUT (excluding power source) is equal to or less than +/- 1%. Exempt extremely high and low supply voltage condition tests, EUT only operated in normal voltage to test all regulations.			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.2 Test Condition

Test Category		6GHz Band Low-Power Data Communication System (1TX1RX)					
		802.11a 20MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	2.098			≦ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.24			---	---
802.11a_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5955	6175	6415	---	---
Channel Number		Ch.	1	45	93	---	---
Declaration Output Power		mW/MHz	2.8380			≦ 10.00000	PASS
E.I.R.P.		mW/MHz	9.0350	9.0134	9.9314	≦ 10.0000	PASS
		dBm/MHz	9.5593	9.5489	9.9701	≦ 10.0000	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n 20MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	57~68			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.432			≤ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11n_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5955	6175	6415	---	---
Channel Number		Ch.	1	45	93	---	---
Declaration Output Power		mW/MHz	2.6974			≤ 10.00000	PASS
E.I.R.P.		mW/MHz	9.2413	9.2964	9.4393	≤ 10.0000	PASS
		dBm/MHz	9.6573	9.6831	9.7494	≤ 10.0000	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n 40MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.432			≧ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11n_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5965	6165	6405	---	---
Channel Number		Ch.	3	43	91	---	---
Declaration Output Power		mW/MHz	1.3809			≧ 5.00000	PASS
E.I.R.P.		mW/MHz	4.8325	4.7581	4.6845	≧ 5.0000	PASS
		dBm/MHz	6.8417	6.7743	6.7066	≧ 6.9897	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac 20MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	57~68			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.432			≤ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11ac_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5955	6175	6415	---	---
Channel Number		Ch.	1	45	93	---	---
Declaration Output Power		mW/MHz	2.6186			≤ 10.00000	PASS
E.I.R.P.		mW/MHz	8.9300	8.9731	9.1636	≤ 10.0000	PASS
		dBm/MHz	9.5085	9.5294	9.6207	≤ 10.0000	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac 40MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.428			≦ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11ac_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5965	6165	6405	---	---
Channel Number		Ch.	3	43	91	---	---
Declaration Output Power		mW/MHz	1.3283			≦ 5.00000	PASS
E.I.R.P.		mW/MHz	4.6483	4.5965	4.6213	≦ 5.0000	PASS
		dBm/MHz	6.6729	6.6243	6.6477	≦ 6.9897	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac 80MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.420			≦ 8	PASS
	Off Time	msec	0.024			---	---
	Ratio	%	99.56			---	---
802.11ac_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5985	6145	6385	---	---
Channel Number		Ch.	7	39	87	---	---
Declaration Output Power		mW/MHz	0.5840			≦ 2.50000	PASS
E.I.R.P.		mW/MHz	2.0438	1.9572	2.0286	≦ 2.5000	PASS
		dBm/MHz	3.1044	2.9165	3.0719	≦ 3.9794	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac 160MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDM			---	---
	On Time	msec	5.428			≦ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11ac_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	6025	6185	6345	---	---
Channel Number		Ch.	15	47	79	---	---
Declaration Output Power		mW/MHz	0.2992			≦ 1.25000	PASS
E.I.R.P.		mW/MHz	1.0421	1.0190	1.0469	≦ 1.2500	PASS
		dBm/MHz	0.1792	0.0816	0.1991	≦ 0.9691	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax 20MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDMA			---	---
	On Time	msec	5.448			≦ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11ax_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5955	6175	6415	---	---
Channel Number		Ch.	1	45	93	---	---
Declaration Output Power		mW/MHz	2.6042			≦ 10.00000	PASS
E.I.R.P.		mW/MHz	8.8799	9.1132	8.7248	≦ 10.0000	PASS
		dBm/MHz	9.4841	9.5967	9.4076	≦ 10.0000	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax 40MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDMA			---	---
	On Time	msec	5.444			≧ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.71			---	---
802.11ax_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5965	6165	6405	---	---
Channel Number		Ch.	3	43	91	---	---
Declaration Output Power		mW/MHz	1.3388			≧ 5.00000	PASS
E.I.R.P.		mW/MHz	4.3961	4.6343	4.6850	≧ 5.0000	PASS
		dBm/MHz	6.4307	6.6599	6.7071	≧ 6.9897	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax 80MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDMA			---	---
	On Time	msec	5.440			≦ 8	PASS
	Off Time	msec	0.020			---	---
	Ratio	%	99.63			---	---
802.11ax_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5985	6145	6385	---	---
Channel Number		Ch.	7	39	87	---	---
Declaration Output Power		mW/MHz	0.6537			≦ 2.50000	PASS
E.I.R.P.		mW/MHz	2.1199	2.2435	2.2877	≦ 2.5000	PASS
		dBm/MHz	3.2632	3.5094	3.5940	≦ 3.9794	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		6GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax 160MHz System					
		Article 2 Paragraph 1 of Item 80 : LPI (ZR)					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.2~24.1			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	57~68			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	3.80			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Transmission Burst Length	Modulation	---	OFDMA			---	---
	On Time	msec	5.448			≧ 8	PASS
	Off Time	msec	0.012			---	---
	Ratio	%	99.78			---	---
802.11ax_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	6025	6185	6345	---	---
Channel Number		Ch.	15	47	79	---	---
Declaration Output Power		mW/MHz	0.3286			≦ 1.25000	PASS
E.I.R.P.		mW/MHz	1.1324	1.1424	1.1500	≦ 1.2500	PASS
		dBm/MHz	0.5400	0.5782	0.6071	≦ 0.9691	PASS
Peak Antenna Gain (Chain0)		dBi	5.44			---	---
Peak Antenna Gain (Chain1)		dBi	5.44			---	---
Tested Circuit Insertion Loss (Chain0)		dB	11.50			---	---
Tested Circuit Insertion Loss (Chain1)		dB	11.50			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	1.50			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	1.50			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw



Member of SGS Group

3 ABOUT UNCERTAINTY OF MEASURED VALUE

- *In this test, the influence of an error or uncertainty may be done according to the following factors.
- Bias of a measurement equipment, Change by aging, Attrition, Noise
 - Skill and capability of an inspector
 - Environment (Temperature, Humidity)
 - Dispersion in a EUT (Equipment Under Test)
 - Uncertainty of calibration of a measurement equipment

Therefore, Synthetic uncertainty is calculated using "k=2" of coverage factor, and about 95% of confidence level shall be obtained.

In consideration of the above, it judged as follows.

JUDGE	Measured value and Standard limit value	
PASS	Case1	 *Even if it takes uncertainty into consideration, a standard limit value is fulfilled.
	Case2	 *Although measured value is in a standard limit value, a limit value won't be fulfilled if uncertainty is taken into consideration.
FAIL	Case3	 *Although measured value exceeds a standard limit value, a limit value will be fulfilled if uncertainty is taken into consideration.
	Case4	 *Even if it takes uncertainty into consideration, a standard limit value isn't fulfilled.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 MEASUREMENT EQUIPMENT LIST

Conducted Emission Test Site: Conducted F						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	Calibration Authority	Cal. Method
Attenuator	Marvelous	MVE2213-10	RF04	11/13/2025	SGS	C)
Attenuator	Woken	WATT-218FS-10	RF12	11/13/2025	SGS	C)
Attenuator	Woken	WATT-218FS-10	RF20	11/13/2025	SGS	C)
DC Block	PASTERNAK	PE8210	RF38	11/13/2025	SGS	C)
DC Power Supply	Gwinstek	SPS-3610	GEW902165	12/31/2025	ETC	C)
Power Meter	Anritsu	ML2496A	2138005	09/22/2025	ETC	C)
Power Sensor	Anritsu	MA2411B	1911395	09/22/2025	ETC	C)
Power Sensor	Anritsu	MA2411B	1911396	09/22/2025	ETC	C)
Spectrum Analyzer	KEYSIGHT	N9010B	MY63440390	02/02/2026	ETC	C)
Splitter	Woken	DOM35LW1A2	RF57	11/13/2025	SGS	C)
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N/A	N/A

Carrier sense

Conducted Emission Test Site: Conducted A						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	Calibration Authority	Cal. Method
Attenuator	KEYSIGHT	11716C	RF44	11/13/2025	SGS	C)
EMI Test Receiver	Anritsu	N9038A	MY52260216	11/24/2025	ETC	C)
Frequency Extender	Keysight	N5182BX07	MY59360223	03/04/2026	ETC	C)
Signal Generator	KEYSIGHT	N5182B	MY59100873	03/04/2026	ETC	C)
Splitter	Marvelous Microwave	MVE8586	RF49	11/13/2025	SGS	C)
Splitter	Marvelous Microwave	MVE8586	RF50	11/13/2025	SGS	C)
Splitter	RF-LAMBDA	RFLT4W1G18G	RF63	11/13/2025	SGS	C)

Note 1: The validity of measurement equipment is one year from the first day of the following month of the calibration date.

(e.g. If the calibration date is December 15th, 2014, measurement equipment can be used from December 15th, 2014 to December 31st, 2015.)

Note 2: Calibration Method

- a): Calibration conducted by the National Institute of Information and Communications Technology(NICT)(hereinafter referred to as "NICT") or a designated calibration agency under Article 102-18 paragraph (1)
- b): Correction conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992)
- c) : Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1)
- d) : Calibration conducted by using measuring instruments and other equipment listed in the right column of Table No. 3 attached hereto, which shall have been given any of calibration, etc. listed above from a) to c)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5 RF OUTPUT POWER

Antenna Power						
802.11a_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
RF Output Power (Chain0) (*1)	mW/MHz	2.5818	2.5757	2.8380	$\leq$ 10.00000	PASS
RF Output Power Tolerance (Chain0)	%	-9.03	-9.24	0.00	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	4.1193	4.1089	4.5301	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11n_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.3750	1.3535	1.3908	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.2658	1.3030	1.3066	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	2.6408	2.6565	2.6974	$\leq$ 10.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.10	-1.52	0.00	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	1.3831	1.3146	1.4327	---	---
Total Output Power (Chain1)	dBm	1.0235	1.1495	1.1613	---	---
Total Output Power (Chain0+Chain1)	dBm	4.2170	4.2430	4.3090	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11n_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.6975	0.6998	0.6818	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.6834	0.6599	0.6568	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.3809	1.3597	1.3386	$\leq$ 5.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-1.54	-3.06	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	-1.5643	-1.5505	-1.6632	---	---
Total Output Power (Chain1)	dBm	-1.6534	-1.8052	-1.8257	---	---
Total Output Power (Chain0+Chain1)	dBm	1.4020	1.3340	1.2670	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna Power						
802.11ac_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.3349	1.3288	1.3566	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.2169	1.2353	1.2620	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	2.5518	2.5642	2.6186	$\leq$ 10.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.55	-2.08	0.00	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	1.2546	1.2347	1.3244	---	---
Total Output Power (Chain1)	dBm	0.8525	0.9178	1.0107	---	---
Total Output Power (Chain0+Chain1)	dBm	4.0680	4.0900	4.1810	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11ac_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.6888	0.6911	0.6736	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.6395	0.6224	0.6470	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.3283	1.3135	1.3206	$\leq$ 5.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-1.11	-0.58	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	-1.6193	-1.6043	-1.7158	---	---
Total Output Power (Chain1)	dBm	-1.9414	-2.0596	-1.8912	---	---
Total Output Power (Chain0+Chain1)	dBm	1.2330	1.1840	1.2080	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna Power						
802.11ac_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.3072	0.2997	0.3133	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.2769	0.2596	0.2664	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.5840	0.5593	0.5797	$\leq$ 2.50000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-4.23	-0.74	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	-5.1261	-5.2335	-5.0406	---	---
Total Output Power (Chain1)	dBm	-5.5774	-5.8565	-5.7446	---	---
Total Output Power (Chain0+Chain1)	dBm	-2.3360	-2.5240	-2.3680	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11ac_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.1537	0.1594	0.1587	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.1440	0.1318	0.1405	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.2978	0.2912	0.2992	$\leq$ 1.25000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-0.47	-2.67	0.00	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	-8.1319	-7.9754	-7.9945	---	---
Total Output Power (Chain1)	dBm	-8.4149	-8.8011	-8.5240	---	---
Total Output Power (Chain0+Chain1)	dBm	-5.2610	-5.3580	-5.2400	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna Power						
802.11ax_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.3279	1.3728	1.3424	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.2096	1.2314	1.1508	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	2.5375	2.6042	2.4932	$\leq$ 10.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.56	0.00	-4.26	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	1.2317	1.3760	1.2789	---	---
Total Output Power (Chain1)	dBm	0.8264	0.9040	0.6099	---	---
Total Output Power (Chain0+Chain1)	dBm	4.0440	4.1570	3.9680	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11ax_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.6758	0.6747	0.6792	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.5804	0.6496	0.6596	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.2562	1.3243	1.3388	$\leq$ 5.00000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-6.17	-1.08	0.00	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	-1.7015	-1.7088	-1.6802	---	---
Total Output Power (Chain1)	dBm	-2.3629	-1.8736	-1.8071	---	---
Total Output Power (Chain0+Chain1)	dBm	0.9910	1.2200	1.2670	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna Power						
802.11ax_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.3078	0.3281	0.3363	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.2980	0.3130	0.3174	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.6058	0.6411	0.6537	$\leq$ 2.50000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-7.33	-1.93	0.00	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	-5.1169	-4.8399	-4.7329	---	---
Total Output Power (Chain1)	dBm	-5.2585	-5.0444	-4.9834	---	---
Total Output Power (Chain0+Chain1)	dBm	-2.1770	-1.9310	-1.8460	---	---
(*1): included calculation of burst ratio						
Antenna Power						
802.11ax_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.1659	0.1668	0.1679	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.1577	0.1597	0.1607	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.3236	0.3264	0.3286	$\leq$ 1.25000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-1.52	-0.67	0.00	$\geq$ -80 $\leq$ 20	PASS
Total Output Power (Chain0)	dBm	-7.8026	-7.7792	-7.7486	---	---
Total Output Power (Chain1)	dBm	-8.0207	-7.9671	-7.9400	---	---
Total Output Power (Chain0+Chain1)	dBm	-4.9000	-4.8620	-4.8330	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

6 FREQUENCY TOLERANCE

Frequency Tolerance						
802.11a_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Reading Frequency (Chain0)	MHz	5954.9750	6174.9770	6414.9760	---	PASS
Frequency Tolerance (Chain0)	ppm	-4.1982	-3.7247	-3.7412	±20	
Frequency Tolerance						
802.11n_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Reading Frequency (Chain0)	MHz	5954.9770	6174.9770	6414.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8623	-3.7247	-3.8971	±20	
Reading Frequency (Chain1)	MHz	5954.9770	6174.9770	6414.9760	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8623	-3.7247	-3.7412	±20	
Frequency Tolerance						
802.11n_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Reading Frequency (Chain0)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8558	-3.8929	-3.9032	±20	
Reading Frequency (Chain1)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8558	-3.8929	-3.9032	±20	
Frequency Tolerance						
802.11ac_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Reading Frequency (Chain0)	MHz	5954.9790	6174.9770	6414.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.5264	-3.7247	-3.8971	±20	
Reading Frequency (Chain1)	MHz	5954.9790	6174.9770	6414.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.5264	-3.7247	-3.8971	±20	
Frequency Tolerance						
802.11ac_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Reading Frequency (Chain0)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8558	-3.8929	-3.9032	±20	
Reading Frequency (Chain1)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8558	-3.8929	-3.9032	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11ac_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
Reading Frequency (Chain0)	MHz	5984.9770	6144.9760	6384.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8429	-3.9056	-3.9154	±20	
Reading Frequency (Chain1)	MHz	5984.9770	6144.9760	6384.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8429	-3.9056	-3.9154	±20	
Frequency Tolerance						
802.11ac_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
Reading Frequency (Chain0)	MHz	6024.9770	6184.9760	6344.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8174	-3.8804	-3.9401	±20	
Reading Frequency (Chain1)	MHz	6024.9760	6184.9760	6344.9760	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.9834	-3.8804	-3.7825	±20	
Frequency Tolerance						
802.11ax_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Reading Frequency (Chain0)	MHz	5954.9790	6174.9790	6414.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.5264	-3.4008	-3.8971	±20	
Reading Frequency (Chain1)	MHz	5954.9800	6174.9780	6414.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.3585	-3.5628	-3.8971	±20	
Frequency Tolerance						
802.11ax_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Reading Frequency (Chain0)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8558	-3.8929	-3.9032	±20	
Reading Frequency (Chain1)	MHz	5964.9770	6164.9760	6404.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8558	-3.8929	-3.9032	±20	
Frequency Tolerance						
802.11ax_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
Reading Frequency (Chain0)	MHz	5984.9770	6144.9760	6384.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.8429	-3.9056	-3.9154	±20	
Reading Frequency (Chain1)	MHz	5984.9770	6144.9760	6384.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.8429	-3.9056	-3.9154	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11ax_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
Reading Frequency (Chain0)	MHz	6024.9760	6184.9760	6344.9750	---	PASS
Frequency Tolerance (Chain0)	ppm	-3.9834	-3.8804	-3.9401	±20	
Reading Frequency (Chain1)	MHz	6024.9760	6184.9760	6344.9750	---	PASS
Frequency Tolerance (Chain1)	ppm	-3.9834	-3.8804	-3.9401	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 OCCUPIED BANDWIDTH

Occupied Bandwidth						
802.11a_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Occupied Bandwidth (Chain0)	MHz	16.3600	16.3690	16.3710	≤ 20	PASS
Occupied Bandwidth						
802.11n_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Occupied Bandwidth (Chain0)	MHz	17.5920	17.6050	17.5930	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.5770	17.6070	17.6170	≤ 20	PASS
Occupied Bandwidth						
802.11n_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Occupied Bandwidth (Chain0)	MHz	36.0350	36.1020	36.0660	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	36.0550	36.0660	36.0540	≤ 40	PASS
Occupied Bandwidth						
802.11ac_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Occupied Bandwidth (Chain0)	MHz	17.5760	17.5780	17.5970	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.5950	17.5940	17.5840	≤ 20	PASS
Occupied Bandwidth						
802.11ac_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Occupied Bandwidth (Chain0)	MHz	36.0350	36.0580	36.0630	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	36.0970	36.1010	36.0350	≤ 40	PASS
Occupied Bandwidth						
802.11ac_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
Occupied Bandwidth (Chain0)	MHz	75.4670	75.5290	75.4270	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	75.4930	75.3670	75.4920	≤ 80	PASS
Occupied Bandwidth						
802.11ac_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
Occupied Bandwidth (Chain0)	MHz	154.6390	154.4910	154.5020	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	154.5090	154.5500	154.0780	≤ 160	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Occupied Bandwidth						
802.11ax_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
Occupied Bandwidth (Chain0)	MHz	18.9180	18.9050	18.9410	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	18.9160	18.9290	18.9210	≤ 20	PASS
Occupied Bandwidth						
802.11ax_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
Occupied Bandwidth (Chain0)	MHz	37.7020	37.7090	37.6720	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	37.7730	37.7230	37.7430	≤ 40	PASS
Occupied Bandwidth						
802.11ax_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
Occupied Bandwidth (Chain0)	MHz	77.0550	77.1830	77.1380	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.2070	77.1240	77.2530	≤ 80	PASS
Occupied Bandwidth						
802.11ax_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
Occupied Bandwidth (Chain0)	MHz	156.3500	156.0370	156.1810	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	155.9280	155.9880	156.0650	≤ 160	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




LPI 802.11ac 80MHz Chain1 5985MHz




LPI 802.11ac 80MHz Chain1 6145MHz




LPI 802.11ac 80MHz Chain1 6385MHz



LPI 802.11ac 160MHz Chain0 6025MHz



LPI 802.11ac 160MHz Chain0 6185MHz




LPI 802.11ac 160MHz Chain0 6345MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8 ADJACENT CHANNEL LEAKAGE POWER

Adjacent Channel Emitted Power						
802.11a_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-58.87	-59.55	-58.94	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-39.97	-39.05	-39.12	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-40.82	-39.49	-38.81	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-59.15	-59.31	-59.17	≤ -40	PASS
Adjacent Channel Emitted Power						
802.11n_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-57.74	-58.96	-58.06	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-38.64	-38.13	-37.95	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-38.46	-38.40	-37.43	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-57.99	-58.48	-58.25	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-57.75	-59.21	-57.94	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-38.34	-37.77	-37.43	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-38.24	-37.92	-37.39	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-58.00	-59.04	-58.16	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.74	-59.09	-58.00	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-38.48	-37.95	-37.69	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-38.34	-38.15	-37.41	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.99	-58.76	-58.21	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11n_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-56.93	-58.40	-57.04	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-36.01	-35.83	-35.31	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-36.18	-36.08	-35.87	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.44	-58.04	-57.56	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power						
802.11n_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-54.00	-55.77	-55.64	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-42.05	-42.22	-43.17	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-43.22	-41.45	-43.08	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-54.83	-55.19	-56.26	≤ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-55.04	-56.35	-55.18	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-43.00	-43.48	-42.53	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-42.37	-43.35	-43.39	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-55.67	-55.89	-56.15	≤ -40	PASS
CF-80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-54.51	-56.08	-55.41	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-42.52	-42.86	-42.85	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-42.77	-42.39	-43.22	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-55.25	-55.56	-56.20	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11n_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-53.84	-55.71	-54.78	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-41.38	-42.17	-41.20	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-41.70	-41.73	-41.04	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-54.77	-55.42	-55.39	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power

802.11ac_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (± 10 MHz)(Chain0)	dBc	-57.61	-58.70	-57.87	≤ -40	PASS
CF-20MHz (± 10 MHz)(Chain0)	dBc	-38.09	-37.82	-37.25	≤ -25	PASS
CF+20MHz (± 10 MHz)(Chain0)	dBc	-38.19	-38.30	-37.70	≤ -25	PASS
CF+40MHz (± 10 MHz)(Chain0)	dBc	-58.01	-58.46	-58.04	≤ -40	PASS
CF-40MHz (± 10 MHz)(Chain1)	dBc	-57.63	-59.13	-57.72	≤ -40	PASS
CF-20MHz (± 10 MHz)(Chain1)	dBc	-38.11	-37.60	-37.15	≤ -25	PASS
CF+20MHz (± 10 MHz)(Chain1)	dBc	-37.88	-37.47	-38.14	≤ -25	PASS
CF+40MHz (± 10 MHz)(Chain1)	dBc	-57.80	-58.85	-58.12	≤ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-57.61	-58.91	-57.79	≤ -40	PASS
CF-20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-38.09	-37.70	-37.20	≤ -25	PASS
CF+20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-38.03	-37.85	-37.91	≤ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-57.90	-58.65	-58.08	≤ -40	PASS

Adjacent Channel Emitted Power(Combiner)

802.11ac_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-57.18	-58.45	-57.19	≤ -40	PASS
CF-20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.28	-36.03	-35.52	≤ -25	PASS
CF+20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.39	-36.28	-35.33	≤ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-57.70	-58.04	-57.52	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power

802.11ac_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-54.30	-56.06	-55.59	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-42.19	-42.64	-42.65	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-43.37	-41.86	-43.17	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-55.08	-55.64	-55.88	≤ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-54.88	-56.50	-54.98	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-43.23	-42.83	-41.84	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-42.75	-43.21	-43.03	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-55.70	-55.94	-55.88	≤ -40	PASS
CF-80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-54.58	-56.28	-55.29	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-42.68	-42.73	-42.24	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-43.06	-42.50	-43.10	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-55.38	-55.79	-55.88	≤ -40	PASS

Adjacent Channel Emitted Power(Combiner)

802.11ac_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-54.00	-55.27	-54.54	≤ -40	PASS
CF-40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-41.02	-41.37	-41.21	≤ -25	PASS
CF+40MHz (± 20 MHz)(Chain0+Chain1)	dBc	-42.42	-41.26	-41.33	≤ -25	PASS
CF+80MHz (± 20 MHz)(Chain0+Chain1)	dBc	-54.92	-54.65	-55.31	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power

802.11ac_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
CF-160MHz (±40MHz)(Chain0)	dBc	-51.45	-51.91	-52.38	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0)	dBc	-40.36	-41.15	-41.94	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-42.47	-40.89	-41.84	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0)	dBc	-52.46	-51.87	-53.06	≤ -40	PASS
CF-160MHz (±40MHz)(Chain1)	dBc	-51.83	-52.37	-52.33	≤ -40	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-41.81	-41.90	-41.98	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-41.63	-42.41	-42.58	≤ -25	PASS
CF+160MHz (±40MHz)(Chain1)	dBc	-52.81	-52.26	-53.40	≤ -40	PASS
CF-160MHz (±40MHz)(Chain0+Chain1)	dBc	-51.62	-52.14	-52.35	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0+Chain1)	dBc	-40.97	-41.52	-41.95	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0+Chain1)	dBc	-42.06	-41.61	-42.18	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0+Chain1)	dBc	-52.62	-52.07	-53.22	≤ -40	PASS

Adjacent Channel Emitted Power(Combiner)

802.11ac_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
CF-160MHz (±40MHz)(Chain0+Chain1)	dBc	-50.95	-51.67	-51.97	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0+Chain1)	dBc	-40.23	-41.31	-40.71	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0+Chain1)	dBc	-42.21	-40.56	-40.37	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0+Chain1)	dBc	-52.04	-51.62	-52.90	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power						
802.11ac_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
CF-320MHz (±80MHz)(Chain0)	dBc	-49.53	-49.07	-49.36	≤ -40	PASS
CF-160MHz (±80MHz)(Chain0)	dBc	-38.44	-40.09	-40.95	≤ -25	PASS
CF+160MHz (±80MHz)(Chain0)	dBc	-40.93	-40.98	-41.47	≤ -25	PASS
CF+320MHz (±80MHz)(Chain0)	dBc	-49.42	-49.90	-50.50	≤ -40	PASS
CF-320MHz (±80MHz)(Chain1)	dBc	-49.32	-49.39	-49.83	≤ -40	PASS
CF-160MHz (±80MHz)(Chain1)	dBc	-40.20	-39.68	-39.72	≤ -25	PASS
CF+160MHz (±80MHz)(Chain1)	dBc	-40.02	-41.36	-42.22	≤ -25	PASS
CF+320MHz (±80MHz)(Chain1)	dBc	-49.10	-50.41	-51.11	≤ -40	PASS
CF-320MHz (±80MHz)(Chain0+Chain1)	dBc	-49.43	-49.22	-49.60	≤ -40	PASS
CF-160MHz (±80MHz)(Chain0+Chain1)	dBc	-39.20	-39.87	-40.28	≤ -25	PASS
CF+160MHz (±80MHz)(Chain0+Chain1)	dBc	-40.48	-41.16	-41.84	≤ -25	PASS
CF+320MHz (±80MHz)(Chain0+Chain1)	dBc	-49.27	-50.15	-50.81	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11ac_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	6025	6185	6345	---	---
Channel Number	Ch.	15	47	79	---	---
CF-320MHz (±80MHz)(Chain0+Chain1)	dBc	-48.71	-48.90	-49.55	≤ -40	PASS
CF-160MHz (±80MHz)(Chain0+Chain1)	dBc	-39.17	-39.98	-40.07	≤ -25	PASS
CF+160MHz (±80MHz)(Chain0+Chain1)	dBc	-40.06	-41.00	-41.90	≤ -25	PASS
CF+320MHz (±80MHz)(Chain0+Chain1)	dBc	-48.51	-49.65	-50.55	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power						
802.11ax_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-57.79	-59.32	-58.29	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-37.47	-38.11	-37.28	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-37.72	-37.67	-37.46	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-57.86	-59.12	-58.50	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-57.51	-58.62	-57.91	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-37.86	-37.98	-37.39	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-37.56	-38.14	-37.15	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-57.50	-58.48	-58.34	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.65	-58.96	-58.10	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-37.66	-38.05	-37.33	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-37.64	-37.91	-37.31	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.68	-58.79	-58.42	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11ax_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5955	6175	6415	---	---
Channel Number	Ch.	1	45	93	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-56.93	-58.69	-57.62	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-35.44	-35.22	-34.87	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-36.55	-36.35	-35.71	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-57.62	-58.31	-57.94	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power						
802.11ax_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (±20MHz)(Chain0)	dBc	-54.67	-55.58	-54.82	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0)	dBc	-42.38	-42.50	-42.38	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0)	dBc	-43.52	-42.03	-43.56	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0)	dBc	-55.51	-55.05	-55.44	≤ -40	PASS
CF-80MHz (±20MHz)(Chain1)	dBc	-54.39	-56.19	-55.08	≤ -40	PASS
CF-40MHz (±20MHz)(Chain1)	dBc	-42.41	-42.99	-42.83	≤ -25	PASS
CF+40MHz (±20MHz)(Chain1)	dBc	-42.81	-42.71	-43.15	≤ -25	PASS
CF+80MHz (±20MHz)(Chain1)	dBc	-55.18	-55.86	-55.79	≤ -40	PASS
CF-80MHz (±20MHz)(Chain0+Chain1)	dBc	-54.53	-55.90	-54.95	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0+Chain1)	dBc	-42.39	-42.76	-42.60	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0+Chain1)	dBc	-43.16	-42.39	-43.34	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0+Chain1)	dBc	-55.34	-55.47	-55.61	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11ax_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5965	6165	6405	---	---
Channel Number	Ch.	3	43	91	---	---
CF-80MHz (±20MHz)(Chain0+Chain1)	dBc	-53.88	-55.79	-54.53	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0+Chain1)	dBc	-40.73	-41.08	-40.15	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0+Chain1)	dBc	-41.83	-41.19	-41.06	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0+Chain1)	dBc	-54.71	-55.05	-55.14	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Emitted Power						
802.11ax_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
CF-160MHz (±40MHz)(Chain0)	dBc	-51.21	-51.72	-52.14	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0)	dBc	-40.45	-41.84	-42.44	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-42.76	-42.25	-42.27	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0)	dBc	-52.25	-51.85	-52.91	≤ -40	PASS
CF-160MHz (±40MHz)(Chain1)	dBc	-51.83	-52.30	-51.93	≤ -40	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-42.68	-41.72	-41.66	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-42.18	-42.65	-43.00	≤ -25	PASS
CF+160MHz (±40MHz)(Chain1)	dBc	-52.75	-52.26	-52.94	≤ -40	PASS
CF-160MHz (±40MHz)(Chain0+Chain1)	dBc	-51.49	-52.01	-52.03	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0+Chain1)	dBc	-41.38	-41.77	-42.04	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0+Chain1)	dBc	-42.47	-42.45	-42.61	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0+Chain1)	dBc	-52.48	-52.05	-52.92	≤ -40	PASS
Adjacent Channel Emitted Power(Combiner)						
802.11ax_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5985	6145	6385	---	---
Channel Number	Ch.	7	39	87	---	---
CF-160MHz (±40MHz)(Chain0+Chain1)	dBc	-50.92	-51.37	-51.91	≤ -40	PASS
CF-80MHz (±40MHz)(Chain0+Chain1)	dBc	-39.91	-41.16	-40.69	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0+Chain1)	dBc	-42.55	-40.47	-41.80	≤ -25	PASS
CF+160MHz (±40MHz)(Chain0+Chain1)	dBc	-52.08	-51.37	-52.71	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group