







NTNV_10M-M(VHT) MIMO mode_Ant2_5655_5590~5630





NTNV_10M-M(VHT) MIMO mode_Ant2_5655_5775~5815





NTNV_10M-M(VHT) MIMO mode_Ant2_5655_5815~26000



















Test Result 20MHz System

TestCondition	TestMode	Antenna	Freq(MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	Result [μ W/MHz]	Limit [μ W/MHz]	Verdict
NTNV	20M-S mode(SISO)	Ant1	5660	30~1000	872.54	-49.05	3.32	-45.73	0.02673	≤ 0.63	PASS
				1000~5590	3607.12	-44.03	3.32	-40.71	0.08492	≤ 0.63	PASS
				5590~5630	5627.32	-44.09	3.32	-40.77	0.08375	≤ 3.0	PASS
				5775~5815	5777.56	-52.66	3.32	-49.34	0.01164	≤ 3.0	PASS
				5815~26000	23544.83	-37.78	3.32	-34.46	0.35810	≤ 0.63	PASS
		Ant2	5660	30~1000	923.95	-49.00	3.32	-45.68	0.02704	≤ 0.63	PASS
				1000~5590	3597.94	-44.37	3.32	-41.05	0.07852	≤ 0.63	PASS
				5590~5630	5626.96	-44.82	3.32	-41.5	0.07079	≤ 3.0	PASS
				5775~5815	5783.12	-52.66	3.32	-49.34	0.01164	≤ 3.0	PASS
				5815~26000	25957.61	-37.38	3.32	-34.06	0.39264	≤ 0.63	PASS
		Ant1	5700	30~1000	833.84	-49.07	3.32	-45.75	0.02661	≤ 0.63	PASS
				1000~5590	3611.71	-44.22	3.32	-40.9	0.08128	≤ 0.63	PASS
				5590~5630	5627.24	-44.10	3.32	-40.78	0.08356	≤ 3.0	PASS
				5775~5815	5775.08	-52.71	3.32	-49.39	0.01151	≤ 3.0	PASS
				5815~26000	25921.28	-37.78	3.32	-34.46	0.35810	≤ 0.63	PASS
		Ant2	5700	30~1000	773.60	-49.01	3.32	-45.69	0.02698	≤ 0.63	PASS
				1000~5590	3611.71	-44.23	3.32	-40.91	0.08110	≤ 0.63	PASS
				5590~5630	5629.88	-44.70	3.32	-41.38	0.07278	≤ 3.0	PASS
				5775~5815	5780.44	-52.70	3.32	-49.38	0.01153	≤ 3.0	PASS
				5815~26000	25971.74	-37.31	3.32	-33.99	0.39902	≤ 0.63	PASS
		Ant1	5745	30~1000	763.32	-48.82	3.32	-45.5	0.02818	≤ 0.63	PASS
				1000~5590	3625.48	-44.16	3.32	-40.84	0.08241	≤ 0.63	PASS
				5590~5630	5628.96	-44.05	3.32	-40.73	0.08453	≤ 3.0	PASS
				5775~5815	5780.44	-52.67	3.32	-49.35	0.01161	≤ 3.0	PASS
				5815~26000	25960.30	-37.79	3.32	-34.47	0.35727	≤ 0.63	PASS
		Ant2	5745	30~1000	890.58	-48.60	3.32	-45.28	0.02965	≤ 0.63	PASS
				1000~5590	2413.72	-43.90	3.32	-40.58	0.08750	≤ 0.63	PASS
				5590~5630	5628.72	-44.71	3.32	-41.39	0.07261	≤ 3.0	PASS
				5775~5815	5799.72	-52.53	3.32	-49.21	0.01199	≤ 3.0	PASS
				5815~26000	25830.45	-37.95	3.32	-34.63	0.34435	≤ 0.63	PASS
	20M-M(HT) MIMO mode	Ant1	5660	30~1000	895.14	-49.14	3.32	-45.82	0.02618	≤ 0.63	PASS
				1000~5590	2413.72	-43.32	3.32	-40	0.10000	≤ 0.63	PASS
				5590~5630	5629.04	-44.20	3.32	-40.88	0.08166	≤ 3.0	PASS
				5775~5815	5779.32	-52.53	3.32	-49.21	0.01199	≤ 3.0	PASS
				5815~26000	25971.74	-37.36	3.32	-34.04	0.39446	≤ 0.63	PASS
		Ant2	5660	30~1000	884.09	-48.72	3.32	-45.4	0.02884	≤ 0.63	PASS
				1000~5590	3620.89	-44.23	3.32	-40.91	0.08110	≤ 0.63	PASS
				5590~5630	5629.88	-44.62	3.32	-41.3	0.07413	≤ 3.0	PASS
				5775~5815	5794.12	-52.63	3.32	-49.31	0.01172	≤ 3.0	PASS
				5815~26000	22396.98	-37.66	3.32	-34.34	0.36813	≤ 0.63	PASS
		Ant1	5700	30~1000	898.44	-48.74	3.32	-45.42	0.02871	≤ 0.63	PASS
				1000~5590	1927.18	-43.07	3.32	-39.75	0.10593	≤ 0.63	PASS
				5590~5630	5628.88	-44.24	3.32	-40.92	0.08091	≤ 3.0	PASS
				5775~5815	5780.00	-52.65	3.32	-49.33	0.01167	≤ 3.0	PASS
				5815~26000	25876.20	-37.85	3.32	-34.53	0.35237	≤ 0.63	PASS
		Ant2	5700	30~1000	793.68	-58.96	3.32	-55.64	0.00273	≤ 0.63	PASS
				1000~5590	5126.41	-52.86	3.32	-49.54	0.01112	≤ 0.63	PASS
				5590~5630	5628.04	-54.65	3.32	-51.33	0.00736	≤ 3.0	PASS
				5775~5815	5775.15	-34.77	3.32	-31.45	0.71614	≤ 3.0	PASS
				5815~26000	25968.38	-46.94	3.32	-43.62	0.04345	≤ 0.63	PASS
		Ant1	5745	30~1000	910.08	-48.87	3.32	-45.55	0.02786	≤ 0.63	PASS
				1000~5590	5204.44	-36.24	3.32	-32.92	0.51050	≤ 0.63	PASS
				5590~5630	5629.60	-44.05	3.32	-40.73	0.08453	≤ 3.0	PASS
				5775~5815	5797.60	-52.66	3.32	-49.34	0.01164	≤ 3.0	PASS

Guangdong DN Testing Co., Ltd.

Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China

Web: www.dn-testing.com


Tel: +86-769-88087383

E-mail: service@dn-testing.com




20M-M(VHT) MIMO mode	Ant2	5745	5815~26000	25784.02	-37.42	3.32	-34.1	0.38905	≤0.63	PASS
			30~1000	908.24	-48.20	3.32	-44.88	0.03251	≤0.63	PASS
			1000~5590	3597.94	-43.96	3.32	-40.64	0.08630	≤0.63	PASS
			5590~5630	5627.68	-44.51	3.32	-41.19	0.07603	≤3.0	PASS
			5775~5815	5777.48	-52.42	3.32	-49.1	0.01230	≤3.0	PASS
	Ant1	5660	5815~26000	24531.20	-37.66	3.32	-34.34	0.36813	≤0.63	PASS
			30~1000	942.09	-48.59	3.32	-45.27	0.02972	≤0.63	PASS
			1000~5590	3597.94	-44.20	3.32	-40.88	0.08166	≤0.63	PASS
			5590~5630	5627.20	-44.32	3.32	-41	0.07943	≤3.0	PASS
			5775~5815	5790.72	-52.58	3.32	-49.26	0.01186	≤3.0	PASS
	Ant2	5660	5815~26000	23626.92	-38.37	3.32	-35.05	0.31261	≤0.63	PASS
			30~1000	841.02	-48.88	3.32	-45.56	0.02780	≤0.63	PASS
			1000~5590	3597.94	-43.84	3.32	-40.52	0.08872	≤0.63	PASS
			5590~5630	5629.48	-44.75	3.32	-41.43	0.07194	≤3.0	PASS
			5775~5815	5798.86	-31.44	3.32	-28.12	1.54170	≤3.0	PASS
	Ant1	5700	5815~26000	25658.87	-36.70	3.32	-33.38	0.45920	≤0.63	PASS
			30~1000	853.72	-49.11	3.32	-45.79	0.02636	≤0.63	PASS
			1000~5590	4860.19	-44.41	3.32	-41.09	0.07780	≤0.63	PASS
			5590~5630	5627.52	-44.18	3.32	-40.86	0.08204	≤3.0	PASS
			5775~5815	5776.68	-52.38	3.32	-49.06	0.01242	≤3.0	PASS
	Ant2	5700	5815~26000	25915.90	-38.15	3.32	-34.83	0.32885	≤0.63	PASS
			30~1000	873.71	-48.93	3.32	-45.61	0.02748	≤0.63	PASS
			1000~5590	1927.18	-40.61	3.32	-37.29	0.18664	≤0.63	PASS
			5590~5630	5629.40	-44.60	3.32	-41.28	0.07447	≤3.0	PASS
			5775~5815	5809.25	-30.93	3.32	-27.61	1.73380	≤3.0	PASS
	Ant1	5745	5815~26000	25937.43	-37.47	3.32	-34.15	0.38459	≤0.63	PASS
			30~1000	997.38	-48.65	3.32	-45.33	0.02931	≤0.63	PASS
			1000~5590	3597.94	-44.01	3.32	-40.69	0.08531	≤0.63	PASS
			5590~5630	5628.68	-44.16	3.32	-40.84	0.08241	≤3.0	PASS
			5775~5815	5778.80	-52.64	3.32	-49.32	0.01169	≤3.0	PASS
	Ant2	5745	5815~26000	25835.16	-37.69	3.32	-34.37	0.36559	≤0.63	PASS
			30~1000	920.07	-48.87	3.32	-45.55	0.02786	≤0.63	PASS
			1000~5590	3630.07	-44.03	3.32	-40.71	0.08492	≤0.63	PASS
			5590~5630	5627.36	-44.59	3.32	-41.27	0.07464	≤3.0	PASS
			5775~5815	5778.80	-52.64	3.32	-49.32	0.01169	≤3.0	PASS
			5815~26000	25837.17	-37.01	3.32	-33.69	0.42756	≤0.63	PASS


Note:SA set to from 5.815GMHz to 26GHz, plot shows from 5.82GHz to 26GHz as of SA's default format.






NTNV_20M-S mode(SISO)_Ant1_5660_5815~26000







NTNV_20M-S mode(SISO)_Ant2_5660_30~1000





NTNV_20M-S mode(SISO)_Ant2_5660_1000~5590
















NTNV_20M-S mode(SISO)_Ant2_5700_5815~26000







NTNV_20M-S mode(SISO)_Ant1_5745_30~1000





NTNV_20M-S mode(SISO)_Ant1_5745_1000~5590














NTNV_20M-M(HT) MIMO mode_Ant1_5660_5815~26000





NTNV_20M-M(HT) MIMO mode_Ant2_5660_30~1000




NTNV_20M-M(HT) MIMO mode_Ant2_5660_1000~5590









NTNV_20M-M(HT) MIMO mode_Ant1_5700_5775~5815




NTNV_20M-M(HT) MIMO mode_Ant1_5700_5815~26000




NTNV_20M-M(HT) MIMO mode_Ant2_5700_30~1000




NTNV_20M-M(HT) MIMO mode_Ant2_5700_1000~5590




NTNV_20M-M(HT) MIMO mode_Ant2_5700_5590~5630




NTNV_20M-M(HT) MIMO mode_Ant2_5700_5775~5815







NTNV_20M-M(HT) MIMO mode_Ant1_5745_5775~5815




NTNV_20M-M(HT) MIMO mode_Ant1_5745_5815~26000




NTNV_20M-M(HT) MIMO mode_Ant2_5745_30~1000







NTNV_20M-M(HT) MIMO mode_Ant2_5745_5815~26000





NTNV_20M-M(VHT) MIMO mode_Ant1_5660_30~1000





NTNV_20M-M(VHT) MIMO mode_Ant1_5660_1000~5590














NTNV_20M-M(VHT) MIMO mode_Ant1_5700_5815~26000




NTNV_20M-M(VHT) MIMO mode_Ant2_5700_30~1000




NTNV_20M-M(VHT) MIMO mode_Ant2_5700_1000~5590







NTNV 20M-M(VHT) MIMO mode Ant1 5745 30~1000




NTNV 20M-M(VHT) MIMO mode Ant1 5745 1000~5590




NTNV 20M-M(VHT) MIMO mode Ant1 5745 5590~5630




NTNV_20M-M(VHT) MIMO mode_Ant1_5745_5775~5815




NTNV_20M-M(VHT) MIMO mode_Ant1_5745_5815~26000



NTNV_20M-M(VHT) MIMO mode_Ant2_5745_30~1000






**Appendix F: Secondary Radiated Emission strength****Test Result 10MHz System**

TestCondition	TestMode	Antenna	Freq(MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	10M-S mode(SISO)	Ant1	5655	30~1000	72.20	-84.16	≤-54	0.00384	≤4	PASS
				30~1000	43.10	-69.48	≤-54	0.11272	≤4	PASS
		Ant2	5655	1000~26000	25913.75	-64.52	≤-47	0.35318	≤20	PASS
				1000~26000	25881.25	-64.28	≤-47	0.37325	≤20	PASS
		Ant1	5695	30~1000	801.64	-84.68	≤-54	0.00340	≤4	PASS
				30~1000	38.73	-68.92	≤-54	0.12823	≤4	PASS
		Ant2	5695	1000~26000	25955.00	-63.78	≤-47	0.41879	≤20	PASS
				1000~26000	25980.00	-64.30	≤-47	0.37154	≤20	PASS
		Ant1	5750	30~1000	830.25	-84.70	≤-54	0.00339	≤4	PASS
				30~1000	44.07	-71.29	≤-54	0.07430	≤4	PASS
		Ant2	5750	1000~26000	25961.25	-64.01	≤-47	0.39719	≤20	PASS
				1000~26000	25901.25	-63.81	≤-47	0.41591	≤20	PASS
	10M-M(HT) MIMO mode	Ant1	5655	30~1000	875.84	-84.25	≤-54	0.00376	≤4	PASS
				30~1000	38.25	-67.13	≤-54	0.19364	≤4	PASS
		Ant2	5655	1000~26000	25921.25	-64.39	≤-47	0.36392	≤20	PASS
				1000~26000	25962.50	-64.01	≤-47	0.39719	≤20	PASS
		Ant1	5695	30~1000	900.09	-84.26	≤-54	0.00375	≤4	PASS
				30~1000	37.76	-69.78	≤-54	0.10520	≤4	PASS
		Ant2	5695	1000~26000	25971.25	-63.92	≤-47	0.40551	≤20	PASS
				1000~26000	25901.25	-64.27	≤-47	0.37411	≤20	PASS
		Ant1	5750	30~1000	72.68	-84.87	≤-54	0.00326	≤4	PASS
				30~1000	39.22	-71.79	≤-54	0.06622	≤4	PASS
		Ant2	5750	1000~26000	25823.75	-64.42	≤-47	0.36141	≤20	PASS
				1000~26000	25957.50	-64.57	≤-47	0.34914	≤20	PASS
	10M-M(VHT) MIMO mode	Ant1	5655	30~1000	72.20	-84.19	≤-54	0.00381	≤4	PASS
				30~1000	37.28	-68.92	≤-54	0.12823	≤4	PASS
		Ant2	5655	1000~26000	25981.25	-64.58	≤-47	0.34834	≤20	PASS
				1000~26000	25982.50	-63.98	≤-47	0.39994	≤20	PASS
		Ant1	5695	30~1000	72.20	-84.39	≤-54	0.00364	≤4	PASS
				30~1000	39.22	-68.34	≤-54	0.14655	≤4	PASS
		Ant2	5695	1000~26000	25940.00	-64.54	≤-47	0.35156	≤20	PASS
				1000~26000	25982.50	-64.30	≤-47	0.37154	≤20	PASS
		Ant1	5750	30~1000	819.58	-84.37	≤-54	0.00366	≤4	PASS
				30~1000	925.31	-84.57	≤-54	0.00349	≤4	PASS
		Ant2	5750	1000~26000	25866.25	-64.41	≤-47	0.36224	≤20	PASS
				1000~26000	25857.50	-64.71	≤-47	0.33806	≤20	PASS



Test Graphs 10MHz System




Guangdong DN Testing Co., Ltd.


Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China


Web: www.dn-testing.com

Tel: +86-769-88087383


E-mail: service@dn-testing.com









NTLV-10M-S mode(SISO)-Ant1-5750-1000~26000-PASS




NTHV-10M-S mode(SISO)-Ant2-5750-1000~26000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5655-30~1000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5655-30~1000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5655-1000~26000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5655-1000~26000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5695-30~1000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5695-30~1000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5695-1000~26000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5695-1000~26000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5750-30~1000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5750-30~1000-PASS




NTLV-10M-M(HT) MIMO mode-Ant1-5750-1000~26000-PASS




NTHV-10M-M(HT) MIMO mode-Ant2-5750-1000~26000-PASS




NTLV-10M-M(VHT) MIMO mode-Ant1-5655-30~1000-PASS




NTHV-10M-M(VHT) MIMO mode-Ant2-5655-30~1000-PASS




NTLV-10M-M(VHT) MIMO mode-Ant1-5655-1000~26000-PASS




NTHV-10M-M(VHT) MIMO mode-Ant2-5655-1000~26000-PASS




NTLV-10M-M(VHT) MIMO mode-Ant1-5695-30~1000-PASS




NTHV-10M-M(VHT) MIMO mode-Ant2-5695-30~1000-PASS




NTLV-10M-M(VHT) MIMO mode-Ant1-5695-1000~26000-PASS




NTHV-10M-M(VHT) MIMO mode-Ant2-5695-1000~26000-PASS




NTLV-10M-M(VHT) MIMO mode-Ant1-5750-30~1000-PASS




NTHV-10M-M(VHT) MIMO mode-Ant2-5750-30~1000-PASS



NTLV-10M-M(VHT) MIMO mode-Ant1-5750-1000~26000-PASS



NTHV-10M-M(VHT) MIMO mode-Ant2-5750-1000~26000-PASS





Test Result 20MHz System

TestCondition	TestMode	Antenna	Freq(MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	20M-S mode(SISO)	Ant1	5660	30~1000	63.47	-90.59	≤-54	0.00087	≤4	PASS
				1000~26000	5750.00	-71.90	≤-47	0.06457	≤20	PASS
		Ant2	5660	30~1000	63.47	-91.71	≤-54	0.00067	≤4	PASS
				1000~26000	25901.25	-72.83	≤-47	0.05212	≤20	PASS
		Ant1	5700	30~1000	63.47	-91.80	≤-54	0.00066	≤4	PASS
				1000~26000	5751.25	-71.39	≤-47	0.07261	≤20	PASS
		Ant2	5700	30~1000	817.64	-91.88	≤-54	0.00065	≤4	PASS
				1000~26000	25892.50	-72.62	≤-47	0.05470	≤20	PASS
		Ant1	5745	30~1000	64.92	-91.69	≤-54	0.00068	≤4	PASS
				1000~26000	5750.00	-71.97	≤-47	0.06353	≤20	PASS
		Ant2	5745	30~1000	62.98	-92.23	≤-54	0.00060	≤4	PASS
				1000~26000	25960.00	-72.28	≤-47	0.05916	≤20	PASS
	20M-M(HT) MIMO mode	Ant1	5660	30~1000	62.98	-91.71	≤-54	0.00067	≤4	PASS
				1000~26000	5750.00	-70.96	≤-47	0.08017	≤20	PASS
		Ant2	5660	30~1000	62.98	-92.23	≤-54	0.00060	≤4	PASS
				1000~26000	25790.00	-72.50	≤-47	0.05623	≤20	PASS
		Ant1	5700	30~1000	65.41	-92.62	≤-54	0.00055	≤4	PASS
				1000~26000	5751.25	-71.85	≤-47	0.06531	≤20	PASS
		Ant2	5700	30~1000	935.50	-92.44	≤-54	0.00057	≤4	PASS
				1000~26000	25953.75	-72.82	≤-47	0.05224	≤20	PASS
		Ant1	5745	30~1000	63.95	-91.02	≤-54	0.00079	≤4	PASS
				1000~26000	5747.50	-71.77	≤-47	0.06653	≤20	PASS
		Ant2	5745	30~1000	62.98	-92.36	≤-54	0.00058	≤4	PASS
				1000~26000	25963.75	-72.94	≤-47	0.05082	≤20	PASS
	20M-M(VHT) MIMO mode	Ant1	5660	30~1000	64.44	-91.63	≤-54	0.00069	≤4	PASS
				1000~26000	5750.00	-71.15	≤-47	0.07674	≤20	PASS
		Ant2	5660	30~1000	64.92	-92.36	≤-54	0.00058	≤4	PASS
				1000~26000	25891.25	-72.81	≤-47	0.05236	≤20	PASS
		Ant1	5700	30~1000	63.95	-91.86	≤-54	0.00065	≤4	PASS
				1000~26000	5751.25	-70.31	≤-47	0.09311	≤20	PASS
		Ant2	5700	30~1000	63.95	-92.36	≤-54	0.00058	≤4	PASS
				1000~26000	25855.00	-71.90	≤-47	0.06457	≤20	PASS
		Ant1	5745	30~1000	63.47	-91.50	≤-54	0.00071	≤4	PASS
				1000~26000	5747.50	-71.77	≤-47	0.06653	≤20	PASS
		Ant2	5745	30~1000	894.27	-92.57	≤-54	0.00055	≤4	PASS
				1000~26000	25827.50	-72.34	≤-47	0.05834	≤20	PASS



Test Graphs 20MHz System

