


802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170426
EUT Y_2TX
Setting:16.5
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	53.86	54.00	-0.14	9.13	3	V	339	1.50	-
AV	5.558G	96.83	Inf	-Inf	9.61	3	V	339	1.50	-
PK	5.452G	68.00	74.00	-6.00	9.09	3	V	339	1.50	-
PK	5.462G	67.26	68.20	-0.94	9.14	3	V	339	1.50	-
PK	5.56G	107.38	Inf	-Inf	9.62	3	V	339	1.50	-
PK	5.765G	58.54	68.20	-9.66	9.96	3	V	339	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170426
EUT Y_2TX
Setting:16.5
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	47.87	54.00	-6.13	9.13	3	H	317	2.08	-
AV	5.522G	89.32	Inf	-Inf	9.43	3	H	317	2.08	-
PK	5.469G	60.59	68.20	-7.61	9.17	3	H	317	2.08	-
PK	5.522G	99.82	Inf	-Inf	9.43	3	H	317	2.08	-
PK	5.734G	57.09	68.20	-11.11	9.93	3	H	317	2.08	-
PK	5.448G	59.75	74.00	-14.25	9.08	3	H	317	2.08	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170426
EUT Y_2TX
Setting:18
04-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0576G	45.41	54.00	-8.59	16.39	3	V	146	1.04	-
PK	11.0619G	59.57	74.00	-14.43	16.39	3	V	146	1.04	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170426
EUT Y_2TX
Setting:18
04-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05566G	45.38	54.00	-8.62	16.39	3	H	136	2.20	-
PK	11.06492G	58.66	74.00	-15.34	16.39	3	H	136	2.20	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170426
EUT_Y_2TX
Setting:20
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	47.68	54.00	-6.32	9.13	3	V	345	1.68	-
AV	5.64G	100.05	Inf	-Inf	9.85	3	V	345	1.68	-
PK	5.449G	62.97	74.00	-11.03	9.08	3	V	345	1.68	-
PK	5.469G	64.28	68.20	-3.92	9.17	3	V	345	1.68	-
PK	5.594G	110.02	Inf	-Inf	9.79	3	V	345	1.68	-
PK	5.728G	68.12	68.20	-0.08	9.93	3	V	345	1.68	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170426
EUT_Y_2TX
Setting:20
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	44.46	54.00	-9.54	9.13	3	H	323	2.02	-
AV	5.632G	91.27	Inf	-Inf	9.85	3	H	323	2.02	-
PK	5.44G	56.37	74.00	-17.63	9.04	3	H	323	2.02	-
PK	5.466G	56.76	68.20	-11.44	9.16	3	H	323	2.02	-
PK	5.644G	101.49	Inf	-Inf	9.86	3	H	323	2.02	-
PK	5.727G	62.11	68.20	-6.09	9.92	3	H	323	2.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170426
EUT Y_2TX
Setting:20
04-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22294G	45.56	54.00	-8.44	16.36	3	V	325	2.02	-
PK	11.22326G	58.80	74.00	-15.20	16.36	3	V	325	2.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170426
EUT Y_2TX
Setting:20
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21816G	45.53	54.00	-8.47	16.36	3	H	34	1.53	-
PK	11.21698G	58.82	74.00	-15.18	16.36	3	H	34	1.53	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170426
EUT Y_2TX
Setting:23.5(升0.5會OVER)
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	50.90	54.00	-3.10	9.12	3	V	347	1.50	-
AV	5.4692G	51.64	54.00	-2.36	9.18	3	V	347	1.50	-
AV	5.6864G	102.77	Inf	-Inf	9.89	3	V	347	1.50	-
PK	5.4356G	65.12	74.00	-8.88	9.02	3	V	347	1.50	-
PK	5.462G	66.62	74.00	-7.38	9.14	3	V	347	1.50	-
PK	5.6852G	112.83	Inf	-Inf	9.89	3	V	347	1.50	-
PK	5.924G	65.17	68.94	-3.77	10.65	3	V	347	1.50	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170426
EUT Y_2TX
Setting:23.5
04-J-6-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.19	54.00	-7.81	9.13	3	H	323	1.95	-
AV	5.462G	46.27	54.00	-7.73	9.14	3	H	323	1.95	-
AV	5.6948G	94.09	Inf	-Inf	9.90	3	H	323	1.95	-
PK	5.4464G	59.40	74.00	-14.60	9.07	3	H	323	1.95	-
PK	5.4656G	58.74	74.00	-15.26	9.16	3	H	323	1.95	-
PK	5.6876G	104.18	Inf	-Inf	9.89	3	H	323	1.95	-
PK	5.9384G	58.60	68.20	-9.60	10.73	3	H	323	1.95	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170426
EUT Y_2TX
Setting:23.5
04-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3791G	45.89	54.00	-8.11	16.34	3	V	93	1.57	-
PK	11.38284G	59.05	74.00	-14.95	16.33	3	V	93	1.57	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



20170426
EUT Y_2TX
Setting:23.5
04-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3809G	45.85	54.00	-8.15	16.34	3	H	59	1.73	-
PK	11.37958G	59.00	74.00	-15.00	16.34	3	H	59	1.73	-




For 2TX / beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.350005G	53.98	54.00	-0.02	9.44	3	V	66	1.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1196G	47.32	54.00	-6.68	8.96	3	V	71	1.50	-
AV	5.2606G	107.50	Inf	-Inf	9.28	3	V	71	1.50	-
AV	5.3764G	47.65	54.00	-6.35	9.48	3	V	71	1.50	-
PK	5.1352G	58.87	74.00	-15.13	9.00	3	V	71	1.50	-
PK	5.2618G	120.42	Inf	-Inf	9.28	3	V	71	1.50	-
PK	5.3614G	60.71	74.00	-13.29	9.45	3	V	71	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1346G	46.86	54.00	-7.14	9.00	3	H	79	2.69	-
AV	5.2528G	102.12	Inf	-Inf	9.26	3	H	79	2.69	-
AV	5.4064G	47.13	54.00	-6.87	9.54	3	H	79	2.69	-
PK	5.1322G	59.39	74.00	-14.61	8.99	3	H	79	2.69	-
PK	5.2552G	112.70	Inf	-Inf	9.26	3	H	79	2.69	-
PK	5.3548G	59.78	74.00	-14.22	9.44	3	H	79	2.69	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78266G	43.21	54.00	-10.79	17.50	3	V	299	1.16	-
PK	15.7784G	57.00	74.00	-17.00	17.51	3	V	299	1.16	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77528G	43.14	54.00	-10.86	17.52	3	H	224	2.16	-
PK	15.7799G	56.33	74.00	-17.67	17.51	3	H	224	2.16	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3016G	108.42	Inf	-Inf	9.35	3	V	65	1.40	-
AV	5.350005G	49.92	54.00	-4.08	9.44	3	V	65	1.40	-
PK	5.3024G	122.37	Inf	-Inf	9.35	3	V	65	1.40	-
PK	5.3508G	66.00	74.00	-8.00	9.44	3	V	65	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3008G	97.78	Inf	-Inf	9.35	3	H	39	1.51	-
AV	5.350005G	46.67	54.00	-7.33	9.44	3	H	39	1.51	-
PK	5.3028G	111.40	Inf	-Inf	9.35	3	H	39	1.51	-
PK	5.3992G	61.34	74.00	-12.66	9.52	3	H	39	1.51	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89786G	42.22	54.00	-11.78	17.25	3	V	279	1.26	-
PK	15.90194G	55.89	74.00	-18.11	17.24	3	V	279	1.26	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89594G	42.17	54.00	-11.83	17.26	3	H	288	1.41	-
PK	15.90102G	56.07	74.00	-17.93	17.24	3	H	288	1.41	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	106.57	Inf	-Inf	9.39	3	V	66	1.46	-
AV	5.350005G	53.98	54.00	-0.02	9.44	3	V	66	1.46	-
PK	5.3228G	120.37	Inf	-Inf	9.39	3	V	66	1.46	-
PK	5.350005G	71.61	74.00	-2.39	9.44	3	V	66	1.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3212G	98.26	Inf	-Inf	9.39	3	H	47	1.81	-
AV	5.350005G	47.98	54.00	-6.02	9.44	3	H	47	1.81	-
PK	5.3224G	110.23	Inf	-Inf	9.39	3	H	47	1.81	-
PK	5.350005G	63.37	74.00	-10.63	9.44	3	H	47	1.81	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96198G	41.92	54.00	-12.08	17.11	3	V	294	1.74	-
PK	15.96404G	56.53	74.00	-17.47	17.11	3	V	294	1.74	-


802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	49.43	54.00	-4.57	9.68	3	V	63	1.58	-
AV	5.4696G	52.37	54.00	-1.63	9.71	3	V	63	1.58	-
AV	5.5056G	106.68	Inf	-Inf	9.80	3	V	63	1.58	-
PK	5.4588G	63.82	74.00	-10.18	9.68	3	V	63	1.58	-
PK	5.4688G	70.46	74.00	-3.54	9.71	3	V	63	1.58	-
PK	5.5024G	120.92	Inf	-Inf	9.79	3	V	63	1.58	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	46.78	54.00	-7.22	9.58	3	H	32	1.73	-
AV	5.4688G	47.73	54.00	-6.27	9.71	3	H	32	1.73	-
AV	5.4972G	94.88	Inf	-Inf	9.78	3	H	32	1.73	-
PK	5.4416G	59.82	74.00	-14.18	9.63	3	H	32	1.73	-
PK	5.4696G	60.76	74.00	-13.24	9.71	3	H	32	1.73	-
PK	5.4988G	108.21	Inf	-Inf	9.79	3	H	32	1.73	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00684G	40.88	54.00	-13.12	15.84	3	V	204	1.32	-
PK	11.01182G	54.86	74.00	-19.14	15.84	3	V	204	1.32	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0084G	40.94	54.00	-13.06	15.84	3	H	289	1.50	-
PK	10.98572G	54.86	74.00	-19.14	15.83	3	H	289	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.424G	47.97	54.00	-6.03	4.83	3	V	76	1.36	-
AV	5.4696G	46.91	54.00	-7.09	4.95	3	V	76	1.36	-
AV	5.5856G	108.50	Inf	-Inf	5.33	3	V	76	1.36	-
AV	5.7264G	47.49	54.00	-6.51	5.75	3	V	76	1.36	-
PK	5.44G	59.54	74.00	-14.46	4.87	3	V	76	1.36	-
PK	5.4616G	59.54	74.00	-14.46	4.93	3	V	76	1.36	-
PK	5.5824G	122.43	Inf	-Inf	5.32	3	V	76	1.36	-
PK	5.7352G	60.97	74.00	-13.03	5.78	3	V	76	1.36	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.424G	46.54	54.00	-7.46	9.58	3	H	32	1.83	-
AV	5.4672G	46.39	54.00	-7.61	9.70	3	H	32	1.83	-
AV	5.5728G	97.36	Inf	-Inf	9.86	3	H	32	1.83	-
AV	5.7792G	46.85	54.00	-7.15	9.92	3	H	32	1.83	-
PK	5.3896G	59.57	74.00	-14.43	9.50	3	H	32	1.83	-
PK	5.4688G	58.71	74.00	-15.29	9.71	3	H	32	1.83	-
PK	5.5776G	110.52	Inf	-Inf	9.86	3	H	32	1.83	-
PK	5.7256G	59.84	74.00	-14.16	9.91	3	H	32	1.83	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16246G	40.76	54.00	-13.24	16.01	3	V	31	1.54	-
PK	11.15856G	54.86	74.00	-19.14	16.00	3	V	31	1.54	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170529
EUT Y_2TX
Setting 21
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16138G	40.77	54.00	-13.23	16.01	3	H	16	2.24	-
PK	11.17218G	55.20	74.00	-18.80	16.02	3	H	16	2.24	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6968G	107.57	Inf	-Inf	9.90	3	V	75	1.14	-
AV	5.7252G	52.69	54.00	-1.31	9.91	3	V	75	1.14	-
PK	5.6936G	120.57	Inf	-Inf	9.90	3	V	75	1.14	-
PK	5.7252G	68.67	74.00	-5.33	9.91	3	V	75	1.14	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6984G	95.96	Inf	-Inf	9.90	3	H	32	1.50	-
AV	5.7256G	47.90	54.00	-6.10	9.91	3	H	32	1.50	-
PK	5.6964G	107.45	Inf	-Inf	9.90	3	H	32	1.50	-
PK	5.7252G	60.97	74.00	-13.03	9.91	3	H	32	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39994G	41.83	54.00	-12.17	16.27	3	V	239	2.78	-
PK	11.40798G	56.27	74.00	-17.73	16.27	3	V	239	2.78	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40618G	41.88	54.00	-12.12	16.27	3	H	153	2.24	-
PK	11.39946G	55.79	74.00	-18.21	16.27	3	H	153	2.24	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	47.50	54.00	-6.50	9.58	3	V	65	1.42	-
AV	5.460005G	46.72	54.00	-7.28	9.68	3	V	65	1.42	-
AV	5.7224G	108.72	Inf	-Inf	9.90	3	V	65	1.42	-
PK	5.4356G	60.47	74.00	-13.53	9.62	3	V	65	1.42	-
PK	5.4668G	58.82	74.00	-15.18	9.70	3	V	65	1.42	-
PK	5.7236G	122.59	Inf	-Inf	9.90	3	V	65	1.42	-
PK	5.96G	60.61	68.20	-7.59	10.14	3	V	65	1.42	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4428G	46.55	54.00	-7.45	9.64	3	H	18	2.05	-
AV	5.462G	46.35	54.00	-7.65	9.69	3	H	18	2.05	-
AV	5.7128G	97.15	Inf	-Inf	9.90	3	H	18	2.05	-
PK	5.4296G	58.96	74.00	-15.04	9.60	3	H	18	2.05	-
PK	5.462G	58.82	74.00	-15.18	9.69	3	H	18	2.05	-
PK	5.7164G	110.17	Inf	-Inf	9.90	3	H	18	2.05	-
PK	5.9576G	59.72	68.20	-8.48	10.14	3	H	18	2.05	-


802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1196G	47.79	54.00	-6.21	8.96	3	V	75	1.41	-
AV	5.2684G	105.70	Inf	-Inf	9.29	3	V	75	1.41	-
AV	5.3508G	51.09	54.00	-2.91	9.44	3	V	75	1.41	-
PK	5.0972G	60.02	74.00	-13.98	8.90	3	V	75	1.41	-
PK	5.2716G	117.07	Inf	-Inf	9.30	3	V	75	1.41	-
PK	5.350005G	66.47	74.00	-7.53	9.44	3	V	75	1.41	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	46.63	54.00	-7.37	9.03	3	H	132	2.14	-
AV	5.2772G	92.37	Inf	-Inf	9.31	3	H	132	2.14	-
AV	5.4492G	46.95	54.00	-7.05	9.65	3	H	132	2.14	-
PK	5.1108G	59.17	74.00	-14.83	8.94	3	H	132	2.14	-
PK	5.2764G	103.84	Inf	-Inf	9.31	3	H	132	2.14	-
PK	5.3516G	59.64	74.00	-14.36	9.44	3	H	132	2.14	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80346G	43.25	54.00	-10.75	17.46	3	V	84	1.69	-
PK	15.81348G	56.67	74.00	-17.33	17.43	3	V	84	1.69	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81018G	43.37	54.00	-10.63	17.44	3	H	123	1.81	-
PK	15.82032G	56.35	74.00	-17.65	17.42	3	H	123	1.81	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3176G	103.73	Inf	-Inf	9.38	3	V	75	1.62	-
AV	5.354G	53.85	54.00	-0.15	9.44	3	V	75	1.62	-
PK	5.3048G	116.30	Inf	-Inf	9.36	3	V	75	1.62	-
PK	5.3512G	70.53	74.00	-3.47	9.44	3	V	75	1.62	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3168G	92.34	Inf	-Inf	9.38	3	H	15	1.84	-
AV	5.372G	47.27	54.00	-6.73	9.47	3	H	15	1.84	-
PK	5.3056G	103.98	Inf	-Inf	9.36	3	H	15	1.84	-
PK	5.350005G	59.99	74.00	-14.01	9.44	3	H	15	1.84	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63188G	41.58	54.00	-12.42	15.89	3	V	139	2.31	-
PK	10.61646G	54.54	74.00	-19.46	15.90	3	V	139	2.31	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60542G	41.56	54.00	-12.44	15.90	3	H	76	1.59	-
PK	10.61496G	54.84	74.00	-19.16	15.90	3	H	76	1.59	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	51.56	54.00	-2.44	9.67	3	V	65	1.33	-
AV	5.4692G	53.89	54.00	-0.11	9.71	3	V	65	1.33	-
AV	5.5068G	104.85	Inf	-Inf	9.80	3	V	65	1.33	-
PK	5.4492G	67.02	74.00	-6.98	9.65	3	V	65	1.33	-
PK	5.4604G	69.16	74.00	-4.84	9.68	3	V	65	1.33	-
PK	5.5076G	115.53	Inf	-Inf	9.80	3	V	65	1.33	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.34	54.00	-6.66	9.68	3	H	18	2.17	-
AV	5.4692G	47.97	54.00	-6.03	9.71	3	H	18	2.17	-
AV	5.5028G	90.72	Inf	-Inf	9.79	3	H	18	2.17	-
PK	5.418G	59.63	74.00	-14.37	9.57	3	H	18	2.17	-
PK	5.4652G	60.47	74.00	-13.53	9.70	3	H	18	2.17	-
PK	5.506G	101.72	Inf	-Inf	9.80	3	H	18	2.17	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.8752G	41.87	54.00	-12.13	15.85	3	V	5	2.24	-
PK	11.004G	55.51	74.00	-18.49	15.83	3	V	5	2.24	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.8872G	41.68	54.00	-12.32	15.85	3	H	287	1.30	-
PK	11.1072G	54.34	74.00	-19.66	15.95	3	H	287	1.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	49.07	54.00	-4.93	9.58	3	V	56	1.61	-
AV	5.4692G	51.14	54.00	-2.86	9.71	3	V	56	1.61	-
AV	5.5516G	106.97	Inf	-Inf	9.84	3	V	56	1.61	-
PK	5.4548G	63.93	74.00	-10.07	9.67	3	V	56	1.61	-
PK	5.4692G	65.25	74.00	-8.75	9.71	3	V	56	1.61	-
PK	5.5596G	117.69	Inf	-Inf	9.84	3	V	56	1.61	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	46.89	54.00	-7.11	9.58	3	H	18	1.57	-
AV	5.4652G	47.03	54.00	-6.97	9.70	3	H	18	1.57	-
AV	5.5572G	94.56	Inf	-Inf	9.84	3	H	18	1.57	-
PK	5.414G	59.48	74.00	-14.52	9.56	3	H	18	1.57	-
PK	5.4628G	58.85	74.00	-15.15	9.69	3	H	18	1.57	-
PK	5.558G	105.99	Inf	-Inf	9.84	3	H	18	1.57	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0997G	41.50	54.00	-12.50	15.94	3	V	344	1.22	-
PK	11.09586G	54.72	74.00	-19.28	15.93	3	V	344	1.22	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09782G	41.34	54.00	-12.66	15.94	3	H	282	1.30	-
PK	11.10008G	55.28	74.00	-18.72	15.94	3	H	282	1.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6796G	103.62	Inf	-Inf	9.90	3	V	79	1.52	-
AV	5.7252G	53.95	54.00	-0.05	9.91	3	V	79	1.52	-
PK	5.6724G	116.69	Inf	-Inf	9.89	3	V	79	1.52	-
PK	5.7252G	72.30	74.00	-1.70	9.91	3	V	79	1.52	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6748G	93.04	Inf	-Inf	9.89	3	H	32	1.31	-
AV	5.7252G	47.99	54.00	-6.01	9.91	3	H	32	1.31	-
PK	5.6748G	106.19	Inf	-Inf	9.89	3	H	32	1.31	-
PK	5.73G	60.13	74.00	-13.87	9.91	3	H	32	1.31	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33999G	41.60	54.00	-12.40	16.20	3	V	155	2.34	-
PK	11.34099G	54.55	74.00	-19.45	16.20	3	V	155	2.34	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34084G	41.54	54.00	-12.46	16.20	3	H	51	2.29	-
PK	11.34075G	54.82	74.00	-19.18	16.20	3	H	51	2.29	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4232G	47.72	54.00	-6.28	9.58	3	V	52	1.55	-
AV	5.4688G	47.27	54.00	-6.73	9.71	3	V	52	1.55	-
AV	5.716G	108.00	Inf	-Inf	9.90	3	V	52	1.55	-
AV	5.8552G	48.11	54.00	-5.89	10.00	3	V	52	1.55	-
PK	5.4316G	60.28	74.00	-13.72	9.61	3	V	52	1.55	-
PK	5.4652G	59.64	74.00	-14.36	9.70	3	V	52	1.55	-
PK	5.7136G	119.87	Inf	-Inf	9.90	3	V	52	1.55	-
PK	5.8516G	60.53	74.00	-13.47	9.99	3	V	52	1.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4172G	46.94	54.00	-7.06	9.57	3	H	33	2.04	-
AV	5.4604G	46.76	54.00	-7.24	9.68	3	H	33	2.04	-
AV	5.704G	97.31	Inf	-Inf	9.90	3	H	33	2.04	-
AV	5.9668G	47.58	Inf	-Inf	10.15	3	H	33	2.04	-
PK	5.446G	59.36	74.00	-14.64	9.64	3	H	33	2.04	-
PK	5.4664G	58.18	74.00	-15.82	9.70	3	H	33	2.04	-
PK	5.7052G	108.29	Inf	-Inf	9.90	3	H	33	2.04	-
PK	5.9728G	59.75	68.20	-8.45	10.16	3	H	33	2.04	-

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.419996G	42.26	54.00	-11.74	16.29	3	V	285	1.88	-
PK	11.420136G	55.99	74.00	-18.01	16.29	3	V	285	1.88	-


802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.48	54.00	-5.52	9.03	3	V	57	1.88	-
AV	5.318G	99.47	Inf	-Inf	9.38	3	V	57	1.88	-
AV	5.353G	53.65	54.00	-0.35	9.44	3	V	57	1.88	-
PK	5.143G	60.46	74.00	-13.54	9.02	3	V	57	1.88	-
PK	5.255G	111.26	Inf	-Inf	9.26	3	V	57	1.88	-
PK	5.365G	67.67	74.00	-6.33	9.46	3	V	57	1.88	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.65	54.00	-7.35	9.03	3	H	38	1.42	-
AV	5.327G	84.38	Inf	-Inf	9.40	3	H	38	1.42	-
AV	5.531G	47.36	54.00	-6.64	9.82	3	H	38	1.42	-
PK	5.105G	59.75	74.00	-14.25	8.92	3	H	38	1.42	-
PK	5.323G	95.45	Inf	-Inf	9.39	3	H	38	1.42	-
PK	5.412G	59.75	74.00	-14.25	9.55	3	H	38	1.42	-


802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX



802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




20170529
EUT Y_2TX
Setting 20
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.674G	43.97	54.00	-10.03	17.74	3	H	301	1.87	-
PK	15.6988G	57.35	74.00	-16.65	17.68	3	H	301	1.87	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




20170529
EUT Y_2TX
Setting 19
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	52.22	54.00	-1.78	9.68	3	V	56	1.55	-
AV	5.468G	52.96	54.00	-1.04	9.70	3	V	56	1.55	-
AV	5.511G	99.69	Inf	-Inf	9.80	3	V	56	1.55	-
AV	5.727G	47.91	54.00	-6.09	9.91	3	V	56	1.55	-
PK	5.456G	68.30	74.00	-5.70	9.67	3	V	56	1.55	-
PK	5.466G	66.39	74.00	-7.61	9.70	3	V	56	1.55	-
PK	5.517G	111.62	Inf	-Inf	9.81	3	V	56	1.55	-
PK	5.748G	60.33	74.00	-13.67	9.91	3	V	56	1.55	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




20170529
EUT Y_2TX
Setting 19
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	47.63	54.00	-6.37	9.67	3	H	9	1.75	-
AV	5.466G	47.70	54.00	-6.30	9.70	3	H	9	1.75	-
AV	5.501G	85.64	Inf	-Inf	9.79	3	H	9	1.75	-
AV	5.74G	47.32	54.00	-6.68	9.91	3	H	9	1.75	-
PK	5.457G	60.10	74.00	-13.90	4.92	3	H	9	1.75	-
PK	5.465G	59.69	74.00	-14.31	9.70	3	H	9	1.75	-
PK	5.549G	96.33	Inf	-Inf	9.83	3	H	9	1.75	-
PK	5.731G	60.01	74.00	-13.99	9.91	3	H	9	1.75	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




20170529
EUT Y_2TX
Setting 19
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06097G	41.53	54.00	-12.47	15.90	3	V	268	1.83	-
PK	11.05883G	55.25	74.00	-18.75	15.89	3	V	268	1.83	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




20170529
EUT Y_2TX
Setting 19
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06097G	41.55	54.00	-12.45	15.90	3	H	11	1.47	-
PK	11.06203G	55.29	74.00	-18.71	15.90	3	H	11	1.47	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




20170529
EUT_Y_2TX
Setting 22
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	49.98	54.00	-4.02	9.68	3	V	66	1.48	-
AV	5.469G	51.45	54.00	-2.55	9.71	3	V	66	1.48	-
AV	5.596G	103.30	Inf	-Inf	9.88	3	V	66	1.48	-
AV	5.726G	53.60	54.00	-0.40	9.91	3	V	66	1.48	-
PK	5.459G	66.57	74.00	-7.43	9.68	3	V	66	1.48	-
PK	5.469G	66.14	74.00	-7.86	9.71	3	V	66	1.48	-
PK	5.598G	114.54	Inf	-Inf	9.88	3	V	66	1.48	-
PK	5.726G	68.78	74.00	-5.22	9.91	3	V	66	1.48	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




20170529
EUT_Y_2TX
Setting 22
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.46	54.00	-6.54	9.68	3	H	36	1.57	-
AV	5.468G	47.36	54.00	-6.64	9.70	3	H	36	1.57	-
AV	5.599G	93.51	Inf	-Inf	9.88	3	H	36	1.57	-
AV	5.726G	48.01	54.00	-5.99	9.91	3	H	36	1.57	-
PK	5.446G	59.02	74.00	-14.98	9.64	3	H	36	1.57	-
PK	5.468G	59.71	74.00	-14.29	9.70	3	H	36	1.57	-
PK	5.598G	104.32	Inf	-Inf	9.88	3	H	36	1.57	-
PK	5.744G	60.45	74.00	-13.55	9.91	3	H	36	1.57	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




20170529
EUT Y_2TX
Setting 22
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22139G	41.52	54.00	-12.48	16.07	3	V	147	1.73	-
PK	11.2187G	55.83	74.00	-18.17	16.07	3	V	147	1.73	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




20170529
EUT Y_2TX
Setting 22
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22094G	41.61	54.00	-12.39	16.07	3	H	221	1.53	-
PK	11.22153G	55.03	74.00	-18.97	16.07	3	H	221	1.53	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170529
EUT_Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4236G	48.26	54.00	-5.74	9.58	3	V	62	1.50	-
AV	5.4692G	47.66	54.00	-6.34	9.71	3	V	62	1.50	-
AV	5.6996G	104.37	Inf	-Inf	9.90	3	V	62	1.50	-
PK	5.4572G	60.03	74.00	-13.97	9.67	3	V	62	1.50	-
PK	5.4644G	59.37	74.00	-14.63	9.69	3	V	62	1.50	-
PK	5.7032G	115.68	Inf	-Inf	9.90	3	V	62	1.50	-
PK	5.9288G	60.59	68.20	-7.61	10.10	3	V	62	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170529
EUT_Y_2TX
Setting 23
02-J-5-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4176G	47.08	54.00	-6.92	9.57	3	H	33	1.92	-
AV	5.4608G	47.06	54.00	-6.94	9.68	3	H	33	1.92	-
AV	5.702G	93.91	Inf	-Inf	9.90	3	H	33	1.92	-
PK	5.4404G	60.42	74.00	-13.58	9.63	3	H	33	1.92	-
PK	5.4608G	58.92	74.00	-15.08	9.68	3	H	33	1.92	-
PK	5.6936G	104.92	Inf	-Inf	9.90	3	H	33	1.92	-
PK	5.9516G	59.62	68.20	-8.58	10.13	3	H	33	1.92	-


802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



20170529
EUT Y_2TX
Setting 23
02-J-5
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38102G	42.17	54.00	-11.83	16.25	3	H	109	2.12	-
PK	11.37927G	55.34	74.00	-18.66	16.24	3	H	109	2.12	-

Mode: 20 MHz / Ant. 4

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9650	5299.9642	5299.9637	5299.9636
110.00	5299.9647	5299.9639	5299.9634	5299.9624
93.50	5299.9645	5299.9639	5299.9636	5299.9630
Max. Deviation (MHz)	0.0355	0.0361	0.0366	0.0376
Max. Deviation (ppm)	6.70	6.81	6.91	7.09
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9631	5299.9625	5299.9618	5299.9611
10	5299.9641	5299.9631	5299.9627	5299.9626
20	5299.9647	5299.9642	5299.9637	5299.9633
30	5299.9969	5299.9963	5299.9953	5299.9950
40	5299.9973	5299.9963	5299.9953	5299.9952
Max. Deviation (MHz)	0.0405	0.0407	0.0415	0.0422
Max. Deviation (ppm)	7.64	7.68	7.83	7.96
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9654	5579.9650	5579.9647	5579.9641
110.00	5579.9647	5579.9640	5579.9635	5579.9633
93.50	5579.9638	5579.9628	5579.9618	5579.9610
Max. Deviation (MHz)	0.0362	0.0372	0.0382	0.0390
Max. Deviation (ppm)	6.49	6.67	6.85	6.99
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9633	5579.9628	5579.9626	5579.9619
10	5579.9635	5579.9629	5579.9623	5579.9616
20	5579.9647	5579.9637	5579.9633	5579.9629
30	5579.9969	5579.9967	5579.9958	5579.9952
40	5579.9988	5579.9978	5579.9970	5579.9967
Max. Deviation (MHz)	0.0392	0.0399	0.0404	0.0410
Max. Deviation (ppm)	7.03	7.15	7.24	7.35
Result	Pass			

Mode: 40 MHz / Ant. 4

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9655	5309.9648	5309.9638	5309.9629
110.00	5309.9647	5309.9646	5309.9642	5309.9637
93.50	5309.9640	5309.9633	5309.9623	5309.9617
Max. Deviation (MHz)	0.0360	0.0367	0.0377	0.0383
Max. Deviation (ppm)	6.78	6.91	7.10	7.21
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9632	5309.9623	5309.9616	5309.9611
10	5309.9639	5309.9629	5309.9619	5309.9617
20	5309.9647	5309.9637	5309.9633	5309.9629
30	5309.9969	5309.9964	5309.9956	5309.9948
40	5309.9975	5309.9965	5309.9963	5309.9961
Max. Deviation (MHz)	0.0414	0.0422	0.0428	0.0431
Max. Deviation (ppm)	7.80	7.95	8.06	8.12
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9652	5549.9642	5549.9635	5549.9625
110.00	5549.9647	5549.9641	5549.9633	5549.9626
93.50	5549.9645	5549.9640	5549.9633	5549.9623
Max. Deviation (MHz)	0.0355	0.0360	0.0367	0.0377
Max. Deviation (ppm)	6.40	6.49	6.61	6.79
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9623	5549.9615	5549.9611	5549.9604
10	5549.9630	5549.9628	5549.9620	5549.9616
20	5549.9647	5549.9638	5549.9630	5549.9628
30	5549.9969	5549.9968	5549.9961	5549.9955
40	5549.9977	5549.9970	5549.9964	5549.9963
Max. Deviation (MHz)	0.0409	0.0416	0.0422	0.0431
Max. Deviation (ppm)	7.37	7.50	7.60	7.77
Result	Pass			

Mode: 80 MHz / Ant. 4

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9654	5289.9650	5289.9646	5289.9641
110.00	5289.9647	5289.9644	5289.9640	5289.9634
93.50	5289.9642	5289.9637	5289.9629	5289.9628
Max. Deviation (MHz)	0.0358	0.0363	0.0371	0.0372
Max. Deviation (ppm)	6.77	6.86	7.01	7.03
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9612	5289.9610	5289.9602	5289.9593
10	5289.9632	5289.9630	5289.9627	5289.9625
20	5289.9647	5289.9641	5289.9632	5289.9627
30	5289.9969	5289.9968	5289.9963	5289.9954
40	5289.9986	5289.9985	5289.9979	5289.9973
Max. Deviation (MHz)	0.0406	0.0414	0.0421	0.0423
Max. Deviation (ppm)	7.67	7.83	7.96	8.00
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9654	5529.9644	5529.9642	5529.9638
110.00	5529.9647	5529.9638	5529.9635	5529.9626
93.50	5529.9638	5529.9637	5529.9631	5529.9629
Max. Deviation (MHz)	0.0362	0.0363	0.0369	0.0374
Max. Deviation (ppm)	6.55	6.56	6.67	6.76
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9630	5529.9626	5529.9622	5529.9613
10	5529.9644	5529.9643	5529.9634	5529.9626
20	5529.9647	5529.9644	5529.9643	5529.9634
30	5529.9969	5529.9964	5529.9958	5529.9951
40	5529.9980	5529.9978	5529.9969	5529.9962
Max. Deviation (MHz)	0.0408	0.0411	0.0412	0.0414
Max. Deviation (ppm)	7.38	7.43	7.45	7.49
Result	Pass			

1. Photographs of Conducted Emissions Test Configuration

Test Mode: Mode 8 / Test configuration: Intentional - CTX

FRONT VIEW



REAR VIEW



Test Mode: Mode 2 / Test configuration: Unintentional - Normal Link

FRONT VIEW



REAR VIEW



2. Photographs of Radiated Emissions Test Configuration

Test Configuration: 30MHz~1GHz / Test Mode: Mode 2 / Intentional - CTX

FRONT VIEW




REAR VIEW



Test Configuration: 30MHz~1GHz / Test Mode: Mode 1 / Unintentional - Normal Link

FRONT VIEW




REAR VIEW




Test Configuration: Above 1GHz / Unintentional 1GHz~5th

FRONT VIEW




REAR VIEW



Test Configuration: Above 1GHz / Intentional 1GHz~10th

FRONT VIEW



REAR VIEW

