


802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82394G	44.07	54.00	-9.93	3.02	3	Horizontal	247	2.48	-
PK	4.82382G	49.00	74.00	-25.00	3.02	3	Horizontal	247	2.48	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.39	54.00	-0.61	32.28	3	Vertical	231	2.13	-
AV	2.4152G	111.70	Inf	-Inf	32.37	3	Vertical	231	2.13	-
PK	2.39G	61.02	74.00	-12.98	32.28	3	Vertical	231	2.13	-
PK	2.4154G	113.80	Inf	-Inf	32.37	3	Vertical	231	2.13	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	48.35	54.00	-5.65	32.28	3	Vertical	202	1.03	-
AV	2.4202G	112.26	Inf	-Inf	32.38	3	Vertical	202	1.03	-
PK	2.3752G	59.02	74.00	-14.98	32.22	3	Vertical	202	1.03	-
PK	2.4204G	114.30	Inf	-Inf	32.38	3	Vertical	202	1.03	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	47.80	54.00	-6.20	32.28	3	Vertical	226	2.13	-
AV	2.4386G	109.39	Inf	-Inf	32.45	3	Vertical	226	2.13	-
AV	2.4835G	50.17	54.00	-3.83	32.61	3	Vertical	226	2.13	-
PK	2.3714G	59.44	74.00	-14.56	32.21	3	Vertical	226	2.13	-
PK	2.4386G	111.43	Inf	-Inf	32.45	3	Vertical	226	2.13	-
PK	2.4842G	60.63	74.00	-13.37	32.61	3	Vertical	226	2.13	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments							
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)								
AV	4.87394G	49.51	54.00	-4.49	3.13	3	Vertical	266	2.35	-							
PK	4.874G	52.60	74.00	-21.40	3.13	3	Vertical	266	2.35	-							

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87394G	45.57	54.00	-8.43	3.13	3	Horizontal	249	2.36	-
PK	4.87406G	50.06	74.00	-23.94	3.13	3	Horizontal	249	2.36	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4502G	112.15	Inf	-Inf	32.49	3	Vertical	229	1.49	-
AV	2.4844G	52.30	54.00	-1.70	32.61	3	Vertical	229	1.49	-
PK	2.4504G	114.13	Inf	-Inf	32.49	3	Vertical	229	1.49	-
PK	2.4844G	61.29	74.00	-12.71	32.61	3	Vertical	229	1.49	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4552G	110.69	Inf	-Inf	32.51	3	Vertical	229	1.49	-
AV	2.4838G	52.67	54.00	-1.33	32.61	3	Vertical	229	1.49	-
PK	2.4542G	112.95	Inf	-Inf	32.51	3	Vertical	229	1.49	-
PK	2.4835G	62.08	74.00	-11.92	32.61	3	Vertical	229	1.49	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4602G	109.08	Inf	-Inf	32.52	3	Vertical	233	2.06	-
AV	2.486G	51.09	54.00	-2.91	32.62	3	Vertical	233	2.06	-
PK	2.4594G	110.89	Inf	-Inf	32.52	3	Vertical	233	2.06	-
PK	2.484G	61.16	74.00	-12.84	32.61	3	Vertical	233	2.06	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92394G	49.83	54.00	-4.17	3.24	3	Vertical	13	2.22	-
PK	4.92406G	50.88	74.00	-23.12	3.24	3	Vertical	13	2.22	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924G	44.39	54.00	-9.61	3.24	3	Horizontal	252	2.61	-
PK	4.924G	49.72	74.00	-24.28	3.24	3	Horizontal	252	2.61	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.69	54.00	-0.31	32.28	3	Vertical	214	1.50	-
AV	2.4182G	103.90	Inf	-Inf	32.37	3	Vertical	214	1.50	-
PK	2.39G	66.41	74.00	-7.59	32.28	3	Vertical	214	1.50	-
PK	2.4184G	112.63	Inf	-Inf	32.37	3	Vertical	214	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2412MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments							
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)								
AV	4.82546G	34.07	54.00	-19.93	3.05	3	Vertical	242	1.71	-							
PK	4.82406G	45.39	74.00	-28.61	3.02	3	Vertical	242	1.71	-							

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8244G	33.51	54.00	-20.49	3.02	3	Horizontal	170	1.28	-
PK	4.82372G	44.82	74.00	-29.18	3.02	3	Horizontal	170	1.28	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.69	54.00	-0.31	32.28	3	Vertical	228	1.50	-
AV	2.4138G	105.69	Inf	-Inf	32.36	3	Vertical	228	1.50	-
PK	2.39G	65.55	74.00	-8.45	32.28	3	Vertical	228	1.50	-
PK	2.4238G	114.21	Inf	-Inf	32.40	3	Vertical	228	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	51.96	54.00	-2.04	32.28	3	Vertical	226	2.13	-
AV	2.4188G	106.84	Inf	-Inf	32.38	3	Vertical	226	2.13	-
PK	2.39G	63.96	74.00	-10.04	32.28	3	Vertical	226	2.13	-
PK	2.4202G	115.19	Inf	-Inf	32.38	3	Vertical	226	2.13	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	48.86	54.00	-5.14	32.28	3	Vertical	198	1.50	-
AV	2.4414G	105.89	Inf	-Inf	32.46	3	Vertical	198	1.50	-
AV	2.4842G	53.20	54.00	-0.80	32.61	3	Vertical	198	1.50	-
PK	2.3886G	59.40	74.00	-14.60	32.27	3	Vertical	198	1.50	-
PK	2.4438G	114.37	Inf	-Inf	32.47	3	Vertical	198	1.50	-
PK	2.4838G	66.61	74.00	-7.39	32.61	3	Vertical	198	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87406G	37.10	54.00	-16.90	3.13	3	Vertical	266	2.34	-
PK	4.87676G	48.66	74.00	-25.34	3.16	3	Vertical	266	2.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87562G	34.13	54.00	-19.87	3.16	3	Horizontal	280	3.02	-
PK	4.87544G	45.52	74.00	-28.48	3.16	3	Horizontal	280	3.02	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2442MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	48.09	54.00	-5.91	32.28	3	Vertical	229	1.50	-
AV	2.4488G	106.45	Inf	-Inf	32.49	3	Vertical	229	1.50	-
AV	2.484G	53.53	54.00	-0.47	32.61	3	Vertical	229	1.50	-
PK	2.3704G	59.08	74.00	-14.92	32.20	3	Vertical	229	1.50	-
PK	2.4484G	114.78	Inf	-Inf	32.49	3	Vertical	229	1.50	-
PK	2.4835G	66.51	74.00	-7.49	32.61	3	Vertical	229	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.349G	47.97	54.00	-6.03	32.13	3	Vertical	227	1.50	-
AV	2.4514G	105.47	Inf	-Inf	32.49	3	Vertical	227	1.50	-
AV	2.4835G	52.85	54.00	-1.15	32.61	3	Vertical	227	1.50	-
PK	2.365G	59.42	74.00	-14.58	32.19	3	Vertical	227	1.50	-
PK	2.4494G	113.24	Inf	-Inf	32.49	3	Vertical	227	1.50	-
PK	2.4838G	66.04	74.00	-7.96	32.61	3	Vertical	227	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4504G	104.67	Inf	-Inf	32.49	3	Vertical	229	1.50	-
AV	2.4838G	53.53	54.00	-0.47	32.61	3	Vertical	229	1.50	-
PK	2.4502G	113.04	Inf	-Inf	32.49	3	Vertical	229	1.50	-
PK	2.4858G	66.80	74.00	-7.20	32.62	3	Vertical	229	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.451G	104.54	Inf	-Inf	32.49	3	Vertical	226	1.50	-
AV	2.4835G	53.02	54.00	-0.98	32.61	3	Vertical	226	1.50	-
PK	2.4526G	112.39	Inf	-Inf	32.50	3	Vertical	226	1.50	-
PK	2.484G	65.63	74.00	-8.37	32.61	3	Vertical	226	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4544G	102.23	Inf	-Inf	32.51	3	Vertical	226	1.50	-
AV	2.4835G	53.19	54.00	-0.81	32.61	3	Vertical	226	1.50	-
PK	2.455G	109.69	Inf	-Inf	32.51	3	Vertical	226	1.50	-
PK	2.4836G	65.82	74.00	-8.18	32.61	3	Vertical	226	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92634G	34.56	54.00	-19.44	3.26	3	Vertical	15	2.11	-
PK	4.9228G	46.16	74.00	-27.84	3.24	3	Vertical	15	2.11	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	4.93528G	33.66	54.00	-20.34	3.27	3	Horizontal	11	1.50	-								
PK	4.9327G	45.08	74.00	-28.92	3.27	3	Horizontal	11	1.50	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.48	54.00	-0.52	30.77	3	Vertical	204	1.45	-
AV	2.4176G	104.16	Inf	-Inf	30.87	3	Vertical	204	1.45	-
PK	2.39G	70.04	74.00	-3.96	30.77	3	Vertical	204	1.45	-
PK	2.4198G	113.58	Inf	-Inf	30.89	3	Vertical	204	1.45	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2412MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	4.8129G	34.22	54.00	-19.78	3.00	3	Vertical	164	1.84	-								
PK	4.81362G	45.60	74.00	-28.40	3.00	3	Vertical	164	1.84	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82304G	33.56	54.00	-20.44	3.02	3	Horizontal	159	2.36	-
PK	4.82526G	45.51	74.00	-28.49	3.05	3	Horizontal	159	2.36	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.80	54.00	-0.20	30.77	3	Vertical	201	1.43	-
AV	2.4228G	106.92	Inf	-Inf	30.89	3	Vertical	201	1.43	-
PK	2.39G	70.47	74.00	-3.53	30.77	3	Vertical	201	1.43	-
PK	2.42G	116.54	Inf	-Inf	30.89	3	Vertical	201	1.43	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.44	54.00	-0.56	30.77	3	Vertical	199	1.40	-
AV	2.42G	107.79	Inf	-Inf	30.89	3	Vertical	199	1.40	-
PK	2.39G	73.47	74.00	-0.53	30.77	3	Vertical	199	1.40	-
PK	2.42G	117.62	Inf	-Inf	30.89	3	Vertical	199	1.40	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.65	54.00	-0.35	30.77	3	Vertical	198	1.44	-
AV	2.4226G	108.50	Inf	-Inf	30.89	3	Vertical	198	1.44	-
PK	2.3898G	71.93	74.00	-2.07	30.77	3	Vertical	198	1.44	-
PK	2.4252G	118.15	Inf	-Inf	30.90	3	Vertical	198	1.44	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2432MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.11	54.00	-0.89	30.77	3	Vertical	200	1.43	-
AV	2.4276G	108.41	Inf	-Inf	30.91	3	Vertical	200	1.43	-
AV	2.4835G	51.70	54.00	-2.30	31.11	3	Vertical	200	1.43	-
PK	2.39G	69.13	74.00	-4.87	30.77	3	Vertical	200	1.43	-
PK	2.4252G	118.05	Inf	-Inf	30.90	3	Vertical	200	1.43	-
PK	2.4835G	67.15	74.00	-6.85	31.11	3	Vertical	200	1.43	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	50.02	54.00	-3.98	30.77	3	Vertical	203	1.45	-
AV	2.4298G	108.47	Inf	-Inf	30.91	3	Vertical	203	1.45	-
AV	2.4846G	53.87	54.00	-0.13	31.12	3	Vertical	203	1.45	-
PK	2.3898G	63.67	74.00	-10.33	30.77	3	Vertical	203	1.45	-
PK	2.4398G	117.74	Inf	-Inf	30.95	3	Vertical	203	1.45	-
PK	2.4846G	67.65	74.00	-6.35	31.12	3	Vertical	203	1.45	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87436G	37.34	54.00	-16.66	3.13	3	Vertical	265	2.35	-
PK	4.87034G	48.73	74.00	-25.27	3.13	3	Vertical	265	2.35	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.86986G	34.42	54.00	-19.58	3.13	3	Horizontal	38	1.02	-
PK	4.86962G	46.47	74.00	-27.53	3.13	3	Horizontal	38	1.02	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2442MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	46.60	54.00	-7.40	30.77	3	Vertical	201	1.16	-
AV	2.44G	107.92	Inf	-Inf	30.95	3	Vertical	201	1.16	-
AV	2.4835G	53.88	54.00	-0.12	31.11	3	Vertical	201	1.16	-
PK	2.39G	59.93	74.00	-14.07	30.77	3	Vertical	201	1.16	-
PK	2.4404G	117.31	Inf	-Inf	30.95	3	Vertical	201	1.16	-
PK	2.4852G	70.11	74.00	-3.89	31.12	3	Vertical	201	1.16	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	44.30	54.00	-9.70	30.77	3	Vertical	186	1.01	-
AV	2.4486G	107.14	Inf	-Inf	30.99	3	Vertical	186	1.01	-
AV	2.4835G	53.68	54.00	-0.32	31.11	3	Vertical	186	1.01	-
PK	2.383G	56.00	74.00	-18.00	30.75	3	Vertical	186	1.01	-
PK	2.4438G	116.91	Inf	-Inf	30.97	3	Vertical	186	1.01	-
PK	2.4838G	67.16	74.00	-6.84	31.11	3	Vertical	186	1.01	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4498G	106.20	Inf	-Inf	30.99	3	Vertical	201	1.50	-
AV	2.4835G	53.21	54.00	-0.79	31.11	3	Vertical	201	1.50	-
PK	2.4494G	116.05	Inf	-Inf	30.99	3	Vertical	201	1.50	-
PK	2.484G	67.77	74.00	-6.23	31.12	3	Vertical	201	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4498G	105.88	Inf	-Inf	30.99	3	Vertical	202	1.48	-
AV	2.4836G	53.88	54.00	-0.12	31.11	3	Vertical	202	1.48	-
PK	2.4526G	115.18	Inf	-Inf	31.00	3	Vertical	202	1.48	-
PK	2.4846G	69.52	74.00	-4.48	31.12	3	Vertical	202	1.48	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4536G	101.91	Inf	-Inf	31.00	3	Vertical	186	1.01	-
AV	2.4835G	53.72	54.00	-0.28	31.11	3	Vertical	186	1.01	-
PK	2.4538G	111.65	Inf	-Inf	31.00	3	Vertical	186	1.01	-
PK	2.4835G	71.10	74.00	-2.90	31.11	3	Vertical	186	1.01	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92286G	34.90	54.00	-19.10	3.24	3	Vertical	14	2.21	-
PK	4.92946G	45.68	74.00	-28.32	3.26	3	Vertical	14	2.21	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93498G	33.73	54.00	-20.27	3.27	3	Horizontal	88	1.01	-
PK	4.9201G	45.25	74.00	-28.75	3.24	3	Horizontal	88	1.01	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.14	54.00	-0.86	30.77	3	Vertical	210	1.41	-
AV	2.4252G	100.52	Inf	-Inf	30.90	3	Vertical	210	1.41	-
AV	2.4844G	45.89	54.00	-8.11	31.12	3	Vertical	210	1.41	-
PK	2.39G	66.67	74.00	-7.33	30.77	3	Vertical	210	1.41	-
PK	2.4204G	109.84	Inf	-Inf	30.89	3	Vertical	210	1.41	-
PK	2.4852G	57.46	74.00	-16.54	31.12	3	Vertical	210	1.41	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84448G	34.41	54.00	-19.59	3.08	3	Vertical	0	1.95	-
PK	4.8584G	45.53	74.00	-28.47	3.11	3	Vertical	0	1.95	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84242G	34.20	54.00	-19.80	3.08	3	Horizontal	252	2.34	-
PK	4.84452G	44.62	74.00	-29.38	3.08	3	Horizontal	252	2.34	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	46.96	54.00	-7.04	30.77	3	Vertical	189	1.50	-
AV	2.451G	100.08	Inf	-Inf	30.99	3	Vertical	189	1.50	-
AV	2.4835G	53.22	54.00	-0.78	31.11	3	Vertical	189	1.50	-
PK	2.3898G	61.19	74.00	-12.81	30.77	3	Vertical	189	1.50	-
PK	2.4482G	108.59	Inf	-Inf	30.98	3	Vertical	189	1.50	-
PK	2.4838G	66.72	74.00	-7.28	31.11	3	Vertical	189	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87322G	34.43	54.00	-19.57	3.13	3	Vertical	212	1.52	-
PK	4.88816G	45.22	74.00	-28.78	3.18	3	Vertical	212	1.52	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.88066G	34.36	54.00	-19.64	3.17	3	Horizontal	37	2.08	-
PK	4.8788G	44.82	74.00	-29.18	3.16	3	Horizontal	37	2.08	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2442MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	45.36	54.00	-8.64	30.77	3	Vertical	188	1.13	-
AV	2.448G	100.65	Inf	-Inf	30.98	3	Vertical	188	1.13	-
AV	2.4848G	53.30	54.00	-0.70	31.12	3	Vertical	188	1.13	-
PK	2.39G	57.86	74.00	-16.14	30.77	3	Vertical	188	1.13	-
PK	2.4456G	109.59	Inf	-Inf	30.98	3	Vertical	188	1.13	-
PK	2.4844G	71.49	74.00	-2.51	31.12	3	Vertical	188	1.13	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.381G	44.02	54.00	-9.98	30.75	3	Vertical	189	1.50	-
AV	2.451G	99.32	Inf	-Inf	30.99	3	Vertical	189	1.50	-
AV	2.4835G	49.55	54.00	-4.45	31.11	3	Vertical	189	1.50	-
PK	2.3498G	55.56	74.00	-18.44	30.63	3	Vertical	189	1.50	-
PK	2.4506G	108.37	Inf	-Inf	30.99	3	Vertical	189	1.50	-
PK	2.4846G	73.37	74.00	-0.63	31.12	3	Vertical	189	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3864G	44.40	54.00	-9.60	30.76	3	Vertical	188	1.50	-
AV	2.4504G	97.35	Inf	-Inf	30.99	3	Vertical	188	1.50	-
AV	2.4844G	51.99	54.00	-2.01	31.12	3	Vertical	188	1.50	-
PK	2.3884G	56.12	74.00	-17.88	30.77	3	Vertical	188	1.50	-
PK	2.4508G	105.80	Inf	-Inf	30.99	3	Vertical	188	1.50	-
PK	2.4835G	67.71	74.00	-6.29	31.11	3	Vertical	188	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.89032G	34.36	54.00	-19.64	3.18	3	Vertical	49	2.62	-
PK	4.91672G	45.38	74.00	-28.62	3.23	3	Vertical	49	2.62	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.91102G	34.23	54.00	-19.77	3.22	3	Horizontal	281	2.05	-
PK	4.9124G	45.04	74.00	-28.96	3.22	3	Horizontal	281	2.05	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	650.8M	42.79	46.00	-3.21	-9.96	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	28.22	40.00	-11.78	-25.58	3	Vertical	360	1.00	-
2437MHz	Pass	PK	189.08M	21.22	43.50	-22.28	-21.38	3	Vertical	360	1.00	-
2437MHz	Pass	PK	255.04M	25.46	46.00	-20.54	-16.39	3	Vertical	360	1.00	-
2437MHz	Pass	PK	326.82M	39.33	46.00	-6.67	-16.18	3	Vertical	360	1.00	-
2437MHz	Pass	PK	650.8M	42.79	46.00	-3.21	-9.96	3	Vertical	360	1.00	-
2437MHz	Pass	PK	749.74M	40.20	46.00	-5.80	-8.38	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	29.06	40.00	-10.94	-25.58	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	196.84M	27.07	43.50	-16.43	-21.15	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	262.8M	30.13	46.00	-15.87	-15.85	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	322.94M	41.70	46.00	-4.30	-16.32	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	650.8M	42.34	46.00	-3.66	-9.96	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	749.74M	42.27	46.00	-3.73	-8.38	3	Horizontal	0	1.00	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_Switching Power Supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	28.22	40.00	-11.78	-25.58	3	Vertical	360	1.00	-
PK	189.08M	21.22	43.50	-22.28	-21.38	3	Vertical	360	1.00	-
PK	255.04M	25.46	46.00	-20.54	-16.39	3	Vertical	360	1.00	-
PK	326.82M	39.33	46.00	-6.67	-16.18	3	Vertical	360	1.00	-
PK	650.8M	42.79	46.00	-3.21	-9.96	3	Vertical	360	1.00	-
PK	749.74M	40.20	46.00	-5.80	-8.38	3	Vertical	360	1.00	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	29.06	40.00	-10.94	-25.58	3	Horizontal	0	1.00	-
PK	196.84M	27.07	43.50	-16.43	-21.15	3	Horizontal	0	1.00	-
PK	262.8M	30.13	46.00	-15.87	-15.85	3	Horizontal	0	1.00	-
PK	322.94M	41.70	46.00	-4.30	-16.32	3	Horizontal	0	1.00	-
PK	650.8M	42.34	46.00	-3.66	-9.96	3	Horizontal	0	1.00	-
PK	749.74M	42.27	46.00	-3.73	-8.38	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	1.248G	31.69	54.00	-22.31	-7.19	3	Vertical	290	2.46	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.248G	31.69	54.00	-22.31	-7.19	3	Vertical	290	2.46	-
2437MHz	Pass	AV	1.904G	26.96	54.00	-27.04	-5.10	3	Vertical	308	1.06	-
2437MHz	Pass	AV	3.191G	29.30	54.00	-24.70	-1.80	3	Vertical	173	1.34	-
2437MHz	Pass	PK	1.248G	41.61	74.00	-32.39	-7.19	3	Vertical	290	2.46	-
2437MHz	Pass	PK	1.904G	37.28	74.00	-36.72	-5.10	3	Vertical	308	1.06	-
2437MHz	Pass	PK	3.191G	40.63	74.00	-33.37	-1.80	3	Vertical	173	1.34	-
2437MHz	Pass	AV	1.333G	27.41	54.00	-26.59	-6.75	3	Horizontal	12	1.34	-
2437MHz	Pass	AV	2.289G	26.79	54.00	-27.21	-3.97	3	Horizontal	41	1.13	-
2437MHz	Pass	AV	3.077G	29.12	54.00	-24.88	-1.95	3	Horizontal	73	1.57	-
2437MHz	Pass	PK	1.333G	44.37	74.00	-29.63	-6.75	3	Horizontal	12	1.34	-
2437MHz	Pass	PK	2.289G	43.53	74.00	-30.47	-3.97	3	Horizontal	41	1.13	-
2437MHz	Pass	PK	3.077G	41.23	74.00	-32.77	-1.95	3	Horizontal	73	1.57	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.248G	31.69	54.00	-22.31	-7.19	3	Vertical	290	2.46	-
AV	1.904G	26.96	54.00	-27.04	-5.10	3	Vertical	308	1.06	-
AV	3.191G	29.30	54.00	-24.70	-1.80	3	Vertical	173	1.34	-
PK	1.248G	41.61	74.00	-32.39	-7.19	3	Vertical	290	2.46	-
PK	1.904G	37.28	74.00	-36.72	-5.10	3	Vertical	308	1.06	-
PK	3.191G	40.63	74.00	-33.37	-1.80	3	Vertical	173	1.34	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.333G	27.41	54.00	-26.59	-6.75	3	Horizontal	12	1.34	-
AV	2.289G	26.79	54.00	-27.21	-3.97	3	Horizontal	41	1.13	-
AV	3.077G	29.12	54.00	-24.88	-1.95	3	Horizontal	73	1.57	-
PK	1.333G	44.37	74.00	-29.63	-6.75	3	Horizontal	12	1.34	-
PK	2.289G	43.53	74.00	-30.47	-3.97	3	Horizontal	41	1.13	-
PK	3.077G	41.23	74.00	-32.77	-1.95	3	Horizontal	73	1.57	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	749.74M	41.27	46.00	-4.73	-8.38	3	Horizontal	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	64.92M	20.79	40.00	-19.21	-25.54	3	Vertical	360	1.00	-
2437MHz	Pass	PK	173.56M	20.28	43.50	-23.22	-20.92	3	Vertical	360	1.00	-
2437MHz	Pass	PK	251.16M	23.88	46.00	-22.12	-16.97	3	Vertical	360	1.00	-
2437MHz	Pass	PK	332.64M	35.52	46.00	-10.48	-15.99	3	Vertical	360	1.00	-
2437MHz	Pass	PK	650.8M	37.50	46.00	-8.50	-9.96	3	Vertical	360	1.00	-
2437MHz	Pass	PK	749.74M	37.57	46.00	-8.43	-8.38	3	Vertical	360	1.00	-
2437MHz	Pass	PK	55.22M	25.48	40.00	-14.52	-25.17	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	90.14M	25.72	43.50	-17.78	-22.41	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	231.76M	29.90	46.00	-16.10	-19.58	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	326.82M	40.70	46.00	-5.30	-16.18	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	650.8M	39.65	46.00	-6.35	-9.96	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	749.74M	41.27	46.00	-4.73	-8.38	3	Horizontal	0	1.00	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_Switching Power Supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	64.92M	20.79	40.00	-19.21	-25.54	3	Vertical	360	1.00	-
PK	173.56M	20.28	43.50	-23.22	-20.92	3	Vertical	360	1.00	-
PK	251.16M	23.88	46.00	-22.12	-16.97	3	Vertical	360	1.00	-
PK	332.64M	35.52	46.00	-10.48	-15.99	3	Vertical	360	1.00	-
PK	650.8M	37.50	46.00	-8.50	-9.96	3	Vertical	360	1.00	-
PK	749.74M	37.57	46.00	-8.43	-8.38	3	Vertical	360	1.00	-

802.11n HT40_Nss1,(MCS0)_2RX

2437MHz_Switching Power Supply

20/09/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	55.22M	25.48	40.00	-14.52	-25.17	3	Horizontal	0	1.00	-
PK	90.14M	25.72	43.50	-17.78	-22.41	3	Horizontal	0	1.00	-
PK	231.76M	29.90	46.00	-16.10	-19.58	3	Horizontal	0	1.00	-
PK	326.82M	40.70	46.00	-5.30	-16.18	3	Horizontal	0	1.00	-
PK	650.8M	39.65	46.00	-6.35	-9.96	3	Horizontal	0	1.00	-
PK	749.74M	41.27	46.00	-4.73	-8.38	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	3.237G	29.30	54.00	-24.70	-1.74	3	Horizontal	89	1.44	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.325G	28.13	54.00	-25.87	-6.79	3	Vertical	269	1.03	-
2437MHz	Pass	AV	2.49G	24.90	54.00	-29.10	-3.32	3	Vertical	7	1.23	-
2437MHz	Pass	AV	3.2G	26.69	54.00	-27.31	-1.79	3	Vertical	71	2.39	-
2437MHz	Pass	PK	1.325G	43.22	74.00	-30.78	-6.79	3	Vertical	269	1.03	-
2437MHz	Pass	PK	2.49G	35.21	74.00	-38.79	-3.32	3	Vertical	7	1.23	-
2437MHz	Pass	PK	3.2G	39.34	74.00	-34.66	-1.79	3	Vertical	71	2.39	-
2437MHz	Pass	AV	1.538G	26.46	54.00	-27.54	-5.77	3	Horizontal	193	1.22	-
2437MHz	Pass	AV	2.334G	27.53	54.00	-26.47	-3.82	3	Horizontal	79	1.84	-
2437MHz	Pass	AV	3.237G	29.30	54.00	-24.70	-1.74	3	Horizontal	89	1.44	-
2437MHz	Pass	PK	1.538G	34.28	74.00	-39.72	-5.77	3	Horizontal	193	1.22	-
2437MHz	Pass	PK	2.334G	35.90	74.00	-38.10	-3.82	3	Horizontal	79	1.84	-
2437MHz	Pass	PK	3.237G	36.96	74.00	-37.04	-1.74	3	Horizontal	89	1.44	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.325G	28.13	54.00	-25.87	-6.79	3	Vertical	269	1.03	-
AV	2.49G	24.90	54.00	-29.10	-3.32	3	Vertical	7	1.23	-
AV	3.2G	26.69	54.00	-27.31	-1.79	3	Vertical	71	2.39	-
PK	1.325G	43.22	74.00	-30.78	-6.79	3	Vertical	269	1.03	-
PK	2.49G	35.21	74.00	-38.79	-3.32	3	Vertical	7	1.23	-
PK	3.2G	39.34	74.00	-34.66	-1.79	3	Vertical	71	2.39	-

802.11n HT40_Nss1,(MCS0)_2RX

20/09/2018

2437MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.538G	26.46	54.00	-27.54	-5.77	3	Horizontal	193	1.22	-
AV	2.334G	27.53	54.00	-26.47	-3.82	3	Horizontal	79	1.84	-
AV	3.237G	29.30	54.00	-24.70	-1.74	3	Horizontal	89	1.44	-
PK	1.538G	34.28	74.00	-39.72	-5.77	3	Horizontal	193	1.22	-
PK	2.334G	35.90	74.00	-38.10	-3.82	3	Horizontal	79	1.84	-
PK	3.237G	36.96	74.00	-37.04	-1.74	3	Horizontal	89	1.44	-