Appendix Test Data

Report No.:	1812C60191012502-01	Test Sample No.:	1-2-2
Start Test Date:	2026-4-8	Finish Test Date:	2026-4-28
Test Engineer:	Tracy Liang	Auditor:	Justin Feng
Temperature:	23.0℃	Relative Humidity:	46.2%
Pressure:	101kPa		

Appendix A: Frequency Error

Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Center Freq. [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5210	5210.012	2.30326	±20	PASS
NTNV	CW	Ant2	5210	5210.012	2.30326	±20	PASS

Test Graphs



NTNV-CW-Ant1-5210-PASS



NTNV-CW-Ant2-5210-PASS

Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	-3.83	0.4140	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	-3.06	0.4943	≤2.5	PASS
NTNV	11AC80 MIMO	total	5210	-0.42	0.9083	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	-3.50	0.4467	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	-3.94	0.4036	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	-0.70	0.8503	≤2.5	PASS

Test Condition	Test Mode	Antenna	Frequency[MHz]	Power [mW/MHz]	RatedPower [mW/MHz]	Result [%]	Limit[%]	Verdict
NTNV	11AC80 MIMO	total	5210	0.9083	1	-9.17	-80 to +20	PASS
NTNV	11AX80 MIMO	total	5210	0.8503	1	-14.97	-80 to +20	PASS

Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [mW/MHz]	Gain[dBi]	EIRP [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	0.4140	3.39	0.9036	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	0.4943	3.39	1.0789	≤2.5	PASS
NTNV	11AC80 MIMO	total	5210	0.9083	3.39	1.9825	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	0.4467	3.39	0.9750	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	0.4036	3.39	0.8810	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	0.8503	3.39	1.8560	≤2.5	PASS

Note:EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)

Test Graphs



NTNV-11AC80MIMO-Ant1-5210-PASS





NTNV-11AC80MIMO-Ant2-5210-PASS





NTNV-11AX80MIMO-Ant1-5210-PASS





NTNV-11AX80MIMO-Ant2-5210-PASS



Appendix C: Occupied Bandwidth

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	76.244	≤80	PASS
NTNV	11AC80 MIMO	Ant2	5210	76.244	≤80	PASS
NTNV	11AX80MIMO	Ant1	5210	77.682	≤80	PASS
NTNV	11AX80MIMO	Ant2	5210	77.842	≤80	PASS

Test Graphs



NTNV-11AC80MIMO-Ant1-5210-PASS



NTNV-11AC80MIMO-Ant2-5210-PASS



NTNV-11AX80MIMO-Ant1-5210-PASS



NTNV-11AX80MIMO-Ant2-5210-PASS

Appendix D: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11AC80 MIMO	Ant2	5210	30~5123.2	5123.20	-51.48	3.39	-48.09	0.01552	≤2.5	See table below
NTNV	11AC80 MIMO	total	5210	30~5123.2	---	---	---	---	0.03219	≤2.5	See table below
NTNV	11AC80 MIMO	Ant1	5210	30~5123.2	5119.63	-51.17	3.39	-47.78	0.01667	≤2.5	See table below
NTNV	11AC80 MIMO	Ant2	5210	5132.5~5150	5149.63	-49.97	3.39	-46.58	0.02198	≤15	PASS
NTNV	11AC80 MIMO	total	5210	5132.5~5150	---	---	---	---	0.04302	≤15	PASS
NTNV	11AC80 MIMO	Ant1	5210	5132.5~5150	5146.36	-50.16	3.39	-46.77	0.02104	≤15	PASS
NTNV	11AC80 MIMO	Ant2	5210	5250~5251	5250.01	-31.24	3.39	-27.85	1.64059	≤244.3	PASS
NTNV	11AC80 MIMO	total	5210	5250~5251	---	---	---	---	3.35850	≤244.3	PASS
NTNV	11AC80 MIMO	Ant1	5210	5250~5251	5250.01	-31.04	3.39	-27.65	1.71791	≤244.3	PASS
NTNV	11AC80 MIMO	Ant2	5210	5251~5290	5251.08	-43.38	3.39	-39.99	0.10023	≤24.9	See table below
NTNV	11AC80 MIMO	total	5210	5251~5290	---	---	---	---	0.20139	≤24.9	See table below
NTNV	11AC80 MIMO	Ant1	5210	5251~5290	5251.08	-43.34	3.39	-39.95	0.10116	≤24.9	See table below
NTNV	11AC80 MIMO	Ant2	5210	5290~5296.7	5296.39	-52.31	3.39	-48.92	0.01282	≤2.5	See table below
NTNV	11AC80 MIMO	total	5210	5290~5296.7	---	---	---	---	0.02515	≤2.5	See table below

NTNV	11AC80 MIMO	Ant1	5210	5290~5296.7	5295.93	-52.48	3.39	-49.09	0.012 33	≤2.6	See table below
NTNV	11AC80 MIMO	Ant2	5210	5296.7~26000	5380.89	-48.99	3.39	-45.60	0.027 54	≤2.5	PASS
NTNV	11AC80 MIMO	total	5210	5296.7~26000	---	---	---	---	0.055 08	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5296.7~26000	5312.57	-48.99	3.39	-45.60	0.027 54	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5210	30~5123.2	5034.58	-51.72	3.39	-48.33	0.014 69	≤2.5	See table below
NTNV	11AX80 MIMO	total	5210	30~5123.2	---	---	---	---	0.029 08	≤2.5	See table below
NTNV	11AX80 MIMO	Ant1	5210	30~5123.2	5121.16	-51.81	3.39	-48.42	0.014 39	≤2.5	See table below
NTNV	11AX80 MIMO	Ant2	5210	5132.5~5150	5148.01	-51.74	3.39	-48.35	0.014 62	≤15	PASS
NTNV	11AX80 MIMO	total	5210	5132.5~5150	---	---	---	---	0.030 99	≤15	PASS
NTNV	11AX80 MIMO	Ant1	5210	5132.5~5150	5147.73	-51.25	3.39	-47.86	0.016 37	≤15	PASS
NTNV	11AX80 MIMO	Ant2	5210	5250~5251	5250.02	-31.33	3.39	-27.94	1.606 94	≤238.7	PASS
NTNV	11AX80 MIMO	total	5210	5250~5251	---	---	---	---	3.305 18	≤238.7	PASS
NTNV	11AX80 MIMO	Ant1	5210	5250~5251	5250.01	-31.09	3.39	-27.70	1.698 24	≤244.3	PASS
NTNV	11AX80 MIMO	Ant2	5210	5251~5290	5251.00	-43.29	3.39	-39.90	0.102 33	≤25.0	See table below
NTNV	11AX80 MIMO	total	5210	5251~5290	---	---	---	---	0.206 32	≤25.0	See table below
NTNV	11AX80 MIMO	Ant1	5210	5251~5290	5251.00	-43.22	3.39	-39.83	0.103 99	≤25.0	See table below
NTNV	11AX80 MIMO	Ant1	5210	5290~5296.7	5296.55	-52.57	3.39	-49.18	0.012 08	≤2.5	See table below
NTNV	11AX80	total	5210	5290~5296.7	---	---	---	---	0.023	≤2.5	See

	MIMO								43		table below
NTNV	11AX80 MIMO	Ant2	5210	5290~5296.7	5296.40	-52.84	3.39	-49.45	0.011 35	≤2.5	See table below
NTNV	11AX80 MIMO	Ant1	5210	5296.7~26000	6999.20	-49.41	3.39	-46.02	0.025 00	≤2.5	See table below
NTNV	11AX80 MIMO	total	5210	5296.7~26000	---	---	---	---	0.050 82	≤2.5	See table below
NTNV	11AX80 MIMO	Ant2	5210	5296.7~26000	23908.97	-49.27	3.39	-45.88	0.025 82	≤2.5	See table below

Test Result_Step2

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq. [MHz]	Result [dBm/ MHz]	Gain [dBi]	EIRP [dBm/M Hz]	Result [μW/M Hz]	Limit [μW/ MHz]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	5119.63	-56.81	3.39	-53.42	0.0045 5	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	5123.20	-56.30	3.39	-52.91	0.0051 2	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	5123.20	-56.36	3.39	-52.97	0.0050 5	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5119.63	-56.12	3.39	-52.73	0.0053 3	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	5123.20	---	---	---	0.0101 7	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5119.63	---	---	---	0.0098 8	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5251.08	-42.70	3.39	-39.31	0.1172 2	≤25	PASS
NTNV	11AC80 MIMO	Ant2	5210	5251.08	-43.08	3.39	-39.69	0.1074 0	≤25	PASS
NTNV	11AC80 MIMO	Ant1	5210	5251.08	-43.08	3.39	-39.69	0.1074 0	≤25	PASS
NTNV	11AC80 MIMO	Ant2	5210	5251.08	-42.66	3.39	-39.27	0.1183 0	≤25	PASS
NTNV	11AC80 MIMO	Ant1	5210	5251.08	---	---	---	0.2246 2	≤25	PASS

NTNV	11AC80 MIMO	Ant2	5210	5251.08	---	---	---	0.22570	≤25	PASS
NTNV	11AC80 MIMO	Ant1	5210	5295.93	-53.20	3.39	-49.81	0.01045	≤2.6	PASS
NTNV	11AC80 MIMO	Ant2	5210	5296.39	-52.81	3.39	-49.42	0.01143	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5295.93	-53.00	3.39	-49.61	0.01094	≤2.6	PASS
NTNV	11AC80 MIMO	Ant2	5210	5296.39	-52.59	3.39	-49.20	0.01202	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5295.93	---	---	---	0.02139	≤2.6	PASS
NTNV	11AC80 MIMO	Ant2	5210	5296.39	---	---	---	0.02345	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5121.16	-56.45	3.39	-53.06	0.00494	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	5034.58	-62.71	3.39	-59.32	0.00117	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5121.16	-56.75	3.39	-53.36	0.00461	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	5034.58	-62.52	3.39	-59.13	0.00122	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5121.16	---	---	---	0.00955	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	5034.58	---	---	---	0.00239	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5251.00	-43.17	3.39	-39.78	0.10520	≤25	PASS
NTNV	11AX80MIMO	Ant2	5210	5251.00	-43.17	3.39	-39.78	0.10520	≤25	PASS
NTNV	11AX80MIMO	Ant1	5210	5251.00	-42.92	3.39	-39.53	0.11143	≤25	PASS
NTNV	11AX80MIMO	Ant2	5210	5251.00	-42.97	3.39	-39.58	0.11015	≤25	PASS
NTNV	11AX80MIMO	Ant2	5210	5251.00	---	---	---	0.21535	≤25	PASS
NTNV	11AX80MIMO	Ant1	5210	5251.00	---	---	---	0.21663	≤25	PASS
NTNV	11AX80MIMO	Ant2	5210	5296.40	-53.21	3.39	-49.82	0.01042	≤3	PASS
NTNV	11AX80MIMO	Ant1	5210	5296.55	-54.14	3.39	-50.75	0.00841	≤2.5	PASS
NTNV	11AX80M	Ant2	5210	5296.40	-53.86	3.39	-50.47	0.0089	≤3	PASS

	IMO							7		
NTNV	11AX80M IMO	Ant1	5210	5296.55	-52.72	3.39	-49.33	0.01167	≤2.5	PASS
NTNV	11AX80M IMO	Ant2	5210	5296.40	---	---	---	0.01939	≤3	PASS
NTNV	11AX80M IMO	Ant1	5210	5296.55	---	---	---	0.02008	≤2.5	PASS
NTNV	11AX80M IMO	Ant2	5210	23908.97	-76.07	3.39	-72.68	0.00005	≤2.5	PASS
NTNV	11AX80M IMO	Ant1	5210	6999.20	-73.17	3.39	-69.78	0.00011	≤2.5	PASS
NTNV	11AX80M IMO	Ant2	5210	23908.97	-76.06	3.39	-72.67	0.00005	≤2.5	PASS
NTNV	11AX80M IMO	Ant1	5210	6999.20	-73.15	3.39	-69.76	0.00011	≤2.5	PASS
NTNV	11AX80M IMO	Ant2	5210	23908.97	---	---	---	0.00010	≤2.5	PASS
NTNV	11AX80M IMO	Ant1	5210	6999.20	---	---	---	0.00022	≤2.5	PASS

Test Graphs



NTNV-11AC80MIMO-Ant2-5210-30~5123.2-See table below



NTNV-11AC80MIMO-Ant1-5210-30~5123.2-See table below



NTNV-11AC80MIMO-Ant2-5210-5132.5~5150-PASS



NTNV-11AC80MIMO-Ant1-5210-5132.5~5150-PASS



NTNV-11AC80MIMO-Ant2-5210-5250~5251-PASS



NTNV-11AC80MIMO-Ant1-5210-5250~5251-PASS



NTNV-11AC80MIMO-Ant2-5210-5251~5290-See table below



NTNV-11AC80MIMO-Ant1-5210-5251~5290-See table below



NTNV-11AC80MIMO-Ant2-5210-5290~5296.7-See table below



NTNV-11AC80MIMO-Ant1-5210-5290~5296.7-See table below



NTNV-11AC80MIMO-Ant2-5210-5296.7~26000-PASS



NTNV-11AC80MIMO-Ant1-5210-5296.7~26000-PASS



NTNV-11AX80MIMO-Ant2-5210-30~5123.2-See table below



NTNV-11AX80MIMO-Ant1-5210-30~5123.2-See table below



NTNV-11AX80MIMO-Ant2-5210-5132.5~5150-PASS



NTNV-11AX80MIMO-Ant1-5210-5132.5~5150-PASS



NTNV-11AX80MIMO-Ant2-5210-5250~5251-PASS



NTNV-11AX80MIMO-Ant1-5210-5250~5251-PASS



NTNV-11AX80MIMO-Ant2-5210-5251~5290-See table below



NTNV-11AX80MIMO-Ant1-5210-5251~5290-See table below



NTNV-11AX80MIMO-Ant1-5210-5290~5296.7-See table below



NTNV-11AX80MIMO-Ant2-5210-5290~5296.7-See table below



NTNV-11AX80MIMO-Ant1-5210-5296.7~26000-See table below



NTNV-11AX80MIMO-Ant2-5210-5296.7~26000-See table below

Test Graphs_Step2



NTNV-11AC80MIMO-Ant1-5210-30~5123.2-PASS





NTNV-11AC80MIMO-Ant2-5210-30~5123.2-PASS





NTNV-11AC80MIMO-Ant2-5210-30~5123.2-PASS





NTNV-11AC80MIMO-Ant1-5210-30~5123.2-PASS





NTNV-11AC80MIMO-Ant1-5210-5251~5290-PASS





NTNV-11AC80MIMO-Ant2-5210-5251~5290-PASS





NTNV-11AC80MIMO-Ant1-5210-5251~5290-PASS





NTNV-11AC80MIMO-Ant2-5210-5251~5290-PASS





NTNV-11AC80MIMO-Ant1-5210-5290~5296.7-PASS





NTNV-11AC80MIMO-Ant2-5210-5290~5296.7-PASS





NTNV-11AC80MIMO-Ant1-5210-5290~5296.7-PASS





NTNV-11AC80MIMO-Ant2-5210-5290~5296.7-PASS





NTNV-11AX80MIMO-Ant1-5210-30~5123.2-PASS





NTNV-11AX80MIMO-Ant2-5210-30~5123.2-PASS





NTNV-11AX80MIMO-Ant1-5210-30~5123.2-PASS





NTNV-11AX80MIMO-Ant2-5210-30~5123.2-PASS





NTNV-11AX80MIMO-Ant1-5210-5251~5290-PASS





NTNV-11AX80MIMO-Ant2-5210-5251~5290-PASS





NTNV-11AX80MIMO-Ant1-5210-5251~5290-PASS





NTNV-11AX80MIMO-Ant2-5210-5251~5290-PASS





NTNV-11AX80MIMO-Ant2-5210-5290~5296.7-PASS





NTNV-11AX80MIMO-Ant1-5210-5290~5296.7-PASS





NTNV-11AX80MIMO-Ant2-5210-5290~5296.7-PASS





NTNV-11AX80MIMO-Ant1-5210-5290~5296.7-PASS





NTNV-11AX80MIMO-Ant2-5210-5296.7~26000-PASS





NTNV-11AX80MIMO-Ant1-5210-5296.7~26000-PASS





NTNV-11AX80MIMO-Ant2-5210-5296.7~26000-PASS





NTNV-11AX80MIMO-Ant1-5210-5296.7~26000-PASS



Appendix E: Spurious Emission of RX

Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	30~1000	837.36	-83.71	≤-54	0.00426	≤4	PASS
NTNV	11AC80 MIMO	Ant2	5210	30~1000	939.16	-87.69	≤-54	0.00170	≤4	PASS
NTNV	11AC80 MIMO	total	5210	30~1000	---	---	---	0.00596	≤4	PASS
NTNV	11AC80 MIMO	Ant1	5210	1000~26000	16271.10	-71.65	≤-47	0.06839	≤20	See table below
NTNV	11AC80 MIMO	Ant2	5210	1000~26000	6909.10	-71.82	≤-47	0.06577	≤20	See table below
NTNV	11AC80 MIMO	total	5210	1000~26000	---	---	---	0.13416	≤20	See table below
NTNV	11AX80MIMO	Ant1	5210	30~1000	793.25	-87.16	≤-54	0.00192	≤4	PASS
NTNV	11AX80MIMO	Ant2	5210	30~1000	856.27	-87.62	≤-54	0.00173	≤4	PASS
NTNV	11AX80MIMO	total	5210	30~1000	---	---	---	0.00365	≤4	PASS
NTNV	11AX80MIMO	Ant1	5210	1000~26000	6902.80	-71.92	≤-47	0.06427	≤20	PASS
NTNV	11AX80MIMO	Ant2	5210	1000~26000	15503.60	-71.26	≤-47	0.07482	≤20	PASS
NTNV	11AX80MIMO	total	5210	1000~26000	---	---	---	0.13909	≤20	PASS

Test Result_Step2

Test Condition	Test Mode	Antenna	Frequency[MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	16271.10	-73.76	≤-47	0.04207	≤20	PASS
NTNV	11AC80 MIMO	Ant2	5210	6909.10	-73.17	≤-47	0.04819	≤20	PASS
NTNV	11AC80 MIMO	Ant1	5210	16271.10	-73.79	≤-47	0.04178	≤20	PASS

NTNV	11AC80 MIMO	Ant2	5210	6909.10	-73.19	≤-47	0.04797	≤20	PASS
NTNV	11AC80 MIMO	Ant1	5210	16271.10	---	---	0.08385	≤20	PASS
NTNV	11AC80 MIMO	Ant2	5210	6909.10	---	---	0.09616	≤20	PASS

Test Graphs



NTNV-11AC80MIMO-Ant1-5210-30~1000-PASS



NTNV-11AC80MIMO-Ant2-5210-30~1000-PASS



NTNV-11AC80MIMO-Ant1-5210-1000~26000-See table below



NTNV-11AC80MIMO-Ant2-5210-1000~26000-See table below



NTNV-11AX80MIMO-Ant1-5210-30~1000-PASS



NTNV-11AX80MIMO-Ant2-5210-30~1000-PASS



NTNV-11AX80MIMO-Ant1-5210-1000~26000-PASS



NTNV-11AX80MIMO-Ant2-5210-1000~26000-PASS

Test Graphs_Step2



NTNV-11AC80MIMO-Ant1-5210-1000~26000-PASS





NTNV-11AC80MIMO-Ant2-5210-1000~26000-PASS





NTNV-11AC80MIMO-Ant1-5210-1000~26000-PASS





NTNV-11AC80MIMO-Ant2-5210-1000~26000-PASS



Appendix F: Transmission Burst Length

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	0.11	≤8	PASS
NTNV	11AC80 MIMO	Ant2	5210	0.11	≤8	PASS
NTNV	11AX80M IMO	Ant1	5210	0.08	≤8	PASS
NTNV	11AX80M IMO	Ant2	5210	0.08	≤8	PASS

Test Graphs



NTNV-11AC80MIMO-Ant1-5210-PASS



NTNV-11AC80MIMO-Ant2-5210-PASS



NTNV-11AX80MIMO-Ant1-5210-PASS



NTNV-11AX80MIMO-Ant2-5210-PASS

Appendix G: Adjacent Channel Power Tolerance

Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11AC80 MIMO	Ant1	5210	-80	-25.20	≤-25	PASS
NTNV	11AC80 MIMO	Ant2	5210	-80	-25.36	≤-25	PASS
NTNV	11AC80 MIMO	total	5210	-80	-25.28	≤-25	PASS
NTNV	11AC80 MIMO	Ant1	5210	+80	-25.68	≤-25	PASS
NTNV	11AC80 MIMO	Ant2	5210	+80	-25.98	≤-25	PASS
NTNV	11AC80 MIMO	total	5210	+80	-25.83	≤-25	PASS
NTNV	11AX80MIMO	Ant1	5210	-80	-41.39	≤-25	PASS
NTNV	11AX80MIMO	Ant2	5210	-80	-40.78	≤-25	PASS
NTNV	11AX80MIMO	total	5210	-80	-41.08	≤-25	PASS
NTNV	11AX80MIMO	Ant1	5210	+80	-39.00	≤-25	PASS
NTNV	11AX80MIMO	Ant2	5210	+80	-37.93	≤-25	PASS
NTNV	11AX80MIMO	total	5210	+80	-38.44	≤-25	PASS

Test Graphs



NTNV-11AC80MIMO-Ant1-5210-PASS



NTNV-11AC80MIMO-Ant2-5210-PASS



NTNV-11AX80MIMO-Ant1-5210-PASS



NTNV-11AX80MIMO-Ant2-5210-PASS

---End---