

Appendix Test Data

Report No.:	1813C60094812503-01	Test Sample No.:	1-2-2
Start Test Date:	2026-3-16	Finish Test Date:	2026-4-14
Test Engineer:		Auditor:	
Temperature:	24.8℃	Relative Humidity:	56%
Pressure:	101kPa		

Appendix A: Frequency Error


Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Center Freq. [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5180	5179.962	-7.33591	±20	PASS
NTNV	CW	Ant1	5200	5199.963	-7.11539	±20	PASS
NTNV	CW	Ant1	5240	5239.962	-7.25191	±20	PASS
NTNV	CW	Ant1	5260	5259.962	-7.22434	±20	PASS
NTNV	CW	Ant1	5280	5279.962	-7.19697	±20	PASS
NTNV	CW	Ant1	5320	5319.961	-7.33083	±20	PASS
NTNV	CW	Ant1	5500	5499.96	-7.27273	±20	PASS
NTNV	CW	Ant1	5600	5599.96	-7.14286	±20	PASS
NTNV	CW	Ant1	5700	5699.959	-7.19298	±20	PASS
NTNV	CW	Ant1	5190	5189.962	-7.32177	±20	PASS
NTNV	CW	Ant1	5230	5229.962	-7.26577	±20	PASS
NTNV	CW	Ant1	5270	5269.961	-7.40038	±20	PASS
NTNV	CW	Ant1	5310	5309.961	-7.34463	±20	PASS
NTNV	CW	Ant1	5510	5509.96	-7.25953	±20	PASS
NTNV	CW	Ant1	5550	5549.96	-7.20721	±20	PASS
NTNV	CW	Ant1	5670	5669.959	-7.23104	±20	PASS
NTNV	CW	Ant1	5210	5209.962	-7.29367	±20	PASS
NTNV	CW	Ant1	5290	5289.961	-7.37240	±20	PASS
NTNV	CW	Ant1	5530	5529.96	-7.23327	±20	PASS
NTNV	CW	Ant1	5610	5609.959	-7.30838	±20	PASS


Note: Result[ppm]= (Center Freq.[MHz] -Frequency[MHz])/Frequency[MHz]*1000000



Test Graphs




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant1-5200-PASS






NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant1-5260-PASS







NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant1-5320-PASS








NTNV-11A-Ant1-5700-PASS




NTNV-11N40SISO-Ant1-5190-PASS






NTNV-11N40SISO-Ant1-5230-PASS




NTNV-11N40SISO-Ant1-5270-PASS







NTNV-11N40SISO-Ant1-5310-PASS



NTNV-11N40SISO-Ant1-5510-PASS









Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	8.57	7.1945	≤10	PASS
NTNV	11A	Ant1	5200	8.44	6.9823	≤10	PASS
NTNV	11A	Ant1	5240	7.44	5.5463	≤10	PASS
NTNV	11A	Ant1	5260	2.18	1.6520	≤10	PASS
NTNV	11A	Ant1	5280	0.78	1.1967	≤10	PASS
NTNV	11A	Ant1	5320	1.15	1.3032	≤10	PASS
NTNV	11A	Ant1	5500	8.36	6.8549	≤10	PASS
NTNV	11A	Ant1	5600	9.25	8.4140	≤10	PASS
NTNV	11A	Ant1	5700	8.75	7.4989	≤10	PASS
NTNV	11N20SISO	Ant1	5180	8.53	7.1285	≤10	PASS
NTNV	11N20SISO	Ant1	5200	7.89	6.1518	≤10	PASS
NTNV	11N20SISO	Ant1	5240	8.33	6.8077	≤10	PASS
NTNV	11N20SISO	Ant1	5260	0.65	1.1614	≤10	PASS
NTNV	11N20SISO	Ant1	5280	0.47	1.1143	≤10	PASS
NTNV	11N20SISO	Ant1	5320	0.07	1.0162	≤10	PASS
NTNV	11N20SISO	Ant1	5500	8.18	6.5766	≤10	PASS
NTNV	11N20SISO	Ant1	5600	8.88	7.7268	≤10	PASS
NTNV	11N20SISO	Ant1	5700	8.39	6.9024	≤10	PASS
NTNV	11N40SISO	Ant1	5190	-11.07	0.0782	≤5	PASS
NTNV	11N40SISO	Ant1	5230	-11.23	0.0753	≤5	PASS
NTNV	11N40SISO	Ant1	5270	-11.99	0.0632	≤5	PASS
NTNV	11N40SISO	Ant1	5310	-12.53	0.0558	≤5	PASS
NTNV	11N40SISO	Ant1	5510	-8.94	0.1276	≤5	PASS
NTNV	11N40SISO	Ant1	5550	-8.55	0.1396	≤5	PASS
NTNV	11N40SISO	Ant1	5670	-6.90	0.2042	≤5	PASS
NTNV	11AC20SISO	Ant1	5180	8.05	6.3826	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	7.93	6.2087	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	7.57	5.7148	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	0.08	1.0186	≤10	PASS
NTNV	11AC20SISO	Ant1	5280	-0.01	0.9977	≤10	PASS
NTNV	11AC20SISO	Ant1	5320	2.96	1.9770	≤10	PASS
NTNV	11AC20SISO	Ant1	5500	7.99	6.2951	≤10	PASS
NTNV	11AC20SISO	Ant1	5600	9.07	8.0724	≤10	PASS
NTNV	11AC20SISO	Ant1	5700	8.21	6.6222	≤10	PASS
NTNV	11AC40SISO	Ant1	5190	-11.25	0.0750	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	-11.67	0.0681	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	-11.97	0.0635	≤5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5310	-11.97	0.0635	≤5	PASS
NTNV	11AC40SISO	Ant1	5510	-9.05	0.1245	≤5	PASS
NTNV	11AC40SISO	Ant1	5550	-8.39	0.1449	≤5	PASS
NTNV	11AC40SISO	Ant1	5670	-7.55	0.1758	≤5	PASS
NTNV	11AX20SISO	Ant1	5180	6.45	4.4157	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	7.01	5.0234	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	7.36	5.4450	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	3.14	2.0606	≤10	PASS
NTNV	11AX20SISO	Ant1	5280	4.32	2.7040	≤10	PASS
NTNV	11AX20SISO	Ant1	5320	4.11	2.5763	≤10	PASS
NTNV	11AX20SISO	Ant1	5500	7.46	5.5719	≤10	PASS
NTNV	11AX20SISO	Ant1	5600	8.81	7.6033	≤10	PASS
NTNV	11AX20SISO	Ant1	5700	6.65	4.6238	≤10	PASS
NTNV	11AX40SISO	Ant1	5190	-9.71	0.1069	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	-9.41	0.1146	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	-10.71	0.0849	≤5	PASS
NTNV	11AX40SISO	Ant1	5310	-10.44	0.0904	≤5	PASS
NTNV	11AX40SISO	Ant1	5510	-6.70	0.2138	≤5	PASS
NTNV	11AX40SISO	Ant1	5550	-5.57	0.2773	≤5	PASS
NTNV	11AX40SISO	Ant1	5670	-5.62	0.2742	≤5	PASS

Note: Result[mW/MHz]= 10^(Test Result[dBm/MHz]/10)



Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	Rated Power [mW/MHz]	Result [%]	Limit [%]	Verdict
NTNV	11A	Ant1	5180	7.1945	10	-28.06	-80 to +20	PASS
NTNV	11A	Ant1	5200	6.9823	10	-30.18	-80 to +20	PASS
NTNV	11A	Ant1	5240	5.5463	10	-44.54	-80 to +20	PASS
NTNV	11A	Ant1	5260	1.6520	3	-44.93	-80 to +20	PASS
NTNV	11A	Ant1	5280	1.1967	3	-60.11	-80 to +20	PASS
NTNV	11A	Ant1	5320	1.3032	3	-56.56	-80 to +20	PASS
NTNV	11A	Ant1	5500	6.8549	10	-31.45	-50 to +50	PASS
NTNV	11A	Ant1	5600	8.4140	10	-15.86	-50 to +50	PASS
NTNV	11A	Ant1	5700	7.4989	10	-25.01	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5180	7.1285	10	-28.72	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5200	6.1518	10	-38.48	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5240	6.8077	10	-31.92	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5260	1.1614	3	-61.29	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5280	1.1143	3	-62.86	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5320	1.0162	3	-66.13	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5500	6.5766	10	-34.23	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5600	7.7268	10	-22.73	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5700	6.9024	10	-30.98	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5190	0.0782	0.1	-21.80	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5230	0.0753	0.1	-24.70	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5270	0.0632	0.1	-36.80	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5310	0.0558	0.1	-44.20	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5510	0.1276	0.2	-36.20	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5550	0.1396	0.2	-30.20	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5670	0.2042	0.2	2.10	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5180	6.3826	10	-36.17	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5200	6.2087	10	-37.91	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5240	5.7148	10	-42.85	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5260	1.0186	2	-49.07	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5280	0.9977	2	-50.12	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5320	1.9770	2	-1.15	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5500	6.2951	10	-37.05	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5600	8.0724	10	-19.28	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5700	6.6222	10	-33.78	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5190	0.0750	0.1	-25.00	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5230	0.0681	0.1	-31.90	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5270	0.0635	0.1	-36.50	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5310	0.0635	0.1	-36.50	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5510	0.1245	0.2	-37.75	-50 to +50	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5550	0.1449	0.2	-27.55	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5670	0.1758	0.2	-12.10	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5180	4.4157	6	-26.41	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5200	5.0234	6	-16.28	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5240	5.4450	6	-9.25	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5260	2.0606	6	-65.66	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5280	2.7040	6	-54.93	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5320	2.5763	6	-57.06	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5500	5.5719	8	-30.35	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5600	7.6033	8	-4.96	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5700	4.6238	8	-42.20	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5190	0.1069	0.2	-46.55	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5230	0.1146	0.2	-42.70	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5270	0.0849	0.2	-57.55	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5310	0.0904	0.2	-54.80	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5510	0.2138	0.3	-28.73	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5550	0.2773	0.3	-7.57	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5670	0.2742	0.3	-8.60	-50 to +50	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [mW/MHz]	Gain [dBi]	EIRP [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	7.1945	0.57	8.2035	≤10	PASS
NTNV	11A	Ant1	5200	6.9823	0.57	7.9616	≤10	PASS
NTNV	11A	Ant1	5240	5.5463	0.57	6.3241	≤10	PASS
NTNV	11A	Ant1	5260	1.6520	2.11	2.6853	≤5	PASS
NTNV	11A	Ant1	5280	1.1967	2.11	1.9454	≤5	PASS
NTNV	11A	Ant1	5320	1.3032	2.11	2.1184	≤5	PASS
NTNV	11A	Ant1	5500	6.8549	2.8	13.0617	≤25	PASS
NTNV	11A	Ant1	5600	8.4140	2.8	16.0325	≤25	PASS
NTNV	11A	Ant1	5700	7.4989	2.8	14.2889	≤25	PASS
NTNV	11N20SISO	Ant1	5180	7.1285	0.57	8.1283	≤10	PASS
NTNV	11N20SISO	Ant1	5200	6.1518	0.57	7.0146	≤10	PASS
NTNV	11N20SISO	Ant1	5240	6.8077	0.57	7.7625	≤10	PASS
NTNV	11N20SISO	Ant1	5260	1.1614	2.11	1.8880	≤5	PASS
NTNV	11N20SISO	Ant1	5280	1.1143	2.11	1.8113	≤5	PASS
NTNV	11N20SISO	Ant1	5320	1.0162	2.11	1.6520	≤5	PASS
NTNV	11N20SISO	Ant1	5500	6.5766	2.8	12.5314	≤25	PASS
NTNV	11N20SISO	Ant1	5600	7.7268	2.8	14.7231	≤25	PASS
NTNV	11N20SISO	Ant1	5700	6.9024	2.8	13.1522	≤25	PASS
NTNV	11N40SISO	Ant1	5190	0.0782	0.57	0.0891	≤5	PASS
NTNV	11N40SISO	Ant1	5230	0.0753	0.57	0.0859	≤5	PASS
NTNV	11N40SISO	Ant1	5270	0.0632	2.11	0.1028	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	0.0558	2.11	0.0908	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	0.1276	2.8	0.2432	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	0.1396	2.8	0.2661	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	0.2042	2.8	0.3890	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5180	6.3826	0.57	7.2778	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	6.2087	0.57	7.0795	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	5.7148	0.57	6.5163	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	1.0186	2.11	1.6558	≤5	PASS
NTNV	11AC20SISO	Ant1	5280	0.9977	2.11	1.6218	≤5	PASS
NTNV	11AC20SISO	Ant1	5320	1.9770	2.11	3.2137	≤5	PASS
NTNV	11AC20SISO	Ant1	5500	6.2951	2.8	11.9950	≤25	PASS
NTNV	11AC20SISO	Ant1	5600	8.0724	2.8	15.3815	≤25	PASS
NTNV	11AC20SISO	Ant1	5700	6.6222	2.8	12.6183	≤25	PASS
NTNV	11AC40SISO	Ant1	5190	0.0750	0.57	0.0855	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	0.0681	0.57	0.0776	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	0.0635	2.11	0.1033	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	0.0635	2.11	0.1033	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5510	0.1245	2.8	0.2371	≤12.5	PASS




NTNV	11AC40SISO	Ant1	5550	0.1449	2.8	0.2761	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	0.1758	2.8	0.3350	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5180	4.4157	0.57	5.0350	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	5.0234	0.57	5.7280	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	5.4450	0.57	6.2087	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	2.0606	2.11	3.3497	≤5	PASS
NTNV	11AX20SISO	Ant1	5280	2.7040	2.11	4.3954	≤5	PASS
NTNV	11AX20SISO	Ant1	5320	2.5763	2.11	4.1879	≤5	PASS
NTNV	11AX20SISO	Ant1	5500	5.5719	2.8	10.6170	≤25	PASS
NTNV	11AX20SISO	Ant1	5600	7.6033	2.8	14.4877	≤25	PASS
NTNV	11AX20SISO	Ant1	5700	4.6238	2.8	8.8105	≤25	PASS
NTNV	11AX40SISO	Ant1	5190	0.1069	0.57	0.1219	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	0.1146	0.57	0.1306	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	0.0849	2.11	0.1380	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	0.0904	2.11	0.1469	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5510	0.2138	2.8	0.4074	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	0.2773	2.8	0.5284	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	0.2742	2.8	0.5224	≤12.5	PASS


Note: Result[dBm/MHz]=10log(Power [mW/MHz])


EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)





Test Graphs






















































NTNV-11N20SISO-Ant1-5700-PASS




















































































































Appendix C: Occupied Bandwidth

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5180	16.919	≤20	PASS
NTNV	11A	Ant1	5200	17.001	≤20	PASS
NTNV	11A	Ant1	5240	16.923	≤20	PASS
NTNV	11A	Ant1	5260	16.884	≤20	PASS
NTNV	11A	Ant1	5280	16.902	≤20	PASS
NTNV	11A	Ant1	5320	16.936	≤20	PASS
NTNV	11A	Ant1	5500	17.092	≤20	PASS
NTNV	11A	Ant1	5600	17.076	≤20	PASS
NTNV	11A	Ant1	5700	17.059	≤20	PASS
NTNV	11N20SISO	Ant1	5180	18.095	≤20	PASS
NTNV	11N20SISO	Ant1	5200	18.079	≤20	PASS
NTNV	11N20SISO	Ant1	5240	18.076	≤20	PASS
NTNV	11N20SISO	Ant1	5260	18.083	≤20	PASS
NTNV	11N20SISO	Ant1	5280	18.117	≤20	PASS
NTNV	11N20SISO	Ant1	5320	18.047	≤20	PASS
NTNV	11N20SISO	Ant1	5500	18.245	≤20	PASS
NTNV	11N20SISO	Ant1	5600	18.276	≤20	PASS
NTNV	11N20SISO	Ant1	5700	18.211	≤20	PASS
NTNV	11N40SISO	Ant1	5190	36.268	≤40	PASS
NTNV	11N40SISO	Ant1	5230	36.257	≤40	PASS
NTNV	11N40SISO	Ant1	5270	36.342	≤40	PASS
NTNV	11N40SISO	Ant1	5310	36.238	≤40	PASS
NTNV	11N40SISO	Ant1	5510	36.383	≤40	PASS
NTNV	11N40SISO	Ant1	5550	36.395	≤40	PASS
NTNV	11N40SISO	Ant1	5670	36.368	≤40	PASS
NTNV	11AC20SISO	Ant1	5180	18.127	≤20	PASS
NTNV	11AC20SISO	Ant1	5200	18.067	≤20	PASS
NTNV	11AC20SISO	Ant1	5240	18.108	≤20	PASS
NTNV	11AC20SISO	Ant1	5260	18.102	≤20	PASS
NTNV	11AC20SISO	Ant1	5280	18.102	≤20	PASS
NTNV	11AC20SISO	Ant1	5320	18.127	≤20	PASS
NTNV	11AC20SISO	Ant1	5500	18.176	≤20	PASS
NTNV	11AC20SISO	Ant1	5600	18.261	≤20	PASS
NTNV	11AC20SISO	Ant1	5700	18.292	≤20	PASS
NTNV	11AC40SISO	Ant1	5190	36.275	≤40	PASS
NTNV	11AC40SISO	Ant1	5230	36.245	≤40	PASS
NTNV	11AC40SISO	Ant1	5270	36.281	≤40	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500


www.anbotech.com




NTNV	11AC40SISO	Ant1	5310	36.259	≤40	PASS
NTNV	11AC40SISO	Ant1	5510	36.486	≤40	PASS
NTNV	11AC40SISO	Ant1	5550	36.395	≤40	PASS
NTNV	11AC40SISO	Ant1	5670	36.407	≤40	PASS
NTNV	11AX20SISO	Ant1	5180	19.180	≤20	PASS
NTNV	11AX20SISO	Ant1	5200	19.113	≤20	PASS
NTNV	11AX20SISO	Ant1	5240	19.241	≤20	PASS
NTNV	11AX20SISO	Ant1	5260	19.173	≤20	PASS
NTNV	11AX20SISO	Ant1	5280	19.194	≤20	PASS
NTNV	11AX20SISO	Ant1	5320	19.190	≤20	PASS
NTNV	11AX20SISO	Ant1	5500	19.341	≤20	PASS
NTNV	11AX20SISO	Ant1	5600	19.265	≤20	PASS
NTNV	11AX20SISO	Ant1	5700	19.245	≤20	PASS
NTNV	11AX40SISO	Ant1	5190	37.755	≤40	PASS
NTNV	11AX40SISO	Ant1	5230	37.784	≤40	PASS
NTNV	11AX40SISO	Ant1	5270	37.871	≤40	PASS
NTNV	11AX40SISO	Ant1	5310	37.876	≤40	PASS
NTNV	11AX40SISO	Ant1	5510	38.046	≤40	PASS
NTNV	11AX40SISO	Ant1	5550	38.010	≤40	PASS
NTNV	11AX40SISO	Ant1	5670	38.027	≤40	PASS



Test Graphs




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant1-5200-PASS






NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant1-5260-PASS






NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant1-5320-PASS






NTNV-11A-Ant1-5500-PASS




NTNV-11A-Ant1-5600-PASS






NTNV-11A-Ant1-5700-PASS




NTNV-11N20SISO-Ant1-5180-PASS






NTNV-11N20SISO-Ant1-5200-PASS




NTNV-11N20SISO-Ant1-5240-PASS






NTNV-11N20SISO-Ant1-5260-PASS




NTNV-11N20SISO-Ant1-5280-PASS






NTNV-11N20SISO-Ant1-5320-PASS




NTNV-11N20SISO-Ant1-5500-PASS






NTNV-11N20SISO-Ant1-5600-PASS




NTNV-11N20SISO-Ant1-5700-PASS






NTNV-11N40SISO-Ant1-5190-PASS




NTNV-11N40SISO-Ant1-5230-PASS






NTNV-11N40SISO-Ant1-5270-PASS




NTNV-11N40SISO-Ant1-5310-PASS






NTNV-11N40SISO-Ant1-5510-PASS




NTNV-11N40SISO-Ant1-5550-PASS






NTNV-11N40SISO-Ant1-5670-PASS




NTNV-11AC20SISO-Ant1-5180-PASS






NTNV-11AC20SISO-Ant1-5200-PASS




NTNV-11AC20SISO-Ant1-5240-PASS






NTNV-11AC20SISO-Ant1-5260-PASS




NTNV-11AC20SISO-Ant1-5280-PASS






NTNV-11AC20SISO-Ant1-5320-PASS




NTNV-11AC20SISO-Ant1-5500-PASS






NTNV-11AC20SISO-Ant1-5600-PASS




NTNV-11AC20SISO-Ant1-5700-PASS






NTNV-11AC40SISO-Ant1-5190-PASS




NTNV-11AC40SISO-Ant1-5230-PASS






NTNV-11AC40SISO-Ant1-5270-PASS




NTNV-11AC40SISO-Ant1-5310-PASS






NTNV-11AC40SISO-Ant1-5510-PASS




NTNV-11AC40SISO-Ant1-5550-PASS






NTNV-11AC40SISO-Ant1-5670-PASS




NTNV-11AX20SISO-Ant1-5180-PASS






NTNV-11AX20SISO-Ant1-5200-PASS




NTNV-11AX20SISO-Ant1-5240-PASS






NTNV-11AX20SISO-Ant1-5260-PASS




NTNV-11AX20SISO-Ant1-5280-PASS





NTVN-11AX20SISO-Ant1-5320-PASS



NTVN-11AX20SISO-Ant1-5500-PASS

