











Appendix F: Transmission Burst Length**Test Result**


TestCondition	TestMode	Antenna	Frequency[MHz]	Result[ms]	Limit[ms]	Verdict
NTNV	11A	Ant1	5180	1.39	≤8	PASS
NTNV	11A	Ant1	5200	1.40	≤8	PASS
NTNV	11A	Ant1	5220	1.40	≤8	PASS
NTNV	11A	Ant1	5240	1.40	≤8	PASS
NTNV	11N20SI SO	Ant1	5180	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5200	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5220	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5240	5.09	≤8	PASS
NTNV	11N40SI SO	Ant1	5190	0.52	≤8	PASS
NTNV	11N40SI SO	Ant1	5230	0.52	≤8	PASS
NTNV	11AC20S ISO	Ant1	5180	5.10	≤8	PASS
NTNV	11AC20S ISO	Ant1	5200	5.09	≤8	PASS
NTNV	11AC20S ISO	Ant1	5220	5.09	≤8	PASS
NTNV	11AC20S ISO	Ant1	5240	5.10	≤8	PASS
NTNV	11AC40S ISO	Ant1	5190	0.52	≤8	PASS
NTNV	11AC40S ISO	Ant1	5230	0.52	≤8	PASS
NTNV	11AX20S ISO	Ant1	5180	3.87	≤8	PASS
NTNV	11AX20S ISO	Ant1	5200	3.88	≤8	PASS
NTNV	11AX20S ISO	Ant1	5220	3.88	≤8	PASS
NTNV	11AX20S ISO	Ant1	5240	3.88	≤8	PASS
NTNV	11AX40S	Ant1	5190	0.53	≤8	PASS


	ISO					
NTNV	11AX40S ISO	Ant1	5230	0.52	≤8	PASS


Test Graphs



















Appendix G: Adjacent Channel Power Tolerance**Test Result**


TestCondition	TestMode	Antenna	Frequency [MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5180	-40	-47.20	≤-40	PASS
NTNV	11A	Ant1	5180	-20	-32.59	≤-25	PASS
NTNV	11A	Ant1	5180	+20	-31.62	≤-25	PASS
NTNV	11A	Ant1	5180	+40	-45.68	≤-40	PASS
NTNV	11A	Ant1	5200	-40	-44.69	≤-40	PASS
NTNV	11A	Ant1	5200	-20	-27.14	≤-25	PASS
NTNV	11A	Ant1	5200	+20	-27.15	≤-25	PASS
NTNV	11A	Ant1	5200	+40	-43.83	≤-40	PASS
NTNV	11A	Ant1	5220	-40	-44.44	≤-40	PASS
NTNV	11A	Ant1	5220	-20	-27.46	≤-25	PASS
NTNV	11A	Ant1	5220	+20	-27.43	≤-25	PASS
NTNV	11A	Ant1	5220	+40	-43.34	≤-40	PASS
NTNV	11A	Ant1	5240	-40	-43.67	≤-40	PASS
NTNV	11A	Ant1	5240	-20	-26.98	≤-25	PASS
NTNV	11A	Ant1	5240	+20	-27.08	≤-25	PASS
NTNV	11A	Ant1	5240	+40	-42.95	≤-40	PASS
NTNV	11N20SI SO	Ant1	5180	-40	-44.57	≤-40	PASS
NTNV	11N20SI SO	Ant1	5180	-20	-26.74	≤-25	PASS
NTNV	11N20SI SO	Ant1	5180	+20	-26.08	≤-25	PASS
NTNV	11N20SI SO	Ant1	5180	+40	-42.84	≤-40	PASS
NTNV	11N20SI SO	Ant1	5200	-40	-45.14	≤-40	PASS
NTNV	11N20SI SO	Ant1	5200	-20	-26.77	≤-25	PASS
NTNV	11N20SI SO	Ant1	5200	+20	-26.36	≤-25	PASS
NTNV	11N20SI SO	Ant1	5200	+40	-43.81	≤-40	PASS
NTNV	11N20SI SO	Ant1	5220	-40	-44.55	≤-40	PASS
NTNV	11N20SI SO	Ant1	5220	-20	-26.46	≤-25	PASS
NTNV	11N20SI	Ant1	5220	+20	-26.52	≤-25	PASS


	SO						
NTNV	11N20SI SO	Ant1	5220	+40	-43.39	≤-40	PASS
NTNV	11N20SI SO	Ant1	5240	-40	-44.68	≤-40	PASS
NTNV	11N20SI SO	Ant1	5240	-20	-26.69	≤-25	PASS
NTNV	11N20SI SO	Ant1	5240	+20	-26.40	≤-25	PASS
NTNV	11N20SI SO	Ant1	5240	+40	-43.37	≤-40	PASS
NTNV	11N40SI SO	Ant1	5190	-80	-47.55	≤-40	PASS
NTNV	11N40SI SO	Ant1	5190	-40	-31.73	≤-25	PASS
NTNV	11N40SI SO	Ant1	5190	+40	-30.96	≤-25	PASS
NTNV	11N40SI SO	Ant1	5190	+80	-45.86	≤-40	PASS
NTNV	11N40SI SO	Ant1	5230	-80	-47.77	≤-40	PASS
NTNV	11N40SI SO	Ant1	5230	-40	-31.30	≤-25	PASS
NTNV	11N40SI SO	Ant1	5230	+40	-30.99	≤-25	PASS
NTNV	11N40SI SO	Ant1	5230	+80	-46.59	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5180	-40	-46.43	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5180	-20	-27.26	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5180	+20	-26.77	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5180	+40	-45.21	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5200	-40	-46.77	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5200	-20	-27.54	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5200	+20	-27.16	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5200	+40	-45.84	≤-40	PASS


NTNV	11AC20S ISO	Ant1	5220	-40	-46.46	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5220	-20	-27.02	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5220	+20	-27.32	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5220	+40	-45.18	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5240	-40	-46.03	≤-40	PASS
NTNV	11AC20S ISO	Ant1	5240	-20	-27.17	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5240	+20	-27.02	≤-25	PASS
NTNV	11AC20S ISO	Ant1	5240	+40	-45.43	≤-40	PASS
NTNV	11AC40S ISO	Ant1	5190	-80	-47.64	≤-40	PASS
NTNV	11AC40S ISO	Ant1	5190	-40	-31.36	≤-25	PASS
NTNV	11AC40S ISO	Ant1	5190	+40	-31.07	≤-25	PASS
NTNV	11AC40S ISO	Ant1	5190	+80	-45.86	≤-40	PASS
NTNV	11AC40S ISO	Ant1	5230	-80	-48.11	≤-40	PASS
NTNV	11AC40S ISO	Ant1	5230	-40	-31.57	≤-25	PASS
NTNV	11AC40S ISO	Ant1	5230	+40	-30.18	≤-25	PASS
NTNV	11AC40S ISO	Ant1	5230	+80	-47.01	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5180	-40	-46.50	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5180	-20	-27.20	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5180	+20	-27.17	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5180	+40	-45.72	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5200	-40	-46.49	≤-40	PASS
NTNV	11AX20S	Ant1	5200	-20	-27.32	≤-25	PASS


	ISO						
NTNV	11AX20S ISO	Ant1	5200	+20	-27.15	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5200	+40	-45.02	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5220	-40	-46.59	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5220	-20	-26.62	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5220	+20	-26.91	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5220	+40	-45.51	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5240	-40	-47.38	≤-40	PASS
NTNV	11AX20S ISO	Ant1	5240	-20	-27.50	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5240	+20	-27.11	≤-25	PASS
NTNV	11AX20S ISO	Ant1	5240	+40	-47.16	≤-40	PASS
NTNV	11AX40S ISO	Ant1	5190	-80	-45.55	≤-40	PASS
NTNV	11AX40S ISO	Ant1	5190	-40	-30.56	≤-25	PASS
NTNV	11AX40S ISO	Ant1	5190	+40	-30.17	≤-25	PASS
NTNV	11AX40S ISO	Ant1	5190	+80	-43.73	≤-40	PASS
NTNV	11AX40S ISO	Ant1	5230	-80	-46.86	≤-40	PASS
NTNV	11AX40S ISO	Ant1	5230	-40	-30.97	≤-25	PASS
NTNV	11AX40S ISO	Ant1	5230	+40	-30.23	≤-25	PASS
NTNV	11AX40S ISO	Ant1	5230	+80	-45.66	≤-40	PASS


Test Graphs




















Appendix H: Carrier Sense Function

Test Result

Test Item	Test Result
Carrier Sensing Function	Good (EUT Stop RF transmission signal after carrier inject to EUT. Stop carrier inject, EUT will transmitting normal.)
Note: Carrier Sensing Function was carried out in all bandwidth modes.	

Appendix I: INTERFERENCE PREVENTION FUNCTION**Test Result**

Test Item	Test Result
Transmitting Function of Identification Code	Good
Receiving Function of Identification Code	Good

Identification Code	54:EF:44:89:17:A3
---------------------	-------------------

Appendix J: Out band Emission Power**Test Result**

TestMode	Antenna	Channel	FreRang [MHz]	Max.Freq [MHz]	Result [dBm]	Gain [dB]	EIRP [dBm]	Result $\mu\text{W}/\text{MHz}$	Limit	Verdict
11A	Ant1	5180	5140~5142	5141.40	-31.72	0.5	-31.22	0.76	2.5 μW /MHz	PASS
11A	Ant1	5180	5142~5150	5149.28	-31.64	0.5	-31.14	0.77	15 μW /MHz	PASS
11A	Ant1	5180	5250~5251	5250.67	-32.82	0.5	-32.32	0.59	0.10-1.0 mW/MHz	PASS
11A	Ant1	5180	5251~5260	5256.10	-32.37	0.5	-31.87	0.65	0.016-0.10mW/MHz	PASS
11A	Ant1	5180	5260~5266.7	5266.67	-32.80	0.5	-32.3	0.59	0.0025-0.016mW/MHz	PASS
11A	Ant1	5180	5266.7~5360	5279.14	-31.80	0.5	-31.3	0.74	2.5 μW /MHz	PASS
11A	Ant1	5200	5140~5142	5140.94	-32.16	0.5	-31.66	0.68	2.5 μW /MHz	PASS
11A	Ant1	5200	5142~5150	5149.37	-32.02	0.5	-31.52	0.70	15 μW /MHz	PASS
11A	Ant1	5200	5250~5251	5250.96	-32.62	0.5	-32.12	0.61	0.10-1.0 mW/MHz	PASS
11A	Ant1	5200	5251~5260	5258.80	-32.53	0.5	-32.03	0.63	0.016-0.10mW/MHz	PASS
11A	Ant1	5200	5260~5266.7	5265.43	-32.85	0.5	-32.35	0.58	0.0025-0.016mW/MHz	PASS
11A	Ant1	5200	5266.7~5360	5337.92	-32.68	0.5	-32.18	0.61	2.5 μW /MHz	PASS
11A	Ant1	5220	5140~5142	5140.96	-31.54	0.5	-31.04	0.79	2.5 μW /MHz	PASS
11A	Ant1	5220	5142~5150	5142.27	-32.00	0.5	-31.5	0.71	15 μW /MHz	PASS

11A	Ant1	5220	5250~5251	5250.81	-29.86	0.5	-29.36	1.16	0.10-1.0 mW/M Hz	PASS
11A	Ant1	5220	5251~5260	5257.38	-31.64	0.5	-31.14	0.77	0.016-0.10m W/MHz	PASS
11A	Ant1	5220	5260~5266.7	5266.28	-32.19	0.5	-31.69	0.68	0.0025-0.016m W/MHz	PASS
11A	Ant1	5220	5266.7~5360	5271.99	-31.75	0.5	-31.25	0.75	2.5μW/MHz	PASS
11A	Ant1	5240	5140~5142	5140.20	-31.67	0.5	-31.17	0.76	2.5μW/MHz	PASS
11A	Ant1	5240	5142~5150	5145.80	-31.80	0.5	-31.3	0.74	15μW/MHz	PASS
11A	Ant1	5240	5250~5251	5250.47	-11.67	0.5	-11.17	76.38	0.10-1.0 mW/M Hz	PASS
11A	Ant1	5240	5251~5260	5251.89	-15.94	0.5	-15.44	28.58	0.016-0.10m W/MHz	PASS
11A	Ant1	5240	5260~5266.7	5261.86	-24.29	0.5	-23.79	4.18	0.0025-0.016m W/MHz	PASS
11A	Ant1	5240	5266.7~5360	5270.74	-31.00	0.5	-30.5	0.89	2.5μW/MHz	PASS
11N20SI SO	Ant1	5180	5135~5142	5141.11	-31.53	0.5	-31.03	0.79	2.5μW/MHz	PASS
11N20SI SO	Ant1	5180	5142~5150	5148.16	-31.45	0.5	-30.95	0.80	15μW/MHz	PASS
11N20SI SO	Ant1	5180	5250~5250.2	5250.17	-31.98	0.5	-31.48	0.71	2.15-0.63 mW/M Hz	PASS
11N20SI SO	Ant1	5180	5250.2~5251	5250.92	-32.15	0.5	-31.65	0.68	0.10-1.0 mW/M Hz	PASS
11N20SI SO	Ant1	5180	5251~5260	5259.66	-32.73	0.5	-32.23	0.60	0.016-0.10m W/MHz	PASS

11N20SI SO	Ant1	5180	5260~5266.7	5265.74	-32.39	0.5	-31.89	0.65	0.0025- 0.016m W/MHz	PASS
11N20SI SO	Ant1	5180	5266.7~5365	5289.47	-32.66	0.5	-32.16	0.61	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5200	5140~5142	5141.50	-31.90	0.5	-31.4	0.72	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5200	5142~5150	5145.76	-31.64	0.5	-31.14	0.77	15μW/ MHz	PASS
11N20SI SO	Ant1	5200	5250~5251	5250.90	-32.10	0.5	-31.6	0.69	0.10- 1.0 mW/M Hz	PASS
11N20SI SO	Ant1	5200	5251~5260	5259.19	-32.75	0.5	-32.25	0.60	0.016- 0.10m W/MHz	PASS
11N20SI SO	Ant1	5200	5260~5266.7	5265.48	-32.27	0.5	-31.77	0.67	0.0025- 0.016m W/MHz	PASS
11N20SI SO	Ant1	5200	5266.7~5360	5281.47	-32.71	0.5	-32.21	0.60	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5220	5140~5142	5141.71	-31.79	0.5	-31.29	0.74	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5220	5142~5150	5146.63	-31.87	0.5	-31.37	0.73	15μW/ MHz	PASS
11N20SI SO	Ant1	5220	5250~5251	5250.88	-29.63	0.5	-29.13	1.22	0.10- 1.0 mW/M Hz	PASS
11N20SI SO	Ant1	5220	5251~5260	5256.09	-31.98	0.5	-31.48	0.71	0.016- 0.10m W/MHz	PASS
11N20SI SO	Ant1	5220	5260~5266.7	5266.69	-32.22	0.5	-31.72	0.67	0.0025- 0.016m W/MHz	PASS
11N20SI SO	Ant1	5220	5266.7~5360	5277.27	-32.48	0.5	-31.98	0.63	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5240	5140~5142	5141.54	-31.84	0.5	-31.34	0.73	2.5μW/ MHz	PASS
11N20SI SO	Ant1	5240	5142~5150	5147.48	-32.03	0.5	-31.53	0.70	15μW/ MHz	PASS
11N20SI SO	Ant1	5240	5250~5251	5250.40	-9.91	0.5	-9.41	114.55	0.10- 1.0	PASS

									mW/M Hz	
11N20SI SO	Ant1	5240	5251~5260	5251.47	-13.31	0.5	-12.81	52.36	0.016- 0.10m W/MHz	PASS
11N20SI SO	Ant1	5240	5260~5266.7	5265.42	-28.00	0.5	-27.5	1.78	0.0025- 0.016m W/MHz	PASS
11N20SI SO	Ant1	5240	5266.7~5360	5274.01	-30.05	0.5	-29.55	1.11	2.5μW/ MHz	PASS
11N40SI SO	Ant1	5190	5100~5141.6	5119.62	-31.10	0.5	-30.6	0.87	2.5μW/ MHz	PASS
11N40SI SO	Ant1	5190	5141.6~5150	5148.87	-31.11	0.5	-30.61	0.87	15μW/ MHz	PASS
11N40SI SO	Ant1	5190	5250~5251	5250.83	-32.18	0.5	-31.68	0.68	0.05- 0.5mW/ MHz	PASS
11N40SI SO	Ant1	5190	5251~5270	5265.31	-31.78	0.5	-31.28	0.74	0.008- 0.05m W/MHz	PASS
11N40SI SO	Ant1	5190	5270~5278.4	5277.64	-32.83	0.5	-32.33	0.58	0.0025- 0.003 mW/M Hz	PASS
11N40SI SO	Ant1	5190	5278.4~5400	5302.31	-32.05	0.5	-31.55	0.70	2.5μW/ MHz	PASS
11N40SI SO	Ant1	5230	5100~5141.6	5130.71	-31.10	0.5	-30.6	0.87	2.5μW/ MHz	PASS
11N40SI SO	Ant1	5230	5141.6~5150	5146.95	-31.70	0.5	-31.2	0.76	15μW/ MHz	PASS
11N40SI SO	Ant1	5230	5250~5251	5250.37	-17.38	0.5	-16.88	20.51	0.05- 0.5mW/ MHz	PASS
11N40SI SO	Ant1	5230	5251~5270	5251.22	-19.86	0.5	-19.36	11.59	0.008- 0.05m W/MHz	PASS
11N40SI SO	Ant1	5230	5270~5278.4	5277.97	-31.37	0.5	-30.87	0.82	0.0025- 0.003 mW/M Hz	PASS
11N40SI SO	Ant1	5230	5278.4~5400	5302.11	-32.48	0.5	-31.98	0.63	2.5μW/ MHz	PASS
11AC20S	Ant1	5180	5135~5142	5138.94	-31.63	0.5	-31.13	0.77	2.5μW/ MHz	PASS

ISO									MHz	
11AC20S ISO	Ant1	5180	5142~5150	5149.08	-31.46	0.5	-30.96	0.80	15 μ W/ MHz	PASS
11AC20S ISO	Ant1	5180	5250~5250.2	5250.17	-32.28	0.5	-31.78	0.66	2.15- 0.63 mW/M Hz	PASS
11AC20S ISO	Ant1	5180	5250.2~5251	5250.98	-32.70	0.5	-32.2	0.60	0.10- 1.0 mW/M Hz	PASS
11AC20S ISO	Ant1	5180	5251~5260	5259.99	-32.82	0.5	-32.32	0.59	0.016- 0.10m W/MHz	PASS
11AC20S ISO	Ant1	5180	5260~5266.7	5266.42	-32.87	0.5	-32.37	0.58	0.0025- 0.016m W/MHz	PASS
11AC20S ISO	Ant1	5180	5266.7~5365	5284.89	-32.02	0.5	-31.52	0.70	2.5 μ W/ MHz	PASS
11AC20S ISO	Ant1	5200	5140~5142	5141.02	-31.97	0.5	-31.47	0.71	2.5 μ W/ MHz	PASS
11AC20S ISO	Ant1	5200	5142~5150	5148.24	-31.07	0.5	-30.57	0.88	15 μ W/ MHz	PASS
11AC20S ISO	Ant1	5200	5250~5251	5250.93	-32.06	0.5	-31.56	0.70	0.10- 1.0 mW/M Hz	PASS
11AC20S ISO	Ant1	5200	5251~5260	5259.94	-32.43	0.5	-31.93	0.64	0.016- 0.10m W/MHz	PASS
11AC20S ISO	Ant1	5200	5260~5266.7	5266.63	-33.03	0.5	-32.53	0.56	0.0025- 0.016m W/MHz	PASS
11AC20S ISO	Ant1	5200	5266.7~5360	5284.89	-32.42	0.5	-31.92	0.64	2.5 μ W/ MHz	PASS
11AC20S ISO	Ant1	5220	5140~5142	5141.14	-32.10	0.5	-31.6	0.69	2.5 μ W/ MHz	PASS
11AC20S ISO	Ant1	5220	5142~5150	5142.43	-31.88	0.5	-31.38	0.73	15 μ W/ MHz	PASS
11AC20S ISO	Ant1	5220	5250~5251	5250.76	-32.14	0.5	-31.64	0.69	0.10- 1.0 mW/M Hz	PASS


11AC20S ISO	Ant1	5220	5251~5260	5259.90	-32.10	0.5	-31.6	0.69	0.016- 0.10m W/MHz	PASS
11AC20S ISO	Ant1	5220	5260~5266.7	5266.53	-32.43	0.5	-31.93	0.64	0.0025- 0.016m W/MHz	PASS
11AC20S ISO	Ant1	5220	5266.7~5360	5266.86	-31.80	0.5	-31.3	0.74	2.5μW/ MHz	PASS
11AC20S ISO	Ant1	5240	5135~5142	5141.34	-32.19	0.5	-31.69	0.68	2.5μW/ MHz	PASS
11AC20S ISO	Ant1	5240	5142~5150	5144.49	-31.27	0.5	-30.77	0.84	15μW/ MHz	PASS
11AC20S ISO	Ant1	5240	5250~5250.2	5250.15	-10.51	0.5	-10.01	99.77	0.10- 1.0 mW/M Hz	PASS
11AC20S ISO	Ant1	5240	5250.2~5251	5250.51	-11.29	0.5	-10.79	83.37	0.016- 0.10m W/MHz	PASS
11AC20S ISO	Ant1	5240	5251~5260	5251.51	-15.89	0.5	-15.39	28.91	0.0025- 0.016m W/MHz	PASS
11AC20S ISO	Ant1	5240	5260~5266.7	5263.12	-26.82	0.5	-26.32	2.33	2.5μW/ MHz	PASS
11AC20S ISO	Ant1	5240	5266.7~5365	5268.50	-31.99	0.5	-31.49	0.71	2.5μW/ MHz	PASS
11AC40S ISO	Ant1	5190	5100~5141.6	5111.16	-31.56	0.5	-31.06	0.78	2.5μW/ MHz	PASS
11AC40S ISO	Ant1	5190	5141.6~5150	5149.13	-30.77	0.5	-30.27	0.94	15μW/ MHz	PASS
11AC40S ISO	Ant1	5190	5250~5251	5250.89	-31.87	0.5	-31.37	0.73	0.05- 0.5mW/ MHz	PASS
11AC40S ISO	Ant1	5190	5251~5270	5269.21	-32.16	0.5	-31.66	0.68	0.008- 0.05m W/MHz	PASS
11AC40S ISO	Ant1	5190	5270~5278.4	5277.21	-32.70	0.5	-32.2	0.60	0.0025- 0.003 mW/M Hz	PASS
11AC40S ISO	Ant1	5190	5278.4~5400	5335.35	-32.64	0.5	-32.14	0.61	2.5μW/ MHz	PASS
11AC40S	Ant1	5230	5100~5141.6	5118.58	-31.51	0.5	-31.01	0.79	2.5μW/ MHz	PASS


ISO									MHz	
11AC40S ISO	Ant1	5230	5141.6~5150	5149.80	-32.02	0.5	-31.52	0.70	15μW/ MHz	PASS
11AC40S ISO	Ant1	5230	5250~5251	5250.43	-16.36	0.5	-15.86	25.94	0.05- 0.5mW/ MHz	PASS
11AC40S ISO	Ant1	5230	5251~5270	5252.17	-21.56	0.5	-21.06	7.83	0.008- 0.05m W/MHz	PASS
11AC40S ISO	Ant1	5230	5270~5278.4	5275.89	-31.50	0.5	-31	0.79	0.0025- 0.003 mW/M Hz	PASS
11AC40S ISO	Ant1	5230	5278.4~5400	5284.07	-32.06	0.5	-31.56	0.70	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5180	5135~5142	5141.66	-31.90	0.5	-31.4	0.72	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5180	5142~5150	5144.11	-31.58	0.5	-31.08	0.78	15μW/ MHz	PASS
11AX20S ISO	Ant1	5180	5250~5250.2	5250.19	-32.29	0.5	-31.79	0.66	2.15- 0.63 mW/M Hz	PASS
11AX20S ISO	Ant1	5180	5250.2~5251	5251.00	-32.51	0.5	-32.01	0.63	0.10- 1.0 mW/M Hz	PASS
11AX20S ISO	Ant1	5180	5251~5260	5256.06	-32.47	0.5	-31.97	0.64	0.016- 0.10m W/MHz	PASS
11AX20S ISO	Ant1	5180	5260~5266.7	5266.67	-33.00	0.5	-32.5	0.56	0.0025- 0.016m W/MHz	PASS
11AX20S ISO	Ant1	5180	5266.7~5365	5276.69	-32.51	0.5	-32.01	0.63	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5200	5135~5142	5140.38	-31.91	0.5	-31.41	0.72	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5200	5142~5150	5146.89	-32.18	0.5	-31.68	0.68	15μW/ MHz	PASS
11AX20S ISO	Ant1	5200	5250~5250.2	5250.18	-32.19	0.5	-31.69	0.68	2.15- 0.63 mW/M Hz	PASS

11AX20S ISO	Ant1	5200	5250.2~5251	5250.89	-32.32	0.5	-31.82	0.66	0.10- 1.0 mW/M Hz	PASS
11AX20S ISO	Ant1	5200	5251~5260	5256.79	-31.23	0.5	-30.73	0.85	0.016- 0.10m W/MHz	PASS
11AX20S ISO	Ant1	5200	5260~5266.7	5265.66	-32.97	0.5	-32.47	0.57	0.002- 0.016m W/MHz	PASS
11AX20S ISO	Ant1	5200	5266.7~5365	5268.67	-32.60	0.5	-32.1	0.62	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5220	5135~5142	5135.41	-32.09	0.5	-31.59	0.69	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5220	5142~5150	5149.72	-32.14	0.5	-31.64	0.69	15μW/ MHz	PASS
11AX20S ISO	Ant1	5220	5250~5250.2	5250.18	-32.01	0.5	-31.51	0.71	2.15- 0.63 mW/M Hz	PASS
11AX20S ISO	Ant1	5220	5250.2~5251	5250.91	-32.12	0.5	-31.62	0.69	0.10- 1.0 mW/M Hz	PASS
11AX20S ISO	Ant1	5220	5251~5260	5258.59	-31.60	0.5	-31.1	0.78	0.016- 0.10m W/MHz	PASS
11AX20S ISO	Ant1	5220	5260~5266.7	5266.07	-32.53	0.5	-32.03	0.63	0.002- 0.016m W/MHz	PASS
11AX20S ISO	Ant1	5220	5266.7~5365	5279.32	-32.33	0.5	-31.83	0.66	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5240	5135~5142	5141.97	-32.15	0.5	-31.65	0.68	2.5μW/ MHz	PASS
11AX20S ISO	Ant1	5240	5142~5150	5146.27	-31.68	0.5	-31.18	0.76	15μW/ MHz	PASS
11AX20S ISO	Ant1	5240	5250~5250.2	5250.13	-5.26	0.5	-4.76	334.20	2.15- 0.63 mW/M Hz	PASS
11AX20S ISO	Ant1	5240	5250.2~5251	5250.27	-7.14	0.5	-6.64	216.77	0.10- 1.0 mW/M	PASS


									Hz	
11AX20S ISO	Ant1	5240	5251~5260	5251.59	-16.88	0.5	-16.38	23.01	0.016- 0.10m W/MHz	PASS
11AX20S ISO	Ant1	5240	5260~5266.7	5266.21	-30.61	0.5	-30.11	0.97	0.002- 0.016m W/MHz	PASS
11AX20S ISO	Ant1	5240	5266.7~5365	5267.03	-31.19	0.5	-30.69	0.85	2.5μW/ MHz	PASS
11AX40S ISO	Ant1	5190	5100~5141.6	5135.29	-31.07	0.5	-30.57	0.88	2.5μW/ MHz	PASS
11AX40S ISO	Ant1	5190	5141.6~5150	5147.84	-29.54	0.5	-29.04	1.25	15μW/ MHz	PASS
11AX40S ISO	Ant1	5190	5250~5251	5250.95	-31.87	0.5	-31.37	0.73	0.05- 0.5mW/ MHz	PASS
11AX40S ISO	Ant1	5190	5251~5270	5269.49	-32.53	0.5	-32.03	0.63	0.008- 0.05m W/MHz	PASS
11AX40S ISO	Ant1	5190	5270~5278.4	5277.84	-32.65	0.5	-32.15	0.61	0.0025- 0.003 mW/M Hz	PASS
11AX40S ISO	Ant1	5190	5278.4~5400	5278.60	-32.60	0.5	-32.1	0.62	2.5μW/ MHz	PASS
11AX40S ISO	Ant1	5230	5100~5141.6	5134.04	-31.74	0.5	-31.24	0.75	2.5μW/ MHz	PASS
11AX40S ISO	Ant1	5230	5141.6~5150	5145.76	-31.88	0.5	-31.38	0.73	15μW/ MHz	PASS
11AX40S ISO	Ant1	5230	5250~5251	5250.62	-14.89	0.5	-14.39	36.39	0.05- 0.5mW/ MHz	PASS
11AX40S ISO	Ant1	5230	5251~5270	5251.51	-20.21	0.5	-19.71	10.69	0.008- 0.05m W/MHz	PASS
11AX40S ISO	Ant1	5230	5270~5278.4	5277.24	-30.70	0.5	-30.2	0.95	0.0025- 0.003 mW/M Hz	PASS
11AX40S ISO	Ant1	5230	5278.4~5400	5279.21	-30.72	0.5	-30.22	0.95	2.5μW/ MHz	PASS

Test Graphs







NTNV-11A-Ant1-5240-5140~5142-PASS





NTNV-11N20SISO-Ant1-5180-5135~5142-PASS





NTNV-11N20SISO-Ant1-5200-5140~5142-PASS













NTNV-11AX20SISO-Ant1-5220-5135~5142-PASS



NTNV-11AX20SISO-Ant1-5240-5135~5142-PASS



NTNV-11AX40SISO-Ant1-5190-5100~5141.6-PASS

