





Appendix A



Frequency Error


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	1-DH5	2402	Ant1	2402.02	20000	8.33	50	Pass
NVNT	1-DH5	2441	Ant1	2441.018	18000	7.37	50	Pass
NVNT	1-DH5	2480	Ant1	2480.018	18000	7.26	50	Pass
LVNT	1-DH5	2402	Ant1	2402.018	18000	7.49	50	Pass
LVNT	1-DH5	2441	Ant1	2441.018	18000	7.37	50	Pass
LVNT	1-DH5	2480	Ant1	2480.02	20000	8.06	50	Pass
HVNT	1-DH5	2402	Ant1	2402.018	18000	7.49	50	Pass
HVNT	1-DH5	2441	Ant1	2441.018	18000	7.37	50	Pass
HVNT	1-DH5	2480	Ant1	2480.018	18000	7.26	50	Pass












Antenna Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm)	Power (mW)	Spread BW (MHz)	Power (mW/MHz)	Limit (mW/MHz)	Declared Power (mW/MHz)	Tolerance (%)	Upper Limit (%)	Verdict
NVNT	1-DH5	hopping	Ant1	-3.74	0.423	71.329	0.006	3	0.05	-88	20	Pass
NVNT	1-DH5	hopping	Ant1	-3.69	0.428	71.329	0.006	3	0.05	-88	20	Pass
NVNT	1-DH5	hopping	Ant1	-3.59	0.438	71.329	0.006	3	0.05	-88	20	Pass
LVNT	1-DH5	hopping	Ant1	-3.79	0.418	71.209	0.006	3	0.05	-88	20	Pass
LVNT	1-DH5	hopping	Ant1	-3.73	0.424	71.209	0.006	3	0.05	-88	20	Pass
LVNT	1-DH5	hopping	Ant1	-3.68	0.429	71.209	0.006	3	0.05	-88	20	Pass
HVNT	1-DH5	hopping	Ant1	-3.79	0.418	71.089	0.006	3	0.05	-88	20	Pass
HVNT	1-DH5	hopping	Ant1	-3.74	0.423	71.089	0.006	3	0.05	-88	20	Pass
HVNT	1-DH5	hopping	Ant1	-3.68	0.429	71.089	0.006	3	0.05	-88	20	Pass
NVNT	2-DH5	hopping	Ant1	-5.03	0.314	70.849	0.004	3	0.05	-92	20	Pass
NVNT	2-DH5	hopping	Ant1	-4.96	0.319	70.849	0.005	3	0.05	-90	20	Pass
NVNT	2-DH5	hopping	Ant1	-4.92	0.322	70.849	0.005	3	0.05	-90	20	Pass
LVNT	2-DH5	hopping	Ant1	-5.13	0.307	71.449	0.004	3	0.05	-92	20	Pass
LVNT	2-DH5	hopping	Ant1	-5.05	0.313	71.449	0.004	3	0.05	-92	20	Pass
LVNT	2-DH5	hopping	Ant1	-5	0.316	71.449	0.004	3	0.05	-92	20	Pass
HVNT	2-DH5	hopping	Ant1	-5.11	0.308	71.209	0.004	3	0.05	-92	20	Pass
HVNT	2-DH5	hopping	Ant1	-5.02	0.315	71.209	0.004	3	0.05	-92	20	Pass
HVNT	2-DH5	hopping	Ant1	-4.95	0.32	71.209	0.004	3	0.05	-92	20	Pass
NVNT	3-DH5	hopping	Ant1	-5.03	0.314	71.568	0.004	3	0.05	-92	20	Pass
NVNT	3-DH5	hopping	Ant1	-4.98	0.318	71.568	0.004	3	0.05	-92	20	Pass
NVNT	3-DH5	hopping	Ant1	-4.93	0.321	71.568	0.004	3	0.05	-92	20	Pass
LVNT	3-DH5	hopping	Ant1	-5.09	0.31	71.449	0.004	3	0.05	-92	20	Pass
LVNT	3-DH5	hopping	Ant1	-5.11	0.308	71.449	0.004	3	0.05	-92	20	Pass
LVNT	3-DH5	hopping	Ant1	-5	0.316	71.449	0.004	3	0.05	-92	20	Pass
HVNT	3-DH5	hopping	Ant1	-5.09	0.31	71.449	0.004	3	0.05	-92	20	Pass
HVNT	3-DH5	hopping	Ant1	-5.02	0.315	71.449	0.004	3	0.05	-92	20	Pass
HVNT	3-DH5	hopping	Ant1	-4.99	0.317	71.449	0.004	3	0.05	-92	20	Pass


Test Graphs


Power NVNT 1-DH5 hopping Ant1





Power NVNT 1-DH5 hopping Ant1










































EIRP Power


Condition	Mode	Frequency (MHz)	Antenna	Antenna Power (mW/MHz)	Antenna Power (dBm/MHz)	Gain (dBi)	EIRP Power (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.006	-22.22	1.7	-20.52	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.005	-23.01	1.7	-21.31	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.005	-23.01	1.7	-21.31	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.004	-23.98	1.7	-22.28	6.91	Pass



Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.898
NVNT	1-DH5	2441	Ant1	0.882
NVNT	1-DH5	2480	Ant1	0.875
LVNT	1-DH5	2402	Ant1	0.892
LVNT	1-DH5	2441	Ant1	0.903
LVNT	1-DH5	2480	Ant1	0.87
HVNT	1-DH5	2402	Ant1	0.909
HVNT	1-DH5	2441	Ant1	0.89
HVNT	1-DH5	2480	Ant1	0.897
NVNT	2-DH5	2402	Ant1	1.188
NVNT	2-DH5	2441	Ant1	1.194
NVNT	2-DH5	2480	Ant1	1.188
LVNT	2-DH5	2402	Ant1	1.194
LVNT	2-DH5	2441	Ant1	1.19
LVNT	2-DH5	2480	Ant1	1.189
HVNT	2-DH5	2402	Ant1	1.19
HVNT	2-DH5	2441	Ant1	1.175
HVNT	2-DH5	2480	Ant1	1.216
NVNT	3-DH5	2402	Ant1	1.2
NVNT	3-DH5	2441	Ant1	1.185
NVNT	3-DH5	2480	Ant1	1.208
LVNT	3-DH5	2402	Ant1	1.215
LVNT	3-DH5	2441	Ant1	1.185
LVNT	3-DH5	2480	Ant1	1.199
HVNT	3-DH5	2402	Ant1	1.205
HVNT	3-DH5	2441	Ant1	1.211
HVNT	3-DH5	2480	Ant1	1.201













































Occupied Channel Bandwidth (Hopping)


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	78.162
LVNT	1-DH5	2402	Ant1	78.162
HVNT	1-DH5	2402	Ant1	78.162
NVNT	2-DH5	2402	Ant1	78.402
LVNT	2-DH5	2402	Ant1	78.402
HVNT	2-DH5	2402	Ant1	78.402
NVNT	3-DH5	2402	Ant1	78.402
LVNT	3-DH5	2402	Ant1	78.282
HVNT	3-DH5	2402	Ant1	78.402

















Spreading Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	71.329	0.5	Pass
LVNT	1-DH5	2402	Ant1	71.209	0.5	Pass
HVNT	1-DH5	2402	Ant1	71.089	0.5	Pass
NVNT	2-DH5	2402	Ant1	70.849	0.5	Pass
LVNT	2-DH5	2402	Ant1	71.449	0.5	Pass
HVNT	2-DH5	2402	Ant1	71.209	0.5	Pass
NVNT	3-DH5	2402	Ant1	71.568	0.5	Pass
LVNT	3-DH5	2402	Ant1	71.449	0.5	Pass
HVNT	3-DH5	2402	Ant1	71.449	0.5	Pass











Tx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	120.02	-43.77	NA	0.042	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	1000-2387	2209.88	-47.37	NA	0.0183	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-45.37	NA	0.029	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2483.5-2496.5	2489.35	-56.00	NA	0.0025	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2496.5-13000	6985.70	-45.43	NA	0.0286	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	30-1000	120.02	-44.27	NA	0.0374	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	1000-2387	2249.27	-45.98	NA	0.0252	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	2387-2400	2397.67	-51.92	NA	0.0064	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2483.5-2496.5	2486.75	-50.48	NA	0.009	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2496.5-13000	6995.15	-45.53	NA	0.028	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	30-1000	120.02	-43.35	NA	0.0462	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	1000-2387	2287.97	-44.93	NA	0.0321	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	2387-2400	2394.84	-55.86	NA	0.0026	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2483.5-2496.5	2495.74	-54.74	NA	0.0034	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2496.5-13000	3516.39	-39.51	NA	0.1119	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	30-1000	120.02	-46.77	NA	0.021	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	1000-2387	2209.88	-47.52	NA	0.0177	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-44.24	NA	0.0377	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2483.5-2496.5	2488.08	-54.81	NA	0.0033	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2496.5-13000	12632.38	-45.28	NA	0.0296	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	30-1000	120.02	-46.70	NA	0.0214	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	1000-2387	2249.27	-45.73	NA	0.0267	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	2387-2400	2397.88	-53.79	NA	0.0042	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2483.5-2496.5	2485.94	-52.32	NA	0.0059	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2496.5-13000	3418.71	-40.08	NA	0.0982	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	30-1000	120.02	-45.56	NA	0.0278	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	1000-2387	2288.25	-45.23	NA	0.03	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	2387-2400	2396.79	-56.12	NA	0.0024	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2483.5-2496.5	2493.83	-54.06	NA	0.0039	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2496.5-13000	11469.64	-45.29	NA	0.0296	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	30-1000	120.02	-45.96	NA	0.0254	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	1000-2387	2209.88	-47.25	NA	0.0188	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-43.22	NA	0.0476	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2483.5-2496.5	2483.63	-54.78	NA	0.0033	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2496.5-13000	3497.48	-37.13	NA	0.1936	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	30-1000	120.02	-46.09	NA	0.0246	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	1000-2387	2249.27	-45.30	NA	0.0295	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	2387-2400	2393.49	-51.46	NA	0.0071	NA	25	25	Pass



HVNT	1-DH5	2441	Ant1	2483.5-2496.5	2488.93	-52.55	NA	0.0056	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2496.5-13000	12596.67	-45.23	NA	0.03	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	30-1000	120.02	-46.17	NA	0.0242	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	1000-2387	2288.25	-45.11	NA	0.0308	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	2387-2400	2390.49	-55.88	NA	0.0026	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2483.5-2496.5	2492.61	-52.94	NA	0.0051	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2496.5-13000	2532.21	-43.57	NA	0.044	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	30-1000	120.02	-43.82	NA	0.0415	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	1000-2387	2210.16	-47.46	NA	0.0179	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-36.83	NA	0.2075	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2483.5-2496.5	2496.50	-54.51	NA	0.0035	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2496.5-13000	3512.19	-42.20	NA	0.0603	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	30-1000	120.02	-43.36	NA	0.0461	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	1000-2387	2249.41	-46.65	NA	0.0216	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	2387-2400	2393.03	-53.17	NA	0.0048	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.53	-53.28	NA	0.0047	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2496.5-13000	10268.04	-45.64	NA	0.0273	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	30-1000	120.02	-43.95	NA	0.0403	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	1000-2387	2288.25	-45.66	NA	0.0272	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	2387-2400	2396.87	-55.35	NA	0.0029	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2483.5-2496.5	2492.42	-54.55	NA	0.0035	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2496.5-13000	10594.70	-44.47	NA	0.0357	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	30-1000	120.02	-45.94	NA	0.0255	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	1000-2387	2210.16	-47.32	NA	0.0185	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-39.17	NA	0.1211	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2483.5-2496.5	2495.30	-55.75	NA	0.0027	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2496.5-13000	10309.00	-45.62	NA	0.0274	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	30-1000	120.02	-47.15	NA	0.0193	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	1000-2387	2248.99	-46.70	NA	0.0214	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	2387-2400	2397.54	-53.12	NA	0.0049	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2483.5-2496.5	2485.60	-51.93	NA	0.0064	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2496.5-13000	11190.25	-44.61	NA	0.0346	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	30-1000	120.02	-46.21	NA	0.0239	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	1000-2387	2288.25	-45.93	NA	0.0255	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	2387-2400	2398.56	-55.86	NA	0.0026	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2483.5-2496.5	2496.30	-53.47	NA	0.0045	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2496.5-13000	12647.08	-45.05	NA	0.0313	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	30-1000	120.02	-46.27	NA	0.0236	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	1000-2387	2210.30	-48.11	NA	0.0155	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-40.12	NA	0.0973	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2483.5-2496.5	2491.22	-54.52	NA	0.0035	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2496.5-13000	6983.60	-44.88	NA	0.0325	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	30-1000	120.02	-46.19	NA	0.024	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	1000-2387	2249.13	-45.72	NA	0.0268	NA	2.5	2.5	Pass




HVNT	2-DH5	2441	Ant1	2387-2400	2396.29	-52.13	NA	0.0061	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.68	-52.33	NA	0.0058	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2496.5-13000	11191.30	-45.42	NA	0.0287	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	30-1000	120.02	-46.04	NA	0.0249	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	1000-2387	2287.97	-45.55	NA	0.0279	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	2387-2400	2392.57	-55.54	NA	0.0028	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2483.5-2496.5	2483.65	-53.66	NA	0.0043	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2496.5-13000	12601.92	-45.57	NA	0.0277	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	30-1000	120.02	-43.90	NA	0.0407	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	1000-2387	2210.43	-47.62	NA	0.0173	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-37.00	NA	0.1995	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2483.5-2496.5	2489.43	-55.22	NA	0.003	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2496.5-13000	3400.85	-43.09	NA	0.0491	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	30-1000	120.02	-43.97	NA	0.0401	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	1000-2387	2249.55	-46.61	NA	0.0218	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	2387-2400	2397.44	-52.88	NA	0.0052	NA	25	25	Pass
NVNT	3-DH5	2441	Ant1	2483.5-2496.5	2489.07	-51.48	NA	0.0071	NA	25	25	Pass
NVNT	3-DH5	2441	Ant1	2496.5-13000	10685.03	-45.41	NA	0.0288	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	30-1000	120.02	-44.10	NA	0.0389	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	1000-2387	2288.25	-45.65	NA	0.0272	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	2387-2400	2393.42	-55.99	NA	0.0025	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2483.5-2496.5	2494.48	-52.53	NA	0.0056	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2496.5-13000	6980.44	-45.79	NA	0.0264	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	30-1000	120.02	-46.02	NA	0.025	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	1000-2387	2210.16	-47.02	NA	0.0199	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-36.62	NA	0.2178	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2483.5-2496.5	2493.77	-55.20	NA	0.003	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2496.5-13000	6999.35	-45.76	NA	0.0265	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	30-1000	120.02	-47.26	NA	0.0188	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	1000-2387	2248.85	-46.71	NA	0.0213	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	2387-2400	2396.26	-53.09	NA	0.0049	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2483.5-2496.5	2483.50	-52.89	NA	0.0051	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2496.5-13000	11193.40	-45.61	NA	0.0275	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	30-1000	120.02	-45.85	NA	0.026	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	1000-2387	2288.25	-45.81	NA	0.0262	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	2387-2400	2393.57	-55.34	NA	0.0029	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2483.5-2496.5	2492.78	-53.79	NA	0.0042	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2496.5-13000	8901.53	-45.50	NA	0.0282	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	30-1000	120.02	-45.87	NA	0.0259	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	1000-2387	1773.67	-45.67	NA	0.0271	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-37.74	NA	0.1683	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2483.5-2496.5	2483.93	-55.70	NA	0.0027	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2496.5-13000	11262.72	-45.94	NA	0.0255	NA	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	30-1000	120.02	-45.90	NA	0.0257	NA	2.5	2.5	Pass

HVNT	3-DH5	2441	Ant1	1000-2387	2249.13	-46.62	NA	0.0218	NA	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	2387-2400	2397.57	-52.37	NA	0.0058	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2483.5-2496.5	2484.69	-52.40	NA	0.0058	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2496.5-13000	12882.36	-45.49	NA	0.0282	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	30-1000	120.02	-45.37	NA	0.029	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	1000-2387	2288.38	-45.33	NA	0.0293	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	2387-2400	2397.23	-54.92	NA	0.0032	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2483.5-2496.5	2486.69	-55.38	NA	0.0029	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2496.5-13000	12635.53	-44.99	NA	0.0317	NA	2.5	2.5	Pass

Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 30MHz-1000MHz



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 1000MHz-2387MHz

