







7. Spurious Emission Intensity


7.1 Test Result


7.1.1 TxSe_NTNV_SISO


NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11a	SISO	5260	1	30	5233.3	5222.299	-34.74	0.336	/	/	2.5	Pass
				5350	26000	25448.645	-33.37	0.460	/	/	2.5	Pass
		5300	1	30	5233.3	5098.292	-41.10	0.078	/	/	2.5	Pass
				5350	26000	25890.555	-32.74	0.532	/	/	2.5	Pass
		5320	1	30	5233.3	3734.714	-40.79	0.083	/	/	2.5	Pass
				5350	26000	25800.383	-33.07	0.493	/	/	2.5	Pass
802.11n (HT20)	SISO	5260	1	30	5233.3	5233.3	-39.11	0.123	/	/	2.5	Pass
				5350	26000	25357.785	-33.24	0.474	/	/	2.5	Pass
		5300	1	30	5233.3	3753.715	-41.65	0.068	/	/	2.5	Pass
				5350	26000	25218.053	-32.95	0.507	/	/	2.5	Pass
		5320	1	30	5233.3	3706.212	-40.14	0.097	/	/	2.5	Pass
				5350	26000	25880.23	-32.82	0.522	/	/	2.5	Pass
802.11ac (VHT20)	SISO	5260	1	30	5233.3	5229.8	-40.10	0.098	/	/	2.5	Pass
				5350	26000	25757.707	-32.67	0.541	/	/	2.5	Pass
		5300	1	30	5233.3	3849.22	-41.32	0.074	/	/	2.5	Pass
				5350	26000	25464.477	-33.09	0.491	/	/	2.5	Pass
		5320	1	30	5233.3	3852.72	-39.83	0.104	/	/	2.5	Pass
				5350	26000	25386.695	-33.09	0.491	/	/	2.5	Pass
802.11ac (VHT40)	SISO	5270	1	30	5221.6	5221.6	-38.97	0.127	/	/	2.5	Pass
				5358.4	26000	25925.69	-32.95	0.507	/	/	2.5	Pass
		5310	1	30	5221.6	3707.071	-41.40	0.072	/	/	2.5	Pass
				5358.4	26000	25775.695	-32.48	0.565	/	/	2.5	Pass
802.11ac (VHT80)	SISO	5290	1	30	5203.3	5203.3	-37.32	0.185	/	/	2.5	Pass
				5376.8	26000	23930.118	-32.87	0.516	/	/	2.5	Pass


7.2 Test Graph


7.2.1 TxSe_NTNV_SISO
































8. Secondary Radiated Emission

8.1 Test Result


8.1.1 RxSe_NTNV_SISO


NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
802.11a	SISO	5260	1	30	1000	82.25	-74.31	0.037	/	/	4	Pass
				1000	26000	25266.667	-53.33	4.645	-74.80	0.033	20	Pass
						25360.833	-52.79	5.260	-74.15	0.038	20	Pass
						25695	-53.39	4.581	-73.81	0.042	20	Pass
						25794.167	-53.19	4.797	-73.68	0.043	20	Pass
						25859.167	-53.60	4.365	-73.73	0.042	20	Pass
		30	1000	82.55	-74.56	0.035	/	/	4	Pass		
		1000	26000	25341.667	-54.18	3.819	-74.27	0.037	20	Pass		
				25456.667	-53.34	4.634	-73.84	0.041	20	Pass		
				25521.667	-54.00	3.981	-73.98	0.040	20	Pass		
				25675	-53.31	4.667	-73.94	0.040	20	Pass		
				25971.667	-53.62	4.345	-73.85	0.041	20	Pass		
		5320	1	30	1000	81.5	-75.06	0.031	/	/	4	Pass
				1000	26000	25424.167	-53.68	4.285	-73.87	0.041	20	Pass
						25570	-53.74	4.227	-74.12	0.039	20	Pass
						25703.333	-52.62	5.470	-73.76	0.042	20	Pass
						25800	-53.84	4.130	-73.66	0.043	20	Pass
						25890	-52.96	5.058	-73.76	0.042	20	Pass
802.11n (HT20)	SISO	5260	1	30	1000	82.5	-73.89	0.041	/	/	4	Pass
				1000	26000	23610.833	-53.49	4.477	-75.01	0.032	20	Pass
						25465.833	-52.87	5.164	-73.89	0.041	20	Pass
						25604.167	-53.04	4.966	-74.15	0.038	20	Pass
						25698.333	-53.43	4.539	-73.80	0.042	20	Pass
						25783.333	-53.50	4.467	-73.60	0.044	20	Pass
		30	1000	82.6	-74.53	0.035	/	/	4	Pass		
		1000	26000	22237.5	-54.12	3.873	-75.00	0.032	20	Pass		
				25356.667	-54.03	3.954	-74.18	0.038	20	Pass		
				25669.167	-53.74	4.227	-73.94	0.040	20	Pass		
				25736.667	-53.56	4.406	-73.56	0.044	20	Pass		
				25832.5	-53.54	4.426	-73.69	0.043	20	Pass		
5320	1	30	1000	82.15	-74.71	0.034	/	/	4	Pass		
		1000	26000	23913.333	-53.61	4.355	-74.53	0.035	20	Pass		
				25450.833	-53.40	4.571	-73.85	0.041	20	Pass		
				25628.333	-53.21	4.775	-74.07	0.039	20	Pass		
				25778.333	-53.07	4.932	-73.60	0.044	20	Pass		
				25882.5	-53.78	4.188	-73.77	0.042	20	Pass		
802.11ac (VHT20)	SISO	5260	1	30	1000	82.1	-75.43	0.029	/	/	4	Pass
				1000	26000	25385	-53.85	4.121	-74.05	0.039	20	Pass
						25674.167	-54.16	3.837	-73.88	0.041	20	Pass
						25766.667	-54.02	3.963	-73.54	0.044	20	Pass
						25833.333	-54.06	3.926	-73.64	0.043	20	Pass
						25944.167	-54.13	3.864	-73.82	0.041	20	Pass
		5300	1	30	1000	82.95	-74.07	0.039	/	/	4	Pass
				1000	26000	24035	-53.37	4.603	-74.38	0.036	20	Pass


						25329.167	-53.67	4.295	-74.32	0.037	20	Pass
						25812.5	-53.72	4.246	-73.63	0.043	20	Pass
						25878.333	-53.79	4.178	-73.75	0.042	20	Pass
						25972.5	-53.66	4.305	-73.82	0.041	20	Pass
						82.2	-75.49	0.028	/	/	4	Pass
						23760	-52.68	5.395	-74.72	0.034	20	Pass
						24135	-53.35	4.624	-74.67	0.034	20	Pass
						24823.333	-53.54	4.426	-74.95	0.032	20	Pass
						25811.667	-53.77	4.198	-73.60	0.044	20	Pass
						26000	-53.07	4.932	-73.74	0.042	20	Pass
802.11ac (VHT40)	SISO	5320	1	30	1000	82.85	-75.33	0.029	/	/	4	Pass
						24042.5	-53.77	4.198	-74.38	0.036	20	Pass
						25425.833	-54.16	3.837	-73.79	0.042	20	Pass
						25583.333	-53.81	4.159	-74.09	0.039	20	Pass
						25752.5	-52.79	5.260	-73.51	0.045	20	Pass
						25940	-54.13	3.864	-73.79	0.042	20	Pass
						82.65	-75.22	0.030	/	/	4	Pass
						24045	-53.95	4.027	-74.37	0.037	20	Pass
						24382.5	-54.12	3.873	-75.07	0.031	20	Pass
						25365	-53.55	4.416	-74.11	0.039	20	Pass
802.11ac (VHT80)	SISO	5270	1	30	1000	82.7	-75.34	0.029	/	/	4	Pass
						21570.833	-54.15	3.846	-75.21	0.030	20	Pass
						25025.833	-53.49	4.477	-74.63	0.034	20	Pass
						25346.667	-53.67	4.295	-74.21	0.038	20	Pass
						25659.167	-52.79	5.260	-73.95	0.040	20	Pass
						25945.833	-52.74	5.321	-73.77	0.042	20	Pass
						82.65	-75.22	0.030	/	/	4	Pass
						24045	-53.95	4.027	-74.37	0.037	20	Pass
						24382.5	-54.12	3.873	-75.07	0.031	20	Pass
						25365	-53.55	4.416	-74.11	0.039	20	Pass
802.11ac (VHT80)	SISO	5310	1	30	1000	82.65	-75.22	0.030	/	/	4	Pass
						24045	-53.95	4.027	-74.37	0.037	20	Pass
						24382.5	-54.12	3.873	-75.07	0.031	20	Pass
						25365	-53.55	4.416	-74.11	0.039	20	Pass
						25729.167	-53.14	4.853	-73.60	0.044	20	Pass
						25918.333	-52.25	5.957	-73.79	0.042	20	Pass
						82.7	-75.34	0.029	/	/	4	Pass
						21570.833	-54.15	3.846	-75.21	0.030	20	Pass
						25025.833	-53.49	4.477	-74.63	0.034	20	Pass
						25346.667	-53.67	4.295	-74.21	0.038	20	Pass
802.11ac (VHT80)	SISO	5290	1	30	1000	82.7	-75.34	0.029	/	/	4	Pass
						21570.833	-54.15	3.846	-75.21	0.030	20	Pass
						25025.833	-53.49	4.477	-74.63	0.034	20	Pass
						25346.667	-53.67	4.295	-74.21	0.038	20	Pass
						25659.167	-52.79	5.260	-73.95	0.040	20	Pass
						25945.833	-52.74	5.321	-73.77	0.042	20	Pass
						82.7	-75.34	0.029	/	/	4	Pass
						21570.833	-54.15	3.846	-75.21	0.030	20	Pass
						25025.833	-53.49	4.477	-74.63	0.034	20	Pass
						25346.667	-53.67	4.295	-74.21	0.038	20	Pass


8.2 Test Graph

8.2.1 RxSe_NTNV_SISO












802.11a_MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.550	-74.56	/	-54	Pass
1000	26000	1	1	25341.667	-54.18	-74.27	-47	Pass
1000	26000	1	1	25456.667	-53.34	-73.84	-47	Pass
1000	26000	1	1	25521.667	-54.00	-73.98	-47	Pass
1000	26000	1	1	25675.000	-53.31	-73.94	-47	Pass
1000	26000	1	1	25971.667	-53.62	-73.85	-47	Pass


802.11a_MCH_5300MHz_Ant1_NTNV









802.11a_HCH_5320MHz_Ant1_NTNV





802.11a_HCH_5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	81.500	-75.06	-	-54	Pass
1000	26000	1	1	25424.167	-53.68	-73.87	-47	Pass
1000	26000	1	1	25570.000	-53.74	-74.12	-47	Pass
1000	26000	1	1	25703.333	-52.62	-73.76	-47	Pass
1000	26000	1	1	25800.000	-53.84	-73.66	-47	Pass
1000	26000	1	1	25890.000	-52.96	-73.76	-47	Pass









802.11n(HT20) LCH 5260MHz Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.500	-73.89	/	-54	Pass
1000	26000	1	1	23610.833	-53.49	-75.01	-47	Pass
1000	26000	1	1	25465.833	-52.87	-73.89	-47	Pass
1000	26000	1	1	25604.167	-53.04	-74.15	-47	Pass
1000	26000	1	1	25698.333	-53.43	-73.80	-47	Pass
1000	26000	1	1	25783.333	-53.50	-73.60	-47	Pass


802.11n(HT20) LCH 5260MHz Ant1_NTNV









802.11n(HT20) MCH_5300MHz_Ant1_NTNV





802.11n(HT20) MCH_5300MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.600	-74.53	-	-54	Pass
1000	26000	1	1	22237.500	-54.12	-75.00	-47	Pass
1000	26000	1	1	25356.667	-54.03	-74.18	-47	Pass
1000	26000	1	1	25669.167	-53.74	-73.94	-47	Pass
1000	26000	1	1	25736.667	-53.56	-73.56	-47	Pass
1000	26000	1	1	25832.500	-53.54	-73.69	-47	Pass









802.11n(HT20) HCH 5320MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.150	-74.71	/	-54	Pass
1000	26000	1	1	23913.333	-53.61	-74.53	-47	Pass
1000	26000	1	1	25450.833	-53.40	-73.85	-47	Pass
1000	26000	1	1	25628.333	-53.21	-74.07	-47	Pass
1000	26000	1	1	25778.333	-53.07	-73.60	-47	Pass
1000	26000	1	1	25882.500	-53.78	-73.77	-47	Pass


802.11n(HT20) HCH 5320MHz_Ant1_NTNV









802.11ac(VHT20) LCH_5260MHz_Ant1_NTNV





802.11ac(VHT20) LCH_5260MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.100	-75.43	-	-54	Pass
1000	26000	1	1	25385.000	-53.85	-74.05	-47	Pass
1000	26000	1	1	25674.167	-54.16	-73.88	-47	Pass
1000	26000	1	1	25766.667	-54.02	-73.54	-47	Pass
1000	26000	1	1	25833.333	-54.06	-73.64	-47	Pass
1000	26000	1	1	25944.167	-54.13	-73.82	-47	Pass









802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.950	-74.07	/	-54	Pass
1000	26000	1	1	24035.000	-53.37	-74.38	-47	Pass
1000	26000	1	1	25329.167	-53.67	-74.32	-47	Pass
1000	26000	1	1	25812.500	-53.72	-73.63	-47	Pass
1000	26000	1	1	25878.333	-53.79	-73.75	-47	Pass
1000	26000	1	1	25972.500	-53.66	-73.82	-47	Pass


802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




















802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.850	-75.33	/	-54	Pass
1000	26000	1	1	24042.500	-53.77	-74.38	-47	Pass
1000	26000	1	1	25425.833	-54.16	-73.79	-47	Pass
1000	26000	1	1	25583.333	-53.81	-74.09	-47	Pass
1000	26000	1	1	25752.500	-52.79	-73.51	-47	Pass
1000	26000	1	1	25940.000	-54.13	-73.79	-47	Pass


802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV









802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV





802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.650	-75.22	-	-54	Pass
1000	26000	1	1	24045.000	-53.95	-74.37	-47	Pass
1000	26000	1	1	24382.500	-54.12	-75.07	-47	Pass
1000	26000	1	1	25365.000	-53.55	-74.11	-47	Pass
1000	26000	1	1	25729.167	-53.14	-73.60	-47	Pass
1000	26000	1	1	25918.333	-52.25	-73.79	-47	Pass









802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	82.700	-75.34	/	-54	Pass
1000	26000	1	1	21570.833	-54.15	-75.21	-47	Pass
1000	26000	1	1	25025.833	-53.49	-74.63	-47	Pass
1000	26000	1	1	25346.667	-53.67	-74.21	-47	Pass
1000	26000	1	1	25659.167	-52.79	-73.95	-47	Pass
1000	26000	1	1	25945.833	-52.74	-73.77	-47	Pass

802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV








9. Carrier Sense


9.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	CW Level (dBm)	Verdict
NVNT	a	5260	Ant1	-47.1797148830748	Pass
NVNT	ac80	5290	Ant1	-47.2291134407037	Pass

9.2 Test Graph



Date: 6 JUN 2026 12:20:37



Date: 6 JUN 2026 11:11:32

*** End of Report ***