


802.11ac VHT80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.77	43.29	0.27	43.02	54.00	-10.71	249	153	Average	Horizontal
2 *	5610.00	74.03	30.09	43.14	54.00	20.03	249	153	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.77	42.25	-0.77	43.02	54.00	-11.75	308	268	Average	Vertical
2 *	5610.00	73.01	30.07	43.14	54.00	19.01	308	268	Average	Vertical

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5571.50	55.48	12.37	43.11	68.20	-12.72	385	302 Peak	Vertical	
2	5697.50	56.61	13.40	43.21	103.36	-46.75	385	302 Peak	Vertical	
3	5728.00	62.71	19.40	43.31	110.80	-48.09	385	302 Peak	Vertical	
4	5724.00	74.15	30.81	43.34	119.92	-45.77	385	302 Peak	Vertical	
5	5745.00	111.42	67.99	43.43	122.20	-10.78	385	302 Peak	Vertical	
6	5850.00	54.17	10.43	43.74	121.06	-66.89	385	302 Peak	Vertical	
7	5864.00	55.02	11.24	43.78	108.28	-53.26	385	302 Peak	Vertical	
8	5914.50	57.28	13.42	43.86	75.94	-18.66	385	302 Peak	Vertical	
9	5936.50	55.51	11.67	43.84	68.20	-12.69	385	302 Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5607.50	55.78	12.64	43.14	68.20	-12.42	100	6 Peak	Horizontal	
2	5698.00	57.92	14.70	43.22	103.73	-45.81	100	6 Peak	Horizontal	
3	5719.50	70.87	27.56	43.31	110.66	-39.79	100	6 Peak	Horizontal	
4	5724.00	76.49	33.15	43.34	119.92	-43.43	100	6 Peak	Horizontal	
5	5745.00	112.15	68.72	43.43	122.20	-10.05	100	6 Peak	Horizontal	
6	5853.00	54.92	11.17	43.75	115.36	-60.44	100	6 Peak	Horizontal	
7	5865.00	55.83	12.05	43.78	108.00	-52.17	100	6 Peak	Horizontal	
8	5916.00	56.16	12.30	43.86	74.84	-18.68	100	6 Peak	Horizontal	
9	5946.00	55.73	11.90	43.83	68.20	-12.47	100	6 Peak	Horizontal	

802.11a


CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.50	56.20	13.04	43.16	68.20	-12.00	102	10	Peak	Horizontal
2	5674.50	56.85	13.65	43.20	86.37	-29.52	102	10	Peak	Horizontal
3	5717.00	58.70	15.40	43.30	109.96	-51.26	102	10	Peak	Horizontal
4	5724.00	56.46	13.12	43.34	119.92	-63.46	102	10	Peak	Horizontal
5	5785.00	113.47	69.91	43.56	122.20	-8.73	102	10	Peak	Horizontal
6	5854.00	57.12	13.37	43.75	113.00	-55.96	102	10	Peak	Horizontal
7	5862.50	57.03	13.26	43.77	100.70	-51.67	102	10	Peak	Horizontal
8	5899.00	57.24	13.36	43.88	87.40	-30.16	102	10	Peak	Horizontal
9	6000.00	56.28	12.32	43.96	68.20	-11.92	102	10	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.00	54.86	11.69	43.17	68.20	-13.34	378	302	Peak	Vertical
2	5675.00	55.33	12.13	43.20	86.74	-31.41	378	302	Peak	Vertical
3	5707.00	56.48	13.23	43.25	107.16	-50.68	378	302	Peak	Vertical
4	5721.00	54.72	11.41	43.31	113.08	-58.36	378	302	Peak	Vertical
5	5785.00	111.08	67.52	43.56	122.20	-11.12	378	302	Peak	Vertical
6	5855.00	55.18	11.43	43.75	110.00	-55.62	378	302	Peak	Vertical
7	5850.00	57.35	13.59	43.70	100.96	-52.61	378	302	Peak	Vertical
8	5885.50	55.97	12.13	43.84	97.40	-41.43	378	302	Peak	Vertical
9	5977.50	55.76	11.87	43.89	68.20	-12.44	378	302	Peak	Vertical

802.11a

CH 157 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	101.52	57.96	43.56	54.00	47.52	102	10 Average	Horizontal

CH 157 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	99.78	56.22	43.56	54.00	45.78	378	302 Average	Vertical


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	56.19	13.02	43.17	68.20	-12.01	100	308 Peak	Horizontal	
2	5693.50	56.25	13.04	43.21	100.41	-44.16	100	308 Peak	Horizontal	
3	5713.00	56.51	13.23	43.28	108.84	-52.33	100	308 Peak	Horizontal	
4	5722.00	56.96	13.64	43.32	115.36	-58.40	100	308 Peak	Horizontal	
5	5825.00	113.76	70.09	43.67	122.20	-8.44	100	308 Peak	Horizontal	
6	5850.50	69.32	25.58	43.74	121.06	-51.74	100	308 Peak	Horizontal	
7	5856.50	62.68	18.93	43.75	110.38	-47.70	100	308 Peak	Horizontal	
8	5891.00	57.33	13.48	43.85	93.33	-36.00	100	308 Peak	Horizontal	
9	5937.50	56.66	12.83	43.83	68.20	-11.54	100	308 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.50	54.66	11.59	43.07	68.20	-13.54	392	302 Peak	Vertical	
2	5698.00	54.81	11.59	43.22	103.73	-48.92	392	302 Peak	Vertical	
3	5711.00	55.81	12.54	43.27	108.28	-52.47	392	302 Peak	Vertical	
4	5723.00	54.27	10.94	43.33	117.64	-63.37	392	302 Peak	Vertical	
5	5825.00	112.00	68.33	43.67	122.20	-10.20	392	302 Peak	Vertical	
6	5851.50	66.06	22.32	43.74	118.78	-52.72	392	302 Peak	Vertical	
7	5855.00	58.99	15.24	43.75	110.80	-51.81	392	302 Peak	Vertical	
8	5899.00	55.57	11.69	43.88	87.40	-31.83	392	302 Peak	Vertical	
9	5970.00	55.63	11.75	43.88	68.20	-12.57	392	302 Peak	Vertical	

802.11a

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	102.61	58.94	43.67	54.00	48.61	100	300 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	101.27	57.60	43.67	54.00	47.27	392	302 Average	Vertical


802.11n HT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5689.50	56.80	13.66	43.14	68.20	-11.40	300	13	Peak	Horizontal
2	5685.50	55.71	12.50	43.21	94.50	-38.79	300	13	Peak	Horizontal
3	5728.00	64.01	20.70	43.31	110.80	-46.79	300	13	Peak	Horizontal
4	5724.00	77.88	34.54	43.34	119.92	-42.04	300	13	Peak	Horizontal
5	5745.00	113.68	70.25	43.43	122.20	-8.52	300	13	Peak	Horizontal
6	5853.50	53.76	10.01	43.75	114.22	-68.46	300	13	Peak	Horizontal
7	5857.00	56.90	13.15	43.75	110.24	-53.34	300	13	Peak	Horizontal
8	5894.50	56.23	12.37	43.86	90.73	-34.50	300	13	Peak	Horizontal
9	5967.50	55.78	11.92	43.86	68.20	-12.42	300	13	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5689.50	56.16	13.02	43.14	68.20	-12.04	358	292	Peak	Vertical
2	5699.50	56.52	13.30	43.22	104.83	-48.31	358	292	Peak	Vertical
3	5728.00	70.84	27.53	43.31	110.80	-39.96	358	292	Peak	Vertical
4	5724.00	79.31	35.97	43.34	121.06	-41.75	358	292	Peak	Vertical
5	5745.00	114.31	70.88	43.43	122.20	-7.89	358	292	Peak	Vertical
6	5853.50	55.42	11.67	43.75	110.80	-55.38	358	292	Peak	Vertical
7	5865.50	56.93	13.15	43.70	107.86	-50.93	358	292	Peak	Vertical
8	5876.50	55.82	12.01	43.81	104.09	-48.27	358	292	Peak	Vertical
9	5963.50	55.02	11.16	43.86	68.20	-13.18	358	292	Peak	Vertical

802.11n HT20

CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	103.31	59.88	43.43	54.00	49.31	300	13 Average	Horizontal

CH 149 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	103.37	59.94	43.43	54.00	49.37	358	292 Average	Vertical

802.11n HT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5632.00	56.89	13.73	43.16	68.20	-11.31	100	115	Peak	Horizontal
2	5684.50	57.55	14.35	43.20	93.76	-36.21	100	115	Peak	Horizontal
3	5717.00	58.05	14.75	43.30	109.96	-51.91	100	115	Peak	Horizontal
4	5723.50	58.49	15.16	43.33	118.78	-60.29	100	115	Peak	Horizontal
5	5785.00	114.86	71.30	43.56	122.20	-7.34	100	115	Peak	Horizontal
6	5853.00	57.85	14.10	43.75	115.36	-57.51	100	115	Peak	Horizontal
7	5875.00	58.65	14.84	43.81	105.20	-46.55	100	115	Peak	Horizontal
8	5876.00	58.83	15.02	43.81	104.46	-45.63	100	115	Peak	Horizontal
9	5952.00	56.75	12.93	43.82	68.20	-11.45	100	115	Peak	Horizontal

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.00	56.83	12.86	43.17	68.20	-12.17	300	302	Peak	Vertical
2	5658.00	54.96	11.78	43.18	74.14	-19.18	300	302	Peak	Vertical
3	5710.50	54.86	11.59	43.27	108.14	-53.28	300	302	Peak	Vertical
4	5723.00	56.97	13.64	43.33	117.64	-60.67	300	302	Peak	Vertical
5	5785.00	110.40	66.84	43.56	122.20	-11.80	300	302	Peak	Vertical
6	5854.50	56.00	12.25	43.75	111.94	-55.94	300	302	Peak	Vertical
7	5867.50	55.27	11.49	43.78	107.30	-52.03	300	302	Peak	Vertical
8	5908.50	56.03	12.16	43.87	80.38	-24.35	300	302	Peak	Vertical
9	5981.00	55.76	11.86	43.90	68.20	-12.44	300	302	Peak	Vertical

802.11n HT20

CH 157 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	101.97	58.41	43.56	54.00	47.97	100	115 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5784.50	99.45	55.89	43.56	54.00	45.45	300	302 Average	Vertical


802.11n HT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5645.50	55.18	12.01	43.17	68.20	-13.02	308	13	Peak	Horizontal		
2	5691.00	56.79	13.58	43.21	98.56	-41.77	308	13	Peak	Horizontal		
3	5713.00	56.35	13.07	43.28	108.84	-52.49	308	13	Peak	Horizontal		
4	5724.00	56.05	12.71	43.34	119.92	-63.87	308	13	Peak	Horizontal		
5	5825.00	114.15	70.48	43.67	122.20	-8.05	308	13	Peak	Horizontal		
6	5850.50	69.11	25.37	43.74	121.06	-51.95	308	13	Peak	Horizontal		
7	5857.50	62.76	19.01	43.75	110.10	-47.34	308	13	Peak	Horizontal		
8	5875.00	56.46	12.65	43.81	105.20	-48.74	308	13	Peak	Horizontal		
9	5948.50	56.37	12.55	43.82	68.20	-11.83	308	13	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5595.50	54.16	11.04	43.12	68.20	-14.04	396	303	Peak	Vertical		
2	5699.00	55.37	12.15	43.22	104.46	-49.09	396	303	Peak	Vertical		
3	5708.50	55.76	12.51	43.25	107.58	-51.82	396	303	Peak	Vertical		
4	5723.00	54.27	10.94	43.33	117.64	-63.37	396	303	Peak	Vertical		
5	5825.00	111.46	67.79	43.67	122.20	-10.74	396	303	Peak	Vertical		
6	5851.00	64.60	20.86	43.74	119.92	-55.32	396	303	Peak	Vertical		
7	5855.00	60.10	16.35	43.75	110.90	-50.70	396	303	Peak	Vertical		
8	5900.50	56.25	12.37	43.88	86.29	-30.04	396	303	Peak	Vertical		
9	5925.50	56.45	12.60	43.85	68.20	-11.75	396	303	Peak	Vertical		

802.11n HT20

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	103.28	59.61	43.67	54.00	49.28	308	13 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	100.34	56.67	43.67	54.00	46.34	396	303 Average	Vertical

802.11n HT40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.00	57.45	14.28	43.17	68.20	-10.75	100	114 Peak	Horizontal	
2	5697.00	71.56	28.35	43.21	102.99	-31.43	100	114 Peak	Horizontal	
3	5728.00	80.96	37.65	43.31	110.80	-29.84	100	114 Peak	Horizontal	
4	5721.50	86.16	42.84	43.32	114.22	-28.06	100	114 Peak	Horizontal	
5	5755.00	111.44	67.97	43.47	122.20	-10.76	100	114 Peak	Horizontal	
6	5851.00	58.95	15.21	43.74	119.92	-60.97	100	114 Peak	Horizontal	
7	5865.00	58.73	14.95	43.78	108.00	-49.27	100	114 Peak	Horizontal	
8	5884.50	58.21	14.37	43.84	98.15	-39.94	100	114 Peak	Horizontal	
9	5948.50	56.38	12.56	43.82	68.20	-11.82	100	114 Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	56.21	13.04	43.17	68.20	-11.99	384	303 Peak	Vertical	
2	5697.50	66.72	23.51	43.21	103.36	-36.64	384	303 Peak	Vertical	
3	5718.00	75.64	32.34	43.30	110.24	-34.60	384	303 Peak	Vertical	
4	5722.50	77.85	34.52	43.33	116.50	-38.65	384	303 Peak	Vertical	
5	5755.00	107.51	64.04	43.47	122.20	-14.69	384	303 Peak	Vertical	
6	5851.00	54.68	10.94	43.74	119.92	-65.24	384	303 Peak	Vertical	
7	5871.00	55.83	12.03	43.80	106.32	-50.49	384	303 Peak	Vertical	
8	5897.50	57.44	13.57	43.87	88.51	-31.07	384	303 Peak	Vertical	
9	5976.50	55.26	11.37	43.89	68.20	-12.94	384	303 Peak	Vertical	

802.11n HT40

CH 151 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	97.26	53.79	43.47	54.00	43.26	100	114 Average	Horizontal

CH 151 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	95.18	51.71	43.47	54.00	41.18	384	303 Average	Vertical


802.11n HT40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5564.50	56.98	13.87	43.11	68.20	-11.22	100	118 Peak	Horizontal	
2	5680.50	57.22	14.02	43.20	90.81	-33.59	100	118 Peak	Horizontal	
3	5728.00	59.54	16.23	43.31	110.80	-51.26	100	118 Peak	Horizontal	
4	5721.00	64.37	21.06	43.31	113.08	-48.71	100	118 Peak	Horizontal	
5	5795.00	113.29	69.71	43.58	122.20	-8.91	100	118 Peak	Horizontal	
6	5850.50	71.86	28.12	43.74	121.06	-49.20	100	118 Peak	Horizontal	
7	5857.50	69.74	25.99	43.75	110.10	-40.36	100	118 Peak	Horizontal	
8	5877.00	60.53	16.72	43.81	103.71	-43.18	100	118 Peak	Horizontal	
9	5956.00	57.26	13.43	43.83	68.20	-10.94	100	118 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5606.00	55.07	11.93	43.14	68.20	-13.13	376	303 Peak	Vertical	
2	5674.00	55.83	12.63	43.20	86.00	-30.17	376	303 Peak	Vertical	
3	5716.50	58.03	14.73	43.30	109.82	-51.79	376	303 Peak	Vertical	
4	5724.00	57.49	14.15	43.34	119.92	-62.43	376	303 Peak	Vertical	
5	5795.00	108.69	65.11	43.58	122.20	-13.51	376	303 Peak	Vertical	
6	5852.50	61.57	17.83	43.74	116.50	-54.93	376	303 Peak	Vertical	
7	5860.50	60.36	16.59	43.77	109.26	-48.90	376	303 Peak	Vertical	
8	5883.50	56.29	12.45	43.84	98.89	-42.60	376	303 Peak	Vertical	
9	5998.00	55.56	11.60	43.96	68.20	-12.64	376	303 Peak	Vertical	

802.11n HT40

CH 159 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	96.55	54.97	43.58	54.00	44.55	100	118 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	96.38	52.80	43.58	54.00	42.38	376	303 Average	Vertical


802.11ac VHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5598.50	54.90	11.77	43.13	68.20	-13.30	100	116 Peak	Horizontal	
2	5694.00	65.68	22.47	43.21	100.78	-35.10	100	116 Peak	Horizontal	
3	5728.00	74.57	31.26	43.31	110.80	-36.23	100	116 Peak	Horizontal	
4	5721.00	74.57	31.26	43.31	113.08	-38.51	100	116 Peak	Horizontal	
5	5775.00	104.08	60.55	43.53	122.20	-18.12	100	116 Peak	Horizontal	
6	5854.00	67.54	23.79	43.75	113.08	-45.54	100	116 Peak	Horizontal	
7	5860.00	68.00	24.23	43.77	109.40	-41.40	100	116 Peak	Horizontal	
8	5880.50	58.60	14.78	43.82	101.11	-42.51	100	116 Peak	Horizontal	
9	5953.50	56.82	12.99	43.83	68.20	-11.38	100	116 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5474.00	54.45	11.42	43.03	68.20	-13.75	384	283 Peak	Vertical	
2	5697.00	62.21	19.00	43.21	102.99	-40.78	384	283 Peak	Vertical	
3	5711.50	68.02	24.74	43.28	108.42	-40.40	384	283 Peak	Vertical	
4	5721.00	66.65	23.34	43.31	113.08	-46.43	384	283 Peak	Vertical	
5	5775.00	100.60	57.07	43.53	122.20	-21.60	384	283 Peak	Vertical	
6	5851.50	64.11	20.37	43.74	118.78	-54.67	384	283 Peak	Vertical	
7	5860.00	59.19	15.42	43.77	109.40	-50.21	384	283 Peak	Vertical	
8	5908.00	55.68	11.81	43.87	80.74	-25.06	384	283 Peak	Vertical	
9	5995.50	56.45	12.50	43.95	68.20	-11.75	384	283 Peak	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.00	72.18	28.65	43.53	122.20	-50.02	100	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5775.00	70.36	26.83	43.53	54.00	16.36	384	283	Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	10400.00	52.71	55.26	-2.55	68.20	-15.49	180	342	Peak	Horizontal	
2	15600.00	69.72	64.23	5.49	74.00	-4.28	180	347	Peak	Horizontal	
3	15600.00	52.65	47.16	5.49	54.00	-1.35	180	347	Average	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	10400.00	56.12	58.67	-2.55	68.20	-12.08	480	168	Peak	Vertical	
2	15600.00	64.49	59.00	5.49	74.00	-9.51	306	112	Peak	Vertical	
3	15600.00	47.73	42.24	5.49	54.00	-6.27	306	112	Average	Vertical	

802.11a

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
1	10480.00	53.53	55.93	-2.40	68.20	-14.67	180	349 Peak	Horizontal
2	15720.00	69.47	63.77	5.70	74.00	-4.53	112	348 Peak	Horizontal
3	15720.00	52.43	46.73	5.70	54.00	-1.57	112	348 Average	Horizontal

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
1	10480.00	55.06	57.46	-2.40	68.20	-13.14	400	173 Peak	Vertical
2	15720.00	66.01	60.31	5.70	74.00	-7.99	345	123 Peak	Vertical
3	15720.00	49.14	43.44	5.70	54.00	-4.86	345	123 Average	Vertical

802.11n HT20

CH 36 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
1	10360.00	55.88	58.51	-2.63	68.20	-12.32	186 Peak	Horizontal	
2	15540.00	71.91	66.63	5.28	74.00	-2.09	348 Peak	Horizontal	
3	15540.00	52.91	47.63	5.28	54.00	-1.09	348 Average	Horizontal	

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
1	10360.00	57.84	60.47	-2.63	68.20	-10.36	300 Peak	Vertical	
2	15540.00	66.96	61.68	5.28	74.00	-7.04	328 Peak	Vertical	
3	15540.00	49.03	43.75	5.28	54.00	-4.97	328 Average	Vertical	


802.11n HT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	54.96	57.36	-2.40	68.20	-13.24	100	342	Peak	Horizontal
2	15720.00	71.19	65.49	5.70	74.00	-2.81	100	350	Peak	Horizontal
3	15720.00	53.24	47.54	5.70	54.00	-0.76	100	350	Average	Horizontal

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	55.48	57.88	-2.40	68.20	-12.80	400	144	Peak	Vertical
2	15720.00	69.15	63.45	5.70	74.00	-4.85	313	113	Peak	Vertical
3	15720.00	50.93	45.23	5.70	54.00	-3.07	313	113	Average	Vertical


802.11n HT40

CH 38 (Horizontal)


CH 38 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 42 (Horizontal)


CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	57.45	59.61	-2.16	74.00	-16.55		183	115	Peak	Horizontal	
2	10600.00	42.79	44.95	-2.16	54.00	-11.21		183	115	Average	Horizontal	
3	15900.00	68.68	62.31	6.37	74.00	-5.32		187	315	Peak	Horizontal	
4	15900.00	53.06	46.69	6.37	54.00	-8.94		187	315	Average	Horizontal	

CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	59.93	62.09	-2.16	74.00	-14.07		400	132	Peak	Vertical	
2	10600.00	40.46	42.62	-2.16	54.00	-13.54		400	132	Average	Vertical	
3	15900.00	66.34	59.97	6.37	74.00	-7.66		334	98	Peak	Vertical	
4	15900.00	50.77	44.40	6.37	54.00	-3.23		334	98	Average	Vertical	


802.11a

CH 64 (Horizontal)


CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	54.08	56.40	-2.32	68.20	-14.12	400	4 Peak	Horizontal	
2	15780.00	69.78	63.92	5.86	74.00	-4.22	104	346 Peak	Horizontal	
3	15780.00	52.26	46.40	5.86	54.00	-1.74	104	346 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	54.32	56.64	-2.32	68.20	-13.88	400	115 Peak	Vertical	
2	15780.00	66.89	61.03	5.86	74.00	-7.11	306	106 Peak	Vertical	
3	15780.00	49.54	43.68	5.86	54.00	-4.46	306	106 Average	Vertical	


802.11n HT20

CH 60 (Horizontal)


CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 64 (Horizontal)


CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 54 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10540.00	54.92	57.20	-2.28	68.20	-13.28	100	343	Peak	Horizontal		
2	15810.00	67.98	62.02	5.96	74.00	-6.02	110	313	Peak	Horizontal		
3	15810.00	53.05	47.09	5.96	54.00	-0.95	110	313	Average	Horizontal		

CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10540.00	55.25	57.53	-2.28	68.20	-12.95	100	170	Peak	Vertical		
2	15810.00	66.37	60.41	5.96	74.00	-7.63	339	100	Peak	Vertical		
3	15810.00	51.67	45.71	5.96	54.00	-2.33	339	100	Average	Vertical		


802.11n HT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.00	46.39	48.49	-2.10	74.00	-27.61	100	64	Peak	Horizontal		
2	15930.00	59.98	53.53	6.45	74.00	-14.02	100	347	Peak	Horizontal		
3	15930.00	42.81	36.36	6.45	54.00	-11.19	100	347	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.00	47.69	49.79	-2.10	74.00	-26.31	400	136	Peak	Vertical		
2	15930.00	57.37	50.92	6.45	74.00	-16.63	333	100	Peak	Vertical		
3	15930.00	41.74	35.29	6.45	54.00	-12.26	333	100	Average	Vertical		

802.11ac VHT80

CH 58 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	44.87	47.07	-2.20	68.20	-23.33	100	117 Peak	Horizontal	
2	15870.00	57.16	50.93	6.23	74.00	-16.84	100	314 Peak	Horizontal	
3	15870.00	39.31	33.08	6.23	54.00	-14.69	100	314 Average	Horizontal	

CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	47.69	49.89	-2.20	68.20	-20.51	400	137 Peak	Vertical	
2	15870.00	52.40	46.17	6.23	74.00	-21.60	314	313 Peak	Vertical	
3	15870.00	36.49	30.26	6.23	54.00	-17.51	314	313 Average	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)


CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	52.66	53.94	-1.28	74.00	-21.34	100	338	Peak	Horizontal	
2	11160.00	39.03	40.31	-1.28	54.00	-14.97	100	338	Average	Horizontal	
3	16740.00	67.14	58.99	8.15	68.20	-1.06	100	345	Peak	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	51.06	53.14	-1.28	74.00	-22.14	358	25	Peak	Vertical	
2	11160.00	37.24	38.52	-1.28	54.00	-16.76	358	25	Average	Vertical	
3	16740.00	65.23	57.08	8.15	68.20	-2.97	113	115	Peak	Vertical	

802.11a

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	53.43	54.29	-0.86	74.00	-20.57	110	339 Peak	Horizontal	
2	11400.00	39.31	40.17	-0.86	54.00	-14.69	110	339 Average	Horizontal	
3	17100.00	66.33	58.11	8.22	68.20	-1.87	100	28 Peak	Horizontal	

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	49.69	50.55	-0.86	74.00	-24.31	330	32 Peak	Vertical	
2	11400.00	35.43	36.29	-0.86	54.00	-18.57	330	32 Average	Vertical	
3	17100.00	63.44	55.22	8.22	68.20	-4.76	100	230 Peak	Vertical	

802.11n HT20

CH 100 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	56.04	57.58	-1.54	74.00	-17.96	100	341 Peak	Horizontal	
2	11000.00	41.50	43.04	-1.54	54.00	-12.50	100	341 Average	Horizontal	
3	16500.00	67.29	59.82	7.47	68.20	-0.91	116	310 Peak	Horizontal	

CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	54.74	56.28	-1.54	74.00	-19.26	358	25 Peak	Vertical	
2	11000.00	40.53	42.07	-1.54	54.00	-13.47	358	25 Average	Vertical	
3	16500.00	62.03	54.56	7.47	68.20	-6.17	100	114 Peak	Vertical	

802.11n HT20

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	55.21	56.49	-1.28	74.00	-18.79	182	339	Peak	Horizontal		
2	11160.00	40.97	42.25	-1.28	54.00	-13.03	182	339	Average	Horizontal		
3	16740.00	67.11	58.96	8.15	68.20	-1.09	189	389	Peak	Horizontal		

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	56.20	57.48	-1.28	74.00	-17.80	388	6	Peak	Vertical		
2	11160.00	41.32	42.60	-1.28	54.00	-12.68	388	6	Average	Vertical		
3	16740.00	64.67	56.52	8.15	68.20	-3.53	117	113	Peak	Vertical		

802.11n HT20

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	64.39	65.25	-0.86	74.00	-9.61	182	164	Peak	Horizontal		
2	11400.00	49.52	50.38	-0.86	54.00	-4.48	182	164	Average	Horizontal		
3	17100.00	56.66	48.44	8.22	68.20	-11.54	180		Peak	Horizontal		

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	67.20	68.06	-0.86	74.00	-6.80	348	24	Peak	Vertical		
2	11400.00	52.86	53.72	-0.86	54.00	-1.14	348	24	Average	Vertical		
3	17100.00	58.11	49.89	8.22	68.20	-10.09	115	118	Peak	Vertical		


802.11n HT40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	45.43	46.95	-1.52	74.00	-28.57	100	339	Peak	Horizontal	
2	16530.00	55.85	48.33	7.52	68.20	-12.35	100	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	45.31	46.83	-1.52	74.00	-28.69	400	212	Peak	Vertical	
2	16530.00	52.80	45.28	7.52	68.20	-15.40	293	0	Peak	Vertical	


802.11n HT40

CH 118 (Horizontal)


CH 118 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 134 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	58.62	59.55	-0.93	74.00	-15.38	100	163	Peak	Horizontal	
2	11340.00	43.50	44.43	-0.93	54.00	-10.50	100	163	Average	Horizontal	
3	17018.00	56.17	47.86	8.31	68.20	-12.03	100	344	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	54.91	55.84	-0.93	74.00	-19.09	325	37	Peak	Vertical	
2	11340.00	50.17	51.10	-0.93	54.00	-3.83	325	37	Average	Vertical	
3	17018.00	53.17	44.86	8.31	68.20	-15.03	114	108	Peak	Vertical	


802.11ac VHT80

CH 106 (Horizontal)


CH 106 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 122 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	47.71	48.87	-1.16	74.00	-26.29	100	156	Peak	Horizontal	
2	16830.00	53.39	45.17	8.22	68.20	-14.81	107	360	Peak	Horizontal	

CH 122 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	52.32	53.48	-1.16	74.00	-21.68	300	31	Peak	Vertical	
2	11220.00	34.21	35.37	-1.16	64.00	-19.79	300	31	Average	Vertical	
3	16830.00	52.88	44.66	8.22	68.20	-15.32	300	360	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	55.91	56.57	-0.66	74.00	-18.09	111	64	Peak	Horizontal	
2	11490.00	41.28	41.94	-0.66	54.00	-12.72	111	64	Average	Horizontal	
3	17235.00	56.41	48.38	8.03	68.20	-11.79	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	51.95	52.61	-0.66	74.00	-22.05	322	206	Peak	Vertical	
2	11490.00	37.22	37.88	-0.66	54.00	-16.78	322	206	Average	Vertical	
3	17235.00	56.20	48.17	8.03	68.20	-12.00	400	316	Peak	Vertical	

802.11a

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	56.13	56.57	-0.44	74.00	-17.87	117	63 Peak	Horizontal	
2	11570.00	42.45	42.89	-0.44	54.00	-11.55	117	63 Average	Horizontal	
3	17355.00	54.21	46.14	8.07	68.20	-13.99	100	32 Peak	Horizontal	

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	51.42	51.86	-0.44	74.00	-22.58	325	206 Peak	Vertical	
2	11570.00	37.90	38.34	-0.44	54.00	-16.10	325	206 Average	Vertical	
3	17355.00	53.42	45.35	8.07	68.20	-14.78	100	121 Peak	Vertical	

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	56.64	56.85	-0.21	74.00	-17.36	123	63	Peak	Horizontal		
2	11650.00	43.44	43.65	-0.21	54.00	-10.56	123	63	Average	Horizontal		
3	17475.00	53.08	44.82	8.26	68.20	-15.12	100	0	Peak	Horizontal		

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	51.68	51.89	-0.21	74.00	-22.32	300	260	Peak	Vertical		
2	11650.00	38.54	38.75	-0.21	54.00	-15.46	300	260	Average	Vertical		
3	17475.00	52.55	44.29	8.26	68.20	-15.65	400	112	Peak	Vertical		

802.11n HT20

CH 149 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	66.16	66.82	-0.66	74.00	-7.84	187	161	Peak	Horizontal	
2	11490.00	50.54	51.20	-0.66	54.00	-3.46	187	161	Average	Horizontal	
3	17235.00	54.56	46.53	8.03	68.20	-13.64	187	360	Peak	Horizontal	

CH 149 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	68.61	69.27	-0.66	74.00	-5.39	336	27	Peak	Vertical	
2	11490.00	53.11	53.77	-0.66	54.00	-0.89	336	27	Average	Vertical	
3	17235.00	54.20	46.17	8.03	68.20	-14.00	300	0	Peak	Vertical	

802.11n HT20

CH 157 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	67.94	68.15	-0.21	74.00	-6.06	181	164 Peak	Horizontal	
2	11650.00	51.85	52.06	-0.21	54.00	-2.15	181	164 Average	Horizontal	
3	17475.00	50.32	42.66	8.26	68.20	-17.88	100	0 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	69.83	69.24	-0.21	74.00	-4.97	326	25 Peak	Vertical	
2	11650.00	53.19	53.40	-0.21	54.00	-0.81	326	25 Average	Vertical	
3	17475.00	48.79	40.53	8.26	68.20	-19.41	100	235 Peak	Vertical	

802.11n HT40

CH 151 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 151 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 159 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11590.00	66.12	66.50	-0.38	74.00	-7.88	160		164 Peak	Horizontal	
2	11598.00	51.01	51.39	-0.38	54.00	-2.99	160		164 Average	Horizontal	
3	17385.00	49.46	41.26	8.20	68.20	-18.74	300		297 Peak	Horizontal	

CH 159 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11590.00	68.15	68.53	-0.38	74.00	-5.85	320		32 Peak	Vertical	
2	11598.00	52.79	53.17	-0.38	54.00	-1.21	320		32 Average	Vertical	
3	17385.00	50.07	41.87	8.20	68.20	-18.13	400		343 Peak	Vertical	