


802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64936G	40.69	54.00	-13.31	13.15	3	Vertical	355	2.48	-	27.54	39.49	8.40	34.74
PK	11.64616G	55.51	74.00	-18.49	13.15	3	Vertical	355	2.48	-	42.36	39.50	8.39	34.74

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65328G	40.57	54.00	-13.43	13.14	3	Horizontal	354	1.50	-	27.42	39.49	8.40	34.74
PK	11.64208G	54.29	74.00	-19.71	13.16	3	Horizontal	354	1.50	-	41.13	39.50	8.39	34.74

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	53.81	54.00	-0.19	4.79	3	Vertical	345	1.50	-	49.03	31.62	8.37	35.21
AV	5.192G	95.59	Inf	-Inf	4.85	3	Vertical	345	1.50	-	90.74	31.65	8.40	35.20
PK	5.1484G	66.92	74.00	-7.08	4.79	3	Vertical	345	1.50	-	62.13	31.62	8.37	35.21
PK	5.1788G	105.64	Inf	-Inf	4.83	3	Vertical	345	1.50	-	100.81	31.64	8.39	35.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	51.03	54.00	-2.97	4.77	3	Horizontal	21	1.47	-	46.27	31.61	8.37	35.21
AV	5.1732G	97.43	Inf	-Inf	4.82	3	Horizontal	21	1.47	-	92.61	31.64	8.39	35.20
PK	5.1428G	65.03	74.00	-8.97	4.78	3	Horizontal	21	1.47	-	60.25	31.61	8.37	35.21
PK	5.18G	105.02	Inf	-Inf	4.83	3	Horizontal	21	1.47	-	100.19	31.64	8.39	35.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58104G	49.26	54.00	-4.74	17.01	3	Vertical	293	2.00	-	32.25	38.72	13.76	35.48
PK	15.55788G	59.38	74.00	-14.62	17.09	3	Vertical	293	2.00	-	42.29	38.80	13.74	35.45

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57564G	49.37	54.00	-4.63	17.03	3	Horizontal	128	1.04	-	32.34	38.74	13.76	35.47
PK	15.58212G	59.84	74.00	-14.16	17.01	3	Horizontal	128	1.04	-	42.84	38.72	13.76	35.48

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.30	54.00	-3.70	4.79	3	Vertical	24	1.46	-	45.51	31.62	8.37	35.21
AV	5.2268G	101.20	Inf	-Inf	4.89	3	Vertical	24	1.46	-	96.31	31.68	8.41	35.20
PK	5.1484G	62.79	74.00	-11.21	4.79	3	Vertical	24	1.46	-	58.01	31.62	8.37	35.21
PK	5.226G	108.59	Inf	-Inf	4.89	3	Vertical	24	1.46	-	103.70	31.68	8.41	35.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	48.61	54.00	-5.39	4.78	3	Horizontal	2	1.50	-	43.82	31.62	8.37	35.21
AV	5.22G	100.26	Inf	-Inf	4.89	3	Horizontal	2	1.50	-	95.38	31.68	8.41	35.20
PK	5.148G	57.90	74.00	-16.10	4.79	3	Horizontal	2	1.50	-	53.11	31.62	8.37	35.21
PK	5.22G	105.12	Inf	-Inf	4.89	3	Horizontal	2	1.50	-	100.24	31.68	8.41	35.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.705G	49.29	54.00	-4.71	16.58	3	Vertical	81	1.48	-	32.71	38.30	13.89	35.62
PK	15.69708G	59.46	74.00	-14.54	16.61	3	Vertical	81	1.48	-	42.85	38.33	13.89	35.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69216G	49.43	54.00	-4.57	16.63	3	Horizontal	215	1.59	-	32.80	38.35	13.88	35.60
PK	15.68196G	59.59	74.00	-14.41	16.66	3	Horizontal	215	1.59	-	42.93	38.38	13.87	35.59

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	98.39	Inf	-Inf	4.96	3	Vertical	350	1.51	-	93.43	31.72	8.43	35.19
AV	5.352G	47.83	54.00	-6.17	5.06	3	Vertical	350	1.51	-	42.77	31.78	8.47	35.18
PK	5.2668G	109.69	Inf	-Inf	4.95	3	Vertical	350	1.51	-	104.74	31.71	8.43	35.19
PK	5.3548G	58.71	74.00	-15.29	5.07	3	Vertical	350	1.51	-	53.64	31.78	8.47	35.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2588G	97.83	Inf	-Inf	4.94	3	Horizontal	2	1.48	-	92.90	31.71	8.42	35.19
AV	5.3604G	47.83	54.00	-6.17	5.07	3	Horizontal	2	1.48	-	42.76	31.79	8.47	35.18
PK	5.2588G	107.29	Inf	-Inf	4.94	3	Horizontal	2	1.48	-	102.35	31.71	8.42	35.19
PK	5.36G	58.59	74.00	-15.41	5.07	3	Horizontal	2	1.48	-	53.52	31.79	8.47	35.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82272G	49.26	54.00	-4.74	16.17	3	Vertical	33	1.38	-	33.09	37.90	14.02	35.75
PK	15.80718G	59.19	74.00	-14.81	16.23	3	Vertical	33	1.38	-	42.96	37.96	14.00	35.73

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79776G	48.54	54.00	-5.46	16.26	3	Horizontal	37	1.45	-	32.28	37.99	13.99	35.72
PK	15.80832G	59.33	74.00	-14.67	16.22	3	Horizontal	37	1.45	-	43.11	37.95	14.00	35.73

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	102.06	Inf	-Inf	5.00	3	Vertical	352	1.50	-	97.06	31.75	8.44	35.19
AV	5.3504G	53.49	54.00	-0.51	5.06	3	Vertical	352	1.50	-	48.43	31.78	8.47	35.18
PK	5.3212G	107.41	Inf	-Inf	5.02	3	Vertical	352	1.50	-	102.39	31.76	8.45	35.19
PK	5.354G	65.00	74.00	-9.00	5.07	3	Vertical	352	1.50	-	59.93	31.78	8.47	35.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	97.20	Inf	-Inf	4.98	3	Horizontal	5	1.37	-	92.22	31.73	8.44	35.19
AV	5.3516G	52.68	54.00	-1.32	5.06	3	Horizontal	5	1.37	-	47.62	31.78	8.47	35.18
PK	5.2976G	106.15	Inf	-Inf	4.99	3	Horizontal	5	1.37	-	101.16	31.74	8.44	35.19
PK	5.3512G	67.59	74.00	-6.41	5.06	3	Horizontal	5	1.37	-	62.53	31.78	8.47	35.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91566G	48.50	54.00	-5.50	15.85	3	Vertical	328	1.91	-	32.65	37.59	14.12	35.85
PK	15.91536G	58.41	74.00	-15.59	15.85	3	Vertical	328	1.91	-	42.55	37.59	14.12	35.85

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91806G	48.09	54.00	-5.91	15.84	3	Horizontal	0	1.67	-	32.25	37.58	14.12	35.86
PK	15.9447G	58.39	74.00	-15.61	15.75	3	Horizontal	0	1.67	-	42.64	37.49	14.15	35.89

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	53.57	54.00	-0.43	5.21	3	Vertical	359	1.50	-	48.37	31.87	8.51	35.17
AV	5.4968G	93.13	Inf	-Inf	5.26	3	Vertical	359	1.50	-	87.88	31.90	8.53	35.17
PK	5.4572G	68.02	74.00	-5.98	5.20	3	Vertical	359	1.50	-	62.81	31.87	8.51	35.17
PK	5.4656G	66.24	68.20	-1.96	5.22	3	Vertical	359	1.50	-	61.03	31.87	8.52	35.17
PK	5.4976G	102.28	Inf	-Inf	5.26	3	Vertical	359	1.50	-	97.02	31.90	8.53	35.17

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	51.79	54.00	-2.21	5.20	3	Horizontal	3	1.50	-	46.59	31.86	8.51	35.17
AV	5.4944G	94.57	Inf	-Inf	5.25	3	Horizontal	3	1.50	-	89.32	31.90	8.53	35.17
PK	5.4552G	64.50	74.00	-9.50	5.20	3	Horizontal	3	1.50	-	59.30	31.86	8.51	35.17
PK	5.4664G	65.04	68.20	-3.16	5.22	3	Horizontal	3	1.50	-	59.82	31.87	8.52	35.17
PK	5.4936G	102.73	Inf	-Inf	5.25	3	Horizontal	3	1.50	-	97.48	31.89	8.53	35.17

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03008G	45.84	54.00	-8.16	13.99	3	Vertical	25	1.50	-	31.85	40.36	8.23	34.60
PK	11.0212G	59.17	74.00	-14.83	14.00	3	Vertical	25	1.50	-	45.17	40.37	8.23	34.59

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0067G	48.33	54.00	-5.67	14.02	3	Horizontal	326	1.57	-	34.31	40.39	8.22	34.59
PK	11.0257G	60.79	74.00	-13.21	14.00	3	Horizontal	326	1.57	-	46.80	40.36	8.23	34.60

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.01	54.00	-3.99	5.21	3	Vertical	335	1.50	-	44.81	31.87	8.51	35.17
AV	5.5364G	96.85	Inf	-Inf	5.35	3	Vertical	335	1.50	-	91.50	31.94	8.58	35.17
PK	5.456G	63.58	74.00	-10.42	5.20	3	Vertical	335	1.50	-	58.38	31.86	8.51	35.17
PK	5.4648G	64.80	68.20	-3.40	5.21	3	Vertical	335	1.50	-	59.58	31.87	8.52	35.17
PK	5.5364G	104.77	Inf	-Inf	5.35	3	Vertical	335	1.50	-	99.41	31.94	8.58	35.17

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	49.76	54.00	-4.24	5.20	3	Horizontal	3	1.50	-	44.56	31.86	8.51	35.17
AV	5.5332G	97.59	Inf	-Inf	5.34	3	Horizontal	3	1.50	-	92.25	31.94	8.58	35.17
PK	5.4544G	62.11	74.00	-11.89	5.20	3	Horizontal	3	1.50	-	56.91	31.86	8.51	35.17
PK	5.464G	62.12	68.20	-6.08	5.21	3	Horizontal	3	1.50	-	56.90	31.87	8.52	35.17
PK	5.5524G	103.61	Inf	-Inf	5.39	3	Horizontal	3	1.50	-	98.22	31.96	8.60	35.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08344G	49.50	54.00	-4.50	13.92	3	Vertical	37	3.00	-	35.59	40.28	8.24	34.61
PK	11.09592G	61.95	74.00	-12.05	13.90	3	Vertical	37	3.00	-	48.05	40.27	8.25	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08128G	51.50	54.00	-2.50	13.92	3	Horizontal	30	2.54	-	37.58	40.29	8.24	34.61
PK	11.0896G	65.23	74.00	-8.77	13.91	3	Horizontal	30	2.54	-	51.32	40.27	8.24	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	44.05	54.00	-9.95	2.91	3	Vertical	19	1.54	-	41.14	31.78	5.67	34.54
AV	5.5954G	103.20	Inf	-Inf	3.12	3	Vertical	19	1.54	-	100.08	31.95	5.74	34.57
PK	5.443G	57.17	74.00	-16.83	2.90	3	Vertical	19	1.54	-	54.27	31.78	5.66	34.54
PK	5.4676G	55.82	68.20	-12.38	2.91	3	Vertical	19	1.54	-	52.90	31.79	5.67	34.54
PK	5.5954G	114.26	Inf	-Inf	3.12	3	Vertical	19	1.54	-	111.14	31.95	5.74	34.57
PK	5.7352G	56.48	68.20	-11.72	3.41	3	Vertical	19	1.54	-	53.08	32.18	5.84	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	43.65	54.00	-10.35	2.90	3	Horizontal	358	1.52	-	40.74	31.78	5.66	34.54
AV	5.5942G	103.86	Inf	-Inf	3.12	3	Horizontal	358	1.52	-	100.74	31.95	5.74	34.57
PK	5.4526G	56.79	74.00	-17.21	2.91	3	Horizontal	358	1.52	-	53.88	31.78	5.67	34.54
PK	5.464G	57.59	68.20	-10.61	2.91	3	Horizontal	358	1.52	-	54.68	31.79	5.67	34.54
PK	5.5942G	113.41	Inf	-Inf	3.12	3	Horizontal	358	1.52	-	110.29	31.95	5.74	34.57
PK	5.7274G	64.08	68.20	-4.12	3.39	3	Horizontal	358	1.52	-	60.69	32.16	5.83	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16384G	51.66	54.00	-2.34	13.69	3	Vertical	58	1.36	-	37.97	40.05	8.26	34.63
PK	11.16232G	64.77	74.00	-9.23	13.69	3	Vertical	58	1.36	-	51.08	40.06	8.26	34.63

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1612G	47.57	54.00	-6.43	13.69	3	Horizontal	327	1.49	-	33.88	40.06	8.26	34.63
PK	11.17576G	62.41	74.00	-11.59	13.67	3	Horizontal	327	1.49	-	48.74	40.04	8.27	34.63

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6366G	102.23	Inf	-Inf	3.20	3	Vertical	22	1.49	-	99.02	32.02	5.77	34.58
PK	5.6324G	113.97	Inf	-Inf	3.19	3	Vertical	22	1.49	-	110.77	32.01	5.76	34.58
PK	5.7638G	56.23	68.20	-11.97	3.47	3	Vertical	22	1.49	-	52.76	32.22	5.86	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.615G	102.44	Inf	-Inf	3.16	3	Horizontal	14	1.49	-	99.28	31.98	5.75	34.57
PK	5.6138G	115.60	Inf	-Inf	3.16	3	Horizontal	14	1.49	-	112.44	31.98	5.75	34.57
PK	5.771G	57.05	68.20	-11.15	3.49	3	Horizontal	14	1.49	-	53.56	32.23	5.87	34.61

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24136G	48.83	54.00	-5.17	13.70	3	Vertical	30	2.90	-	35.13	40.06	8.29	34.65
PK	11.26288G	62.06	74.00	-11.94	13.67	3	Vertical	30	2.90	-	48.39	40.03	8.29	34.65

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24184G	49.17	54.00	-4.83	13.70	3	Horizontal	37	1.99	-	35.47	40.06	8.29	34.65
PK	11.2408G	61.45	74.00	-12.55	13.70	3	Horizontal	37	1.99	-	47.75	40.06	8.29	34.65

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7634G	103.27	Inf	-Inf	3.47	3	Vertical	3	1.71	-	99.80	32.22	5.86	34.61
PK	5.6038G	56.12	68.20	-12.08	3.14	3	Vertical	3	1.71	-	52.98	31.97	5.74	34.57
PK	5.7634G	114.35	Inf	-Inf	3.47	3	Vertical	3	1.71	-	110.88	32.22	5.86	34.61
PK	5.9842G	56.32	68.20	-11.88	3.92	3	Vertical	3	1.71	-	52.40	32.57	6.02	34.68

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	103.61	Inf	-Inf	3.41	3	Horizontal	15	1.29	-	100.19	32.18	5.84	34.61
PK	5.641G	56.96	68.20	-11.24	3.21	3	Horizontal	15	1.29	-	53.74	32.03	5.77	34.58
PK	5.7394G	113.95	Inf	-Inf	3.42	3	Horizontal	15	1.29	-	110.53	32.18	5.84	34.61
PK	5.9338G	55.97	68.20	-12.23	3.82	3	Horizontal	15	1.29	-	52.15	32.49	5.98	34.66

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

10/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49344G	43.10	54.00	-10.90	13.36	3	Vertical	42	1.01	-	29.74	39.71	8.35	34.70
PK	11.51624G	55.22	74.00	-18.78	13.33	3	Vertical	42	1.01	-	41.89	39.68	8.36	34.71

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

10/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4964G	41.65	54.00	-12.35	13.35	3	Horizontal	315	2.90	-	28.30	39.71	8.35	34.70
PK	11.502G	54.63	74.00	-19.37	13.35	3	Horizontal	315	2.90	-	41.28	39.70	8.36	34.71

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	102.42	Inf	-Inf	3.55	3	Vertical	34	1.66	-	98.86	32.28	5.89	34.62
PK	5.6426G	56.60	68.20	-11.60	3.22	3	Vertical	34	1.66	-	53.38	32.03	5.77	34.58
PK	5.8046G	113.91	Inf	-Inf	3.56	3	Vertical	34	1.66	-	110.35	32.29	5.89	34.62
PK	5.9594G	56.41	68.20	-11.79	3.87	3	Vertical	34	1.66	-	52.54	32.54	6.00	34.67

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

09/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.807G	101.92	Inf	-Inf	3.56	3	Horizontal	356	1.50	-	98.36	32.29	5.89	34.62
PK	5.6126G	57.43	68.20	-10.77	3.16	3	Horizontal	356	1.50	-	54.28	31.98	5.75	34.57
PK	5.8058G	112.76	Inf	-Inf	3.56	3	Horizontal	356	1.50	-	109.20	32.29	5.89	34.62
PK	5.9678G	55.69	68.20	-12.51	3.89	3	Horizontal	356	1.50	-	51.81	32.55	6.01	34.67

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

10/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57576G	41.18	54.00	-12.82	13.25	3	Vertical	329	2.23	-	27.93	39.59	8.38	34.72
PK	11.59944G	55.67	74.00	-18.33	13.21	3	Vertical	329	2.23	-	42.46	39.56	8.38	34.73

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

10/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58536G	41.08	54.00	-12.92	13.23	3	Horizontal	273	2.16	-	27.85	39.58	8.38	34.72
PK	11.5912G	54.10	74.00	-19.90	13.23	3	Horizontal	273	2.16	-	40.87	39.57	8.38	34.73

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1455G	53.52	54.00	-0.48	4.78	3	Vertical	342	1.51	-	48.73	31.62	8.37	35.21
AV	5.2015G	91.62	Inf	-Inf	4.86	3	Vertical	342	1.51	-	86.76	31.66	8.40	35.20
AV	5.4145G	47.89	54.00	-6.11	5.15	3	Vertical	342	1.51	-	42.74	31.83	8.50	35.18
PK	5.1335G	68.25	74.00	-5.75	4.77	3	Vertical	342	1.51	-	63.48	31.61	8.37	35.21
PK	5.1885G	102.26	Inf	-Inf	4.84	3	Vertical	342	1.51	-	97.42	31.65	8.39	35.20
PK	5.456G	59.15	74.00	-14.85	5.20	3	Vertical	342	1.51	-	53.95	31.86	8.51	35.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	53.71	54.00	-0.29	4.77	3	Horizontal	332	1.50	-	48.95	31.61	8.37	35.21
AV	5.1775G	91.61	Inf	-Inf	4.83	3	Horizontal	332	1.50	-	86.78	31.64	8.39	35.20
AV	5.451G	47.88	54.00	-6.12	5.20	3	Horizontal	332	1.50	-	42.69	31.86	8.51	35.17
PK	5.135G	69.90	74.00	-4.10	4.77	3	Horizontal	332	1.50	-	65.13	31.61	8.37	35.21
PK	5.183G	107.04	Inf	-Inf	4.84	3	Horizontal	332	1.50	-	102.21	31.65	8.39	35.20
PK	5.4535G	59.04	74.00	-14.96	5.20	3	Horizontal	332	1.50	-	53.84	31.86	8.51	35.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62376G	48.85	54.00	-5.15	16.86	3	Vertical	14	1.97	-	31.99	38.58	13.81	35.52
PK	15.62316G	59.20	74.00	-14.80	16.86	3	Vertical	14	1.97	-	42.34	38.58	13.81	35.52

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6156G	49.28	54.00	-4.72	16.89	3	Horizontal	15	2.41	-	32.39	38.61	13.80	35.52
PK	15.6273G	59.62	74.00	-14.38	16.85	3	Horizontal	15	2.41	-	42.77	38.57	13.81	35.53

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1355G	48.75	54.00	-5.25	4.77	3	Vertical	354	1.50	-	43.98	31.61	8.37	35.21
AV	5.2645G	98.94	Inf	-Inf	4.94	3	Vertical	354	1.50	-	94.00	31.71	8.43	35.19
AV	5.3565G	51.98	54.00	-2.02	5.07	3	Vertical	354	1.50	-	46.91	31.79	8.47	35.18
PK	5.119G	58.88	74.00	-15.12	4.75	3	Vertical	354	1.50	-	54.14	31.60	8.36	35.21
PK	5.2655G	104.35	Inf	-Inf	4.95	3	Vertical	354	1.50	-	99.41	31.71	8.43	35.19
PK	5.355G	62.93	74.00	-11.07	5.07	3	Vertical	360	1.50	-	57.86	31.78	8.47	35.18
PK	5.5085G	60.03	68.20	-8.17	5.28	3	Vertical	354	1.50	-	54.75	31.91	8.54	35.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1425G	48.63	54.00	-5.37	4.78	3	Horizontal	337	1.00	-	43.85	31.61	8.37	35.21
AV	5.2885G	89.15	Inf	-Inf	4.98	3	Horizontal	337	1.00	-	84.18	31.73	8.44	35.19
AV	5.3505G	50.70	54.00	-3.30	5.06	3	Horizontal	337	1.00	-	45.64	31.78	8.47	35.18
PK	5.1025G	58.96	74.00	-15.04	4.72	3	Horizontal	337	1.00	-	54.24	31.58	8.35	35.21
PK	5.263G	101.35	Inf	-Inf	4.94	3	Horizontal	337	1.00	-	96.41	31.71	8.43	35.19
PK	5.353G	61.73	74.00	-12.27	5.06	3	Horizontal	337	1.00	-	56.67	31.78	8.47	35.18
PK	5.5235G	58.92	68.20	-9.28	5.32	3	Horizontal	337	1.00	-	53.60	31.93	8.56	35.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87264G	48.83	54.00	-5.17	16.00	3	Vertical	360	2.38	-	32.82	37.73	14.07	35.81
PK	15.87114G	59.37	74.00	-14.63	16.01	3	Vertical	360	2.38	-	43.36	37.74	14.07	35.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8715G	48.29	54.00	-5.71	16.00	3	Horizontal	158	2.28	-	32.28	37.74	14.07	35.80
PK	15.8823G	58.79	74.00	-15.21	15.97	3	Horizontal	158	2.28	-	42.82	37.70	14.08	35.82

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.71	54.00	-3.29	2.91	3	Vertical	351	1.60	-	47.80	31.78	5.67	34.54
AV	5.547G	93.69	Inf	-Inf	3.02	3	Vertical	351	1.60	-	90.67	31.88	5.70	34.55
PK	5.447G	66.52	74.00	-7.48	2.90	3	Vertical	351	1.60	-	63.62	31.78	5.66	34.54
PK	5.468G	65.99	68.20	-2.21	2.91	3	Vertical	351	1.60	-	63.08	31.79	5.67	34.54
PK	5.5G	108.88	Inf	-Inf	2.93	3	Vertical	351	1.60	-	105.95	31.80	5.67	34.54
PK	5.747G	58.33	68.20	-9.87	3.43	3	Vertical	351	1.60	-	54.90	32.20	5.85	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.437G	47.10	54.00	-6.90	2.90	3	Horizontal	339	1.46	-	44.20	31.77	5.66	34.54
AV	5.503G	92.50	Inf	-Inf	2.94	3	Horizontal	339	1.46	-	89.57	31.80	5.67	34.54
PK	5.456G	62.96	74.00	-11.04	2.91	3	Horizontal	339	1.46	-	60.05	31.78	5.67	34.54
PK	5.467G	63.97	68.20	-4.23	2.91	3	Horizontal	339	1.46	-	61.06	31.79	5.67	34.54
PK	5.501G	103.24	Inf	-Inf	2.93	3	Horizontal	339	1.46	-	100.31	31.80	5.67	34.54
PK	5.736G	56.62	68.20	-11.58	3.41	3	Horizontal	339	1.46	-	53.21	32.18	5.84	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05424G	45.72	54.00	-8.28	13.96	3	Vertical	28	2.83	-	31.76	40.32	8.23	34.60
PK	11.0624G	58.84	74.00	-15.16	13.95	3	Vertical	28	2.83	-	44.90	40.31	8.24	34.60

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05488G	44.75	54.00	-9.25	13.96	3	Horizontal	30	1.50	-	30.79	40.32	8.23	34.60
PK	11.07464G	58.69	74.00	-15.31	13.93	3	Horizontal	30	1.50	-	44.76	40.30	8.24	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.46	54.00	-5.54	2.91	3	Vertical	19	1.50	-	45.55	31.78	5.67	34.54
AV	5.628G	98.26	Inf	-Inf	3.19	3	Vertical	19	1.50	-	95.07	32.00	5.76	34.58
PK	5.455G	63.10	74.00	-10.90	2.91	3	Vertical	19	1.50	-	60.20	31.78	5.67	34.54
PK	5.465G	61.98	68.20	-6.22	2.91	3	Vertical	19	1.50	-	59.07	31.79	5.67	34.54
PK	5.603G	110.48	Inf	-Inf	3.14	3	Vertical	19	1.50	-	107.34	31.96	5.74	34.57
PK	5.77G	56.46	68.20	-11.74	3.48	3	Vertical	19	1.50	-	52.98	32.23	5.87	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.58	54.00	-4.42	2.91	3	Horizontal	29	1.52	-	46.67	31.78	5.67	34.54
AV	5.599G	100.52	Inf	-Inf	3.13	3	Horizontal	29	1.52	-	97.39	31.96	5.74	34.57
PK	5.456G	61.79	74.00	-12.21	2.91	3	Horizontal	29	1.52	-	58.88	31.78	5.67	34.54
PK	5.468G	62.77	68.20	-5.43	2.91	3	Horizontal	29	1.52	-	59.85	31.79	5.67	34.54
PK	5.598G	109.87	Inf	-Inf	3.13	3	Horizontal	29	1.52	-	106.75	31.96	5.74	34.57
PK	5.787G	55.26	68.20	-12.94	3.52	3	Horizontal	29	1.52	-	51.73	32.26	5.88	34.62

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018


5610MHz_TX



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

09/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20024G	47.54	54.00	-6.46	13.76	3	Horizontal	329	1.94	-	33.78	40.12	8.27	34.64
PK	11.20032G	60.92	74.00	-13.08	13.76	3	Horizontal	329	1.94	-	47.17	40.12	8.27	34.64

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.799G	97.61	Inf	-Inf	3.55	3	Vertical	31	1.70	-	94.06	32.28	5.89	34.62
PK	5.5446G	56.58	68.20	-11.62	3.02	3	Vertical	31	1.70	-	53.56	31.87	5.70	34.55
PK	5.7438G	111.99	Inf	-Inf	3.43	3	Vertical	31	1.70	-	108.56	32.19	5.85	34.61
PK	5.9442G	55.97	68.20	-12.23	3.84	3	Vertical	31	1.70	-	52.13	32.51	5.99	34.66

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7678G	98.87	Inf	-Inf	3.48	3	Horizontal	13	1.50	-	95.39	32.23	5.86	34.61
PK	5.5098G	57.32	68.20	-10.88	2.95	3	Horizontal	13	1.50	-	54.37	31.82	5.68	34.54
PK	5.7402G	109.38	Inf	-Inf	3.42	3	Horizontal	13	1.50	-	105.96	32.18	5.84	34.61
PK	5.9586G	56.20	68.20	-12.00	3.87	3	Horizontal	13	1.50	-	52.33	32.53	6.00	34.67

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5364G	41.57	54.00	-12.43	13.30	3	Vertical	153	1.50	-	28.26	39.65	8.36	34.71
PK	11.5552G	54.54	74.00	-19.46	13.27	3	Vertical	153	1.50	-	41.27	39.62	8.37	34.72

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53688G	41.48	54.00	-12.52	13.30	3	Horizontal	300	1.50	-	28.18	39.65	8.36	34.71
PK	11.54576G	55.36	74.00	-18.64	13.29	3	Horizontal	300	1.50	-	42.07	39.64	8.37	34.72

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

10/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	52.18	54.00	-1.82	4.77	3	Vertical	344	1.52	-	47.41	31.61	8.37	35.21
AV	5.179G	92.46	Inf	-Inf	4.83	3	Vertical	344	1.52	-	87.63	31.64	8.39	35.20
AV	5.357G	51.14	54.00	-2.86	5.07	3	Vertical	344	1.52	-	46.07	31.79	8.47	35.18
PK	5.147G	62.75	74.00	-11.25	4.79	3	Vertical	344	1.52	-	57.96	31.62	8.37	35.21
PK	5.303G	96.41	Inf	-Inf	4.99	3	Vertical	344	1.52	-	91.41	31.74	8.44	35.19
PK	5.366G	57.30	74.00	-16.70	5.08	3	Vertical	344	1.52	-	52.22	31.79	8.47	35.18
PK	5.489G	57.25	68.20	-10.95	5.25	3	Vertical	344	1.52	-	52.00	31.89	8.53	35.17

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

10/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	50.20	54.00	-3.80	4.77	3	Horizontal	355	1.50	-	45.43	31.61	8.37	35.21
AV	5.261G	87.26	Inf	-Inf	4.94	3	Horizontal	355	1.50	-	82.32	31.71	8.42	35.19
AV	5.351G	48.30	54.00	-5.70	5.06	3	Horizontal	355	1.50	-	43.24	31.78	8.47	35.18
PK	5.137G	63.82	74.00	-10.18	4.77	3	Horizontal	355	1.50	-	59.05	31.61	8.37	35.21
PK	5.174G	103.03	Inf	-Inf	4.82	3	Horizontal	355	1.50	-	98.21	31.64	8.39	35.20
PK	5.354G	58.31	74.00	-15.69	5.07	3	Horizontal	355	1.50	-	53.24	31.78	8.47	35.18
PK	5.479G	58.62	68.20	-9.58	5.23	3	Horizontal	355	1.50	-	53.38	31.88	8.52	35.17

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

10/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75486G	48.98	54.00	-5.02	16.41	3	Vertical	23	2.12	-	32.57	38.13	13.95	35.67
PK	15.76494G	59.42	74.00	-14.58	16.37	3	Vertical	23	2.12	-	43.04	38.10	13.96	35.68

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

10/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73542G	48.55	54.00	-5.45	16.48	3	Horizontal	61	1.29	-	32.08	38.20	13.93	35.65
PK	15.74406G	59.59	74.00	-14.41	16.45	3	Horizontal	61	1.29	-	43.15	38.17	13.94	35.66

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.44	54.00	-6.56	2.91	3	Vertical	357	1.50	-	44.53	31.78	5.67	34.54
AV	5.586G	88.94	Inf	-Inf	3.10	3	Vertical	357	1.50	-	85.84	31.94	5.73	34.57
PK	5.455G	68.84	74.00	-5.16	2.91	3	Vertical	357	1.50	-	65.93	31.78	5.67	34.54
PK	5.464G	67.93	68.20	-0.27	2.91	3	Vertical	357	1.50	-	65.02	31.79	5.67	34.54
PK	5.516G	100.48	Inf	-Inf	2.96	3	Vertical	357	1.50	-	97.52	31.83	5.68	34.54
PK	5.797G	55.83	68.20	-12.37	3.54	3	Vertical	357	1.50	-	52.29	32.28	5.89	34.62

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	46.15	54.00	-7.85	2.91	3	Horizontal	29	1.52	-	43.24	31.78	5.67	34.54
AV	5.494G	96.10	Inf	-Inf	2.93	3	Horizontal	29	1.52	-	93.18	31.80	5.67	34.54
PK	5.452G	66.89	74.00	-7.11	2.91	3	Horizontal	29	1.52	-	63.98	31.78	5.67	34.54
PK	5.467G	63.62	68.20	-4.58	2.91	3	Horizontal	29	1.52	-	60.71	31.79	5.67	34.54
PK	5.6G	100.53	Inf	-Inf	3.13	3	Horizontal	29	1.52	-	97.40	31.96	5.74	34.57
PK	5.796G	55.75	68.20	-12.45	3.54	3	Horizontal	29	1.52	-	52.21	32.27	5.89	34.62

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05064G	42.24	54.00	-11.76	13.85	3	Vertical	195	2.27	-	28.39	40.22	8.26	34.62
PK	11.05308G	55.98	74.00	-18.02	13.82	3	Vertical	195	2.27	-	42.16	40.19	8.26	34.63

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06738G	41.91	54.00	-12.09	13.94	3	Horizontal	111	1.78	-	27.97	40.31	8.24	34.61
PK	11.05682G	55.33	74.00	-18.67	13.95	3	Horizontal	111	1.78	-	41.38	40.32	8.24	34.60



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1498G	53.15	54.00	-0.85	2.73	3	Vertical	8	1.80	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149995G	53.57	54.00	-0.43	6.59	3	Vertical	0	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.146G	53.74	54.00	-0.26	6.58	3	Vertical	360	1.50	-
802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX	Pass	AV	5.149995G	53.42	54.00	-0.58	6.59	3	Vertical	1	1.72	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.37	54.00	-0.63	2.85	3	Vertical	10	1.85	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.350005G	51.79	54.00	-2.21	6.99	3	Vertical	359	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.350005G	53.15	54.00	-0.85	6.99	3	Vertical	0	1.43	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.1666G	53.72	54.00	-0.28	16.36	3	Vertical	4	2.45	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4676G	67.90	68.20	-0.30	2.91	3	Vertical	4	1.62	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.456G	53.56	54.00	-0.44	2.91	3	Vertical	4	1.61	-
802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX	Pass	AV	5.46G	52.17	54.00	-1.83	2.91	3	Vertical	6	1.56	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6266G	65.21	68.20	-2.99	5.58	3	Horizontal	3	1.50	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.51024G	47.39	54.00	-6.61	15.91	3	Horizontal	357	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.54484G	47.82	54.00	-6.18	15.87	3	Vertical	0	1.50	-

Remark :

Page No. : E1 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.15	54.00	-0.85	2.73	3	Vertical	8	1.80	-
5180MHz	Pass	AV	5.1774G	109.51	Inf	-Inf	2.75	3	Vertical	8	1.80	-
5180MHz	Pass	PK	5.149995G	66.24	74.00	-7.76	2.73	3	Vertical	8	1.80	-
5180MHz	Pass	PK	5.1762G	121.08	Inf	-Inf	2.75	3	Vertical	8	1.80	-
5180MHz	Pass	AV	5.149995G	51.31	54.00	-2.69	2.73	3	Horizontal	9	1.84	-
5180MHz	Pass	AV	5.1882G	109.27	Inf	-Inf	2.75	3	Horizontal	9	1.84	-
5180MHz	Pass	PK	5.148G	65.25	74.00	-8.75	2.73	3	Horizontal	9	1.84	-
5180MHz	Pass	PK	5.1878G	118.12	Inf	-Inf	2.75	3	Horizontal	9	1.84	-
5180MHz	Pass	PK	10.361557G	56.35	68.20	-11.85	15.30	3	Vertical	38	1.97	-
5180MHz	Pass	PK	10.358962G	57.35	68.20	-10.85	15.30	3	Horizontal	33	1.35	-
5200MHz	Pass	AV	5.1468G	50.18	54.00	-3.82	2.73	3	Vertical	5	1.71	-
5200MHz	Pass	AV	5.1944G	114.15	Inf	-Inf	2.76	3	Vertical	5	1.71	-
5200MHz	Pass	PK	5.149995G	62.51	74.00	-11.49	2.73	3	Vertical	5	1.71	-
5200MHz	Pass	PK	5.1972G	123.72	Inf	-Inf	2.76	3	Vertical	5	1.71	-
5200MHz	Pass	AV	5.1496G	49.82	54.00	-4.18	2.73	3	Horizontal	4	1.76	-
5200MHz	Pass	AV	5.2028G	114.17	Inf	-Inf	2.76	3	Horizontal	4	1.76	-
5200MHz	Pass	PK	5.1208G	61.72	74.00	-12.28	2.71	3	Horizontal	4	1.76	-
5200MHz	Pass	PK	5.2036G	122.22	Inf	-Inf	2.76	3	Horizontal	4	1.76	-
5200MHz	Pass	PK	10.39341G	57.15	68.20	-11.05	15.34	3	Vertical	54	2.34	-
5200MHz	Pass	PK	10.4011G	56.59	68.20	-11.61	15.35	3	Horizontal	25	1.42	-
5240MHz	Pass	AV	5.12G	49.35	54.00	-4.65	2.71	3	Vertical	5	1.78	-
5240MHz	Pass	AV	5.2472G	114.63	Inf	-Inf	2.79	3	Vertical	5	1.78	-
5240MHz	Pass	AV	5.3564G	48.11	54.00	-5.89	2.85	3	Vertical	5	1.78	-
5240MHz	Pass	PK	5.1164G	62.18	74.00	-11.82	2.71	3	Vertical	5	1.78	-
5240MHz	Pass	PK	5.2424G	123.28	Inf	-Inf	2.79	3	Vertical	5	1.78	-
5240MHz	Pass	PK	5.3804G	60.36	74.00	-13.64	2.87	3	Vertical	5	1.78	-
5240MHz	Pass	AV	5.1176G	48.88	54.00	-5.12	2.71	3	Horizontal	2	1.76	-
5240MHz	Pass	AV	5.2334G	112.87	Inf	-Inf	2.78	3	Horizontal	2	1.76	-
5240MHz	Pass	AV	5.3558G	48.13	54.00	-5.87	2.85	3	Horizontal	2	1.76	-
5240MHz	Pass	PK	5.1212G	61.57	74.00	-12.43	2.71	3	Horizontal	2	1.76	-
5240MHz	Pass	PK	5.2346G	122.41	Inf	-Inf	2.78	3	Horizontal	2	1.76	-
5240MHz	Pass	PK	5.3834G	60.74	74.00	-13.26	2.87	3	Horizontal	2	1.76	-
5240MHz	Pass	AV	15.7219G	45.23	54.00	-8.77	15.30	3	Vertical	322	1.52	-
5240MHz	Pass	PK	10.47142G	58.21	68.20	-9.99	15.45	3	Vertical	51	1.42	-
5240MHz	Pass	PK	15.7184G	59.02	74.00	-14.98	15.32	3	Vertical	322	1.52	-
5240MHz	Pass	AV	15.7191G	45.32	54.00	-8.68	15.32	3	Horizontal	19	2.00	-
5240MHz	Pass	PK	10.4797G	56.55	68.20	-11.65	15.45	3	Horizontal	20	1.56	-
5240MHz	Pass	PK	15.7177G	61.02	74.00	-12.98	15.32	3	Horizontal	19	2.00	-
5260MHz	Pass	AV	5.119G	48.90	54.00	-5.10	2.71	3	Vertical	5	2.00	-
5260MHz	Pass	AV	5.2522G	110.94	Inf	-Inf	2.79	3	Vertical	5	2.00	-
5260MHz	Pass	AV	5.41G	48.17	54.00	-5.83	2.89	3	Vertical	5	2.00	-
5260MHz	Pass	PK	5.1124G	61.14	74.00	-12.86	2.71	3	Vertical	5	2.00	-
5260MHz	Pass	PK	5.2552G	122.49	Inf	-Inf	2.79	3	Vertical	5	2.00	-
5260MHz	Pass	PK	5.4058G	60.32	74.00	-13.68	2.88	3	Vertical	5	2.00	-
5260MHz	Pass	AV	5.1352G	48.61	54.00	-5.39	2.72	3	Horizontal	0	1.74	-
5260MHz	Pass	AV	5.2678G	111.26	Inf	-Inf	2.80	3	Horizontal	0	1.74	-
5260MHz	Pass	AV	5.4088G	48.89	54.00	-5.11	2.88	3	Horizontal	0	1.74	-

Remark :

Page No. : E2 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.149995G	61.35	74.00	-12.65	2.73	3	Horizontal	0	1.74	-
5260MHz	Pass	PK	5.266G	120.99	Inf	-Inf	2.80	3	Horizontal	0	1.74	-
5260MHz	Pass	PK	5.3578G	60.87	74.00	-13.13	2.85	3	Horizontal	0	1.74	-
5260MHz	Pass	AV	15.7786G	44.17	54.00	-9.83	15.12	3	Vertical	15	1.49	-
5260MHz	Pass	PK	10.52005G	59.21	68.20	-8.99	15.52	3	Vertical	53	1.50	-
5260MHz	Pass	PK	15.77691G	57.74	74.00	-16.26	15.12	3	Vertical	15	1.49	-
5260MHz	Pass	AV	15.7788G	44.17	54.00	-9.83	15.12	3	Horizontal	19	1.45	-
5260MHz	Pass	PK	10.518623G	56.31	68.20	-11.89	15.51	3	Horizontal	9	1.54	-
5260MHz	Pass	PK	15.7788G	57.90	74.00	-16.10	15.12	3	Horizontal	19	1.45	-
5300MHz	Pass	AV	5.2916G	114.41	Inf	-Inf	2.81	3	Vertical	7	1.88	-
5300MHz	Pass	AV	5.3524G	48.47	54.00	-5.53	2.85	3	Vertical	7	1.88	-
5300MHz	Pass	PK	5.2924G	123.73	Inf	-Inf	2.82	3	Vertical	7	1.88	-
5300MHz	Pass	PK	5.3836G	60.40	74.00	-13.60	2.87	3	Vertical	7	1.88	-
5300MHz	Pass	AV	5.2992G	111.47	Inf	-Inf	2.82	3	Horizontal	358	1.61	-
5300MHz	Pass	AV	5.3516G	48.40	54.00	-5.60	2.85	3	Horizontal	358	1.61	-
5300MHz	Pass	PK	5.2988G	122.46	Inf	-Inf	2.82	3	Horizontal	358	1.61	-
5300MHz	Pass	PK	5.3552G	62.31	74.00	-11.69	2.85	3	Horizontal	358	1.61	-
5300MHz	Pass	AV	15.9003G	44.36	54.00	-9.64	14.70	3	Vertical	9	2.42	-
5300MHz	Pass	PK	15.89531G	57.94	74.00	-16.06	14.72	3	Vertical	9	2.42	-
5300MHz	Pass	AV	15.9014G	43.71	54.00	-10.29	14.69	3	Horizontal	326	1.48	-
5300MHz	Pass	PK	15.8996G	59.37	74.00	-14.63	14.71	3	Horizontal	326	1.48	-
5320MHz	Pass	AV	5.322G	109.18	Inf	-Inf	2.83	3	Vertical	10	1.85	-
5320MHz	Pass	AV	5.3504G	53.37	54.00	-0.63	2.85	3	Vertical	10	1.85	-
5320MHz	Pass	PK	5.3164G	120.67	Inf	-Inf	2.83	3	Vertical	10	1.85	-
5320MHz	Pass	PK	5.350005G	66.34	74.00	-7.66	2.85	3	Vertical	10	1.85	-
5320MHz	Pass	AV	5.3186G	109.95	Inf	-Inf	2.83	3	Horizontal	14	1.51	-
5320MHz	Pass	AV	5.350005G	50.29	54.00	-3.71	2.85	3	Horizontal	14	1.51	-
5320MHz	Pass	PK	5.3164G	120.69	Inf	-Inf	2.83	3	Horizontal	14	1.51	-
5320MHz	Pass	PK	5.3502G	63.57	74.00	-10.43	2.85	3	Horizontal	14	1.51	-
5320MHz	Pass	AV	15.961G	44.00	54.00	-10.00	14.49	3	Vertical	4	1.77	-
5320MHz	Pass	PK	15.95251G	58.26	74.00	-15.74	14.52	3	Vertical	4	1.77	-
5320MHz	Pass	AV	15.9599G	42.53	54.00	-11.47	14.50	3	Horizontal	24	1.11	-
5320MHz	Pass	PK	15.95311G	56.10	74.00	-17.90	14.52	3	Horizontal	24	1.11	-
5500MHz	Pass	AV	5.4544G	49.86	54.00	-4.14	2.91	3	Vertical	2	2.07	-
5500MHz	Pass	AV	5.4972G	108.47	Inf	-Inf	2.93	3	Vertical	2	2.07	-
5500MHz	Pass	PK	5.4568G	62.58	74.00	-11.42	2.91	3	Vertical	2	2.07	-
5500MHz	Pass	PK	5.4698G	65.86	68.20	-2.34	2.91	3	Vertical	2	2.07	-
5500MHz	Pass	PK	5.495G	120.31	Inf	-Inf	2.93	3	Vertical	2	2.07	-
5500MHz	Pass	AV	5.46G	49.06	54.00	-4.94	2.91	3	Horizontal	3	1.88	-
5500MHz	Pass	AV	5.508G	108.29	Inf	-Inf	2.95	3	Horizontal	3	1.88	-
5500MHz	Pass	PK	5.4572G	61.99	74.00	-12.01	2.91	3	Horizontal	3	1.88	-
5500MHz	Pass	PK	5.4686G	66.21	68.20	-1.99	2.91	3	Horizontal	3	1.88	-
5500MHz	Pass	PK	5.5052G	120.36	Inf	-Inf	2.94	3	Horizontal	3	1.88	-
5500MHz	Pass	AV	11.00594G	50.15	54.00	-3.85	16.56	3	Vertical	14	1.46	-
5500MHz	Pass	PK	11.00678G	61.97	74.00	-12.03	16.56	3	Vertical	14	1.46	-
5500MHz	Pass	AV	11.0003G	50.88	54.00	-3.12	16.57	3	Horizontal	344	1.78	-
5500MHz	Pass	PK	10.99874G	61.78	74.00	-12.22	16.57	3	Horizontal	344	1.78	-
5540MHz	Pass	AV	5.459G	48.76	54.00	-5.24	2.91	3	Vertical	7	1.75	-
5540MHz	Pass	AV	5.5394G	110.26	Inf	-Inf	3.01	3	Vertical	7	1.75	-

Remark :

Page No. : E3 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5540MHz	Pass	PK	5.4572G	61.05	74.00	-12.95	2.91	3	Vertical	7	1.75	-
5540MHz	Pass	PK	5.4656G	61.00	68.20	-7.20	2.91	3	Vertical	7	1.75	-
5540MHz	Pass	PK	5.5388G	121.66	Inf	-Inf	3.01	3	Vertical	7	1.75	-
5540MHz	Pass	AV	5.459995G	48.55	54.00	-5.45	2.91	3	Horizontal	354	1.74	-
5540MHz	Pass	AV	5.5388G	109.74	Inf	-Inf	3.01	3	Horizontal	354	1.74	-
5540MHz	Pass	PK	5.4518G	61.40	74.00	-12.60	2.91	3	Horizontal	354	1.74	-
5540MHz	Pass	PK	5.4674G	61.02	68.20	-7.18	2.91	3	Horizontal	354	1.74	-
5540MHz	Pass	PK	5.5388G	120.22	Inf	-Inf	3.01	3	Horizontal	354	1.74	-
5540MHz	Pass	AV	11.08036G	52.26	54.00	-1.74	16.46	3	Vertical	310	1.50	-
5540MHz	Pass	PK	11.08732G	64.60	74.00	-9.40	16.46	3	Vertical	310	1.50	-
5540MHz	Pass	AV	11.0872G	51.71	54.00	-2.29	16.46	3	Horizontal	311	1.49	-
5540MHz	Pass	PK	11.08714G	63.53	74.00	-10.47	16.46	3	Horizontal	311	1.49	-
5580MHz	Pass	AV	5.4552G	44.54	54.00	-9.46	2.91	3	Vertical	353	1.43	-
5580MHz	Pass	AV	5.5722G	104.97	Inf	-Inf	3.07	3	Vertical	353	1.43	-
5580MHz	Pass	PK	5.4594G	54.45	74.00	-19.55	2.91	3	Vertical	353	1.43	-
5580MHz	Pass	PK	5.4636G	54.57	68.20	-13.63	2.91	3	Vertical	353	1.43	-
5580MHz	Pass	PK	5.5776G	113.12	Inf	-Inf	3.09	3	Vertical	353	1.43	-
5580MHz	Pass	PK	5.7258G	54.94	68.20	-13.26	3.39	3	Vertical	353	1.43	-
5580MHz	Pass	AV	5.454G	46.51	54.00	-7.49	5.20	3	Horizontal	351	1.50	-
5580MHz	Pass	AV	5.5836G	105.25	Inf	-Inf	5.47	3	Horizontal	351	1.50	-
5580MHz	Pass	PK	5.448G	56.55	74.00	-17.45	5.19	3	Horizontal	351	1.50	-
5580MHz	Pass	PK	5.4636G	56.57	68.20	-11.63	5.21	3	Horizontal	351	1.50	-
5580MHz	Pass	PK	5.586G	113.45	Inf	-Inf	5.47	3	Horizontal	351	1.50	-
5580MHz	Pass	PK	5.7294G	57.41	68.20	-10.79	5.84	3	Horizontal	351	1.50	-
5580MHz	Pass	AV	11.1666G	53.72	54.00	-0.28	16.36	3	Vertical	4	2.45	-
5580MHz	Pass	PK	11.16606G	64.85	74.00	-9.15	16.36	3	Vertical	4	2.45	-
5580MHz	Pass	AV	11.15118G	50.31	54.00	-3.69	16.37	3	Horizontal	343	1.49	-
5580MHz	Pass	PK	11.15124G	61.41	74.00	-12.59	16.37	3	Horizontal	343	1.49	-
5640MHz	Pass	AV	5.6328G	111.19	Inf	-Inf	3.20	3	Vertical	4	1.65	-
5640MHz	Pass	PK	5.7308G	60.31	68.20	-7.89	3.40	3	Vertical	4	1.65	-
5640MHz	Pass	PK	5.6324G	122.23	Inf	-Inf	3.19	3	Vertical	4	1.65	-
5640MHz	Pass	AV	5.6444G	108.04	Inf	-Inf	3.22	3	Horizontal	1	1.49	-
5640MHz	Pass	PK	5.7304G	60.29	68.20	-7.91	3.40	3	Horizontal	1	1.49	-
5640MHz	Pass	PK	5.6352G	119.30	Inf	-Inf	3.20	3	Horizontal	1	1.49	-
5640MHz	Pass	AV	11.27544G	50.63	54.00	-3.37	16.22	3	Vertical	359	1.99	-
5640MHz	Pass	PK	11.27616G	62.36	74.00	-11.64	16.22	3	Vertical	359	1.99	-
5640MHz	Pass	AV	11.27016G	50.15	54.00	-3.85	16.22	3	Horizontal	21	1.49	-
5640MHz	Pass	PK	11.26878G	61.00	74.00	-13.00	16.23	3	Horizontal	21	1.49	-
5745MHz	Pass	AV	5.7462G	109.58	Inf	-Inf	5.89	3	Vertical	358	1.65	-
5745MHz	Pass	PK	5.5698G	56.94	68.20	-11.26	5.43	3	Vertical	358	1.65	-
5745MHz	Pass	PK	5.7462G	116.37	Inf	-Inf	5.89	3	Vertical	358	1.65	-
5745MHz	Pass	PK	5.9286G	56.63	68.20	-11.57	6.35	3	Vertical	358	1.65	-
5745MHz	Pass	AV	5.7378G	108.86	Inf	-Inf	5.86	3	Horizontal	357	1.68	-
5745MHz	Pass	PK	5.589G	57.30	68.20	-10.90	5.48	3	Horizontal	357	1.68	-
5745MHz	Pass	PK	5.739G	114.59	Inf	-Inf	5.87	3	Horizontal	357	1.68	-
5745MHz	Pass	PK	5.949G	57.07	68.20	-11.13	6.40	3	Horizontal	357	1.68	-
5745MHz	Pass	AV	11.48376G	46.53	54.00	-7.47	15.94	3	Vertical	356	1.50	-
5745MHz	Pass	PK	11.4789G	57.00	74.00	-17.00	15.95	3	Vertical	356	1.50	-
5745MHz	Pass	AV	11.47938G	46.42	54.00	-7.58	15.95	3	Horizontal	317	1.49	-

Remark :

Page No. : E4 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	11.49024G	55.40	74.00	-18.60	15.94	3	Horizontal	317	1.49	-
5785MHz	Pass	AV	5.7826G	110.00	Inf	-Inf	5.98	3	Vertical	358	1.50	-
5785MHz	Pass	PK	5.5522G	63.90	68.20	-4.30	5.39	3	Vertical	358	1.50	-
5785MHz	Pass	PK	5.7826G	117.25	Inf	-Inf	5.98	3	Vertical	358	1.50	-
5785MHz	Pass	PK	5.959G	64.10	68.20	-4.10	6.43	3	Vertical	358	1.50	-
5785MHz	Pass	AV	5.7778G	105.37	Inf	-Inf	5.96	3	Horizontal	3	1.50	-
5785MHz	Pass	PK	5.6266G	65.21	68.20	-2.99	5.58	3	Horizontal	3	1.50	-
5785MHz	Pass	PK	5.791G	112.45	Inf	-Inf	6.00	3	Horizontal	3	1.50	-
5785MHz	Pass	PK	5.9602G	64.69	68.20	-3.51	6.43	3	Horizontal	3	1.50	-
5785MHz	Pass	AV	11.57378G	46.41	54.00	-7.59	15.84	3	Vertical	237	1.48	-
5785MHz	Pass	PK	11.5667G	55.38	74.00	-18.62	15.85	3	Vertical	237	1.48	-
5785MHz	Pass	AV	11.57966G	46.37	54.00	-7.63	15.82	3	Horizontal	175	1.50	-
5785MHz	Pass	PK	11.57468G	56.23	74.00	-17.77	15.84	3	Horizontal	175	1.50	-
5825MHz	Pass	AV	5.8214G	109.12	Inf	-Inf	6.08	3	Vertical	6	1.50	-
5825MHz	Pass	PK	5.5646G	64.23	68.20	-3.97	5.42	3	Vertical	6	1.50	-
5825MHz	Pass	PK	5.8202G	117.83	Inf	-Inf	6.07	3	Vertical	6	1.50	-
5825MHz	Pass	PK	5.9606G	64.30	68.20	-3.90	6.43	3	Vertical	6	1.50	-
5825MHz	Pass	AV	5.8286G	108.11	Inf	-Inf	6.09	3	Horizontal	357	1.79	-
5825MHz	Pass	PK	5.6042G	64.27	68.20	-3.93	5.52	3	Horizontal	357	1.79	-
5825MHz	Pass	PK	5.8286G	115.19	Inf	-Inf	6.09	3	Horizontal	357	1.79	-
5825MHz	Pass	PK	5.951G	64.46	68.20	-3.74	6.41	3	Horizontal	357	1.79	-
5825MHz	Pass	AV	11.65324G	46.47	54.00	-7.53	15.73	3	Vertical	256	1.51	-
5825MHz	Pass	PK	11.64946G	56.15	74.00	-17.85	15.74	3	Vertical	256	1.51	-
5825MHz	Pass	AV	11.64814G	46.58	54.00	-7.42	15.74	3	Horizontal	330	1.59	-
5825MHz	Pass	PK	11.65438G	55.98	74.00	-18.02	15.73	3	Horizontal	330	1.59	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.149995G	53.57	54.00	-0.43	6.59	3	Vertical	0	1.50	-
5190MHz	Pass	AV	5.192G	104.23	Inf	-Inf	6.67	3	Vertical	0	1.50	-
5190MHz	Pass	PK	5.148G	67.17	74.00	-6.83	6.59	3	Vertical	0	1.50	-
5190MHz	Pass	PK	5.178G	115.73	Inf	-Inf	6.65	3	Vertical	0	1.50	-
5190MHz	Pass	AV	5.149995G	51.47	54.00	-2.53	6.59	3	Horizontal	0	1.43	-
5190MHz	Pass	AV	5.1828G	102.54	Inf	-Inf	6.66	3	Horizontal	0	1.43	-
5190MHz	Pass	PK	5.1496G	64.91	74.00	-9.09	6.59	3	Horizontal	0	1.43	-
5190MHz	Pass	PK	5.1988G	113.97	Inf	-Inf	6.69	3	Horizontal	0	1.43	-
5190MHz	Pass	PK	10.39966G	56.29	68.20	-11.91	15.35	3	Vertical	360	1.24	-
5190MHz	Pass	PK	10.40026G	55.98	68.20	-12.22	15.35	3	Horizontal	42	2.07	-
5230MHz	Pass	AV	5.149995G	51.39	54.00	-2.61	6.59	3	Vertical	0	1.47	-
5230MHz	Pass	AV	5.2412G	111.08	Inf	-Inf	6.77	3	Vertical	0	1.47	-
5230MHz	Pass	PK	5.1484G	70.14	74.00	-3.86	6.59	3	Vertical	0	1.47	-
5230MHz	Pass	PK	5.2428G	122.47	Inf	-Inf	6.78	3	Vertical	0	1.47	-
5230MHz	Pass	AV	5.149995G	50.01	54.00	-3.99	6.59	3	Horizontal	358	1.61	-
5230MHz	Pass	AV	5.222G	109.86	Inf	-Inf	6.73	3	Horizontal	358	1.61	-
5230MHz	Pass	PK	5.1488G	67.24	74.00	-6.76	6.59	3	Horizontal	358	1.61	-
5230MHz	Pass	PK	5.2192G	120.69	Inf	-Inf	6.73	3	Horizontal	358	1.61	-
5230MHz	Pass	PK	10.4556G	54.65	68.20	-13.55	12.59	3	Vertical	293	1.50	-
5230MHz	Pass	PK	10.443G	54.28	68.20	-13.92	12.55	3	Horizontal	128	1.50	-
5270MHz	Pass	AV	5.2712G	111.39	Inf	-Inf	6.83	3	Vertical	12	1.50	-
5270MHz	Pass	AV	5.3504G	47.48	54.00	-6.52	6.99	3	Vertical	12	1.50	-
5270MHz	Pass	PK	5.2712G	120.21	Inf	-Inf	6.83	3	Vertical	12	1.50	-

Remark :

Page No. : E5 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	5.352G	62.75	74.00	-11.25	6.99	3	Vertical	12	1.50	-
5270MHz	Pass	AV	5.2844G	111.01	Inf	-Inf	6.86	3	Horizontal	0	1.62	-
5270MHz	Pass	AV	5.3504G	48.30	54.00	-5.70	6.99	3	Horizontal	0	1.62	-
5270MHz	Pass	PK	5.2852G	121.61	Inf	-Inf	6.86	3	Horizontal	0	1.62	-
5270MHz	Pass	PK	5.350005G	65.17	74.00	-8.83	6.99	3	Horizontal	0	1.62	-
5270MHz	Pass	AV	15.8188G	43.62	54.00	-10.38	12.78	3	Vertical	11	1.50	-
5270MHz	Pass	PK	15.8522G	57.04	74.00	-16.96	12.62	3	Vertical	11	1.50	-
5270MHz	Pass	PK	10.5116G	54.95	68.20	-13.25	12.74	3	Horizontal	154	1.50	-
5310MHz	Pass	AV	5.3216G	106.51	Inf	-Inf	6.93	3	Vertical	359	1.50	-
5310MHz	Pass	AV	5.350005G	51.79	54.00	-2.21	6.99	3	Vertical	359	1.50	-
5310MHz	Pass	PK	5.3212G	118.55	Inf	-Inf	6.93	3	Vertical	359	1.50	-
5310MHz	Pass	PK	5.350005G	68.51	74.00	-5.49	6.99	3	Vertical	359	1.50	-
5310MHz	Pass	AV	5.296G	105.21	Inf	-Inf	6.88	3	Horizontal	0	1.56	-
5310MHz	Pass	AV	5.350005G	49.88	54.00	-4.12	6.99	3	Horizontal	0	1.56	-
5310MHz	Pass	PK	5.3012G	116.69	Inf	-Inf	6.89	3	Horizontal	0	1.56	-
5310MHz	Pass	PK	5.350005G	66.13	74.00	-7.87	6.99	3	Horizontal	0	1.56	-
5310MHz	Pass	AV	10.6026G	41.21	54.00	-12.79	12.97	3	Vertical	145	1.50	-
5310MHz	Pass	PK	10.6176G	55.22	74.00	-18.78	13.01	3	Vertical	145	1.50	-
5310MHz	Pass	AV	10.6048G	41.28	54.00	-12.72	12.98	3	Horizontal	226	1.50	-
5310MHz	Pass	PK	10.6288G	54.83	74.00	-19.17	13.04	3	Horizontal	226	1.50	-
5510MHz	Pass	AV	5.46G	50.25	54.00	-3.75	2.91	3	Vertical	4	1.62	-
5510MHz	Pass	AV	5.4984G	99.49	Inf	-Inf	2.93	3	Vertical	4	1.62	-
5510MHz	Pass	PK	5.46G	63.98	74.00	-10.02	2.91	3	Vertical	4	1.62	-
5510MHz	Pass	PK	5.4676G	67.90	68.20	-0.30	2.91	3	Vertical	4	1.62	-
5510MHz	Pass	PK	5.5G	111.62	Inf	-Inf	2.93	3	Vertical	4	1.62	-
5510MHz	Pass	AV	5.4592G	48.58	54.00	-5.42	2.91	3	Horizontal	0	1.54	-
5510MHz	Pass	AV	5.5016G	98.77	Inf	-Inf	2.93	3	Horizontal	0	1.54	-
5510MHz	Pass	PK	5.4412G	61.39	74.00	-12.61	2.90	3	Horizontal	0	1.54	-
5510MHz	Pass	PK	5.4696G	62.44	68.20	-5.76	2.91	3	Horizontal	0	1.54	-
5510MHz	Pass	PK	5.5024G	110.57	Inf	-Inf	2.93	3	Horizontal	0	1.54	-
5510MHz	Pass	AV	11.03416G	48.67	54.00	-5.33	16.52	3	Vertical	354	1.63	-
5510MHz	Pass	PK	11.0269G	58.80	74.00	-15.20	16.53	3	Vertical	354	1.63	-
5510MHz	Pass	AV	11.03236G	47.90	54.00	-6.10	16.52	3	Horizontal	41	2.07	-
5510MHz	Pass	PK	11.00614G	58.22	74.00	-15.78	16.56	3	Horizontal	41	2.07	-
5550MHz	Pass	AV	5.458G	48.81	54.00	-5.19	2.91	3	Vertical	4	1.50	-
5550MHz	Pass	AV	5.5408G	104.57	Inf	-Inf	3.01	3	Vertical	4	1.50	-
5550MHz	Pass	PK	5.4552G	63.91	74.00	-10.09	2.91	3	Vertical	4	1.50	-
5550MHz	Pass	PK	5.4664G	67.61	68.20	-0.59	2.91	3	Vertical	4	1.50	-
5550MHz	Pass	PK	5.5352G	117.12	Inf	-Inf	3.00	3	Vertical	4	1.50	-
5550MHz	Pass	AV	5.4532G	48.33	54.00	-5.67	2.91	3	Horizontal	0	1.54	-
5550MHz	Pass	AV	5.5528G	104.02	Inf	-Inf	3.04	3	Horizontal	0	1.54	-
5550MHz	Pass	PK	5.4536G	61.02	74.00	-12.98	2.91	3	Horizontal	0	1.54	-
5550MHz	Pass	PK	5.4636G	61.68	68.20	-6.52	2.91	3	Horizontal	0	1.54	-
5550MHz	Pass	PK	5.5564G	115.91	Inf	-Inf	3.04	3	Horizontal	0	1.54	-
5550MHz	Pass	AV	11.09796G	52.79	54.00	-1.21	16.44	3	Vertical	47	1.63	-
5550MHz	Pass	PK	11.10012G	63.15	74.00	-10.85	16.44	3	Vertical	47	1.63	-
5550MHz	Pass	AV	11.11104G	49.56	54.00	-4.44	16.43	3	Horizontal	342	1.50	-
5550MHz	Pass	PK	11.091G	60.81	74.00	-13.19	16.45	3	Horizontal	342	1.50	-
5590MHz	Pass	AV	5.459995G	48.66	54.00	-5.34	2.91	3	Vertical	5	1.61	-

Remark :

Page No. : E6 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5590MHz	Pass	AV	5.587G	108.97	Inf	-Inf	3.10	3	Vertical	5	1.61	-
5590MHz	Pass	PK	5.458G	62.05	74.00	-11.95	2.91	3	Vertical	5	1.61	-
5590MHz	Pass	PK	5.467G	65.73	68.20	-2.47	2.91	3	Vertical	5	1.61	-
5590MHz	Pass	PK	5.7328G	60.28	68.20	-7.92	3.40	3	Vertical	5	1.61	-
5590MHz	Pass	PK	5.5858G	120.26	Inf	-Inf	3.10	3	Vertical	5	1.61	-
5590MHz	Pass	AV	5.459995G	48.33	54.00	-5.67	2.91	3	Horizontal	8	1.50	-
5590MHz	Pass	AV	5.6014G	107.25	Inf	-Inf	3.13	3	Horizontal	8	1.50	-
5590MHz	Pass	PK	5.455G	62.52	74.00	-11.48	2.91	3	Horizontal	8	1.50	-
5590MHz	Pass	PK	5.4658G	63.21	68.20	-4.99	2.91	3	Horizontal	8	1.50	-
5590MHz	Pass	PK	5.74G	60.93	68.20	-7.27	3.42	3	Horizontal	8	1.50	-
5590MHz	Pass	PK	5.6038G	118.39	Inf	-Inf	3.14	3	Horizontal	8	1.50	-
5590MHz	Pass	AV	11.195G	53.04	54.00	-0.96	16.32	3	Vertical	355	1.50	-
5590MHz	Pass	PK	11.17454G	63.71	74.00	-10.29	16.35	3	Vertical	355	1.50	-
5590MHz	Pass	AV	11.16698G	52.81	54.00	-1.19	16.36	3	Horizontal	27	1.67	-
5590MHz	Pass	PK	11.16632G	63.23	74.00	-10.77	16.36	3	Horizontal	27	1.67	-
5630MHz	Pass	AV	5.621G	108.27	Inf	-Inf	3.17	3	Vertical	4	1.58	-
5630MHz	Pass	PK	5.7332G	60.96	68.20	-7.24	3.40	3	Vertical	4	1.58	-
5630MHz	Pass	PK	5.6186G	120.50	Inf	-Inf	3.17	3	Vertical	4	1.58	-
5630MHz	Pass	AV	5.627G	106.01	Inf	-Inf	3.18	3	Horizontal	1	1.64	-
5630MHz	Pass	PK	5.75G	61.26	68.20	-6.94	3.44	3	Horizontal	1	1.64	-
5630MHz	Pass	PK	5.6246G	118.40	Inf	-Inf	3.18	3	Horizontal	1	1.64	-
5630MHz	Pass	AV	11.2474G	50.42	54.00	-3.58	16.25	3	Vertical	357	1.50	-
5630MHz	Pass	PK	11.25562G	63.03	74.00	-10.97	16.25	3	Vertical	357	1.50	-
5630MHz	Pass	AV	11.26834G	50.45	54.00	-3.55	16.23	3	Horizontal	336	1.50	-
5630MHz	Pass	PK	11.25886G	61.26	74.00	-12.74	16.24	3	Horizontal	336	1.50	-
5755MHz	Pass	AV	5.7442G	110.43	Inf	-Inf	5.88	3	Vertical	357	1.51	-
5755MHz	Pass	PK	5.6434G	58.04	68.20	-10.16	5.62	3	Vertical	357	1.51	-
5755MHz	Pass	PK	5.761G	114.53	Inf	-Inf	5.92	3	Vertical	357	1.51	-
5755MHz	Pass	PK	5.9794G	58.81	68.20	-9.39	6.48	3	Vertical	357	1.51	-
5755MHz	Pass	AV	5.749G	107.38	Inf	-Inf	5.89	3	Horizontal	359	1.49	-
5755MHz	Pass	PK	5.6398G	58.23	68.20	-9.97	5.61	3	Horizontal	359	1.49	-
5755MHz	Pass	PK	5.7478G	114.48	Inf	-Inf	5.89	3	Horizontal	359	1.49	-
5755MHz	Pass	PK	5.941G	58.95	68.20	-9.25	6.38	3	Horizontal	359	1.49	-
5755MHz	Pass	AV	11.50112G	47.06	54.00	-6.94	15.93	3	Vertical	318	1.50	-
5755MHz	Pass	PK	11.50154G	56.36	74.00	-17.64	15.93	3	Vertical	318	1.50	-
5755MHz	Pass	AV	11.51024G	47.39	54.00	-6.61	15.91	3	Horizontal	357	1.50	-
5755MHz	Pass	PK	11.51018G	55.64	74.00	-18.36	15.91	3	Horizontal	357	1.50	-
5795MHz	Pass	AV	5.7998G	106.48	Inf	-Inf	6.02	3	Vertical	359	1.50	-
5795MHz	Pass	PK	5.5466G	59.46	68.20	-8.74	5.38	3	Vertical	359	1.50	-
5795MHz	Pass	PK	5.7998G	115.41	Inf	-Inf	6.02	3	Vertical	359	1.50	-
5795MHz	Pass	PK	5.9282G	58.77	68.20	-9.43	6.35	3	Vertical	359	1.50	-
5795MHz	Pass	AV	5.789G	106.69	Inf	-Inf	5.99	3	Horizontal	358	1.49	-
5795MHz	Pass	PK	5.6306G	58.71	68.20	-9.49	5.59	3	Horizontal	358	1.49	-
5795MHz	Pass	PK	5.8058G	111.81	Inf	-Inf	6.04	3	Horizontal	358	1.49	-
5795MHz	Pass	PK	5.9426G	58.63	68.20	-9.57	6.39	3	Horizontal	358	1.49	-
5795MHz	Pass	AV	11.58646G	46.80	54.00	-7.20	15.82	3	Vertical	3	1.58	-
5795MHz	Pass	PK	11.5942G	55.43	74.00	-18.57	15.81	3	Vertical	3	1.58	-
5795MHz	Pass	AV	11.58934G	46.88	54.00	-7.12	15.82	3	Horizontal	317	1.52	-
5795MHz	Pass	PK	11.5843G	56.25	74.00	-17.75	15.82	3	Horizontal	317	1.52	-

Remark :

Page No. : E7 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	53.74	54.00	-0.26	6.58	3	Vertical	360	1.50	-
5210MHz	Pass	AV	5.187G	102.34	Inf	-Inf	6.66	3	Vertical	360	1.50	-
5210MHz	Pass	AV	5.358G	46.37	54.00	-7.63	7.01	3	Vertical	360	1.50	-
5210MHz	Pass	PK	5.148G	69.42	74.00	-4.58	6.59	3	Vertical	360	1.50	-
5210MHz	Pass	PK	5.179G	114.11	Inf	-Inf	6.65	3	Vertical	360	1.50	-
5210MHz	Pass	PK	5.383G	59.09	74.00	-14.91	7.06	3	Vertical	360	1.50	-
5210MHz	Pass	AV	5.144G	50.65	54.00	-3.35	6.58	3	Horizontal	16	1.75	-
5210MHz	Pass	AV	5.182G	98.13	Inf	-Inf	6.65	3	Horizontal	16	1.75	-
5210MHz	Pass	AV	5.364G	46.12	54.00	-7.88	7.02	3	Horizontal	16	1.75	-
5210MHz	Pass	PK	5.148G	62.95	74.00	-11.05	6.59	3	Horizontal	16	1.75	-
5210MHz	Pass	PK	5.181G	109.58	Inf	-Inf	6.65	3	Horizontal	16	1.75	-
5210MHz	Pass	PK	5.373G	58.31	74.00	-15.69	7.04	3	Horizontal	16	1.75	-
5210MHz	Pass	PK	10.4172G	54.50	68.20	-13.70	12.48	3	Vertical	162	1.50	-
5210MHz	Pass	PK	10.3718G	54.51	68.20	-13.69	12.37	3	Horizontal	217	1.50	-
5290MHz	Pass	AV	5.149G	49.36	54.00	-4.64	6.59	3	Vertical	0	1.43	-
5290MHz	Pass	AV	5.268G	106.43	Inf	-Inf	6.83	3	Vertical	0	1.43	-
5290MHz	Pass	AV	5.350005G	53.15	54.00	-0.85	6.99	3	Vertical	0	1.43	-
5290MHz	Pass	PK	5.148G	61.85	74.00	-12.15	6.59	3	Vertical	0	1.43	-
5290MHz	Pass	PK	5.258G	116.26	Inf	-Inf	6.81	3	Vertical	0	1.43	-
5290MHz	Pass	PK	5.351G	65.91	74.00	-8.09	6.99	3	Vertical	0	1.43	-
5290MHz	Pass	AV	5.149995G	47.51	54.00	-6.49	6.59	3	Horizontal	360	1.62	-
5290MHz	Pass	AV	5.287G	104.31	Inf	-Inf	6.86	3	Horizontal	360	1.62	-
5290MHz	Pass	AV	5.350005G	52.19	54.00	-1.81	6.99	3	Horizontal	360	1.62	-
5290MHz	Pass	PK	5.143G	59.75	74.00	-14.25	6.58	3	Horizontal	360	1.62	-
5290MHz	Pass	PK	5.259G	114.67	Inf	-Inf	6.81	3	Horizontal	360	1.62	-
5290MHz	Pass	PK	5.361G	67.44	74.00	-6.56	7.01	3	Horizontal	360	1.62	-
5290MHz	Pass	AV	10.6008G	41.26	54.00	-12.74	12.97	3	Vertical	53	1.50	-
5290MHz	Pass	PK	10.6266G	54.48	74.00	-19.52	13.04	3	Vertical	53	1.50	-
5290MHz	Pass	PK	10.5962G	54.44	68.20	-13.76	12.96	3	Horizontal	225	1.50	-
5530MHz	Pass	AV	5.456G	53.56	54.00	-0.44	2.91	3	Vertical	4	1.61	-
5530MHz	Pass	AV	5.506G	95.93	Inf	-Inf	2.94	3	Vertical	4	1.61	-
5530MHz	Pass	PK	5.46G	65.40	74.00	-8.60	2.91	3	Vertical	4	1.61	-
5530MHz	Pass	PK	5.469G	65.53	68.20	-2.67	2.91	3	Vertical	4	1.61	-
5530MHz	Pass	PK	5.741G	60.18	68.20	-8.02	3.42	3	Vertical	4	1.61	-
5530MHz	Pass	PK	5.508G	108.89	Inf	-Inf	2.95	3	Vertical	4	1.61	-
5530MHz	Pass	AV	5.447G	49.09	54.00	-4.91	2.90	3	Horizontal	0	1.55	-
5530MHz	Pass	AV	5.548G	96.74	Inf	-Inf	3.03	3	Horizontal	0	1.55	-
5530MHz	Pass	PK	5.438G	61.92	74.00	-12.08	2.90	3	Horizontal	0	1.55	-
5530MHz	Pass	PK	5.466G	62.47	68.20	-5.73	2.91	3	Horizontal	0	1.55	-
5530MHz	Pass	PK	5.549G	107.58	Inf	-Inf	3.03	3	Horizontal	0	1.55	-
5530MHz	Pass	PK	5.74G	59.77	68.20	-8.43	3.42	3	Horizontal	0	1.55	-
5530MHz	Pass	AV	11.07404G	48.33	54.00	-5.67	16.48	3	Vertical	1	2.09	-
5530MHz	Pass	PK	11.0627G	57.09	74.00	-16.91	16.50	3	Vertical	1	2.09	-
5530MHz	Pass	AV	11.07008G	47.88	54.00	-6.12	16.48	3	Horizontal	298	1.50	-
5530MHz	Pass	PK	11.04734G	56.51	74.00	-17.49	16.51	3	Horizontal	298	1.50	-
5610MHz	Pass	AV	5.459G	50.79	54.00	-3.21	2.91	3	Vertical	6	1.56	-
5610MHz	Pass	AV	5.59G	102.24	Inf	-Inf	3.11	3	Vertical	6	1.56	-
5610MHz	Pass	PK	5.455G	67.05	74.00	-6.95	2.91	3	Vertical	6	1.56	-

Remark :

Page No. : E8 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	5.467G	67.59	68.20	-0.61	2.91	3	Vertical	6	1.56	-
5610MHz	Pass	PK	5.586G	118.77	Inf	-Inf	3.10	3	Vertical	6	1.56	-
5610MHz	Pass	PK	5.782G	61.19	68.20	-7.01	3.51	3	Vertical	6	1.56	-
5610MHz	Pass	AV	5.455G	50.23	54.00	-3.77	2.91	3	Horizontal	2	1.56	-
5610MHz	Pass	AV	5.587G	102.03	Inf	-Inf	3.10	3	Horizontal	2	1.56	-
5610MHz	Pass	PK	5.455G	64.63	74.00	-9.37	2.91	3	Horizontal	2	1.56	-
5610MHz	Pass	PK	5.466G	63.26	68.20	-4.94	2.91	3	Horizontal	2	1.56	-
5610MHz	Pass	PK	5.632G	112.29	Inf	-Inf	3.19	3	Horizontal	2	1.56	-
5610MHz	Pass	PK	5.755G	60.65	68.20	-7.55	3.45	3	Horizontal	2	1.56	-
5610MHz	Pass	AV	11.23398G	49.03	54.00	-4.97	16.27	3	Vertical	3	1.50	-
5610MHz	Pass	PK	11.20968G	57.28	74.00	-16.72	16.31	3	Vertical	3	1.50	-
5610MHz	Pass	AV	11.20818G	49.54	54.00	-4.46	16.31	3	Horizontal	355	1.39	-
5610MHz	Pass	PK	11.23122G	57.48	74.00	-16.52	16.27	3	Horizontal	355	1.39	-
5775MHz	Pass	AV	5.7774G	102.05	Inf	-Inf	5.96	3	Vertical	358	1.50	-
5775MHz	Pass	PK	5.5206G	57.89	68.20	-10.31	5.31	3	Vertical	358	1.50	-
5775MHz	Pass	PK	5.787G	109.71	Inf	-Inf	5.99	3	Vertical	358	1.50	-
5775MHz	Pass	PK	5.9742G	58.84	68.20	-9.36	6.47	3	Vertical	358	1.50	-
5775MHz	Pass	AV	5.763G	99.81	Inf	-Inf	5.93	3	Horizontal	359	1.51	-
5775MHz	Pass	PK	5.619G	57.69	68.20	-10.51	5.56	3	Horizontal	359	1.51	-
5775MHz	Pass	PK	5.7654G	107.51	Inf	-Inf	5.93	3	Horizontal	359	1.51	-
5775MHz	Pass	PK	5.9514G	58.47	68.20	-9.73	6.41	3	Horizontal	359	1.51	-
5775MHz	Pass	AV	11.54484G	47.82	54.00	-6.18	15.87	3	Vertical	0	1.50	-
5775MHz	Pass	PK	11.54106G	56.38	74.00	-17.62	15.88	3	Vertical	0	1.50	-
5775MHz	Pass	AV	11.54106G	46.69	54.00	-7.31	15.88	3	Horizontal	360	1.50	-
5775MHz	Pass	PK	11.55978G	55.48	74.00	-18.52	15.85	3	Horizontal	360	1.50	-
802.11ac VHT80+80-BF_Nss2.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210#5290MHz	Pass	AV	5.149995G	53.42	54.00	-0.58	6.59	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	AV	5.181G	99.96	Inf	-Inf	6.65	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	AV	5.354G	46.99	54.00	-7.01	7.00	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	PK	5.142G	67.21	74.00	-6.79	6.57	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	PK	5.178G	110.97	Inf	-Inf	6.65	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	PK	5.353G	59.53	74.00	-14.47	7.00	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	PK	5.499G	57.05	68.20	-11.15	7.28	3	Vertical	1	1.72	-
#5210#5290MHz	Pass	AV	5.149995G	50.37	54.00	-3.63	6.59	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	AV	5.179G	100.34	Inf	-Inf	6.65	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	AV	5.352G	47.23	54.00	-6.77	6.99	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	PK	5.124G	62.25	74.00	-11.75	6.54	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	PK	5.177G	106.29	Inf	-Inf	6.64	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	PK	5.358G	58.47	74.00	-15.53	7.01	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	PK	5.464G	57.83	68.20	-10.37	7.21	3	Horizontal	3	1.39	-
#5210#5290MHz	Pass	PK	10.4088G	54.14	68.20	-14.06	12.46	3	Vertical	249	1.50	-
#5210#5290MHz	Pass	PK	10.399G	54.10	68.20	-14.10	12.44	3	Horizontal	74	1.50	-
#5530#5610MHz	Pass	AV	5.46G	52.17	54.00	-1.83	2.91	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	AV	5.496G	98.25	Inf	-Inf	2.93	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	PK	5.455G	65.54	74.00	-8.46	2.91	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	PK	5.462G	65.55	68.20	-2.65	2.91	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	PK	5.533G	105.48	Inf	-Inf	3.00	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	PK	5.779G	60.83	68.20	-7.37	3.50	3	Vertical	6	1.56	-
#5530#5610MHz	Pass	AV	5.45G	50.57	54.00	-3.43	2.91	3	Horizontal	1	1.99	-

Remark :

Page No. : E9 of E130

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

943007



RSE TX above 1GHz (Antenna Gain 15 dBi) Beamforming

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
#5530#5610MHz	Pass	AV	5.506G	94.76	Inf	-Inf	2.94	3	Horizontal	1	1.99	-
#5530#5610MHz	Pass	PK	5.455G	62.58	74.00	-11.42	2.91	3	Horizontal	1	1.99	-
#5530#5610MHz	Pass	PK	5.465G	62.81	68.20	-5.39	2.91	3	Horizontal	1	1.99	-
#5530#5610MHz	Pass	PK	5.745G	61.12	68.20	-7.08	3.43	3	Horizontal	1	1.99	-
#5530#5610MHz	Pass	PK	5.629G	104.97	Inf	-Inf	3.19	3	Horizontal	1	1.99	-
#5530#5610MHz	Pass	AV	11.2176G	42.92	54.00	-11.08	13.74	3	Vertical	14	1.35	-
#5530#5610MHz	Pass	PK	11.1752G	55.12	74.00	-18.88	13.79	3	Vertical	14	1.35	-
#5530#5610MHz	Pass	AV	11.234G	42.16	54.00	-11.84	13.71	3	Horizontal	148	1.50	-
#5530#5610MHz	Pass	PK	11.1912G	54.19	74.00	-19.81	13.77	3	Horizontal	148	1.50	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)


Page No. : E10 of E130

943007

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

02/01/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.15	54.00	-0.85	2.73	3	Vertical	8	1.80	-	50.42	31.66	5.62	34.55
AV	5.1774G	109.51	Inf	-Inf	2.75	3	Vertical	8	1.80	-	106.76	31.67	5.63	34.55
PK	5.149995G	66.24	74.00	-7.76	2.73	3	Vertical	8	1.80	-	63.51	31.66	5.62	34.55
PK	5.1762G	121.08	Inf	-Inf	2.75	3	Vertical	8	1.80	-	118.34	31.67	5.63	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

02/01/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	51.31	54.00	-2.69	2.73	3	Horizontal	9	1.84	-	48.58	31.66	5.62	34.55
AV	5.1882G	109.27	Inf	-Inf	2.75	3	Horizontal	9	1.84	-	106.52	31.68	5.63	34.55
PK	5.148G	65.25	74.00	-8.75	2.73	3	Horizontal	9	1.84	-	62.52	31.66	5.62	34.55
PK	5.1878G	118.12	Inf	-Inf	2.75	3	Horizontal	9	1.84	-	115.37	31.68	5.63	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.361557G	56.35	68.20	-11.85	15.30	3	Vertical	38	1.97	-	41.05	39.17	7.16	31.03

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.358962G	57.35	68.20	-10.85	15.30	3	Horizontal	33	1.35	-	42.05	39.17	7.16	31.03

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

02/01/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	50.18	54.00	-3.82	2.73	3	Vertical	5	1.71	-	47.45	31.66	5.62	34.55
AV	5.1944G	114.15	Inf	-Inf	2.76	3	Vertical	5	1.71	-	111.39	31.68	5.63	34.55
PK	5.149995G	62.51	74.00	-11.49	2.73	3	Vertical	5	1.71	-	59.78	31.66	5.62	34.55
PK	5.1972G	123.72	Inf	-Inf	2.76	3	Vertical	5	1.71	-	120.96	31.68	5.63	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

02/01/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.82	54.00	-4.18	2.73	3	Horizontal	4	1.76	-	47.09	31.66	5.62	34.55
AV	5.2028G	114.17	Inf	-Inf	2.76	3	Horizontal	4	1.76	-	111.41	31.68	5.63	34.55
PK	5.1208G	61.72	74.00	-12.28	2.71	3	Horizontal	4	1.76	-	59.00	31.65	5.61	34.55
PK	5.2036G	122.22	Inf	-Inf	2.76	3	Horizontal	4	1.76	-	119.46	31.68	5.63	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39341G	57.15	68.20	-11.05	15.34	3	Vertical	54	2.34	-	41.81	39.21	7.17	31.04

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4011G	56.59	68.20	-11.61	15.35	3	Horizontal	25	1.42	-	41.24	39.22	7.17	31.04

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	49.35	54.00	-4.65	2.71	3	Vertical	5	1.78	-	46.64	31.65	5.61	34.55
AV	5.2472G	114.63	Inf	-Inf	2.79	3	Vertical	5	1.78	-	111.84	31.70	5.63	34.55
AV	5.3564G	48.11	54.00	-5.89	2.85	3	Vertical	5	1.78	-	45.25	31.74	5.65	34.54
PK	5.1164G	62.18	74.00	-11.82	2.71	3	Vertical	5	1.78	-	59.47	31.65	5.61	34.55
PK	5.2424G	123.28	Inf	-Inf	2.79	3	Vertical	5	1.78	-	120.50	31.70	5.63	34.55
PK	5.3804G	60.36	74.00	-13.64	2.87	3	Vertical	5	1.78	-	57.49	31.75	5.66	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1176G	48.88	54.00	-5.12	2.71	3	Horizontal	2	1.76	-	46.17	31.65	5.61	34.55
AV	5.2334G	112.87	Inf	-Inf	2.78	3	Horizontal	2	1.76	-	110.09	31.69	5.63	34.55
AV	5.3558G	48.13	54.00	-5.87	2.85	3	Horizontal	2	1.76	-	45.28	31.74	5.65	34.54
PK	5.1212G	61.57	74.00	-12.43	2.71	3	Horizontal	2	1.76	-	58.85	31.65	5.61	34.55
PK	5.2346G	122.41	Inf	-Inf	2.78	3	Horizontal	2	1.76	-	119.63	31.69	5.63	34.55
PK	5.3834G	60.74	74.00	-13.26	2.87	3	Horizontal	2	1.76	-	57.87	31.75	5.66	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7219G	45.23	54.00	-8.77	15.30	3	Vertical	322	1.52	-	29.93	38.18	9.06	31.94
PK	10.47142G	58.21	68.20	-9.99	15.45	3	Vertical	51	1.42	-	42.76	39.31	7.19	31.05
PK	15.7184G	59.02	74.00	-14.98	15.32	3	Vertical	322	1.52	-	43.70	38.20	9.06	31.94

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7191G	45.32	54.00	-8.68	15.32	3	Horizontal	19	2.00	-	30.00	38.20	9.06	31.94
PK	10.4797G	56.55	68.20	-11.65	15.45	3	Horizontal	20	1.56	-	41.10	39.32	7.19	31.06
PK	15.7177G	61.02	74.00	-12.98	15.32	3	Horizontal	19	2.00	-	45.70	38.20	9.06	31.94

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.119G	48.90	54.00	-5.10	2.71	3	Vertical	5	2.00	-	46.19	31.65	5.61	34.55
AV	5.252G	110.94	Inf	-Inf	2.79	3	Vertical	5	2.00	-	108.15	31.70	5.64	34.54
AV	5.41G	48.17	54.00	-5.83	2.89	3	Vertical	5	2.00	-	45.28	31.76	5.66	34.54
PK	5.1124G	61.14	74.00	-12.86	2.71	3	Vertical	5	2.00	-	58.43	31.64	5.61	34.55
PK	5.2552G	122.49	Inf	-Inf	2.79	3	Vertical	5	2.00	-	119.69	31.70	5.64	34.54
PK	5.4058G	60.32	74.00	-13.68	2.88	3	Vertical	5	2.00	-	57.44	31.76	5.66	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1352G	48.61	54.00	-5.39	2.72	3	Horizontal	0	1.74	-	45.89	31.65	5.62	34.55
AV	5.2678G	111.26	Inf	-Inf	2.80	3	Horizontal	0	1.74	-	108.46	31.71	5.64	34.54
AV	5.4088G	48.89	54.00	-5.11	2.88	3	Horizontal	0	1.74	-	46.00	31.76	5.66	34.54
PK	5.149995G	61.35	74.00	-12.65	2.73	3	Horizontal	0	1.74	-	58.62	31.66	5.62	34.55
PK	5.266G	120.99	Inf	-Inf	2.80	3	Horizontal	0	1.74	-	118.19	31.71	5.64	34.54
PK	5.3578G	60.87	74.00	-13.13	2.85	3	Horizontal	0	1.74	-	58.02	31.74	5.65	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7786G	44.17	54.00	-9.83	15.12	3	Vertical	15	1.49	-	29.05	37.96	9.11	31.95
PK	10.52005G	59.21	68.20	-8.99	15.52	3	Vertical	53	1.50	-	43.69	39.38	7.20	31.06
PK	15.77691G	57.74	74.00	-16.26	15.12	3	Vertical	15	1.49	-	42.62	37.97	9.10	31.95

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7788G	44.17	54.00	-9.83	15.12	3	Horizontal	19	1.45	-	29.05	37.96	9.11	31.95
PK	10.518623G	56.31	68.20	-11.89	15.51	3	Horizontal	9	1.54	-	40.80	39.37	7.20	31.06
PK	15.7788G	57.90	74.00	-16.10	15.12	3	Horizontal	19	1.45	-	42.78	37.96	9.11	31.95

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2916G	114.41	Inf	-Inf	2.81	3	Vertical	7	1.88	-	111.59	31.72	5.64	34.54
AV	5.3524G	48.47	54.00	-5.53	2.85	3	Vertical	7	1.88	-	45.62	31.74	5.65	34.54
PK	5.2924G	123.73	Inf	-Inf	2.82	3	Vertical	7	1.88	-	120.91	31.72	5.64	34.54
PK	5.3836G	60.40	74.00	-13.60	2.87	3	Vertical	7	1.88	-	57.53	31.75	5.66	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	111.47	Inf	-Inf	2.82	3	Horizontal	358	1.61	-	108.65	31.72	5.64	34.54
AV	5.3516G	48.40	54.00	-5.60	2.85	3	Horizontal	358	1.61	-	45.55	31.74	5.65	34.54
PK	5.2988G	122.46	Inf	-Inf	2.82	3	Horizontal	358	1.61	-	119.64	31.72	5.64	34.54
PK	5.3552G	62.31	74.00	-11.69	2.85	3	Horizontal	358	1.61	-	59.45	31.74	5.65	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9003G	44.36	54.00	-9.64	14.70	3	Vertical	9	2.42	-	29.66	37.49	9.20	31.99
PK	15.89531G	57.94	74.00	-16.06	14.72	3	Vertical	9	2.42	-	43.22	37.51	9.19	31.98

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9014G	43.71	54.00	-10.29	14.69	3	Horizontal	326	1.48	-	29.02	37.48	9.20	31.99
PK	15.8996G	59.37	74.00	-14.63	14.71	3	Horizontal	326	1.48	-	44.66	37.49	9.20	31.98

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	109.18	Inf	-Inf	2.83	3	Vertical	10	1.85	-	106.35	31.73	5.64	34.54
AV	5.3504G	53.37	54.00	-0.63	2.85	3	Vertical	10	1.85	-	50.52	31.74	5.65	34.54
PK	5.3164G	120.67	Inf	-Inf	2.83	3	Vertical	10	1.85	-	117.84	31.73	5.64	34.54
PK	5.350005G	66.34	74.00	-7.66	2.85	3	Vertical	10	1.85	-	63.49	31.74	5.65	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	109.95	Inf	-Inf	2.83	3	Horizontal	14	1.51	-	107.12	31.73	5.64	34.54
AV	5.350005G	50.29	54.00	-3.71	2.85	3	Horizontal	14	1.51	-	47.44	31.74	5.65	34.54
PK	5.3164G	120.69	Inf	-Inf	2.83	3	Horizontal	14	1.51	-	117.86	31.73	5.64	34.54
PK	5.3502G	63.57	74.00	-10.43	2.85	3	Horizontal	14	1.51	-	60.72	31.74	5.65	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.961G	44.00	54.00	-10.00	14.49	3	Vertical	4	1.77	-	29.51	37.25	9.24	32.00
PK	15.95251G	58.26	74.00	-15.74	14.52	3	Vertical	4	1.77	-	43.74	37.29	9.23	32.00

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9599G	42.53	54.00	-11.47	14.50	3	Horizontal	24	1.11	-	28.03	37.26	9.24	32.00
PK	15.95311G	56.10	74.00	-17.90	14.52	3	Horizontal	24	1.11	-	41.58	37.28	9.24	32.00

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018


5500MHz_TX



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.06	54.00	-4.94	2.91	3	Horizontal	3	1.88	-	46.15	31.78	5.67	34.54
AV	5.508G	108.29	Inf	-Inf	2.95	3	Horizontal	3	1.88	-	105.34	31.81	5.68	34.54
PK	5.4572G	61.99	74.00	-12.01	2.91	3	Horizontal	3	1.88	-	59.08	31.78	5.67	34.54
PK	5.4686G	66.21	68.20	-1.99	2.91	3	Horizontal	3	1.88	-	63.29	31.79	5.67	34.54
PK	5.5052G	120.36	Inf	-Inf	2.94	3	Horizontal	3	1.88	-	117.42	31.81	5.67	34.54

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00594G	50.15	54.00	-3.85	16.56	3	Vertical	14	1.46	-	33.59	40.29	11.65	35.38
PK	11.00678G	61.97	74.00	-12.03	16.56	3	Vertical	14	1.46	-	45.41	40.29	11.65	35.38

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0003G	50.88	54.00	-3.12	16.57	3	Horizontal	344	1.78	-	34.31	40.30	11.65	35.38
PK	10.99874G	61.78	74.00	-12.22	16.57	3	Horizontal	344	1.78	-	45.21	40.30	11.65	35.38

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5540MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.76	54.00	-5.24	2.91	3	Vertical	7	1.75	-	45.86	31.78	5.67	34.54
AV	5.5394G	110.26	Inf	-Inf	3.01	3	Vertical	7	1.75	-	107.26	31.86	5.70	34.55
PK	5.4572G	61.05	74.00	-12.95	2.91	3	Vertical	7	1.75	-	58.14	31.78	5.67	34.54
PK	5.4656G	61.00	68.20	-7.20	2.91	3	Vertical	7	1.75	-	58.09	31.79	5.67	34.54
PK	5.5388G	121.66	Inf	-Inf	3.01	3	Vertical	7	1.75	-	118.65	31.86	5.70	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5540MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459995G	48.55	54.00	-5.45	2.91	3	Horizontal	354	1.74	-	45.64	31.78	5.67	34.54
AV	5.5388G	109.74	Inf	-Inf	3.01	3	Horizontal	354	1.74	-	106.73	31.86	5.70	34.55
PK	5.4518G	61.40	74.00	-12.60	2.91	3	Horizontal	354	1.74	-	58.50	31.78	5.67	34.54
PK	5.4674G	61.02	68.20	-7.18	2.91	3	Horizontal	354	1.74	-	58.11	31.79	5.67	34.54
PK	5.5388G	120.22	Inf	-Inf	3.01	3	Horizontal	354	1.74	-	117.22	31.86	5.70	34.55

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5540MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08036G	52.26	54.00	-1.74	16.46	3	Vertical	310	1.50	-	35.80	40.18	11.68	35.40
PK	11.08732G	64.60	74.00	-9.40	16.46	3	Vertical	310	1.50	-	48.14	40.17	11.69	35.40

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

03/01/2018

5540MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0872G	51.71	54.00	-2.29	16.46	3	Horizontal	311	1.49	-	35.25	40.17	11.69	35.40
PK	11.08714G	63.53	74.00	-10.47	16.46	3	Horizontal	311	1.49	-	47.07	40.17	11.69	35.40

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	44.54	54.00	-9.46	2.91	3	Vertical	353	1.43	-	41.63	31.78	5.67	34.54
AV	5.5722G	104.97	Inf	-Inf	3.07	3	Vertical	353	1.43	-	101.90	31.92	5.72	34.56
PK	5.4594G	54.45	74.00	-19.55	2.91	3	Vertical	353	1.43	-	51.54	31.78	5.67	34.54
PK	5.4636G	54.57	68.20	-13.63	2.91	3	Vertical	353	1.43	-	51.66	31.79	5.67	34.54
PK	5.5776G	113.12	Inf	-Inf	3.09	3	Vertical	353	1.43	-	110.03	31.92	5.72	34.56
PK	5.7258G	54.94	68.20	-13.26	3.39	3	Vertical	353	1.43	-	51.56	32.16	5.83	34.61

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	46.51	54.00	-7.49	5.20	3	Horizontal	351	1.50	-	41.31	31.86	8.51	35.17
AV	5.5836G	105.25	Inf	-Inf	5.47	3	Horizontal	351	1.50	-	99.78	32.00	8.65	35.18
PK	5.448G	56.55	74.00	-17.45	5.19	3	Horizontal	351	1.50	-	51.36	31.86	8.51	35.18
PK	5.4636G	56.57	68.20	-11.63	5.21	3	Horizontal	351	1.50	-	51.35	31.87	8.52	35.17
PK	5.586G	113.45	Inf	-Inf	5.47	3	Horizontal	351	1.50	-	107.98	32.00	8.65	35.18
PK	5.7294G	57.41	68.20	-10.79	5.84	3	Horizontal	351	1.50	-	51.56	32.18	8.85	35.18

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1666G	53.72	54.00	-0.28	16.36	3	Vertical	4	2.45	-	37.36	40.05	11.72	35.41
PK	11.16606G	64.85	74.00	-9.15	16.36	3	Vertical	4	2.45	-	48.49	40.05	11.72	35.41

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15118G	50.31	54.00	-3.69	16.37	3	Horizontal	343	1.49	-	33.94	40.07	11.71	35.41
PK	11.15124G	61.41	74.00	-12.59	16.37	3	Horizontal	343	1.49	-	45.04	40.07	11.71	35.41

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5640MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6328G	111.19	Inf	-Inf	3.20	3	Vertical	4	1.65	-	107.99	32.01	5.76	34.58
PK	5.7308G	60.31	68.20	-7.89	3.40	3	Vertical	4	1.65	-	56.91	32.17	5.83	34.61
PK	5.6324G	122.23	Inf	-Inf	3.19	3	Vertical	4	1.65	-	119.04	32.01	5.76	34.58

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

04/01/2018

5640MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6444G	108.04	Inf	-Inf	3.22	3	Horizontal	1	1.49	-	104.82	32.03	5.77	34.58
PK	5.7304G	60.29	68.20	-7.91	3.40	3	Horizontal	1	1.49	-	56.89	32.17	5.83	34.61
PK	5.6352G	119.30	Inf	-Inf	3.20	3	Horizontal	1	1.49	-	116.10	32.02	5.76	34.58

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5640MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27544G	50.63	54.00	-3.37	16.22	3	Vertical	359	1.99	-	34.41	39.89	11.77	35.44
PK	11.27616G	62.36	74.00	-11.64	16.22	3	Vertical	359	1.99	-	46.14	39.89	11.77	35.44

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5640MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27016G	50.15	54.00	-3.85	16.22	3	Horizontal	21	1.49	-	33.93	39.89	11.76	35.43
PK	11.26878G	61.00	74.00	-13.00	16.23	3	Horizontal	21	1.49	-	44.77	39.90	11.76	35.43

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	109.58	Inf	-Inf	5.89	3	Vertical	358	1.65	-	103.70	32.20	8.87	35.18
PK	5.5698G	56.94	68.20	-11.26	5.43	3	Vertical	358	1.65	-	51.50	31.98	8.63	35.18
PK	5.7462G	116.37	Inf	-Inf	5.89	3	Vertical	358	1.65	-	110.48	32.20	8.87	35.18
PK	5.9286G	56.63	68.20	-11.57	6.35	3	Vertical	358	1.65	-	50.28	32.41	9.13	35.19

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	108.86	Inf	-Inf	5.86	3	Horizontal	357	1.68	-	102.99	32.19	8.86	35.18
PK	5.589G	57.30	68.20	-10.90	5.48	3	Horizontal	357	1.68	-	51.82	32.01	8.65	35.18
PK	5.739G	114.59	Inf	-Inf	5.87	3	Horizontal	357	1.68	-	108.72	32.19	8.86	35.18
PK	5.949G	57.07	68.20	-11.13	6.40	3	Horizontal	357	1.68	-	50.67	32.44	9.16	35.19

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48376G	46.53	54.00	-7.47	15.94	3	Vertical	356	1.50	-	30.59	39.57	11.85	35.48
PK	11.4789G	57.00	74.00	-17.00	15.95	3	Vertical	356	1.50	-	41.05	39.58	11.85	35.48

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

05/01/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47938G	46.42	54.00	-7.58	15.95	3	Horizontal	317	1.49	-	30.47	39.58	11.85	35.48
PK	11.49024G	55.40	74.00	-18.60	15.94	3	Horizontal	317	1.49	-	39.46	39.56	11.86	35.48

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	110.00	Inf	-Inf	5.98	3	Vertical	358	1.50	-	104.03	32.24	8.93	35.19
PK	5.5522G	63.90	68.20	-4.30	5.39	3	Vertical	358	1.50	-	58.51	31.96	8.60	35.18
PK	5.7826G	117.25	Inf	-Inf	5.98	3	Vertical	358	1.50	-	111.28	32.24	8.93	35.19
PK	5.9599G	64.10	68.20	-4.10	6.43	3	Vertical	358	1.50	-	57.67	32.45	9.17	35.20

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	105.37	Inf	-Inf	5.96	3	Horizontal	3	1.50	-	99.41	32.23	8.92	35.19
PK	5.6266G	65.21	68.20	-2.99	5.58	3	Horizontal	3	1.50	-	59.63	32.05	8.71	35.18
PK	5.791G	112.45	Inf	-Inf	6.00	3	Horizontal	3	1.50	-	106.45	32.25	8.94	35.19
PK	5.9602G	64.69	68.20	-3.51	6.43	3	Horizontal	3	1.50	-	58.26	32.45	9.17	35.20

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57378G	46.41	54.00	-7.59	15.84	3	Vertical	237	1.48	-	30.57	39.44	11.89	35.49
PK	11.5667G	55.38	74.00	-18.62	15.85	3	Vertical	237	1.48	-	39.53	39.45	11.89	35.49

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57966G	46.37	54.00	-7.63	15.82	3	Horizontal	175	1.50	-	30.55	39.43	11.89	35.50
PK	11.57468G	56.23	74.00	-17.77	15.84	3	Horizontal	175	1.50	-	40.39	39.44	11.89	35.49

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	109.12	Inf	-Inf	6.08	3	Vertical	6	1.50	-	103.04	32.29	8.98	35.19
PK	5.5646G	64.23	68.20	-3.97	5.42	3	Vertical	6	1.50	-	58.81	31.98	8.62	35.18
PK	5.8202G	117.83	Inf	-Inf	6.07	3	Vertical	6	1.50	-	111.76	32.28	8.98	35.19
PK	5.9606G	64.30	68.20	-3.90	6.43	3	Vertical	6	1.50	-	57.87	32.45	9.17	35.20

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	108.11	Inf	-Inf	6.09	3	Horizontal	357	1.79	-	102.02	32.29	8.99	35.19
PK	5.6042G	64.27	68.20	-3.93	5.52	3	Horizontal	357	1.79	-	58.75	32.03	8.68	35.18
PK	5.8286G	115.19	Inf	-Inf	6.09	3	Horizontal	357	1.79	-	109.09	32.29	8.99	35.19
PK	5.951G	64.46	68.20	-3.74	6.41	3	Horizontal	357	1.79	-	58.06	32.44	9.16	35.20

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65324G	46.47	54.00	-7.53	15.73	3	Vertical	256	1.51	-	30.74	39.32	11.92	35.51
PK	11.64946G	56.15	74.00	-17.85	15.74	3	Vertical	256	1.51	-	40.41	39.33	11.92	35.51

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

08/01/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64814G	46.58	54.00	-7.42	15.74	3	Horizontal	330	1.59	-	30.84	39.33	11.92	35.51
PK	11.65438G	55.98	74.00	-18.02	15.73	3	Horizontal	330	1.59	-	40.25	39.32	11.92	35.51

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

03/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	53.57	54.00	-0.43	6.59	3	Vertical	0	1.50	-	46.98	31.68	4.72	29.81
AV	5.192G	104.23	Inf	-Inf	6.67	3	Vertical	0	1.50	-	97.55	31.73	4.75	29.81
PK	5.148G	67.17	74.00	-6.83	6.59	3	Vertical	0	1.50	-	60.58	31.68	4.72	29.81
PK	5.178G	115.73	Inf	-Inf	6.65	3	Vertical	0	1.50	-	109.08	31.71	4.74	29.81

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

03/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	51.47	54.00	-2.53	6.59	3	Horizontal	0	1.43	-	44.88	31.68	4.72	29.81
AV	5.1828G	102.54	Inf	-Inf	6.66	3	Horizontal	0	1.43	-	95.89	31.72	4.75	29.81
PK	5.1496G	64.91	74.00	-9.09	6.59	3	Horizontal	0	1.43	-	58.32	31.68	4.72	29.81
PK	5.1988G	113.97	Inf	-Inf	6.69	3	Horizontal	0	1.43	-	107.28	31.74	4.76	29.81

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39966G	56.29	68.20	-11.91	15.35	3	Vertical	360	1.24	-	40.94	39.22	7.17	31.04

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40026G	55.98	68.20	-12.22	15.35	3	Horizontal	42	2.07	-	40.63	39.22	7.17	31.04

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	51.39	54.00	-2.61	6.59	3	Vertical	0	1.47	-	44.80	31.68	4.72	29.81
AV	5.2412G	111.08	Inf	-Inf	6.77	3	Vertical	0	1.47	-	104.31	31.79	4.79	29.81
PK	5.1484G	70.14	74.00	-3.86	6.59	3	Vertical	0	1.47	-	63.56	31.68	4.72	29.81
PK	5.2428G	122.47	Inf	-Inf	6.78	3	Vertical	0	1.47	-	115.69	31.79	4.79	29.81

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	50.01	54.00	-3.99	6.59	3	Horizontal	358	1.61	-	43.42	31.68	4.72	29.81
AV	5.222G	109.86	Inf	-Inf	6.73	3	Horizontal	358	1.61	-	103.12	31.77	4.78	29.81
PK	5.1488G	67.24	74.00	-6.76	6.59	3	Horizontal	358	1.61	-	60.66	31.68	4.72	29.81
PK	5.2192G	120.69	Inf	-Inf	6.73	3	Horizontal	358	1.61	-	113.96	31.76	4.77	29.81

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4556G	54.65	68.20	-13.55	12.59	3	Vertical	293	1.50	-	42.06	39.64	7.98	35.03

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.443G	54.28	68.20	-13.92	12.55	3	Horizontal	128	1.50	-	41.73	39.62	7.97	35.04

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	111.39	Inf	-Inf	6.83	3	Vertical	12	1.50	-	104.56	31.83	4.81	29.80
AV	5.3504G	47.48	54.00	-6.52	6.99	3	Vertical	12	1.50	-	40.48	31.92	4.87	29.80
PK	5.2712G	120.21	Inf	-Inf	6.83	3	Vertical	12	1.50	-	113.38	31.83	4.81	29.80
PK	5.352G	62.75	74.00	-11.25	6.99	3	Vertical	12	1.50	-	55.76	31.92	4.87	29.80

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2844G	111.01	Inf	-Inf	6.86	3	Horizontal	0	1.62	-	104.15	31.84	4.82	29.80
AV	5.3504G	48.30	54.00	-5.70	6.99	3	Horizontal	0	1.62	-	41.31	31.92	4.87	29.80
PK	5.2852G	121.61	Inf	-Inf	6.86	3	Horizontal	0	1.62	-	114.75	31.84	4.82	29.80
PK	5.350005G	65.17	74.00	-8.83	6.99	3	Horizontal	0	1.62	-	58.18	31.92	4.87	29.80

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8188G	43.62	54.00	-10.38	12.78	3	Vertical	11	1.50	-	30.84	37.79	10.02	35.03
PK	15.8522G	57.04	74.00	-16.96	12.62	3	Vertical	11	1.50	-	44.42	37.66	10.03	35.07

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5116G	54.95	68.20	-13.25	12.74	3	Horizontal	154	1.50	-	42.21	39.72	8.00	34.98

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

03/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	106.51	Inf	-Inf	6.93	3	Vertical	359	1.50	-	99.57	31.89	4.85	29.80
AV	5.350005G	51.79	54.00	-2.21	6.99	3	Vertical	359	1.50	-	44.80	31.92	4.87	29.80
PK	5.3212G	118.55	Inf	-Inf	6.93	3	Vertical	359	1.50	-	111.62	31.89	4.85	29.80
PK	5.350005G	68.51	74.00	-5.49	6.99	3	Vertical	359	1.50	-	61.52	31.92	4.87	29.80

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

03/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	105.21	Inf	-Inf	6.88	3	Horizontal	0	1.56	-	98.33	31.86	4.83	29.80
AV	5.350005G	49.88	54.00	-4.12	6.99	3	Horizontal	0	1.56	-	42.89	31.92	4.87	29.80
PK	5.3012G	116.69	Inf	-Inf	6.89	3	Horizontal	0	1.56	-	109.80	31.86	4.83	29.80
PK	5.350005G	66.13	74.00	-7.87	6.99	3	Horizontal	0	1.56	-	59.14	31.92	4.87	29.80

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6026G	41.21	54.00	-12.79	12.97	3	Vertical	145	1.50	-	28.24	39.84	8.04	34.91
PK	10.6176G	55.22	74.00	-18.78	13.01	3	Vertical	145	1.50	-	42.21	39.86	8.05	34.90

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6048G	41.28	54.00	-12.72	12.98	3	Horizontal	226	1.50	-	28.30	39.85	8.04	34.91
PK	10.6288G	54.83	74.00	-19.17	13.04	3	Horizontal	226	1.50	-	41.79	39.88	8.05	34.89

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.25	54.00	-3.75	2.91	3	Vertical	4	1.62	-	47.34	31.78	5.67	34.54
AV	5.4984G	99.49	Inf	-Inf	2.93	3	Vertical	4	1.62	-	96.56	31.80	5.67	34.54
PK	5.46G	63.98	74.00	-10.02	2.91	3	Vertical	4	1.62	-	61.07	31.78	5.67	34.54
PK	5.4676G	67.90	68.20	-0.30	2.91	3	Vertical	4	1.62	-	64.99	31.79	5.67	34.54
PK	5.5G	111.62	Inf	-Inf	2.93	3	Vertical	4	1.62	-	108.69	31.80	5.67	34.54

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.58	54.00	-5.42	2.91	3	Horizontal	0	1.54	-	45.67	31.78	5.67	34.54
AV	5.5016G	98.77	Inf	-Inf	2.93	3	Horizontal	0	1.54	-	95.84	31.80	5.67	34.54
PK	5.4412G	61.39	74.00	-12.61	2.90	3	Horizontal	0	1.54	-	58.49	31.78	5.66	34.54
PK	5.4696G	62.44	68.20	-5.76	2.91	3	Horizontal	0	1.54	-	59.52	31.79	5.67	34.54
PK	5.5024G	110.57	Inf	-Inf	2.93	3	Horizontal	0	1.54	-	107.64	31.80	5.67	34.54

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03416G	48.67	54.00	-5.33	16.52	3	Vertical	354	1.63	-	32.15	40.25	11.66	35.39
PK	11.0269G	58.80	74.00	-15.20	16.53	3	Vertical	354	1.63	-	42.27	40.26	11.66	35.39

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03236G	47.90	54.00	-6.10	16.52	3	Horizontal	41	2.07	-	31.38	40.25	11.66	35.39
PK	11.00614G	58.22	74.00	-15.78	16.56	3	Horizontal	41	2.07	-	41.66	40.29	11.65	35.38

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.81	54.00	-5.19	2.91	3	Vertical	4	1.50	-	45.90	31.78	5.67	34.54
AV	5.5408G	104.57	Inf	-Inf	3.01	3	Vertical	4	1.50	-	101.56	31.87	5.70	34.55
PK	5.4552G	63.91	74.00	-10.09	2.91	3	Vertical	4	1.50	-	61.00	31.78	5.67	34.54
PK	5.4664G	67.61	68.20	-0.59	2.91	3	Vertical	4	1.50	-	64.70	31.79	5.67	34.54
PK	5.5352G	117.12	Inf	-Inf	3.00	3	Vertical	4	1.50	-	114.12	31.86	5.69	34.55

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	48.33	54.00	-5.67	2.91	3	Horizontal	0	1.54	-	45.42	31.78	5.67	34.54
AV	5.5528G	104.02	Inf	-Inf	3.04	3	Horizontal	0	1.54	-	100.99	31.88	5.71	34.56
PK	5.4536G	61.02	74.00	-12.98	2.91	3	Horizontal	0	1.54	-	58.12	31.78	5.67	34.54
PK	5.4636G	61.68	68.20	-6.52	2.91	3	Horizontal	0	1.54	-	58.77	31.79	5.67	34.54
PK	5.5564G	115.91	Inf	-Inf	3.04	3	Horizontal	0	1.54	-	112.87	31.89	5.71	34.56

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09796G	52.79	54.00	-1.21	16.44	3	Vertical	47	1.63	-	36.35	40.15	11.69	35.40
PK	11.10012G	63.15	74.00	-10.85	16.44	3	Vertical	47	1.63	-	46.71	40.15	11.69	35.40

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11104G	49.56	54.00	-4.44	16.43	3	Horizontal	342	1.50	-	33.13	40.13	11.70	35.40
PK	11.091G	60.81	74.00	-13.19	16.45	3	Horizontal	342	1.50	-	44.36	40.16	11.69	35.40

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459995G	48.66	54.00	-5.34	2.91	3	Vertical	5	1.61	-	45.75	31.78	5.67	34.54
AV	5.587G	108.97	Inf	-Inf	3.10	3	Vertical	5	1.61	-	105.86	31.94	5.73	34.57
PK	5.458G	62.05	74.00	-11.95	2.91	3	Vertical	5	1.61	-	59.14	31.78	5.67	34.54
PK	5.467G	65.73	68.20	-2.47	2.91	3	Vertical	5	1.61	-	62.82	31.79	5.67	34.54
PK	5.7328G	60.28	68.20	-7.92	3.40	3	Vertical	5	1.61	-	56.88	32.17	5.84	34.61
PK	5.5858G	120.26	Inf	-Inf	3.10	3	Vertical	5	1.61	-	117.15	31.94	5.73	34.57

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459995G	48.33	54.00	-5.67	2.91	3	Horizontal	8	1.50	-	45.42	31.78	5.67	34.54
AV	5.6014G	107.25	Inf	-Inf	3.13	3	Horizontal	8	1.50	-	104.12	31.96	5.74	34.57
PK	5.455G	62.52	74.00	-11.48	2.91	3	Horizontal	8	1.50	-	59.61	31.78	5.67	34.54
PK	5.4658G	63.21	68.20	-4.99	2.91	3	Horizontal	8	1.50	-	60.29	31.79	5.67	34.54
PK	5.74G	60.93	68.20	-7.27	3.42	3	Horizontal	8	1.50	-	57.51	32.18	5.84	34.61
PK	5.6038G	118.39	Inf	-Inf	3.14	3	Horizontal	8	1.50	-	115.25	31.97	5.74	34.57

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.195G	53.04	54.00	-0.96	16.32	3	Vertical	355	1.50	-	36.72	40.01	11.73	35.42
PK	11.17454G	63.71	74.00	-10.29	16.35	3	Vertical	355	1.50	-	47.36	40.04	11.72	35.41

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16698G	52.81	54.00	-1.19	16.36	3	Horizontal	27	1.67	-	36.45	40.05	11.72	35.41
PK	11.16632G	63.23	74.00	-10.77	16.36	3	Horizontal	27	1.67	-	46.87	40.05	11.72	35.41

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.621G	108.27	Inf	-Inf	3.17	3	Vertical	4	1.58	-	105.10	31.99	5.75	34.58
PK	5.7332G	60.96	68.20	-7.24	3.40	3	Vertical	4	1.58	-	57.56	32.17	5.84	34.61
PK	5.6186G	120.50	Inf	-Inf	3.17	3	Vertical	4	1.58	-	117.34	31.99	5.75	34.58

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

04/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.627G	106.01	Inf	-Inf	3.18	3	Horizontal	1	1.64	-	102.82	32.00	5.76	34.58
PK	5.75G	61.26	68.20	-6.94	3.44	3	Horizontal	1	1.64	-	57.82	32.20	5.85	34.61
PK	5.6246G	118.40	Inf	-Inf	3.18	3	Horizontal	1	1.64	-	115.22	32.00	5.76	34.58

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2474G	50.42	54.00	-3.58	16.25	3	Vertical	357	1.50	-	34.17	39.93	11.75	35.43
PK	11.25562G	63.03	74.00	-10.97	16.25	3	Vertical	357	1.50	-	46.78	39.92	11.76	35.43

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

05/01/2018

5630MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.26834G	50.45	54.00	-3.55	16.23	3	Horizontal	336	1.50	-	34.22	39.90	11.76	35.43
PK	11.25886G	61.26	74.00	-12.74	16.24	3	Horizontal	336	1.50	-	45.02	39.91	11.76	35.43

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	110.43	Inf	-Inf	5.88	3	Vertical	357	1.51	-	104.55	32.19	8.87	35.18
PK	5.6434G	58.04	68.20	-10.16	5.62	3	Vertical	357	1.51	-	52.41	32.07	8.73	35.18
PK	5.761G	114.53	Inf	-Inf	5.92	3	Vertical	357	1.51	-	108.61	32.21	8.90	35.19
PK	5.9794G	58.81	68.20	-9.39	6.48	3	Vertical	357	1.51	-	52.34	32.48	9.20	35.20

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	107.38	Inf	-Inf	5.89	3	Horizontal	359	1.49	-	101.49	32.20	8.88	35.18
PK	5.6398G	58.23	68.20	-9.97	5.61	3	Horizontal	359	1.49	-	52.62	32.07	8.73	35.18
PK	5.7478G	114.48	Inf	-Inf	5.89	3	Horizontal	359	1.49	-	108.60	32.20	8.88	35.18
PK	5.941G	58.95	68.20	-9.25	6.38	3	Horizontal	359	1.49	-	52.57	32.43	9.15	35.19

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50112G	47.06	54.00	-6.94	15.93	3	Vertical	318	1.50	-	31.13	39.55	11.86	35.48
PK	11.50154G	56.36	74.00	-17.64	15.93	3	Vertical	318	1.50	-	40.43	39.55	11.86	35.48

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51024G	47.39	54.00	-6.61	15.91	3	Horizontal	357	1.50	-	31.48	39.53	11.86	35.48
PK	11.51018G	55.64	74.00	-18.36	15.91	3	Horizontal	357	1.50	-	39.73	39.53	11.86	35.48

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	106.48	Inf	-Inf	6.02	3	Vertical	359	1.50	-	100.46	32.26	8.95	35.19
PK	5.5466G	59.46	68.20	-8.74	5.38	3	Vertical	359	1.50	-	54.09	31.96	8.60	35.17
PK	5.7998G	115.41	Inf	-Inf	6.02	3	Vertical	359	1.50	-	109.40	32.26	8.95	35.19
PK	5.9282G	58.77	68.20	-9.43	6.35	3	Vertical	359	1.50	-	52.42	32.41	9.13	35.19

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	106.69	Inf	-Inf	5.99	3	Horizontal	358	1.49	-	100.70	32.25	8.93	35.19
PK	5.6306G	58.71	68.20	-9.49	5.59	3	Horizontal	358	1.49	-	53.12	32.06	8.71	35.18
PK	5.8058G	111.81	Inf	-Inf	6.04	3	Horizontal	358	1.49	-	105.77	32.27	8.96	35.19
PK	5.9426G	58.63	68.20	-9.57	6.39	3	Horizontal	358	1.49	-	52.24	32.43	9.15	35.19

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58646G	46.80	54.00	-7.20	15.82	3	Vertical	3	1.58	-	30.98	39.42	11.90	35.50
PK	11.5942G	55.43	74.00	-18.57	15.81	3	Vertical	3	1.58	-	39.62	39.41	11.90	35.50

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

08/01/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58934G	46.88	54.00	-7.12	15.82	3	Horizontal	317	1.52	-	31.06	39.42	11.90	35.50
PK	11.5843G	56.25	74.00	-17.75	15.82	3	Horizontal	317	1.52	-	40.43	39.42	11.90	35.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

03/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.74	54.00	-0.26	6.58	3	Vertical	360	1.50	-	47.16	31.68	4.72	29.81
AV	5.187G	102.34	Inf	-Inf	6.66	3	Vertical	360	1.50	-	95.68	31.72	4.75	29.81
AV	5.358G	46.37	54.00	-7.63	7.01	3	Vertical	360	1.50	-	39.37	31.93	4.88	29.80
PK	5.148G	69.42	74.00	-4.58	6.59	3	Vertical	360	1.50	-	62.84	31.68	4.72	29.81
PK	5.179G	114.11	Inf	-Inf	6.65	3	Vertical	360	1.50	-	107.46	31.71	4.74	29.81
PK	5.383G	59.09	74.00	-14.91	7.06	3	Vertical	360	1.50	-	52.03	31.96	4.90	29.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

03/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	50.65	54.00	-3.35	6.58	3	Horizontal	16	1.75	-	44.08	31.67	4.72	29.81
AV	5.182G	98.13	Inf	-Inf	6.65	3	Horizontal	16	1.75	-	91.47	31.72	4.75	29.81
AV	5.364G	46.12	54.00	-7.88	7.02	3	Horizontal	16	1.75	-	39.10	31.94	4.88	29.80
PK	5.148G	62.95	74.00	-11.05	6.59	3	Horizontal	16	1.75	-	56.36	31.68	4.72	29.81
PK	5.181G	109.58	Inf	-Inf	6.65	3	Horizontal	16	1.75	-	102.93	31.72	4.74	29.81
PK	5.373G	58.31	74.00	-15.69	7.04	3	Horizontal	16	1.75	-	51.27	31.95	4.89	29.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

04/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4172G	54.50	68.20	-13.70	12.48	3	Vertical	162	1.50	-	42.02	39.58	7.96	35.06

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

04/01/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3718G	54.51	68.20	-13.69	12.37	3	Horizontal	217	1.50	-	42.14	39.52	7.94	35.09

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

03/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.36	54.00	-4.64	6.59	3	Vertical	0	1.43	-	42.78	31.68	4.72	29.81
AV	5.268G	106.43	Inf	-Inf	6.83	3	Vertical	0	1.43	-	99.61	31.82	4.81	29.80
AV	5.350005G	53.15	54.00	-0.85	6.99	3	Vertical	0	1.43	-	46.16	31.92	4.87	29.80
PK	5.148G	61.85	74.00	-12.15	6.59	3	Vertical	0	1.43	-	55.26	31.68	4.72	29.81
PK	5.258G	116.26	Inf	-Inf	6.81	3	Vertical	0	1.43	-	109.45	31.81	4.80	29.80
PK	5.351G	65.91	74.00	-8.09	6.99	3	Vertical	0	1.43	-	58.92	31.92	4.87	29.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

03/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	47.51	54.00	-6.49	6.59	3	Horizontal	360	1.62	-	40.92	31.68	4.72	29.81
AV	5.287G	104.31	Inf	-Inf	6.86	3	Horizontal	360	1.62	-	97.45	31.84	4.82	29.80
AV	5.350005G	52.19	54.00	-1.81	6.99	3	Horizontal	360	1.62	-	45.20	31.92	4.87	29.80
PK	5.143G	59.75	74.00	-14.25	6.58	3	Horizontal	360	1.62	-	53.17	31.67	4.71	29.81
PK	5.259G	114.67	Inf	-Inf	6.81	3	Horizontal	360	1.62	-	107.86	31.81	4.80	29.80
PK	5.361G	67.44	74.00	-6.56	7.01	3	Horizontal	360	1.62	-	60.42	31.93	4.88	29.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

04/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6008G	41.26	54.00	-12.74	12.97	3	Vertical	53	1.50	-	28.29	39.84	8.04	34.91
PK	10.6266G	54.48	74.00	-19.52	13.04	3	Vertical	53	1.50	-	41.44	39.88	8.05	34.89

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

04/01/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5962G	54.44	68.20	-13.76	12.96	3	Horizontal	225	1.50	-	41.48	39.83	8.04	34.91

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.56	54.00	-0.44	2.91	3	Vertical	4	1.61	-	50.65	31.78	5.67	34.54
AV	5.506G	95.93	Inf	-Inf	2.94	3	Vertical	4	1.61	-	92.98	31.81	5.67	34.54
PK	5.46G	65.40	74.00	-8.60	2.91	3	Vertical	4	1.61	-	62.49	31.78	5.67	34.54
PK	5.469G	65.53	68.20	-2.67	2.91	3	Vertical	4	1.61	-	62.62	31.79	5.67	34.54
PK	5.741G	60.18	68.20	-8.02	3.42	3	Vertical	4	1.61	-	56.76	32.19	5.84	34.61
PK	5.508G	108.89	Inf	-Inf	2.95	3	Vertical	4	1.61	-	105.95	31.81	5.68	34.54

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

10/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.447G	49.09	54.00	-4.91	2.90	3	Horizontal	0	1.55	-	46.18	31.78	5.66	34.54
AV	5.548G	96.74	Inf	-Inf	3.03	3	Horizontal	0	1.55	-	93.71	31.88	5.70	34.55
PK	5.438G	61.92	74.00	-12.08	2.90	3	Horizontal	0	1.55	-	59.02	31.78	5.66	34.54
PK	5.466G	62.47	68.20	-5.73	2.91	3	Horizontal	0	1.55	-	59.56	31.79	5.67	34.54
PK	5.549G	107.58	Inf	-Inf	3.03	3	Horizontal	0	1.55	-	104.55	31.88	5.70	34.55
PK	5.74G	59.77	68.20	-8.43	3.42	3	Horizontal	0	1.55	-	56.35	32.18	5.84	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07404G	48.33	54.00	-5.67	16.48	3	Vertical	1	2.09	-	31.85	40.19	11.68	35.39
PK	11.0627G	57.09	74.00	-16.91	16.50	3	Vertical	1	2.09	-	40.59	40.21	11.68	35.39

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07008G	47.88	54.00	-6.12	16.48	3	Horizontal	298	1.50	-	31.40	40.19	11.68	35.39
PK	11.04734G	56.51	74.00	-17.49	16.51	3	Horizontal	298	1.50	-	40.00	40.23	11.67	35.39

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.79	54.00	-3.21	2.91	3	Vertical	6	1.56	-	47.88	31.78	5.67	34.54
AV	5.59G	102.24	Inf	-Inf	3.11	3	Vertical	6	1.56	-	99.13	31.94	5.73	34.57
PK	5.455G	67.05	74.00	-6.95	2.91	3	Vertical	6	1.56	-	64.14	31.78	5.67	34.54
PK	5.467G	67.59	68.20	-0.61	2.91	3	Vertical	6	1.56	-	64.68	31.79	5.67	34.54
PK	5.586G	118.77	Inf	-Inf	3.10	3	Vertical	6	1.56	-	115.67	31.94	5.73	34.57
PK	5.782G	61.19	68.20	-7.01	3.51	3	Vertical	6	1.56	-	57.68	32.25	5.88	34.62

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	50.23	54.00	-3.77	2.91	3	Horizontal	2	1.56	-	47.32	31.78	5.67	34.54
AV	5.587G	102.03	Inf	-Inf	3.10	3	Horizontal	2	1.56	-	98.93	31.94	5.73	34.57
PK	5.455G	64.63	74.00	-9.37	2.91	3	Horizontal	2	1.56	-	61.72	31.78	5.67	34.54
PK	5.466G	63.26	68.20	-4.94	2.91	3	Horizontal	2	1.56	-	60.35	31.79	5.67	34.54
PK	5.632G	112.29	Inf	-Inf	3.19	3	Horizontal	2	1.56	-	109.10	32.01	5.76	34.58
PK	5.755G	60.65	68.20	-7.55	3.45	3	Horizontal	2	1.56	-	57.20	32.21	5.85	34.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23398G	49.03	54.00	-4.97	16.27	3	Vertical	3	1.50	-	32.76	39.95	11.75	35.43
PK	11.20968G	57.28	74.00	-16.72	16.31	3	Vertical	3	1.50	-	40.97	39.99	11.74	35.42

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20818G	49.54	54.00	-4.46	16.31	3	Horizontal	355	1.39	-	33.23	39.99	11.74	35.42
PK	11.23122G	57.48	74.00	-16.52	16.27	3	Horizontal	355	1.39	-	41.21	39.95	11.75	35.43

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	102.05	Inf	-Inf	5.96	3	Vertical	358	1.50	-	96.09	32.23	8.92	35.19
PK	5.5206G	57.89	68.20	-10.31	5.31	3	Vertical	358	1.50	-	52.58	31.92	8.56	35.17
PK	5.787G	109.71	Inf	-Inf	5.99	3	Vertical	358	1.50	-	103.72	32.24	8.93	35.19
PK	5.9742G	58.84	68.20	-9.36	6.47	3	Vertical	358	1.50	-	52.38	32.47	9.19	35.20

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	99.81	Inf	-Inf	5.93	3	Horizontal	359	1.51	-	93.88	32.22	8.90	35.19
PK	5.619G	57.69	68.20	-10.51	5.56	3	Horizontal	359	1.51	-	52.13	32.04	8.70	35.18
PK	5.7654G	107.51	Inf	-Inf	5.93	3	Horizontal	359	1.51	-	101.57	32.22	8.90	35.19
PK	5.9514G	58.47	68.20	-9.73	6.41	3	Horizontal	359	1.51	-	52.06	32.44	9.16	35.20

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54484G	47.82	54.00	-6.18	15.87	3	Vertical	0	1.50	-	31.95	39.48	11.88	35.49
PK	11.54106G	56.38	74.00	-17.62	15.88	3	Vertical	0	1.50	-	40.50	39.49	11.88	35.49

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

05/01/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54106G	46.69	54.00	-7.31	15.88	3	Horizontal	360	1.50	-	30.81	39.49	11.88	35.49
PK	11.55978G	55.48	74.00	-18.52	15.85	3	Horizontal	360	1.50	-	39.63	39.46	11.89	35.49

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

04/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	53.42	54.00	-0.58	6.59	3	Vertical	1	1.72	-	46.83	31.68	4.72	29.81
AV	5.181G	99.96	Inf	-Inf	6.65	3	Vertical	1	1.72	-	93.31	31.72	4.74	29.81
AV	5.354G	46.99	54.00	-7.01	7.00	3	Vertical	1	1.72	-	39.99	31.92	4.87	29.80
PK	5.142G	67.21	74.00	-6.79	6.57	3	Vertical	1	1.72	-	60.64	31.67	4.71	29.81
PK	5.178G	110.97	Inf	-Inf	6.65	3	Vertical	1	1.72	-	104.33	31.71	4.74	29.81
PK	5.353G	59.53	74.00	-14.47	7.00	3	Vertical	1	1.72	-	52.53	31.92	4.87	29.80
PK	5.499G	57.05	68.20	-11.15	7.28	3	Vertical	1	1.72	-	49.77	32.10	4.98	29.80

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

04/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149995G	50.37	54.00	-3.63	6.59	3	Horizontal	3	1.39	-	43.78	31.68	4.72	29.81
AV	5.179G	100.34	Inf	-Inf	6.65	3	Horizontal	3	1.39	-	93.69	31.71	4.74	29.81
AV	5.352G	47.23	54.00	-6.77	6.99	3	Horizontal	3	1.39	-	40.24	31.92	4.87	29.80
PK	5.124G	62.25	74.00	-11.75	6.54	3	Horizontal	3	1.39	-	55.71	31.65	4.70	29.81
PK	5.177G	106.29	Inf	-Inf	6.64	3	Horizontal	3	1.39	-	99.65	31.71	4.74	29.81
PK	5.358G	58.47	74.00	-15.53	7.01	3	Horizontal	3	1.39	-	51.46	31.93	4.88	29.80
PK	5.464G	57.83	68.20	-10.37	7.21	3	Horizontal	3	1.39	-	50.62	32.06	4.95	29.80

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

04/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4088G	54.14	68.20	-14.06	12.46	3	Vertical	249	1.50	-	41.68	39.57	7.95	35.06

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

04/01/2018

#5210#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.399G	54.10	68.20	-14.10	12.44	3	Horizontal	74	1.50	-	41.66	39.56	7.95	35.07

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.17	54.00	-1.83	2.91	3	Vertical	6	1.56	-	49.26	31.78	5.67	34.54
AV	5.496G	98.25	Inf	-Inf	2.93	3	Vertical	6	1.56	-	95.32	31.80	5.67	34.54
PK	5.455G	65.54	74.00	-8.46	2.91	3	Vertical	6	1.56	-	62.64	31.78	5.67	34.54
PK	5.462G	65.55	68.20	-2.65	2.91	3	Vertical	6	1.56	-	62.64	31.78	5.67	34.54
PK	5.533G	105.48	Inf	-Inf	3.00	3	Vertical	6	1.56	-	102.49	31.85	5.69	34.55
PK	5.779G	60.83	68.20	-7.37	3.50	3	Vertical	6	1.56	-	57.32	32.25	5.87	34.62

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	50.57	54.00	-3.43	2.91	3	Horizontal	1	1.99	-	47.67	31.78	5.67	34.54
AV	5.506G	94.76	Inf	-Inf	2.94	3	Horizontal	1	1.99	-	91.82	31.81	5.67	34.54
PK	5.455G	62.58	74.00	-11.42	2.91	3	Horizontal	1	1.99	-	59.67	31.78	5.67	34.54
PK	5.465G	62.81	68.20	-5.39	2.91	3	Horizontal	1	1.99	-	59.90	31.79	5.67	34.54
PK	5.745G	61.12	68.20	-7.08	3.43	3	Horizontal	1	1.99	-	57.69	32.19	5.85	34.61
PK	5.629G	104.97	Inf	-Inf	3.19	3	Horizontal	1	1.99	-	101.78	32.01	5.76	34.58

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2176G	42.92	54.00	-11.08	13.74	3	Vertical	14	1.35	-	29.18	40.10	8.28	34.64
PK	11.1752G	55.12	74.00	-18.88	13.79	3	Vertical	14	1.35	-	41.33	40.15	8.27	34.63

802.11ac VHT80+80-BF_Nss2,(MCS0)_4TX

26/01/2018

#5530#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.234G	42.16	54.00	-11.84	13.71	3	Horizontal	148	1.50	-	28.45	40.07	8.28	34.64
PK	11.1912G	54.19	74.00	-19.81	13.77	3	Horizontal	148	1.50	-	40.42	40.13	8.27	34.63

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_4TX	Pass	PK	216.97101M	42.32	46.00	-3.68	-16.13	3	Horizontal	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	31.4058M	27.30	40.00	-12.70	-8.83	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	173.3913M	33.44	43.50	-10.06	-16.06	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	235.24638M	35.90	46.00	-10.10	-14.36	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	367.3913M	36.20	46.00	-9.80	-9.67	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	450.33333M	40.23	46.00	-5.77	-7.19	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	571.23188M	37.61	46.00	-8.39	-4.88	3	Vertical	0	1.00	-
5775MHz_PoE	Pass	PK	105.91304M	32.70	43.50	-10.80	-14.40	3	Horizontal	360	1.00	-
5775MHz_PoE	Pass	PK	173.3913M	34.28	43.50	-9.22	-16.06	3	Horizontal	360	1.00	-
5775MHz_PoE	Pass	PK	216.97101M	42.32	46.00	-3.68	-16.13	3	Horizontal	360	1.00	-
5775MHz_PoE	Pass	PK	367.3913M	38.11	46.00	-7.89	-9.67	3	Horizontal	360	1.00	-
5775MHz_PoE	Pass	PK	460.17391M	38.54	46.00	-7.46	-6.92	3	Horizontal	360	1.00	-
5775MHz_PoE	Pass	PK	562.7971M	35.95	46.00	-10.05	-4.73	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4RX

5775MHz_PoE

31/05/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	31.4058M	27.30	40.00	-12.70	-8.83	3	Vertical	0	1.00	-				
PK	173.3913M	33.44	43.50	-10.06	-16.06	3	Vertical	0	1.00	-				
PK	235.24638M	35.90	46.00	-10.10	-14.36	3	Vertical	0	1.00	-				
PK	367.3913M	36.20	46.00	-9.80	-9.67	3	Vertical	0	1.00	-				
PK	450.33333M	40.23	46.00	-5.77	-7.19	3	Vertical	0	1.00	-				
PK	571.23188M	37.61	46.00	-8.39	-4.88	3	Vertical	0	1.00	-				

802.11ac VHT80_Nss1,(MCS0)_4RX

31/05/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	105.91304M	32.70	43.50	-10.80	-14.40	3	Horizontal	360	1.00	-				
PK	173.3913M	34.28	43.50	-9.22	-16.06	3	Horizontal	360	1.00	-				
PK	216.97101M	42.32	46.00	-3.68	-16.13	3	Horizontal	360	1.00	-				
PK	367.3913M	38.11	46.00	-7.89	-9.67	3	Horizontal	360	1.00	-				
PK	460.17391M	38.54	46.00	-7.46	-6.92	3	Horizontal	360	1.00	-				
PK	562.7971M	35.95	46.00	-10.05	-4.73	3	Horizontal	360	1.00	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_4TX	Pass	QP	214.3M	43.22	43.50	-0.28	-10.54	3	Horizontal	177	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	76.56M	35.28	40.00	-4.72	-15.15	3	Vertical	0	1.00	-
5775MHz	Pass	PK	270.56M	34.25	46.00	-11.75	-6.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	400.54M	41.24	46.00	-4.76	-3.78	3	Vertical	0	1.00	-
5775MHz	Pass	PK	454.86M	42.03	46.00	-3.97	-2.84	3	Vertical	0	1.00	-
5775MHz	Pass	PK	951.5M	35.33	46.00	-10.67	3.55	3	Vertical	0	1.00	-
5775MHz	Pass	QP	214.3M	39.93	43.50	-3.57	-10.54	3	Vertical	233	1.00	-
5775MHz	Pass	PK	37.76M	29.83	40.00	-10.17	-8.64	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	274.44M	36.28	46.00	-9.72	-6.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	398.6M	38.87	46.00	-7.13	-3.85	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	445.16M	38.65	46.00	-7.35	-2.96	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	734.22M	35.05	46.00	-10.95	0.61	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	214.3M	43.22	43.50	-0.28	-10.54	3	Horizontal	177	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4RX

28/05/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	76.56M	35.28	40.00	-4.72	-15.15	3	Vertical	0	1.00	-				
PK	270.56M	34.25	46.00	-11.75	-6.09	3	Vertical	0	1.00	-				
PK	400.54M	41.24	46.00	-4.76	-3.78	3	Vertical	0	1.00	-				
PK	454.86M	42.03	46.00	-3.97	-2.84	3	Vertical	0	1.00	-				
PK	951.5M	35.33	46.00	-10.67	3.55	3	Vertical	0	1.00	-				
QP	214.3M	39.93	43.50	-3.57	-10.54	3	Vertical	233	1.00	-				

802.11ac VHT80_Nss1,(MCS0)_4RX

28/05/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	37.76M	29.83	40.00	-10.17	-8.64	3	Horizontal	360	1.00	-				
PK	274.44M	36.28	46.00	-9.72	-6.18	3	Horizontal	360	1.00	-				
PK	398.6M	38.87	46.00	-7.13	-3.85	3	Horizontal	360	1.00	-				
PK	445.16M	38.65	46.00	-7.35	-2.96	3	Horizontal	360	1.00	-				
PK	734.22M	35.05	46.00	-10.95	0.61	3	Horizontal	360	1.00	-				
QP	214.3M	43.22	43.50	-0.28	-10.54	3	Horizontal	177	1.00	-				

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	QP	249.30435M	44.18	46.00	-1.82	-7.17	3	Horizontal	320	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	76.3913M	36.51	40.00	-3.49	-14.16	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	170.57971M	39.32	43.50	-4.18	-10.61	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	252.11594M	42.66	46.00	-3.34	-6.79	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	330.84058M	34.24	46.00	-11.76	-5.80	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	453.14493M	40.02	46.00	-5.98	-3.08	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	572.63768M	36.46	46.00	-9.54	-1.46	3	Vertical	360	3.00	-
5775MHz_PoE	Pass	PK	174.7971M	35.24	43.50	-8.26	-10.80	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	357.55073M	36.40	46.00	-9.60	-5.10	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	624.65217M	34.03	46.00	-11.97	-0.81	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	QP	83.42029M	32.94	40.00	-7.06	-13.14	3	Horizontal	74	2.28	-
5775MHz_PoE	Pass	QP	249.30435M	44.18	46.00	-1.82	-7.17	3	Horizontal	320	1.00	-
5775MHz_PoE	Pass	QP	450.33333M	37.95	46.00	-8.05	-3.13	3	Horizontal	123	1.01	-

802.11ac VHT80_Nss1,(MCS0)_1RX

18/07/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	76.3913M	36.51	40.00	-3.49	-14.16	3	Vertical	360	3.00	-
PK	170.57971M	39.32	43.50	-4.18	-10.61	3	Vertical	360	3.00	-
PK	252.11594M	42.66	46.00	-3.34	-6.79	3	Vertical	360	3.00	-
PK	330.84058M	34.24	46.00	-11.76	-5.80	3	Vertical	360	3.00	-
PK	453.14493M	40.02	46.00	-5.98	-3.08	3	Vertical	360	3.00	-
PK	572.63768M	36.46	46.00	-9.54	-1.46	3	Vertical	360	3.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX

18/07/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	174.7971M	35.24	43.50	-8.26	-10.80	3	Horizontal	360	3.00	-
PK	357.55073M	36.40	46.00	-9.60	-5.10	3	Horizontal	360	3.00	-
PK	624.65217M	34.03	46.00	-11.97	-0.81	3	Horizontal	360	3.00	-
QP	83.42029M	32.94	40.00	-7.06	-13.14	3	Horizontal	74	2.28	-
QP	249.30435M	44.18	46.00	-1.82	-7.17	3	Horizontal	320	1.00	-
QP	450.33333M	37.95	46.00	-8.05	-3.13	3	Horizontal	123	1.01	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_4TX	Pass	AV	2.448G	35.02	54.00	-18.98	-4.09	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_RX	Pass	AV	2.448G	35.02	54.00	-18.98	-4.09	3	Vertical	360	1.00	-
5775MHz_RX	Pass	AV	3.496G	29.73	54.00	-24.27	-1.55	3	Vertical	360	1.00	-
5775MHz_RX	Pass	AV	4.344G	31.47	54.00	-22.53	0.68	3	Vertical	360	1.00	-
5775MHz_RX	Pass	PK	2.448G	47.10	74.00	-26.90	-4.09	3	Vertical	360	1.00	-
5775MHz_RX	Pass	PK	3.496G	41.77	74.00	-32.23	-1.55	3	Vertical	360	1.00	-
5775MHz_RX	Pass	PK	4.344G	43.95	74.00	-30.05	0.68	3	Vertical	360	1.00	-
5775MHz_RX	Pass	AV	1.84G	24.89	54.00	-29.11	-6.07	3	Horizontal	0	1.00	-
5775MHz_RX	Pass	AV	2.448G	25.89	54.00	-28.11	-4.09	3	Horizontal	0	1.00	-
5775MHz_RX	Pass	AV	3.536G	30.27	54.00	-23.73	-1.41	3	Horizontal	0	1.00	-
5775MHz_RX	Pass	PK	1.84G	38.77	74.00	-35.23	-6.07	3	Horizontal	0	1.00	-
5775MHz_RX	Pass	PK	2.448G	41.08	74.00	-32.92	-4.09	3	Horizontal	0	1.00	-
5775MHz_RX	Pass	PK	3.536G	42.79	74.00	-31.21	-1.41	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4RX

31/05/2019

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.448G	35.02	54.00	-18.98	-4.09	3	Vertical	360	1.00	-
AV	3.496G	29.73	54.00	-24.27	-1.55	3	Vertical	360	1.00	-
AV	4.344G	31.47	54.00	-22.53	0.68	3	Vertical	360	1.00	-
PK	2.448G	47.10	74.00	-26.90	-4.09	3	Vertical	360	1.00	-
PK	3.496G	41.77	74.00	-32.23	-1.55	3	Vertical	360	1.00	-
PK	4.344G	43.95	74.00	-30.05	0.68	3	Vertical	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4RX

31/05/2019

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	1.84G	24.89	54.00	-29.11	-6.07	3	Horizontal	0	1.00	-				
AV	2.448G	25.89	54.00	-28.11	-4.09	3	Horizontal	0	1.00	-				
AV	3.536G	30.27	54.00	-23.73	-1.41	3	Horizontal	0	1.00	-				
PK	1.84G	38.77	74.00	-35.23	-6.07	3	Horizontal	0	1.00	-				
PK	2.448G	41.08	74.00	-32.92	-4.09	3	Horizontal	0	1.00	-				
PK	3.536G	42.79	74.00	-31.21	-1.41	3	Horizontal	0	1.00	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_4TX	Pass	AV	3G	37.47	54.00	-16.53	-0.78	3	Vertical	184	1.09	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.435G	29.40	54.00	-24.60	-5.54	3	Vertical	90	2.43	-
5775MHz	Pass	AV	2.5G	30.50	54.00	-23.50	-2.19	3	Vertical	228	1.03	-
5775MHz	Pass	AV	3G	37.47	54.00	-16.53	-0.78	3	Vertical	184	1.09	-
5775MHz	Pass	PK	1.435G	42.35	74.00	-31.65	-5.54	3	Vertical	90	2.43	-
5775MHz	Pass	PK	2.5G	45.05	74.00	-28.95	-2.19	3	Vertical	228	1.03	-
5775MHz	Pass	PK	3G	43.73	74.00	-30.27	-0.78	3	Vertical	184	1.09	-
5775MHz	Pass	AV	1.5G	27.35	54.00	-26.65	-5.20	3	Horizontal	170	1.33	-
5775MHz	Pass	AV	2.5G	31.95	54.00	-22.05	-2.19	3	Horizontal	90	2.24	-
5775MHz	Pass	AV	2.972G	36.24	54.00	-17.76	-0.86	3	Horizontal	312	2.38	-
5775MHz	Pass	PK	1.5G	42.73	74.00	-31.27	-5.20	3	Horizontal	170	1.33	-
5775MHz	Pass	PK	2.5G	42.98	74.00	-31.02	-2.19	3	Horizontal	90	2.24	-
5775MHz	Pass	PK	2.972G	43.02	74.00	-30.98	-0.86	3	Horizontal	312	2.38	-

802.11ac VHT80_Nss1,(MCS0)_4RX

28/05/2019

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	1.435G	29.40	54.00	-24.60	-5.54	3	Vertical	90	2.43	-				
AV	2.5G	30.50	54.00	-23.50	-2.19	3	Vertical	228	1.03	-				
AV	3G	37.47	54.00	-16.53	-0.78	3	Vertical	184	1.09	-				
PK	1.435G	42.35	74.00	-31.65	-5.54	3	Vertical	90	2.43	-				
PK	2.5G	45.05	74.00	-28.95	-2.19	3	Vertical	228	1.03	-				
PK	3G	43.73	74.00	-30.27	-0.78	3	Vertical	184	1.09	-				

802.11ac VHT80_Nss1,(MCS0)_4RX

28/05/2019

5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	1.5G	27.35	54.00	-26.65	-5.20	3	Horizontal	170	1.33	-				
AV	2.5G	31.95	54.00	-22.05	-2.19	3	Horizontal	90	2.24	-				
AV	2.972G	36.24	54.00	-17.76	-0.86	3	Horizontal	312	2.38	-				
PK	1.5G	42.73	74.00	-31.27	-5.20	3	Horizontal	170	1.33	-				
PK	2.5G	42.98	74.00	-31.02	-2.19	3	Horizontal	90	2.24	-				
PK	2.972G	43.02	74.00	-30.98	-0.86	3	Horizontal	312	2.38	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	6.248G	51.17	54.00	-2.83	5.27	3	Horizontal	331	1.98	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.7188G	44.82	54.00	-9.18	-4.86	3	Vertical	65	1.00	-
5775MHz	Pass	AV	5G	48.15	54.00	-5.85	3.30	3	Vertical	323	1.19	-
5775MHz	Pass	AV	5.94G	47.88	54.00	-6.12	4.47	3	Vertical	351	1.00	-
5775MHz	Pass	PK	1.7188G	47.23	74.00	-26.77	-4.86	3	Vertical	65	1.00	-
5775MHz	Pass	PK	5G	50.38	74.00	-23.62	3.30	3	Vertical	323	1.19	-
5775MHz	Pass	PK	5.94G	49.64	74.00	-24.36	4.47	3	Vertical	351	1.00	-
5775MHz	Pass	AV	1.756G	45.62	54.00	-8.38	-4.76	3	Horizontal	305	1.00	-
5775MHz	Pass	AV	5.002G	48.72	54.00	-5.28	3.31	3	Horizontal	31	1.00	-
5775MHz	Pass	AV	6.248G	51.17	54.00	-2.83	5.27	3	Horizontal	331	1.98	-
5775MHz	Pass	PK	1.756G	47.57	74.00	-26.43	-4.76	3	Horizontal	305	1.00	-
5775MHz	Pass	PK	5.002G	49.91	74.00	-24.09	3.31	3	Horizontal	31	1.00	-
5775MHz	Pass	PK	6.248G	52.04	74.00	-21.96	5.27	3	Horizontal	331	1.98	-

802.11ac VHT80_Nss1,(MCS0)_1RX

02/07/2019

5775MHz_RX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	1.7188G	44.82	54.00	-9.18	-4.86	3	Vertical	65	1.00	-				
AV	5G	48.15	54.00	-5.85	3.30	3	Vertical	323	1.19	-				
AV	5.94G	47.88	54.00	-6.12	4.47	3	Vertical	351	1.00	-				
PK	1.7188G	47.23	74.00	-26.77	-4.86	3	Vertical	65	1.00	-				
PK	5G	50.38	74.00	-23.62	3.30	3	Vertical	323	1.19	-				
PK	5.94G	49.64	74.00	-24.36	4.47	3	Vertical	351	1.00	-				

802.11ac VHT80_Nss1,(MCS0)_1RX

02/07/2019

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	1.756G	45.62	54.00	-8.38	-4.76	3	Horizontal	305	1.00	-				
AV	5.002G	48.72	54.00	-5.28	3.31	3	Horizontal	31	1.00	-				
AV	6.248G	51.17	54.00	-2.83	5.27	3	Horizontal	331	1.98	-				
PK	1.756G	47.57	74.00	-26.43	-4.76	3	Horizontal	305	1.00	-				
PK	5.002G	49.91	74.00	-24.09	3.31	3	Horizontal	31	1.00	-				
PK	6.248G	52.04	74.00	-21.96	5.27	3	Horizontal	331	1.98	-				