



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.00 dBm	-7.50 dB	-0.015 MHz
1 to 5MHz	-40.27 dBm	-31.77 dB	-3.300 MHz
5 to 10MHz	-41.97 dBm	-30.47 dB	-5.500 MHz
10 to 15MHz	-44.33 dBm	-20.83 dB	-10.500 MHz
Upper			
0 to 1MHz	-54.37 dBm	-37.87 dB	0.135 MHz
1 to 5MHz	-41.76 dBm	-33.26 dB	1.500 MHz
5 to 10MHz	-43.83 dBm	-32.33 dB	5.500 MHz
10 to 15MHz	-44.02 dBm	-20.52 dB	14.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.72 dBm	-23.22 dB	-0.015 MHz
1 to 5MHz	-36.29 dBm	-27.79 dB	-1.500 MHz
5 to 10MHz	-38.05 dBm	-26.55 dB	-5.500 MHz
10 to 15MHz	-40.91 dBm	-17.41 dB	-10.500 MHz
Upper			
0 to 1MHz	-39.96 dBm	-23.46 dB	0.015 MHz
1 to 5MHz	-37.34 dBm	-28.84 dB	1.500 MHz
5 to 10MHz	-40.84 dBm	-29.34 dB	5.500 MHz
10 to 15MHz	-44.03 dBm	-20.53 dB	14.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.32 dBm	-36.82 dB	-0.105 MHz
1 to 5MHz	-40.96 dBm	-32.46 dB	-1.500 MHz
5 to 10MHz	-28.53 dBm	-17.03 dB	-8.500 MHz
10 to 15MHz	-44.31 dBm	-20.81 dB	-10.500 MHz
Upper			
0 to 1MHz	-24.02 dBm	-7.52 dB	0.015 MHz
1 to 5MHz	-41.05 dBm	-32.55 dB	1.500 MHz
5 to 10MHz	-43.51 dBm	-32.01 dB	5.500 MHz
10 to 15MHz	-44.09 dBm	-20.59 dB	13.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.09 dBm	-13.59 dB	-0.015 MHz
1 to 5MHz	-26.04 dBm	-17.54 dB	-1.500 MHz
5 to 10MHz	-38.53 dBm	-27.03 dB	-5.500 MHz
10 to 15MHz	-43.64 dBm	-20.14 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.66 dBm	-36.16 dB	0.015 MHz
1 to 5MHz	-34.46 dBm	-25.96 dB	4.500 MHz
5 to 10MHz	-34.42 dBm	-22.92 dB	5.500 MHz
10 to 15MHz	-44.03 dBm	-20.53 dB	10.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=12 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.54 dBm	-34.04 dB	-0.015 MHz
1 to 5MHz	-33.44 dBm	-24.94 dB	-4.500 MHz
5 to 10MHz	-32.71 dBm	-21.21 dB	-5.500 MHz
10 to 15MHz	-44.22 dBm	-20.72 dB	-10.500 MHz
Upper			
0 to 1MHz	-31.25 dBm	-14.75 dB	0.015 MHz
1 to 5MHz	-29.57 dBm	-21.07 dB	1.500 MHz
5 to 10MHz	-39.87 dBm	-28.37 dB	5.500 MHz
10 to 15MHz	-43.98 dBm	-20.48 dB	14.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=12 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.50 dBm	-14.00 dB	-0.015 MHz
1 to 5MHz	-26.36 dBm	-17.86 dB	-1.500 MHz
5 to 10MHz	-38.03 dBm	-26.53 dB	-5.500 MHz
10 to 15MHz	-43.34 dBm	-19.84 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.21 dBm	-35.71 dB	0.015 MHz
1 to 5MHz	-38.79 dBm	-30.29 dB	3.300 MHz
5 to 10MHz	-40.18 dBm	-28.68 dB	5.500 MHz
10 to 15MHz	-44.03 dBm	-20.53 dB	14.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.66 dBm	-34.16 dB	-0.015 MHz
1 to 5MHz	-33.57 dBm	-25.07 dB	-4.500 MHz
5 to 10MHz	-32.64 dBm	-21.14 dB	-5.500 MHz
10 to 15MHz	-44.19 dBm	-20.69 dB	-10.500 MHz
Upper			
0 to 1MHz	-30.72 dBm	-14.22 dB	0.015 MHz
1 to 5MHz	-29.10 dBm	-20.60 dB	1.500 MHz
5 to 10MHz	-42.53 dBm	-31.03 dB	5.500 MHz
10 to 15MHz	-44.04 dBm	-20.54 dB	13.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.60 dBm	-23.10 dB	-0.015 MHz
1 to 5MHz	-36.48 dBm	-27.98 dB	-1.500 MHz
5 to 10MHz	-37.99 dBm	-26.49 dB	-6.500 MHz
10 to 15MHz	-40.50 dBm	-17.00 dB	-11.500 MHz
Upper			
0 to 1MHz	-39.24 dBm	-22.74 dB	0.015 MHz
1 to 5MHz	-36.03 dBm	-27.53 dB	1.500 MHz
5 to 10MHz	-42.40 dBm	-30.90 dB	5.500 MHz
10 to 15MHz	-44.03 dBm	-20.53 dB	14.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.26 dBm	-15.76 dB	-0.015 MHz
1 to 5MHz	-40.34 dBm	-31.84 dB	-4.500 MHz
5 to 6MHz	-42.00 dBm	-18.50 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.87 dBm	-40.37 dB	0.985 MHz
1 to 5MHz	-28.93 dBm	-20.43 dB	2.300 MHz
5 to 6MHz	-43.15 dBm	-19.65 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.11 dBm	-39.61 dB	-0.985 MHz
1 to 5MHz	-27.83 dBm	-19.33 dB	-2.300 MHz
5 to 6MHz	-42.75 dBm	-19.25 dB	-5.500 MHz
Upper			
0 to 1MHz	-26.91 dBm	-15.41 dB	0.015 MHz
1 to 5MHz	-40.77 dBm	-32.27 dB	1.500 MHz
5 to 6MHz	-42.56 dBm	-19.06 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.54 dBm	-28.04 dB	-0.015 MHz
1 to 5MHz	-34.61 dBm	-26.11 dB	-1.500 MHz
5 to 6MHz	-39.95 dBm	-16.45 dB	-5.500 MHz
Upper			
0 to 1MHz	-39.81 dBm	-28.31 dB	0.015 MHz
1 to 5MHz	-35.61 dBm	-27.11 dB	1.500 MHz
5 to 6MHz	-40.55 dBm	-17.05 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.20 dBm	-17.70 dB	-0.015 MHz
1 to 5MHz	-33.60 dBm	-25.10 dB	-1.500 MHz
5 to 6MHz	-41.52 dBm	-18.02 dB	-5.500 MHz
Upper			
0 to 1MHz	-46.40 dBm	-34.90 dB	0.985 MHz
1 to 5MHz	-30.13 dBm	-21.63 dB	1.500 MHz
5 to 6MHz	-42.73 dBm	-19.23 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=4 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.10 dBm	-33.60 dB	-0.985 MHz
1 to 5MHz	-29.00 dBm	-20.50 dB	-1.500 MHz
5 to 6MHz	-42.37 dBm	-18.87 dB	-5.500 MHz
Upper			
0 to 1MHz	-27.68 dBm	-16.18 dB	0.015 MHz
1 to 5MHz	-33.96 dBm	-25.46 dB	1.500 MHz
5 to 6MHz	-42.23 dBm	-18.73 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=4 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.08 dBm	-15.58 dB	-0.015 MHz
1 to 5MHz	-39.99 dBm	-31.49 dB	-4.500 MHz
5 to 6MHz	-41.66 dBm	-18.16 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.62 dBm	-40.12 dB	0.985 MHz
1 to 5MHz	-28.35 dBm	-19.85 dB	2.300 MHz
5 to 6MHz	-43.03 dBm	-19.53 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.37 dBm	-15.87 dB	-0.015 MHz
1 to 5MHz	-39.58 dBm	-31.08 dB	-4.500 MHz
5 to 6MHz	-41.48 dBm	-17.98 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.85 dBm	-40.35 dB	0.985 MHz
1 to 5MHz	-30.18 dBm	-21.68 dB	2.300 MHz
5 to 6MHz	-44.07 dBm	-20.57 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.81 dBm	-33.31 dB	-0.985 MHz
1 to 5MHz	-28.38 dBm	-19.88 dB	-1.500 MHz
5 to 6MHz	-42.15 dBm	-18.65 dB	-5.500 MHz
Upper			
0 to 1MHz	-28.53 dBm	-17.03 dB	0.015 MHz
1 to 5MHz	-34.00 dBm	-25.50 dB	1.500 MHz
5 to 6MHz	-42.18 dBm	-18.68 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=4 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.74 dBm	-28.24 dB	-0.015 MHz
1 to 5MHz	-35.05 dBm	-26.55 dB	-1.500 MHz
5 to 6MHz	-39.19 dBm	-15.69 dB	-5.500 MHz
Upper			
0 to 1MHz	-39.50 dBm	-28.00 dB	0.015 MHz
1 to 5MHz	-35.92 dBm	-27.42 dB	1.500 MHz
5 to 6MHz	-39.97 dBm	-16.47 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.69 dBm	-40.19 dB	-0.985 MHz
1 to 5MHz	-29.58 dBm	-21.08 dB	-2.300 MHz
5 to 6MHz	-42.50 dBm	-19.00 dB	-5.500 MHz
Upper			
0 to 1MHz	-27.43 dBm	-15.93 dB	0.015 MHz
1 to 5MHz	-40.19 dBm	-31.69 dB	1.500 MHz
5 to 6MHz	-42.33 dBm	-18.83 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.94 dBm	-16.44 dB	-0.015 MHz
1 to 5MHz	-33.38 dBm	-24.88 dB	-1.500 MHz
5 to 6MHz	-41.29 dBm	-17.79 dB	-5.500 MHz
Upper			
0 to 1MHz	-45.72 dBm	-34.22 dB	0.985 MHz
1 to 5MHz	-29.46 dBm	-20.96 dB	1.500 MHz
5 to 6MHz	-42.65 dBm	-19.15 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=4 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.27 dBm	-40.77 dB	-0.985 MHz
1 to 5MHz	-30.17 dBm	-21.67 dB	-2.300 MHz
5 to 6MHz	-42.77 dBm	-19.27 dB	-5.500 MHz
Upper			
0 to 1MHz	-27.39 dBm	-15.89 dB	0.015 MHz
1 to 5MHz	-40.39 dBm	-31.89 dB	1.500 MHz
5 to 6MHz	-43.41 dBm	-19.91 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.03 dBm	-28.53 dB	-0.015 MHz
1 to 5MHz	-35.72 dBm	-27.22 dB	-1.500 MHz
5 to 6MHz	-39.32 dBm	-15.82 dB	-5.500 MHz
Upper			
0 to 1MHz	-39.32 dBm	-27.82 dB	0.015 MHz
1 to 5MHz	-33.80 dBm	-25.30 dB	1.500 MHz
5 to 6MHz	-43.01 dBm	-19.51 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.88 dBm	-18.38 dB	-0.015 MHz
1 to 5MHz	-33.69 dBm	-25.19 dB	-1.500 MHz
5 to 6MHz	-41.11 dBm	-17.61 dB	-5.500 MHz
Upper			
0 to 1MHz	-45.01 dBm	-33.51 dB	0.975 MHz
1 to 5MHz	-28.57 dBm	-20.07 dB	1.500 MHz
5 to 6MHz	-43.85 dBm	-20.35 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=4 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.82 dBm	-33.32 dB	-0.985 MHz
1 to 5MHz	-28.58 dBm	-20.08 dB	-1.500 MHz
5 to 6MHz	-42.37 dBm	-18.87 dB	-5.500 MHz
Upper			
0 to 1MHz	-28.23 dBm	-16.73 dB	0.015 MHz
1 to 5MHz	-34.48 dBm	-25.98 dB	1.500 MHz
5 to 6MHz	-43.24 dBm	-19.74 dB	5.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=4 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-18.38 dBm	-4.88 dB	-0.015 MHz
1 to 5MHz	-39.19 dBm	-30.69 dB	-1.500 MHz
5 to 6MHz	-42.75 dBm	-31.25 dB	-5.500 MHz
6 to 10MHz	-42.45 dBm	-18.95 dB	-8.500 MHz
Upper			
0 to 1MHz	-51.84 dBm	-38.34 dB	0.015 MHz
1 to 5MHz	-29.11 dBm	-20.61 dB	4.300 MHz
5 to 6MHz	-43.75 dBm	-32.25 dB	5.500 MHz
6 to 10MHz	-44.10 dBm	-20.60 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.92 dBm	-37.42 dB	-0.045 MHz
1 to 5MHz	-30.14 dBm	-21.64 dB	-4.300 MHz
5 to 6MHz	-43.57 dBm	-32.07 dB	-5.500 MHz
6 to 10MHz	-44.16 dBm	-20.66 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.80 dBm	-5.30 dB	0.015 MHz
1 to 5MHz	-38.66 dBm	-30.16 dB	1.500 MHz
5 to 6MHz	-43.15 dBm	-31.65 dB	5.500 MHz
6 to 10MHz	-42.96 dBm	-19.46 dB	8.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-47.37 dBm	-33.87 dB	-0.985 MHz
1 to 5MHz	-30.79 dBm	-22.29 dB	-2.000 MHz
5 to 6MHz	-43.01 dBm	-31.51 dB	-5.500 MHz
6 to 10MHz	-43.89 dBm	-20.39 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.16 dBm	-10.66 dB	0.015 MHz
1 to 5MHz	-27.82 dBm	-19.32 dB	1.500 MHz
5 to 6MHz	-41.51 dBm	-30.01 dB	5.500 MHz
6 to 10MHz	-42.96 dBm	-19.46 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=8 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.99 dBm	-37.49 dB	-0.015 MHz
1 to 5MHz	-28.82 dBm	-20.32 dB	-4.300 MHz
5 to 6MHz	-43.40 dBm	-31.90 dB	-5.500 MHz
6 to 10MHz	-44.03 dBm	-20.53 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.70 dBm	-5.20 dB	0.015 MHz
1 to 5MHz	-38.52 dBm	-30.02 dB	1.500 MHz
5 to 6MHz	-43.12 dBm	-31.62 dB	5.500 MHz
6 to 10MHz	-42.94 dBm	-19.44 dB	8.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-18.74 dBm	-5.24 dB	-0.015 MHz
1 to 5MHz	-38.77 dBm	-30.27 dB	-1.500 MHz
5 to 6MHz	-42.59 dBm	-31.09 dB	-5.500 MHz
6 to 10MHz	-42.58 dBm	-19.08 dB	-8.500 MHz
Upper			
0 to 1MHz	-51.81 dBm	-38.31 dB	0.015 MHz
1 to 5MHz	-30.98 dBm	-22.48 dB	4.300 MHz
5 to 6MHz	-43.66 dBm	-32.16 dB	5.500 MHz
6 to 10MHz	-44.03 dBm	-20.53 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.92 dBm	-17.42 dB	-0.015 MHz
1 to 5MHz	-34.82 dBm	-26.32 dB	-1.500 MHz
5 to 6MHz	-38.88 dBm	-27.38 dB	-5.500 MHz
6 to 10MHz	-39.06 dBm	-15.56 dB	-7.500 MHz
Upper			
0 to 1MHz	-31.37 dBm	-17.87 dB	0.015 MHz
1 to 5MHz	-35.69 dBm	-27.19 dB	1.500 MHz
5 to 6MHz	-39.77 dBm	-28.27 dB	5.500 MHz
6 to 10MHz	-39.84 dBm	-16.34 dB	7.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.10 dBm	-9.60 dB	-0.015 MHz
1 to 5MHz	-28.69 dBm	-20.19 dB	-1.500 MHz
5 to 6MHz	-40.89 dBm	-29.39 dB	-5.500 MHz
6 to 10MHz	-42.69 dBm	-19.19 dB	-6.500 MHz
Upper			
0 to 1MHz	-48.00 dBm	-34.50 dB	0.985 MHz
1 to 5MHz	-31.63 dBm	-23.13 dB	2.000 MHz
5 to 6MHz	-43.25 dBm	-31.75 dB	5.500 MHz
6 to 10MHz	-43.81 dBm	-20.31 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=8 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-18.60 dBm	-5.10 dB	-0.015 MHz
1 to 5MHz	-38.54 dBm	-30.04 dB	-1.500 MHz
5 to 6MHz	-42.63 dBm	-31.13 dB	-5.500 MHz
6 to 10MHz	-41.73 dBm	-18.23 dB	-8.500 MHz
Upper			
0 to 1MHz	-51.60 dBm	-38.10 dB	0.075 MHz
1 to 5MHz	-33.01 dBm	-24.51 dB	4.300 MHz
5 to 6MHz	-44.12 dBm	-32.62 dB	5.500 MHz
6 to 10MHz	-44.21 dBm	-20.71 dB	7.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.05 dBm	-17.55 dB	-0.015 MHz
1 to 5MHz	-35.29 dBm	-26.79 dB	-1.500 MHz
5 to 6MHz	-38.11 dBm	-26.61 dB	-5.500 MHz
6 to 10MHz	-38.27 dBm	-14.77 dB	-7.500 MHz
Upper			
0 to 1MHz	-31.67 dBm	-18.17 dB	0.015 MHz
1 to 5MHz	-36.38 dBm	-27.88 dB	1.500 MHz
5 to 6MHz	-39.52 dBm	-28.02 dB	5.500 MHz
6 to 10MHz	-39.64 dBm	-16.14 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.07 dBm	-9.57 dB	-0.015 MHz
1 to 5MHz	-27.69 dBm	-19.19 dB	-1.500 MHz
5 to 6MHz	-40.43 dBm	-28.93 dB	-5.500 MHz
6 to 10MHz	-42.37 dBm	-18.87 dB	-6.500 MHz
Upper			
0 to 1MHz	-48.31 dBm	-34.81 dB	0.985 MHz
1 to 5MHz	-31.58 dBm	-23.08 dB	2.000 MHz
5 to 6MHz	-43.20 dBm	-31.70 dB	5.500 MHz
6 to 10MHz	-43.94 dBm	-20.44 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=8 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-47.47 dBm	-33.97 dB	-0.165 MHz
1 to 5MHz	-32.23 dBm	-23.73 dB	-2.000 MHz
5 to 6MHz	-42.65 dBm	-31.15 dB	-5.500 MHz
6 to 10MHz	-43.71 dBm	-20.21 dB	-6.500 MHz
Upper			
0 to 1MHz	-25.12 dBm	-11.62 dB	0.015 MHz
1 to 5MHz	-29.18 dBm	-20.68 dB	1.500 MHz
5 to 6MHz	-40.97 dBm	-29.47 dB	5.500 MHz
6 to 10MHz	-42.76 dBm	-19.26 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=8 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.36 dBm	-17.86 dB	-0.015 MHz
1 to 5MHz	-35.98 dBm	-27.48 dB	-1.500 MHz
5 to 6MHz	-38.79 dBm	-27.29 dB	-5.500 MHz
6 to 10MHz	-38.34 dBm	-14.84 dB	-7.500 MHz
Upper			
0 to 1MHz	-31.35 dBm	-17.85 dB	0.015 MHz
1 to 5MHz	-33.76 dBm	-25.26 dB	1.500 MHz
5 to 6MHz	-42.85 dBm	-31.35 dB	5.500 MHz
6 to 10MHz	-43.83 dBm	-20.33 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.15 dBm	-10.65 dB	-0.015 MHz
1 to 5MHz	-30.07 dBm	-21.57 dB	-1.500 MHz
5 to 6MHz	-40.02 dBm	-28.52 dB	-5.500 MHz
6 to 10MHz	-42.12 dBm	-18.62 dB	-6.500 MHz
Upper			
0 to 1MHz	-47.87 dBm	-34.37 dB	0.135 MHz
1 to 5MHz	-32.99 dBm	-24.49 dB	2.000 MHz
5 to 6MHz	-44.02 dBm	-32.52 dB	5.500 MHz
6 to 10MHz	-44.14 dBm	-20.64 dB	8.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.38 dBm	-37.88 dB	-0.045 MHz
1 to 5MHz	-29.57 dBm	-21.07 dB	-4.300 MHz
5 to 6MHz	-43.55 dBm	-32.05 dB	-5.500 MHz
6 to 10MHz	-44.14 dBm	-20.64 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.80 dBm	-5.30 dB	0.015 MHz
1 to 5MHz	-38.72 dBm	-30.22 dB	1.500 MHz
5 to 6MHz	-43.59 dBm	-32.09 dB	5.500 MHz
6 to 10MHz	-43.87 dBm	-20.37 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-47.95 dBm	-34.45 dB	-0.555 MHz
1 to 5MHz	-32.16 dBm	-23.66 dB	-2.000 MHz
5 to 6MHz	-42.76 dBm	-31.26 dB	-5.500 MHz
6 to 10MHz	-43.78 dBm	-20.28 dB	-6.500 MHz
Upper			
0 to 1MHz	-25.28 dBm	-11.78 dB	0.015 MHz
1 to 5MHz	-29.75 dBm	-21.25 dB	1.500 MHz
5 to 6MHz	-42.96 dBm	-31.46 dB	5.500 MHz
6 to 10MHz	-43.94 dBm	-20.44 dB	6.500 MHz
Template Judgement	Pass		

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.76 dBm	-6.26 dB	-0.015 MHz
1 to 5MHz	-40.41 dBm	-31.91 dB	-1.500 MHz
5 to 10MHz	-42.65 dBm	-31.15 dB	-5.500 MHz
10 to 15MHz	-44.10 dBm	-20.60 dB	-14.500 MHz
Upper			
0 to 1MHz	-52.77 dBm	-36.27 dB	0.015 MHz
1 to 5MHz	-40.41 dBm	-31.91 dB	1.500 MHz
5 to 10MHz	-28.21 dBm	-16.71 dB	8.500 MHz
10 to 15MHz	-44.00 dBm	-20.50 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.08 dBm	-36.58 dB	-0.015 MHz
1 to 5MHz	-40.99 dBm	-32.49 dB	-1.500 MHz
5 to 10MHz	-39.28 dBm	-27.78 dB	-8.500 MHz
10 to 15MHz	-44.06 dBm	-20.56 dB	-14.500 MHz
Upper			
0 to 1MHz	-22.79 dBm	-6.29 dB	0.015 MHz
1 to 5MHz	-39.88 dBm	-31.38 dB	3.300 MHz
5 to 10MHz	-42.00 dBm	-30.50 dB	5.500 MHz
10 to 15MHz	-43.96 dBm	-20.46 dB	14.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.78 dBm	-22.28 dB	-0.015 MHz
1 to 5MHz	-33.82 dBm	-25.32 dB	-1.500 MHz
5 to 10MHz	-40.50 dBm	-29.00 dB	-5.500 MHz
10 to 15MHz	-44.08 dBm	-20.58 dB	-14.500 MHz
Upper			
0 to 1MHz	-37.98 dBm	-21.48 dB	0.015 MHz
1 to 5MHz	-30.75 dBm	-22.25 dB	1.500 MHz
5 to 10MHz	-33.91 dBm	-22.41 dB	5.500 MHz
10 to 15MHz	-39.31 dBm	-15.81 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.80 dBm	-6.30 dB	-0.015 MHz
1 to 5MHz	-40.22 dBm	-31.72 dB	-3.300 MHz
5 to 10MHz	-42.08 dBm	-30.58 dB	-5.500 MHz
10 to 15MHz	-44.54 dBm	-21.04 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.79 dBm	-36.29 dB	0.135 MHz
1 to 5MHz	-40.54 dBm	-32.04 dB	1.500 MHz
5 to 10MHz	-29.61 dBm	-18.11 dB	8.500 MHz
10 to 15MHz	-43.99 dBm	-20.49 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.09 dBm	-36.59 dB	-0.015 MHz
1 to 5MHz	-40.80 dBm	-32.30 dB	-1.500 MHz
5 to 10MHz	-34.78 dBm	-23.28 dB	-8.500 MHz
10 to 15MHz	-44.51 dBm	-21.01 dB	-11.500 MHz
Upper			
0 to 1MHz	-22.65 dBm	-6.15 dB	0.015 MHz
1 to 5MHz	-39.98 dBm	-31.48 dB	3.300 MHz
5 to 10MHz	-42.04 dBm	-30.54 dB	5.500 MHz
10 to 15MHz	-44.02 dBm	-20.52 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.70 dBm	-22.20 dB	-0.015 MHz
1 to 5MHz	-32.50 dBm	-24.00 dB	-1.500 MHz
5 to 10MHz	-37.01 dBm	-25.51 dB	-5.500 MHz
10 to 15MHz	-43.92 dBm	-20.42 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.81 dBm	-21.31 dB	0.015 MHz
1 to 5MHz	-30.21 dBm	-21.71 dB	1.500 MHz
5 to 10MHz	-33.20 dBm	-21.70 dB	5.500 MHz
10 to 15MHz	-39.32 dBm	-15.82 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.54 dBm	-6.04 dB	-0.015 MHz
1 to 5MHz	-40.05 dBm	-31.55 dB	-3.300 MHz
5 to 10MHz	-41.76 dBm	-30.26 dB	-5.500 MHz
10 to 15MHz	-44.47 dBm	-20.97 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.91 dBm	-36.41 dB	0.045 MHz
1 to 5MHz	-40.60 dBm	-32.10 dB	1.500 MHz
5 to 10MHz	-29.63 dBm	-18.13 dB	8.500 MHz
10 to 15MHz	-44.00 dBm	-20.50 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.05 dBm	-36.55 dB	-0.015 MHz
1 to 5MHz	-40.67 dBm	-32.17 dB	-1.500 MHz
5 to 10MHz	-31.35 dBm	-19.85 dB	-8.500 MHz
10 to 15MHz	-44.47 dBm	-20.97 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.75 dBm	-6.25 dB	0.015 MHz
1 to 5MHz	-39.96 dBm	-31.46 dB	3.300 MHz
5 to 10MHz	-42.05 dBm	-30.55 dB	5.500 MHz
10 to 15MHz	-43.97 dBm	-20.47 dB	12.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.41 dBm	-21.91 dB	-0.015 MHz
1 to 5MHz	-32.89 dBm	-24.39 dB	-1.500 MHz
5 to 10MHz	-36.71 dBm	-25.21 dB	-5.500 MHz
10 to 15MHz	-42.67 dBm	-19.17 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.52 dBm	-21.02 dB	0.015 MHz
1 to 5MHz	-31.19 dBm	-22.69 dB	1.500 MHz
5 to 10MHz	-34.37 dBm	-22.87 dB	5.500 MHz
10 to 15MHz	-39.44 dBm	-15.94 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.79 dBm	-37.29 dB	-0.015 MHz
1 to 5MHz	-32.49 dBm	-23.99 dB	-4.300 MHz
5 to 6MHz	-44.15 dBm	-32.65 dB	-5.500 MHz
6 to 10MHz	-44.42 dBm	-20.92 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.82 dBm	-4.32 dB	0.015 MHz
1 to 5MHz	-38.46 dBm	-29.96 dB	1.500 MHz
5 to 6MHz	-42.82 dBm	-31.32 dB	5.500 MHz
6 to 10MHz	-40.61 dBm	-17.11 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.04 dBm	-3.54 dB	-0.015 MHz
1 to 5MHz	-38.77 dBm	-30.27 dB	-1.500 MHz
5 to 6MHz	-43.02 dBm	-31.52 dB	-5.500 MHz
6 to 10MHz	-43.47 dBm	-19.97 dB	-6.500 MHz
Upper			
0 to 1MHz	-50.41 dBm	-36.91 dB	0.015 MHz
1 to 5MHz	-29.07 dBm	-20.57 dB	4.300 MHz
5 to 6MHz	-43.28 dBm	-31.78 dB	5.500 MHz
6 to 10MHz	-43.91 dBm	-20.41 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.32 dBm	-35.82 dB	-0.195 MHz
1 to 5MHz	-41.19 dBm	-32.69 dB	-1.500 MHz
5 to 15MHz	-43.20 dBm	-31.70 dB	-5.500 MHz
15 to 20MHz	-43.84 dBm	-20.34 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.50 dBm	-8.00 dB	0.015 MHz
1 to 5MHz	-38.89 dBm	-30.39 dB	1.500 MHz
5 to 15MHz	-39.78 dBm	-28.28 dB	5.500 MHz
15 to 20MHz	-43.79 dBm	-20.29 dB	18.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-26.19 dBm	-7.69 dB	-0.015 MHz
1 to 5MHz	-39.28 dBm	-30.78 dB	-1.500 MHz
5 to 15MHz	-42.00 dBm	-30.50 dB	-5.500 MHz
15 to 20MHz	-43.87 dBm	-20.37 dB	-15.500 MHz
Upper			
0 to 1MHz	-53.91 dBm	-35.41 dB	0.165 MHz
1 to 5MHz	-40.44 dBm	-31.94 dB	1.500 MHz
5 to 15MHz	-29.70 dBm	-18.20 dB	12.500 MHz
15 to 20MHz	-43.86 dBm	-20.36 dB	19.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=1 Position=#0



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.39 dBm	-23.89 dB	-0.015 MHz
1 to 5MHz	-35.73 dBm	-27.23 dB	-1.500 MHz
5 to 15MHz	-40.94 dBm	-29.44 dB	-5.500 MHz
15 to 20MHz	-43.81 dBm	-20.31 dB	-15.500 MHz
Upper			
0 to 1MHz	-41.41 dBm	-22.91 dB	0.015 MHz
1 to 5MHz	-31.82 dBm	-23.32 dB	1.500 MHz
5 to 15MHz	-33.43 dBm	-21.93 dB	5.500 MHz
15 to 20MHz	-40.52 dBm	-17.02 dB	15.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.03 dBm	-17.53 dB	-0.015 MHz
1 to 5MHz	-32.42 dBm	-23.92 dB	-1.500 MHz
5 to 6MHz	-41.47 dBm	-29.97 dB	-5.500 MHz
6 to 10MHz	-42.83 dBm	-19.33 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.18 dBm	-17.68 dB	0.015 MHz
1 to 5MHz	-31.11 dBm	-22.61 dB	1.500 MHz
5 to 6MHz	-37.77 dBm	-26.27 dB	5.500 MHz
6 to 10MHz	-39.32 dBm	-15.82 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.75 dBm	-4.25 dB	-0.015 MHz
1 to 5MHz	-38.70 dBm	-30.20 dB	-1.500 MHz
5 to 6MHz	-42.53 dBm	-31.03 dB	-5.500 MHz
6 to 10MHz	-41.77 dBm	-18.27 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.71 dBm	-37.21 dB	0.075 MHz
1 to 5MHz	-30.00 dBm	-21.50 dB	4.300 MHz
5 to 6MHz	-43.31 dBm	-31.81 dB	5.500 MHz
6 to 10MHz	-43.91 dBm	-20.41 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.67 dBm	-37.17 dB	-0.015 MHz
1 to 5MHz	-29.32 dBm	-20.82 dB	-4.300 MHz
5 to 6MHz	-43.52 dBm	-32.02 dB	-5.500 MHz
6 to 10MHz	-44.19 dBm	-20.69 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.81 dBm	-4.31 dB	0.015 MHz
1 to 5MHz	-38.07 dBm	-29.57 dB	1.500 MHz
5 to 6MHz	-42.80 dBm	-31.30 dB	5.500 MHz
6 to 10MHz	-39.97 dBm	-16.47 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.51 dBm	-17.01 dB	-0.015 MHz
1 to 5MHz	-29.80 dBm	-21.30 dB	-1.500 MHz
5 to 6MHz	-38.02 dBm	-26.52 dB	-5.500 MHz
6 to 10MHz	-39.82 dBm	-16.32 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.01 dBm	-17.51 dB	0.015 MHz
1 to 5MHz	-29.00 dBm	-20.50 dB	1.500 MHz
5 to 6MHz	-37.35 dBm	-25.85 dB	5.500 MHz
6 to 10MHz	-39.06 dBm	-15.56 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.02 dBm	-3.52 dB	-0.015 MHz
1 to 5MHz	-38.60 dBm	-30.10 dB	-1.500 MHz
5 to 6MHz	-42.36 dBm	-30.86 dB	-5.500 MHz
6 to 10MHz	-40.36 dBm	-16.86 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.53 dBm	-37.03 dB	0.075 MHz
1 to 5MHz	-30.03 dBm	-21.53 dB	4.300 MHz
5 to 6MHz	-43.30 dBm	-31.80 dB	5.500 MHz
6 to 10MHz	-43.95 dBm	-20.45 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.23 dBm	-21.73 dB	-0.015 MHz
1 to 5MHz	-31.13 dBm	-22.63 dB	-1.500 MHz
5 to 10MHz	-39.05 dBm	-27.55 dB	-5.500 MHz
10 to 15MHz	-44.08 dBm	-20.58 dB	-14.500 MHz
Upper			
0 to 1MHz	-36.86 dBm	-20.36 dB	0.015 MHz
1 to 5MHz	-28.89 dBm	-20.39 dB	1.500 MHz
5 to 10MHz	-32.23 dBm	-20.73 dB	5.500 MHz
10 to 15MHz	-38.90 dBm	-15.40 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.59 dBm	-6.09 dB	-0.015 MHz
1 to 5MHz	-39.87 dBm	-31.37 dB	-3.300 MHz
5 to 10MHz	-41.83 dBm	-30.33 dB	-5.500 MHz
10 to 15MHz	-44.47 dBm	-20.97 dB	-11.500 MHz
Upper			
0 to 1MHz	-52.88 dBm	-36.38 dB	0.105 MHz
1 to 5MHz	-40.51 dBm	-32.01 dB	1.500 MHz
5 to 10MHz	-28.69 dBm	-17.19 dB	8.500 MHz
10 to 15MHz	-43.95 dBm	-20.45 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.96 dBm	-36.46 dB	-0.105 MHz
1 to 5MHz	-40.85 dBm	-32.35 dB	-1.500 MHz
5 to 10MHz	-38.83 dBm	-27.33 dB	-8.500 MHz
10 to 15MHz	-44.02 dBm	-20.52 dB	-14.500 MHz
Upper			
0 to 1MHz	-22.42 dBm	-5.92 dB	0.015 MHz
1 to 5MHz	-39.77 dBm	-31.27 dB	3.300 MHz
5 to 10MHz	-41.90 dBm	-30.40 dB	5.500 MHz
10 to 15MHz	-43.95 dBm	-20.45 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.31 dBm	-17.81 dB	-0.015 MHz
1 to 5MHz	-31.93 dBm	-23.43 dB	-1.500 MHz
5 to 6MHz	-38.00 dBm	-26.50 dB	-5.500 MHz
6 to 10MHz	-39.34 dBm	-15.84 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.78 dBm	-18.28 dB	0.015 MHz
1 to 5MHz	-31.39 dBm	-22.89 dB	1.500 MHz
5 to 6MHz	-37.73 dBm	-26.23 dB	5.500 MHz
6 to 10MHz	-39.06 dBm	-15.56 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.50 dBm	-37.00 dB	-0.045 MHz
1 to 5MHz	-29.27 dBm	-20.77 dB	-4.300 MHz
5 to 6MHz	-43.38 dBm	-31.88 dB	-5.500 MHz
6 to 10MHz	-44.02 dBm	-20.52 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.20 dBm	-3.70 dB	0.015 MHz
1 to 5MHz	-37.59 dBm	-29.09 dB	1.500 MHz
5 to 6MHz	-42.60 dBm	-31.10 dB	5.500 MHz
6 to 10MHz	-40.00 dBm	-16.50 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.68 dBm	-6.18 dB	-0.015 MHz
1 to 5MHz	-40.31 dBm	-31.81 dB	-3.300 MHz
5 to 10MHz	-42.46 dBm	-30.96 dB	-5.500 MHz
10 to 15MHz	-44.11 dBm	-20.61 dB	-14.500 MHz
Upper			
0 to 1MHz	-52.93 dBm	-36.43 dB	0.105 MHz
1 to 5MHz	-40.34 dBm	-31.84 dB	1.500 MHz
5 to 10MHz	-27.45 dBm	-15.95 dB	8.500 MHz
10 to 15MHz	-44.03 dBm	-20.53 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.96 dBm	-36.46 dB	-0.105 MHz
1 to 5MHz	-40.70 dBm	-32.20 dB	-1.500 MHz
5 to 10MHz	-34.21 dBm	-22.71 dB	-8.500 MHz
10 to 15MHz	-44.51 dBm	-21.01 dB	-11.500 MHz
Upper			
0 to 1MHz	-22.15 dBm	-5.65 dB	0.015 MHz
1 to 5MHz	-39.85 dBm	-31.35 dB	3.300 MHz
5 to 10MHz	-41.99 dBm	-30.49 dB	5.500 MHz
10 to 15MHz	-43.94 dBm	-20.44 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.43 dBm	-20.93 dB	-0.015 MHz
1 to 5MHz	-29.89 dBm	-21.39 dB	-1.500 MHz
5 to 10MHz	-34.91 dBm	-23.41 dB	-5.500 MHz
10 to 15MHz	-43.88 dBm	-20.38 dB	-10.500 MHz
Upper			
0 to 1MHz	-36.18 dBm	-19.68 dB	0.015 MHz
1 to 5MHz	-28.41 dBm	-19.91 dB	1.500 MHz
5 to 10MHz	-31.53 dBm	-20.03 dB	5.500 MHz
10 to 15MHz	-38.80 dBm	-15.30 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.21 dBm	-5.71 dB	-0.015 MHz
1 to 5MHz	-39.84 dBm	-31.34 dB	-3.300 MHz
5 to 10MHz	-41.57 dBm	-30.07 dB	-5.500 MHz
10 to 15MHz	-44.41 dBm	-20.91 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.82 dBm	-36.32 dB	0.015 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	1.500 MHz
5 to 10MHz	-28.71 dBm	-17.21 dB	8.500 MHz
10 to 15MHz	-43.99 dBm	-20.49 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.05 dBm	-36.55 dB	-0.105 MHz
1 to 5MHz	-40.59 dBm	-32.09 dB	-1.500 MHz
5 to 10MHz	-30.70 dBm	-19.20 dB	-8.500 MHz
10 to 15MHz	-44.51 dBm	-21.01 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.72 dBm	-6.22 dB	0.015 MHz
1 to 5MHz	-39.81 dBm	-31.31 dB	3.300 MHz
5 to 10MHz	-42.04 dBm	-30.54 dB	5.500 MHz
10 to 15MHz	-43.92 dBm	-20.42 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.71 dBm	-22.21 dB	-0.015 MHz
1 to 5MHz	-33.58 dBm	-25.08 dB	-1.500 MHz
5 to 15MHz	-39.46 dBm	-27.96 dB	-5.500 MHz
15 to 20MHz	-43.81 dBm	-20.31 dB	-15.500 MHz
Upper			
0 to 1MHz	-40.00 dBm	-21.50 dB	0.015 MHz
1 to 5MHz	-30.57 dBm	-22.07 dB	1.500 MHz
5 to 15MHz	-32.53 dBm	-21.03 dB	5.500 MHz
15 to 20MHz	-40.21 dBm	-16.71 dB	15.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.82 dBm	-21.32 dB	-0.015 MHz
1 to 5MHz	-31.25 dBm	-22.75 dB	-1.500 MHz
5 to 10MHz	-35.25 dBm	-23.75 dB	-5.500 MHz
10 to 15MHz	-42.80 dBm	-19.30 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.08 dBm	-20.58 dB	0.015 MHz
1 to 5MHz	-30.06 dBm	-21.56 dB	1.500 MHz
5 to 10MHz	-33.35 dBm	-21.85 dB	5.500 MHz
10 to 15MHz	-39.40 dBm	-15.90 dB	10.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-26.35 dBm	-7.85 dB	-0.015 MHz
1 to 5MHz	-39.38 dBm	-30.88 dB	-1.500 MHz
5 to 15MHz	-41.75 dBm	-30.25 dB	-5.500 MHz
15 to 20MHz	-43.76 dBm	-20.26 dB	-15.500 MHz
Upper			
0 to 1MHz	-53.25 dBm	-34.75 dB	0.255 MHz
1 to 5MHz	-40.34 dBm	-31.84 dB	1.500 MHz
5 to 15MHz	-28.71 dBm	-17.21 dB	12.500 MHz
15 to 20MHz	-43.83 dBm	-20.33 dB	15.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.38 dBm	-35.88 dB	-0.285 MHz
1 to 5MHz	-41.21 dBm	-32.71 dB	-1.500 MHz
5 to 15MHz	-43.06 dBm	-31.56 dB	-5.500 MHz
15 to 20MHz	-43.81 dBm	-20.31 dB	-15.500 MHz
Upper			
0 to 1MHz	-25.77 dBm	-7.27 dB	0.015 MHz
1 to 5MHz	-38.85 dBm	-30.35 dB	1.500 MHz
5 to 15MHz	-39.37 dBm	-27.87 dB	5.500 MHz
15 to 20MHz	-43.80 dBm	-20.30 dB	15.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.33 dBm	-3.83 dB	-0.015 MHz
1 to 5MHz	-38.59 dBm	-30.09 dB	-1.500 MHz
5 to 6MHz	-42.81 dBm	-31.31 dB	-5.500 MHz
6 to 10MHz	-43.38 dBm	-19.88 dB	-6.500 MHz
Upper			
0 to 1MHz	-50.22 dBm	-36.72 dB	0.015 MHz
1 to 5MHz	-28.21 dBm	-19.71 dB	4.300 MHz
5 to 6MHz	-43.20 dBm	-31.70 dB	5.500 MHz
6 to 10MHz	-43.96 dBm	-20.46 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.54 dBm	-37.04 dB	-0.105 MHz
1 to 5MHz	-31.60 dBm	-23.10 dB	-4.300 MHz
5 to 6MHz	-44.17 dBm	-32.67 dB	-5.500 MHz
6 to 10MHz	-44.39 dBm	-20.89 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.44 dBm	-3.94 dB	0.015 MHz
1 to 5MHz	-38.06 dBm	-29.56 dB	1.500 MHz
5 to 6MHz	-42.75 dBm	-31.25 dB	5.500 MHz
6 to 10MHz	-40.23 dBm	-16.73 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.99 dBm	-17.49 dB	-0.015 MHz
1 to 5MHz	-30.83 dBm	-22.33 dB	-1.500 MHz
5 to 6MHz	-41.70 dBm	-30.20 dB	-5.500 MHz
6 to 10MHz	-42.85 dBm	-19.35 dB	-6.500 MHz
Upper			
0 to 1MHz	-30.64 dBm	-17.14 dB	0.015 MHz
1 to 5MHz	-29.45 dBm	-20.95 dB	1.500 MHz
5 to 6MHz	-37.70 dBm	-26.20 dB	5.500 MHz
6 to 10MHz	-39.32 dBm	-15.82 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.00 dBm	-3.50 dB	-0.015 MHz
1 to 5MHz	-38.37 dBm	-29.87 dB	-1.500 MHz
5 to 6MHz	-42.29 dBm	-30.79 dB	-5.500 MHz
6 to 10MHz	-41.35 dBm	-17.85 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.62 dBm	-37.12 dB	0.075 MHz
1 to 5MHz	-28.76 dBm	-20.26 dB	4.300 MHz
5 to 6MHz	-43.24 dBm	-31.74 dB	5.500 MHz
6 to 10MHz	-43.94 dBm	-20.44 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.31 dBm	-36.81 dB	-0.045 MHz
1 to 5MHz	-28.26 dBm	-19.76 dB	-4.300 MHz
5 to 6MHz	-43.42 dBm	-31.92 dB	-5.500 MHz
6 to 10MHz	-44.13 dBm	-20.63 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.07 dBm	-3.57 dB	0.015 MHz
1 to 5MHz	-37.82 dBm	-29.32 dB	1.500 MHz
5 to 6MHz	-42.67 dBm	-31.17 dB	5.500 MHz
6 to 10MHz	-39.61 dBm	-16.11 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.69 dBm	-16.19 dB	-0.015 MHz
1 to 5MHz	-27.03 dBm	-18.53 dB	-1.500 MHz
5 to 6MHz	-37.73 dBm	-26.23 dB	-5.500 MHz
6 to 10MHz	-39.69 dBm	-16.19 dB	-6.500 MHz
Upper			
0 to 1MHz	-29.57 dBm	-16.07 dB	0.015 MHz
1 to 5MHz	-26.47 dBm	-17.97 dB	1.500 MHz
5 to 6MHz	-36.77 dBm	-25.27 dB	5.500 MHz
6 to 10MHz	-38.70 dBm	-15.20 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.45 dBm	-36.95 dB	-0.105 MHz
1 to 5MHz	-28.24 dBm	-19.74 dB	-4.300 MHz
5 to 6MHz	-43.18 dBm	-31.68 dB	-5.500 MHz
6 to 10MHz	-43.85 dBm	-20.35 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.56 dBm	-4.06 dB	0.015 MHz
1 to 5MHz	-36.72 dBm	-28.22 dB	1.500 MHz
5 to 6MHz	-42.30 dBm	-30.80 dB	5.500 MHz
6 to 10MHz	-39.63 dBm	-16.13 dB	8.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.55 dBm	-4.05 dB	-0.015 MHz
1 to 5MHz	-38.63 dBm	-30.13 dB	-1.500 MHz
5 to 6MHz	-42.20 dBm	-30.70 dB	-5.500 MHz
6 to 10MHz	-39.99 dBm	-16.49 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.79 dBm	-37.29 dB	0.045 MHz
1 to 5MHz	-29.17 dBm	-20.67 dB	4.300 MHz
5 to 6MHz	-43.22 dBm	-31.72 dB	5.500 MHz
6 to 10MHz	-43.93 dBm	-20.43 dB	6.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.21 dBm	-16.71 dB	-0.015 MHz
1 to 5MHz	-31.46 dBm	-22.96 dB	-1.500 MHz
5 to 6MHz	-38.35 dBm	-26.85 dB	-5.500 MHz
6 to 10MHz	-39.07 dBm	-15.57 dB	-7.500 MHz
Upper			
0 to 1MHz	-30.50 dBm	-17.00 dB	0.015 MHz
1 to 5MHz	-30.93 dBm	-22.43 dB	1.500 MHz
5 to 6MHz	-37.87 dBm	-26.37 dB	5.500 MHz
6 to 10MHz	-38.78 dBm	-15.28 dB	7.500 MHz
Template Judgement	Pass		

Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.74 dBm	-6.24 dB	-0.015 MHz
1 to 5MHz	-39.99 dBm	-31.49 dB	-3.300 MHz
5 to 10MHz	-41.72 dBm	-30.22 dB	-5.500 MHz
10 to 15MHz	-44.36 dBm	-20.86 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.26 dBm	-36.76 dB	0.105 MHz
1 to 5MHz	-40.88 dBm	-32.38 dB	1.500 MHz
5 to 10MHz	-29.11 dBm	-17.61 dB	8.500 MHz
10 to 15MHz	-44.15 dBm	-20.65 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.81 dBm	-36.31 dB	-0.015 MHz
1 to 5MHz	-40.65 dBm	-32.15 dB	-1.500 MHz
5 to 10MHz	-28.73 dBm	-17.23 dB	-8.500 MHz
10 to 15MHz	-44.38 dBm	-20.88 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.07 dBm	-6.57 dB	0.015 MHz
1 to 5MHz	-40.22 dBm	-31.72 dB	3.300 MHz
5 to 10MHz	-42.36 dBm	-30.86 dB	5.500 MHz
10 to 15MHz	-44.07 dBm	-20.57 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.80 dBm	-22.30 dB	-0.015 MHz
1 to 5MHz	-34.46 dBm	-25.96 dB	-1.500 MHz
5 to 10MHz	-37.86 dBm	-26.36 dB	-5.500 MHz
10 to 15MHz	-40.31 dBm	-16.81 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.25 dBm	-21.75 dB	0.015 MHz
1 to 5MHz	-33.25 dBm	-24.75 dB	1.500 MHz
5 to 10MHz	-36.13 dBm	-24.63 dB	5.500 MHz
10 to 15MHz	-40.77 dBm	-17.27 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.85 dBm	-6.35 dB	-0.015 MHz
1 to 5MHz	-40.00 dBm	-31.50 dB	-3.300 MHz
5 to 10MHz	-41.68 dBm	-30.18 dB	-5.500 MHz
10 to 15MHz	-44.35 dBm	-20.85 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.60 dBm	-37.10 dB	0.045 MHz
1 to 5MHz	-41.02 dBm	-32.52 dB	1.500 MHz
5 to 10MHz	-31.02 dBm	-19.52 dB	8.500 MHz
10 to 15MHz	-44.19 dBm	-20.69 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.68 dBm	-36.18 dB	-0.015 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	-1.500 MHz
5 to 10MHz	-28.24 dBm	-16.74 dB	-8.500 MHz
10 to 15MHz	-44.44 dBm	-20.94 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.93 dBm	-6.43 dB	0.015 MHz
1 to 5MHz	-40.15 dBm	-31.65 dB	3.300 MHz
5 to 10MHz	-42.35 dBm	-30.85 dB	5.500 MHz
10 to 15MHz	-44.15 dBm	-20.65 dB	14.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.66 dBm	-22.16 dB	-0.015 MHz
1 to 5MHz	-34.17 dBm	-25.67 dB	-1.500 MHz
5 to 10MHz	-37.11 dBm	-25.61 dB	-5.500 MHz
10 to 15MHz	-40.30 dBm	-16.80 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.44 dBm	-21.94 dB	0.015 MHz
1 to 5MHz	-32.29 dBm	-23.79 dB	1.500 MHz
5 to 10MHz	-34.94 dBm	-23.44 dB	5.500 MHz
10 to 15MHz	-42.38 dBm	-18.88 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.05 dBm	-6.55 dB	-0.015 MHz
1 to 5MHz	-40.06 dBm	-31.56 dB	-3.300 MHz
5 to 10MHz	-41.71 dBm	-30.21 dB	-5.500 MHz
10 to 15MHz	-44.34 dBm	-20.84 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.97 dBm	-37.47 dB	0.135 MHz
1 to 5MHz	-41.17 dBm	-32.67 dB	1.500 MHz
5 to 10MHz	-35.02 dBm	-23.52 dB	8.500 MHz
10 to 15MHz	-44.15 dBm	-20.65 dB	12.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.17 dBm	-35.67 dB	-0.015 MHz
1 to 5MHz	-39.93 dBm	-31.43 dB	-1.500 MHz
5 to 10MHz	-27.08 dBm	-15.58 dB	-8.500 MHz
10 to 15MHz	-44.32 dBm	-20.82 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.44 dBm	-6.94 dB	0.015 MHz
1 to 5MHz	-37.06 dBm	-28.56 dB	1.500 MHz
5 to 10MHz	-42.42 dBm	-30.92 dB	5.500 MHz
10 to 15MHz	-44.11 dBm	-20.61 dB	14.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.56 dBm	-22.06 dB	-0.015 MHz
1 to 5MHz	-33.73 dBm	-25.23 dB	-1.500 MHz
5 to 10MHz	-36.51 dBm	-25.01 dB	-5.500 MHz
10 to 15MHz	-39.75 dBm	-16.25 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.64 dBm	-22.14 dB	0.015 MHz
1 to 5MHz	-31.42 dBm	-22.92 dB	1.500 MHz
5 to 10MHz	-34.83 dBm	-23.33 dB	5.500 MHz
10 to 15MHz	-44.11 dBm	-20.61 dB	14.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.19 dBm	-36.69 dB	-0.015 MHz
1 to 5MHz	-28.45 dBm	-19.95 dB	-4.300 MHz
5 to 6MHz	-43.50 dBm	-32.00 dB	-5.500 MHz
6 to 10MHz	-44.13 dBm	-20.63 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.83 dBm	-4.33 dB	0.015 MHz
1 to 5MHz	-38.10 dBm	-29.60 dB	1.500 MHz
5 to 6MHz	-42.83 dBm	-31.33 dB	5.500 MHz
6 to 10MHz	-40.76 dBm	-17.26 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.04 dBm	-3.54 dB	-0.015 MHz
1 to 5MHz	-38.39 dBm	-29.89 dB	-1.500 MHz
5 to 6MHz	-42.37 dBm	-30.87 dB	-5.500 MHz
6 to 10MHz	-40.95 dBm	-17.45 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.32 dBm	-36.82 dB	0.075 MHz
1 to 5MHz	-28.80 dBm	-20.30 dB	4.300 MHz
5 to 6MHz	-43.36 dBm	-31.86 dB	5.500 MHz
6 to 10MHz	-43.91 dBm	-20.41 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.29 dBm	-34.79 dB	-0.255 MHz
1 to 5MHz	-40.42 dBm	-31.92 dB	-1.500 MHz
5 to 15MHz	-27.01 dBm	-15.51 dB	-12.500 MHz
15 to 20MHz	-44.42 dBm	-20.92 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.23 dBm	-7.73 dB	0.015 MHz
1 to 5MHz	-38.99 dBm	-30.49 dB	1.500 MHz
5 to 15MHz	-40.14 dBm	-28.64 dB	5.500 MHz
15 to 20MHz	-43.94 dBm	-20.44 dB	19.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-26.17 dBm	-7.67 dB	-0.015 MHz
1 to 5MHz	-39.17 dBm	-30.67 dB	-1.500 MHz
5 to 15MHz	-40.30 dBm	-28.80 dB	-5.500 MHz
15 to 20MHz	-44.38 dBm	-20.88 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.80 dBm	-36.30 dB	0.315 MHz
1 to 5MHz	-41.26 dBm	-32.76 dB	1.500 MHz
5 to 15MHz	-41.96 dBm	-30.46 dB	5.500 MHz
15 to 20MHz	-43.96 dBm	-20.46 dB	17.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.54 dBm	-24.04 dB	-0.015 MHz
1 to 5MHz	-35.43 dBm	-26.93 dB	-1.500 MHz
5 to 15MHz	-37.43 dBm	-25.93 dB	-5.500 MHz
15 to 20MHz	-41.01 dBm	-17.51 dB	-15.500 MHz
Upper			
0 to 1MHz	-42.58 dBm	-24.08 dB	0.015 MHz
1 to 5MHz	-33.21 dBm	-24.71 dB	2.300 MHz
5 to 15MHz	-34.94 dBm	-23.44 dB	5.500 MHz
15 to 20MHz	-43.94 dBm	-20.44 dB	19.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.97 dBm	-17.47 dB	-0.015 MHz
1 to 5MHz	-32.31 dBm	-23.81 dB	-1.500 MHz
5 to 6MHz	-38.18 dBm	-26.68 dB	-5.500 MHz
6 to 10MHz	-39.62 dBm	-16.12 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.95 dBm	-18.45 dB	0.015 MHz
1 to 5MHz	-32.41 dBm	-23.91 dB	1.500 MHz
5 to 6MHz	-38.01 dBm	-26.51 dB	5.500 MHz
6 to 10MHz	-39.42 dBm	-15.92 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.40 dBm	-3.90 dB	-0.015 MHz
1 to 5MHz	-38.46 dBm	-29.96 dB	-1.500 MHz
5 to 6MHz	-42.38 dBm	-30.88 dB	-5.500 MHz
6 to 10MHz	-40.97 dBm	-17.47 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.43 dBm	-36.93 dB	0.075 MHz
1 to 5MHz	-30.02 dBm	-21.52 dB	4.300 MHz
5 to 6MHz	-43.63 dBm	-32.13 dB	5.500 MHz
6 to 10MHz	-44.06 dBm	-20.56 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.30 dBm	-36.80 dB	-0.075 MHz
1 to 5MHz	-28.53 dBm	-20.03 dB	-4.300 MHz
5 to 6MHz	-43.48 dBm	-31.98 dB	-5.500 MHz
6 to 10MHz	-44.21 dBm	-20.71 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.49 dBm	-3.99 dB	0.015 MHz
1 to 5MHz	-38.29 dBm	-29.79 dB	1.500 MHz
5 to 6MHz	-42.99 dBm	-31.49 dB	5.500 MHz
6 to 10MHz	-40.34 dBm	-16.84 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.19 dBm	-17.69 dB	-0.015 MHz
1 to 5MHz	-32.50 dBm	-24.00 dB	-1.500 MHz
5 to 6MHz	-37.93 dBm	-26.43 dB	-5.500 MHz
6 to 10MHz	-39.23 dBm	-15.73 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.99 dBm	-18.49 dB	0.015 MHz
1 to 5MHz	-31.43 dBm	-22.93 dB	1.500 MHz
5 to 6MHz	-38.71 dBm	-27.21 dB	5.500 MHz
6 to 10MHz	-40.05 dBm	-16.55 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.09 dBm	-3.59 dB	-0.015 MHz
1 to 5MHz	-38.40 dBm	-29.90 dB	-1.500 MHz
5 to 6MHz	-42.38 dBm	-30.88 dB	-5.500 MHz
6 to 10MHz	-39.78 dBm	-16.28 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.66 dBm	-37.16 dB	0.075 MHz
1 to 5MHz	-30.10 dBm	-21.60 dB	4.300 MHz
5 to 6MHz	-43.65 dBm	-32.15 dB	5.500 MHz
6 to 10MHz	-44.16 dBm	-20.66 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.64 dBm	-22.14 dB	-0.015 MHz
1 to 5MHz	-33.48 dBm	-24.98 dB	-1.500 MHz
5 to 10MHz	-37.43 dBm	-25.93 dB	-5.500 MHz
10 to 15MHz	-40.71 dBm	-17.21 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.70 dBm	-21.20 dB	0.015 MHz
1 to 5MHz	-32.51 dBm	-24.01 dB	1.500 MHz
5 to 10MHz	-35.46 dBm	-23.96 dB	5.500 MHz
10 to 15MHz	-40.57 dBm	-17.07 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.83 dBm	-36.33 dB	-0.015 MHz
1 to 5MHz	-40.56 dBm	-32.06 dB	-1.500 MHz
5 to 10MHz	-28.13 dBm	-16.63 dB	-8.500 MHz
10 to 15MHz	-44.42 dBm	-20.92 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.45 dBm	-5.95 dB	0.015 MHz
1 to 5MHz	-40.03 dBm	-31.53 dB	3.300 MHz
5 to 10MHz	-42.26 dBm	-30.76 dB	5.500 MHz
10 to 15MHz	-44.06 dBm	-20.56 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.81 dBm	-17.31 dB	-0.015 MHz
1 to 5MHz	-30.98 dBm	-22.48 dB	-1.500 MHz
5 to 6MHz	-37.25 dBm	-25.75 dB	-5.500 MHz
6 to 10MHz	-38.67 dBm	-15.17 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.78 dBm	-18.28 dB	0.015 MHz
1 to 5MHz	-30.02 dBm	-21.52 dB	1.500 MHz
5 to 6MHz	-39.06 dBm	-27.56 dB	5.500 MHz
6 to 10MHz	-41.00 dBm	-17.50 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.11 dBm	-36.61 dB	-0.015 MHz
1 to 5MHz	-27.15 dBm	-18.65 dB	-4.300 MHz
5 to 6MHz	-43.37 dBm	-31.87 dB	-5.500 MHz
6 to 10MHz	-44.15 dBm	-20.65 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.78 dBm	-4.28 dB	0.015 MHz
1 to 5MHz	-38.15 dBm	-29.65 dB	1.500 MHz
5 to 6MHz	-43.10 dBm	-31.60 dB	5.500 MHz
6 to 10MHz	-42.62 dBm	-19.12 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.40 dBm	-5.90 dB	-0.015 MHz
1 to 5MHz	-39.70 dBm	-31.20 dB	-3.300 MHz
5 to 10MHz	-41.58 dBm	-30.08 dB	-5.500 MHz
10 to 15MHz	-44.40 dBm	-20.90 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.17 dBm	-36.67 dB	0.135 MHz
1 to 5MHz	-40.81 dBm	-32.31 dB	1.500 MHz
5 to 10MHz	-28.42 dBm	-16.92 dB	8.500 MHz
10 to 15MHz	-44.14 dBm	-20.64 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.39 dBm	-5.89 dB	-0.015 MHz
1 to 5MHz	-39.76 dBm	-31.26 dB	-3.300 MHz
5 to 10MHz	-41.50 dBm	-30.00 dB	-5.500 MHz
10 to 15MHz	-44.33 dBm	-20.83 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.41 dBm	-36.91 dB	0.015 MHz
1 to 5MHz	-40.98 dBm	-32.48 dB	1.500 MHz
5 to 10MHz	-29.93 dBm	-18.43 dB	8.500 MHz
10 to 15MHz	-44.16 dBm	-20.66 dB	14.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.58 dBm	-36.08 dB	-0.105 MHz
1 to 5MHz	-40.30 dBm	-31.80 dB	-1.500 MHz
5 to 10MHz	-27.33 dBm	-15.83 dB	-8.500 MHz
10 to 15MHz	-44.37 dBm	-20.87 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.50 dBm	-6.00 dB	0.015 MHz
1 to 5MHz	-39.88 dBm	-31.38 dB	3.300 MHz
5 to 10MHz	-42.20 dBm	-30.70 dB	5.500 MHz
10 to 15MHz	-44.17 dBm	-20.67 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.33 dBm	-21.83 dB	-0.015 MHz
1 to 5MHz	-32.69 dBm	-24.19 dB	-1.500 MHz
5 to 10MHz	-36.34 dBm	-24.84 dB	-5.500 MHz
10 to 15MHz	-40.40 dBm	-16.90 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.73 dBm	-21.23 dB	0.015 MHz
1 to 5MHz	-31.39 dBm	-22.89 dB	1.500 MHz
5 to 10MHz	-34.01 dBm	-22.51 dB	5.500 MHz
10 to 15MHz	-42.25 dBm	-18.75 dB	10.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.66 dBm	-6.16 dB	-0.015 MHz
1 to 5MHz	-39.74 dBm	-31.24 dB	-3.300 MHz
5 to 10MHz	-41.52 dBm	-30.02 dB	-5.500 MHz
10 to 15MHz	-44.34 dBm	-20.84 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.48 dBm	-36.98 dB	0.015 MHz
1 to 5MHz	-41.06 dBm	-32.56 dB	1.500 MHz
5 to 10MHz	-34.29 dBm	-22.79 dB	8.500 MHz
10 to 15MHz	-44.16 dBm	-20.66 dB	12.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.08 dBm	-35.58 dB	-0.105 MHz
1 to 5MHz	-40.23 dBm	-31.73 dB	-1.500 MHz
5 to 10MHz	-26.08 dBm	-14.58 dB	-8.500 MHz
10 to 15MHz	-44.33 dBm	-20.83 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.19 dBm	-6.69 dB	0.015 MHz
1 to 5MHz	-39.64 dBm	-31.14 dB	3.300 MHz
5 to 10MHz	-42.40 dBm	-30.90 dB	5.500 MHz
10 to 15MHz	-44.13 dBm	-20.63 dB	13.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.60 dBm	-35.10 dB	-0.195 MHz
1 to 5MHz	-40.49 dBm	-31.99 dB	-1.500 MHz
5 to 15MHz	-26.21 dBm	-14.71 dB	-12.500 MHz
15 to 20MHz	-44.33 dBm	-20.83 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.22 dBm	-7.72 dB	0.015 MHz
1 to 5MHz	-39.12 dBm	-30.62 dB	1.500 MHz
5 to 15MHz	-39.74 dBm	-28.24 dB	5.500 MHz
15 to 20MHz	-43.92 dBm	-20.42 dB	19.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.59 dBm	-4.09 dB	-0.015 MHz
1 to 5MHz	-38.30 dBm	-29.80 dB	-1.500 MHz
5 to 6MHz	-42.19 dBm	-30.69 dB	-5.500 MHz
6 to 10MHz	-40.58 dBm	-17.08 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.22 dBm	-36.72 dB	0.015 MHz
1 to 5MHz	-28.44 dBm	-19.94 dB	4.300 MHz
5 to 6MHz	-43.36 dBm	-31.86 dB	5.500 MHz
6 to 10MHz	-43.94 dBm	-20.44 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.71 dBm	-22.21 dB	-0.015 MHz
1 to 5MHz	-34.42 dBm	-25.92 dB	-1.500 MHz
5 to 15MHz	-36.50 dBm	-25.00 dB	-5.500 MHz
15 to 20MHz	-41.26 dBm	-17.76 dB	-15.500 MHz
Upper			
0 to 1MHz	-41.66 dBm	-23.16 dB	0.015 MHz
1 to 5MHz	-32.77 dBm	-24.27 dB	2.000 MHz
5 to 15MHz	-34.87 dBm	-23.37 dB	5.500 MHz
15 to 20MHz	-43.95 dBm	-20.45 dB	19.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.91 dBm	-7.41 dB	-0.015 MHz
1 to 5MHz	-38.90 dBm	-30.40 dB	-1.500 MHz
5 to 15MHz	-40.00 dBm	-28.50 dB	-5.500 MHz
15 to 20MHz	-44.34 dBm	-20.84 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.55 dBm	-36.05 dB	0.195 MHz
1 to 5MHz	-41.20 dBm	-32.70 dB	1.500 MHz
5 to 15MHz	-41.79 dBm	-30.29 dB	5.500 MHz
15 to 20MHz	-43.96 dBm	-20.46 dB	17.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.16 dBm	-21.66 dB	-0.015 MHz
1 to 5MHz	-32.05 dBm	-23.55 dB	-1.500 MHz
5 to 10MHz	-35.45 dBm	-23.95 dB	-5.500 MHz
10 to 15MHz	-39.65 dBm	-16.15 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.67 dBm	-21.17 dB	0.015 MHz
1 to 5MHz	-30.40 dBm	-21.90 dB	1.500 MHz
5 to 10MHz	-33.98 dBm	-22.48 dB	5.500 MHz
10 to 15MHz	-44.19 dBm	-20.69 dB	14.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.13 dBm	-36.63 dB	-0.015 MHz
1 to 5MHz	-27.66 dBm	-19.16 dB	-4.300 MHz
5 to 6MHz	-43.40 dBm	-31.90 dB	-5.500 MHz
6 to 10MHz	-44.13 dBm	-20.63 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.14 dBm	-3.64 dB	0.015 MHz
1 to 5MHz	-37.91 dBm	-29.41 dB	1.500 MHz
5 to 6MHz	-42.75 dBm	-31.25 dB	5.500 MHz
6 to 10MHz	-40.52 dBm	-17.02 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.88 dBm	-17.38 dB	-0.015 MHz
1 to 5MHz	-32.72 dBm	-24.22 dB	-1.500 MHz
5 to 6MHz	-38.76 dBm	-27.26 dB	-5.500 MHz
6 to 10MHz	-39.44 dBm	-15.94 dB	-7.500 MHz
Upper			
0 to 1MHz	-30.70 dBm	-17.20 dB	0.015 MHz
1 to 5MHz	-32.79 dBm	-24.29 dB	1.500 MHz
5 to 6MHz	-38.44 dBm	-26.94 dB	5.500 MHz
6 to 10MHz	-39.46 dBm	-15.96 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.55 dBm	-4.05 dB	-0.015 MHz
1 to 5MHz	-38.24 dBm	-29.74 dB	-1.500 MHz
5 to 6MHz	-42.22 dBm	-30.72 dB	-5.500 MHz
6 to 10MHz	-40.65 dBm	-17.15 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.45 dBm	-36.95 dB	0.075 MHz
1 to 5MHz	-28.99 dBm	-20.49 dB	4.300 MHz
5 to 6MHz	-43.55 dBm	-32.05 dB	5.500 MHz
6 to 10MHz	-44.07 dBm	-20.57 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.17 dBm	-36.67 dB	-0.015 MHz
1 to 5MHz	-27.22 dBm	-18.72 dB	-4.300 MHz
5 to 6MHz	-43.42 dBm	-31.92 dB	-5.500 MHz
6 to 10MHz	-44.12 dBm	-20.62 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.66 dBm	-4.16 dB	0.015 MHz
1 to 5MHz	-38.05 dBm	-29.55 dB	1.500 MHz
5 to 6MHz	-42.93 dBm	-31.43 dB	5.500 MHz
6 to 10MHz	-40.26 dBm	-16.76 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.25 dBm	-16.75 dB	-0.015 MHz
1 to 5MHz	-31.12 dBm	-22.62 dB	-1.500 MHz
5 to 6MHz	-37.96 dBm	-26.46 dB	-5.500 MHz
6 to 10MHz	-38.78 dBm	-15.28 dB	-7.500 MHz
Upper			
0 to 1MHz	-30.48 dBm	-16.98 dB	0.015 MHz
1 to 5MHz	-30.25 dBm	-21.75 dB	1.500 MHz
5 to 6MHz	-38.46 dBm	-26.96 dB	5.500 MHz
6 to 10MHz	-39.86 dBm	-16.36 dB	7.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.83 dBm	-4.33 dB	-0.015 MHz
1 to 5MHz	-38.24 dBm	-29.74 dB	-1.500 MHz
5 to 6MHz	-42.32 dBm	-30.82 dB	-5.500 MHz
6 to 10MHz	-39.80 dBm	-16.30 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.99 dBm	-37.49 dB	0.045 MHz
1 to 5MHz	-29.56 dBm	-21.06 dB	4.300 MHz
5 to 6MHz	-43.64 dBm	-32.14 dB	5.500 MHz
6 to 10MHz	-44.14 dBm	-20.64 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-49.86 dBm	-36.36 dB	-0.045 MHz
1 to 5MHz	-26.11 dBm	-17.61 dB	-4.300 MHz
5 to 6MHz	-43.39 dBm	-31.89 dB	-5.500 MHz
6 to 10MHz	-44.11 dBm	-20.61 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.77 dBm	-4.27 dB	0.015 MHz
1 to 5MHz	-37.89 dBm	-29.39 dB	1.500 MHz
5 to 6MHz	-43.01 dBm	-31.51 dB	5.500 MHz
6 to 10MHz	-42.52 dBm	-19.02 dB	8.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.17 dBm	-16.67 dB	-0.015 MHz
1 to 5MHz	-29.05 dBm	-20.55 dB	-1.500 MHz
5 to 6MHz	-36.82 dBm	-25.32 dB	-5.500 MHz
6 to 10MHz	-38.25 dBm	-14.75 dB	-6.500 MHz
Upper			
0 to 1MHz	-30.43 dBm	-16.93 dB	0.015 MHz
1 to 5MHz	-28.57 dBm	-20.07 dB	1.500 MHz
5 to 6MHz	-39.01 dBm	-27.51 dB	5.500 MHz
6 to 10MHz	-40.71 dBm	-17.21 dB	6.500 MHz
Template Judgement	Pass		

Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.38 dBm	-12.88 dB	-0.015 MHz
1 to 5MHz	-36.24 dBm	-27.74 dB	-1.500 MHz
5 to 10MHz	-42.59 dBm	-31.09 dB	-5.500 MHz
10 to 15MHz	-44.07 dBm	-20.57 dB	-14.500 MHz
Upper			
0 to 1MHz	-53.36 dBm	-36.86 dB	0.045 MHz
1 to 5MHz	-40.16 dBm	-31.66 dB	4.300 MHz
5 to 10MHz	-40.27 dBm	-28.77 dB	5.500 MHz
10 to 15MHz	-43.95 dBm	-20.45 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.85 dBm	-37.35 dB	-0.015 MHz
1 to 5MHz	-40.79 dBm	-32.29 dB	-1.500 MHz
5 to 10MHz	-43.13 dBm	-31.63 dB	-5.500 MHz
10 to 15MHz	-44.13 dBm	-20.63 dB	-14.500 MHz
Upper			
0 to 1MHz	-29.74 dBm	-13.24 dB	0.015 MHz
1 to 5MHz	-35.89 dBm	-27.39 dB	1.500 MHz
5 to 10MHz	-41.06 dBm	-29.56 dB	8.500 MHz
10 to 15MHz	-43.91 dBm	-20.41 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-43.42 dBm	-26.92 dB	-0.015 MHz
1 to 5MHz	-32.57 dBm	-24.07 dB	-1.500 MHz
5 to 10MHz	-39.39 dBm	-27.89 dB	-5.500 MHz
10 to 15MHz	-44.02 dBm	-20.52 dB	-14.500 MHz
Upper			
0 to 1MHz	-42.01 dBm	-25.51 dB	0.015 MHz
1 to 5MHz	-29.30 dBm	-20.80 dB	1.500 MHz
5 to 10MHz	-32.29 dBm	-20.79 dB	5.500 MHz
10 to 15MHz	-38.63 dBm	-15.13 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.20 dBm	-12.70 dB	-0.015 MHz
1 to 5MHz	-36.49 dBm	-27.99 dB	-1.500 MHz
5 to 10MHz	-39.76 dBm	-28.26 dB	-8.500 MHz
10 to 15MHz	-44.30 dBm	-20.80 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.54 dBm	-37.04 dB	0.015 MHz
1 to 5MHz	-40.53 dBm	-32.03 dB	1.500 MHz
5 to 10MHz	-40.28 dBm	-28.78 dB	8.500 MHz
10 to 15MHz	-44.00 dBm	-20.50 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.05 dBm	-37.55 dB	-0.015 MHz
1 to 5MHz	-40.89 dBm	-32.39 dB	-1.500 MHz
5 to 10MHz	-40.95 dBm	-29.45 dB	-5.500 MHz
10 to 15MHz	-44.34 dBm	-20.84 dB	-10.500 MHz
Upper			
0 to 1MHz	-30.12 dBm	-13.62 dB	0.015 MHz
1 to 5MHz	-40.31 dBm	-31.81 dB	3.300 MHz
5 to 10MHz	-42.00 dBm	-30.50 dB	8.500 MHz
10 to 15MHz	-44.00 dBm	-20.50 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.39 dBm	-13.89 dB	-0.015 MHz
1 to 5MHz	-39.22 dBm	-30.72 dB	-1.500 MHz
5 to 15MHz	-41.49 dBm	-29.99 dB	-5.500 MHz
15 to 20MHz	-43.84 dBm	-20.34 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.04 dBm	-35.54 dB	0.045 MHz
1 to 5MHz	-39.73 dBm	-31.23 dB	1.500 MHz
5 to 15MHz	-36.59 dBm	-25.09 dB	8.500 MHz
15 to 20MHz	-43.51 dBm	-20.01 dB	16.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.38 dBm	-36.88 dB	-0.045 MHz
1 to 5MHz	-39.98 dBm	-31.48 dB	-1.500 MHz
5 to 10MHz	-40.21 dBm	-28.71 dB	-5.500 MHz
10 to 15MHz	-44.37 dBm	-20.87 dB	-10.500 MHz
Upper			
0 to 1MHz	-29.91 dBm	-13.41 dB	0.015 MHz
1 to 5MHz	-39.58 dBm	-31.08 dB	1.500 MHz
5 to 10MHz	-42.44 dBm	-30.94 dB	5.500 MHz
10 to 15MHz	-44.17 dBm	-20.67 dB	12.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.25 dBm	-25.75 dB	-0.015 MHz
1 to 5MHz	-30.66 dBm	-22.16 dB	-1.500 MHz
5 to 10MHz	-34.53 dBm	-23.03 dB	-5.500 MHz
10 to 15MHz	-39.34 dBm	-15.84 dB	-10.500 MHz
Upper			
0 to 1MHz	-41.75 dBm	-25.25 dB	0.015 MHz
1 to 5MHz	-28.65 dBm	-20.15 dB	1.500 MHz
5 to 10MHz	-32.65 dBm	-21.15 dB	5.500 MHz
10 to 15MHz	-44.13 dBm	-20.63 dB	12.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-41.53 dBm	-25.03 dB	-0.015 MHz
1 to 5MHz	-29.90 dBm	-21.40 dB	-1.500 MHz
5 to 10MHz	-33.81 dBm	-22.31 dB	-5.500 MHz
10 to 15MHz	-40.35 dBm	-16.85 dB	-10.500 MHz
Upper			
0 to 1MHz	-42.21 dBm	-25.71 dB	0.015 MHz
1 to 5MHz	-30.07 dBm	-21.57 dB	1.500 MHz
5 to 10MHz	-34.09 dBm	-22.59 dB	5.500 MHz
10 to 15MHz	-39.80 dBm	-16.30 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.40 dBm	-12.90 dB	-0.015 MHz
1 to 5MHz	-36.23 dBm	-27.73 dB	-1.500 MHz
5 to 10MHz	-40.88 dBm	-29.38 dB	-8.500 MHz
10 to 15MHz	-44.37 dBm	-20.87 dB	-10.500 MHz
Upper			
0 to 1MHz	-54.68 dBm	-38.18 dB	0.015 MHz
1 to 5MHz	-41.29 dBm	-32.79 dB	1.500 MHz
5 to 10MHz	-41.89 dBm	-30.39 dB	5.500 MHz
10 to 15MHz	-44.12 dBm	-20.62 dB	14.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.55 dBm	-37.05 dB	-0.135 MHz
1 to 5MHz	-41.68 dBm	-33.18 dB	-1.500 MHz
5 to 15MHz	-42.97 dBm	-31.47 dB	-5.500 MHz
15 to 20MHz	-43.79 dBm	-20.29 dB	-15.500 MHz
Upper			
0 to 1MHz	-32.88 dBm	-14.38 dB	0.015 MHz
1 to 5MHz	-39.92 dBm	-31.42 dB	3.300 MHz
5 to 15MHz	-40.47 dBm	-28.97 dB	5.500 MHz
15 to 20MHz	-43.82 dBm	-20.32 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.93 dBm	-27.43 dB	-0.015 MHz
1 to 5MHz	-33.65 dBm	-25.15 dB	-1.500 MHz
5 to 15MHz	-39.72 dBm	-28.22 dB	-5.500 MHz
15 to 20MHz	-43.77 dBm	-20.27 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.80 dBm	-25.30 dB	0.015 MHz
1 to 5MHz	-30.17 dBm	-21.67 dB	1.500 MHz
5 to 15MHz	-31.72 dBm	-20.22 dB	5.500 MHz
15 to 20MHz	-40.15 dBm	-16.65 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.40 dBm	-13.90 dB	-0.015 MHz
1 to 5MHz	-39.63 dBm	-31.13 dB	-3.300 MHz
5 to 15MHz	-40.02 dBm	-28.52 dB	-5.500 MHz
15 to 20MHz	-44.58 dBm	-21.08 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.95 dBm	-36.45 dB	0.165 MHz
1 to 5MHz	-40.78 dBm	-32.28 dB	1.500 MHz
5 to 15MHz	-37.44 dBm	-25.94 dB	8.500 MHz
15 to 20MHz	-43.84 dBm	-20.34 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.55 dBm	-37.05 dB	-0.135 MHz
1 to 5MHz	-41.29 dBm	-32.79 dB	-1.500 MHz
5 to 15MHz	-37.72 dBm	-26.22 dB	-8.500 MHz
15 to 20MHz	-44.55 dBm	-21.05 dB	-15.500 MHz
Upper			
0 to 1MHz	-32.92 dBm	-14.42 dB	0.015 MHz
1 to 5MHz	-40.07 dBm	-31.57 dB	3.300 MHz
5 to 15MHz	-40.66 dBm	-29.16 dB	5.500 MHz
15 to 20MHz	-43.90 dBm	-20.40 dB	18.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.77 dBm	-26.27 dB	-0.015 MHz
1 to 5MHz	-31.29 dBm	-22.79 dB	-1.500 MHz
5 to 15MHz	-33.74 dBm	-22.24 dB	-5.500 MHz
15 to 20MHz	-44.07 dBm	-20.57 dB	-15.500 MHz
Upper			
0 to 1MHz	-44.03 dBm	-25.53 dB	0.015 MHz
1 to 5MHz	-31.08 dBm	-22.58 dB	1.500 MHz
5 to 15MHz	-33.58 dBm	-22.08 dB	5.500 MHz
15 to 20MHz	-42.39 dBm	-18.89 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.90 dBm	-26.40 dB	-0.015 MHz
1 to 5MHz	-29.79 dBm	-21.29 dB	-1.500 MHz
5 to 6MHz	-42.15 dBm	-18.65 dB	-5.500 MHz
Upper			
0 to 1MHz	-37.48 dBm	-25.98 dB	0.015 MHz
1 to 5MHz	-29.54 dBm	-21.04 dB	1.500 MHz
5 to 6MHz	-40.04 dBm	-16.54 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.35 dBm	-39.85 dB	-0.015 MHz
1 to 5MHz	-39.42 dBm	-30.92 dB	-1.500 MHz
5 to 6MHz	-43.92 dBm	-20.42 dB	-5.500 MHz
Upper			
0 to 1MHz	-24.74 dBm	-13.24 dB	0.015 MHz
1 to 5MHz	-33.81 dBm	-25.31 dB	1.500 MHz
5 to 6MHz	-42.06 dBm	-18.56 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.07 dBm	-13.57 dB	-0.015 MHz
1 to 5MHz	-36.48 dBm	-27.98 dB	-1.500 MHz
5 to 6MHz	-42.71 dBm	-19.21 dB	-5.500 MHz
Upper			
0 to 1MHz	-50.48 dBm	-38.98 dB	0.985 MHz
1 to 5MHz	-39.16 dBm	-30.66 dB	1.500 MHz
5 to 6MHz	-42.55 dBm	-19.05 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.69 dBm	-36.19 dB	-0.105 MHz
1 to 5MHz	-40.79 dBm	-32.29 dB	-1.500 MHz
5 to 15MHz	-36.78 dBm	-25.28 dB	-8.500 MHz
15 to 20MHz	-44.36 dBm	-20.86 dB	-15.500 MHz
Upper			
0 to 1MHz	-33.11 dBm	-14.61 dB	0.015 MHz
1 to 5MHz	-39.97 dBm	-31.47 dB	3.300 MHz
5 to 15MHz	-41.02 dBm	-29.52 dB	5.500 MHz
15 to 20MHz	-43.97 dBm	-20.47 dB	18.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.75 dBm	-14.25 dB	-0.015 MHz
1 to 5MHz	-40.19 dBm	-31.69 dB	-3.300 MHz
5 to 15MHz	-40.18 dBm	-28.68 dB	-5.500 MHz
15 to 20MHz	-44.40 dBm	-20.90 dB	-15.500 MHz
Upper			
0 to 1MHz	-55.85 dBm	-37.35 dB	0.225 MHz
1 to 5MHz	-41.72 dBm	-33.22 dB	1.500 MHz
5 to 15MHz	-41.62 dBm	-30.12 dB	5.500 MHz
15 to 20MHz	-43.97 dBm	-20.47 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.11 dBm	-26.61 dB	-0.015 MHz
1 to 5MHz	-32.29 dBm	-23.79 dB	-1.500 MHz
5 to 15MHz	-35.01 dBm	-23.51 dB	-5.500 MHz
15 to 20MHz	-40.83 dBm	-17.33 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.90 dBm	-25.40 dB	0.015 MHz
1 to 5MHz	-30.39 dBm	-21.89 dB	1.500 MHz
5 to 15MHz	-32.56 dBm	-21.06 dB	5.500 MHz
15 to 20MHz	-43.96 dBm	-20.46 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.20 dBm	-13.70 dB	-0.015 MHz
1 to 5MHz	-36.20 dBm	-27.70 dB	-1.500 MHz
5 to 6MHz	-41.75 dBm	-18.25 dB	-5.500 MHz
Upper			
0 to 1MHz	-49.82 dBm	-38.32 dB	0.985 MHz
1 to 5MHz	-38.81 dBm	-30.31 dB	1.500 MHz
5 to 6MHz	-42.38 dBm	-18.88 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.60 dBm	-39.10 dB	-0.985 MHz
1 to 5MHz	-38.99 dBm	-30.49 dB	-1.500 MHz
5 to 6MHz	-42.75 dBm	-19.25 dB	-5.500 MHz
Upper			
0 to 1MHz	-25.38 dBm	-13.88 dB	0.015 MHz
1 to 5MHz	-34.37 dBm	-25.87 dB	1.500 MHz
5 to 6MHz	-41.88 dBm	-18.38 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-36.22 dBm	-24.72 dB	-0.015 MHz
1 to 5MHz	-28.26 dBm	-19.76 dB	-1.500 MHz
5 to 6MHz	-39.63 dBm	-16.13 dB	-5.500 MHz
Upper			
0 to 1MHz	-36.46 dBm	-24.96 dB	0.015 MHz
1 to 5MHz	-28.59 dBm	-20.09 dB	1.500 MHz
5 to 6MHz	-39.42 dBm	-15.92 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.33 dBm	-12.83 dB	-0.015 MHz
1 to 5MHz	-35.34 dBm	-26.84 dB	-1.500 MHz
5 to 6MHz	-41.51 dBm	-18.01 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.33 dBm	-39.83 dB	0.985 MHz
1 to 5MHz	-39.67 dBm	-31.17 dB	1.500 MHz
5 to 6MHz	-42.94 dBm	-19.44 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.67 dBm	-39.17 dB	-0.985 MHz
1 to 5MHz	-38.97 dBm	-30.47 dB	-1.500 MHz
5 to 6MHz	-42.26 dBm	-18.76 dB	-5.500 MHz
Upper			
0 to 1MHz	-25.29 dBm	-13.79 dB	0.015 MHz
1 to 5MHz	-40.10 dBm	-31.60 dB	2.000 MHz
5 to 6MHz	-42.27 dBm	-18.77 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.36 dBm	-10.86 dB	-0.015 MHz
1 to 5MHz	-38.81 dBm	-30.31 dB	-1.500 MHz
5 to 6MHz	-42.92 dBm	-31.42 dB	-5.500 MHz
6 to 10MHz	-43.51 dBm	-20.01 dB	-6.500 MHz
Upper			
0 to 1MHz	-51.32 dBm	-37.82 dB	0.015 MHz
1 to 5MHz	-38.20 dBm	-29.70 dB	1.500 MHz
5 to 6MHz	-43.32 dBm	-31.82 dB	5.500 MHz
6 to 10MHz	-43.94 dBm	-20.44 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.85 dBm	-24.35 dB	-0.015 MHz
1 to 5MHz	-30.63 dBm	-22.13 dB	-1.500 MHz
5 to 6MHz	-41.20 dBm	-29.70 dB	-5.500 MHz
6 to 10MHz	-42.77 dBm	-19.27 dB	-6.500 MHz
Upper			
0 to 1MHz	-37.85 dBm	-24.35 dB	0.015 MHz
1 to 5MHz	-29.70 dBm	-21.20 dB	1.500 MHz
5 to 6MHz	-37.28 dBm	-25.78 dB	5.500 MHz
6 to 10MHz	-39.06 dBm	-15.56 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.77 dBm	-24.27 dB	-0.015 MHz
1 to 5MHz	-26.99 dBm	-18.49 dB	-1.500 MHz
5 to 6MHz	-38.90 dBm	-15.40 dB	-5.500 MHz
Upper			
0 to 1MHz	-35.57 dBm	-24.07 dB	0.015 MHz
1 to 5MHz	-27.15 dBm	-18.65 dB	1.500 MHz
5 to 6MHz	-40.25 dBm	-16.75 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.35 dBm	-37.85 dB	-0.015 MHz
1 to 5MHz	-38.76 dBm	-30.26 dB	-1.500 MHz
5 to 6MHz	-44.22 dBm	-32.72 dB	-5.500 MHz
6 to 10MHz	-44.45 dBm	-20.95 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.91 dBm	-11.41 dB	0.015 MHz
1 to 5MHz	-38.40 dBm	-29.90 dB	1.500 MHz
5 to 6MHz	-42.75 dBm	-31.25 dB	5.500 MHz
6 to 10MHz	-43.59 dBm	-20.09 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.54 dBm	-11.04 dB	-0.015 MHz
1 to 5MHz	-38.45 dBm	-29.95 dB	-1.500 MHz
5 to 6MHz	-42.42 dBm	-30.92 dB	-5.500 MHz
6 to 10MHz	-43.32 dBm	-19.82 dB	-6.500 MHz
Upper			
0 to 1MHz	-52.08 dBm	-38.58 dB	0.015 MHz
1 to 5MHz	-39.22 dBm	-30.72 dB	1.500 MHz
5 to 6MHz	-43.70 dBm	-32.20 dB	5.500 MHz
6 to 10MHz	-44.17 dBm	-20.67 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.09 dBm	-10.59 dB	-0.015 MHz
1 to 5MHz	-38.52 dBm	-30.02 dB	-1.500 MHz
5 to 6MHz	-42.36 dBm	-30.86 dB	-5.500 MHz
6 to 10MHz	-43.22 dBm	-19.72 dB	-6.500 MHz
Upper			
0 to 1MHz	-51.60 dBm	-38.10 dB	0.015 MHz
1 to 5MHz	-38.41 dBm	-29.91 dB	1.500 MHz
5 to 6MHz	-43.33 dBm	-31.83 dB	5.500 MHz
6 to 10MHz	-43.98 dBm	-20.48 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.36 dBm	-37.86 dB	-0.015 MHz
1 to 5MHz	-38.30 dBm	-29.80 dB	-1.500 MHz
5 to 6MHz	-43.52 dBm	-32.02 dB	-5.500 MHz
6 to 10MHz	-44.08 dBm	-20.58 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.59 dBm	-11.09 dB	0.015 MHz
1 to 5MHz	-38.27 dBm	-29.77 dB	1.500 MHz
5 to 6MHz	-42.75 dBm	-31.25 dB	5.500 MHz
6 to 10MHz	-43.58 dBm	-20.08 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-36.83 dBm	-23.33 dB	-0.015 MHz
1 to 5MHz	-27.98 dBm	-19.48 dB	-1.500 MHz
5 to 6MHz	-38.17 dBm	-26.67 dB	-5.500 MHz
6 to 10MHz	-39.30 dBm	-15.80 dB	-6.500 MHz
Upper			
0 to 1MHz	-37.29 dBm	-23.79 dB	0.015 MHz
1 to 5MHz	-28.51 dBm	-20.01 dB	1.500 MHz
5 to 6MHz	-37.61 dBm	-26.11 dB	5.500 MHz
6 to 10MHz	-39.02 dBm	-15.52 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.77 dBm	-37.27 dB	-0.015 MHz
1 to 5MHz	-37.74 dBm	-29.24 dB	-1.500 MHz
5 to 6MHz	-42.90 dBm	-31.40 dB	-5.500 MHz
6 to 10MHz	-43.63 dBm	-20.13 dB	-6.500 MHz
Upper			
0 to 1MHz	-25.00 dBm	-11.50 dB	0.015 MHz
1 to 5MHz	-37.98 dBm	-29.48 dB	1.500 MHz
5 to 6MHz	-42.69 dBm	-31.19 dB	5.500 MHz
6 to 10MHz	-43.45 dBm	-19.95 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.11 dBm	-12.61 dB	-0.015 MHz
1 to 5MHz	-39.82 dBm	-31.32 dB	-3.300 MHz
5 to 10MHz	-40.61 dBm	-29.11 dB	-8.500 MHz
10 to 15MHz	-44.28 dBm	-20.78 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.64 dBm	-37.14 dB	0.075 MHz
1 to 5MHz	-40.61 dBm	-32.11 dB	1.500 MHz
5 to 10MHz	-40.37 dBm	-28.87 dB	8.500 MHz
10 to 15MHz	-44.01 dBm	-20.51 dB	13.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-43.75 dBm	-27.25 dB	-0.015 MHz
1 to 5MHz	-32.78 dBm	-24.28 dB	-1.500 MHz
5 to 10MHz	-40.06 dBm	-28.56 dB	-5.500 MHz
10 to 15MHz	-44.16 dBm	-20.66 dB	-14.500 MHz
Upper			
0 to 1MHz	-41.56 dBm	-25.06 dB	0.015 MHz
1 to 5MHz	-29.14 dBm	-20.64 dB	1.500 MHz
5 to 10MHz	-31.92 dBm	-20.42 dB	5.500 MHz
10 to 15MHz	-37.69 dBm	-14.19 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-36.59 dBm	-23.09 dB	-0.015 MHz
1 to 5MHz	-27.71 dBm	-19.21 dB	-1.500 MHz
5 to 6MHz	-36.66 dBm	-25.16 dB	-5.500 MHz
6 to 10MHz	-38.34 dBm	-14.84 dB	-6.500 MHz
Upper			
0 to 1MHz	-36.73 dBm	-23.23 dB	0.015 MHz
1 to 5MHz	-26.84 dBm	-18.34 dB	1.500 MHz
5 to 6MHz	-38.55 dBm	-27.05 dB	5.500 MHz
6 to 10MHz	-40.68 dBm	-17.18 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.13 dBm	-12.63 dB	-0.015 MHz
1 to 5MHz	-40.37 dBm	-31.87 dB	-3.300 MHz
5 to 10MHz	-42.39 dBm	-30.89 dB	-5.500 MHz
10 to 15MHz	-44.02 dBm	-20.52 dB	-14.500 MHz
Upper			
0 to 1MHz	-53.32 dBm	-36.82 dB	0.045 MHz
1 to 5MHz	-39.93 dBm	-31.43 dB	4.300 MHz
5 to 10MHz	-40.15 dBm	-28.65 dB	5.500 MHz
10 to 15MHz	-43.98 dBm	-20.48 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.41 dBm	-36.91 dB	-0.015 MHz
1 to 5MHz	-40.73 dBm	-32.23 dB	-1.500 MHz
5 to 10MHz	-42.89 dBm	-31.39 dB	-5.500 MHz
10 to 15MHz	-44.06 dBm	-20.56 dB	-14.500 MHz
Upper			
0 to 1MHz	-28.83 dBm	-12.33 dB	0.015 MHz
1 to 5MHz	-39.83 dBm	-31.33 dB	3.300 MHz
5 to 10MHz	-40.53 dBm	-29.03 dB	8.500 MHz
10 to 15MHz	-43.94 dBm	-20.44 dB	12.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.91 dBm	-37.41 dB	-0.045 MHz
1 to 5MHz	-40.81 dBm	-32.31 dB	-1.500 MHz
5 to 10MHz	-40.48 dBm	-28.98 dB	-5.500 MHz
10 to 15MHz	-44.38 dBm	-20.88 dB	-10.500 MHz
Upper			
0 to 1MHz	-29.29 dBm	-12.79 dB	0.015 MHz
1 to 5MHz	-40.07 dBm	-31.57 dB	3.300 MHz
5 to 10MHz	-41.89 dBm	-30.39 dB	8.500 MHz
10 to 15MHz	-43.98 dBm	-20.48 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-41.38 dBm	-24.88 dB	-0.015 MHz
1 to 5MHz	-30.02 dBm	-21.52 dB	-1.500 MHz
5 to 10MHz	-34.55 dBm	-23.05 dB	-5.500 MHz
10 to 15MHz	-40.51 dBm	-17.01 dB	-10.500 MHz
Upper			
0 to 1MHz	-42.19 dBm	-25.69 dB	0.015 MHz
1 to 5MHz	-30.51 dBm	-22.01 dB	1.500 MHz
5 to 10MHz	-34.88 dBm	-23.38 dB	5.500 MHz
10 to 15MHz	-39.43 dBm	-15.93 dB	10.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.68 dBm	-13.18 dB	-0.015 MHz
1 to 5MHz	-39.79 dBm	-31.29 dB	-3.300 MHz
5 to 10MHz	-41.46 dBm	-29.96 dB	-5.500 MHz
10 to 15MHz	-44.33 dBm	-20.83 dB	-10.500 MHz
Upper			
0 to 1MHz	-54.46 dBm	-37.96 dB	0.015 MHz
1 to 5MHz	-41.27 dBm	-32.77 dB	1.500 MHz
5 to 10MHz	-41.78 dBm	-30.28 dB	5.500 MHz
10 to 15MHz	-44.14 dBm	-20.64 dB	14.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.74 dBm	-36.24 dB	-0.015 MHz
1 to 5MHz	-39.85 dBm	-31.35 dB	-4.300 MHz
5 to 10MHz	-39.75 dBm	-28.25 dB	-5.500 MHz
10 to 15MHz	-44.37 dBm	-20.87 dB	-10.500 MHz
Upper			
0 to 1MHz	-29.10 dBm	-12.60 dB	0.015 MHz
1 to 5MHz	-40.05 dBm	-31.55 dB	3.300 MHz
5 to 10MHz	-42.30 dBm	-30.80 dB	5.500 MHz
10 to 15MHz	-44.15 dBm	-20.65 dB	12.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.02 dBm	-25.52 dB	-0.015 MHz
1 to 5MHz	-30.63 dBm	-22.13 dB	-1.500 MHz
5 to 10MHz	-35.44 dBm	-23.94 dB	-5.500 MHz
10 to 15MHz	-38.82 dBm	-15.32 dB	-10.500 MHz
Upper			
0 to 1MHz	-41.25 dBm	-24.75 dB	0.015 MHz
1 to 5MHz	-28.35 dBm	-19.85 dB	1.500 MHz
5 to 10MHz	-32.13 dBm	-20.63 dB	5.500 MHz
10 to 15MHz	-44.14 dBm	-20.64 dB	14.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.63 dBm	-14.13 dB	-0.015 MHz
1 to 5MHz	-38.90 dBm	-30.40 dB	-1.500 MHz
5 to 15MHz	-40.96 dBm	-29.46 dB	-5.500 MHz
15 to 20MHz	-43.79 dBm	-20.29 dB	-15.500 MHz
Upper			
0 to 1MHz	-53.51 dBm	-35.01 dB	0.165 MHz
1 to 5MHz	-39.43 dBm	-30.93 dB	1.500 MHz
5 to 15MHz	-36.10 dBm	-24.60 dB	8.500 MHz
15 to 20MHz	-43.40 dBm	-19.90 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.44 dBm	-36.94 dB	-0.075 MHz
1 to 5MHz	-41.65 dBm	-33.15 dB	-1.500 MHz
5 to 15MHz	-42.78 dBm	-31.28 dB	-5.500 MHz
15 to 20MHz	-43.80 dBm	-20.30 dB	-15.500 MHz
Upper			
0 to 1MHz	-32.17 dBm	-13.67 dB	0.015 MHz
1 to 5MHz	-40.20 dBm	-31.70 dB	3.300 MHz
5 to 15MHz	-40.18 dBm	-28.68 dB	5.500 MHz
15 to 20MHz	-43.77 dBm	-20.27 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.59 dBm	-27.09 dB	-0.015 MHz
1 to 5MHz	-33.74 dBm	-25.24 dB	-1.500 MHz
5 to 15MHz	-40.30 dBm	-28.80 dB	-5.500 MHz
15 to 20MHz	-43.77 dBm	-20.27 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.75 dBm	-25.25 dB	0.015 MHz
1 to 5MHz	-30.08 dBm	-21.58 dB	1.500 MHz
5 to 15MHz	-31.99 dBm	-20.49 dB	5.500 MHz
15 to 20MHz	-39.48 dBm	-15.98 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.38 dBm	-13.88 dB	-0.015 MHz
1 to 5MHz	-39.70 dBm	-31.20 dB	-3.300 MHz
5 to 15MHz	-39.71 dBm	-28.21 dB	-5.500 MHz
15 to 20MHz	-44.57 dBm	-21.07 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.79 dBm	-36.29 dB	0.225 MHz
1 to 5MHz	-40.79 dBm	-32.29 dB	1.500 MHz
5 to 15MHz	-37.05 dBm	-25.55 dB	8.500 MHz
15 to 20MHz	-43.83 dBm	-20.33 dB	18.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.56 dBm	-37.06 dB	-0.765 MHz
1 to 5MHz	-41.26 dBm	-32.76 dB	-1.500 MHz
5 to 15MHz	-37.17 dBm	-25.67 dB	-8.500 MHz
15 to 20MHz	-44.54 dBm	-21.04 dB	-16.500 MHz
Upper			
0 to 1MHz	-32.47 dBm	-13.97 dB	0.015 MHz
1 to 5MHz	-40.32 dBm	-31.82 dB	3.300 MHz
5 to 15MHz	-40.39 dBm	-28.89 dB	5.500 MHz
15 to 20MHz	-43.86 dBm	-20.36 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.96 dBm	-39.46 dB	-0.985 MHz
1 to 5MHz	-39.17 dBm	-30.67 dB	-1.500 MHz
5 to 6MHz	-43.84 dBm	-20.34 dB	-5.500 MHz
Upper			
0 to 1MHz	-24.83 dBm	-13.33 dB	0.015 MHz
1 to 5MHz	-39.82 dBm	-31.32 dB	1.500 MHz
5 to 6MHz	-42.01 dBm	-18.51 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.56 dBm	-26.06 dB	-0.015 MHz
1 to 5MHz	-32.56 dBm	-24.06 dB	-1.500 MHz
5 to 15MHz	-35.79 dBm	-24.29 dB	-5.500 MHz
15 to 20MHz	-40.75 dBm	-17.25 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.49 dBm	-24.99 dB	0.015 MHz
1 to 5MHz	-30.22 dBm	-21.72 dB	1.500 MHz
5 to 15MHz	-32.72 dBm	-21.22 dB	5.500 MHz
15 to 20MHz	-43.93 dBm	-20.43 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.55 dBm	-14.05 dB	-0.015 MHz
1 to 5MHz	-40.84 dBm	-32.34 dB	-1.500 MHz
5 to 6MHz	-42.56 dBm	-19.06 dB	-5.500 MHz
Upper			
0 to 1MHz	-49.99 dBm	-38.49 dB	0.985 MHz
1 to 5MHz	-38.82 dBm	-30.32 dB	1.500 MHz
5 to 6MHz	-42.55 dBm	-19.05 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.60 dBm	-14.10 dB	-0.015 MHz
1 to 5MHz	-39.89 dBm	-31.39 dB	-3.300 MHz
5 to 15MHz	-39.87 dBm	-28.37 dB	-5.500 MHz
15 to 20MHz	-44.32 dBm	-20.82 dB	-15.500 MHz
Upper			
0 to 1MHz	-55.85 dBm	-37.35 dB	0.015 MHz
1 to 5MHz	-41.69 dBm	-33.19 dB	1.500 MHz
5 to 15MHz	-41.26 dBm	-29.76 dB	5.500 MHz
15 to 20MHz	-43.95 dBm	-20.45 dB	19.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.44 dBm	-25.94 dB	-0.015 MHz
1 to 5MHz	-31.04 dBm	-22.54 dB	-1.500 MHz
5 to 15MHz	-34.11 dBm	-22.61 dB	-5.500 MHz
15 to 20MHz	-44.14 dBm	-20.64 dB	-15.500 MHz
Upper			
0 to 1MHz	-44.46 dBm	-25.96 dB	0.015 MHz
1 to 5MHz	-31.43 dBm	-22.93 dB	1.500 MHz
5 to 15MHz	-34.50 dBm	-23.00 dB	5.500 MHz
15 to 20MHz	-42.00 dBm	-18.50 dB	15.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.86 dBm	-36.36 dB	-0.255 MHz
1 to 5MHz	-40.76 dBm	-32.26 dB	-1.500 MHz
5 to 15MHz	-36.08 dBm	-24.58 dB	-8.500 MHz
15 to 20MHz	-44.36 dBm	-20.86 dB	-15.500 MHz
Upper			
0 to 1MHz	-32.53 dBm	-14.03 dB	0.015 MHz
1 to 5MHz	-40.37 dBm	-31.87 dB	3.300 MHz
5 to 15MHz	-40.76 dBm	-29.26 dB	5.500 MHz
15 to 20MHz	-43.96 dBm	-20.46 dB	18.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.68 dBm	-26.18 dB	-0.015 MHz
1 to 5MHz	-30.85 dBm	-22.35 dB	-1.500 MHz
5 to 6MHz	-42.06 dBm	-18.56 dB	-5.500 MHz
Upper			
0 to 1MHz	-36.66 dBm	-25.16 dB	0.015 MHz
1 to 5MHz	-30.33 dBm	-21.83 dB	1.500 MHz
5 to 6MHz	-39.83 dBm	-16.33 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.14 dBm	-13.64 dB	-0.015 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	-1.500 MHz
5 to 6MHz	-41.68 dBm	-18.18 dB	-5.500 MHz
Upper			
0 to 1MHz	-49.59 dBm	-38.09 dB	0.985 MHz
1 to 5MHz	-38.67 dBm	-30.17 dB	1.500 MHz
5 to 6MHz	-42.53 dBm	-19.03 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.45 dBm	-38.95 dB	-0.985 MHz
1 to 5MHz	-38.66 dBm	-30.16 dB	-1.500 MHz
5 to 6MHz	-42.79 dBm	-19.29 dB	-5.500 MHz
Upper			
0 to 1MHz	-25.85 dBm	-14.35 dB	0.015 MHz
1 to 5MHz	-40.08 dBm	-31.58 dB	1.500 MHz
5 to 6MHz	-41.93 dBm	-18.43 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.78 dBm	-24.28 dB	-0.015 MHz
1 to 5MHz	-29.01 dBm	-20.51 dB	-1.500 MHz
5 to 6MHz	-39.44 dBm	-15.94 dB	-5.500 MHz
Upper			
0 to 1MHz	-36.00 dBm	-24.50 dB	0.015 MHz
1 to 5MHz	-29.50 dBm	-21.00 dB	1.500 MHz
5 to 6MHz	-39.24 dBm	-15.74 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.30 dBm	-12.80 dB	-0.015 MHz
1 to 5MHz	-40.37 dBm	-31.87 dB	-4.300 MHz
5 to 6MHz	-41.31 dBm	-17.81 dB	-5.500 MHz
Upper			
0 to 1MHz	-50.62 dBm	-39.12 dB	0.985 MHz
1 to 5MHz	-39.31 dBm	-30.81 dB	1.500 MHz
5 to 6MHz	-42.94 dBm	-19.44 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.47 dBm	-37.97 dB	-0.015 MHz
1 to 5MHz	-38.43 dBm	-29.93 dB	-1.500 MHz
5 to 6MHz	-44.13 dBm	-32.63 dB	-5.500 MHz
6 to 10MHz	-44.38 dBm	-20.88 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.85 dBm	-11.35 dB	0.015 MHz
1 to 5MHz	-38.73 dBm	-30.23 dB	1.500 MHz
5 to 6MHz	-42.69 dBm	-31.19 dB	5.500 MHz
6 to 10MHz	-43.51 dBm	-20.01 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.59 dBm	-11.09 dB	-0.015 MHz
1 to 5MHz	-39.09 dBm	-30.59 dB	-1.500 MHz
5 to 6MHz	-42.81 dBm	-31.31 dB	-5.500 MHz
6 to 10MHz	-43.43 dBm	-19.93 dB	-6.500 MHz
Upper			
0 to 1MHz	-51.61 dBm	-38.11 dB	0.015 MHz
1 to 5MHz	-38.06 dBm	-29.56 dB	1.500 MHz
5 to 6MHz	-43.33 dBm	-31.83 dB	5.500 MHz
6 to 10MHz	-43.85 dBm	-20.35 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-34.89 dBm	-23.39 dB	-0.015 MHz
1 to 5MHz	-27.42 dBm	-18.92 dB	-1.500 MHz
5 to 6MHz	-38.95 dBm	-15.45 dB	-5.500 MHz
Upper			
0 to 1MHz	-34.79 dBm	-23.29 dB	0.015 MHz
1 to 5MHz	-27.36 dBm	-18.86 dB	1.500 MHz
5 to 6MHz	-40.21 dBm	-16.71 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.62 dBm	-39.12 dB	-0.015 MHz
1 to 5MHz	-38.56 dBm	-30.06 dB	-1.500 MHz
5 to 6MHz	-42.23 dBm	-18.73 dB	-5.500 MHz
Upper			
0 to 1MHz	-24.78 dBm	-13.28 dB	0.015 MHz
1 to 5MHz	-40.02 dBm	-31.52 dB	2.000 MHz
5 to 6MHz	-42.31 dBm	-18.81 dB	5.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.54 dBm	-37.04 dB	-0.015 MHz
1 to 5MHz	-36.98 dBm	-28.48 dB	-1.500 MHz
5 to 6MHz	-42.33 dBm	-30.83 dB	-5.500 MHz
6 to 10MHz	-42.96 dBm	-19.46 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.96 dBm	-11.46 dB	0.015 MHz
1 to 5MHz	-38.05 dBm	-29.55 dB	1.500 MHz
5 to 6MHz	-42.16 dBm	-30.66 dB	5.500 MHz
6 to 10MHz	-43.06 dBm	-19.56 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.04 dBm	-23.54 dB	-0.015 MHz
1 to 5MHz	-31.27 dBm	-22.77 dB	-1.500 MHz
5 to 6MHz	-41.06 dBm	-29.56 dB	-5.500 MHz
6 to 10MHz	-42.71 dBm	-19.21 dB	-6.500 MHz
Upper			
0 to 1MHz	-37.29 dBm	-23.79 dB	0.015 MHz
1 to 5MHz	-29.69 dBm	-21.19 dB	1.500 MHz
5 to 6MHz	-36.25 dBm	-24.75 dB	5.500 MHz
6 to 10MHz	-38.61 dBm	-15.11 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.33 dBm	-10.83 dB	-0.015 MHz
1 to 5MHz	-38.54 dBm	-30.04 dB	-1.500 MHz
5 to 6MHz	-42.25 dBm	-30.75 dB	-5.500 MHz
6 to 10MHz	-43.10 dBm	-19.60 dB	-6.500 MHz
Upper			
0 to 1MHz	-51.67 dBm	-38.17 dB	0.045 MHz
1 to 5MHz	-38.11 dBm	-29.61 dB	1.500 MHz
5 to 6MHz	-43.32 dBm	-31.82 dB	5.500 MHz
6 to 10MHz	-43.95 dBm	-20.45 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.21 dBm	-37.71 dB	-0.015 MHz
1 to 5MHz	-38.07 dBm	-29.57 dB	-1.500 MHz
5 to 6MHz	-43.52 dBm	-32.02 dB	-5.500 MHz
6 to 10MHz	-44.07 dBm	-20.57 dB	-6.500 MHz
Upper			
0 to 1MHz	-24.83 dBm	-11.33 dB	0.015 MHz
1 to 5MHz	-38.34 dBm	-29.84 dB	1.500 MHz
5 to 6MHz	-42.65 dBm	-31.15 dB	5.500 MHz
6 to 10MHz	-43.54 dBm	-20.04 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.88 dBm	-22.38 dB	-0.015 MHz
1 to 5MHz	-28.43 dBm	-19.93 dB	-1.500 MHz
5 to 6MHz	-38.33 dBm	-26.83 dB	-5.500 MHz
6 to 10MHz	-38.79 dBm	-15.29 dB	-7.500 MHz
Upper			
0 to 1MHz	-36.25 dBm	-22.75 dB	0.015 MHz
1 to 5MHz	-29.18 dBm	-20.68 dB	1.500 MHz
5 to 6MHz	-37.45 dBm	-25.95 dB	5.500 MHz
6 to 10MHz	-38.67 dBm	-15.17 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.95 dBm	-11.45 dB	-0.015 MHz
1 to 5MHz	-38.65 dBm	-30.15 dB	-1.500 MHz
5 to 6MHz	-42.25 dBm	-30.75 dB	-5.500 MHz
6 to 10MHz	-43.16 dBm	-19.66 dB	-6.500 MHz
Upper			
0 to 1MHz	-52.13 dBm	-38.63 dB	0.015 MHz
1 to 5MHz	-38.96 dBm	-30.46 dB	1.500 MHz
5 to 6MHz	-43.68 dBm	-32.18 dB	5.500 MHz
6 to 10MHz	-44.14 dBm	-20.64 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.63 dBm	-22.13 dB	-0.015 MHz
1 to 5MHz	-27.71 dBm	-19.21 dB	-1.500 MHz
5 to 6MHz	-35.88 dBm	-24.38 dB	-5.500 MHz
6 to 10MHz	-37.77 dBm	-14.27 dB	-6.500 MHz
Upper			
0 to 1MHz	-36.15 dBm	-22.65 dB	0.015 MHz
1 to 5MHz	-26.62 dBm	-18.12 dB	1.500 MHz
5 to 6MHz	-38.16 dBm	-26.66 dB	5.500 MHz
6 to 10MHz	-40.46 dBm	-16.96 dB	6.500 MHz
Template Judgement	Pass		

Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.39 dBm	-13.89 dB	-0.015 MHz
1 to 5MHz	-37.70 dBm	-29.20 dB	-1.500 MHz
5 to 6MHz	-41.50 dBm	-18.00 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.49 dBm	-39.99 dB	0.015 MHz
1 to 5MHz	-27.30 dBm	-18.80 dB	2.300 MHz
5 to 6MHz	-42.51 dBm	-19.01 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.62 dBm	-40.12 dB	-0.015 MHz
1 to 5MHz	-27.22 dBm	-18.72 dB	-2.300 MHz
5 to 6MHz	-42.53 dBm	-19.03 dB	-5.500 MHz
Upper			
0 to 1MHz	-26.64 dBm	-15.14 dB	0.015 MHz
1 to 5MHz	-37.37 dBm	-28.87 dB	1.500 MHz
5 to 6MHz	-42.01 dBm	-18.51 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.73 dBm	-24.23 dB	-0.015 MHz
1 to 5MHz	-27.31 dBm	-18.81 dB	-1.500 MHz
5 to 6MHz	-40.14 dBm	-16.64 dB	-5.500 MHz
Upper			
0 to 1MHz	-35.36 dBm	-23.86 dB	0.015 MHz
1 to 5MHz	-27.45 dBm	-18.95 dB	1.500 MHz
5 to 6MHz	-40.31 dBm	-16.81 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=15 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.30 dBm	-13.80 dB	-0.015 MHz
1 to 5MHz	-36.97 dBm	-28.47 dB	-1.500 MHz
5 to 6MHz	-42.20 dBm	-18.70 dB	-5.500 MHz
Upper			
0 to 1MHz	-47.38 dBm	-35.88 dB	0.985 MHz
1 to 5MHz	-30.45 dBm	-21.95 dB	2.300 MHz
5 to 6MHz	-43.45 dBm	-19.95 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-46.44 dBm	-34.94 dB	-0.975 MHz
1 to 5MHz	-28.39 dBm	-19.89 dB	-2.300 MHz
5 to 6MHz	-42.93 dBm	-19.43 dB	-5.500 MHz
Upper			
0 to 1MHz	-26.04 dBm	-14.54 dB	0.015 MHz
1 to 5MHz	-35.34 dBm	-26.84 dB	1.500 MHz
5 to 6MHz	-42.83 dBm	-19.33 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.31 dBm	-25.81 dB	-0.015 MHz
1 to 5MHz	-29.85 dBm	-21.35 dB	-1.500 MHz
5 to 6MHz	-40.54 dBm	-17.04 dB	-5.500 MHz
Upper			
0 to 1MHz	-38.25 dBm	-26.75 dB	0.015 MHz
1 to 5MHz	-32.28 dBm	-23.78 dB	1.500 MHz
5 to 6MHz	-41.47 dBm	-17.97 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.08 dBm	-13.58 dB	-0.015 MHz
1 to 5MHz	-37.12 dBm	-28.62 dB	-1.500 MHz
5 to 6MHz	-42.42 dBm	-18.92 dB	-5.500 MHz
Upper			
0 to 1MHz	-49.12 dBm	-37.62 dB	0.985 MHz
1 to 5MHz	-32.49 dBm	-23.99 dB	2.300 MHz
5 to 6MHz	-44.68 dBm	-21.18 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-34.58 dBm	-23.08 dB	-0.015 MHz
1 to 5MHz	-26.77 dBm	-18.27 dB	-1.500 MHz
5 to 6MHz	-40.18 dBm	-16.68 dB	-5.500 MHz
Upper			
0 to 1MHz	-34.20 dBm	-22.70 dB	0.015 MHz
1 to 5MHz	-26.38 dBm	-17.88 dB	1.500 MHz
5 to 6MHz	-40.27 dBm	-16.77 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.61 dBm	-40.11 dB	-0.045 MHz
1 to 5MHz	-26.25 dBm	-17.75 dB	-2.300 MHz
5 to 6MHz	-42.43 dBm	-18.93 dB	-5.500 MHz
Upper			
0 to 1MHz	-25.69 dBm	-14.19 dB	0.015 MHz
1 to 5MHz	-39.35 dBm	-30.85 dB	4.500 MHz
5 to 6MHz	-41.88 dBm	-18.38 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.81 dBm	-26.31 dB	-0.015 MHz
1 to 5MHz	-30.02 dBm	-21.52 dB	-1.500 MHz
5 to 6MHz	-40.97 dBm	-17.47 dB	-5.500 MHz
Upper			
0 to 1MHz	-38.23 dBm	-26.73 dB	0.015 MHz
1 to 5MHz	-32.17 dBm	-23.67 dB	1.500 MHz
5 to 6MHz	-44.38 dBm	-20.88 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.08 dBm	-39.58 dB	-0.045 MHz
1 to 5MHz	-28.78 dBm	-20.28 dB	-2.300 MHz
5 to 6MHz	-42.80 dBm	-19.30 dB	-5.500 MHz
Upper			
0 to 1MHz	-26.18 dBm	-14.68 dB	0.015 MHz
1 to 5MHz	-35.78 dBm	-27.28 dB	1.500 MHz
5 to 6MHz	-44.01 dBm	-20.51 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.91 dBm	-14.41 dB	-0.015 MHz
1 to 5MHz	-38.78 dBm	-30.28 dB	-4.500 MHz
5 to 6MHz	-41.39 dBm	-17.89 dB	-5.500 MHz
Upper			
0 to 1MHz	-51.52 dBm	-40.02 dB	0.015 MHz
1 to 5MHz	-26.34 dBm	-17.84 dB	2.300 MHz
5 to 6MHz	-42.54 dBm	-19.04 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.62 dBm	-39.12 dB	-0.195 MHz
1 to 5MHz	-28.16 dBm	-19.66 dB	-2.300 MHz
5 to 6MHz	-42.79 dBm	-19.29 dB	-5.500 MHz
Upper			
0 to 1MHz	-26.16 dBm	-14.66 dB	0.015 MHz
1 to 5MHz	-41.75 dBm	-33.25 dB	1.500 MHz
5 to 6MHz	-43.92 dBm	-20.42 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.57 dBm	-14.07 dB	-0.015 MHz
1 to 5MHz	-39.84 dBm	-31.34 dB	-1.500 MHz
5 to 6MHz	-42.04 dBm	-18.54 dB	-5.500 MHz
Upper			
0 to 1MHz	-46.70 dBm	-35.20 dB	0.985 MHz
1 to 5MHz	-29.93 dBm	-21.43 dB	2.300 MHz
5 to 6MHz	-43.42 dBm	-19.92 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.87 dBm	-34.37 dB	-0.985 MHz
1 to 5MHz	-27.66 dBm	-19.16 dB	-2.300 MHz
5 to 6MHz	-42.96 dBm	-19.46 dB	-5.500 MHz
Upper			
0 to 1MHz	-25.96 dBm	-14.46 dB	0.015 MHz
1 to 5MHz	-40.20 dBm	-31.70 dB	1.500 MHz
5 to 6MHz	-42.86 dBm	-19.36 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.09 dBm	-25.59 dB	-0.015 MHz
1 to 5MHz	-30.24 dBm	-21.74 dB	-1.500 MHz
5 to 6MHz	-40.39 dBm	-16.89 dB	-5.500 MHz
Upper			
0 to 1MHz	-37.82 dBm	-26.32 dB	0.015 MHz
1 to 5MHz	-32.83 dBm	-24.33 dB	1.500 MHz
5 to 6MHz	-41.41 dBm	-17.91 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.85 dBm	-13.35 dB	-0.015 MHz
1 to 5MHz	-40.34 dBm	-31.84 dB	-1.500 MHz
5 to 6MHz	-42.25 dBm	-18.75 dB	-5.500 MHz
Upper			
0 to 1MHz	-48.40 dBm	-36.90 dB	0.985 MHz
1 to 5MHz	-31.67 dBm	-23.17 dB	2.300 MHz
5 to 6MHz	-44.61 dBm	-21.11 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-35.41 dBm	-23.91 dB	-0.015 MHz
1 to 5MHz	-27.21 dBm	-18.71 dB	-1.500 MHz
5 to 6MHz	-40.56 dBm	-17.06 dB	-5.500 MHz
Upper			
0 to 1MHz	-36.05 dBm	-24.55 dB	0.015 MHz
1 to 5MHz	-29.45 dBm	-20.95 dB	1.500 MHz
5 to 6MHz	-44.28 dBm	-20.78 dB	5.500 MHz
Template Judgement	Pass		

Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=15 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.49 dBm	-7.99 dB	-0.015 MHz
1 to 5MHz	-41.25 dBm	-32.75 dB	-1.500 MHz
5 to 10MHz	-42.57 dBm	-31.07 dB	-5.500 MHz
10 to 15MHz	-44.80 dBm	-21.30 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.78 dBm	-36.28 dB	0.015 MHz
1 to 5MHz	-40.61 dBm	-32.11 dB	1.500 MHz
5 to 10MHz	-27.83 dBm	-16.33 dB	8.500 MHz
10 to 15MHz	-44.55 dBm	-21.05 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.39 dBm	-38.89 dB	-0.015 MHz
1 to 5MHz	-41.71 dBm	-33.21 dB	-4.300 MHz
5 to 10MHz	-33.68 dBm	-22.18 dB	-8.500 MHz
10 to 15MHz	-44.89 dBm	-21.39 dB	-10.500 MHz
Upper			
0 to 1MHz	-24.49 dBm	-7.99 dB	0.015 MHz
1 to 5MHz	-41.23 dBm	-32.73 dB	3.300 MHz
5 to 10MHz	-43.23 dBm	-31.73 dB	5.500 MHz
10 to 15MHz	-44.56 dBm	-21.06 dB	13.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.21 dBm	-23.71 dB	-0.015 MHz
1 to 5MHz	-31.27 dBm	-22.77 dB	-1.500 MHz
5 to 10MHz	-34.64 dBm	-23.14 dB	-5.500 MHz
10 to 15MHz	-42.14 dBm	-18.64 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.96 dBm	-21.46 dB	0.015 MHz
1 to 5MHz	-31.72 dBm	-23.22 dB	1.500 MHz
5 to 10MHz	-37.20 dBm	-25.70 dB	5.500 MHz
10 to 15MHz	-42.11 dBm	-18.61 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.57 dBm	-8.07 dB	-0.015 MHz
1 to 5MHz	-41.30 dBm	-32.80 dB	-3.300 MHz
5 to 10MHz	-42.92 dBm	-31.42 dB	-5.500 MHz
10 to 15MHz	-44.84 dBm	-21.34 dB	-10.500 MHz
Upper			
0 to 1MHz	-55.91 dBm	-39.41 dB	0.015 MHz
1 to 5MHz	-40.91 dBm	-32.41 dB	4.300 MHz
5 to 10MHz	-30.74 dBm	-19.24 dB	8.500 MHz
10 to 15MHz	-44.52 dBm	-21.02 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.63 dBm	-36.13 dB	-0.105 MHz
1 to 5MHz	-40.81 dBm	-32.31 dB	-1.500 MHz
5 to 10MHz	-31.20 dBm	-19.70 dB	-8.500 MHz
10 to 15MHz	-44.86 dBm	-21.36 dB	-10.500 MHz
Upper			
0 to 1MHz	-24.97 dBm	-8.47 dB	0.015 MHz
1 to 5MHz	-41.45 dBm	-32.95 dB	1.500 MHz
5 to 10MHz	-42.85 dBm	-31.35 dB	5.500 MHz
10 to 15MHz	-44.49 dBm	-20.99 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.22 dBm	-22.72 dB	-0.015 MHz
1 to 5MHz	-32.29 dBm	-23.79 dB	-1.500 MHz
5 to 10MHz	-36.94 dBm	-25.44 dB	-5.500 MHz
10 to 15MHz	-42.41 dBm	-18.91 dB	-10.500 MHz
Upper			
0 to 1MHz	-41.48 dBm	-24.98 dB	0.015 MHz
1 to 5MHz	-35.95 dBm	-27.45 dB	1.500 MHz
5 to 10MHz	-38.91 dBm	-27.41 dB	5.500 MHz
10 to 15MHz	-42.36 dBm	-18.86 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.78 dBm	-37.28 dB	-0.225 MHz
1 to 5MHz	-42.29 dBm	-33.79 dB	-1.500 MHz
5 to 15MHz	-33.67 dBm	-22.17 dB	-12.500 MHz
15 to 20MHz	-44.74 dBm	-21.24 dB	-15.500 MHz
Upper			
0 to 1MHz	-28.77 dBm	-10.27 dB	0.015 MHz
1 to 5MHz	-40.79 dBm	-32.29 dB	1.500 MHz
5 to 15MHz	-41.90 dBm	-30.40 dB	5.500 MHz
15 to 20MHz	-44.34 dBm	-20.84 dB	15.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.80 dBm	-9.30 dB	-0.015 MHz
1 to 5MHz	-40.16 dBm	-31.66 dB	-1.500 MHz
5 to 15MHz	-41.61 dBm	-30.11 dB	-5.500 MHz
15 to 20MHz	-44.75 dBm	-21.25 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.66 dBm	-36.16 dB	0.225 MHz
1 to 5MHz	-41.41 dBm	-32.91 dB	1.500 MHz
5 to 15MHz	-26.77 dBm	-15.27 dB	12.500 MHz
15 to 20MHz	-44.37 dBm	-20.87 dB	15.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.82 dBm	-24.32 dB	-0.015 MHz
1 to 5MHz	-33.45 dBm	-24.95 dB	-1.500 MHz
5 to 10MHz	-35.23 dBm	-23.73 dB	-5.500 MHz
10 to 15MHz	-41.51 dBm	-18.01 dB	-10.500 MHz
Upper			
0 to 1MHz	-41.30 dBm	-24.80 dB	0.015 MHz
1 to 5MHz	-37.08 dBm	-28.58 dB	1.500 MHz
5 to 10MHz	-44.42 dBm	-32.92 dB	5.500 MHz
10 to 15MHz	-44.40 dBm	-20.90 dB	14.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.28 dBm	-37.78 dB	-0.105 MHz
1 to 5MHz	-41.77 dBm	-33.27 dB	-1.500 MHz
5 to 10MHz	-30.45 dBm	-18.95 dB	-8.500 MHz
10 to 15MHz	-44.69 dBm	-21.19 dB	-10.500 MHz
Upper			
0 to 1MHz	-25.88 dBm	-9.38 dB	0.015 MHz
1 to 5MHz	-42.23 dBm	-33.73 dB	1.500 MHz
5 to 10MHz	-44.25 dBm	-32.75 dB	5.500 MHz
10 to 15MHz	-44.46 dBm	-20.96 dB	13.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.62 dBm	-8.12 dB	-0.015 MHz
1 to 5MHz	-41.20 dBm	-32.70 dB	-3.300 MHz
5 to 10MHz	-42.18 dBm	-30.68 dB	-8.500 MHz
10 to 15MHz	-44.69 dBm	-21.19 dB	-10.500 MHz
Upper			
0 to 1MHz	-54.63 dBm	-38.13 dB	0.045 MHz
1 to 5MHz	-42.57 dBm	-34.07 dB	1.500 MHz
5 to 10MHz	-44.33 dBm	-32.83 dB	8.500 MHz
10 to 15MHz	-44.50 dBm	-21.00 dB	14.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-43.43 dBm	-24.93 dB	-0.015 MHz
1 to 5MHz	-32.46 dBm	-23.96 dB	-1.500 MHz
5 to 15MHz	-33.28 dBm	-21.78 dB	-5.500 MHz
15 to 20MHz	-42.38 dBm	-18.88 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.97 dBm	-25.47 dB	0.015 MHz
1 to 5MHz	-35.86 dBm	-27.36 dB	1.500 MHz
5 to 15MHz	-38.36 dBm	-26.86 dB	5.500 MHz
15 to 20MHz	-42.76 dBm	-19.26 dB	15.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.62 dBm	-9.12 dB	-0.015 MHz
1 to 5MHz	-40.25 dBm	-31.75 dB	-1.500 MHz
5 to 15MHz	-41.29 dBm	-29.79 dB	-5.500 MHz
15 to 20MHz	-44.68 dBm	-21.18 dB	-15.500 MHz
Upper			
0 to 1MHz	-56.51 dBm	-38.01 dB	0.195 MHz
1 to 5MHz	-42.44 dBm	-33.94 dB	1.500 MHz
5 to 15MHz	-38.91 dBm	-27.41 dB	5.500 MHz
15 to 20MHz	-44.36 dBm	-20.86 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.18 dBm	-35.68 dB	-0.255 MHz
1 to 5MHz	-40.91 dBm	-32.41 dB	-1.500 MHz
5 to 15MHz	-31.21 dBm	-19.71 dB	-12.500 MHz
15 to 20MHz	-44.83 dBm	-21.33 dB	-15.500 MHz
Upper			
0 to 1MHz	-28.26 dBm	-9.76 dB	0.015 MHz
1 to 5MHz	-39.96 dBm	-31.46 dB	1.500 MHz
5 to 15MHz	-41.23 dBm	-29.73 dB	5.500 MHz
15 to 20MHz	-44.35 dBm	-20.85 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.48 dBm	-23.98 dB	-0.015 MHz
1 to 5MHz	-33.54 dBm	-25.04 dB	-1.500 MHz
5 to 15MHz	-36.58 dBm	-25.08 dB	-5.500 MHz
15 to 20MHz	-42.26 dBm	-18.76 dB	-15.500 MHz
Upper			
0 to 1MHz	-45.18 dBm	-26.68 dB	0.015 MHz
1 to 5MHz	-36.92 dBm	-28.42 dB	1.500 MHz
5 to 15MHz	-38.24 dBm	-26.74 dB	5.500 MHz
15 to 20MHz	-44.36 dBm	-20.86 dB	18.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-28.14 dBm	-9.64 dB	-0.015 MHz
1 to 5MHz	-39.82 dBm	-31.32 dB	-1.500 MHz
5 to 15MHz	-39.89 dBm	-28.39 dB	-5.500 MHz
15 to 20MHz	-44.64 dBm	-21.14 dB	-15.500 MHz
Upper			
0 to 1MHz	-56.32 dBm	-37.82 dB	0.195 MHz
1 to 5MHz	-42.99 dBm	-34.49 dB	1.500 MHz
5 to 15MHz	-44.17 dBm	-32.67 dB	12.500 MHz
15 to 20MHz	-44.27 dBm	-20.77 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-46.11 dBm	-26.61 dB	-0.015 MHz
1 to 5MHz	-33.62 dBm	-25.12 dB	-3.300 MHz
5 to 20MHz	-33.78 dBm	-22.28 dB	-8.500 MHz
20 to 25MHz	-44.77 dBm	-21.27 dB	-20.500 MHz
Upper			
0 to 1MHz	-48.51 dBm	-29.01 dB	0.015 MHz
1 to 5MHz	-37.29 dBm	-28.79 dB	1.500 MHz
5 to 20MHz	-37.57 dBm	-26.07 dB	6.500 MHz
20 to 25MHz	-44.18 dBm	-20.68 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=100 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-56.12 dBm	-36.62 dB	-0.255 MHz
1 to 5MHz	-42.55 dBm	-34.05 dB	-1.500 MHz
5 to 20MHz	-31.49 dBm	-19.99 dB	-16.500 MHz
20 to 25MHz	-45.09 dBm	-21.59 dB	-22.500 MHz
Upper			
0 to 1MHz	-31.97 dBm	-12.47 dB	0.015 MHz
1 to 5MHz	-41.41 dBm	-32.91 dB	1.500 MHz
5 to 20MHz	-42.56 dBm	-31.06 dB	7.500 MHz
20 to 25MHz	-44.18 dBm	-20.68 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.59 dBm	-12.09 dB	-0.015 MHz
1 to 5MHz	-41.28 dBm	-32.78 dB	-1.500 MHz
5 to 20MHz	-42.75 dBm	-31.25 dB	-5.500 MHz
20 to 25MHz	-45.05 dBm	-21.55 dB	-20.500 MHz
Upper			
0 to 1MHz	-56.14 dBm	-36.64 dB	0.015 MHz
1 to 5MHz	-42.54 dBm	-34.04 dB	1.500 MHz
5 to 20MHz	-42.15 dBm	-30.65 dB	7.500 MHz
20 to 25MHz	-44.20 dBm	-20.70 dB	23.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.31 dBm	-23.81 dB	-0.015 MHz
1 to 5MHz	-32.76 dBm	-24.26 dB	-1.500 MHz
5 to 15MHz	-34.44 dBm	-22.94 dB	-5.500 MHz
15 to 20MHz	-42.71 dBm	-19.21 dB	-15.500 MHz
Upper			
0 to 1MHz	-44.80 dBm	-26.30 dB	0.015 MHz
1 to 5MHz	-38.19 dBm	-29.69 dB	1.500 MHz
5 to 15MHz	-44.39 dBm	-32.89 dB	13.500 MHz
15 to 20MHz	-44.31 dBm	-20.81 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.55 dBm	-36.05 dB	-0.255 MHz
1 to 5MHz	-41.03 dBm	-32.53 dB	-1.500 MHz
5 to 15MHz	-32.04 dBm	-20.54 dB	-12.500 MHz
15 to 20MHz	-44.79 dBm	-21.29 dB	-15.500 MHz
Upper			
0 to 1MHz	-28.95 dBm	-10.45 dB	0.015 MHz
1 to 5MHz	-41.32 dBm	-32.82 dB	1.500 MHz
5 to 15MHz	-44.20 dBm	-32.70 dB	5.500 MHz
15 to 20MHz	-44.28 dBm	-20.78 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.37 dBm	-12.87 dB	-0.015 MHz
1 to 5MHz	-41.75 dBm	-33.25 dB	-1.500 MHz
5 to 20MHz	-43.08 dBm	-31.58 dB	-5.500 MHz
20 to 25MHz	-44.88 dBm	-21.38 dB	-20.500 MHz
Upper			
0 to 1MHz	-56.24 dBm	-36.74 dB	0.285 MHz
1 to 5MHz	-42.38 dBm	-33.88 dB	1.500 MHz
5 to 20MHz	-43.67 dBm	-32.17 dB	5.500 MHz
20 to 25MHz	-44.10 dBm	-20.60 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.97 dBm	-36.47 dB	-0.255 MHz
1 to 5MHz	-42.41 dBm	-33.91 dB	-1.500 MHz
5 to 20MHz	-32.45 dBm	-20.95 dB	-16.500 MHz
20 to 25MHz	-44.95 dBm	-21.45 dB	-20.500 MHz
Upper			
0 to 1MHz	-31.76 dBm	-12.26 dB	0.015 MHz
1 to 5MHz	-41.04 dBm	-32.54 dB	1.500 MHz
5 to 20MHz	-43.40 dBm	-31.90 dB	5.500 MHz
20 to 25MHz	-44.11 dBm	-20.61 dB	23.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-46.03 dBm	-26.53 dB	-0.015 MHz
1 to 5MHz	-34.65 dBm	-26.15 dB	-1.500 MHz
5 to 20MHz	-36.33 dBm	-24.83 dB	-5.500 MHz
20 to 25MHz	-42.45 dBm	-18.95 dB	-20.500 MHz
Upper			
0 to 1MHz	-47.80 dBm	-28.30 dB	0.015 MHz
1 to 5MHz	-36.90 dBm	-28.40 dB	1.500 MHz
5 to 20MHz	-39.19 dBm	-27.69 dB	5.500 MHz
20 to 25MHz	-44.09 dBm	-20.59 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.55 dBm	-12.05 dB	-0.015 MHz
1 to 5MHz	-41.44 dBm	-32.94 dB	-1.500 MHz
5 to 20MHz	-42.93 dBm	-31.43 dB	-7.500 MHz
20 to 25MHz	-44.89 dBm	-21.39 dB	-20.500 MHz
Upper			
0 to 1MHz	-57.35 dBm	-37.85 dB	0.015 MHz
1 to 5MHz	-43.65 dBm	-35.15 dB	1.500 MHz
5 to 20MHz	-44.07 dBm	-32.57 dB	16.500 MHz
20 to 25MHz	-44.12 dBm	-20.62 dB	22.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.07 dBm	-35.57 dB	-0.255 MHz
1 to 5MHz	-41.87 dBm	-33.37 dB	-1.500 MHz
5 to 20MHz	-32.58 dBm	-21.08 dB	-16.500 MHz
20 to 25MHz	-44.85 dBm	-21.35 dB	-20.500 MHz
Upper			
0 to 1MHz	-32.97 dBm	-13.47 dB	0.015 MHz
1 to 5MHz	-42.33 dBm	-33.83 dB	1.500 MHz
5 to 20MHz	-44.23 dBm	-32.73 dB	5.500 MHz
20 to 25MHz	-44.12 dBm	-20.62 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.67 dBm	-19.17 dB	-0.015 MHz
1 to 5MHz	-29.51 dBm	-21.01 dB	-1.500 MHz
5 to 6MHz	-40.62 dBm	-29.12 dB	-5.500 MHz
6 to 10MHz	-41.83 dBm	-18.33 dB	-6.500 MHz
Upper			
0 to 1MHz	-32.69 dBm	-19.19 dB	0.015 MHz
1 to 5MHz	-28.70 dBm	-20.20 dB	1.500 MHz
5 to 6MHz	-39.34 dBm	-27.84 dB	5.500 MHz
6 to 10MHz	-40.69 dBm	-17.19 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.99 dBm	-37.49 dB	-0.405 MHz
1 to 5MHz	-30.90 dBm	-22.40 dB	-4.300 MHz
5 to 6MHz	-42.55 dBm	-31.05 dB	-5.500 MHz
6 to 10MHz	-43.05 dBm	-19.55 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.68 dBm	-5.18 dB	0.015 MHz
1 to 5MHz	-31.72 dBm	-23.22 dB	1.500 MHz
5 to 6MHz	-39.53 dBm	-28.03 dB	5.500 MHz
6 to 10MHz	-39.77 dBm	-16.27 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-19.58 dBm	-6.08 dB	-0.015 MHz
1 to 5MHz	-40.55 dBm	-32.05 dB	-1.500 MHz
5 to 6MHz	-43.21 dBm	-31.71 dB	-5.500 MHz
6 to 10MHz	-43.11 dBm	-19.61 dB	-8.500 MHz
Upper			
0 to 1MHz	-51.06 dBm	-37.56 dB	0.075 MHz
1 to 5MHz	-27.66 dBm	-19.16 dB	4.300 MHz
5 to 6MHz	-43.66 dBm	-32.16 dB	5.500 MHz
6 to 10MHz	-44.42 dBm	-20.92 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.64 dBm	-25.14 dB	-0.015 MHz
1 to 5MHz	-33.49 dBm	-24.99 dB	-1.500 MHz
5 to 20MHz	-36.12 dBm	-24.62 dB	-5.500 MHz
20 to 25MHz	-42.49 dBm	-18.99 dB	-20.500 MHz
Upper			
0 to 1MHz	-48.62 dBm	-29.12 dB	0.015 MHz
1 to 5MHz	-39.12 dBm	-30.62 dB	1.500 MHz
5 to 20MHz	-44.23 dBm	-32.73 dB	19.500 MHz
20 to 25MHz	-44.08 dBm	-20.58 dB	22.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-19.10 dBm	-5.60 dB	-0.015 MHz
1 to 5MHz	-39.21 dBm	-30.71 dB	-1.500 MHz
5 to 6MHz	-43.23 dBm	-31.73 dB	-5.500 MHz
6 to 10MHz	-43.92 dBm	-20.42 dB	-6.500 MHz
Upper			
0 to 1MHz	-52.70 dBm	-39.20 dB	0.075 MHz
1 to 5MHz	-32.46 dBm	-23.96 dB	4.300 MHz
5 to 6MHz	-44.17 dBm	-32.67 dB	5.500 MHz
6 to 10MHz	-44.51 dBm	-21.01 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-48.59 dBm	-35.09 dB	-0.075 MHz
1 to 5MHz	-29.62 dBm	-21.12 dB	-4.300 MHz
5 to 6MHz	-41.33 dBm	-29.83 dB	-5.500 MHz
6 to 10MHz	-42.50 dBm	-19.00 dB	-6.500 MHz
Upper			
0 to 1MHz	-19.49 dBm	-5.99 dB	0.015 MHz
1 to 5MHz	-31.84 dBm	-23.34 dB	1.500 MHz
5 to 6MHz	-40.04 dBm	-28.54 dB	5.500 MHz
6 to 10MHz	-39.95 dBm	-16.45 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.12 dBm	-18.62 dB	-0.015 MHz
1 to 5MHz	-31.03 dBm	-22.53 dB	-1.500 MHz
5 to 6MHz	-39.83 dBm	-28.33 dB	-5.500 MHz
6 to 10MHz	-41.25 dBm	-17.75 dB	-6.500 MHz
Upper			
0 to 1MHz	-34.17 dBm	-20.67 dB	0.015 MHz
1 to 5MHz	-34.15 dBm	-25.65 dB	1.500 MHz
5 to 6MHz	-40.59 dBm	-29.09 dB	5.500 MHz
6 to 10MHz	-41.34 dBm	-17.84 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-18.92 dBm	-5.42 dB	-0.015 MHz
1 to 5MHz	-39.91 dBm	-31.41 dB	-1.500 MHz
5 to 6MHz	-43.36 dBm	-31.86 dB	-5.500 MHz
6 to 10MHz	-43.71 dBm	-20.21 dB	-8.500 MHz
Upper			
0 to 1MHz	-53.13 dBm	-39.63 dB	0.015 MHz
1 to 5MHz	-36.65 dBm	-28.15 dB	4.300 MHz
5 to 6MHz	-44.62 dBm	-33.12 dB	5.500 MHz
6 to 10MHz	-44.64 dBm	-21.14 dB	8.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.73 dBm	-38.23 dB	-0.075 MHz
1 to 5MHz	-31.55 dBm	-23.05 dB	-4.300 MHz
5 to 6MHz	-44.03 dBm	-32.53 dB	-5.500 MHz
6 to 10MHz	-44.56 dBm	-21.06 dB	-6.500 MHz
Upper			
0 to 1MHz	-19.99 dBm	-6.49 dB	0.015 MHz
1 to 5MHz	-41.27 dBm	-32.77 dB	1.500 MHz
5 to 6MHz	-44.25 dBm	-32.75 dB	5.500 MHz
6 to 10MHz	-44.44 dBm	-20.94 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.49 dBm	-22.99 dB	-0.015 MHz
1 to 5MHz	-30.66 dBm	-22.16 dB	-1.500 MHz
5 to 10MHz	-34.15 dBm	-22.65 dB	-5.500 MHz
10 to 15MHz	-42.51 dBm	-19.01 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.20 dBm	-20.70 dB	0.015 MHz
1 to 5MHz	-30.77 dBm	-22.27 dB	1.500 MHz
5 to 10MHz	-36.72 dBm	-25.22 dB	5.500 MHz
10 to 15MHz	-42.05 dBm	-18.55 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.47 dBm	-38.97 dB	-0.105 MHz
1 to 5MHz	-41.23 dBm	-32.73 dB	-4.300 MHz
5 to 10MHz	-33.07 dBm	-21.57 dB	-8.500 MHz
10 to 15MHz	-44.92 dBm	-21.42 dB	-10.500 MHz
Upper			
0 to 1MHz	-24.40 dBm	-7.90 dB	0.015 MHz
1 to 5MHz	-41.01 dBm	-32.51 dB	3.300 MHz
5 to 10MHz	-43.14 dBm	-31.64 dB	5.500 MHz
10 to 15MHz	-44.56 dBm	-21.06 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-33.54 dBm	-20.04 dB	-0.015 MHz
1 to 5MHz	-34.48 dBm	-25.98 dB	-1.500 MHz
5 to 6MHz	-40.68 dBm	-29.18 dB	-5.500 MHz
6 to 10MHz	-41.74 dBm	-18.24 dB	-6.500 MHz
Upper			
0 to 1MHz	-35.14 dBm	-21.64 dB	0.015 MHz
1 to 5MHz	-35.45 dBm	-26.95 dB	1.500 MHz
5 to 6MHz	-44.51 dBm	-33.01 dB	5.500 MHz
6 to 10MHz	-44.53 dBm	-21.03 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.47 dBm	-7.97 dB	-0.015 MHz
1 to 5MHz	-41.13 dBm	-32.63 dB	-3.300 MHz
5 to 10MHz	-42.46 dBm	-30.96 dB	-5.500 MHz
10 to 15MHz	-44.77 dBm	-21.27 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.67 dBm	-36.17 dB	0.135 MHz
1 to 5MHz	-40.60 dBm	-32.10 dB	1.500 MHz
5 to 10MHz	-26.88 dBm	-15.38 dB	8.500 MHz
10 to 15MHz	-44.53 dBm	-21.03 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.26 dBm	-7.76 dB	-0.015 MHz
1 to 5MHz	-40.83 dBm	-32.33 dB	-3.300 MHz
5 to 10MHz	-42.75 dBm	-31.25 dB	-5.500 MHz
10 to 15MHz	-44.87 dBm	-21.37 dB	-10.500 MHz
Upper			
0 to 1MHz	-55.46 dBm	-38.96 dB	0.015 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	4.300 MHz
5 to 10MHz	-29.65 dBm	-18.15 dB	8.500 MHz
10 to 15MHz	-44.53 dBm	-21.03 dB	11.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.62 dBm	-36.12 dB	-0.105 MHz
1 to 5MHz	-40.68 dBm	-32.18 dB	-1.500 MHz
5 to 10MHz	-30.12 dBm	-18.62 dB	-8.500 MHz
10 to 15MHz	-44.82 dBm	-21.32 dB	-10.500 MHz
Upper			
0 to 1MHz	-24.57 dBm	-8.07 dB	0.015 MHz
1 to 5MHz	-41.28 dBm	-32.78 dB	3.300 MHz
5 to 10MHz	-42.76 dBm	-31.26 dB	5.500 MHz
10 to 15MHz	-44.51 dBm	-21.01 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.99 dBm	-22.49 dB	-0.015 MHz
1 to 5MHz	-32.74 dBm	-24.24 dB	-1.500 MHz
5 to 10MHz	-37.71 dBm	-26.21 dB	-5.500 MHz
10 to 15MHz	-42.51 dBm	-19.01 dB	-10.500 MHz
Upper			
0 to 1MHz	-40.65 dBm	-24.15 dB	0.015 MHz
1 to 5MHz	-36.05 dBm	-27.55 dB	1.500 MHz
5 to 10MHz	-39.50 dBm	-28.00 dB	5.500 MHz
10 to 15MHz	-42.37 dBm	-18.87 dB	10.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.10 dBm	-7.60 dB	-0.015 MHz
1 to 5MHz	-40.95 dBm	-32.45 dB	-3.300 MHz
5 to 10MHz	-41.98 dBm	-30.48 dB	-8.500 MHz
10 to 15MHz	-44.65 dBm	-21.15 dB	-10.500 MHz
Upper			
0 to 1MHz	-54.32 dBm	-37.82 dB	0.105 MHz
1 to 5MHz	-42.43 dBm	-33.93 dB	1.500 MHz
5 to 10MHz	-44.36 dBm	-32.86 dB	8.500 MHz
10 to 15MHz	-44.48 dBm	-20.98 dB	14.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.98 dBm	-37.48 dB	-0.195 MHz
1 to 5MHz	-42.23 dBm	-33.73 dB	-1.500 MHz
5 to 15MHz	-32.71 dBm	-21.21 dB	-12.500 MHz
15 to 20MHz	-44.77 dBm	-21.27 dB	-15.500 MHz
Upper			
0 to 1MHz	-28.31 dBm	-9.81 dB	0.015 MHz
1 to 5MHz	-40.68 dBm	-32.18 dB	1.500 MHz
5 to 15MHz	-41.62 dBm	-30.12 dB	5.500 MHz
15 to 20MHz	-44.28 dBm	-20.78 dB	15.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.15 dBm	-37.65 dB	-0.015 MHz
1 to 5MHz	-41.70 dBm	-33.20 dB	-1.500 MHz
5 to 10MHz	-29.32 dBm	-17.82 dB	-8.500 MHz
10 to 15MHz	-44.68 dBm	-21.18 dB	-10.500 MHz
Upper			
0 to 1MHz	-25.48 dBm	-8.98 dB	0.015 MHz
1 to 5MHz	-42.26 dBm	-33.76 dB	1.500 MHz
5 to 10MHz	-44.14 dBm	-32.64 dB	5.500 MHz
10 to 15MHz	-44.44 dBm	-20.94 dB	14.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.15 dBm	-23.65 dB	-0.015 MHz
1 to 5MHz	-31.74 dBm	-23.24 dB	-1.500 MHz
5 to 10MHz	-34.21 dBm	-22.71 dB	-5.500 MHz
10 to 15MHz	-41.62 dBm	-18.12 dB	-10.500 MHz
Upper			
0 to 1MHz	-41.08 dBm	-24.58 dB	0.015 MHz
1 to 5MHz	-36.02 dBm	-27.52 dB	1.500 MHz
5 to 10MHz	-44.40 dBm	-32.90 dB	5.500 MHz
10 to 15MHz	-44.47 dBm	-20.97 dB	14.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.51 dBm	-9.01 dB	-0.015 MHz
1 to 5MHz	-40.25 dBm	-31.75 dB	-1.500 MHz
5 to 15MHz	-41.31 dBm	-29.81 dB	-5.500 MHz
15 to 20MHz	-44.68 dBm	-21.18 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.67 dBm	-36.17 dB	0.255 MHz
1 to 5MHz	-41.19 dBm	-32.69 dB	1.500 MHz
5 to 15MHz	-25.82 dBm	-14.32 dB	12.500 MHz
15 to 20MHz	-44.38 dBm	-20.88 dB	18.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.09 dBm	-23.59 dB	-0.015 MHz
1 to 5MHz	-31.66 dBm	-23.16 dB	-1.500 MHz
5 to 15MHz	-32.83 dBm	-21.33 dB	-5.500 MHz
15 to 20MHz	-42.49 dBm	-18.99 dB	-15.500 MHz
Upper			
0 to 1MHz	-43.18 dBm	-24.68 dB	0.015 MHz
1 to 5MHz	-35.78 dBm	-27.28 dB	1.500 MHz
5 to 15MHz	-38.77 dBm	-27.27 dB	6.500 MHz
15 to 20MHz	-42.62 dBm	-19.12 dB	15.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.77 dBm	-9.27 dB	-0.015 MHz
1 to 5MHz	-40.49 dBm	-31.99 dB	-1.500 MHz
5 to 15MHz	-40.97 dBm	-29.47 dB	-5.500 MHz
15 to 20MHz	-44.71 dBm	-21.21 dB	-15.500 MHz
Upper			
0 to 1MHz	-56.48 dBm	-37.98 dB	0.195 MHz
1 to 5MHz	-42.38 dBm	-33.88 dB	1.500 MHz
5 to 15MHz	-38.32 dBm	-26.82 dB	5.500 MHz
15 to 20MHz	-44.34 dBm	-20.84 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.92 dBm	-35.42 dB	-0.195 MHz
1 to 5MHz	-40.95 dBm	-32.45 dB	-1.500 MHz
5 to 15MHz	-30.17 dBm	-18.67 dB	-12.500 MHz
15 to 20MHz	-44.80 dBm	-21.30 dB	-15.500 MHz
Upper			
0 to 1MHz	-27.97 dBm	-9.47 dB	0.015 MHz
1 to 5MHz	-40.02 dBm	-31.52 dB	1.500 MHz
5 to 15MHz	-40.87 dBm	-29.37 dB	5.500 MHz
15 to 20MHz	-44.36 dBm	-20.86 dB	18.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-41.92 dBm	-23.42 dB	-0.015 MHz
1 to 5MHz	-33.67 dBm	-25.17 dB	-1.500 MHz
5 to 15MHz	-36.98 dBm	-25.48 dB	-5.500 MHz
15 to 20MHz	-42.43 dBm	-18.93 dB	-15.500 MHz
Upper			
0 to 1MHz	-44.21 dBm	-25.71 dB	0.015 MHz
1 to 5MHz	-36.73 dBm	-28.23 dB	1.500 MHz
5 to 15MHz	-38.35 dBm	-26.85 dB	5.500 MHz
15 to 20MHz	-44.30 dBm	-20.80 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-27.72 dBm	-9.22 dB	-0.015 MHz
1 to 5MHz	-39.95 dBm	-31.45 dB	-1.500 MHz
5 to 15MHz	-39.48 dBm	-27.98 dB	-5.500 MHz
15 to 20MHz	-44.66 dBm	-21.16 dB	-15.500 MHz
Upper			
0 to 1MHz	-56.39 dBm	-37.89 dB	0.255 MHz
1 to 5MHz	-42.95 dBm	-34.45 dB	1.500 MHz
5 to 15MHz	-44.25 dBm	-32.75 dB	12.500 MHz
15 to 20MHz	-44.30 dBm	-20.80 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.48 dBm	-35.98 dB	-0.285 MHz
1 to 5MHz	-40.95 dBm	-32.45 dB	-1.500 MHz
5 to 15MHz	-31.37 dBm	-19.87 dB	-12.500 MHz
15 to 20MHz	-44.81 dBm	-21.31 dB	-15.500 MHz
Upper			
0 to 1MHz	-28.77 dBm	-10.27 dB	0.015 MHz
1 to 5MHz	-41.41 dBm	-32.91 dB	1.500 MHz
5 to 15MHz	-44.11 dBm	-32.61 dB	5.500 MHz
15 to 20MHz	-44.29 dBm	-20.79 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.82 dBm	-12.32 dB	-0.015 MHz
1 to 5MHz	-41.42 dBm	-32.92 dB	-1.500 MHz
5 to 20MHz	-42.59 dBm	-31.09 dB	-5.500 MHz
20 to 25MHz	-45.09 dBm	-21.59 dB	-20.500 MHz
Upper			
0 to 1MHz	-56.25 dBm	-36.75 dB	0.345 MHz
1 to 5MHz	-42.47 dBm	-33.97 dB	1.500 MHz
5 to 20MHz	-41.92 dBm	-30.42 dB	7.500 MHz
20 to 25MHz	-44.18 dBm	-20.68 dB	22.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.08 dBm	-12.58 dB	-0.015 MHz
1 to 5MHz	-41.75 dBm	-33.25 dB	-1.500 MHz
5 to 20MHz	-42.97 dBm	-31.47 dB	-5.500 MHz
20 to 25MHz	-44.90 dBm	-21.40 dB	-20.500 MHz
Upper			
0 to 1MHz	-56.25 dBm	-36.75 dB	0.225 MHz
1 to 5MHz	-42.33 dBm	-33.83 dB	1.500 MHz
5 to 20MHz	-43.63 dBm	-32.13 dB	5.500 MHz
20 to 25MHz	-44.12 dBm	-20.62 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.63 dBm	-26.13 dB	-0.015 MHz
1 to 5MHz	-33.16 dBm	-24.66 dB	-1.500 MHz
5 to 20MHz	-33.51 dBm	-22.01 dB	-8.500 MHz
20 to 25MHz	-44.72 dBm	-21.22 dB	-20.500 MHz
Upper			
0 to 1MHz	-48.13 dBm	-28.63 dB	0.015 MHz
1 to 5MHz	-37.48 dBm	-28.98 dB	1.500 MHz
5 to 20MHz	-37.81 dBm	-26.31 dB	5.500 MHz
20 to 25MHz	-44.13 dBm	-20.63 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.94 dBm	-22.44 dB	-0.015 MHz
1 to 5MHz	-31.20 dBm	-22.70 dB	-1.500 MHz
5 to 15MHz	-33.20 dBm	-21.70 dB	-5.500 MHz
15 to 20MHz	-42.86 dBm	-19.36 dB	-15.500 MHz
Upper			
0 to 1MHz	-44.32 dBm	-25.82 dB	0.015 MHz
1 to 5MHz	-37.41 dBm	-28.91 dB	1.500 MHz
5 to 15MHz	-44.40 dBm	-32.90 dB	5.500 MHz
15 to 20MHz	-44.31 dBm	-20.81 dB	19.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-56.05 dBm	-36.55 dB	-0.255 MHz
1 to 5MHz	-42.55 dBm	-34.05 dB	-1.500 MHz
5 to 20MHz	-30.58 dBm	-19.08 dB	-16.500 MHz
20 to 25MHz	-45.08 dBm	-21.58 dB	-23.500 MHz
Upper			
0 to 1MHz	-32.29 dBm	-12.79 dB	0.015 MHz
1 to 5MHz	-41.50 dBm	-33.00 dB	1.500 MHz
5 to 20MHz	-42.34 dBm	-30.84 dB	7.500 MHz
20 to 25MHz	-44.19 dBm	-20.69 dB	22.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.78 dBm	-36.28 dB	-0.015 MHz
1 to 5MHz	-42.34 dBm	-33.84 dB	-1.500 MHz
5 to 20MHz	-31.34 dBm	-19.84 dB	-16.500 MHz
20 to 25MHz	-44.97 dBm	-21.47 dB	-20.500 MHz
Upper			
0 to 1MHz	-31.20 dBm	-11.70 dB	0.015 MHz
1 to 5MHz	-41.01 dBm	-32.51 dB	1.500 MHz
5 to 20MHz	-43.31 dBm	-31.81 dB	5.500 MHz
20 to 25MHz	-44.13 dBm	-20.63 dB	23.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-45.70 dBm	-26.20 dB	-0.015 MHz
1 to 5MHz	-34.46 dBm	-25.96 dB	-1.500 MHz
5 to 20MHz	-36.50 dBm	-25.00 dB	-5.500 MHz
20 to 25MHz	-42.30 dBm	-18.80 dB	-20.500 MHz
Upper			
0 to 1MHz	-47.13 dBm	-27.63 dB	0.015 MHz
1 to 5MHz	-36.60 dBm	-28.10 dB	1.500 MHz
5 to 20MHz	-39.18 dBm	-27.68 dB	5.500 MHz
20 to 25MHz	-44.11 dBm	-20.61 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.62 dBm	-12.12 dB	-0.015 MHz
1 to 5MHz	-41.48 dBm	-32.98 dB	-1.500 MHz
5 to 20MHz	-42.77 dBm	-31.27 dB	-7.500 MHz
20 to 25MHz	-44.84 dBm	-21.34 dB	-20.500 MHz
Upper			
0 to 1MHz	-57.35 dBm	-37.85 dB	0.045 MHz
1 to 5MHz	-43.62 dBm	-35.12 dB	1.500 MHz
5 to 20MHz	-44.07 dBm	-32.57 dB	16.500 MHz
20 to 25MHz	-44.10 dBm	-20.60 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-55.06 dBm	-35.56 dB	-0.225 MHz
1 to 5MHz	-41.74 dBm	-33.24 dB	-1.500 MHz
5 to 20MHz	-31.86 dBm	-20.36 dB	-16.500 MHz
20 to 25MHz	-44.93 dBm	-21.43 dB	-20.500 MHz
Upper			
0 to 1MHz	-32.90 dBm	-13.40 dB	0.015 MHz
1 to 5MHz	-42.32 dBm	-33.82 dB	1.500 MHz
5 to 20MHz	-44.12 dBm	-32.62 dB	5.500 MHz
20 to 25MHz	-44.08 dBm	-20.58 dB	24.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-44.44 dBm	-24.94 dB	-0.015 MHz
1 to 5MHz	-32.41 dBm	-23.91 dB	-1.500 MHz
5 to 20MHz	-35.60 dBm	-24.10 dB	-5.500 MHz
20 to 25MHz	-42.42 dBm	-18.92 dB	-20.500 MHz
Upper			
0 to 1MHz	-47.66 dBm	-28.16 dB	0.015 MHz
1 to 5MHz	-38.38 dBm	-29.88 dB	1.500 MHz
5 to 20MHz	-44.23 dBm	-32.73 dB	19.500 MHz
20 to 25MHz	-44.09 dBm	-20.59 dB	23.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=100 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-19.39 dBm	-5.89 dB	-0.015 MHz
1 to 5MHz	-40.45 dBm	-31.95 dB	-1.500 MHz
5 to 6MHz	-43.14 dBm	-31.64 dB	-5.500 MHz
6 to 10MHz	-42.75 dBm	-19.25 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.90 dBm	-37.40 dB	0.015 MHz
1 to 5MHz	-26.53 dBm	-18.03 dB	4.300 MHz
5 to 6MHz	-43.67 dBm	-32.17 dB	5.500 MHz
6 to 10MHz	-44.35 dBm	-20.85 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-47.48 dBm	-33.98 dB	-0.285 MHz
1 to 5MHz	-28.75 dBm	-20.25 dB	-4.300 MHz
5 to 6MHz	-40.72 dBm	-29.22 dB	-5.500 MHz
6 to 10MHz	-41.47 dBm	-17.97 dB	-6.500 MHz
Upper			
0 to 1MHz	-19.16 dBm	-5.66 dB	0.015 MHz
1 to 5MHz	-30.24 dBm	-21.74 dB	1.500 MHz
5 to 6MHz	-38.88 dBm	-27.38 dB	5.500 MHz
6 to 10MHz	-38.78 dBm	-15.28 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.76 dBm	-38.26 dB	-0.045 MHz
1 to 5MHz	-30.05 dBm	-21.55 dB	-4.300 MHz
5 to 6MHz	-43.59 dBm	-32.09 dB	-5.500 MHz
6 to 10MHz	-43.98 dBm	-20.48 dB	-6.500 MHz
Upper			
0 to 1MHz	-19.03 dBm	-5.53 dB	0.015 MHz
1 to 5MHz	-35.39 dBm	-26.89 dB	1.500 MHz
5 to 6MHz	-41.76 dBm	-30.26 dB	5.500 MHz
6 to 10MHz	-41.93 dBm	-18.43 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.32 dBm	-18.82 dB	-0.015 MHz
1 to 5MHz	-29.13 dBm	-20.63 dB	-1.500 MHz
5 to 6MHz	-41.35 dBm	-29.85 dB	-5.500 MHz
6 to 10MHz	-41.88 dBm	-18.38 dB	-7.500 MHz
Upper			
0 to 1MHz	-30.66 dBm	-17.16 dB	0.015 MHz
1 to 5MHz	-27.68 dBm	-19.18 dB	1.500 MHz
5 to 6MHz	-40.00 dBm	-28.50 dB	5.500 MHz
6 to 10MHz	-40.75 dBm	-17.25 dB	7.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-19.02 dBm	-5.52 dB	-0.015 MHz
1 to 5MHz	-39.00 dBm	-30.50 dB	-1.500 MHz
5 to 6MHz	-43.21 dBm	-31.71 dB	-5.500 MHz
6 to 10MHz	-43.90 dBm	-20.40 dB	-6.500 MHz
Upper			
0 to 1MHz	-52.79 dBm	-39.29 dB	0.015 MHz
1 to 5MHz	-31.93 dBm	-23.43 dB	4.300 MHz
5 to 6MHz	-44.26 dBm	-32.76 dB	5.500 MHz
6 to 10MHz	-44.52 dBm	-21.02 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.16 dBm	-17.66 dB	-0.015 MHz
1 to 5MHz	-31.72 dBm	-23.22 dB	-1.500 MHz
5 to 6MHz	-40.06 dBm	-28.56 dB	-5.500 MHz
6 to 10MHz	-41.33 dBm	-17.83 dB	-6.500 MHz
Upper			
0 to 1MHz	-32.57 dBm	-19.07 dB	0.015 MHz
1 to 5MHz	-34.44 dBm	-25.94 dB	1.500 MHz
5 to 6MHz	-40.81 dBm	-29.31 dB	5.500 MHz
6 to 10MHz	-40.79 dBm	-17.29 dB	7.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.45 dBm	-37.95 dB	-0.045 MHz
1 to 5MHz	-30.48 dBm	-21.98 dB	-4.300 MHz
5 to 6MHz	-44.08 dBm	-32.58 dB	-5.500 MHz
6 to 10MHz	-44.61 dBm	-21.11 dB	-6.500 MHz
Upper			
0 to 1MHz	-19.63 dBm	-6.13 dB	0.015 MHz
1 to 5MHz	-41.18 dBm	-32.68 dB	1.500 MHz
5 to 6MHz	-44.18 dBm	-32.68 dB	5.500 MHz
6 to 10MHz	-44.32 dBm	-20.82 dB	6.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-19.51 dBm	-6.01 dB	-0.015 MHz
1 to 5MHz	-39.72 dBm	-31.22 dB	-1.500 MHz
5 to 6MHz	-43.17 dBm	-31.67 dB	-5.500 MHz
6 to 10MHz	-43.76 dBm	-20.26 dB	-8.500 MHz
Upper			
0 to 1MHz	-53.03 dBm	-39.53 dB	0.015 MHz
1 to 5MHz	-36.05 dBm	-27.55 dB	4.300 MHz
5 to 6MHz	-44.66 dBm	-33.16 dB	5.500 MHz
6 to 10MHz	-44.63 dBm	-21.13 dB	7.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-32.25 dBm	-18.75 dB	-0.015 MHz
1 to 5MHz	-32.78 dBm	-24.28 dB	-1.500 MHz
5 to 6MHz	-40.53 dBm	-29.03 dB	-5.500 MHz
6 to 10MHz	-41.49 dBm	-17.99 dB	-6.500 MHz
Upper			
0 to 1MHz	-33.64 dBm	-20.14 dB	0.015 MHz
1 to 5MHz	-33.91 dBm	-25.41 dB	1.500 MHz
5 to 6MHz	-44.51 dBm	-33.01 dB	5.500 MHz
6 to 10MHz	-44.54 dBm	-21.04 dB	8.500 MHz
Template Judgement	Pass		

Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.33 dBm	-7.83 dB	-0.015 MHz
1 to 5MHz	-40.03 dBm	-31.53 dB	-1.500 MHz
5 to 10MHz	-41.45 dBm	-29.95 dB	-5.500 MHz
10 to 15MHz	-43.52 dBm	-20.02 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.88 dBm	-36.38 dB	0.135 MHz
1 to 5MHz	-40.50 dBm	-32.00 dB	1.500 MHz
5 to 10MHz	-25.68 dBm	-14.18 dB	8.500 MHz
10 to 15MHz	-43.47 dBm	-19.97 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.62 dBm	-36.12 dB	-0.255 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	-1.500 MHz
5 to 10MHz	-23.67 dBm	-12.17 dB	-8.500 MHz
10 to 15MHz	-43.63 dBm	-20.13 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.71 dBm	-7.21 dB	0.015 MHz
1 to 5MHz	-40.02 dBm	-31.52 dB	1.500 MHz
5 to 10MHz	-41.89 dBm	-30.39 dB	5.500 MHz
10 to 15MHz	-43.46 dBm	-19.96 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.43 dBm	-22.93 dB	-0.015 MHz
1 to 5MHz	-29.73 dBm	-21.23 dB	-1.500 MHz
5 to 10MHz	-33.35 dBm	-21.85 dB	-5.500 MHz
10 to 15MHz	-40.38 dBm	-16.88 dB	-10.500 MHz
Upper			
0 to 1MHz	-40.44 dBm	-23.94 dB	0.015 MHz
1 to 5MHz	-29.99 dBm	-21.49 dB	1.500 MHz
5 to 10MHz	-33.74 dBm	-22.24 dB	5.500 MHz
10 to 15MHz	-40.80 dBm	-17.30 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.33 dBm	-7.83 dB	-0.015 MHz
1 to 5MHz	-40.07 dBm	-31.57 dB	-1.500 MHz
5 to 10MHz	-41.45 dBm	-29.95 dB	-5.500 MHz
10 to 15MHz	-43.59 dBm	-20.09 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.84 dBm	-36.34 dB	0.135 MHz
1 to 5MHz	-40.56 dBm	-32.06 dB	1.500 MHz
5 to 10MHz	-25.61 dBm	-14.11 dB	8.500 MHz
10 to 15MHz	-43.48 dBm	-19.98 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.42 dBm	-35.92 dB	-0.255 MHz
1 to 5MHz	-40.49 dBm	-31.99 dB	-1.500 MHz
5 to 10MHz	-23.62 dBm	-12.12 dB	-8.500 MHz
10 to 15MHz	-43.55 dBm	-20.05 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.75 dBm	-7.25 dB	0.015 MHz
1 to 5MHz	-39.98 dBm	-31.48 dB	1.500 MHz
5 to 10MHz	-41.94 dBm	-30.44 dB	5.500 MHz
10 to 15MHz	-43.48 dBm	-19.98 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.58 dBm	-23.08 dB	-0.015 MHz
1 to 5MHz	-29.72 dBm	-21.22 dB	-1.500 MHz
5 to 10MHz	-33.32 dBm	-21.82 dB	-5.500 MHz
10 to 15MHz	-40.42 dBm	-16.92 dB	-10.500 MHz
Upper			
0 to 1MHz	-40.48 dBm	-23.98 dB	0.015 MHz
1 to 5MHz	-29.95 dBm	-21.45 dB	1.500 MHz
5 to 10MHz	-33.72 dBm	-22.22 dB	5.500 MHz
10 to 15MHz	-40.85 dBm	-17.35 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.34 dBm	-7.84 dB	-0.015 MHz
1 to 5MHz	-40.19 dBm	-31.69 dB	-1.500 MHz
5 to 10MHz	-41.49 dBm	-29.99 dB	-5.500 MHz
10 to 15MHz	-43.56 dBm	-20.06 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.53 dBm	-37.03 dB	0.135 MHz
1 to 5MHz	-40.53 dBm	-32.03 dB	1.500 MHz
5 to 10MHz	-25.55 dBm	-14.05 dB	8.500 MHz
10 to 15MHz	-43.47 dBm	-19.97 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.43 dBm	-35.93 dB	-0.135 MHz
1 to 5MHz	-40.54 dBm	-32.04 dB	-1.500 MHz
5 to 10MHz	-23.53 dBm	-12.03 dB	-8.500 MHz
10 to 15MHz	-43.58 dBm	-20.08 dB	-10.500 MHz
Upper			
0 to 1MHz	-23.77 dBm	-7.27 dB	0.015 MHz
1 to 5MHz	-40.06 dBm	-31.56 dB	1.500 MHz
5 to 10MHz	-41.94 dBm	-30.44 dB	5.500 MHz
10 to 15MHz	-43.44 dBm	-19.94 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.29 dBm	-3.79 dB	-0.015 MHz
1 to 5MHz	-38.95 dBm	-30.45 dB	-1.500 MHz
5 to 6MHz	-42.11 dBm	-30.61 dB	-5.500 MHz
6 to 10MHz	-37.58 dBm	-14.08 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.19 dBm	-36.69 dB	0.045 MHz
1 to 5MHz	-25.85 dBm	-17.35 dB	4.300 MHz
5 to 6MHz	-42.98 dBm	-31.48 dB	5.500 MHz
6 to 10MHz	-43.40 dBm	-19.90 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-41.88 dBm	-23.38 dB	-0.045 MHz
1 to 5MHz	-30.86 dBm	-22.36 dB	-1.500 MHz
5 to 15MHz	-32.76 dBm	-21.26 dB	-5.500 MHz
15 to 20MHz	-40.78 dBm	-17.28 dB	-15.500 MHz
Upper			
0 to 1MHz	-41.87 dBm	-23.37 dB	0.015 MHz
1 to 5MHz	-30.65 dBm	-22.15 dB	1.500 MHz
5 to 15MHz	-33.17 dBm	-21.67 dB	5.500 MHz
15 to 20MHz	-41.53 dBm	-18.03 dB	15.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-26.70 dBm	-8.20 dB	-0.015 MHz
1 to 5MHz	-38.70 dBm	-30.20 dB	-1.500 MHz
5 to 15MHz	-40.69 dBm	-29.19 dB	-5.500 MHz
15 to 20MHz	-43.61 dBm	-20.11 dB	-15.500 MHz
Upper			
0 to 1MHz	-54.29 dBm	-35.79 dB	0.315 MHz
1 to 5MHz	-40.80 dBm	-32.30 dB	1.500 MHz
5 to 15MHz	-26.32 dBm	-14.82 dB	12.500 MHz
15 to 20MHz	-43.35 dBm	-19.85 dB	17.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.53 dBm	-23.03 dB	-0.015 MHz
1 to 5MHz	-29.57 dBm	-21.07 dB	-1.500 MHz
5 to 10MHz	-33.24 dBm	-21.74 dB	-5.500 MHz
10 to 15MHz	-40.30 dBm	-16.80 dB	-10.500 MHz
Upper			
0 to 1MHz	-40.46 dBm	-23.96 dB	0.015 MHz
1 to 5MHz	-29.88 dBm	-21.38 dB	1.500 MHz
5 to 10MHz	-33.69 dBm	-22.19 dB	5.500 MHz
10 to 15MHz	-40.79 dBm	-17.29 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.59 dBm	-35.09 dB	-0.255 MHz
1 to 5MHz	-40.61 dBm	-32.11 dB	-1.500 MHz
5 to 15MHz	-23.27 dBm	-11.77 dB	-12.500 MHz
15 to 20MHz	-43.56 dBm	-20.06 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.22 dBm	-7.72 dB	0.015 MHz
1 to 5MHz	-38.65 dBm	-30.15 dB	1.500 MHz
5 to 15MHz	-40.16 dBm	-28.66 dB	5.500 MHz
15 to 20MHz	-43.33 dBm	-19.83 dB	19.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=1 Position=#Max



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.92 dBm	-37.42 dB	-0.075 MHz
1 to 5MHz	-24.11 dBm	-15.61 dB	-4.300 MHz
5 to 6MHz	-42.97 dBm	-31.47 dB	-5.500 MHz
6 to 10MHz	-43.49 dBm	-19.99 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.43 dBm	-3.93 dB	0.015 MHz
1 to 5MHz	-38.77 dBm	-30.27 dB	1.500 MHz
5 to 6MHz	-42.49 dBm	-30.99 dB	5.500 MHz
6 to 10MHz	-37.83 dBm	-14.33 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.32 dBm	-17.82 dB	-0.015 MHz
1 to 5MHz	-28.50 dBm	-20.00 dB	-1.500 MHz
5 to 6MHz	-38.33 dBm	-26.83 dB	-5.500 MHz
6 to 10MHz	-40.10 dBm	-16.60 dB	-6.500 MHz
Upper			
0 to 1MHz	-35.73 dBm	-22.23 dB	0.045 MHz
1 to 5MHz	-28.01 dBm	-19.51 dB	1.500 MHz
5 to 6MHz	-38.89 dBm	-27.39 dB	5.500 MHz
6 to 10MHz	-40.21 dBm	-16.71 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.32 dBm	-3.82 dB	-0.015 MHz
1 to 5MHz	-39.02 dBm	-30.52 dB	-1.500 MHz
5 to 6MHz	-42.09 dBm	-30.59 dB	-5.500 MHz
6 to 10MHz	-37.94 dBm	-14.44 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.45 dBm	-36.95 dB	0.045 MHz
1 to 5MHz	-25.66 dBm	-17.16 dB	4.300 MHz
5 to 6MHz	-42.96 dBm	-31.46 dB	5.500 MHz
6 to 10MHz	-43.43 dBm	-19.93 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.87 dBm	-37.37 dB	-0.075 MHz
1 to 5MHz	-24.07 dBm	-15.57 dB	-4.300 MHz
5 to 6MHz	-42.85 dBm	-31.35 dB	-5.500 MHz
6 to 10MHz	-43.47 dBm	-19.97 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.45 dBm	-3.95 dB	0.015 MHz
1 to 5MHz	-38.88 dBm	-30.38 dB	1.500 MHz
5 to 6MHz	-42.49 dBm	-30.99 dB	5.500 MHz
6 to 10MHz	-38.16 dBm	-14.66 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.28 dBm	-17.78 dB	-0.015 MHz
1 to 5MHz	-28.34 dBm	-19.84 dB	-1.500 MHz
5 to 6MHz	-38.25 dBm	-26.75 dB	-5.500 MHz
6 to 10MHz	-40.01 dBm	-16.51 dB	-6.500 MHz
Upper			
0 to 1MHz	-35.70 dBm	-22.20 dB	0.045 MHz
1 to 5MHz	-27.81 dBm	-19.31 dB	1.500 MHz
5 to 6MHz	-38.77 dBm	-27.27 dB	5.500 MHz
6 to 10MHz	-40.15 dBm	-16.65 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.86 dBm	-36.36 dB	-0.045 MHz
1 to 5MHz	-40.54 dBm	-32.04 dB	-1.500 MHz
5 to 10MHz	-22.59 dBm	-11.09 dB	-8.500 MHz
10 to 15MHz	-43.57 dBm	-20.07 dB	-10.500 MHz
Upper			
0 to 1MHz	-21.86 dBm	-5.36 dB	0.015 MHz
1 to 5MHz	-39.20 dBm	-30.70 dB	1.500 MHz
5 to 10MHz	-41.86 dBm	-30.36 dB	5.500 MHz
10 to 15MHz	-43.51 dBm	-20.01 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.08 dBm	-7.58 dB	-0.015 MHz
1 to 5MHz	-39.86 dBm	-31.36 dB	-1.500 MHz
5 to 10MHz	-41.33 dBm	-29.83 dB	-5.500 MHz
10 to 15MHz	-43.57 dBm	-20.07 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.36 dBm	-36.86 dB	0.015 MHz
1 to 5MHz	-40.52 dBm	-32.02 dB	1.500 MHz
5 to 10MHz	-24.48 dBm	-12.98 dB	8.500 MHz
10 to 15MHz	-43.54 dBm	-20.04 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-31.26 dBm	-17.76 dB	-0.015 MHz
1 to 5MHz	-27.98 dBm	-19.48 dB	-1.500 MHz
5 to 6MHz	-38.20 dBm	-26.70 dB	-5.500 MHz
6 to 10MHz	-40.00 dBm	-16.50 dB	-6.500 MHz
Upper			
0 to 1MHz	-35.65 dBm	-22.15 dB	0.045 MHz
1 to 5MHz	-27.79 dBm	-19.29 dB	1.500 MHz
5 to 6MHz	-38.75 dBm	-27.25 dB	5.500 MHz
6 to 10MHz	-40.16 dBm	-16.66 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.99 dBm	-37.49 dB	-0.075 MHz
1 to 5MHz	-23.81 dBm	-15.31 dB	-4.300 MHz
5 to 6MHz	-42.90 dBm	-31.40 dB	-5.500 MHz
6 to 10MHz	-43.46 dBm	-19.96 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.49 dBm	-3.99 dB	0.015 MHz
1 to 5MHz	-38.71 dBm	-30.21 dB	1.500 MHz
5 to 6MHz	-42.47 dBm	-30.97 dB	5.500 MHz
6 to 10MHz	-38.53 dBm	-15.03 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.29 dBm	-3.79 dB	-0.015 MHz
1 to 5MHz	-38.98 dBm	-30.48 dB	-1.500 MHz
5 to 6MHz	-42.15 dBm	-30.65 dB	-5.500 MHz
6 to 10MHz	-38.23 dBm	-14.73 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.38 dBm	-36.88 dB	0.045 MHz
1 to 5MHz	-25.57 dBm	-17.07 dB	4.300 MHz
5 to 6MHz	-42.98 dBm	-31.48 dB	5.500 MHz
6 to 10MHz	-43.37 dBm	-19.87 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.40 dBm	-20.90 dB	-0.015 MHz
1 to 5MHz	-29.10 dBm	-20.60 dB	-1.500 MHz
5 to 10MHz	-32.15 dBm	-20.65 dB	-5.500 MHz
10 to 15MHz	-40.16 dBm	-16.66 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.42 dBm	-20.92 dB	0.015 MHz
1 to 5MHz	-29.28 dBm	-20.78 dB	1.500 MHz
5 to 10MHz	-32.55 dBm	-21.05 dB	5.500 MHz
10 to 15MHz	-40.48 dBm	-16.98 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.10 dBm	-7.60 dB	-0.015 MHz
1 to 5MHz	-39.87 dBm	-31.37 dB	-1.500 MHz
5 to 10MHz	-41.33 dBm	-29.83 dB	-5.500 MHz
10 to 15MHz	-43.54 dBm	-20.04 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.35 dBm	-36.85 dB	0.015 MHz
1 to 5MHz	-40.65 dBm	-32.15 dB	1.500 MHz
5 to 10MHz	-24.41 dBm	-12.91 dB	8.500 MHz
10 to 15MHz	-43.48 dBm	-19.98 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.37 dBm	-35.87 dB	-0.045 MHz
1 to 5MHz	-40.54 dBm	-32.04 dB	-1.500 MHz
5 to 10MHz	-22.47 dBm	-10.97 dB	-8.500 MHz
10 to 15MHz	-43.67 dBm	-20.17 dB	-11.500 MHz
Upper			
0 to 1MHz	-21.84 dBm	-5.34 dB	0.015 MHz
1 to 5MHz	-39.29 dBm	-30.79 dB	1.500 MHz
5 to 10MHz	-41.93 dBm	-30.43 dB	5.500 MHz
10 to 15MHz	-43.47 dBm	-19.97 dB	11.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.57 dBm	-21.07 dB	-0.015 MHz
1 to 5MHz	-29.28 dBm	-20.78 dB	-1.500 MHz
5 to 10MHz	-32.15 dBm	-20.65 dB	-5.500 MHz
10 to 15MHz	-40.25 dBm	-16.75 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.41 dBm	-20.91 dB	0.015 MHz
1 to 5MHz	-29.36 dBm	-20.86 dB	1.500 MHz
5 to 10MHz	-32.58 dBm	-21.08 dB	5.500 MHz
10 to 15MHz	-40.53 dBm	-17.03 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.56 dBm	-6.06 dB	-0.015 MHz
1 to 5MHz	-37.90 dBm	-29.40 dB	-1.500 MHz
5 to 15MHz	-40.63 dBm	-29.13 dB	-5.500 MHz
15 to 20MHz	-43.62 dBm	-20.12 dB	-15.500 MHz
Upper			
0 to 1MHz	-53.83 dBm	-35.33 dB	0.285 MHz
1 to 5MHz	-40.54 dBm	-32.04 dB	1.500 MHz
5 to 15MHz	-25.04 dBm	-13.54 dB	12.500 MHz
15 to 20MHz	-43.33 dBm	-19.83 dB	15.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.44 dBm	-20.94 dB	-0.015 MHz
1 to 5MHz	-29.19 dBm	-20.69 dB	-1.500 MHz
5 to 10MHz	-32.14 dBm	-20.64 dB	-5.500 MHz
10 to 15MHz	-40.24 dBm	-16.74 dB	-10.500 MHz
Upper			
0 to 1MHz	-37.46 dBm	-20.96 dB	0.015 MHz
1 to 5MHz	-29.31 dBm	-20.81 dB	1.500 MHz
5 to 10MHz	-32.58 dBm	-21.08 dB	5.500 MHz
10 to 15MHz	-40.63 dBm	-17.13 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.18 dBm	-35.68 dB	-0.255 MHz
1 to 5MHz	-40.51 dBm	-32.01 dB	-1.500 MHz
5 to 15MHz	-22.14 dBm	-10.64 dB	-12.500 MHz
15 to 20MHz	-43.58 dBm	-20.08 dB	-15.500 MHz
Upper			
0 to 1MHz	-27.56 dBm	-9.06 dB	0.015 MHz
1 to 5MHz	-38.79 dBm	-30.29 dB	1.500 MHz
5 to 15MHz	-39.92 dBm	-28.42 dB	5.500 MHz
15 to 20MHz	-43.35 dBm	-19.85 dB	15.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-24.09 dBm	-7.59 dB	-0.015 MHz
1 to 5MHz	-39.82 dBm	-31.32 dB	-1.500 MHz
5 to 10MHz	-41.33 dBm	-29.83 dB	-5.500 MHz
10 to 15MHz	-43.55 dBm	-20.05 dB	-10.500 MHz
Upper			
0 to 1MHz	-53.14 dBm	-36.64 dB	0.165 MHz
1 to 5MHz	-40.63 dBm	-32.13 dB	1.500 MHz
5 to 10MHz	-24.35 dBm	-12.85 dB	8.500 MHz
10 to 15MHz	-43.50 dBm	-20.00 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.45 dBm	-35.95 dB	-0.045 MHz
1 to 5MHz	-40.47 dBm	-31.97 dB	-1.500 MHz
5 to 10MHz	-22.40 dBm	-10.90 dB	-8.500 MHz
10 to 15MHz	-43.59 dBm	-20.09 dB	-10.500 MHz
Upper			
0 to 1MHz	-21.90 dBm	-5.40 dB	0.015 MHz
1 to 5MHz	-39.23 dBm	-30.73 dB	1.500 MHz
5 to 10MHz	-41.90 dBm	-30.40 dB	5.500 MHz
10 to 15MHz	-43.41 dBm	-19.91 dB	10.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-39.68 dBm	-21.18 dB	-0.045 MHz
1 to 5MHz	-29.54 dBm	-21.04 dB	-1.500 MHz
5 to 15MHz	-32.11 dBm	-20.61 dB	-5.500 MHz
15 to 20MHz	-40.80 dBm	-17.30 dB	-19.500 MHz
Upper			
0 to 1MHz	-41.08 dBm	-22.58 dB	0.135 MHz
1 to 5MHz	-30.27 dBm	-21.77 dB	1.500 MHz
5 to 15MHz	-32.96 dBm	-21.46 dB	5.500 MHz
15 to 20MHz	-41.18 dBm	-17.68 dB	15.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-17.31 dBm	-3.81 dB	-0.015 MHz
1 to 5MHz	-39.01 dBm	-30.51 dB	-1.500 MHz
5 to 6MHz	-41.94 dBm	-30.44 dB	-5.500 MHz
6 to 10MHz	-36.75 dBm	-13.25 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.90 dBm	-37.40 dB	0.015 MHz
1 to 5MHz	-25.06 dBm	-16.56 dB	4.300 MHz
5 to 6MHz	-42.92 dBm	-31.42 dB	5.500 MHz
6 to 10MHz	-43.38 dBm	-19.88 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.67 dBm	-37.17 dB	-0.105 MHz
1 to 5MHz	-23.38 dBm	-14.88 dB	-4.300 MHz
5 to 6MHz	-42.91 dBm	-31.41 dB	-5.500 MHz
6 to 10MHz	-43.48 dBm	-19.98 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.32 dBm	-4.82 dB	0.015 MHz
1 to 5MHz	-38.48 dBm	-29.98 dB	1.500 MHz
5 to 6MHz	-42.41 dBm	-30.91 dB	5.500 MHz
6 to 10MHz	-37.14 dBm	-13.64 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-28.43 dBm	-14.93 dB	-0.015 MHz
1 to 5MHz	-27.73 dBm	-19.23 dB	-1.500 MHz
5 to 6MHz	-38.20 dBm	-26.70 dB	-5.500 MHz
6 to 10MHz	-38.89 dBm	-15.39 dB	-6.500 MHz
Upper			
0 to 1MHz	-33.03 dBm	-19.53 dB	0.015 MHz
1 to 5MHz	-27.45 dBm	-18.95 dB	1.500 MHz
5 to 6MHz	-38.34 dBm	-26.84 dB	5.500 MHz
6 to 10MHz	-39.16 dBm	-15.66 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.57 dBm	-3.07 dB	-0.015 MHz
1 to 5MHz	-38.93 dBm	-30.43 dB	-1.500 MHz
5 to 6MHz	-42.01 dBm	-30.51 dB	-5.500 MHz
6 to 10MHz	-37.06 dBm	-13.56 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.45 dBm	-36.95 dB	0.045 MHz
1 to 5MHz	-24.35 dBm	-15.85 dB	4.300 MHz
5 to 6MHz	-42.84 dBm	-31.34 dB	5.500 MHz
6 to 10MHz	-43.43 dBm	-19.93 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-49.66 dBm	-36.16 dB	-0.075 MHz
1 to 5MHz	-22.99 dBm	-14.49 dB	-4.300 MHz
5 to 6MHz	-42.89 dBm	-31.39 dB	-5.500 MHz
6 to 10MHz	-43.45 dBm	-19.95 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.48 dBm	-4.98 dB	0.015 MHz
1 to 5MHz	-38.63 dBm	-30.13 dB	1.500 MHz
5 to 6MHz	-42.47 dBm	-30.97 dB	5.500 MHz
6 to 10MHz	-37.60 dBm	-14.10 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.92 dBm	-17.42 dB	-0.015 MHz
1 to 5MHz	-27.29 dBm	-18.79 dB	-1.500 MHz
5 to 6MHz	-38.03 dBm	-26.53 dB	-5.500 MHz
6 to 10MHz	-38.76 dBm	-15.26 dB	-6.500 MHz
Upper			
0 to 1MHz	-30.47 dBm	-16.97 dB	0.015 MHz
1 to 5MHz	-26.84 dBm	-18.34 dB	1.500 MHz
5 to 6MHz	-38.29 dBm	-26.79 dB	5.500 MHz
6 to 10MHz	-39.15 dBm	-15.65 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=25 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.57 dBm	-3.07 dB	-0.015 MHz
1 to 5MHz	-38.87 dBm	-30.37 dB	-1.500 MHz
5 to 6MHz	-41.94 dBm	-30.44 dB	-5.500 MHz
6 to 10MHz	-37.47 dBm	-13.97 dB	-8.500 MHz
Upper			
0 to 1MHz	-50.45 dBm	-36.95 dB	0.045 MHz
1 to 5MHz	-24.21 dBm	-15.71 dB	4.300 MHz
5 to 6MHz	-42.92 dBm	-31.42 dB	5.500 MHz
6 to 10MHz	-43.43 dBm	-19.93 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.31 dBm	-36.81 dB	-0.075 MHz
1 to 5MHz	-22.71 dBm	-14.21 dB	-4.300 MHz
5 to 6MHz	-42.88 dBm	-31.38 dB	-5.500 MHz
6 to 10MHz	-43.48 dBm	-19.98 dB	-6.500 MHz
Upper			
0 to 1MHz	-18.54 dBm	-5.04 dB	0.015 MHz
1 to 5MHz	-38.66 dBm	-30.16 dB	1.500 MHz
5 to 6MHz	-42.50 dBm	-31.00 dB	5.500 MHz
6 to 10MHz	-38.05 dBm	-14.55 dB	8.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.98 dBm	-17.48 dB	-0.015 MHz
1 to 5MHz	-27.02 dBm	-18.52 dB	-1.500 MHz
5 to 6MHz	-37.86 dBm	-26.36 dB	-5.500 MHz
6 to 10MHz	-38.69 dBm	-15.19 dB	-6.500 MHz
Upper			
0 to 1MHz	-30.38 dBm	-16.88 dB	0.015 MHz
1 to 5MHz	-26.96 dBm	-18.46 dB	1.500 MHz
5 to 6MHz	-38.24 dBm	-26.74 dB	5.500 MHz
6 to 10MHz	-39.17 dBm	-15.67 dB	6.500 MHz
Template Judgement	Pass		

Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



2 Result Summary


Sub Block A Center 1.91 GHz Tx Power 21.85 dBm Tx Bandwidth 10.000 MHz RBW 100.000 kHz W-CDMA 3GPP DL

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-25.000 MHz	-20.000 MHz	1.000 MHz	**1.889 42 GHz**	**-38.54 dBm**	**-60.39 dB**	**-2.54 dB**
-20.000 MHz	-9.800 MHz	1.000 MHz	**1.901 62 GHz**	**-29.07 dBm**	**-50.92 dB**	**-4.07 dB**
-9.800 MHz	-8.600 MHz	1.000 MHz	**1.902 72 GHz**	**-34.58 dBm**	**-56.44 dB**	**-21.58 dB**
-8.600 MHz	-6.000 MHz	1.000 MHz	**1.905 58 GHz**	**-24.86 dBm**	**-46.72 dB**	**-14.86 dB**
-6.000 MHz	-5.000 MHz	100.000 kHz	**1.906 58 GHz**	**-22.31 dBm**	**-44.17 dB**	**-4.31 dB**
5.000 MHz	6.000 MHz	100.000 kHz	**1.916 67 GHz**	**-46.80 dBm**	**-68.65 dB**	**-28.80 dB**
6.000 MHz	8.600 MHz	1.000 MHz	**1.917 97 GHz**	**-38.43 dBm**	**-60.28 dB**	**-28.43 dB**
8.600 MHz	9.800 MHz	1.000 MHz	**1.920 53 GHz**	**-38.91 dBm**	**-60.76 dB**	**-25.91 dB**
9.800 MHz	20.000 MHz	1.000 MHz	**1.924 97 GHz**	**-26.08 dBm**	**-47.94 dB**	**-1.08 dB**
20.000 MHz	25.000 MHz	1.000 MHz	**1.935 72 GHz**	**-45.95 dBm**	**-67.81 dB**	**-9.95 dB**

Ready 2026-04-16 13:37:18

01:37:18 PM 04/16/2026

Band39(1880-1920) 16QAM BW=10MHz Channel=38566 RB Size=1 Position=#0



2 Result Summary

Sub Block A Center 1.91 GHz Tx Power 21.14 dBm Tx Bandwidth 10.000 MHz RBW 100.000 kHz W-CDMA 3GPP DL


Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-25.000 MHz	-20.000 MHz	1.000 MHz	**1.891 38 GHz**	**-44.36 dBm**	**-65.50 dB**	**-8.36 dB**
-20.000 MHz	-9.800 MHz	1.000 MHz	**1.898 43 GHz**	**-26.78 dBm**	**-47.92 dB**	**-1.78 dB**
-9.800 MHz	-8.600 MHz	1.000 MHz	**1.902 72 GHz**	**-37.53 dBm**	**-58.67 dB**	**-24.53 dB**
-8.600 MHz	-6.000 MHz	1.000 MHz	**1.903 12 GHz**	**-36.93 dBm**	**-58.07 dB**	**-26.93 dB**
-6.000 MHz	-5.000 MHz	100.000 kHz	**1.906 43 GHz**	**-46.83 dBm**	**-67.97 dB**	**-28.83 dB**
5.000 MHz	6.000 MHz	100.000 kHz	**1.916 63 GHz**	**-24.37 dBm**	**-45.50 dB**	**-6.37 dB**
6.000 MHz	8.600 MHz	1.000 MHz	**1.917 68 GHz**	**-24.71 dBm**	**-45.84 dB**	**-14.71 dB**
8.600 MHz	9.800 MHz	1.000 MHz	**1.920 28 GHz**	**-33.66 dBm**	**-54.80 dB**	**-20.66 dB**
9.800 MHz	20.000 MHz	1.000 MHz	**1.921 42 GHz**	**-29.75 dBm**	**-50.89 dB**	**-4.75 dB**
20.000 MHz	25.000 MHz	1.000 MHz	**1.933 58 GHz**	**-39.62 dBm**	**-60.76 dB**	**-3.62 dB**

Ready 2026-04-16 13:37:26

01:37:27 PM 04/16/2026

Band39(1880-1920) 16QAM BW=10MHz Channel=38566 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




2 Result Summary

Sub Block A	Center 1.91 GHz		Tx Power 20.94 dBm Tx Bandwidth 10.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-25.000 MHz	-20.000 MHz	1.000 MHz	**1.891 33 GHz**	**-45.14 dBm**	**-66.07 dB**	**-9.14 dB**
-20.000 MHz	-9.800 MHz	1.000 MHz	**1.901 18 GHz**	**-31.82 dBm**	**-52.76 dB**	**-6.82 dB**
-9.800 MHz	-8.600 MHz	1.000 MHz	**1.902 97 GHz**	**-33.54 dBm**	**-54.47 dB**	**-20.54 dB**
-8.600 MHz	-6.000 MHz	1.000 MHz	**1.905 18 GHz**	**-30.14 dBm**	**-51.08 dB**	**-20.14 dB**
-6.000 MHz	-5.000 MHz	100.000 kHz	**1.906 47 GHz**	**-35.67 dBm**	**-56.61 dB**	**-17.67 dB**
5.000 MHz	6.000 MHz	100.000 kHz	**1.916 63 GHz**	**-37.74 dBm**	**-58.67 dB**	**-19.74 dB**
6.000 MHz	8.600 MHz	1.000 MHz	**1.917 62 GHz**	**-31.07 dBm**	**-52.01 dB**	**-21.07 dB**
8.600 MHz	9.800 MHz	1.000 MHz	**1.920 28 GHz**	**-34.10 dBm**	**-55.03 dB**	**-21.10 dB**
9.800 MHz	20.000 MHz	1.000 MHz	**1.922 67 GHz**	**-33.50 dBm**	**-54.44 dB**	**-8.50 dB**
20.000 MHz	25.000 MHz	1.000 MHz	**1.932 28 GHz**	**-45.41 dBm**	**-66.34 dB**	**-9.41 dB**

Ready 2026-04-16 13:37:35

01:37:35 PM 04/16/2026

Band39(1880-1920) 16QAM BW=10MHz Channel=38566 RB Size=50 Position=#0



2 Result Summary


Sub Block A	Center 1.89 GHz		Tx Power 21.04 dBm Tx Bandwidth 5.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-12.500 MHz	-7.300 MHz	1.000 MHz	**1.883 64 GHz**	**-30.66 dBm**	**-51.70 dB**	**-5.66 dB**
-7.300 MHz	-6.100 MHz	1.000 MHz	**1.884 79 GHz**	**-33.23 dBm**	**-54.27 dB**	**-20.23 dB**
-6.100 MHz	-3.500 MHz	1.000 MHz	**1.887 49 GHz**	**-21.91 dBm**	**-42.95 dB**	**-11.91 dB**
-3.500 MHz	-2.500 MHz	100.000 kHz	**1.888 49 GHz**	**-17.93 dBm**	**-38.97 dB**	**-2.93 dB**
2.500 MHz	3.500 MHz	100.000 kHz	**1.893 76 GHz**	**-42.18 dBm**	**-63.22 dB**	**-27.18 dB**
3.500 MHz	6.100 MHz	1.000 MHz	**1.897 04 GHz**	**-26.75 dBm**	**-47.79 dB**	**-16.75 dB**
6.100 MHz	7.300 MHz	1.000 MHz	**1.897 44 GHz**	**-26.66 dBm**	**-47.70 dB**	**-13.66 dB**
7.300 MHz	12.500 MHz	1.000 MHz	**1.898 31 GHz**	**-32.90 dBm**	**-53.94 dB**	**-7.90 dB**

Ready 2026-04-16 13:35:07


01:35:08 PM 04/16/2026

Band39(1880-1920) 16QAM BW=5MHz Channel=38360 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) 16QAM BW=5MHz Channel=38360 RB Size=1 Position=#Max




Band39(1880-1920) 16QAM BW=5MHz Channel=38360 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) 16QAM BW=5MHz Channel=38441 RB Size=1 Position=#0




Band39(1880-1920) 16QAM BW=5MHz Channel=38441 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) 16QAM BW=5MHz Channel=38441 RB Size=25 Position=#0




Band39(1880-1920) 16QAM BW=5MHz Channel=38591 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) QPSK BW=10MHz Channel=38566 RB Size=50 Position=#0




Band39(1880-1920) QPSK BW=10MHz Channel=38566 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) 16QAM BW=5MHz Channel=38591 RB Size=25 Position=#0



Band39(1880-1920) 16QAM BW=5MHz Channel=38591 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



2 Result Summary

Sub Block A	Center 1.91 GHz		Tx Power 22.56 dBm Tx Bandwidth 10.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-25.000 MHz	-20.000 MHz	1.000 MHz	**1.889 63 GHz**	**-38.36 dBm**	**-60.92 dB**	**-2.36 dB**
-20.000 MHz	-9.800 MHz	1.000 MHz	**1.901 58 GHz**	**-28.67 dBm**	**-51.23 dB**	**-3.67 dB**
-9.800 MHz	-8.600 MHz	1.000 MHz	**1.902 97 GHz**	**-33.74 dBm**	**-56.29 dB**	**-20.74 dB**
-8.600 MHz	-6.000 MHz	1.000 MHz	**1.905 47 GHz**	**-24.94 dBm**	**-47.50 dB**	**-14.94 dB**
-6.000 MHz	-5.000 MHz	100.000 kHz	**1.906 58 GHz**	**-22.29 dBm**	**-44.85 dB**	**-4.29 dB**
5.000 MHz	6.000 MHz	100.000 kHz	**1.916 78 GHz**	**-47.02 dBm**	**-69.58 dB**	**-29.02 dB**
6.000 MHz	8.600 MHz	1.000 MHz	**1.917 68 GHz**	**-37.98 dBm**	**-60.54 dB**	**-27.98 dB**
8.600 MHz	9.800 MHz	1.000 MHz	**1.920 63 GHz**	**-38.66 dBm**	**-61.22 dB**	**-25.66 dB**
9.800 MHz	20.000 MHz	1.000 MHz	**1.924 78 GHz**	**-26.03 dBm**	**-48.59 dB**	**-1.03 dB**
20.000 MHz	25.000 MHz	1.000 MHz	**1.935 53 GHz**	**-46.00 dBm**	**-68.55 dB**	**-10.00 dB**

01:36:52 PM 04/16/2026

Band39(1880-1920) QPSK BW=10MHz Channel=38566 RB Size=1 Position=#0




2 Result Summary

Sub Block A	Center 1.89 GHz		Tx Power 21.60 dBm Tx Bandwidth 5.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-12.500 MHz	-7.300 MHz	1.000 MHz	**1.883 61 GHz**	**-31.11 dBm**	**-52.72 dB**	**-6.11 dB**
-7.300 MHz	-6.100 MHz	1.000 MHz	**1.884 71 GHz**	**-34.12 dBm**	**-55.72 dB**	**-21.12 dB**
-6.100 MHz	-3.500 MHz	1.000 MHz	**1.887 49 GHz**	**-22.24 dBm**	**-43.84 dB**	**-12.24 dB**
-3.500 MHz	-2.500 MHz	100.000 kHz	**1.888 49 GHz**	**-18.87 dBm**	**-40.47 dB**	**-3.87 dB**
2.500 MHz	3.500 MHz	100.000 kHz	**1.893 79 GHz**	**-43.06 dBm**	**-64.66 dB**	**-28.06 dB**
3.500 MHz	6.100 MHz	1.000 MHz	**1.897 09 GHz**	**-26.99 dBm**	**-48.59 dB**	**-16.99 dB**
6.100 MHz	7.300 MHz	1.000 MHz	**1.897 51 GHz**	**-26.05 dBm**	**-47.65 dB**	**-13.05 dB**
7.300 MHz	12.500 MHz	1.000 MHz	**1.898 31 GHz**	**-32.91 dBm**	**-54.51 dB**	**-7.91 dB**


01:34:48 PM 04/16/2026

Band39(1880-1920) QPSK BW=5MHz Channel=38360 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) QPSK BW=5MHz Channel=38360 RB Size=1 Position=#Max




Band39(1880-1920) QPSK BW=5MHz Channel=38360 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) QPSK BW=5MHz Channel=38441 RB Size=1 Position=#0



Band39(1880-1920) QPSK BW=5MHz Channel=38441 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




2 Result Summary

Sub Block A	Center 1.91 GHz		Tx Power 21.66 dBm Tx Bandwidth 5.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-12.500 MHz	-7.300 MHz	1.000 MHz	**1.906 74 GHz**	**-32.97 dBm**	**-54.64 dB**	**-7.97 dB**
-7.300 MHz	-6.100 MHz	1.000 MHz	**1.907 59 GHz**	**-24.43 dBm**	**-46.09 dB**	**-11.43 dB**
-6.100 MHz	-3.500 MHz	1.000 MHz	**1.908 01 GHz**	**-24.95 dBm**	**-46.61 dB**	**-14.95 dB**
-3.500 MHz	-2.500 MHz	100.000 kHz	**1.911 54 GHz**	**-40.18 dBm**	**-61.84 dB**	**-25.18 dB**
2.500 MHz	3.500 MHz	100.000 kHz	**1.916 61 GHz**	**-18.01 dBm**	**-39.68 dB**	**-3.01 dB**
3.500 MHz	6.100 MHz	1.000 MHz	**1.917 79 GHz**	**-22.40 dBm**	**-44.06 dB**	**-12.40 dB**
6.100 MHz	7.300 MHz	1.000 MHz	**1.920 24 GHz**	**-33.29 dBm**	**-54.95 dB**	**-20.29 dB**
7.300 MHz	12.500 MHz	1.000 MHz	**1.921 89 GHz**	**-32.54 dBm**	**-54.20 dB**	**-7.54 dB**

Ready 2026-04-16 13:36:14

01:36:15 PM 04/16/2026

Band39(1880-1920) QPSK BW=5MHz Channel=38591 RB Size=1 Position=#Max



2 Result Summary


Sub Block A	Center 1.90 GHz		Tx Power 21.86 dBm Tx Bandwidth 5.000 MHz		RBW 100.000 kHz W-CDMA 3GPP DL	
Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-12.500 MHz	-7.300 MHz	1.000 MHz	**1.891 54 GHz**	**-31.22 dBm**	**-53.08 dB**	**-6.22 dB**
-7.300 MHz	-6.100 MHz	1.000 MHz	**1.892 86 GHz**	**-29.32 dBm**	**-51.17 dB**	**-16.32 dB**
-6.100 MHz	-3.500 MHz	1.000 MHz	**1.895 59 GHz**	**-21.06 dBm**	**-42.92 dB**	**-11.06 dB**
-3.500 MHz	-2.500 MHz	100.000 kHz	**1.896 59 GHz**	**-27.99 dBm**	**-49.84 dB**	**-12.99 dB**
2.500 MHz	3.500 MHz	100.000 kHz	**1.901 61 GHz**	**-28.18 dBm**	**-50.04 dB**	**-13.18 dB**
3.500 MHz	6.100 MHz	1.000 MHz	**1.902 61 GHz**	**-21.83 dBm**	**-43.69 dB**	**-11.83 dB**
6.100 MHz	7.300 MHz	1.000 MHz	**1.905 24 GHz**	**-29.45 dBm**	**-51.31 dB**	**-16.45 dB**
7.300 MHz	12.500 MHz	1.000 MHz	**1.906 59 GHz**	**-30.91 dBm**	**-52.76 dB**	**-5.91 dB**

Ready 2026-04-16 13:35:41


01:35:41 PM 04/16/2026

Band39(1880-1920) QPSK BW=5MHz Channel=38441 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band39(1880-1920) QPSK BW=5MHz Channel=38591 RB Size=1 Position=#0



Band39(1880-1920) QPSK BW=5MHz Channel=38591 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.41 dBm	-6.91 dB	-0.015 MHz
1 to 5MHz	-38.63 dBm	-30.13 dB	-1.500 MHz
5 to 10MHz	-40.22 dBm	-28.72 dB	-8.500 MHz
10 to 15MHz	-42.25 dBm	-18.75 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.07 dBm	-35.57 dB	0.135 MHz
1 to 5MHz	-39.21 dBm	-30.71 dB	1.500 MHz
5 to 10MHz	-24.68 dBm	-13.18 dB	8.500 MHz
10 to 15MHz	-42.05 dBm	-18.55 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.44 dBm	-35.94 dB	-0.255 MHz
1 to 5MHz	-39.80 dBm	-31.30 dB	-1.500 MHz
5 to 10MHz	-26.16 dBm	-14.66 dB	-8.500 MHz
10 to 15MHz	-42.33 dBm	-18.83 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.89 dBm	-6.39 dB	0.015 MHz
1 to 5MHz	-38.56 dBm	-30.06 dB	1.500 MHz
5 to 10MHz	-40.68 dBm	-29.18 dB	8.500 MHz
10 to 15MHz	-42.02 dBm	-18.52 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.31 dBm	-21.81 dB	-0.015 MHz
1 to 5MHz	-28.02 dBm	-19.52 dB	-1.500 MHz
5 to 10MHz	-30.49 dBm	-18.99 dB	-5.500 MHz
10 to 15MHz	-36.68 dBm	-13.18 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.48 dBm	-21.98 dB	0.015 MHz
1 to 5MHz	-27.52 dBm	-19.02 dB	1.500 MHz
5 to 10MHz	-29.88 dBm	-18.38 dB	5.500 MHz
10 to 15MHz	-35.63 dBm	-12.13 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.65 dBm	-7.15 dB	-0.015 MHz
1 to 5MHz	-38.59 dBm	-30.09 dB	-1.500 MHz
5 to 10MHz	-40.24 dBm	-28.74 dB	-8.500 MHz
10 to 15MHz	-42.16 dBm	-18.66 dB	-10.500 MHz
Upper			
0 to 1MHz	-51.93 dBm	-35.43 dB	0.105 MHz
1 to 5MHz	-39.26 dBm	-30.76 dB	1.500 MHz
5 to 10MHz	-24.90 dBm	-13.40 dB	8.500 MHz
10 to 15MHz	-41.95 dBm	-18.45 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.45 dBm	-35.95 dB	-0.255 MHz
1 to 5MHz	-39.73 dBm	-31.23 dB	-1.500 MHz
5 to 10MHz	-26.85 dBm	-15.35 dB	-8.500 MHz
10 to 15MHz	-42.17 dBm	-18.67 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.92 dBm	-6.42 dB	0.015 MHz
1 to 5MHz	-38.66 dBm	-30.16 dB	1.500 MHz
5 to 10MHz	-40.01 dBm	-28.51 dB	8.500 MHz
10 to 15MHz	-41.91 dBm	-18.41 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.70 dBm	-22.20 dB	-0.015 MHz
1 to 5MHz	-27.87 dBm	-19.37 dB	-1.500 MHz
5 to 10MHz	-30.61 dBm	-19.11 dB	-5.500 MHz
10 to 15MHz	-36.72 dBm	-13.22 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.36 dBm	-21.86 dB	0.015 MHz
1 to 5MHz	-27.07 dBm	-18.57 dB	1.500 MHz
5 to 10MHz	-29.09 dBm	-17.59 dB	5.500 MHz
10 to 15MHz	-36.13 dBm	-12.63 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.65 dBm	-22.15 dB	-0.015 MHz
1 to 5MHz	-29.27 dBm	-20.77 dB	-1.500 MHz
5 to 15MHz	-31.16 dBm	-19.66 dB	-5.500 MHz
15 to 20MHz	-37.93 dBm	-14.43 dB	-15.500 MHz
Upper			
0 to 1MHz	-39.78 dBm	-21.28 dB	0.105 MHz
1 to 5MHz	-28.18 dBm	-19.68 dB	1.500 MHz
5 to 15MHz	-29.51 dBm	-18.01 dB	5.500 MHz
15 to 20MHz	-36.55 dBm	-13.05 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.93 dBm	-34.43 dB	-0.255 MHz
1 to 5MHz	-39.77 dBm	-31.27 dB	-1.500 MHz
5 to 15MHz	-25.98 dBm	-14.48 dB	-12.500 MHz
15 to 20MHz	-42.26 dBm	-18.76 dB	-16.500 MHz
Upper			
0 to 1MHz	-25.45 dBm	-6.95 dB	0.015 MHz
1 to 5MHz	-37.13 dBm	-28.63 dB	1.500 MHz
5 to 15MHz	-39.30 dBm	-27.80 dB	5.500 MHz
15 to 20MHz	-41.89 dBm	-18.39 dB	17.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.62 dBm	-7.12 dB	-0.015 MHz
1 to 5MHz	-37.06 dBm	-28.56 dB	-1.500 MHz
5 to 15MHz	-39.79 dBm	-28.29 dB	-5.500 MHz
15 to 20MHz	-42.22 dBm	-18.72 dB	-15.500 MHz
Upper			
0 to 1MHz	-52.80 dBm	-34.30 dB	0.135 MHz
1 to 5MHz	-39.26 dBm	-30.76 dB	1.500 MHz
5 to 15MHz	-24.38 dBm	-12.88 dB	12.500 MHz
15 to 20MHz	-41.91 dBm	-18.41 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.98 dBm	-21.48 dB	-0.015 MHz
1 to 5MHz	-27.53 dBm	-19.03 dB	-1.500 MHz
5 to 10MHz	-29.77 dBm	-18.27 dB	-5.500 MHz
10 to 15MHz	-36.48 dBm	-12.98 dB	-10.500 MHz
Upper			
0 to 1MHz	-38.20 dBm	-21.70 dB	0.015 MHz
1 to 5MHz	-26.79 dBm	-18.29 dB	1.500 MHz
5 to 10MHz	-29.13 dBm	-17.63 dB	5.500 MHz
10 to 15MHz	-36.38 dBm	-12.88 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=50 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.04 dBm	-35.54 dB	-0.255 MHz
1 to 5MHz	-39.54 dBm	-31.04 dB	-1.500 MHz
5 to 10MHz	-26.11 dBm	-14.61 dB	-8.500 MHz
10 to 15MHz	-42.04 dBm	-18.54 dB	-10.500 MHz
Upper			
0 to 1MHz	-22.82 dBm	-6.32 dB	0.015 MHz
1 to 5MHz	-38.40 dBm	-29.90 dB	1.500 MHz
5 to 10MHz	-39.63 dBm	-28.13 dB	8.500 MHz
10 to 15MHz	-41.86 dBm	-18.36 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.39 dBm	-6.89 dB	-0.015 MHz
1 to 5MHz	-38.51 dBm	-30.01 dB	-1.500 MHz
5 to 10MHz	-40.12 dBm	-28.62 dB	-5.500 MHz
10 to 15MHz	-42.02 dBm	-18.52 dB	-10.500 MHz
Upper			
0 to 1MHz	-52.06 dBm	-35.56 dB	0.135 MHz
1 to 5MHz	-39.25 dBm	-30.75 dB	1.500 MHz
5 to 10MHz	-26.24 dBm	-14.74 dB	8.500 MHz
10 to 15MHz	-41.92 dBm	-18.42 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.74 dBm	-7.24 dB	-0.015 MHz
1 to 5MHz	-37.08 dBm	-28.58 dB	-1.500 MHz
5 to 15MHz	-39.71 dBm	-28.21 dB	-5.500 MHz
15 to 20MHz	-42.16 dBm	-18.66 dB	-15.500 MHz
Upper			
0 to 1MHz	-52.83 dBm	-34.33 dB	0.135 MHz
1 to 5MHz	-39.27 dBm	-30.77 dB	1.500 MHz
5 to 15MHz	-25.03 dBm	-13.53 dB	12.500 MHz
15 to 20MHz	-41.80 dBm	-18.30 dB	19.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.74 dBm	-34.24 dB	-0.255 MHz
1 to 5MHz	-39.64 dBm	-31.14 dB	-1.500 MHz
5 to 15MHz	-26.25 dBm	-14.75 dB	-12.500 MHz
15 to 20MHz	-42.16 dBm	-18.66 dB	-16.500 MHz
Upper			
0 to 1MHz	-25.34 dBm	-6.84 dB	0.015 MHz
1 to 5MHz	-37.15 dBm	-28.65 dB	1.500 MHz
5 to 15MHz	-39.29 dBm	-27.79 dB	5.500 MHz
15 to 20MHz	-41.82 dBm	-18.32 dB	19.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.73 dBm	-22.23 dB	-0.015 MHz
1 to 5MHz	-29.19 dBm	-20.69 dB	-1.500 MHz
5 to 15MHz	-31.07 dBm	-19.57 dB	-5.500 MHz
15 to 20MHz	-37.93 dBm	-14.43 dB	-15.500 MHz
Upper			
0 to 1MHz	-40.55 dBm	-22.05 dB	0.105 MHz
1 to 5MHz	-27.73 dBm	-19.23 dB	1.500 MHz
5 to 15MHz	-29.28 dBm	-17.78 dB	5.500 MHz
15 to 20MHz	-37.00 dBm	-13.50 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-25.57 dBm	-7.07 dB	-0.015 MHz
1 to 5MHz	-37.05 dBm	-28.55 dB	-1.500 MHz
5 to 15MHz	-39.60 dBm	-28.10 dB	-5.500 MHz
15 to 20MHz	-42.08 dBm	-18.58 dB	-16.500 MHz
Upper			
0 to 1MHz	-52.74 dBm	-34.24 dB	0.135 MHz
1 to 5MHz	-39.20 dBm	-30.70 dB	1.500 MHz
5 to 15MHz	-25.74 dBm	-14.24 dB	12.500 MHz
15 to 20MHz	-41.79 dBm	-18.29 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-43.13 dBm	-23.63 dB	-0.105 MHz
1 to 5MHz	-30.38 dBm	-21.88 dB	-1.500 MHz
5 to 20MHz	-32.11 dBm	-20.61 dB	-5.500 MHz
20 to 25MHz	-39.06 dBm	-15.56 dB	-20.500 MHz
Upper			
0 to 1MHz	-41.06 dBm	-21.56 dB	0.105 MHz
1 to 5MHz	-29.42 dBm	-20.92 dB	1.500 MHz
5 to 20MHz	-30.61 dBm	-19.11 dB	5.500 MHz
20 to 25MHz	-37.21 dBm	-13.71 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=100 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.47 dBm	-34.97 dB	-0.195 MHz
1 to 5MHz	-40.67 dBm	-32.17 dB	-1.500 MHz
5 to 20MHz	-27.99 dBm	-16.49 dB	-16.500 MHz
20 to 25MHz	-42.32 dBm	-18.82 dB	-24.500 MHz
Upper			
0 to 1MHz	-29.80 dBm	-10.30 dB	0.015 MHz
1 to 5MHz	-38.51 dBm	-30.01 dB	1.500 MHz
5 to 20MHz	-40.38 dBm	-28.88 dB	16.500 MHz
20 to 25MHz	-41.75 dBm	-18.25 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.64 dBm	-34.14 dB	-0.255 MHz
1 to 5MHz	-39.48 dBm	-30.98 dB	-1.500 MHz
5 to 15MHz	-26.54 dBm	-15.04 dB	-12.500 MHz
15 to 20MHz	-42.12 dBm	-18.62 dB	-16.500 MHz
Upper			
0 to 1MHz	-25.22 dBm	-6.72 dB	0.015 MHz
1 to 5MHz	-37.20 dBm	-28.70 dB	1.500 MHz
5 to 15MHz	-39.43 dBm	-27.93 dB	5.500 MHz
15 to 20MHz	-41.78 dBm	-18.28 dB	19.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-40.23 dBm	-21.73 dB	-0.015 MHz
1 to 5MHz	-28.31 dBm	-19.81 dB	-1.500 MHz
5 to 15MHz	-30.42 dBm	-18.92 dB	-5.500 MHz
15 to 20MHz	-37.73 dBm	-14.23 dB	-15.500 MHz
Upper			
0 to 1MHz	-40.17 dBm	-21.67 dB	0.105 MHz
1 to 5MHz	-27.51 dBm	-19.01 dB	1.500 MHz
5 to 15MHz	-29.39 dBm	-17.89 dB	5.500 MHz
15 to 20MHz	-37.25 dBm	-13.75 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.42 dBm	-9.92 dB	-0.015 MHz
1 to 5MHz	-37.81 dBm	-29.31 dB	-1.500 MHz
5 to 20MHz	-40.47 dBm	-28.97 dB	-5.500 MHz
20 to 25MHz	-42.28 dBm	-18.78 dB	-20.500 MHz
Upper			
0 to 1MHz	-53.19 dBm	-33.69 dB	0.225 MHz
1 to 5MHz	-39.61 dBm	-31.11 dB	1.500 MHz
5 to 20MHz	-26.08 dBm	-14.58 dB	16.500 MHz
20 to 25MHz	-41.75 dBm	-18.25 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.66 dBm	-10.16 dB	-0.015 MHz
1 to 5MHz	-38.00 dBm	-29.50 dB	-1.500 MHz
5 to 20MHz	-40.55 dBm	-29.05 dB	-5.500 MHz
20 to 25MHz	-42.28 dBm	-18.78 dB	-20.500 MHz
Upper			
0 to 1MHz	-53.18 dBm	-33.68 dB	0.195 MHz
1 to 5MHz	-39.73 dBm	-31.23 dB	1.500 MHz
5 to 20MHz	-27.46 dBm	-15.96 dB	16.500 MHz
20 to 25MHz	-41.74 dBm	-18.24 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.80 dBm	-34.30 dB	-0.315 MHz
1 to 5MHz	-40.45 dBm	-31.95 dB	-1.500 MHz
5 to 20MHz	-27.39 dBm	-15.89 dB	-16.500 MHz
20 to 25MHz	-42.26 dBm	-18.76 dB	-22.500 MHz
Upper			
0 to 1MHz	-29.61 dBm	-10.11 dB	0.015 MHz
1 to 5MHz	-38.45 dBm	-29.95 dB	1.500 MHz
5 to 20MHz	-40.27 dBm	-28.77 dB	16.500 MHz
20 to 25MHz	-41.73 dBm	-18.23 dB	24.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.88 dBm	-23.38 dB	-0.105 MHz
1 to 5MHz	-30.23 dBm	-21.73 dB	-1.500 MHz
5 to 20MHz	-32.11 dBm	-20.61 dB	-5.500 MHz
20 to 25MHz	-39.11 dBm	-15.61 dB	-20.500 MHz
Upper			
0 to 1MHz	-41.10 dBm	-21.60 dB	0.105 MHz
1 to 5MHz	-29.11 dBm	-20.61 dB	1.500 MHz
5 to 20MHz	-30.20 dBm	-18.70 dB	5.500 MHz
20 to 25MHz	-37.66 dBm	-14.16 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.63 dBm	-10.13 dB	-0.015 MHz
1 to 5MHz	-38.03 dBm	-29.53 dB	-1.500 MHz
5 to 20MHz	-40.61 dBm	-29.11 dB	-5.500 MHz
20 to 25MHz	-42.18 dBm	-18.68 dB	-20.500 MHz
Upper			
0 to 1MHz	-53.73 dBm	-34.23 dB	0.255 MHz
1 to 5MHz	-39.79 dBm	-31.29 dB	1.500 MHz
5 to 20MHz	-25.86 dBm	-14.36 dB	16.500 MHz
20 to 25MHz	-41.66 dBm	-18.16 dB	23.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.41 dBm	-33.91 dB	-0.315 MHz
1 to 5MHz	-40.39 dBm	-31.89 dB	-1.500 MHz
5 to 20MHz	-27.42 dBm	-15.92 dB	-16.500 MHz
20 to 25MHz	-42.11 dBm	-18.61 dB	-20.500 MHz
Upper			
0 to 1MHz	-29.71 dBm	-10.21 dB	0.015 MHz
1 to 5MHz	-38.49 dBm	-29.99 dB	1.500 MHz
5 to 20MHz	-40.20 dBm	-28.70 dB	16.500 MHz
20 to 25MHz	-41.67 dBm	-18.17 dB	21.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.44 dBm	-22.94 dB	-0.105 MHz
1 to 5MHz	-29.74 dBm	-21.24 dB	-1.500 MHz
5 to 20MHz	-31.86 dBm	-20.36 dB	-6.500 MHz
20 to 25MHz	-38.92 dBm	-15.42 dB	-20.500 MHz
Upper			
0 to 1MHz	-41.10 dBm	-21.60 dB	0.885 MHz
1 to 5MHz	-29.14 dBm	-20.64 dB	1.500 MHz
5 to 20MHz	-30.40 dBm	-18.90 dB	5.500 MHz
20 to 25MHz	-37.85 dBm	-14.35 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=100 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.20 dBm	-2.70 dB	-0.015 MHz
1 to 5MHz	-37.54 dBm	-29.04 dB	-1.500 MHz
5 to 6MHz	-40.88 dBm	-29.38 dB	-5.500 MHz
6 to 10MHz	-40.96 dBm	-17.46 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.06 dBm	-35.56 dB	0.045 MHz
1 to 5MHz	-25.77 dBm	-17.27 dB	4.300 MHz
5 to 6MHz	-41.59 dBm	-30.09 dB	5.500 MHz
6 to 10MHz	-41.98 dBm	-18.48 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.19 dBm	-36.69 dB	-0.075 MHz
1 to 5MHz	-25.86 dBm	-17.36 dB	-4.300 MHz
5 to 6MHz	-41.66 dBm	-30.16 dB	-5.500 MHz
6 to 10MHz	-42.10 dBm	-18.60 dB	-6.500 MHz
Upper			
0 to 1MHz	-16.79 dBm	-3.29 dB	0.015 MHz
1 to 5MHz	-37.72 dBm	-29.22 dB	1.500 MHz
5 to 6MHz	-41.21 dBm	-29.71 dB	5.500 MHz
6 to 10MHz	-41.06 dBm	-17.56 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-29.95 dBm	-16.45 dB	-0.015 MHz
1 to 5MHz	-25.08 dBm	-16.58 dB	-1.500 MHz
5 to 6MHz	-33.56 dBm	-22.06 dB	-5.500 MHz
6 to 10MHz	-36.11 dBm	-12.61 dB	-6.500 MHz
Upper			
0 to 1MHz	-34.09 dBm	-20.59 dB	0.045 MHz
1 to 5MHz	-25.24 dBm	-16.74 dB	1.500 MHz
5 to 6MHz	-33.75 dBm	-22.25 dB	5.500 MHz
6 to 10MHz	-35.70 dBm	-12.20 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.30 dBm	-2.80 dB	-0.015 MHz
1 to 5MHz	-37.64 dBm	-29.14 dB	-1.500 MHz
5 to 6MHz	-40.80 dBm	-29.30 dB	-5.500 MHz
6 to 10MHz	-40.91 dBm	-17.41 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.09 dBm	-35.59 dB	0.045 MHz
1 to 5MHz	-26.73 dBm	-18.23 dB	4.300 MHz
5 to 6MHz	-41.46 dBm	-29.96 dB	5.500 MHz
6 to 10MHz	-41.90 dBm	-18.40 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-49.95 dBm	-36.45 dB	-0.075 MHz
1 to 5MHz	-26.66 dBm	-18.16 dB	-4.300 MHz
5 to 6MHz	-41.43 dBm	-29.93 dB	-5.500 MHz
6 to 10MHz	-41.91 dBm	-18.41 dB	-6.500 MHz
Upper			
0 to 1MHz	-16.73 dBm	-3.23 dB	0.015 MHz
1 to 5MHz	-37.58 dBm	-29.08 dB	1.500 MHz
5 to 6MHz	-40.96 dBm	-29.46 dB	5.500 MHz
6 to 10MHz	-40.86 dBm	-17.36 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.14 dBm	-2.64 dB	-0.015 MHz
1 to 5MHz	-37.25 dBm	-28.75 dB	-1.500 MHz
5 to 6MHz	-40.69 dBm	-29.19 dB	-5.500 MHz
6 to 10MHz	-40.95 dBm	-17.45 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.27 dBm	-35.77 dB	0.015 MHz
1 to 5MHz	-27.11 dBm	-18.61 dB	4.300 MHz
5 to 6MHz	-41.31 dBm	-29.81 dB	5.500 MHz
6 to 10MHz	-41.82 dBm	-18.32 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.25 dBm	-16.75 dB	-0.015 MHz
1 to 5MHz	-25.37 dBm	-16.87 dB	-1.500 MHz
5 to 6MHz	-34.22 dBm	-22.72 dB	-5.500 MHz
6 to 10MHz	-36.76 dBm	-13.26 dB	-6.500 MHz
Upper			
0 to 1MHz	-34.31 dBm	-20.81 dB	0.045 MHz
1 to 5MHz	-24.91 dBm	-16.41 dB	1.500 MHz
5 to 6MHz	-34.25 dBm	-22.75 dB	5.500 MHz
6 to 10MHz	-36.16 dBm	-12.66 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.41 dBm	-36.91 dB	-0.165 MHz
1 to 5MHz	-27.08 dBm	-18.58 dB	-4.300 MHz
5 to 6MHz	-41.56 dBm	-30.06 dB	-5.500 MHz
6 to 10MHz	-42.03 dBm	-18.53 dB	-6.500 MHz
Upper			
0 to 1MHz	-16.84 dBm	-3.34 dB	0.015 MHz
1 to 5MHz	-37.65 dBm	-29.15 dB	1.500 MHz
5 to 6MHz	-41.19 dBm	-29.69 dB	5.500 MHz
6 to 10MHz	-40.87 dBm	-17.37 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.57 dBm	-17.07 dB	-0.015 MHz
1 to 5MHz	-25.84 dBm	-17.34 dB	-1.500 MHz
5 to 6MHz	-34.21 dBm	-22.71 dB	-5.500 MHz
6 to 10MHz	-36.76 dBm	-13.26 dB	-6.500 MHz
Upper			
0 to 1MHz	-34.35 dBm	-20.85 dB	0.045 MHz
1 to 5MHz	-24.88 dBm	-16.38 dB	1.500 MHz
5 to 6MHz	-34.59 dBm	-23.09 dB	5.500 MHz
6 to 10MHz	-36.41 dBm	-12.91 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.86 dBm	-6.36 dB	-0.015 MHz
1 to 5MHz	-38.06 dBm	-29.56 dB	-1.500 MHz
5 to 10MHz	-40.06 dBm	-28.56 dB	-8.500 MHz
10 to 15MHz	-42.24 dBm	-18.74 dB	-10.500 MHz
Upper			
0 to 1MHz	-51.97 dBm	-35.47 dB	0.015 MHz
1 to 5MHz	-39.22 dBm	-30.72 dB	1.500 MHz
5 to 10MHz	-23.23 dBm	-11.73 dB	8.500 MHz
10 to 15MHz	-42.04 dBm	-18.54 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.46 dBm	-35.96 dB	-0.045 MHz
1 to 5MHz	-39.76 dBm	-31.26 dB	-1.500 MHz
5 to 10MHz	-24.82 dBm	-13.32 dB	-8.500 MHz
10 to 15MHz	-42.23 dBm	-18.73 dB	-10.500 MHz
Upper			
0 to 1MHz	-20.98 dBm	-4.48 dB	0.015 MHz
1 to 5MHz	-37.28 dBm	-28.78 dB	1.500 MHz
5 to 10MHz	-40.50 dBm	-29.00 dB	8.500 MHz
10 to 15MHz	-42.00 dBm	-18.50 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-36.11 dBm	-19.61 dB	-0.015 MHz
1 to 5MHz	-27.75 dBm	-19.25 dB	-1.500 MHz
5 to 10MHz	-29.19 dBm	-17.69 dB	-6.500 MHz
10 to 15MHz	-37.18 dBm	-13.68 dB	-10.500 MHz
Upper			
0 to 1MHz	-36.38 dBm	-19.88 dB	0.015 MHz
1 to 5MHz	-27.28 dBm	-18.78 dB	1.500 MHz
5 to 10MHz	-28.62 dBm	-17.12 dB	6.500 MHz
10 to 15MHz	-36.22 dBm	-12.72 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.11 dBm	-6.61 dB	-0.015 MHz
1 to 5MHz	-37.92 dBm	-29.42 dB	-1.500 MHz
5 to 10MHz	-40.10 dBm	-28.60 dB	-8.500 MHz
10 to 15MHz	-42.10 dBm	-18.60 dB	-10.500 MHz
Upper			
0 to 1MHz	-51.70 dBm	-35.20 dB	0.015 MHz
1 to 5MHz	-39.21 dBm	-30.71 dB	1.500 MHz
5 to 10MHz	-23.47 dBm	-11.97 dB	8.500 MHz
10 to 15MHz	-41.91 dBm	-18.41 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-52.67 dBm	-36.17 dB	-0.045 MHz
1 to 5MHz	-39.65 dBm	-31.15 dB	-1.500 MHz
5 to 10MHz	-25.49 dBm	-13.99 dB	-8.500 MHz
10 to 15MHz	-42.11 dBm	-18.61 dB	-10.500 MHz
Upper			
0 to 1MHz	-21.02 dBm	-4.52 dB	0.015 MHz
1 to 5MHz	-37.38 dBm	-28.88 dB	1.500 MHz
5 to 10MHz	-39.81 dBm	-28.31 dB	8.500 MHz
10 to 15MHz	-41.90 dBm	-18.40 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.45 dBm	-4.95 dB	-0.015 MHz
1 to 5MHz	-36.29 dBm	-27.79 dB	-1.500 MHz
5 to 15MHz	-39.67 dBm	-28.17 dB	-5.500 MHz
15 to 20MHz	-42.20 dBm	-18.70 dB	-15.500 MHz
Upper			
0 to 1MHz	-52.61 dBm	-34.11 dB	0.285 MHz
1 to 5MHz	-39.01 dBm	-30.51 dB	1.500 MHz
5 to 15MHz	-22.92 dBm	-11.42 dB	12.500 MHz
15 to 20MHz	-41.89 dBm	-18.39 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-36.73 dBm	-20.23 dB	-0.015 MHz
1 to 5MHz	-27.98 dBm	-19.48 dB	-1.500 MHz
5 to 10MHz	-28.52 dBm	-17.02 dB	-6.500 MHz
10 to 15MHz	-36.70 dBm	-13.20 dB	-10.500 MHz
Upper			
0 to 1MHz	-36.40 dBm	-19.90 dB	0.015 MHz
1 to 5MHz	-27.30 dBm	-18.80 dB	1.500 MHz
5 to 10MHz	-28.36 dBm	-16.86 dB	6.500 MHz
10 to 15MHz	-36.42 dBm	-12.92 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-51.99 dBm	-35.49 dB	-0.045 MHz
1 to 5MHz	-39.43 dBm	-30.93 dB	-1.500 MHz
5 to 10MHz	-24.82 dBm	-13.32 dB	-8.500 MHz
10 to 15MHz	-42.08 dBm	-18.58 dB	-10.500 MHz
Upper			
0 to 1MHz	-20.93 dBm	-4.43 dB	0.015 MHz
1 to 5MHz	-37.23 dBm	-28.73 dB	1.500 MHz
5 to 10MHz	-39.34 dBm	-27.84 dB	8.500 MHz
10 to 15MHz	-41.87 dBm	-18.37 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-37.26 dBm	-20.76 dB	-0.015 MHz
1 to 5MHz	-27.96 dBm	-19.46 dB	-1.500 MHz
5 to 10MHz	-29.10 dBm	-17.60 dB	-6.500 MHz
10 to 15MHz	-36.89 dBm	-13.39 dB	-10.500 MHz
Upper			
0 to 1MHz	-36.33 dBm	-19.83 dB	0.015 MHz
1 to 5MHz	-27.23 dBm	-18.73 dB	1.500 MHz
5 to 10MHz	-28.04 dBm	-16.54 dB	6.500 MHz
10 to 15MHz	-36.07 dBm	-12.57 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-22.88 dBm	-6.38 dB	-0.015 MHz
1 to 5MHz	-37.96 dBm	-29.46 dB	-1.500 MHz
5 to 10MHz	-40.01 dBm	-28.51 dB	-5.500 MHz
10 to 15MHz	-42.06 dBm	-18.56 dB	-10.500 MHz
Upper			
0 to 1MHz	-51.82 dBm	-35.32 dB	0.015 MHz
1 to 5MHz	-39.14 dBm	-30.64 dB	1.500 MHz
5 to 10MHz	-24.65 dBm	-13.15 dB	8.500 MHz
10 to 15MHz	-41.87 dBm	-18.37 dB	10.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.65 dBm	-35.15 dB	-0.225 MHz
1 to 5MHz	-39.80 dBm	-31.30 dB	-1.500 MHz
5 to 15MHz	-24.55 dBm	-13.05 dB	-12.500 MHz
15 to 20MHz	-42.22 dBm	-18.72 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.66 dBm	-8.16 dB	0.015 MHz
1 to 5MHz	-37.33 dBm	-28.83 dB	1.500 MHz
5 to 15MHz	-39.17 dBm	-27.67 dB	5.500 MHz
15 to 20MHz	-41.90 dBm	-18.40 dB	17.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.77 dBm	-20.27 dB	-0.015 MHz
1 to 5MHz	-28.59 dBm	-20.09 dB	-1.500 MHz
5 to 15MHz	-30.97 dBm	-19.47 dB	-5.500 MHz
15 to 20MHz	-38.32 dBm	-14.82 dB	-15.500 MHz
Upper			
0 to 1MHz	-39.74 dBm	-21.24 dB	0.045 MHz
1 to 5MHz	-28.39 dBm	-19.89 dB	1.500 MHz
5 to 15MHz	-29.52 dBm	-18.02 dB	11.500 MHz
15 to 20MHz	-36.63 dBm	-13.13 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.53 dBm	-5.03 dB	-0.015 MHz
1 to 5MHz	-36.27 dBm	-27.77 dB	-1.500 MHz
5 to 15MHz	-39.63 dBm	-28.13 dB	-5.500 MHz
15 to 20MHz	-42.15 dBm	-18.65 dB	-15.500 MHz
Upper			
0 to 1MHz	-52.70 dBm	-34.20 dB	0.285 MHz
1 to 5MHz	-39.08 dBm	-30.58 dB	1.500 MHz
5 to 15MHz	-23.49 dBm	-11.99 dB	12.500 MHz
15 to 20MHz	-41.82 dBm	-18.32 dB	16.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.42 dBm	-34.92 dB	-0.165 MHz
1 to 5MHz	-39.68 dBm	-31.18 dB	-1.500 MHz
5 to 15MHz	-24.82 dBm	-13.32 dB	-12.500 MHz
15 to 20MHz	-42.12 dBm	-18.62 dB	-15.500 MHz
Upper			
0 to 1MHz	-26.51 dBm	-8.01 dB	0.015 MHz
1 to 5MHz	-37.23 dBm	-28.73 dB	1.500 MHz
5 to 15MHz	-39.08 dBm	-27.58 dB	5.500 MHz
15 to 20MHz	-41.80 dBm	-18.30 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=1 Position=#Max


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.72 dBm	-20.22 dB	-0.015 MHz
1 to 5MHz	-28.85 dBm	-20.35 dB	-1.500 MHz
5 to 15MHz	-30.98 dBm	-19.48 dB	-9.500 MHz
15 to 20MHz	-38.09 dBm	-14.59 dB	-15.500 MHz
Upper			
0 to 1MHz	-39.77 dBm	-21.27 dB	0.045 MHz
1 to 5MHz	-28.23 dBm	-19.73 dB	1.500 MHz
5 to 15MHz	-29.57 dBm	-18.07 dB	11.500 MHz
15 to 20MHz	-36.80 dBm	-13.30 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=75 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-23.38 dBm	-4.88 dB	-0.015 MHz
1 to 5MHz	-36.15 dBm	-27.65 dB	-1.500 MHz
5 to 15MHz	-39.50 dBm	-28.00 dB	-5.500 MHz
15 to 20MHz	-42.03 dBm	-18.53 dB	-15.500 MHz
Upper			
0 to 1MHz	-52.29 dBm	-33.79 dB	0.225 MHz
1 to 5MHz	-39.02 dBm	-30.52 dB	1.500 MHz
5 to 15MHz	-24.22 dBm	-12.72 dB	12.500 MHz
15 to 20MHz	-41.76 dBm	-18.26 dB	18.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-54.33 dBm	-34.83 dB	-0.345 MHz
1 to 5MHz	-40.65 dBm	-32.15 dB	-1.500 MHz
5 to 20MHz	-26.69 dBm	-15.19 dB	-16.500 MHz
20 to 25MHz	-42.27 dBm	-18.77 dB	-20.500 MHz
Upper			
0 to 1MHz	-27.80 dBm	-8.30 dB	0.015 MHz
1 to 5MHz	-37.28 dBm	-28.78 dB	1.500 MHz
5 to 20MHz	-40.21 dBm	-28.71 dB	16.500 MHz
20 to 25MHz	-41.78 dBm	-18.28 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.22 dBm	-10.73 dB	-0.015 MHz
1 to 5MHz	-38.70 dBm	-30.20 dB	-1.500 MHz
5 to 20MHz	-40.42 dBm	-28.92 dB	-5.500 MHz
20 to 25MHz	-42.26 dBm	-18.76 dB	-20.500 MHz
Upper			
0 to 1MHz	-52.80 dBm	-33.30 dB	0.015 MHz
1 to 5MHz	-39.70 dBm	-31.20 dB	1.500 MHz
5 to 20MHz	-24.60 dBm	-13.10 dB	16.500 MHz
20 to 25MHz	-41.82 dBm	-18.32 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.19 dBm	-34.69 dB	-0.735 MHz
1 to 5MHz	-39.51 dBm	-31.01 dB	-1.500 MHz
5 to 15MHz	-25.21 dBm	-13.71 dB	-12.500 MHz
15 to 20MHz	-42.11 dBm	-18.61 dB	-17.500 MHz
Upper			
0 to 1MHz	-26.52 dBm	-8.02 dB	0.015 MHz
1 to 5MHz	-37.32 dBm	-28.82 dB	1.500 MHz
5 to 15MHz	-39.35 dBm	-27.85 dB	5.500 MHz
15 to 20MHz	-41.75 dBm	-18.25 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-38.48 dBm	-19.98 dB	-0.015 MHz
1 to 5MHz	-28.36 dBm	-19.86 dB	-1.500 MHz
5 to 15MHz	-30.77 dBm	-19.27 dB	-11.500 MHz
15 to 20MHz	-37.95 dBm	-14.45 dB	-15.500 MHz
Upper			
0 to 1MHz	-39.73 dBm	-21.23 dB	0.045 MHz
1 to 5MHz	-28.31 dBm	-19.81 dB	1.500 MHz
5 to 15MHz	-29.75 dBm	-18.25 dB	11.500 MHz
15 to 20MHz	-37.07 dBm	-13.57 dB	15.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=75 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.42 dBm	-22.92 dB	-0.195 MHz
1 to 5MHz	-30.19 dBm	-21.69 dB	-1.500 MHz
5 to 20MHz	-31.63 dBm	-20.13 dB	-5.500 MHz
20 to 25MHz	-39.42 dBm	-15.92 dB	-20.500 MHz
Upper			
0 to 1MHz	-41.31 dBm	-21.81 dB	0.135 MHz
1 to 5MHz	-29.56 dBm	-21.06 dB	1.500 MHz
5 to 20MHz	-30.53 dBm	-19.03 dB	16.500 MHz
20 to 25MHz	-37.61 dBm	-14.11 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=100 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.52 dBm	-11.02 dB	-0.015 MHz
1 to 5MHz	-38.86 dBm	-30.36 dB	-1.500 MHz
5 to 20MHz	-40.35 dBm	-28.85 dB	-5.500 MHz
20 to 25MHz	-42.21 dBm	-18.71 dB	-21.500 MHz
Upper			
0 to 1MHz	-53.36 dBm	-33.86 dB	0.015 MHz
1 to 5MHz	-39.83 dBm	-31.33 dB	1.500 MHz
5 to 20MHz	-25.98 dBm	-14.48 dB	16.500 MHz
20 to 25MHz	-41.75 dBm	-18.25 dB	23.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.91 dBm	-34.41 dB	-0.015 MHz
1 to 5MHz	-40.44 dBm	-31.94 dB	-1.500 MHz
5 to 20MHz	-26.22 dBm	-14.72 dB	-16.500 MHz
20 to 25MHz	-42.24 dBm	-18.74 dB	-21.500 MHz
Upper			
0 to 1MHz	-27.64 dBm	-8.14 dB	0.015 MHz
1 to 5MHz	-37.23 dBm	-28.73 dB	1.500 MHz
5 to 20MHz	-40.07 dBm	-28.57 dB	16.500 MHz
20 to 25MHz	-41.69 dBm	-18.19 dB	23.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.45 dBm	-22.95 dB	-0.195 MHz
1 to 5MHz	-30.13 dBm	-21.63 dB	-1.500 MHz
5 to 20MHz	-31.67 dBm	-20.17 dB	-5.500 MHz
20 to 25MHz	-39.37 dBm	-15.87 dB	-20.500 MHz
Upper			
0 to 1MHz	-41.98 dBm	-22.48 dB	0.015 MHz
1 to 5MHz	-29.46 dBm	-20.96 dB	1.500 MHz
5 to 20MHz	-30.67 dBm	-19.17 dB	5.500 MHz
20 to 25MHz	-37.92 dBm	-14.42 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.44 dBm	-10.94 dB	-0.015 MHz
1 to 5MHz	-38.93 dBm	-30.43 dB	-1.500 MHz
5 to 20MHz	-40.41 dBm	-28.91 dB	-5.500 MHz
20 to 25MHz	-42.18 dBm	-18.68 dB	-22.500 MHz
Upper			
0 to 1MHz	-53.22 dBm	-33.72 dB	0.345 MHz
1 to 5MHz	-39.98 dBm	-31.48 dB	1.500 MHz
5 to 20MHz	-24.43 dBm	-12.93 dB	16.500 MHz
20 to 25MHz	-41.70 dBm	-18.20 dB	22.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-16.35 dBm	-2.85 dB	-0.015 MHz
1 to 5MHz	-37.56 dBm	-29.06 dB	-4.300 MHz
5 to 6MHz	-40.68 dBm	-29.18 dB	-5.500 MHz
6 to 10MHz	-40.97 dBm	-17.47 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.72 dBm	-36.22 dB	0.015 MHz
1 to 5MHz	-24.75 dBm	-16.25 dB	4.300 MHz
5 to 6MHz	-41.54 dBm	-30.04 dB	5.500 MHz
6 to 10MHz	-41.95 dBm	-18.45 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-53.90 dBm	-34.40 dB	-0.345 MHz
1 to 5MHz	-40.33 dBm	-31.83 dB	-1.500 MHz
5 to 20MHz	-26.07 dBm	-14.57 dB	-16.500 MHz
20 to 25MHz	-42.15 dBm	-18.65 dB	-20.500 MHz
Upper			
0 to 1MHz	-27.76 dBm	-8.26 dB	0.015 MHz
1 to 5MHz	-37.32 dBm	-28.82 dB	1.500 MHz
5 to 20MHz	-39.99 dBm	-28.49 dB	16.500 MHz
20 to 25MHz	-41.68 dBm	-18.18 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-42.01 dBm	-22.51 dB	-0.195 MHz
1 to 5MHz	-29.85 dBm	-21.35 dB	-1.500 MHz
5 to 20MHz	-31.77 dBm	-20.27 dB	-5.500 MHz
20 to 25MHz	-39.37 dBm	-15.87 dB	-20.500 MHz
Upper			
0 to 1MHz	-42.17 dBm	-22.67 dB	0.015 MHz
1 to 5MHz	-29.76 dBm	-21.26 dB	1.500 MHz
5 to 20MHz	-31.06 dBm	-19.56 dB	5.500 MHz
20 to 25MHz	-38.05 dBm	-14.55 dB	20.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=100 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-50.28 dBm	-36.78 dB	-0.105 MHz
1 to 5MHz	-24.95 dBm	-16.45 dB	-4.300 MHz
5 to 6MHz	-41.67 dBm	-30.17 dB	-5.500 MHz
6 to 10MHz	-42.13 dBm	-18.63 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.39 dBm	-3.89 dB	0.015 MHz
1 to 5MHz	-37.44 dBm	-28.94 dB	1.500 MHz
5 to 6MHz	-41.05 dBm	-29.55 dB	5.500 MHz
6 to 10MHz	-40.81 dBm	-17.31 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-28.04 dBm	-14.54 dB	-0.015 MHz
1 to 5MHz	-24.72 dBm	-16.22 dB	-1.500 MHz
5 to 6MHz	-33.38 dBm	-21.88 dB	-5.500 MHz
6 to 10MHz	-34.64 dBm	-11.14 dB	-6.500 MHz
Upper			
0 to 1MHz	-31.06 dBm	-17.56 dB	0.015 MHz
1 to 5MHz	-24.67 dBm	-16.17 dB	1.500 MHz
5 to 6MHz	-33.21 dBm	-21.71 dB	5.500 MHz
6 to 10MHz	-34.53 dBm	-11.03 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-15.45 dBm	-1.95 dB	-0.015 MHz
1 to 5MHz	-37.36 dBm	-28.86 dB	-1.500 MHz
5 to 6MHz	-40.53 dBm	-29.03 dB	-5.500 MHz
6 to 10MHz	-41.02 dBm	-17.52 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.29 dBm	-35.79 dB	0.045 MHz
1 to 5MHz	-25.57 dBm	-17.07 dB	4.300 MHz
5 to 6MHz	-41.30 dBm	-29.80 dB	5.500 MHz
6 to 10MHz	-41.78 dBm	-18.28 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=1 Position=#0




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.73 dBm	-17.23 dB	-0.015 MHz
1 to 5MHz	-25.58 dBm	-17.08 dB	-1.500 MHz
5 to 6MHz	-33.89 dBm	-22.39 dB	-5.500 MHz
6 to 10MHz	-35.41 dBm	-11.91 dB	-6.500 MHz
Upper			
0 to 1MHz	-29.45 dBm	-15.95 dB	0.015 MHz
1 to 5MHz	-24.61 dBm	-16.11 dB	1.500 MHz
5 to 6MHz	-34.01 dBm	-22.51 dB	5.500 MHz
6 to 10MHz	-35.69 dBm	-12.19 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-49.43 dBm	-35.93 dB	-0.075 MHz
1 to 5MHz	-25.35 dBm	-16.85 dB	-4.300 MHz
5 to 6MHz	-41.52 dBm	-30.02 dB	-5.500 MHz
6 to 10MHz	-41.91 dBm	-18.41 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.58 dBm	-4.08 dB	0.015 MHz
1 to 5MHz	-37.37 dBm	-28.87 dB	4.300 MHz
5 to 6MHz	-40.84 dBm	-29.34 dB	5.500 MHz
6 to 10MHz	-40.86 dBm	-17.36 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=1 Position=#Max




Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-15.62 dBm	-2.12 dB	-0.015 MHz
1 to 5MHz	-37.70 dBm	-29.20 dB	-1.500 MHz
5 to 6MHz	-40.59 dBm	-29.09 dB	-5.500 MHz
6 to 10MHz	-40.99 dBm	-17.49 dB	-8.500 MHz
Upper			
0 to 1MHz	-49.19 dBm	-35.69 dB	0.045 MHz
1 to 5MHz	-25.30 dBm	-16.80 dB	4.300 MHz
5 to 6MHz	-41.57 dBm	-30.07 dB	5.500 MHz
6 to 10MHz	-41.91 dBm	-18.41 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Worst Value of Each Frequency Range

Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-49.68 dBm	-36.18 dB	-0.075 MHz
1 to 5MHz	-25.77 dBm	-17.27 dB	-4.300 MHz
5 to 6MHz	-41.53 dBm	-30.03 dB	-5.500 MHz
6 to 10MHz	-42.00 dBm	-18.50 dB	-6.500 MHz
Upper			
0 to 1MHz	-17.64 dBm	-4.14 dB	0.015 MHz
1 to 5MHz	-37.58 dBm	-29.08 dB	4.300 MHz
5 to 6MHz	-41.02 dBm	-29.52 dB	5.500 MHz
6 to 10MHz	-40.89 dBm	-17.39 dB	8.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=1 Position=#Max




Worst Value of Each Frequency Range


Frequency Range	Level	Mask Margin	Frequency
Lower			
0 to 1MHz	-30.34 dBm	-16.84 dB	-0.015 MHz
1 to 5MHz	-24.76 dBm	-16.26 dB	-1.500 MHz
5 to 6MHz	-33.98 dBm	-22.48 dB	-5.500 MHz
6 to 10MHz	-35.37 dBm	-11.87 dB	-6.500 MHz
Upper			
0 to 1MHz	-29.40 dBm	-15.90 dB	0.015 MHz
1 to 5MHz	-24.40 dBm	-15.90 dB	1.500 MHz
5 to 6MHz	-33.79 dBm	-22.29 dB	5.500 MHz
6 to 10MHz	-35.27 dBm	-11.77 dB	6.500 MHz
Template Judgement	Pass		

Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=50 Position=#0




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=50 Position=#0




Band41(2545-2650) 16QAM BW=15MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=100 Position=#0




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=100 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=25 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=25 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=50 Position=#0




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=50 Position=#0




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=100 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=100 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=25 Position=#0




Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=1 Position=#0



Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

06.LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18042	1	#0	QPSK	U-ACLR2-	-59.98	-35.2	PASS
Band1	5	18042	1	#0	QPSK	U-ACLR1-	-53.65	-32.2	PASS
Band1	5	18042	1	#0	QPSK	E-ACLR1-	-46.24	-29.2	PASS
Band1	5	18042	1	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18042	1	#0	QPSK	E-ACLR1+	-45.40	-29.2	PASS
Band1	5	18042	1	#0	QPSK	U-ACLR1+	-45.50	-32.2	PASS
Band1	5	18042	1	#0	QPSK	U-ACLR2+	-70.34	-35.2	PASS
Band1	5	18042	1	#Max	QPSK	U-ACLR2-	-70.50	-35.2	PASS
Band1	5	18042	1	#Max	QPSK	U-ACLR1-	-44.58	-32.2	PASS
Band1	5	18042	1	#Max	QPSK	E-ACLR1-	-44.49	-29.2	PASS
Band1	5	18042	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	5	18042	1	#Max	QPSK	E-ACLR1+	-46.32	-29.2	PASS
Band1	5	18042	1	#Max	QPSK	U-ACLR1+	-53.67	-32.2	PASS
Band1	5	18042	1	#Max	QPSK	U-ACLR2+	-59.04	-35.2	PASS
Band1	5	18042	25	#0	QPSK	U-ACLR2-	-57.96	-35.2	PASS
Band1	5	18042	25	#0	QPSK	U-ACLR1-	-46.50	-32.2	PASS
Band1	5	18042	25	#0	QPSK	E-ACLR1-	-45.64	-29.2	PASS
Band1	5	18042	25	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18042	25	#0	QPSK	E-ACLR1+	-45.83	-29.2	PASS
Band1	5	18042	25	#0	QPSK	U-ACLR1+	-46.69	-32.2	PASS
Band1	5	18042	25	#0	QPSK	U-ACLR2+	-56.79	-35.2	PASS
Band1	5	18042	1	#0	16QAM	U-ACLR2-	-59.61	-35.2	PASS
Band1	5	18042	1	#0	16QAM	U-ACLR1-	-53.09	-32.2	PASS
Band1	5	18042	1	#0	16QAM	E-ACLR1-	-45.67	-29.2	PASS
Band1	5	18042	1	#0	16QAM	EUTRA	0.00		PASS
Band1	5	18042	1	#0	16QAM	E-ACLR1+	-45.37	-29.2	PASS
Band1	5	18042	1	#0	16QAM	U-ACLR1+	-45.49	-32.2	PASS
Band1	5	18042	1	#0	16QAM	U-ACLR2+	-69.66	-35.2	PASS
Band1	5	18042	1	#Max	16QAM	U-ACLR2-	-69.70	-35.2	PASS
Band1	5	18042	1	#Max	16QAM	U-ACLR1-	-44.67	-32.2	PASS
Band1	5	18042	1	#Max	16QAM	E-ACLR1-	-44.58	-29.2	PASS
Band1	5	18042	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	5	18042	1	#Max	16QAM	E-ACLR1+	-45.82	-29.2	PASS
Band1	5	18042	1	#Max	16QAM	U-ACLR1+	-53.14	-32.2	PASS
Band1	5	18042	1	#Max	16QAM	U-ACLR2+	-58.48	-35.2	PASS
Band1	5	18042	25	#0	16QAM	U-ACLR2-	-59.05	-35.2	PASS
Band1	5	18042	25	#0	16QAM	U-ACLR1-	-46.72	-32.2	PASS
Band1	5	18042	25	#0	16QAM	E-ACLR1-	-45.74	-29.2	PASS
Band1	5	18042	25	#0	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18042	25	#0	16QAM	E-ACLR1+	-45.77	-29.2	PASS
Band1	5	18042	25	#0	16QAM	U-ACLR1+	-46.72	-32.2	PASS
Band1	5	18042	25	#0	16QAM	U-ACLR2+	-57.88	-35.2	PASS
Band1	5	18309	1	#0	QPSK	U-ACLR2-	-59.78	-35.2	PASS
Band1	5	18309	1	#0	QPSK	U-ACLR1-	-53.23	-32.2	PASS
Band1	5	18309	1	#0	QPSK	E-ACLR1-	-45.76	-29.2	PASS
Band1	5	18309	1	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18309	1	#0	QPSK	E-ACLR1+	-46.45	-29.2	PASS
Band1	5	18309	1	#0	QPSK	U-ACLR1+	-46.55	-32.2	PASS
Band1	5	18309	1	#0	QPSK	U-ACLR2+	-70.16	-35.2	PASS
Band1	5	18309	1	#Max	QPSK	U-ACLR2-	-70.25	-35.2	PASS
Band1	5	18309	1	#Max	QPSK	U-ACLR1-	-45.79	-32.2	PASS
Band1	5	18309	1	#Max	QPSK	E-ACLR1-	-45.68	-29.2	PASS
Band1	5	18309	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	5	18309	1	#Max	QPSK	E-ACLR1+	-46.47	-29.2	PASS
Band1	5	18309	1	#Max	QPSK	U-ACLR1+	-53.68	-32.2	PASS
Band1	5	18309	1	#Max	QPSK	U-ACLR2+	-59.80	-35.2	PASS
Band1	5	18309	25	#0	QPSK	U-ACLR2-	-58.13	-35.2	PASS
Band1	5	18309	25	#0	QPSK	U-ACLR1-	-41.57	-32.2	PASS
Band1	5	18309	25	#0	QPSK	E-ACLR1-	-40.68	-29.2	PASS
Band1	5	18309	25	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18309	25	#0	QPSK	E-ACLR1+	-41.18	-29.2	PASS
Band1	5	18309	25	#0	QPSK	U-ACLR1+	-42.13	-32.2	PASS
Band1	5	18309	25	#0	QPSK	U-ACLR2+	-60.07	-35.2	PASS
Band1	5	18309	1	#0	16QAM	U-ACLR2-	-59.45	-35.2	PASS
Band1	5	18309	1	#0	16QAM	U-ACLR1-	-52.38	-32.2	PASS
Band1	5	18309	1	#0	16QAM	E-ACLR1-	-44.91	-29.2	PASS
Band1	5	18309	1	#0	16QAM	EUTRA	0.00		PASS
Band1	5	18309	1	#0	16QAM	E-ACLR1+	-46.74	-29.2	PASS
Band1	5	18309	1	#0	16QAM	U-ACLR1+	-46.86	-32.2	PASS
Band1	5	18309	1	#0	16QAM	U-ACLR2+	-69.40	-35.2	PASS
Band1	5	18309	1	#Max	16QAM	U-ACLR2-	-69.53	-35.2	PASS
Band1	5	18309	1	#Max	16QAM	U-ACLR1-	-46.00	-32.2	PASS
Band1	5	18309	1	#Max	16QAM	E-ACLR1-	-45.88	-29.2	PASS
Band1	5	18309	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	5	18309	1	#Max	16QAM	E-ACLR1+	-45.06	-29.2	PASS
Band1	5	18309	1	#Max	16QAM	U-ACLR1+	-52.47	-32.2	PASS
Band1	5	18309	1	#Max	16QAM	U-ACLR2+	-59.04	-35.2	PASS
Band1	5	18309	25	#0	16QAM	U-ACLR2-	-59.88	-35.2	PASS
Band1	5	18309	25	#0	16QAM	U-ACLR1-	-43.62	-32.2	PASS
Band1	5	18309	25	#0	16QAM	E-ACLR1-	-42.65	-29.2	PASS
Band1	5	18309	25	#0	16QAM	EUTRA	0.00		PASS
Band1	5	18309	25	#0	16QAM	E-ACLR1+	-43.17	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18309	25	#0	16QAM	U-ACLR1+	-44.18	-32.2	PASS
Band1	5	18309	25	#0	16QAM	U-ACLR2+	-61.72	-35.2	PASS
Band1	5	18575	1	#0	QPSK	U-ACLR2-	-60.29	-35.2	PASS
Band1	5	18575	1	#0	QPSK	U-ACLR1-	-52.91	-32.2	PASS
Band1	5	18575	1	#0	QPSK	E-ACLR1-	-45.94	-29.2	PASS
Band1	5	18575	1	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18575	1	#0	QPSK	E-ACLR1+	-43.65	-29.2	PASS
Band1	5	18575	1	#0	QPSK	U-ACLR1+	-43.73	-32.2	PASS
Band1	5	18575	1	#0	QPSK	U-ACLR2+	-70.18	-35.2	PASS
Band1	5	18575	1	#Max	QPSK	U-ACLR2-	-70.46	-35.2	PASS
Band1	5	18575	1	#Max	QPSK	U-ACLR1-	-44.47	-32.2	PASS
Band1	5	18575	1	#Max	QPSK	E-ACLR1-	-44.38	-29.2	PASS
Band1	5	18575	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	5	18575	1	#Max	QPSK	E-ACLR1+	-46.36	-29.2	PASS
Band1	5	18575	1	#Max	QPSK	U-ACLR1+	-53.62	-32.2	PASS
Band1	5	18575	1	#Max	QPSK	U-ACLR2+	-62.47	-35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	-57.23	-35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	-46.13	-32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR1-	-45.23	-29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00		PASS
Band1	5	18575	25	#0	QPSK	E-ACLR1+	-45.13	-29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1+	-46.03	-32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	-56.32	-35.2	PASS
Band1	5	18575	1	#0	16QAM	U-ACLR2-	-59.55	-35.2	PASS
Band1	5	18575	1	#0	16QAM	U-ACLR1-	-52.39	-32.2	PASS
Band1	5	18575	1	#0	16QAM	E-ACLR1-	-45.12	-29.2	PASS
Band1	5	18575	1	#0	16QAM	EUTRA	0.00		PASS
Band1	5	18575	1	#0	16QAM	E-ACLR1+	-44.09	-29.2	PASS
Band1	5	18575	1	#0	16QAM	U-ACLR1+	-44.19	-32.2	PASS
Band1	5	18575	1	#0	16QAM	U-ACLR2+	-69.12	-35.2	PASS
Band1	5	18575	1	#Max	16QAM	U-ACLR2-	-69.80	-35.2	PASS
Band1	5	18575	1	#Max	16QAM	U-ACLR1-	-44.58	-32.2	PASS
Band1	5	18575	1	#Max	16QAM	E-ACLR1-	-44.49	-29.2	PASS
Band1	5	18575	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	5	18575	1	#Max	16QAM	E-ACLR1+	-45.92	-29.2	PASS
Band1	5	18575	1	#Max	16QAM	U-ACLR1+	-53.16	-32.2	PASS
Band1	5	18575	1	#Max	16QAM	U-ACLR2+	-60.55	-35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR2-	-56.86	-35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR1-	-45.19	-32.2	PASS
Band1	5	18575	25	#0	16QAM	E-ACLR1-	-44.20	-29.2	PASS
Band1	5	18575	25	#0	16QAM	EUTRA	0.00		PASS
Band1	5	18575	25	#0	16QAM	E-ACLR1+	-44.06	-29.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR1+	-45.03	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18575	25	#0	16QAM	U-ACLR2+	-55.79	-35.2	PASS
Band1	10	18107	1	#0	QPSK	U-ACLR2-	-64.47	-35.2	PASS
Band1	10	18107	1	#0	QPSK	U-ACLR1-	-51.20	-32.2	PASS
Band1	10	18107	1	#0	QPSK	E-ACLR1-	-51.69	-29.2	PASS
Band1	10	18107	1	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18107	1	#0	QPSK	E-ACLR1+	-44.12	-29.2	PASS
Band1	10	18107	1	#0	QPSK	U-ACLR1+	-59.42	-32.2	PASS
Band1	10	18107	1	#0	QPSK	U-ACLR2+	-44.27	-35.2	PASS
Band1	10	18107	1	#Max	QPSK	U-ACLR2-	-46.21	-35.2	PASS
Band1	10	18107	1	#Max	QPSK	U-ACLR1-	-60.38	-32.2	PASS
Band1	10	18107	1	#Max	QPSK	E-ACLR1-	-46.02	-29.2	PASS
Band1	10	18107	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	10	18107	1	#Max	QPSK	E-ACLR1+	-51.49	-29.2	PASS
Band1	10	18107	1	#Max	QPSK	U-ACLR1+	-50.99	-32.2	PASS
Band1	10	18107	1	#Max	QPSK	U-ACLR2+	-63.89	-35.2	PASS
Band1	10	18107	50	#0	QPSK	U-ACLR2-	-52.20	-35.2	PASS
Band1	10	18107	50	#0	QPSK	U-ACLR1-	-47.88	-32.2	PASS
Band1	10	18107	50	#0	QPSK	E-ACLR1-	-45.83	-29.2	PASS
Band1	10	18107	50	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18107	50	#0	QPSK	E-ACLR1+	-45.22	-29.2	PASS
Band1	10	18107	50	#0	QPSK	U-ACLR1+	-47.84	-32.2	PASS
Band1	10	18107	50	#0	QPSK	U-ACLR2+	-50.22	-35.2	PASS
Band1	10	18107	1	#0	16QAM	U-ACLR2-	-63.76	-35.2	PASS
Band1	10	18107	1	#0	16QAM	U-ACLR1-	-50.85	-32.2	PASS
Band1	10	18107	1	#0	16QAM	E-ACLR1-	-51.34	-29.2	PASS
Band1	10	18107	1	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18107	1	#0	16QAM	E-ACLR1+	-44.09	-29.2	PASS
Band1	10	18107	1	#0	16QAM	U-ACLR1+	-58.85	-32.2	PASS
Band1	10	18107	1	#0	16QAM	U-ACLR2+	-44.26	-35.2	PASS
Band1	10	18107	1	#Max	16QAM	U-ACLR2-	-46.19	-35.2	PASS
Band1	10	18107	1	#Max	16QAM	U-ACLR1-	-59.81	-32.2	PASS
Band1	10	18107	1	#Max	16QAM	E-ACLR1-	-45.98	-29.2	PASS
Band1	10	18107	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	10	18107	1	#Max	16QAM	E-ACLR1+	-51.49	-29.2	PASS
Band1	10	18107	1	#Max	16QAM	U-ACLR1+	-51.07	-32.2	PASS
Band1	10	18107	1	#Max	16QAM	U-ACLR2+	-63.15	-35.2	PASS
Band1	10	18107	50	#0	16QAM	U-ACLR2-	-53.42	-35.2	PASS
Band1	10	18107	50	#0	16QAM	U-ACLR1-	-47.50	-32.2	PASS
Band1	10	18107	50	#0	16QAM	E-ACLR1-	-45.87	-29.2	PASS
Band1	10	18107	50	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18107	50	#0	16QAM	E-ACLR1+	-44.98	-29.2	PASS
Band1	10	18107	50	#0	16QAM	U-ACLR1+	-46.96	-32.2	PASS
Band1	10	18107	50	#0	16QAM	U-ACLR2+	-51.41	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18329	1	#0	QPSK	U-ACLR2-	-64.01	-35.2	PASS
Band1	10	18329	1	#0	QPSK	U-ACLR1-	-51.11	-32.2	PASS
Band1	10	18329	1	#0	QPSK	E-ACLR1-	-51.56	-29.2	PASS
Band1	10	18329	1	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18329	1	#0	QPSK	E-ACLR1+	-46.57	-29.2	PASS
Band1	10	18329	1	#0	QPSK	U-ACLR1+	-61.85	-32.2	PASS
Band1	10	18329	1	#0	QPSK	U-ACLR2+	-46.72	-35.2	PASS
Band1	10	18329	1	#Max	QPSK	U-ACLR2-	-44.87	-35.2	PASS
Band1	10	18329	1	#Max	QPSK	U-ACLR1-	-59.03	-32.2	PASS
Band1	10	18329	1	#Max	QPSK	E-ACLR1-	-44.68	-29.2	PASS
Band1	10	18329	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	10	18329	1	#Max	QPSK	E-ACLR1+	-51.90	-29.2	PASS
Band1	10	18329	1	#Max	QPSK	U-ACLR1+	-51.41	-32.2	PASS
Band1	10	18329	1	#Max	QPSK	U-ACLR2+	-64.20	-35.2	PASS
Band1	10	18329	50	#0	QPSK	U-ACLR2-	-48.30	-35.2	PASS
Band1	10	18329	50	#0	QPSK	U-ACLR1-	-41.73	-32.2	PASS
Band1	10	18329	50	#0	QPSK	E-ACLR1-	-40.20	-29.2	PASS
Band1	10	18329	50	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18329	50	#0	QPSK	E-ACLR1+	-41.48	-29.2	PASS
Band1	10	18329	50	#0	QPSK	U-ACLR1+	-42.85	-32.2	PASS
Band1	10	18329	50	#0	QPSK	U-ACLR2+	-50.30	-35.2	PASS
Band1	10	18329	1	#0	16QAM	U-ACLR2-	-63.45	-35.2	PASS
Band1	10	18329	1	#0	16QAM	U-ACLR1-	-50.98	-32.2	PASS
Band1	10	18329	1	#0	16QAM	E-ACLR1-	-51.37	-29.2	PASS
Band1	10	18329	1	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18329	1	#0	16QAM	E-ACLR1+	-46.95	-29.2	PASS
Band1	10	18329	1	#0	16QAM	U-ACLR1+	-61.08	-32.2	PASS
Band1	10	18329	1	#0	16QAM	U-ACLR2+	-47.15	-35.2	PASS
Band1	10	18329	1	#Max	16QAM	U-ACLR2-	-45.15	-35.2	PASS
Band1	10	18329	1	#Max	16QAM	U-ACLR1-	-58.59	-32.2	PASS
Band1	10	18329	1	#Max	16QAM	E-ACLR1-	-44.93	-29.2	PASS
Band1	10	18329	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	10	18329	1	#Max	16QAM	E-ACLR1+	-51.37	-29.2	PASS
Band1	10	18329	1	#Max	16QAM	U-ACLR1+	-50.90	-32.2	PASS
Band1	10	18329	1	#Max	16QAM	U-ACLR2+	-63.61	-35.2	PASS
Band1	10	18329	50	#0	16QAM	U-ACLR2-	-50.85	-35.2	PASS
Band1	10	18329	50	#0	16QAM	U-ACLR1-	-43.54	-32.2	PASS
Band1	10	18329	50	#0	16QAM	E-ACLR1-	-42.16	-29.2	PASS
Band1	10	18329	50	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18329	50	#0	16QAM	E-ACLR1+	-43.46	-29.2	PASS
Band1	10	18329	50	#0	16QAM	U-ACLR1+	-44.68	-32.2	PASS
Band1	10	18329	50	#0	16QAM	U-ACLR2+	-52.99	-35.2	PASS
Band1	10	18550	1	#0	QPSK	U-ACLR2-	-63.48	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18550	1	#0	QPSK	U-ACLR1-	-51.22	-32.2	PASS
Band1	10	18550	1	#0	QPSK	E-ACLR1-	-51.65	-29.2	PASS
Band1	10	18550	1	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18550	1	#0	QPSK	E-ACLR1+	-44.60	-29.2	PASS
Band1	10	18550	1	#0	QPSK	U-ACLR1+	-59.54	-32.2	PASS
Band1	10	18550	1	#0	QPSK	U-ACLR2+	-44.77	-35.2	PASS
Band1	10	18550	1	#Max	QPSK	U-ACLR2-	-45.53	-35.2	PASS
Band1	10	18550	1	#Max	QPSK	U-ACLR1-	-60.15	-32.2	PASS
Band1	10	18550	1	#Max	QPSK	E-ACLR1-	-45.35	-29.2	PASS
Band1	10	18550	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	10	18550	1	#Max	QPSK	E-ACLR1+	-52.04	-29.2	PASS
Band1	10	18550	1	#Max	QPSK	U-ACLR1+	-51.63	-32.2	PASS
Band1	10	18550	1	#Max	QPSK	U-ACLR2+	-63.68	-35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	-51.47	-35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	-46.44	-32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR1-	-44.55	-29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00		PASS
Band1	10	18550	50	#0	QPSK	E-ACLR1+	-45.12	-29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1+	-47.34	-32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	-50.88	-35.2	PASS
Band1	10	18550	1	#0	16QAM	U-ACLR2-	-62.91	-35.2	PASS
Band1	10	18550	1	#0	16QAM	U-ACLR1-	-51.05	-32.2	PASS
Band1	10	18550	1	#0	16QAM	E-ACLR1-	-51.46	-29.2	PASS
Band1	10	18550	1	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18550	1	#0	16QAM	E-ACLR1+	-44.77	-29.2	PASS
Band1	10	18550	1	#0	16QAM	U-ACLR1+	-59.03	-32.2	PASS
Band1	10	18550	1	#0	16QAM	U-ACLR2+	-44.96	-35.2	PASS
Band1	10	18550	1	#Max	16QAM	U-ACLR2-	-45.60	-35.2	PASS
Band1	10	18550	1	#Max	16QAM	U-ACLR1-	-59.54	-32.2	PASS
Band1	10	18550	1	#Max	16QAM	E-ACLR1-	-45.40	-29.2	PASS
Band1	10	18550	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	10	18550	1	#Max	16QAM	E-ACLR1+	-51.34	-29.2	PASS
Band1	10	18550	1	#Max	16QAM	U-ACLR1+	-50.90	-32.2	PASS
Band1	10	18550	1	#Max	16QAM	U-ACLR2+	-62.91	-35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2-	-52.26	-35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR1-	-45.88	-32.2	PASS
Band1	10	18550	50	#0	16QAM	E-ACLR1-	-44.31	-29.2	PASS
Band1	10	18550	50	#0	16QAM	EUTRA	0.00		PASS
Band1	10	18550	50	#0	16QAM	E-ACLR1+	-44.51	-29.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR1+	-46.27	-32.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2+	-51.58	-35.2	PASS
Band1	15	18182	1	#0	QPSK	U-ACLR2-	-62.87	-35.2	PASS
Band1	15	18182	1	#0	QPSK	U-ACLR1-	-50.54	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18182	1	#0	QPSK	E-ACLR1-	-54.16	-29.2	PASS
Band1	15	18182	1	#0	QPSK	EUTRA	0.00		PASS
Band1	15	18182	1	#0	QPSK	E-ACLR1+	-45.65	-29.2	PASS
Band1	15	18182	1	#0	QPSK	U-ACLR1+	-60.25	-32.2	PASS
Band1	15	18182	1	#0	QPSK	U-ACLR2+	-59.82	-35.2	PASS
Band1	15	18182	1	#Max	QPSK	U-ACLR2-	-61.97	-35.2	PASS
Band1	15	18182	1	#Max	QPSK	U-ACLR1-	-62.31	-32.2	PASS
Band1	15	18182	1	#Max	QPSK	E-ACLR1-	-46.11	-29.2	PASS
Band1	15	18182	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	15	18182	1	#Max	QPSK	E-ACLR1+	-53.93	-29.2	PASS
Band1	15	18182	1	#Max	QPSK	U-ACLR1+	-50.11	-32.2	PASS
Band1	15	18182	1	#Max	QPSK	U-ACLR2+	-62.75	-35.2	PASS
Band1	15	18182	75	#0	QPSK	U-ACLR2-	-51.81	-35.2	PASS
Band1	15	18182	75	#0	QPSK	U-ACLR1-	-48.62	-32.2	PASS
Band1	15	18182	75	#0	QPSK	E-ACLR1-	-45.85	-29.2	PASS
Band1	15	18182	75	#0	QPSK	EUTRA	0.00		PASS
Band1	15	18182	75	#0	QPSK	E-ACLR1+	-44.06	-29.2	PASS
Band1	15	18182	75	#0	QPSK	U-ACLR1+	-46.99	-32.2	PASS
Band1	15	18182	75	#0	QPSK	U-ACLR2+	-49.69	-35.2	PASS
Band1	15	18182	1	#0	16QAM	U-ACLR2-	-62.22	-35.2	PASS
Band1	15	18182	1	#0	16QAM	U-ACLR1-	-49.72	-32.2	PASS
Band1	15	18182	1	#0	16QAM	E-ACLR1-	-53.55	-29.2	PASS
Band1	15	18182	1	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18182	1	#0	16QAM	E-ACLR1+	-45.63	-29.2	PASS
Band1	15	18182	1	#0	16QAM	U-ACLR1+	-59.55	-32.2	PASS
Band1	15	18182	1	#0	16QAM	U-ACLR2+	-59.50	-35.2	PASS
Band1	15	18182	1	#Max	16QAM	U-ACLR2-	-61.67	-35.2	PASS
Band1	15	18182	1	#Max	16QAM	U-ACLR1-	-61.67	-32.2	PASS
Band1	15	18182	1	#Max	16QAM	E-ACLR1-	-46.35	-29.2	PASS
Band1	15	18182	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	15	18182	1	#Max	16QAM	E-ACLR1+	-53.38	-29.2	PASS
Band1	15	18182	1	#Max	16QAM	U-ACLR1+	-49.59	-32.2	PASS
Band1	15	18182	1	#Max	16QAM	U-ACLR2+	-62.49	-35.2	PASS
Band1	15	18182	75	#0	16QAM	U-ACLR2-	-52.26	-35.2	PASS
Band1	15	18182	75	#0	16QAM	U-ACLR1-	-48.84	-32.2	PASS
Band1	15	18182	75	#0	16QAM	E-ACLR1-	-46.28	-29.2	PASS
Band1	15	18182	75	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18182	75	#0	16QAM	E-ACLR1+	-44.75	-29.2	PASS
Band1	15	18182	75	#0	16QAM	U-ACLR1+	-47.28	-32.2	PASS
Band1	15	18182	75	#0	16QAM	U-ACLR2+	-50.70	-35.2	PASS
Band1	15	18354	1	#0	QPSK	U-ACLR2-	-63.28	-35.2	PASS
Band1	15	18354	1	#0	QPSK	U-ACLR1-	-49.91	-32.2	PASS
Band1	15	18354	1	#0	QPSK	E-ACLR1-	-53.67	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18354	1	#0	QPSK	EUTRA	0.00		PASS
Band1	15	18354	1	#0	QPSK	E-ACLR1+	-46.60	-29.2	PASS
Band1	15	18354	1	#0	QPSK	U-ACLR1+	-62.33	-32.2	PASS
Band1	15	18354	1	#0	QPSK	U-ACLR2+	-61.97	-35.2	PASS
Band1	15	18354	1	#Max	QPSK	U-ACLR2-	-58.73	-35.2	PASS
Band1	15	18354	1	#Max	QPSK	U-ACLR1-	-59.75	-32.2	PASS
Band1	15	18354	1	#Max	QPSK	E-ACLR1-	-43.47	-29.2	PASS
Band1	15	18354	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	15	18354	1	#Max	QPSK	E-ACLR1+	-54.11	-29.2	PASS
Band1	15	18354	1	#Max	QPSK	U-ACLR1+	-50.71	-32.2	PASS
Band1	15	18354	1	#Max	QPSK	U-ACLR2+	-61.62	-35.2	PASS
Band1	15	18354	75	#0	QPSK	U-ACLR2-	-46.45	-35.2	PASS
Band1	15	18354	75	#0	QPSK	U-ACLR1-	-43.40	-32.2	PASS
Band1	15	18354	75	#0	QPSK	E-ACLR1-	-40.74	-29.2	PASS
Band1	15	18354	75	#0	QPSK	EUTRA	0.00		PASS
Band1	15	18354	75	#0	QPSK	E-ACLR1+	-42.71	-29.2	PASS
Band1	15	18354	75	#0	QPSK	U-ACLR1+	-45.15	-32.2	PASS
Band1	15	18354	75	#0	QPSK	U-ACLR2+	-48.56	-35.2	PASS
Band1	15	18354	1	#0	16QAM	U-ACLR2-	-62.83	-35.2	PASS
Band1	15	18354	1	#0	16QAM	U-ACLR1-	-49.83	-32.2	PASS
Band1	15	18354	1	#0	16QAM	E-ACLR1-	-53.47	-29.2	PASS
Band1	15	18354	1	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18354	1	#0	16QAM	E-ACLR1+	-46.82	-29.2	PASS
Band1	15	18354	1	#0	16QAM	U-ACLR1+	-61.50	-32.2	PASS
Band1	15	18354	1	#0	16QAM	U-ACLR2+	-61.58	-35.2	PASS
Band1	15	18354	1	#Max	16QAM	U-ACLR2-	-58.58	-35.2	PASS
Band1	15	18354	1	#Max	16QAM	U-ACLR1-	-59.10	-32.2	PASS
Band1	15	18354	1	#Max	16QAM	E-ACLR1-	-43.55	-29.2	PASS
Band1	15	18354	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	15	18354	1	#Max	16QAM	E-ACLR1+	-53.38	-29.2	PASS
Band1	15	18354	1	#Max	16QAM	U-ACLR1+	-49.82	-32.2	PASS
Band1	15	18354	1	#Max	16QAM	U-ACLR2+	-61.45	-35.2	PASS
Band1	15	18354	75	#0	16QAM	U-ACLR2-	-48.45	-35.2	PASS
Band1	15	18354	75	#0	16QAM	U-ACLR1-	-44.86	-32.2	PASS
Band1	15	18354	75	#0	16QAM	E-ACLR1-	-42.48	-29.2	PASS
Band1	15	18354	75	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18354	75	#0	16QAM	E-ACLR1+	-44.47	-29.2	PASS
Band1	15	18354	75	#0	16QAM	U-ACLR1+	-46.66	-32.2	PASS
Band1	15	18354	75	#0	16QAM	U-ACLR2+	-50.67	-35.2	PASS
Band1	15	18525	1	#0	QPSK	U-ACLR2-	-61.44	-35.2	PASS
Band1	15	18525	1	#0	QPSK	U-ACLR1-	-49.82	-32.2	PASS
Band1	15	18525	1	#0	QPSK	E-ACLR1-	-53.10	-29.2	PASS
Band1	15	18525	1	#0	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18525	1	#0	QPSK	E-ACLR1+	-45.42	-29.2	PASS
Band1	15	18525	1	#0	QPSK	U-ACLR1+	-60.24	-32.2	PASS
Band1	15	18525	1	#0	QPSK	U-ACLR2+	-59.48	-35.2	PASS
Band1	15	18525	1	#Max	QPSK	U-ACLR2-	-59.46	-35.2	PASS
Band1	15	18525	1	#Max	QPSK	U-ACLR1-	-60.88	-32.2	PASS
Band1	15	18525	1	#Max	QPSK	E-ACLR1-	-43.20	-29.2	PASS
Band1	15	18525	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	15	18525	1	#Max	QPSK	E-ACLR1+	-53.33	-29.2	PASS
Band1	15	18525	1	#Max	QPSK	U-ACLR1+	-50.13	-32.2	PASS
Band1	15	18525	1	#Max	QPSK	U-ACLR2+	-60.78	-35.2	PASS
Band1	15	18525	75	#0	QPSK	U-ACLR2-	-48.86	-35.2	PASS
Band1	15	18525	75	#0	QPSK	U-ACLR1-	-46.68	-32.2	PASS
Band1	15	18525	75	#0	QPSK	E-ACLR1-	-43.61	-29.2	PASS
Band1	15	18525	75	#0	QPSK	EUTRA	0.00		PASS
Band1	15	18525	75	#0	QPSK	E-ACLR1+	-45.36	-29.2	PASS
Band1	15	18525	75	#0	QPSK	U-ACLR1+	-48.62	-32.2	PASS
Band1	15	18525	75	#0	QPSK	U-ACLR2+	-51.25	-35.2	PASS
Band1	15	18525	1	#0	16QAM	U-ACLR2-	-61.49	-35.2	PASS
Band1	15	18525	1	#0	16QAM	U-ACLR1-	-49.45	-32.2	PASS
Band1	15	18525	1	#0	16QAM	E-ACLR1-	-53.07	-29.2	PASS
Band1	15	18525	1	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18525	1	#0	16QAM	E-ACLR1+	-45.71	-29.2	PASS
Band1	15	18525	1	#0	16QAM	U-ACLR1+	-59.85	-32.2	PASS
Band1	15	18525	1	#0	16QAM	U-ACLR2+	-59.31	-35.2	PASS
Band1	15	18525	1	#Max	16QAM	U-ACLR2-	-59.20	-35.2	PASS
Band1	15	18525	1	#Max	16QAM	U-ACLR1-	-60.24	-32.2	PASS
Band1	15	18525	1	#Max	16QAM	E-ACLR1-	-43.30	-29.2	PASS
Band1	15	18525	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	15	18525	1	#Max	16QAM	E-ACLR1+	-53.00	-29.2	PASS
Band1	15	18525	1	#Max	16QAM	U-ACLR1+	-49.83	-32.2	PASS
Band1	15	18525	1	#Max	16QAM	U-ACLR2+	-60.55	-35.2	PASS
Band1	15	18525	75	#0	16QAM	U-ACLR2-	-49.06	-35.2	PASS
Band1	15	18525	75	#0	16QAM	U-ACLR1-	-46.45	-32.2	PASS
Band1	15	18525	75	#0	16QAM	E-ACLR1-	-43.61	-29.2	PASS
Band1	15	18525	75	#0	16QAM	EUTRA	0.00		PASS
Band1	15	18525	75	#0	16QAM	E-ACLR1+	-44.68	-29.2	PASS
Band1	15	18525	75	#0	16QAM	U-ACLR1+	-47.55	-32.2	PASS
Band1	15	18525	75	#0	16QAM	U-ACLR2+	-50.48	-35.2	PASS
Band1	20	18257	1	#0	QPSK	U-ACLR2-	-63.79	-35.2	PASS
Band1	20	18257	1	#0	QPSK	U-ACLR1-	-53.29	-32.2	PASS
Band1	20	18257	1	#0	QPSK	E-ACLR1-	-57.01	-29.2	PASS
Band1	20	18257	1	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18257	1	#0	QPSK	E-ACLR1+	-47.19	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18257	1	#0	QPSK	U-ACLR1+	-62.75	-32.2	PASS
Band1	20	18257	1	#0	QPSK	U-ACLR2+	-64.13	-35.2	PASS
Band1	20	18257	1	#Max	QPSK	U-ACLR2-	-63.13	-35.2	PASS
Band1	20	18257	1	#Max	QPSK	U-ACLR1-	-62.04	-32.2	PASS
Band1	20	18257	1	#Max	QPSK	E-ACLR1-	-47.52	-29.2	PASS
Band1	20	18257	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	20	18257	1	#Max	QPSK	E-ACLR1+	-56.35	-29.2	PASS
Band1	20	18257	1	#Max	QPSK	U-ACLR1+	-53.18	-32.2	PASS
Band1	20	18257	1	#Max	QPSK	U-ACLR2+	-62.64	-35.2	PASS
Band1	20	18257	100	#0	QPSK	U-ACLR2-	-51.27	-35.2	PASS
Band1	20	18257	100	#0	QPSK	U-ACLR1-	-48.38	-32.2	PASS
Band1	20	18257	100	#0	QPSK	E-ACLR1-	-44.90	-29.2	PASS
Band1	20	18257	100	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18257	100	#0	QPSK	E-ACLR1+	-43.67	-29.2	PASS
Band1	20	18257	100	#0	QPSK	U-ACLR1+	-46.87	-32.2	PASS
Band1	20	18257	100	#0	QPSK	U-ACLR2+	-49.36	-35.2	PASS
Band1	20	18257	1	#0	16QAM	U-ACLR2-	-63.40	-35.2	PASS
Band1	20	18257	1	#0	16QAM	U-ACLR1-	-52.70	-32.2	PASS
Band1	20	18257	1	#0	16QAM	E-ACLR1-	-56.51	-29.2	PASS
Band1	20	18257	1	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18257	1	#0	16QAM	E-ACLR1+	-47.32	-29.2	PASS
Band1	20	18257	1	#0	16QAM	U-ACLR1+	-61.93	-32.2	PASS
Band1	20	18257	1	#0	16QAM	U-ACLR2+	-63.80	-35.2	PASS
Band1	20	18257	1	#Max	16QAM	U-ACLR2-	-62.82	-35.2	PASS
Band1	20	18257	1	#Max	16QAM	U-ACLR1-	-61.44	-32.2	PASS
Band1	20	18257	1	#Max	16QAM	E-ACLR1-	-47.54	-29.2	PASS
Band1	20	18257	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	20	18257	1	#Max	16QAM	E-ACLR1+	-55.85	-29.2	PASS
Band1	20	18257	1	#Max	16QAM	U-ACLR1+	-52.81	-32.2	PASS
Band1	20	18257	1	#Max	16QAM	U-ACLR2+	-62.27	-35.2	PASS
Band1	20	18257	100	#0	16QAM	U-ACLR2-	-51.99	-35.2	PASS
Band1	20	18257	100	#0	16QAM	U-ACLR1-	-49.11	-32.2	PASS
Band1	20	18257	100	#0	16QAM	E-ACLR1-	-45.83	-29.2	PASS
Band1	20	18257	100	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18257	100	#0	16QAM	E-ACLR1+	-44.99	-29.2	PASS
Band1	20	18257	100	#0	16QAM	U-ACLR1+	-47.92	-32.2	PASS
Band1	20	18257	100	#0	16QAM	U-ACLR2+	-50.79	-35.2	PASS
Band1	20	18379	1	#0	QPSK	U-ACLR2-	-63.25	-35.2	PASS
Band1	20	18379	1	#0	QPSK	U-ACLR1-	-52.66	-32.2	PASS
Band1	20	18379	1	#0	QPSK	E-ACLR1-	-56.58	-29.2	PASS
Band1	20	18379	1	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18379	1	#0	QPSK	E-ACLR1+	-48.24	-29.2	PASS
Band1	20	18379	1	#0	QPSK	U-ACLR1+	-63.59	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18379	1	#0	QPSK	U-ACLR2+	-64.69	-35.2	PASS
Band1	20	18379	1	#Max	QPSK	U-ACLR2-	-61.09	-35.2	PASS
Band1	20	18379	1	#Max	QPSK	U-ACLR1-	-60.35	-32.2	PASS
Band1	20	18379	1	#Max	QPSK	E-ACLR1-	-44.40	-29.2	PASS
Band1	20	18379	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	20	18379	1	#Max	QPSK	E-ACLR1+	-56.05	-29.2	PASS
Band1	20	18379	1	#Max	QPSK	U-ACLR1+	-53.17	-32.2	PASS
Band1	20	18379	1	#Max	QPSK	U-ACLR2+	-61.95	-35.2	PASS
Band1	20	18379	100	#0	QPSK	U-ACLR2-	-46.76	-35.2	PASS
Band1	20	18379	100	#0	QPSK	U-ACLR1-	-44.66	-32.2	PASS
Band1	20	18379	100	#0	QPSK	E-ACLR1-	-41.12	-29.2	PASS
Band1	20	18379	100	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18379	100	#0	QPSK	E-ACLR1+	-43.68	-29.2	PASS
Band1	20	18379	100	#0	QPSK	U-ACLR1+	-47.00	-32.2	PASS
Band1	20	18379	100	#0	QPSK	U-ACLR2+	-49.50	-35.2	PASS
Band1	20	18379	1	#0	16QAM	U-ACLR2-	-62.95	-35.2	PASS
Band1	20	18379	1	#0	16QAM	U-ACLR1-	-52.32	-32.2	PASS
Band1	20	18379	1	#0	16QAM	E-ACLR1-	-56.09	-29.2	PASS
Band1	20	18379	1	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18379	1	#0	16QAM	E-ACLR1+	-48.31	-29.2	PASS
Band1	20	18379	1	#0	16QAM	U-ACLR1+	-62.88	-32.2	PASS
Band1	20	18379	1	#0	16QAM	U-ACLR2+	-64.18	-35.2	PASS
Band1	20	18379	1	#Max	16QAM	U-ACLR2-	-60.77	-35.2	PASS
Band1	20	18379	1	#Max	16QAM	U-ACLR1-	-59.67	-32.2	PASS
Band1	20	18379	1	#Max	16QAM	E-ACLR1-	-44.60	-29.2	PASS
Band1	20	18379	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	20	18379	1	#Max	16QAM	E-ACLR1+	-55.35	-29.2	PASS
Band1	20	18379	1	#Max	16QAM	U-ACLR1+	-52.50	-32.2	PASS
Band1	20	18379	1	#Max	16QAM	U-ACLR2+	-61.58	-35.2	PASS
Band1	20	18379	100	#0	16QAM	U-ACLR2-	-48.11	-35.2	PASS
Band1	20	18379	100	#0	16QAM	U-ACLR1-	-45.70	-32.2	PASS
Band1	20	18379	100	#0	16QAM	E-ACLR1-	-42.45	-29.2	PASS
Band1	20	18379	100	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18379	100	#0	16QAM	E-ACLR1+	-44.98	-29.2	PASS
Band1	20	18379	100	#0	16QAM	U-ACLR1+	-48.10	-32.2	PASS
Band1	20	18379	100	#0	16QAM	U-ACLR2+	-50.88	-35.2	PASS
Band1	20	18500	1	#0	QPSK	U-ACLR2-	-62.11	-35.2	PASS
Band1	20	18500	1	#0	QPSK	U-ACLR1-	-53.05	-32.2	PASS
Band1	20	18500	1	#0	QPSK	E-ACLR1-	-55.76	-29.2	PASS
Band1	20	18500	1	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18500	1	#0	QPSK	E-ACLR1+	-46.97	-29.2	PASS
Band1	20	18500	1	#0	QPSK	U-ACLR1+	-62.02	-32.2	PASS
Band1	20	18500	1	#0	QPSK	U-ACLR2+	-63.15	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18500	1	#Max	QPSK	U-ACLR2-	-61.55	-35.2	PASS
Band1	20	18500	1	#Max	QPSK	U-ACLR1-	-61.62	-32.2	PASS
Band1	20	18500	1	#Max	QPSK	E-ACLR1-	-44.05	-29.2	PASS
Band1	20	18500	1	#Max	QPSK	EUTRA	0.00		PASS
Band1	20	18500	1	#Max	QPSK	E-ACLR1+	-56.07	-29.2	PASS
Band1	20	18500	1	#Max	QPSK	U-ACLR1+	-53.18	-32.2	PASS
Band1	20	18500	1	#Max	QPSK	U-ACLR2+	-61.73	-35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	-48.11	-35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	-46.70	-32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR1-	-42.55	-29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00		PASS
Band1	20	18500	100	#0	QPSK	E-ACLR1+	-45.70	-29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1+	-49.82	-32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	-52.17	-35.2	PASS
Band1	20	18500	1	#0	16QAM	U-ACLR2-	-61.80	-35.2	PASS
Band1	20	18500	1	#0	16QAM	U-ACLR1-	-52.62	-32.2	PASS
Band1	20	18500	1	#0	16QAM	E-ACLR1-	-55.38	-29.2	PASS
Band1	20	18500	1	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18500	1	#0	16QAM	E-ACLR1+	-47.20	-29.2	PASS
Band1	20	18500	1	#0	16QAM	U-ACLR1+	-61.23	-32.2	PASS
Band1	20	18500	1	#0	16QAM	U-ACLR2+	-62.67	-35.2	PASS
Band1	20	18500	1	#Max	16QAM	U-ACLR2-	-61.31	-35.2	PASS
Band1	20	18500	1	#Max	16QAM	U-ACLR1-	-60.83	-32.2	PASS
Band1	20	18500	1	#Max	16QAM	E-ACLR1-	-44.27	-29.2	PASS
Band1	20	18500	1	#Max	16QAM	EUTRA	0.00		PASS
Band1	20	18500	1	#Max	16QAM	E-ACLR1+	-55.55	-29.2	PASS
Band1	20	18500	1	#Max	16QAM	U-ACLR1+	-52.66	-32.2	PASS
Band1	20	18500	1	#Max	16QAM	U-ACLR2+	-61.39	-35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2-	-48.32	-35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR1-	-46.73	-32.2	PASS
Band1	20	18500	100	#0	16QAM	E-ACLR1-	-42.89	-29.2	PASS
Band1	20	18500	100	#0	16QAM	EUTRA	0.00		PASS
Band1	20	18500	100	#0	16QAM	E-ACLR1+	-45.19	-29.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR1+	-48.86	-32.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2+	-51.14	-35.2	PASS
Band3	3	19215	1	#0	QPSK	U-ACLR1-	-58.57	-32.2	PASS
Band3	3	19215	1	#0	QPSK	E-ACLR1-	-55.94	-29.2	PASS
Band3	3	19215	1	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19215	1	#0	QPSK	E-ACLR1+	-50.04	-29.2	PASS
Band3	3	19215	1	#0	QPSK	U-ACLR1+	-50.06	-32.2	PASS
Band3	3	19215	1	#Max	QPSK	U-ACLR1-	-51.14	-32.2	PASS
Band3	3	19215	1	#Max	QPSK	E-ACLR1-	-51.14	-29.2	PASS
Band3	3	19215	1	#Max	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	3	19215	1	#Max	QPSK	E-ACLR1+	-55.85	-29.2	PASS
Band3	3	19215	1	#Max	QPSK	U-ACLR1+	-58.02	-32.2	PASS
Band3	3	19215	15	#0	QPSK	U-ACLR1-	-51.08	-32.2	PASS
Band3	3	19215	15	#0	QPSK	E-ACLR1-	-50.27	-29.2	PASS
Band3	3	19215	15	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19215	15	#0	QPSK	E-ACLR1+	-49.52	-29.2	PASS
Band3	3	19215	15	#0	QPSK	U-ACLR1+	-50.34	-32.2	PASS
Band3	3	19215	1	#0	16QAM	U-ACLR1-	-55.34	-32.2	PASS
Band3	3	19215	1	#0	16QAM	E-ACLR1-	-53.69	-29.2	PASS
Band3	3	19215	1	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19215	1	#0	16QAM	E-ACLR1+	-50.09	-29.2	PASS
Band3	3	19215	1	#0	16QAM	U-ACLR1+	-50.11	-32.2	PASS
Band3	3	19215	1	#Max	16QAM	U-ACLR1-	-51.36	-32.2	PASS
Band3	3	19215	1	#Max	16QAM	E-ACLR1-	-51.36	-29.2	PASS
Band3	3	19215	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	3	19215	1	#Max	16QAM	E-ACLR1+	-52.76	-29.2	PASS
Band3	3	19215	1	#Max	16QAM	U-ACLR1+	-53.79	-32.2	PASS
Band3	3	19215	15	#0	16QAM	U-ACLR1-	-50.85	-32.2	PASS
Band3	3	19215	15	#0	16QAM	E-ACLR1-	-49.91	-29.2	PASS
Band3	3	19215	15	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19215	15	#0	16QAM	E-ACLR1+	-49.33	-29.2	PASS
Band3	3	19215	15	#0	16QAM	U-ACLR1+	-50.23	-32.2	PASS
Band3	3	19575	1	#0	QPSK	U-ACLR1-	-57.64	-32.2	PASS
Band3	3	19575	1	#0	QPSK	E-ACLR1-	-55.85	-29.2	PASS
Band3	3	19575	1	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19575	1	#0	QPSK	E-ACLR1+	-47.12	-29.2	PASS
Band3	3	19575	1	#0	QPSK	U-ACLR1+	-47.13	-32.2	PASS
Band3	3	19575	1	#Max	QPSK	U-ACLR1-	-46.53	-32.2	PASS
Band3	3	19575	1	#Max	QPSK	E-ACLR1-	-46.53	-29.2	PASS
Band3	3	19575	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	3	19575	1	#Max	QPSK	E-ACLR1+	-56.58	-29.2	PASS
Band3	3	19575	1	#Max	QPSK	U-ACLR1+	-58.76	-32.2	PASS
Band3	3	19575	15	#0	QPSK	U-ACLR1-	-51.90	-32.2	PASS
Band3	3	19575	15	#0	QPSK	E-ACLR1-	-51.02	-29.2	PASS
Band3	3	19575	15	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19575	15	#0	QPSK	E-ACLR1+	-50.83	-29.2	PASS
Band3	3	19575	15	#0	QPSK	U-ACLR1+	-51.82	-32.2	PASS
Band3	3	19575	1	#0	16QAM	U-ACLR1-	-54.81	-32.2	PASS
Band3	3	19575	1	#0	16QAM	E-ACLR1-	-53.60	-29.2	PASS
Band3	3	19575	1	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19575	1	#0	16QAM	E-ACLR1+	-47.31	-29.2	PASS
Band3	3	19575	1	#0	16QAM	U-ACLR1+	-47.32	-32.2	PASS
Band3	3	19575	1	#Max	16QAM	U-ACLR1-	-46.33	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	3	19575	1	#Max	16QAM	E-ACLR1-	-46.33	-29.2	PASS
Band3	3	19575	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	3	19575	1	#Max	16QAM	E-ACLR1+	-53.10	-29.2	PASS
Band3	3	19575	1	#Max	16QAM	U-ACLR1+	-54.01	-32.2	PASS
Band3	3	19575	15	#0	16QAM	U-ACLR1-	-51.52	-32.2	PASS
Band3	3	19575	15	#0	16QAM	E-ACLR1-	-50.58	-29.2	PASS
Band3	3	19575	15	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19575	15	#0	16QAM	E-ACLR1+	-50.59	-29.2	PASS
Band3	3	19575	15	#0	16QAM	U-ACLR1+	-51.60	-32.2	PASS
Band3	3	19935	1	#0	QPSK	U-ACLR1-	-58.11	-32.2	PASS
Band3	3	19935	1	#0	QPSK	E-ACLR1-	-55.69	-29.2	PASS
Band3	3	19935	1	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19935	1	#0	QPSK	E-ACLR1+	-47.69	-29.2	PASS
Band3	3	19935	1	#0	QPSK	U-ACLR1+	-47.70	-32.2	PASS
Band3	3	19935	1	#Max	QPSK	U-ACLR1-	-45.64	-32.2	PASS
Band3	3	19935	1	#Max	QPSK	E-ACLR1-	-45.64	-29.2	PASS
Band3	3	19935	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	3	19935	1	#Max	QPSK	E-ACLR1+	-55.85	-29.2	PASS
Band3	3	19935	1	#Max	QPSK	U-ACLR1+	-58.51	-32.2	PASS
Band3	3	19935	15	#0	QPSK	U-ACLR1-	-49.12	-32.2	PASS
Band3	3	19935	15	#0	QPSK	E-ACLR1-	-47.91	-29.2	PASS
Band3	3	19935	15	#0	QPSK	EUTRA	0.00		PASS
Band3	3	19935	15	#0	QPSK	E-ACLR1+	-48.21	-29.2	PASS
Band3	3	19935	15	#0	QPSK	U-ACLR1+	-49.60	-32.2	PASS
Band3	3	19935	1	#0	16QAM	U-ACLR1-	-55.81	-32.2	PASS
Band3	3	19935	1	#0	16QAM	E-ACLR1-	-54.20	-29.2	PASS
Band3	3	19935	1	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19935	1	#0	16QAM	E-ACLR1+	-47.64	-29.2	PASS
Band3	3	19935	1	#0	16QAM	U-ACLR1+	-47.65	-32.2	PASS
Band3	3	19935	1	#Max	16QAM	U-ACLR1-	-45.84	-32.2	PASS
Band3	3	19935	1	#Max	16QAM	E-ACLR1-	-45.85	-29.2	PASS
Band3	3	19935	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	3	19935	1	#Max	16QAM	E-ACLR1+	-52.16	-29.2	PASS
Band3	3	19935	1	#Max	16QAM	U-ACLR1+	-53.10	-32.2	PASS
Band3	3	19935	15	#0	16QAM	U-ACLR1-	-49.57	-32.2	PASS
Band3	3	19935	15	#0	16QAM	E-ACLR1-	-48.38	-29.2	PASS
Band3	3	19935	15	#0	16QAM	EUTRA	0.00		PASS
Band3	3	19935	15	#0	16QAM	E-ACLR1+	-48.73	-29.2	PASS
Band3	3	19935	15	#0	16QAM	U-ACLR1+	-50.10	-32.2	PASS
Band3	5	19225	1	#0	QPSK	U-ACLR2-	-63.86	-35.2	PASS
Band3	5	19225	1	#0	QPSK	U-ACLR1-	-54.02	-32.2	PASS
Band3	5	19225	1	#0	QPSK	E-ACLR1-	-46.67	-29.2	PASS
Band3	5	19225	1	#0	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	5	19225	1	#0	QPSK	E-ACLR1+	-49.48	-29.2	PASS
Band3	5	19225	1	#0	QPSK	U-ACLR1+	-49.65	-32.2	PASS
Band3	5	19225	1	#0	QPSK	U-ACLR2+	-67.63	-35.2	PASS
Band3	5	19225	1	#Max	QPSK	U-ACLR2-	-69.44	-35.2	PASS
Band3	5	19225	1	#Max	QPSK	U-ACLR1-	-51.75	-32.2	PASS
Band3	5	19225	1	#Max	QPSK	E-ACLR1-	-51.52	-29.2	PASS
Band3	5	19225	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	5	19225	1	#Max	QPSK	E-ACLR1+	-46.42	-29.2	PASS
Band3	5	19225	1	#Max	QPSK	U-ACLR1+	-53.56	-32.2	PASS
Band3	5	19225	1	#Max	QPSK	U-ACLR2+	-61.84	-35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	-62.44	-35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	-51.14	-32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR1-	-50.00	-29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00		PASS
Band3	5	19225	25	#0	QPSK	E-ACLR1+	-48.71	-29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1+	-49.79	-32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	-60.45	-35.2	PASS
Band3	5	19225	1	#0	16QAM	U-ACLR2-	-63.58	-35.2	PASS
Band3	5	19225	1	#0	16QAM	U-ACLR1-	-53.23	-32.2	PASS
Band3	5	19225	1	#0	16QAM	E-ACLR1-	-45.71	-29.2	PASS
Band3	5	19225	1	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19225	1	#0	16QAM	E-ACLR1+	-49.57	-29.2	PASS
Band3	5	19225	1	#0	16QAM	U-ACLR1+	-49.78	-32.2	PASS
Band3	5	19225	1	#0	16QAM	U-ACLR2+	-66.91	-35.2	PASS
Band3	5	19225	1	#Max	16QAM	U-ACLR2-	-68.75	-35.2	PASS
Band3	5	19225	1	#Max	16QAM	U-ACLR1-	-51.51	-32.2	PASS
Band3	5	19225	1	#Max	16QAM	E-ACLR1-	-51.28	-29.2	PASS
Band3	5	19225	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	5	19225	1	#Max	16QAM	E-ACLR1+	-45.80	-29.2	PASS
Band3	5	19225	1	#Max	16QAM	U-ACLR1+	-53.04	-32.2	PASS
Band3	5	19225	1	#Max	16QAM	U-ACLR2+	-61.67	-35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2-	-62.86	-35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR1-	-51.03	-32.2	PASS
Band3	5	19225	25	#0	16QAM	E-ACLR1-	-49.80	-29.2	PASS
Band3	5	19225	25	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19225	25	#0	16QAM	E-ACLR1+	-48.57	-29.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR1+	-49.64	-32.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2+	-60.98	-35.2	PASS
Band3	5	19575	1	#0	QPSK	U-ACLR2-	-58.34	-35.2	PASS
Band3	5	19575	1	#0	QPSK	U-ACLR1-	-45.53	-32.2	PASS
Band3	5	19575	1	#0	QPSK	E-ACLR1-	-41.65	-29.2	PASS
Band3	5	19575	1	#0	QPSK	EUTRA	0.00		PASS
Band3	5	19575	1	#0	QPSK	E-ACLR1+	-47.82	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	5	19575	1	#0	QPSK	U-ACLR1+	-48.03	-32.2	PASS
Band3	5	19575	1	#0	QPSK	U-ACLR2+	-62.87	-35.2	PASS
Band3	5	19575	1	#Max	QPSK	U-ACLR2-	-62.00	-35.2	PASS
Band3	5	19575	1	#Max	QPSK	U-ACLR1-	-48.18	-32.2	PASS
Band3	5	19575	1	#Max	QPSK	E-ACLR1-	-47.95	-29.2	PASS
Band3	5	19575	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	5	19575	1	#Max	QPSK	E-ACLR1+	-42.52	-29.2	PASS
Band3	5	19575	1	#Max	QPSK	U-ACLR1+	-46.64	-32.2	PASS
Band3	5	19575	1	#Max	QPSK	U-ACLR2+	-57.43	-35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	-62.23	-35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	-51.61	-32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR1-	-50.31	-29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00		PASS
Band3	5	19575	25	#0	QPSK	E-ACLR1+	-49.98	-29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1+	-51.21	-32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	-62.00	-35.2	PASS
Band3	5	19575	1	#0	16QAM	U-ACLR2-	-60.93	-35.2	PASS
Band3	5	19575	1	#0	16QAM	U-ACLR1-	-50.13	-32.2	PASS
Band3	5	19575	1	#0	16QAM	E-ACLR1-	-44.28	-29.2	PASS
Band3	5	19575	1	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19575	1	#0	16QAM	E-ACLR1+	-48.22	-29.2	PASS
Band3	5	19575	1	#0	16QAM	U-ACLR1+	-48.39	-32.2	PASS
Band3	5	19575	1	#0	16QAM	U-ACLR2+	-66.09	-35.2	PASS
Band3	5	19575	1	#Max	16QAM	U-ACLR2-	-62.06	-35.2	PASS
Band3	5	19575	1	#Max	16QAM	U-ACLR1-	-47.69	-32.2	PASS
Band3	5	19575	1	#Max	16QAM	E-ACLR1-	-47.48	-29.2	PASS
Band3	5	19575	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	5	19575	1	#Max	16QAM	E-ACLR1+	-42.42	-29.2	PASS
Band3	5	19575	1	#Max	16QAM	U-ACLR1+	-46.75	-32.2	PASS
Band3	5	19575	1	#Max	16QAM	U-ACLR2+	-57.36	-35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2-	-62.37	-35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR1-	-51.17	-32.2	PASS
Band3	5	19575	25	#0	16QAM	E-ACLR1-	-49.86	-29.2	PASS
Band3	5	19575	25	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19575	25	#0	16QAM	E-ACLR1+	-49.76	-29.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR1+	-50.96	-32.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2+	-62.20	-35.2	PASS
Band3	5	19925	1	#0	QPSK	U-ACLR2-	-62.07	-35.2	PASS
Band3	5	19925	1	#0	QPSK	U-ACLR1-	-53.38	-32.2	PASS
Band3	5	19925	1	#0	QPSK	E-ACLR1-	-46.03	-29.2	PASS
Band3	5	19925	1	#0	QPSK	EUTRA	0.00		PASS
Band3	5	19925	1	#0	QPSK	E-ACLR1+	-49.08	-29.2	PASS
Band3	5	19925	1	#0	QPSK	U-ACLR1+	-49.22	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	5	19925	1	#0	QPSK	U-ACLR2+	-68.29	-35.2	PASS
Band3	5	19925	1	#Max	QPSK	U-ACLR2-	-68.57	-35.2	PASS
Band3	5	19925	1	#Max	QPSK	U-ACLR1-	-45.32	-32.2	PASS
Band3	5	19925	1	#Max	QPSK	E-ACLR1-	-45.22	-29.2	PASS
Band3	5	19925	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	5	19925	1	#Max	QPSK	E-ACLR1+	-46.27	-29.2	PASS
Band3	5	19925	1	#Max	QPSK	U-ACLR1+	-53.72	-32.2	PASS
Band3	5	19925	1	#Max	QPSK	U-ACLR2+	-63.78	-35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	-57.76	-35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	-48.27	-32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR1-	-46.93	-29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00		PASS
Band3	5	19925	25	#0	QPSK	E-ACLR1+	-48.22	-29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1+	-49.70	-32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	-60.45	-35.2	PASS
Band3	5	19925	1	#0	16QAM	U-ACLR2-	-61.61	-35.2	PASS
Band3	5	19925	1	#0	16QAM	U-ACLR1-	-52.86	-32.2	PASS
Band3	5	19925	1	#0	16QAM	E-ACLR1-	-45.42	-29.2	PASS
Band3	5	19925	1	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19925	1	#0	16QAM	E-ACLR1+	-48.99	-29.2	PASS
Band3	5	19925	1	#0	16QAM	U-ACLR1+	-49.16	-32.2	PASS
Band3	5	19925	1	#0	16QAM	U-ACLR2+	-67.71	-35.2	PASS
Band3	5	19925	1	#Max	16QAM	U-ACLR2-	-67.58	-35.2	PASS
Band3	5	19925	1	#Max	16QAM	U-ACLR1-	-45.59	-32.2	PASS
Band3	5	19925	1	#Max	16QAM	E-ACLR1-	-45.48	-29.2	PASS
Band3	5	19925	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	5	19925	1	#Max	16QAM	E-ACLR1+	-46.26	-29.2	PASS
Band3	5	19925	1	#Max	16QAM	U-ACLR1+	-53.55	-32.2	PASS
Band3	5	19925	1	#Max	16QAM	U-ACLR2+	-63.63	-35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2-	-58.51	-35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR1-	-48.38	-32.2	PASS
Band3	5	19925	25	#0	16QAM	E-ACLR1-	-46.84	-29.2	PASS
Band3	5	19925	25	#0	16QAM	EUTRA	0.00		PASS
Band3	5	19925	25	#0	16QAM	E-ACLR1+	-48.36	-29.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR1+	-49.97	-32.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2+	-60.60	-35.2	PASS
Band3	10	19250	1	#0	QPSK	U-ACLR2-	-63.94	-35.2	PASS
Band3	10	19250	1	#0	QPSK	U-ACLR1-	-51.82	-32.2	PASS
Band3	10	19250	1	#0	QPSK	E-ACLR1-	-52.28	-29.2	PASS
Band3	10	19250	1	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19250	1	#0	QPSK	E-ACLR1+	-48.54	-29.2	PASS
Band3	10	19250	1	#0	QPSK	U-ACLR1+	-59.36	-32.2	PASS
Band3	10	19250	1	#0	QPSK	U-ACLR2+	-48.99	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	10	19250	1	#Max	QPSK	U-ACLR2-	-55.10	-35.2	PASS
Band3	10	19250	1	#Max	QPSK	U-ACLR1-	-61.05	-32.2	PASS
Band3	10	19250	1	#Max	QPSK	E-ACLR1-	-53.97	-29.2	PASS
Band3	10	19250	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	10	19250	1	#Max	QPSK	E-ACLR1+	-51.87	-29.2	PASS
Band3	10	19250	1	#Max	QPSK	U-ACLR1+	-51.49	-32.2	PASS
Band3	10	19250	1	#Max	QPSK	U-ACLR2+	-62.49	-35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	-57.86	-35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	-53.29	-32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR1-	-51.42	-29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19250	50	#0	QPSK	E-ACLR1+	-48.94	-29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1+	-51.09	-32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	-54.81	-35.2	PASS
Band3	10	19250	1	#0	16QAM	U-ACLR2-	-63.26	-35.2	PASS
Band3	10	19250	1	#0	16QAM	U-ACLR1-	-51.30	-32.2	PASS
Band3	10	19250	1	#0	16QAM	E-ACLR1-	-51.79	-29.2	PASS
Band3	10	19250	1	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19250	1	#0	16QAM	E-ACLR1+	-48.59	-29.2	PASS
Band3	10	19250	1	#0	16QAM	U-ACLR1+	-58.65	-32.2	PASS
Band3	10	19250	1	#0	16QAM	U-ACLR2+	-49.12	-35.2	PASS
Band3	10	19250	1	#Max	16QAM	U-ACLR2-	-55.08	-35.2	PASS
Band3	10	19250	1	#Max	16QAM	U-ACLR1-	-60.45	-32.2	PASS
Band3	10	19250	1	#Max	16QAM	E-ACLR1-	-53.80	-29.2	PASS
Band3	10	19250	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	10	19250	1	#Max	16QAM	E-ACLR1+	-51.64	-29.2	PASS
Band3	10	19250	1	#Max	16QAM	U-ACLR1+	-51.33	-32.2	PASS
Band3	10	19250	1	#Max	16QAM	U-ACLR2+	-61.95	-35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2-	-58.47	-35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR1-	-52.49	-32.2	PASS
Band3	10	19250	50	#0	16QAM	E-ACLR1-	-50.92	-29.2	PASS
Band3	10	19250	50	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19250	50	#0	16QAM	E-ACLR1+	-48.48	-29.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR1+	-50.24	-32.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2+	-55.53	-35.2	PASS
Band3	10	19575	1	#0	QPSK	U-ACLR2-	-59.52	-35.2	PASS
Band3	10	19575	1	#0	QPSK	U-ACLR1-	-47.75	-32.2	PASS
Band3	10	19575	1	#0	QPSK	E-ACLR1-	-47.50	-29.2	PASS
Band3	10	19575	1	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19575	1	#0	QPSK	E-ACLR1+	-50.16	-29.2	PASS
Band3	10	19575	1	#0	QPSK	U-ACLR1+	-59.02	-32.2	PASS
Band3	10	19575	1	#0	QPSK	U-ACLR2+	-50.89	-35.2	PASS
Band3	10	19575	1	#Max	QPSK	U-ACLR2-	-51.12	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	10	19575	1	#Max	QPSK	U-ACLR1-	-60.09	-32.2	PASS
Band3	10	19575	1	#Max	QPSK	E-ACLR1-	-50.51	-29.2	PASS
Band3	10	19575	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	10	19575	1	#Max	QPSK	E-ACLR1+	-51.61	-29.2	PASS
Band3	10	19575	1	#Max	QPSK	U-ACLR1+	-51.19	-32.2	PASS
Band3	10	19575	1	#Max	QPSK	U-ACLR2+	-62.64	-35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	-57.64	-35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	-53.02	-32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR1-	-51.15	-29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19575	50	#0	QPSK	E-ACLR1+	-50.47	-29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1+	-52.23	-32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	-57.37	-35.2	PASS
Band3	10	19575	1	#0	16QAM	U-ACLR2-	-59.90	-35.2	PASS
Band3	10	19575	1	#0	16QAM	U-ACLR1-	-48.01	-32.2	PASS
Band3	10	19575	1	#0	16QAM	E-ACLR1-	-47.86	-29.2	PASS
Band3	10	19575	1	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19575	1	#0	16QAM	E-ACLR1+	-50.01	-29.2	PASS
Band3	10	19575	1	#0	16QAM	U-ACLR1+	-58.75	-32.2	PASS
Band3	10	19575	1	#0	16QAM	U-ACLR2+	-50.77	-35.2	PASS
Band3	10	19575	1	#Max	16QAM	U-ACLR2-	-51.11	-35.2	PASS
Band3	10	19575	1	#Max	16QAM	U-ACLR1-	-59.58	-32.2	PASS
Band3	10	19575	1	#Max	16QAM	E-ACLR1-	-50.43	-29.2	PASS
Band3	10	19575	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	10	19575	1	#Max	16QAM	E-ACLR1+	-51.68	-29.2	PASS
Band3	10	19575	1	#Max	16QAM	U-ACLR1+	-51.34	-32.2	PASS
Band3	10	19575	1	#Max	16QAM	U-ACLR2+	-62.15	-35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2-	-57.77	-35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR1-	-52.26	-32.2	PASS
Band3	10	19575	50	#0	16QAM	E-ACLR1-	-50.60	-29.2	PASS
Band3	10	19575	50	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19575	50	#0	16QAM	E-ACLR1+	-50.13	-29.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR1+	-51.70	-32.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2+	-57.78	-35.2	PASS
Band3	10	19900	1	#0	QPSK	U-ACLR2-	-62.44	-35.2	PASS
Band3	10	19900	1	#0	QPSK	U-ACLR1-	-51.72	-32.2	PASS
Band3	10	19900	1	#0	QPSK	E-ACLR1-	-52.03	-29.2	PASS
Band3	10	19900	1	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19900	1	#0	QPSK	E-ACLR1+	-52.88	-29.2	PASS
Band3	10	19900	1	#0	QPSK	U-ACLR1+	-61.23	-32.2	PASS
Band3	10	19900	1	#0	QPSK	U-ACLR2+	-53.70	-35.2	PASS
Band3	10	19900	1	#Max	QPSK	U-ACLR2-	-45.91	-35.2	PASS
Band3	10	19900	1	#Max	QPSK	U-ACLR1-	-59.50	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	10	19900	1	#Max	QPSK	E-ACLR1-	-45.69	-29.2	PASS
Band3	10	19900	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	10	19900	1	#Max	QPSK	E-ACLR1+	-52.29	-29.2	PASS
Band3	10	19900	1	#Max	QPSK	U-ACLR1+	-51.78	-32.2	PASS
Band3	10	19900	1	#Max	QPSK	U-ACLR2+	-64.71	-35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	-56.66	-35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	-50.68	-32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR1-	-49.09	-29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00		PASS
Band3	10	19900	50	#0	QPSK	E-ACLR1+	-50.28	-29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1+	-51.51	-32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	-59.53	-35.2	PASS
Band3	10	19900	1	#0	16QAM	U-ACLR2-	-61.89	-35.2	PASS
Band3	10	19900	1	#0	16QAM	U-ACLR1-	-51.05	-32.2	PASS
Band3	10	19900	1	#0	16QAM	E-ACLR1-	-51.40	-29.2	PASS
Band3	10	19900	1	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19900	1	#0	16QAM	E-ACLR1+	-52.79	-29.2	PASS
Band3	10	19900	1	#0	16QAM	U-ACLR1+	-60.53	-32.2	PASS
Band3	10	19900	1	#0	16QAM	U-ACLR2+	-53.77	-35.2	PASS
Band3	10	19900	1	#Max	16QAM	U-ACLR2-	-46.24	-35.2	PASS
Band3	10	19900	1	#Max	16QAM	U-ACLR1-	-58.80	-32.2	PASS
Band3	10	19900	1	#Max	16QAM	E-ACLR1-	-45.97	-29.2	PASS
Band3	10	19900	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	10	19900	1	#Max	16QAM	E-ACLR1+	-52.05	-29.2	PASS
Band3	10	19900	1	#Max	16QAM	U-ACLR1+	-51.55	-32.2	PASS
Band3	10	19900	1	#Max	16QAM	U-ACLR2+	-64.11	-35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2-	-57.35	-35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR1-	-51.32	-32.2	PASS
Band3	10	19900	50	#0	16QAM	E-ACLR1-	-49.77	-29.2	PASS
Band3	10	19900	50	#0	16QAM	EUTRA	0.00		PASS
Band3	10	19900	50	#0	16QAM	E-ACLR1+	-50.93	-29.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR1+	-52.14	-32.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2+	-60.05	-35.2	PASS
Band3	15	19275	1	#0	QPSK	U-ACLR2-	-63.49	-35.2	PASS
Band3	15	19275	1	#0	QPSK	U-ACLR1-	-50.37	-32.2	PASS
Band3	15	19275	1	#0	QPSK	E-ACLR1-	-54.25	-29.2	PASS
Band3	15	19275	1	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19275	1	#0	QPSK	E-ACLR1+	-47.94	-29.2	PASS
Band3	15	19275	1	#0	QPSK	U-ACLR1+	-59.29	-32.2	PASS
Band3	15	19275	1	#0	QPSK	U-ACLR2+	-58.95	-35.2	PASS
Band3	15	19275	1	#Max	QPSK	U-ACLR2-	-62.80	-35.2	PASS
Band3	15	19275	1	#Max	QPSK	U-ACLR1-	-61.62	-32.2	PASS
Band3	15	19275	1	#Max	QPSK	E-ACLR1-	-57.07	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	15	19275	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	15	19275	1	#Max	QPSK	E-ACLR1+	-53.65	-29.2	PASS
Band3	15	19275	1	#Max	QPSK	U-ACLR1+	-50.57	-32.2	PASS
Band3	15	19275	1	#Max	QPSK	U-ACLR2+	-61.61	-35.2	PASS
Band3	15	19275	75	#0	QPSK	U-ACLR2-	-58.85	-35.2	PASS
Band3	15	19275	75	#0	QPSK	U-ACLR1-	-54.50	-32.2	PASS
Band3	15	19275	75	#0	QPSK	E-ACLR1-	-52.50	-29.2	PASS
Band3	15	19275	75	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19275	75	#0	QPSK	E-ACLR1+	-49.02	-29.2	PASS
Band3	15	19275	75	#0	QPSK	U-ACLR1+	-52.15	-32.2	PASS
Band3	15	19275	75	#0	QPSK	U-ACLR2+	-54.94	-35.2	PASS
Band3	15	19275	1	#0	16QAM	U-ACLR2-	-62.96	-35.2	PASS
Band3	15	19275	1	#0	16QAM	U-ACLR1-	-49.79	-32.2	PASS
Band3	15	19275	1	#0	16QAM	E-ACLR1-	-53.76	-29.2	PASS
Band3	15	19275	1	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19275	1	#0	16QAM	E-ACLR1+	-47.60	-29.2	PASS
Band3	15	19275	1	#0	16QAM	U-ACLR1+	-58.73	-32.2	PASS
Band3	15	19275	1	#0	16QAM	U-ACLR2+	-58.60	-35.2	PASS
Band3	15	19275	1	#Max	16QAM	U-ACLR2-	-62.34	-35.2	PASS
Band3	15	19275	1	#Max	16QAM	U-ACLR1-	-60.95	-32.2	PASS
Band3	15	19275	1	#Max	16QAM	E-ACLR1-	-56.39	-29.2	PASS
Band3	15	19275	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	15	19275	1	#Max	16QAM	E-ACLR1+	-53.10	-29.2	PASS
Band3	15	19275	1	#Max	16QAM	U-ACLR1+	-49.97	-32.2	PASS
Band3	15	19275	1	#Max	16QAM	U-ACLR2+	-61.15	-35.2	PASS
Band3	15	19275	75	#0	16QAM	U-ACLR2-	-57.90	-35.2	PASS
Band3	15	19275	75	#0	16QAM	U-ACLR1-	-53.57	-32.2	PASS
Band3	15	19275	75	#0	16QAM	E-ACLR1-	-51.58	-29.2	PASS
Band3	15	19275	75	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19275	75	#0	16QAM	E-ACLR1+	-48.30	-29.2	PASS
Band3	15	19275	75	#0	16QAM	U-ACLR1+	-51.10	-32.2	PASS
Band3	15	19275	75	#0	16QAM	U-ACLR2+	-54.22	-35.2	PASS
Band3	15	19575	1	#0	QPSK	U-ACLR2-	-55.23	-35.2	PASS
Band3	15	19575	1	#0	QPSK	U-ACLR1-	-43.79	-32.2	PASS
Band3	15	19575	1	#0	QPSK	E-ACLR1-	-44.46	-29.2	PASS
Band3	15	19575	1	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19575	1	#0	QPSK	E-ACLR1+	-47.66	-29.2	PASS
Band3	15	19575	1	#0	QPSK	U-ACLR1+	-58.40	-32.2	PASS
Band3	15	19575	1	#0	QPSK	U-ACLR2+	-58.54	-35.2	PASS
Band3	15	19575	1	#Max	QPSK	U-ACLR2-	-59.62	-35.2	PASS
Band3	15	19575	1	#Max	QPSK	U-ACLR1-	-59.66	-32.2	PASS
Band3	15	19575	1	#Max	QPSK	E-ACLR1-	-49.74	-29.2	PASS
Band3	15	19575	1	#Max	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	15	19575	1	#Max	QPSK	E-ACLR1+	-48.79	-29.2	PASS
Band3	15	19575	1	#Max	QPSK	U-ACLR1+	-47.42	-32.2	PASS
Band3	15	19575	1	#Max	QPSK	U-ACLR2+	-58.34	-35.2	PASS
Band3	15	19575	75	#0	QPSK	U-ACLR2-	-57.21	-35.2	PASS
Band3	15	19575	75	#0	QPSK	U-ACLR1-	-53.81	-32.2	PASS
Band3	15	19575	75	#0	QPSK	E-ACLR1-	-51.04	-29.2	PASS
Band3	15	19575	75	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19575	75	#0	QPSK	E-ACLR1+	-50.42	-29.2	PASS
Band3	15	19575	75	#0	QPSK	U-ACLR1+	-53.26	-32.2	PASS
Band3	15	19575	75	#0	QPSK	U-ACLR2+	-56.41	-35.2	PASS
Band3	15	19575	1	#0	16QAM	U-ACLR2-	-56.82	-35.2	PASS
Band3	15	19575	1	#0	16QAM	U-ACLR1-	-45.22	-32.2	PASS
Band3	15	19575	1	#0	16QAM	E-ACLR1-	-46.45	-29.2	PASS
Band3	15	19575	1	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19575	1	#0	16QAM	E-ACLR1+	-47.80	-29.2	PASS
Band3	15	19575	1	#0	16QAM	U-ACLR1+	-58.67	-32.2	PASS
Band3	15	19575	1	#0	16QAM	U-ACLR2+	-58.73	-35.2	PASS
Band3	15	19575	1	#Max	16QAM	U-ACLR2-	-59.17	-35.2	PASS
Band3	15	19575	1	#Max	16QAM	U-ACLR1-	-59.03	-32.2	PASS
Band3	15	19575	1	#Max	16QAM	E-ACLR1-	-49.38	-29.2	PASS
Band3	15	19575	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	15	19575	1	#Max	16QAM	E-ACLR1+	-48.88	-29.2	PASS
Band3	15	19575	1	#Max	16QAM	U-ACLR1+	-47.62	-32.2	PASS
Band3	15	19575	1	#Max	16QAM	U-ACLR2+	-58.20	-35.2	PASS
Band3	15	19575	75	#0	16QAM	U-ACLR2-	-56.34	-35.2	PASS
Band3	15	19575	75	#0	16QAM	U-ACLR1-	-53.15	-32.2	PASS
Band3	15	19575	75	#0	16QAM	E-ACLR1-	-50.43	-29.2	PASS
Band3	15	19575	75	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19575	75	#0	16QAM	E-ACLR1+	-49.91	-29.2	PASS
Band3	15	19575	75	#0	16QAM	U-ACLR1+	-52.58	-32.2	PASS
Band3	15	19575	75	#0	16QAM	U-ACLR2+	-55.96	-35.2	PASS
Band3	15	19875	1	#0	QPSK	U-ACLR2-	-62.42	-35.2	PASS
Band3	15	19875	1	#0	QPSK	U-ACLR1-	-50.60	-32.2	PASS
Band3	15	19875	1	#0	QPSK	E-ACLR1-	-53.81	-29.2	PASS
Band3	15	19875	1	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19875	1	#0	QPSK	E-ACLR1+	-58.23	-29.2	PASS
Band3	15	19875	1	#0	QPSK	U-ACLR1+	-61.24	-32.2	PASS
Band3	15	19875	1	#0	QPSK	U-ACLR2+	-63.88	-35.2	PASS
Band3	15	19875	1	#Max	QPSK	U-ACLR2-	-59.43	-35.2	PASS
Band3	15	19875	1	#Max	QPSK	U-ACLR1-	-59.74	-32.2	PASS
Band3	15	19875	1	#Max	QPSK	E-ACLR1-	-45.73	-29.2	PASS
Band3	15	19875	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	15	19875	1	#Max	QPSK	E-ACLR1+	-54.27	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	15	19875	1	#Max	QPSK	U-ACLR1+	-50.38	-32.2	PASS
Band3	15	19875	1	#Max	QPSK	U-ACLR2+	-63.43	-35.2	PASS
Band3	15	19875	75	#0	QPSK	U-ACLR2-	-56.00	-35.2	PASS
Band3	15	19875	75	#0	QPSK	U-ACLR1-	-52.31	-32.2	PASS
Band3	15	19875	75	#0	QPSK	E-ACLR1-	-49.76	-29.2	PASS
Band3	15	19875	75	#0	QPSK	EUTRA	0.00		PASS
Band3	15	19875	75	#0	QPSK	E-ACLR1+	-51.88	-29.2	PASS
Band3	15	19875	75	#0	QPSK	U-ACLR1+	-53.37	-32.2	PASS
Band3	15	19875	75	#0	QPSK	U-ACLR2+	-59.26	-35.2	PASS
Band3	15	19875	1	#0	16QAM	U-ACLR2-	-61.90	-35.2	PASS
Band3	15	19875	1	#0	16QAM	U-ACLR1-	-49.63	-32.2	PASS
Band3	15	19875	1	#0	16QAM	E-ACLR1-	-53.10	-29.2	PASS
Band3	15	19875	1	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19875	1	#0	16QAM	E-ACLR1+	-57.55	-29.2	PASS
Band3	15	19875	1	#0	16QAM	U-ACLR1+	-60.54	-32.2	PASS
Band3	15	19875	1	#0	16QAM	U-ACLR2+	-63.33	-35.2	PASS
Band3	15	19875	1	#Max	16QAM	U-ACLR2-	-59.08	-35.2	PASS
Band3	15	19875	1	#Max	16QAM	U-ACLR1-	-59.10	-32.2	PASS
Band3	15	19875	1	#Max	16QAM	E-ACLR1-	-45.64	-29.2	PASS
Band3	15	19875	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	15	19875	1	#Max	16QAM	E-ACLR1+	-53.80	-29.2	PASS
Band3	15	19875	1	#Max	16QAM	U-ACLR1+	-49.96	-32.2	PASS
Band3	15	19875	1	#Max	16QAM	U-ACLR2+	-62.97	-35.2	PASS
Band3	15	19875	75	#0	16QAM	U-ACLR2-	-56.24	-35.2	PASS
Band3	15	19875	75	#0	16QAM	U-ACLR1-	-52.68	-32.2	PASS
Band3	15	19875	75	#0	16QAM	E-ACLR1-	-50.10	-29.2	PASS
Band3	15	19875	75	#0	16QAM	EUTRA	0.00		PASS
Band3	15	19875	75	#0	16QAM	E-ACLR1+	-52.12	-29.2	PASS
Band3	15	19875	75	#0	16QAM	U-ACLR1+	-53.67	-32.2	PASS
Band3	15	19875	75	#0	16QAM	U-ACLR2+	-59.34	-35.2	PASS
Band3	20	19300	1	#0	QPSK	U-ACLR2-	-64.52	-35.2	PASS
Band3	20	19300	1	#0	QPSK	U-ACLR1-	-53.53	-32.2	PASS
Band3	20	19300	1	#0	QPSK	E-ACLR1-	-57.36	-29.2	PASS
Band3	20	19300	1	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19300	1	#0	QPSK	E-ACLR1+	-47.10	-29.2	PASS
Band3	20	19300	1	#0	QPSK	U-ACLR1+	-60.62	-32.2	PASS
Band3	20	19300	1	#0	QPSK	U-ACLR2+	-62.34	-35.2	PASS
Band3	20	19300	1	#Max	QPSK	U-ACLR2-	-65.56	-35.2	PASS
Band3	20	19300	1	#Max	QPSK	U-ACLR1-	-62.81	-32.2	PASS
Band3	20	19300	1	#Max	QPSK	E-ACLR1-	-59.48	-29.2	PASS
Band3	20	19300	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	20	19300	1	#Max	QPSK	E-ACLR1+	-55.54	-29.2	PASS
Band3	20	19300	1	#Max	QPSK	U-ACLR1+	-53.11	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	20	19300	1	#Max	QPSK	U-ACLR2+	-62.05	-35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	-59.90	-35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	-55.76	-32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR1-	-53.68	-29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19300	100	#0	QPSK	E-ACLR1+	-49.14	-29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1+	-53.31	-32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	-55.45	-35.2	PASS
Band3	20	19300	1	#0	16QAM	U-ACLR2-	-63.91	-35.2	PASS
Band3	20	19300	1	#0	16QAM	U-ACLR1-	-52.88	-32.2	PASS
Band3	20	19300	1	#0	16QAM	E-ACLR1-	-56.85	-29.2	PASS
Band3	20	19300	1	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19300	1	#0	16QAM	E-ACLR1+	-47.26	-29.2	PASS
Band3	20	19300	1	#0	16QAM	U-ACLR1+	-59.88	-32.2	PASS
Band3	20	19300	1	#0	16QAM	U-ACLR2+	-61.69	-35.2	PASS
Band3	20	19300	1	#Max	16QAM	U-ACLR2-	-65.02	-35.2	PASS
Band3	20	19300	1	#Max	16QAM	U-ACLR1-	-62.27	-32.2	PASS
Band3	20	19300	1	#Max	16QAM	E-ACLR1-	-59.03	-29.2	PASS
Band3	20	19300	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	20	19300	1	#Max	16QAM	E-ACLR1+	-55.09	-29.2	PASS
Band3	20	19300	1	#Max	16QAM	U-ACLR1+	-52.71	-32.2	PASS
Band3	20	19300	1	#Max	16QAM	U-ACLR2+	-61.59	-35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2-	-58.56	-35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR1-	-54.79	-32.2	PASS
Band3	20	19300	100	#0	16QAM	E-ACLR1-	-52.62	-29.2	PASS
Band3	20	19300	100	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19300	100	#0	16QAM	E-ACLR1+	-48.56	-29.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR1+	-52.26	-32.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2+	-54.61	-35.2	PASS
Band3	20	19575	1	#0	QPSK	U-ACLR2-	-63.20	-35.2	PASS
Band3	20	19575	1	#0	QPSK	U-ACLR1-	-53.41	-32.2	PASS
Band3	20	19575	1	#0	QPSK	E-ACLR1-	-56.08	-29.2	PASS
Band3	20	19575	1	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19575	1	#0	QPSK	E-ACLR1+	-50.03	-29.2	PASS
Band3	20	19575	1	#0	QPSK	U-ACLR1+	-61.43	-32.2	PASS
Band3	20	19575	1	#0	QPSK	U-ACLR2+	-63.20	-35.2	PASS
Band3	20	19575	1	#Max	QPSK	U-ACLR2-	-63.63	-35.2	PASS
Band3	20	19575	1	#Max	QPSK	U-ACLR1-	-61.64	-32.2	PASS
Band3	20	19575	1	#Max	QPSK	E-ACLR1-	-51.33	-29.2	PASS
Band3	20	19575	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	20	19575	1	#Max	QPSK	E-ACLR1+	-55.67	-29.2	PASS
Band3	20	19575	1	#Max	QPSK	U-ACLR1+	-53.38	-32.2	PASS
Band3	20	19575	1	#Max	QPSK	U-ACLR2+	-62.14	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	20	19575	100	#0	QPSK	U-ACLR2-	-57.71	-35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	-54.93	-32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR1-	-51.27	-29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19575	100	#0	QPSK	E-ACLR1+	-50.45	-29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1+	-54.34	-32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	-56.71	-35.2	PASS
Band3	20	19575	1	#0	16QAM	U-ACLR2-	-62.73	-35.2	PASS
Band3	20	19575	1	#0	16QAM	U-ACLR1-	-52.66	-32.2	PASS
Band3	20	19575	1	#0	16QAM	E-ACLR1-	-55.67	-29.2	PASS
Band3	20	19575	1	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19575	1	#0	16QAM	E-ACLR1+	-49.51	-29.2	PASS
Band3	20	19575	1	#0	16QAM	U-ACLR1+	-60.69	-32.2	PASS
Band3	20	19575	1	#0	16QAM	U-ACLR2+	-62.47	-35.2	PASS
Band3	20	19575	1	#Max	16QAM	U-ACLR2-	-63.19	-35.2	PASS
Band3	20	19575	1	#Max	16QAM	U-ACLR1-	-61.13	-32.2	PASS
Band3	20	19575	1	#Max	16QAM	E-ACLR1-	-51.22	-29.2	PASS
Band3	20	19575	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	20	19575	1	#Max	16QAM	E-ACLR1+	-55.19	-29.2	PASS
Band3	20	19575	1	#Max	16QAM	U-ACLR1+	-52.92	-32.2	PASS
Band3	20	19575	1	#Max	16QAM	U-ACLR2+	-61.70	-35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2-	-56.54	-35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR1-	-54.17	-32.2	PASS
Band3	20	19575	100	#0	16QAM	E-ACLR1-	-50.55	-29.2	PASS
Band3	20	19575	100	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19575	100	#0	16QAM	E-ACLR1+	-49.96	-29.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR1+	-53.54	-32.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2+	-56.01	-35.2	PASS
Band3	20	19850	1	#0	QPSK	U-ACLR2-	-63.18	-35.2	PASS
Band3	20	19850	1	#0	QPSK	U-ACLR1-	-53.05	-32.2	PASS
Band3	20	19850	1	#0	QPSK	E-ACLR1-	-55.97	-29.2	PASS
Band3	20	19850	1	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19850	1	#0	QPSK	E-ACLR1+	-58.62	-29.2	PASS
Band3	20	19850	1	#0	QPSK	U-ACLR1+	-62.20	-32.2	PASS
Band3	20	19850	1	#0	QPSK	U-ACLR2+	-65.43	-35.2	PASS
Band3	20	19850	1	#Max	QPSK	U-ACLR2-	-61.37	-35.2	PASS
Band3	20	19850	1	#Max	QPSK	U-ACLR1-	-60.68	-32.2	PASS
Band3	20	19850	1	#Max	QPSK	E-ACLR1-	-48.36	-29.2	PASS
Band3	20	19850	1	#Max	QPSK	EUTRA	0.00		PASS
Band3	20	19850	1	#Max	QPSK	E-ACLR1+	-56.92	-29.2	PASS
Band3	20	19850	1	#Max	QPSK	U-ACLR1+	-53.20	-32.2	PASS
Band3	20	19850	1	#Max	QPSK	U-ACLR2+	-63.79	-35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	-56.94	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band3	20	19850	100	#0	QPSK	U-ACLR1-	-54.03	-32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR1-	-50.52	-29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00		PASS
Band3	20	19850	100	#0	QPSK	E-ACLR1+	-53.10	-29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1+	-55.04	-32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	-59.72	-35.2	PASS
Band3	20	19850	1	#0	16QAM	U-ACLR2-	-62.56	-35.2	PASS
Band3	20	19850	1	#0	16QAM	U-ACLR1-	-52.78	-32.2	PASS
Band3	20	19850	1	#0	16QAM	E-ACLR1-	-55.52	-29.2	PASS
Band3	20	19850	1	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19850	1	#0	16QAM	E-ACLR1+	-57.93	-29.2	PASS
Band3	20	19850	1	#0	16QAM	U-ACLR1+	-61.56	-32.2	PASS
Band3	20	19850	1	#0	16QAM	U-ACLR2+	-64.74	-35.2	PASS
Band3	20	19850	1	#Max	16QAM	U-ACLR2-	-61.04	-35.2	PASS
Band3	20	19850	1	#Max	16QAM	U-ACLR1-	-60.03	-32.2	PASS
Band3	20	19850	1	#Max	16QAM	E-ACLR1-	-48.39	-29.2	PASS
Band3	20	19850	1	#Max	16QAM	EUTRA	0.00		PASS
Band3	20	19850	1	#Max	16QAM	E-ACLR1+	-56.47	-29.2	PASS
Band3	20	19850	1	#Max	16QAM	U-ACLR1+	-52.84	-32.2	PASS
Band3	20	19850	1	#Max	16QAM	U-ACLR2+	-63.44	-35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2-	-56.70	-35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR1-	-53.99	-32.2	PASS
Band3	20	19850	100	#0	16QAM	E-ACLR1-	-50.44	-29.2	PASS
Band3	20	19850	100	#0	16QAM	EUTRA	0.00		PASS
Band3	20	19850	100	#0	16QAM	E-ACLR1+	-52.89	-29.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR1+	-54.94	-32.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2+	-59.54	-35.2	PASS
Band5	3	20415	1	#0	QPSK	U-ACLR1-	-58.33	-32.2	PASS
Band5	3	20415	1	#0	QPSK	E-ACLR1-	-54.95	-29.2	PASS
Band5	3	20415	1	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20415	1	#0	QPSK	E-ACLR1+	-49.49	-29.2	PASS
Band5	3	20415	1	#0	QPSK	U-ACLR1+	-49.51	-32.2	PASS
Band5	3	20415	1	#Max	QPSK	U-ACLR1-	-50.09	-32.2	PASS
Band5	3	20415	1	#Max	QPSK	E-ACLR1-	-50.12	-29.2	PASS
Band5	3	20415	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	3	20415	1	#Max	QPSK	E-ACLR1+	-54.77	-29.2	PASS
Band5	3	20415	1	#Max	QPSK	U-ACLR1+	-58.04	-32.2	PASS
Band5	3	20415	15	#0	QPSK	U-ACLR1-	-49.83	-32.2	PASS
Band5	3	20415	15	#0	QPSK	E-ACLR1-	-49.26	-29.2	PASS
Band5	3	20415	15	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20415	15	#0	QPSK	E-ACLR1+	-48.23	-29.2	PASS
Band5	3	20415	15	#0	QPSK	U-ACLR1+	-48.94	-32.2	PASS
Band5	3	20415	1	#0	16QAM	U-ACLR1-	-54.83	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	3	20415	1	#0	16QAM	E-ACLR1-	-52.90	-29.2	PASS
Band5	3	20415	1	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20415	1	#0	16QAM	E-ACLR1+	-49.53	-29.2	PASS
Band5	3	20415	1	#0	16QAM	U-ACLR1+	-49.55	-32.2	PASS
Band5	3	20415	1	#Max	16QAM	U-ACLR1-	-50.26	-32.2	PASS
Band5	3	20415	1	#Max	16QAM	E-ACLR1-	-50.28	-29.2	PASS
Band5	3	20415	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	3	20415	1	#Max	16QAM	E-ACLR1+	-52.23	-29.2	PASS
Band5	3	20415	1	#Max	16QAM	U-ACLR1+	-53.61	-32.2	PASS
Band5	3	20415	15	#0	16QAM	U-ACLR1-	-48.96	-32.2	PASS
Band5	3	20415	15	#0	16QAM	E-ACLR1-	-48.46	-29.2	PASS
Band5	3	20415	15	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20415	15	#0	16QAM	E-ACLR1+	-47.58	-29.2	PASS
Band5	3	20415	15	#0	16QAM	U-ACLR1+	-48.29	-32.2	PASS
Band5	3	20505	1	#0	QPSK	U-ACLR1-	-57.90	-32.2	PASS
Band5	3	20505	1	#0	QPSK	E-ACLR1-	-54.36	-29.2	PASS
Band5	3	20505	1	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20505	1	#0	QPSK	E-ACLR1+	-48.96	-29.2	PASS
Band5	3	20505	1	#0	QPSK	U-ACLR1+	-48.98	-32.2	PASS
Band5	3	20505	1	#Max	QPSK	U-ACLR1-	-50.48	-32.2	PASS
Band5	3	20505	1	#Max	QPSK	E-ACLR1-	-50.50	-29.2	PASS
Band5	3	20505	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	3	20505	1	#Max	QPSK	E-ACLR1+	-54.69	-29.2	PASS
Band5	3	20505	1	#Max	QPSK	U-ACLR1+	-58.04	-32.2	PASS
Band5	3	20505	15	#0	QPSK	U-ACLR1-	-50.05	-32.2	PASS
Band5	3	20505	15	#0	QPSK	E-ACLR1-	-49.57	-29.2	PASS
Band5	3	20505	15	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20505	15	#0	QPSK	E-ACLR1+	-49.32	-29.2	PASS
Band5	3	20505	15	#0	QPSK	U-ACLR1+	-49.92	-32.2	PASS
Band5	3	20505	1	#0	16QAM	U-ACLR1-	-54.64	-32.2	PASS
Band5	3	20505	1	#0	16QAM	E-ACLR1-	-52.74	-29.2	PASS
Band5	3	20505	1	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20505	1	#0	16QAM	E-ACLR1+	-49.14	-29.2	PASS
Band5	3	20505	1	#0	16QAM	U-ACLR1+	-49.14	-32.2	PASS
Band5	3	20505	1	#Max	16QAM	U-ACLR1-	-50.71	-32.2	PASS
Band5	3	20505	1	#Max	16QAM	E-ACLR1-	-50.73	-29.2	PASS
Band5	3	20505	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	3	20505	1	#Max	16QAM	E-ACLR1+	-55.05	-29.2	PASS
Band5	3	20505	1	#Max	16QAM	U-ACLR1+	-57.62	-32.2	PASS
Band5	3	20505	15	#0	16QAM	U-ACLR1-	-48.69	-32.2	PASS
Band5	3	20505	15	#0	16QAM	E-ACLR1-	-48.14	-29.2	PASS
Band5	3	20505	15	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20505	15	#0	16QAM	E-ACLR1+	-48.01	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	3	20505	15	#0	16QAM	U-ACLR1+	-48.68	-32.2	PASS
Band5	3	20595	1	#0	QPSK	U-ACLR1-	-57.78	-32.2	PASS
Band5	3	20595	1	#0	QPSK	E-ACLR1-	-54.21	-29.2	PASS
Band5	3	20595	1	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20595	1	#0	QPSK	E-ACLR1+	-50.88	-29.2	PASS
Band5	3	20595	1	#0	QPSK	U-ACLR1+	-50.90	-32.2	PASS
Band5	3	20595	1	#Max	QPSK	U-ACLR1-	-48.96	-32.2	PASS
Band5	3	20595	1	#Max	QPSK	E-ACLR1-	-48.97	-29.2	PASS
Band5	3	20595	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	3	20595	1	#Max	QPSK	E-ACLR1+	-54.84	-29.2	PASS
Band5	3	20595	1	#Max	QPSK	U-ACLR1+	-58.18	-32.2	PASS
Band5	3	20595	15	#0	QPSK	U-ACLR1-	-48.20	-32.2	PASS
Band5	3	20595	15	#0	QPSK	E-ACLR1-	-47.42	-29.2	PASS
Band5	3	20595	15	#0	QPSK	EUTRA	0.00		PASS
Band5	3	20595	15	#0	QPSK	E-ACLR1+	-47.63	-29.2	PASS
Band5	3	20595	15	#0	QPSK	U-ACLR1+	-48.61	-32.2	PASS
Band5	3	20595	1	#0	16QAM	U-ACLR1-	-53.84	-32.2	PASS
Band5	3	20595	1	#0	16QAM	E-ACLR1-	-52.01	-29.2	PASS
Band5	3	20595	1	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20595	1	#0	16QAM	E-ACLR1+	-51.31	-29.2	PASS
Band5	3	20595	1	#0	16QAM	U-ACLR1+	-51.33	-32.2	PASS
Band5	3	20595	1	#Max	16QAM	U-ACLR1-	-49.08	-32.2	PASS
Band5	3	20595	1	#Max	16QAM	E-ACLR1-	-49.11	-29.2	PASS
Band5	3	20595	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	3	20595	1	#Max	16QAM	E-ACLR1+	-51.00	-29.2	PASS
Band5	3	20595	1	#Max	16QAM	U-ACLR1+	-52.09	-32.2	PASS
Band5	3	20595	15	#0	16QAM	U-ACLR1-	-47.44	-32.2	PASS
Band5	3	20595	15	#0	16QAM	E-ACLR1-	-46.67	-29.2	PASS
Band5	3	20595	15	#0	16QAM	EUTRA	0.00		PASS
Band5	3	20595	15	#0	16QAM	E-ACLR1+	-46.87	-29.2	PASS
Band5	3	20595	15	#0	16QAM	U-ACLR1+	-47.85	-32.2	PASS
Band5	5	20425	1	#0	QPSK	U-ACLR2-	-63.44	-35.2	PASS
Band5	5	20425	1	#0	QPSK	U-ACLR1-	-57.90	-32.2	PASS
Band5	5	20425	1	#0	QPSK	E-ACLR1-	-56.19	-29.2	PASS
Band5	5	20425	1	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20425	1	#0	QPSK	E-ACLR1+	-49.14	-29.2	PASS
Band5	5	20425	1	#0	QPSK	U-ACLR1+	-49.29	-32.2	PASS
Band5	5	20425	1	#0	QPSK	U-ACLR2+	-68.63	-35.2	PASS
Band5	5	20425	1	#Max	QPSK	U-ACLR2-	-69.74	-35.2	PASS
Band5	5	20425	1	#Max	QPSK	U-ACLR1-	-49.93	-32.2	PASS
Band5	5	20425	1	#Max	QPSK	E-ACLR1-	-49.78	-29.2	PASS
Band5	5	20425	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	5	20425	1	#Max	QPSK	E-ACLR1+	-55.80	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	5	20425	1	#Max	QPSK	U-ACLR1+	-57.34	-32.2	PASS
Band5	5	20425	1	#Max	QPSK	U-ACLR2+	-63.33	-35.2	PASS
Band5	5	20425	25	#0	QPSK	U-ACLR2-	-57.08	-35.2	PASS
Band5	5	20425	25	#0	QPSK	U-ACLR1-	-50.25	-32.2	PASS
Band5	5	20425	25	#0	QPSK	E-ACLR1-	-49.38	-29.2	PASS
Band5	5	20425	25	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20425	25	#0	QPSK	E-ACLR1+	-48.07	-29.2	PASS
Band5	5	20425	25	#0	QPSK	U-ACLR1+	-48.83	-32.2	PASS
Band5	5	20425	25	#0	QPSK	U-ACLR2+	-56.67	-35.2	PASS
Band5	5	20425	1	#0	16QAM	U-ACLR2-	-62.90	-35.2	PASS
Band5	5	20425	1	#0	16QAM	U-ACLR1-	-57.25	-32.2	PASS
Band5	5	20425	1	#0	16QAM	E-ACLR1-	-55.62	-29.2	PASS
Band5	5	20425	1	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20425	1	#0	16QAM	E-ACLR1+	-49.49	-29.2	PASS
Band5	5	20425	1	#0	16QAM	U-ACLR1+	-49.67	-32.2	PASS
Band5	5	20425	1	#0	16QAM	U-ACLR2+	-67.81	-35.2	PASS
Band5	5	20425	1	#Max	16QAM	U-ACLR2-	-69.28	-35.2	PASS
Band5	5	20425	1	#Max	16QAM	U-ACLR1-	-49.79	-32.2	PASS
Band5	5	20425	1	#Max	16QAM	E-ACLR1-	-49.63	-29.2	PASS
Band5	5	20425	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	5	20425	1	#Max	16QAM	E-ACLR1+	-55.29	-29.2	PASS
Band5	5	20425	1	#Max	16QAM	U-ACLR1+	-56.72	-32.2	PASS
Band5	5	20425	1	#Max	16QAM	U-ACLR2+	-63.34	-35.2	PASS
Band5	5	20425	25	#0	16QAM	U-ACLR2-	-56.88	-35.2	PASS
Band5	5	20425	25	#0	16QAM	U-ACLR1-	-49.23	-32.2	PASS
Band5	5	20425	25	#0	16QAM	E-ACLR1-	-48.38	-29.2	PASS
Band5	5	20425	25	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20425	25	#0	16QAM	E-ACLR1+	-47.24	-29.2	PASS
Band5	5	20425	25	#0	16QAM	U-ACLR1+	-48.02	-32.2	PASS
Band5	5	20425	25	#0	16QAM	U-ACLR2+	-56.60	-35.2	PASS
Band5	5	20505	1	#0	QPSK	U-ACLR2-	-63.64	-35.2	PASS
Band5	5	20505	1	#0	QPSK	U-ACLR1-	-57.66	-32.2	PASS
Band5	5	20505	1	#0	QPSK	E-ACLR1-	-56.00	-29.2	PASS
Band5	5	20505	1	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20505	1	#0	QPSK	E-ACLR1+	-51.16	-29.2	PASS
Band5	5	20505	1	#0	QPSK	U-ACLR1+	-51.35	-32.2	PASS
Band5	5	20505	1	#0	QPSK	U-ACLR2+	-68.69	-35.2	PASS
Band5	5	20505	1	#Max	QPSK	U-ACLR2-	-69.52	-35.2	PASS
Band5	5	20505	1	#Max	QPSK	U-ACLR1-	-50.00	-32.2	PASS
Band5	5	20505	1	#Max	QPSK	E-ACLR1-	-49.83	-29.2	PASS
Band5	5	20505	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	5	20505	1	#Max	QPSK	E-ACLR1+	-56.05	-29.2	PASS
Band5	5	20505	1	#Max	QPSK	U-ACLR1+	-57.57	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	5	20505	1	#Max	QPSK	U-ACLR2+	-63.85	-35.2	PASS
Band5	5	20505	25	#0	QPSK	U-ACLR2-	-56.79	-35.2	PASS
Band5	5	20505	25	#0	QPSK	U-ACLR1-	-50.54	-32.2	PASS
Band5	5	20505	25	#0	QPSK	E-ACLR1-	-49.65	-29.2	PASS
Band5	5	20505	25	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20505	25	#0	QPSK	E-ACLR1+	-48.58	-29.2	PASS
Band5	5	20505	25	#0	QPSK	U-ACLR1+	-49.35	-32.2	PASS
Band5	5	20505	25	#0	QPSK	U-ACLR2+	-57.65	-35.2	PASS
Band5	5	20505	1	#0	16QAM	U-ACLR2-	-63.51	-35.2	PASS
Band5	5	20505	1	#0	16QAM	U-ACLR1-	-57.11	-32.2	PASS
Band5	5	20505	1	#0	16QAM	E-ACLR1-	-55.47	-29.2	PASS
Band5	5	20505	1	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20505	1	#0	16QAM	E-ACLR1+	-50.89	-29.2	PASS
Band5	5	20505	1	#0	16QAM	U-ACLR1+	-51.10	-32.2	PASS
Band5	5	20505	1	#0	16QAM	U-ACLR2+	-68.12	-35.2	PASS
Band5	5	20505	1	#Max	16QAM	U-ACLR2-	-68.97	-35.2	PASS
Band5	5	20505	1	#Max	16QAM	U-ACLR1-	-50.33	-32.2	PASS
Band5	5	20505	1	#Max	16QAM	E-ACLR1-	-50.13	-29.2	PASS
Band5	5	20505	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	5	20505	1	#Max	16QAM	E-ACLR1+	-55.88	-29.2	PASS
Band5	5	20505	1	#Max	16QAM	U-ACLR1+	-57.22	-32.2	PASS
Band5	5	20505	1	#Max	16QAM	U-ACLR2+	-63.45	-35.2	PASS
Band5	5	20505	25	#0	16QAM	U-ACLR2-	-56.76	-35.2	PASS
Band5	5	20505	25	#0	16QAM	U-ACLR1-	-49.06	-32.2	PASS
Band5	5	20505	25	#0	16QAM	E-ACLR1-	-48.21	-29.2	PASS
Band5	5	20505	25	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20505	25	#0	16QAM	E-ACLR1+	-47.48	-29.2	PASS
Band5	5	20505	25	#0	16QAM	U-ACLR1+	-48.25	-32.2	PASS
Band5	5	20505	25	#0	16QAM	U-ACLR2+	-57.52	-35.2	PASS
Band5	5	20585	1	#0	QPSK	U-ACLR2-	-62.61	-35.2	PASS
Band5	5	20585	1	#0	QPSK	U-ACLR1-	-57.58	-32.2	PASS
Band5	5	20585	1	#0	QPSK	E-ACLR1-	-55.91	-29.2	PASS
Band5	5	20585	1	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20585	1	#0	QPSK	E-ACLR1+	-51.65	-29.2	PASS
Band5	5	20585	1	#0	QPSK	U-ACLR1+	-51.84	-32.2	PASS
Band5	5	20585	1	#0	QPSK	U-ACLR2+	-68.94	-35.2	PASS
Band5	5	20585	1	#Max	QPSK	U-ACLR2-	-69.48	-35.2	PASS
Band5	5	20585	1	#Max	QPSK	U-ACLR1-	-48.59	-32.2	PASS
Band5	5	20585	1	#Max	QPSK	E-ACLR1-	-48.44	-29.2	PASS
Band5	5	20585	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	5	20585	1	#Max	QPSK	E-ACLR1+	-55.85	-29.2	PASS
Band5	5	20585	1	#Max	QPSK	U-ACLR1+	-57.46	-32.2	PASS
Band5	5	20585	1	#Max	QPSK	U-ACLR2+	-65.89	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	5	20585	25	#0	QPSK	U-ACLR2-	-55.97	-35.2	PASS
Band5	5	20585	25	#0	QPSK	U-ACLR1-	-48.93	-32.2	PASS
Band5	5	20585	25	#0	QPSK	E-ACLR1-	-48.02	-29.2	PASS
Band5	5	20585	25	#0	QPSK	EUTRA	0.00		PASS
Band5	5	20585	25	#0	QPSK	E-ACLR1+	-46.71	-29.2	PASS
Band5	5	20585	25	#0	QPSK	U-ACLR1+	-47.50	-32.2	PASS
Band5	5	20585	25	#0	QPSK	U-ACLR2+	-60.16	-35.2	PASS
Band5	5	20585	1	#0	16QAM	U-ACLR2-	-62.38	-35.2	PASS
Band5	5	20585	1	#0	16QAM	U-ACLR1-	-56.84	-32.2	PASS
Band5	5	20585	1	#0	16QAM	E-ACLR1-	-55.26	-29.2	PASS
Band5	5	20585	1	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20585	1	#0	16QAM	E-ACLR1+	-51.46	-29.2	PASS
Band5	5	20585	1	#0	16QAM	U-ACLR1+	-51.68	-32.2	PASS
Band5	5	20585	1	#0	16QAM	U-ACLR2+	-68.31	-35.2	PASS
Band5	5	20585	1	#Max	16QAM	U-ACLR2-	-68.88	-35.2	PASS
Band5	5	20585	1	#Max	16QAM	U-ACLR1-	-48.79	-32.2	PASS
Band5	5	20585	1	#Max	16QAM	E-ACLR1-	-48.62	-29.2	PASS
Band5	5	20585	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	5	20585	1	#Max	16QAM	E-ACLR1+	-55.86	-29.2	PASS
Band5	5	20585	1	#Max	16QAM	U-ACLR1+	-57.32	-32.2	PASS
Band5	5	20585	1	#Max	16QAM	U-ACLR2+	-65.25	-35.2	PASS
Band5	5	20585	25	#0	16QAM	U-ACLR2-	-55.79	-35.2	PASS
Band5	5	20585	25	#0	16QAM	U-ACLR1-	-48.34	-32.2	PASS
Band5	5	20585	25	#0	16QAM	E-ACLR1-	-47.47	-29.2	PASS
Band5	5	20585	25	#0	16QAM	EUTRA	0.00		PASS
Band5	5	20585	25	#0	16QAM	E-ACLR1+	-46.24	-29.2	PASS
Band5	5	20585	25	#0	16QAM	U-ACLR1+	-47.01	-32.2	PASS
Band5	5	20585	25	#0	16QAM	U-ACLR2+	-59.83	-35.2	PASS
Band5	10	20450	1	#0	QPSK	U-ACLR2-	-63.32	-35.2	PASS
Band5	10	20450	1	#0	QPSK	U-ACLR1-	-57.76	-32.2	PASS
Band5	10	20450	1	#0	QPSK	E-ACLR1-	-56.35	-29.2	PASS
Band5	10	20450	1	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20450	1	#0	QPSK	E-ACLR1+	-49.96	-29.2	PASS
Band5	10	20450	1	#0	QPSK	U-ACLR1+	-59.72	-32.2	PASS
Band5	10	20450	1	#0	QPSK	U-ACLR2+	-50.54	-35.2	PASS
Band5	10	20450	1	#Max	QPSK	U-ACLR2-	-50.99	-35.2	PASS
Band5	10	20450	1	#Max	QPSK	U-ACLR1-	-60.12	-32.2	PASS
Band5	10	20450	1	#Max	QPSK	E-ACLR1-	-50.41	-29.2	PASS
Band5	10	20450	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	10	20450	1	#Max	QPSK	E-ACLR1+	-56.74	-29.2	PASS
Band5	10	20450	1	#Max	QPSK	U-ACLR1+	-57.99	-32.2	PASS
Band5	10	20450	1	#Max	QPSK	U-ACLR2+	-63.73	-35.2	PASS
Band5	10	20450	50	#0	QPSK	U-ACLR2-	-56.87	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	10	20450	50	#0	QPSK	U-ACLR1-	-51.38	-32.2	PASS
Band5	10	20450	50	#0	QPSK	E-ACLR1-	-49.67	-29.2	PASS
Band5	10	20450	50	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20450	50	#0	QPSK	E-ACLR1+	-48.30	-29.2	PASS
Band5	10	20450	50	#0	QPSK	U-ACLR1+	-50.60	-32.2	PASS
Band5	10	20450	50	#0	QPSK	U-ACLR2+	-53.95	-35.2	PASS
Band5	10	20450	1	#0	16QAM	U-ACLR2-	-62.67	-35.2	PASS
Band5	10	20450	1	#0	16QAM	U-ACLR1-	-55.67	-32.2	PASS
Band5	10	20450	1	#0	16QAM	E-ACLR1-	-54.62	-29.2	PASS
Band5	10	20450	1	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20450	1	#0	16QAM	E-ACLR1+	-49.99	-29.2	PASS
Band5	10	20450	1	#0	16QAM	U-ACLR1+	-59.24	-32.2	PASS
Band5	10	20450	1	#0	16QAM	U-ACLR2+	-50.64	-35.2	PASS
Band5	10	20450	1	#Max	16QAM	U-ACLR2-	-51.09	-35.2	PASS
Band5	10	20450	1	#Max	16QAM	U-ACLR1-	-59.59	-32.2	PASS
Band5	10	20450	1	#Max	16QAM	E-ACLR1-	-50.42	-29.2	PASS
Band5	10	20450	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	10	20450	1	#Max	16QAM	E-ACLR1+	-55.68	-29.2	PASS
Band5	10	20450	1	#Max	16QAM	U-ACLR1+	-56.79	-32.2	PASS
Band5	10	20450	1	#Max	16QAM	U-ACLR2+	-63.16	-35.2	PASS
Band5	10	20450	50	#0	16QAM	U-ACLR2-	-55.39	-35.2	PASS
Band5	10	20450	50	#0	16QAM	U-ACLR1-	-50.22	-32.2	PASS
Band5	10	20450	50	#0	16QAM	E-ACLR1-	-48.42	-29.2	PASS
Band5	10	20450	50	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20450	50	#0	16QAM	E-ACLR1+	-47.26	-29.2	PASS
Band5	10	20450	50	#0	16QAM	U-ACLR1+	-49.26	-32.2	PASS
Band5	10	20450	50	#0	16QAM	U-ACLR2+	-53.76	-35.2	PASS
Band5	10	20505	1	#0	QPSK	U-ACLR2-	-63.61	-35.2	PASS
Band5	10	20505	1	#0	QPSK	U-ACLR1-	-58.19	-32.2	PASS
Band5	10	20505	1	#0	QPSK	E-ACLR1-	-56.81	-29.2	PASS
Band5	10	20505	1	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20505	1	#0	QPSK	E-ACLR1+	-50.61	-29.2	PASS
Band5	10	20505	1	#0	QPSK	U-ACLR1+	-60.46	-32.2	PASS
Band5	10	20505	1	#0	QPSK	U-ACLR2+	-51.18	-35.2	PASS
Band5	10	20505	1	#Max	QPSK	U-ACLR2-	-50.59	-35.2	PASS
Band5	10	20505	1	#Max	QPSK	U-ACLR1-	-59.60	-32.2	PASS
Band5	10	20505	1	#Max	QPSK	E-ACLR1-	-50.00	-29.2	PASS
Band5	10	20505	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	10	20505	1	#Max	QPSK	E-ACLR1+	-56.97	-29.2	PASS
Band5	10	20505	1	#Max	QPSK	U-ACLR1+	-58.20	-32.2	PASS
Band5	10	20505	1	#Max	QPSK	U-ACLR2+	-63.94	-35.2	PASS
Band5	10	20505	50	#0	QPSK	U-ACLR2-	-57.37	-35.2	PASS
Band5	10	20505	50	#0	QPSK	U-ACLR1-	-52.06	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	10	20505	50	#0	QPSK	E-ACLR1-	-50.38	-29.2	PASS
Band5	10	20505	50	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20505	50	#0	QPSK	E-ACLR1+	-48.22	-29.2	PASS
Band5	10	20505	50	#0	QPSK	U-ACLR1+	-50.22	-32.2	PASS
Band5	10	20505	50	#0	QPSK	U-ACLR2+	-54.61	-35.2	PASS
Band5	10	20505	1	#0	16QAM	U-ACLR2-	-62.93	-35.2	PASS
Band5	10	20505	1	#0	16QAM	U-ACLR1-	-56.40	-32.2	PASS
Band5	10	20505	1	#0	16QAM	E-ACLR1-	-55.26	-29.2	PASS
Band5	10	20505	1	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20505	1	#0	16QAM	E-ACLR1+	-50.74	-29.2	PASS
Band5	10	20505	1	#0	16QAM	U-ACLR1+	-59.79	-32.2	PASS
Band5	10	20505	1	#0	16QAM	U-ACLR2+	-51.43	-35.2	PASS
Band5	10	20505	1	#Max	16QAM	U-ACLR2-	-51.00	-35.2	PASS
Band5	10	20505	1	#Max	16QAM	U-ACLR1-	-59.01	-32.2	PASS
Band5	10	20505	1	#Max	16QAM	E-ACLR1-	-50.27	-29.2	PASS
Band5	10	20505	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	10	20505	1	#Max	16QAM	E-ACLR1+	-56.52	-29.2	PASS
Band5	10	20505	1	#Max	16QAM	U-ACLR1+	-57.86	-32.2	PASS
Band5	10	20505	1	#Max	16QAM	U-ACLR2+	-63.34	-35.2	PASS
Band5	10	20505	50	#0	16QAM	U-ACLR2-	-55.60	-35.2	PASS
Band5	10	20505	50	#0	16QAM	U-ACLR1-	-50.69	-32.2	PASS
Band5	10	20505	50	#0	16QAM	E-ACLR1-	-48.87	-29.2	PASS
Band5	10	20505	50	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20505	50	#0	16QAM	E-ACLR1+	-47.22	-29.2	PASS
Band5	10	20505	50	#0	16QAM	U-ACLR1+	-49.03	-32.2	PASS
Band5	10	20505	50	#0	16QAM	U-ACLR2+	-54.25	-35.2	PASS
Band5	10	20560	1	#0	QPSK	U-ACLR2-	-63.32	-35.2	PASS
Band5	10	20560	1	#0	QPSK	U-ACLR1-	-58.12	-32.2	PASS
Band5	10	20560	1	#0	QPSK	E-ACLR1-	-56.67	-29.2	PASS
Band5	10	20560	1	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20560	1	#0	QPSK	E-ACLR1+	-54.99	-29.2	PASS
Band5	10	20560	1	#0	QPSK	U-ACLR1+	-60.85	-32.2	PASS
Band5	10	20560	1	#0	QPSK	U-ACLR2+	-56.56	-35.2	PASS
Band5	10	20560	1	#Max	QPSK	U-ACLR2-	-50.19	-35.2	PASS
Band5	10	20560	1	#Max	QPSK	U-ACLR1-	-58.84	-32.2	PASS
Band5	10	20560	1	#Max	QPSK	E-ACLR1-	-49.55	-29.2	PASS
Band5	10	20560	1	#Max	QPSK	EUTRA	0.00		PASS
Band5	10	20560	1	#Max	QPSK	E-ACLR1+	-57.14	-29.2	PASS
Band5	10	20560	1	#Max	QPSK	U-ACLR1+	-58.08	-32.2	PASS
Band5	10	20560	1	#Max	QPSK	U-ACLR2+	-65.55	-35.2	PASS
Band5	10	20560	50	#0	QPSK	U-ACLR2-	-55.71	-35.2	PASS
Band5	10	20560	50	#0	QPSK	U-ACLR1-	-51.20	-32.2	PASS
Band5	10	20560	50	#0	QPSK	E-ACLR1-	-49.31	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band5	10	20560	50	#0	QPSK	EUTRA	0.00		PASS
Band5	10	20560	50	#0	QPSK	E-ACLR1+	-46.61	-29.2	PASS
Band5	10	20560	50	#0	QPSK	U-ACLR1+	-48.00	-32.2	PASS
Band5	10	20560	50	#0	QPSK	U-ACLR2+	-56.12	-35.2	PASS
Band5	10	20560	1	#0	16QAM	U-ACLR2-	-62.60	-35.2	PASS
Band5	10	20560	1	#0	16QAM	U-ACLR1-	-57.56	-32.2	PASS
Band5	10	20560	1	#0	16QAM	E-ACLR1-	-56.07	-29.2	PASS
Band5	10	20560	1	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20560	1	#0	16QAM	E-ACLR1+	-54.89	-29.2	PASS
Band5	10	20560	1	#0	16QAM	U-ACLR1+	-60.17	-32.2	PASS
Band5	10	20560	1	#0	16QAM	U-ACLR2+	-56.75	-35.2	PASS
Band5	10	20560	1	#Max	16QAM	U-ACLR2-	-50.18	-35.2	PASS
Band5	10	20560	1	#Max	16QAM	U-ACLR1-	-58.40	-32.2	PASS
Band5	10	20560	1	#Max	16QAM	E-ACLR1-	-49.48	-29.2	PASS
Band5	10	20560	1	#Max	16QAM	EUTRA	0.00		PASS
Band5	10	20560	1	#Max	16QAM	E-ACLR1+	-55.21	-29.2	PASS
Band5	10	20560	1	#Max	16QAM	U-ACLR1+	-55.90	-32.2	PASS
Band5	10	20560	1	#Max	16QAM	U-ACLR2+	-64.93	-35.2	PASS
Band5	10	20560	50	#0	16QAM	U-ACLR2-	-54.43	-35.2	PASS
Band5	10	20560	50	#0	16QAM	U-ACLR1-	-50.50	-32.2	PASS
Band5	10	20560	50	#0	16QAM	E-ACLR1-	-48.40	-29.2	PASS
Band5	10	20560	50	#0	16QAM	EUTRA	0.00		PASS
Band5	10	20560	50	#0	16QAM	E-ACLR1+	-46.03	-29.2	PASS
Band5	10	20560	50	#0	16QAM	U-ACLR1+	-47.37	-32.2	PASS
Band5	10	20560	50	#0	16QAM	U-ACLR2+	-55.69	-35.2	PASS
Band8	3	21665	1	#0	QPSK	U-ACLR1-	-58.39	-32.2	PASS
Band8	3	21665	1	#0	QPSK	E-ACLR1-	-54.56	-29.2	PASS
Band8	3	21665	1	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21665	1	#0	QPSK	E-ACLR1+	-49.81	-29.2	PASS
Band8	3	21665	1	#0	QPSK	U-ACLR1+	-49.83	-32.2	PASS
Band8	3	21665	1	#Max	QPSK	U-ACLR1-	-48.67	-32.2	PASS
Band8	3	21665	1	#Max	QPSK	E-ACLR1-	-48.67	-29.2	PASS
Band8	3	21665	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	3	21665	1	#Max	QPSK	E-ACLR1+	-55.07	-29.2	PASS
Band8	3	21665	1	#Max	QPSK	U-ACLR1+	-58.58	-32.2	PASS
Band8	3	21665	15	#0	QPSK	U-ACLR1-	-50.84	-32.2	PASS
Band8	3	21665	15	#0	QPSK	E-ACLR1-	-51.17	-29.2	PASS
Band8	3	21665	15	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21665	15	#0	QPSK	E-ACLR1+	-52.11	-29.2	PASS
Band8	3	21665	15	#0	QPSK	U-ACLR1+	-51.85	-32.2	PASS
Band8	3	21665	1	#0	16QAM	U-ACLR1-	-54.34	-32.2	PASS
Band8	3	21665	1	#0	16QAM	E-ACLR1-	-52.49	-29.2	PASS
Band8	3	21665	1	#0	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	3	21665	1	#0	16QAM	E-ACLR1+	-49.92	-29.2	PASS
Band8	3	21665	1	#0	16QAM	U-ACLR1+	-49.94	-32.2	PASS
Band8	3	21665	1	#Max	16QAM	U-ACLR1-	-48.66	-32.2	PASS
Band8	3	21665	1	#Max	16QAM	E-ACLR1-	-48.68	-29.2	PASS
Band8	3	21665	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	3	21665	1	#Max	16QAM	E-ACLR1+	-51.22	-29.2	PASS
Band8	3	21665	1	#Max	16QAM	U-ACLR1+	-52.42	-32.2	PASS
Band8	3	21665	15	#0	16QAM	U-ACLR1-	-49.42	-32.2	PASS
Band8	3	21665	15	#0	16QAM	E-ACLR1-	-49.58	-29.2	PASS
Band8	3	21665	15	#0	16QAM	EUTRA	0.00		PASS
Band8	3	21665	15	#0	16QAM	E-ACLR1+	-50.36	-29.2	PASS
Band8	3	21665	15	#0	16QAM	U-ACLR1+	-50.34	-32.2	PASS
Band8	3	21725	1	#0	QPSK	U-ACLR1-	-58.40	-32.2	PASS
Band8	3	21725	1	#0	QPSK	E-ACLR1-	-54.80	-29.2	PASS
Band8	3	21725	1	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21725	1	#0	QPSK	E-ACLR1+	-49.26	-29.2	PASS
Band8	3	21725	1	#0	QPSK	U-ACLR1+	-49.28	-32.2	PASS
Band8	3	21725	1	#Max	QPSK	U-ACLR1-	-50.36	-32.2	PASS
Band8	3	21725	1	#Max	QPSK	E-ACLR1-	-50.37	-29.2	PASS
Band8	3	21725	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	3	21725	1	#Max	QPSK	E-ACLR1+	-54.48	-29.2	PASS
Band8	3	21725	1	#Max	QPSK	U-ACLR1+	-58.11	-32.2	PASS
Band8	3	21725	15	#0	QPSK	U-ACLR1-	-50.98	-32.2	PASS
Band8	3	21725	15	#0	QPSK	E-ACLR1-	-51.49	-29.2	PASS
Band8	3	21725	15	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21725	15	#0	QPSK	E-ACLR1+	-52.42	-29.2	PASS
Band8	3	21725	15	#0	QPSK	U-ACLR1+	-52.05	-32.2	PASS
Band8	3	21725	1	#0	16QAM	U-ACLR1-	-53.82	-32.2	PASS
Band8	3	21725	1	#0	16QAM	E-ACLR1-	-52.11	-29.2	PASS
Band8	3	21725	1	#0	16QAM	EUTRA	0.00		PASS
Band8	3	21725	1	#0	16QAM	E-ACLR1+	-49.20	-29.2	PASS
Band8	3	21725	1	#0	16QAM	U-ACLR1+	-49.20	-32.2	PASS
Band8	3	21725	1	#Max	16QAM	U-ACLR1-	-50.40	-32.2	PASS
Band8	3	21725	1	#Max	16QAM	E-ACLR1-	-50.42	-29.2	PASS
Band8	3	21725	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	3	21725	1	#Max	16QAM	E-ACLR1+	-53.93	-29.2	PASS
Band8	3	21725	1	#Max	16QAM	U-ACLR1+	-56.30	-32.2	PASS
Band8	3	21725	15	#0	16QAM	U-ACLR1-	-49.27	-32.2	PASS
Band8	3	21725	15	#0	16QAM	E-ACLR1-	-49.49	-29.2	PASS
Band8	3	21725	15	#0	16QAM	EUTRA	0.00		PASS
Band8	3	21725	15	#0	16QAM	E-ACLR1+	-50.24	-29.2	PASS
Band8	3	21725	15	#0	16QAM	U-ACLR1+	-50.25	-32.2	PASS
Band8	3	21785	1	#0	QPSK	U-ACLR1-	-57.93	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	3	21785	1	#0	QPSK	E-ACLR1-	-54.51	-29.2	PASS
Band8	3	21785	1	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21785	1	#0	QPSK	E-ACLR1+	-51.05	-29.2	PASS
Band8	3	21785	1	#0	QPSK	U-ACLR1+	-51.12	-32.2	PASS
Band8	3	21785	1	#Max	QPSK	U-ACLR1-	-50.99	-32.2	PASS
Band8	3	21785	1	#Max	QPSK	E-ACLR1-	-51.02	-29.2	PASS
Band8	3	21785	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	3	21785	1	#Max	QPSK	E-ACLR1+	-54.86	-29.2	PASS
Band8	3	21785	1	#Max	QPSK	U-ACLR1+	-58.48	-32.2	PASS
Band8	3	21785	15	#0	QPSK	U-ACLR1-	-51.56	-32.2	PASS
Band8	3	21785	15	#0	QPSK	E-ACLR1-	-51.83	-29.2	PASS
Band8	3	21785	15	#0	QPSK	EUTRA	0.00		PASS
Band8	3	21785	15	#0	QPSK	E-ACLR1+	-50.01	-29.2	PASS
Band8	3	21785	15	#0	QPSK	U-ACLR1+	-51.05	-32.2	PASS
Band8	3	21785	1	#0	16QAM	U-ACLR1-	-54.40	-32.2	PASS
Band8	3	21785	1	#0	16QAM	E-ACLR1-	-52.50	-29.2	PASS
Band8	3	21785	1	#0	16QAM	EUTRA	0.00		PASS
Band8	3	21785	1	#0	16QAM	E-ACLR1+	-50.80	-29.2	PASS
Band8	3	21785	1	#0	16QAM	U-ACLR1+	-50.87	-32.2	PASS
Band8	3	21785	1	#Max	16QAM	U-ACLR1-	-51.11	-32.2	PASS
Band8	3	21785	1	#Max	16QAM	E-ACLR1-	-51.15	-29.2	PASS
Band8	3	21785	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	3	21785	1	#Max	16QAM	E-ACLR1+	-54.96	-29.2	PASS
Band8	3	21785	1	#Max	16QAM	U-ACLR1+	-58.25	-32.2	PASS
Band8	3	21785	15	#0	16QAM	U-ACLR1-	-49.76	-32.2	PASS
Band8	3	21785	15	#0	16QAM	E-ACLR1-	-49.83	-29.2	PASS
Band8	3	21785	15	#0	16QAM	EUTRA	0.00		PASS
Band8	3	21785	15	#0	16QAM	E-ACLR1+	-48.78	-29.2	PASS
Band8	3	21785	15	#0	16QAM	U-ACLR1+	-49.74	-32.2	PASS
Band8	5	21675	1	#0	QPSK	U-ACLR2-	-63.98	-35.2	PASS
Band8	5	21675	1	#0	QPSK	U-ACLR1-	-53.60	-32.2	PASS
Band8	5	21675	1	#0	QPSK	E-ACLR1-	-46.01	-29.2	PASS
Band8	5	21675	1	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21675	1	#0	QPSK	E-ACLR1+	-49.46	-29.2	PASS
Band8	5	21675	1	#0	QPSK	U-ACLR1+	-49.61	-32.2	PASS
Band8	5	21675	1	#0	QPSK	U-ACLR2+	-67.69	-35.2	PASS
Band8	5	21675	1	#Max	QPSK	U-ACLR2-	-68.74	-35.2	PASS
Band8	5	21675	1	#Max	QPSK	U-ACLR1-	-50.65	-32.2	PASS
Band8	5	21675	1	#Max	QPSK	E-ACLR1-	-50.43	-29.2	PASS
Band8	5	21675	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	5	21675	1	#Max	QPSK	E-ACLR1+	-46.77	-29.2	PASS
Band8	5	21675	1	#Max	QPSK	U-ACLR1+	-54.06	-32.2	PASS
Band8	5	21675	1	#Max	QPSK	U-ACLR2+	-65.08	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	5	21675	25	#0	QPSK	U-ACLR2-	-56.44	-35.2	PASS
Band8	5	21675	25	#0	QPSK	U-ACLR1-	-50.80	-32.2	PASS
Band8	5	21675	25	#0	QPSK	E-ACLR1-	-49.60	-29.2	PASS
Band8	5	21675	25	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21675	25	#0	QPSK	E-ACLR1+	-50.88	-29.2	PASS
Band8	5	21675	25	#0	QPSK	U-ACLR1+	-52.20	-32.2	PASS
Band8	5	21675	25	#0	QPSK	U-ACLR2+	-57.56	-35.2	PASS
Band8	5	21675	1	#0	16QAM	U-ACLR2-	-63.91	-35.2	PASS
Band8	5	21675	1	#0	16QAM	U-ACLR1-	-53.43	-32.2	PASS
Band8	5	21675	1	#0	16QAM	E-ACLR1-	-45.99	-29.2	PASS
Band8	5	21675	1	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21675	1	#0	16QAM	E-ACLR1+	-49.64	-29.2	PASS
Band8	5	21675	1	#0	16QAM	U-ACLR1+	-49.83	-32.2	PASS
Band8	5	21675	1	#0	16QAM	U-ACLR2+	-67.17	-35.2	PASS
Band8	5	21675	1	#Max	16QAM	U-ACLR2-	-67.81	-35.2	PASS
Band8	5	21675	1	#Max	16QAM	U-ACLR1-	-50.75	-32.2	PASS
Band8	5	21675	1	#Max	16QAM	E-ACLR1-	-50.51	-29.2	PASS
Band8	5	21675	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	5	21675	1	#Max	16QAM	E-ACLR1+	-46.12	-29.2	PASS
Band8	5	21675	1	#Max	16QAM	U-ACLR1+	-53.49	-32.2	PASS
Band8	5	21675	1	#Max	16QAM	U-ACLR2+	-64.36	-35.2	PASS
Band8	5	21675	25	#0	16QAM	U-ACLR2-	-56.42	-35.2	PASS
Band8	5	21675	25	#0	16QAM	U-ACLR1-	-49.71	-32.2	PASS
Band8	5	21675	25	#0	16QAM	E-ACLR1-	-48.58	-29.2	PASS
Band8	5	21675	25	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21675	25	#0	16QAM	E-ACLR1+	-49.74	-29.2	PASS
Band8	5	21675	25	#0	16QAM	U-ACLR1+	-50.93	-32.2	PASS
Band8	5	21675	25	#0	16QAM	U-ACLR2+	-57.41	-35.2	PASS
Band8	5	21725	1	#0	QPSK	U-ACLR2-	-63.73	-35.2	PASS
Band8	5	21725	1	#0	QPSK	U-ACLR1-	-53.70	-32.2	PASS
Band8	5	21725	1	#0	QPSK	E-ACLR1-	-46.37	-29.2	PASS
Band8	5	21725	1	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21725	1	#0	QPSK	E-ACLR1+	-51.26	-29.2	PASS
Band8	5	21725	1	#0	QPSK	U-ACLR1+	-51.45	-32.2	PASS
Band8	5	21725	1	#0	QPSK	U-ACLR2+	-67.49	-35.2	PASS
Band8	5	21725	1	#Max	QPSK	U-ACLR2-	-68.20	-35.2	PASS
Band8	5	21725	1	#Max	QPSK	U-ACLR1-	-49.21	-32.2	PASS
Band8	5	21725	1	#Max	QPSK	E-ACLR1-	-49.03	-29.2	PASS
Band8	5	21725	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	5	21725	1	#Max	QPSK	E-ACLR1+	-46.46	-29.2	PASS
Band8	5	21725	1	#Max	QPSK	U-ACLR1+	-53.83	-32.2	PASS
Band8	5	21725	1	#Max	QPSK	U-ACLR2+	-65.05	-35.2	PASS
Band8	5	21725	25	#0	QPSK	U-ACLR2-	-55.31	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	5	21725	25	#0	QPSK	U-ACLR1-	-51.20	-32.2	PASS
Band8	5	21725	25	#0	QPSK	E-ACLR1-	-49.90	-29.2	PASS
Band8	5	21725	25	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21725	25	#0	QPSK	E-ACLR1+	-51.19	-29.2	PASS
Band8	5	21725	25	#0	QPSK	U-ACLR1+	-52.65	-32.2	PASS
Band8	5	21725	25	#0	QPSK	U-ACLR2+	-57.43	-35.2	PASS
Band8	5	21725	1	#0	16QAM	U-ACLR2-	-63.24	-35.2	PASS
Band8	5	21725	1	#0	16QAM	U-ACLR1-	-52.98	-32.2	PASS
Band8	5	21725	1	#0	16QAM	E-ACLR1-	-45.53	-29.2	PASS
Band8	5	21725	1	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21725	1	#0	16QAM	E-ACLR1+	-51.27	-29.2	PASS
Band8	5	21725	1	#0	16QAM	U-ACLR1+	-51.50	-32.2	PASS
Band8	5	21725	1	#0	16QAM	U-ACLR2+	-66.95	-35.2	PASS
Band8	5	21725	1	#Max	16QAM	U-ACLR2-	-67.65	-35.2	PASS
Band8	5	21725	1	#Max	16QAM	U-ACLR1-	-49.19	-32.2	PASS
Band8	5	21725	1	#Max	16QAM	E-ACLR1-	-49.00	-29.2	PASS
Band8	5	21725	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	5	21725	1	#Max	16QAM	E-ACLR1+	-45.93	-29.2	PASS
Band8	5	21725	1	#Max	16QAM	U-ACLR1+	-53.32	-32.2	PASS
Band8	5	21725	1	#Max	16QAM	U-ACLR2+	-64.50	-35.2	PASS
Band8	5	21725	25	#0	16QAM	U-ACLR2-	-55.16	-35.2	PASS
Band8	5	21725	25	#0	16QAM	U-ACLR1-	-49.50	-32.2	PASS
Band8	5	21725	25	#0	16QAM	E-ACLR1-	-48.36	-29.2	PASS
Band8	5	21725	25	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21725	25	#0	16QAM	E-ACLR1+	-49.61	-29.2	PASS
Band8	5	21725	25	#0	16QAM	U-ACLR1+	-50.74	-32.2	PASS
Band8	5	21725	25	#0	16QAM	U-ACLR2+	-57.28	-35.2	PASS
Band8	5	21775	1	#0	QPSK	U-ACLR2-	-63.60	-35.2	PASS
Band8	5	21775	1	#0	QPSK	U-ACLR1-	-53.74	-32.2	PASS
Band8	5	21775	1	#0	QPSK	E-ACLR1-	-46.53	-29.2	PASS
Band8	5	21775	1	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21775	1	#0	QPSK	E-ACLR1+	-53.01	-29.2	PASS
Band8	5	21775	1	#0	QPSK	U-ACLR1+	-53.28	-32.2	PASS
Band8	5	21775	1	#0	QPSK	U-ACLR2+	-68.19	-35.2	PASS
Band8	5	21775	1	#Max	QPSK	U-ACLR2-	-68.49	-35.2	PASS
Band8	5	21775	1	#Max	QPSK	U-ACLR1-	-50.13	-32.2	PASS
Band8	5	21775	1	#Max	QPSK	E-ACLR1-	-49.95	-29.2	PASS
Band8	5	21775	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	5	21775	1	#Max	QPSK	E-ACLR1+	-46.48	-29.2	PASS
Band8	5	21775	1	#Max	QPSK	U-ACLR1+	-54.10	-32.2	PASS
Band8	5	21775	1	#Max	QPSK	U-ACLR2+	-66.81	-35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	-54.52	-35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	-50.27	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	5	21775	25	#0	QPSK	E-ACLR1-	-49.11	-29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00		PASS
Band8	5	21775	25	#0	QPSK	E-ACLR1+	-47.97	-29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1+	-49.39	-32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	-65.98	-35.2	PASS
Band8	5	21775	1	#0	16QAM	U-ACLR2-	-62.79	-35.2	PASS
Band8	5	21775	1	#0	16QAM	U-ACLR1-	-52.76	-32.2	PASS
Band8	5	21775	1	#0	16QAM	E-ACLR1-	-45.23	-29.2	PASS
Band8	5	21775	1	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21775	1	#0	16QAM	E-ACLR1+	-52.64	-29.2	PASS
Band8	5	21775	1	#0	16QAM	U-ACLR1+	-52.93	-32.2	PASS
Band8	5	21775	1	#0	16QAM	U-ACLR2+	-67.54	-35.2	PASS
Band8	5	21775	1	#Max	16QAM	U-ACLR2-	-68.01	-35.2	PASS
Band8	5	21775	1	#Max	16QAM	U-ACLR1-	-50.04	-32.2	PASS
Band8	5	21775	1	#Max	16QAM	E-ACLR1-	-49.85	-29.2	PASS
Band8	5	21775	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	5	21775	1	#Max	16QAM	E-ACLR1+	-45.96	-29.2	PASS
Band8	5	21775	1	#Max	16QAM	U-ACLR1+	-53.62	-32.2	PASS
Band8	5	21775	1	#Max	16QAM	U-ACLR2+	-66.21	-35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2-	-54.16	-35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR1-	-48.69	-32.2	PASS
Band8	5	21775	25	#0	16QAM	E-ACLR1-	-47.44	-29.2	PASS
Band8	5	21775	25	#0	16QAM	EUTRA	0.00		PASS
Band8	5	21775	25	#0	16QAM	E-ACLR1+	-47.49	-29.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR1+	-48.71	-32.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2+	-64.73	-35.2	PASS
Band8	10	21700	1	#0	QPSK	U-ACLR2-	-63.24	-35.2	PASS
Band8	10	21700	1	#0	QPSK	U-ACLR1-	-51.43	-32.2	PASS
Band8	10	21700	1	#0	QPSK	E-ACLR1-	-51.82	-29.2	PASS
Band8	10	21700	1	#0	QPSK	EUTRA	0.00		PASS
Band8	10	21700	1	#0	QPSK	E-ACLR1+	-53.11	-29.2	PASS
Band8	10	21700	1	#0	QPSK	U-ACLR1+	-60.83	-32.2	PASS
Band8	10	21700	1	#0	QPSK	U-ACLR2+	-54.09	-35.2	PASS
Band8	10	21700	1	#Max	QPSK	U-ACLR2-	-51.43	-35.2	PASS
Band8	10	21700	1	#Max	QPSK	U-ACLR1-	-58.23	-32.2	PASS
Band8	10	21700	1	#Max	QPSK	E-ACLR1-	-50.48	-29.2	PASS
Band8	10	21700	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	10	21700	1	#Max	QPSK	E-ACLR1+	-51.60	-29.2	PASS
Band8	10	21700	1	#Max	QPSK	U-ACLR1+	-51.21	-32.2	PASS
Band8	10	21700	1	#Max	QPSK	U-ACLR2+	-63.10	-35.2	PASS
Band8	10	21700	50	#0	QPSK	U-ACLR2-	-55.53	-35.2	PASS
Band8	10	21700	50	#0	QPSK	U-ACLR1-	-51.99	-32.2	PASS
Band8	10	21700	50	#0	QPSK	E-ACLR1-	-49.77	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	10	21700	50	#0	QPSK	EUTRA	0.00		PASS
Band8	10	21700	50	#0	QPSK	E-ACLR1+	-51.92	-29.2	PASS
Band8	10	21700	50	#0	QPSK	U-ACLR1+	-53.69	-32.2	PASS
Band8	10	21700	50	#0	QPSK	U-ACLR2+	-58.87	-35.2	PASS
Band8	10	21700	1	#0	16QAM	U-ACLR2-	-62.68	-35.2	PASS
Band8	10	21700	1	#0	16QAM	U-ACLR1-	-51.01	-32.2	PASS
Band8	10	21700	1	#0	16QAM	E-ACLR1-	-51.40	-29.2	PASS
Band8	10	21700	1	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21700	1	#0	16QAM	E-ACLR1+	-52.90	-29.2	PASS
Band8	10	21700	1	#0	16QAM	U-ACLR1+	-60.26	-32.2	PASS
Band8	10	21700	1	#0	16QAM	U-ACLR2+	-53.97	-35.2	PASS
Band8	10	21700	1	#Max	16QAM	U-ACLR2-	-52.07	-35.2	PASS
Band8	10	21700	1	#Max	16QAM	U-ACLR1-	-57.95	-32.2	PASS
Band8	10	21700	1	#Max	16QAM	E-ACLR1-	-50.92	-29.2	PASS
Band8	10	21700	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	10	21700	1	#Max	16QAM	E-ACLR1+	-51.96	-29.2	PASS
Band8	10	21700	1	#Max	16QAM	U-ACLR1+	-51.55	-32.2	PASS
Band8	10	21700	1	#Max	16QAM	U-ACLR2+	-63.06	-35.2	PASS
Band8	10	21700	50	#0	16QAM	U-ACLR2-	-54.36	-35.2	PASS
Band8	10	21700	50	#0	16QAM	U-ACLR1-	-50.74	-32.2	PASS
Band8	10	21700	50	#0	16QAM	E-ACLR1-	-48.53	-29.2	PASS
Band8	10	21700	50	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21700	50	#0	16QAM	E-ACLR1+	-50.39	-29.2	PASS
Band8	10	21700	50	#0	16QAM	U-ACLR1+	-52.42	-32.2	PASS
Band8	10	21700	50	#0	16QAM	U-ACLR2+	-56.82	-35.2	PASS
Band8	10	21725	1	#0	QPSK	U-ACLR2-	-63.12	-35.2	PASS
Band8	10	21725	1	#0	QPSK	U-ACLR1-	-51.28	-32.2	PASS
Band8	10	21725	1	#0	QPSK	E-ACLR1-	-51.68	-29.2	PASS
Band8	10	21725	1	#0	QPSK	EUTRA	0.00		PASS
Band8	10	21725	1	#0	QPSK	E-ACLR1+	-56.65	-29.2	PASS
Band8	10	21725	1	#0	QPSK	U-ACLR1+	-60.63	-32.2	PASS
Band8	10	21725	1	#0	QPSK	U-ACLR2+	-59.36	-35.2	PASS
Band8	10	21725	1	#Max	QPSK	U-ACLR2-	-51.44	-35.2	PASS
Band8	10	21725	1	#Max	QPSK	U-ACLR1-	-58.32	-32.2	PASS
Band8	10	21725	1	#Max	QPSK	E-ACLR1-	-50.51	-29.2	PASS
Band8	10	21725	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	10	21725	1	#Max	QPSK	E-ACLR1+	-51.91	-29.2	PASS
Band8	10	21725	1	#Max	QPSK	U-ACLR1+	-51.27	-32.2	PASS
Band8	10	21725	1	#Max	QPSK	U-ACLR2+	-65.79	-35.2	PASS
Band8	10	21725	50	#0	QPSK	U-ACLR2-	-55.04	-35.2	PASS
Band8	10	21725	50	#0	QPSK	U-ACLR1-	-52.14	-32.2	PASS
Band8	10	21725	50	#0	QPSK	E-ACLR1-	-49.72	-29.2	PASS
Band8	10	21725	50	#0	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	10	21725	50	#0	QPSK	E-ACLR1+	-52.17	-29.2	PASS
Band8	10	21725	50	#0	QPSK	U-ACLR1+	-53.32	-32.2	PASS
Band8	10	21725	50	#0	QPSK	U-ACLR2+	-61.72	-35.2	PASS
Band8	10	21725	1	#0	16QAM	U-ACLR2-	-62.44	-35.2	PASS
Band8	10	21725	1	#0	16QAM	U-ACLR1-	-51.03	-32.2	PASS
Band8	10	21725	1	#0	16QAM	E-ACLR1-	-51.37	-29.2	PASS
Band8	10	21725	1	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21725	1	#0	16QAM	E-ACLR1+	-56.35	-29.2	PASS
Band8	10	21725	1	#0	16QAM	U-ACLR1+	-60.01	-32.2	PASS
Band8	10	21725	1	#0	16QAM	U-ACLR2+	-59.40	-35.2	PASS
Band8	10	21725	1	#Max	16QAM	U-ACLR2-	-51.47	-35.2	PASS
Band8	10	21725	1	#Max	16QAM	U-ACLR1-	-57.91	-32.2	PASS
Band8	10	21725	1	#Max	16QAM	E-ACLR1-	-50.44	-29.2	PASS
Band8	10	21725	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	10	21725	1	#Max	16QAM	E-ACLR1+	-51.67	-29.2	PASS
Band8	10	21725	1	#Max	16QAM	U-ACLR1+	-51.09	-32.2	PASS
Band8	10	21725	1	#Max	16QAM	U-ACLR2+	-64.99	-35.2	PASS
Band8	10	21725	50	#0	16QAM	U-ACLR2-	-53.77	-35.2	PASS
Band8	10	21725	50	#0	16QAM	U-ACLR1-	-50.57	-32.2	PASS
Band8	10	21725	50	#0	16QAM	E-ACLR1-	-48.22	-29.2	PASS
Band8	10	21725	50	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21725	50	#0	16QAM	E-ACLR1+	-50.74	-29.2	PASS
Band8	10	21725	50	#0	16QAM	U-ACLR1+	-52.01	-32.2	PASS
Band8	10	21725	50	#0	16QAM	U-ACLR2+	-60.06	-35.2	PASS
Band8	10	21750	1	#0	QPSK	U-ACLR2-	-62.88	-35.2	PASS
Band8	10	21750	1	#0	QPSK	U-ACLR1-	-51.22	-32.2	PASS
Band8	10	21750	1	#0	QPSK	E-ACLR1-	-51.64	-29.2	PASS
Band8	10	21750	1	#0	QPSK	EUTRA	0.00		PASS
Band8	10	21750	1	#0	QPSK	E-ACLR1+	-60.04	-29.2	PASS
Band8	10	21750	1	#0	QPSK	U-ACLR1+	-61.46	-32.2	PASS
Band8	10	21750	1	#0	QPSK	U-ACLR2+	-67.26	-35.2	PASS
Band8	10	21750	1	#Max	QPSK	U-ACLR2-	-50.67	-35.2	PASS
Band8	10	21750	1	#Max	QPSK	U-ACLR1-	-58.89	-32.2	PASS
Band8	10	21750	1	#Max	QPSK	E-ACLR1-	-49.96	-29.2	PASS
Band8	10	21750	1	#Max	QPSK	EUTRA	0.00		PASS
Band8	10	21750	1	#Max	QPSK	E-ACLR1+	-52.63	-29.2	PASS
Band8	10	21750	1	#Max	QPSK	U-ACLR1+	-51.90	-32.2	PASS
Band8	10	21750	1	#Max	QPSK	U-ACLR2+	-67.32	-35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	-54.02	-35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	-51.60	-32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR1-	-49.01	-29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00		PASS
Band8	10	21750	50	#0	QPSK	E-ACLR1+	-51.38	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band8	10	21750	50	#0	QPSK	U-ACLR1+	-51.94	-32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	-65.68	-35.2	PASS
Band8	10	21750	1	#0	16QAM	U-ACLR2-	-62.26	-35.2	PASS
Band8	10	21750	1	#0	16QAM	U-ACLR1-	-51.04	-32.2	PASS
Band8	10	21750	1	#0	16QAM	E-ACLR1-	-51.39	-29.2	PASS
Band8	10	21750	1	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21750	1	#0	16QAM	E-ACLR1+	-59.41	-29.2	PASS
Band8	10	21750	1	#0	16QAM	U-ACLR1+	-60.90	-32.2	PASS
Band8	10	21750	1	#0	16QAM	U-ACLR2+	-66.48	-35.2	PASS
Band8	10	21750	1	#Max	16QAM	U-ACLR2-	-51.89	-35.2	PASS
Band8	10	21750	1	#Max	16QAM	U-ACLR1-	-58.38	-32.2	PASS
Band8	10	21750	1	#Max	16QAM	E-ACLR1-	-50.87	-29.2	PASS
Band8	10	21750	1	#Max	16QAM	EUTRA	0.00		PASS
Band8	10	21750	1	#Max	16QAM	E-ACLR1+	-52.29	-29.2	PASS
Band8	10	21750	1	#Max	16QAM	U-ACLR1+	-51.53	-32.2	PASS
Band8	10	21750	1	#Max	16QAM	U-ACLR2+	-66.92	-35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2-	-52.81	-35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR1-	-50.03	-32.2	PASS
Band8	10	21750	50	#0	16QAM	E-ACLR1-	-47.55	-29.2	PASS
Band8	10	21750	50	#0	16QAM	EUTRA	0.00		PASS
Band8	10	21750	50	#0	16QAM	E-ACLR1+	-50.52	-29.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR1+	-51.10	-32.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2+	-64.39	-35.2	PASS
Band18	5	23875	1	#0	QPSK	U-ACLR2-	-67.06	-35.2	PASS
Band18	5	23875	1	#0	QPSK	U-ACLR1-	-54.10	-32.2	PASS
Band18	5	23875	1	#0	QPSK	E-ACLR1-	-46.36	-29.2	PASS
Band18	5	23875	1	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23875	1	#0	QPSK	E-ACLR1+	-50.14	-29.2	PASS
Band18	5	23875	1	#0	QPSK	U-ACLR1+	-50.32	-32.2	PASS
Band18	5	23875	1	#0	QPSK	U-ACLR2+	-68.30	-35.2	PASS
Band18	5	23875	1	#Max	QPSK	U-ACLR2-	-71.00	-35.2	PASS
Band18	5	23875	1	#Max	QPSK	U-ACLR1-	-53.20	-32.2	PASS
Band18	5	23875	1	#Max	QPSK	E-ACLR1-	-52.93	-29.2	PASS
Band18	5	23875	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	5	23875	1	#Max	QPSK	E-ACLR1+	-46.25	-29.2	PASS
Band18	5	23875	1	#Max	QPSK	U-ACLR1+	-53.87	-32.2	PASS
Band18	5	23875	1	#Max	QPSK	U-ACLR2+	-63.08	-35.2	PASS
Band18	5	23875	25	#0	QPSK	U-ACLR2-	-64.74	-35.2	PASS
Band18	5	23875	25	#0	QPSK	U-ACLR1-	-48.39	-32.2	PASS
Band18	5	23875	25	#0	QPSK	E-ACLR1-	-47.26	-29.2	PASS
Band18	5	23875	25	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23875	25	#0	QPSK	E-ACLR1+	-45.51	-29.2	PASS
Band18	5	23875	25	#0	QPSK	U-ACLR1+	-46.47	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	5	23875	25	#0	QPSK	U-ACLR2+	-57.47	-35.2	PASS
Band18	5	23875	1	#0	16QAM	U-ACLR2-	-66.81	-35.2	PASS
Band18	5	23875	1	#0	16QAM	U-ACLR1-	-53.32	-32.2	PASS
Band18	5	23875	1	#0	16QAM	E-ACLR1-	-45.46	-29.2	PASS
Band18	5	23875	1	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23875	1	#0	16QAM	E-ACLR1+	-50.12	-29.2	PASS
Band18	5	23875	1	#0	16QAM	U-ACLR1+	-50.34	-32.2	PASS
Band18	5	23875	1	#0	16QAM	U-ACLR2+	-67.56	-35.2	PASS
Band18	5	23875	1	#Max	16QAM	U-ACLR2-	-70.33	-35.2	PASS
Band18	5	23875	1	#Max	16QAM	U-ACLR1-	-53.19	-32.2	PASS
Band18	5	23875	1	#Max	16QAM	E-ACLR1-	-52.89	-29.2	PASS
Band18	5	23875	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	5	23875	1	#Max	16QAM	E-ACLR1+	-45.60	-29.2	PASS
Band18	5	23875	1	#Max	16QAM	U-ACLR1+	-53.21	-32.2	PASS
Band18	5	23875	1	#Max	16QAM	U-ACLR2+	-62.61	-35.2	PASS
Band18	5	23875	25	#0	16QAM	U-ACLR2-	-63.96	-35.2	PASS
Band18	5	23875	25	#0	16QAM	U-ACLR1-	-49.47	-32.2	PASS
Band18	5	23875	25	#0	16QAM	E-ACLR1-	-48.28	-29.2	PASS
Band18	5	23875	25	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23875	25	#0	16QAM	E-ACLR1+	-46.72	-29.2	PASS
Band18	5	23875	25	#0	16QAM	U-ACLR1+	-47.72	-32.2	PASS
Band18	5	23875	25	#0	16QAM	U-ACLR2+	-57.12	-35.2	PASS
Band18	5	23925	1	#0	QPSK	U-ACLR2-	-63.88	-35.2	PASS
Band18	5	23925	1	#0	QPSK	U-ACLR1-	-53.83	-32.2	PASS
Band18	5	23925	1	#0	QPSK	E-ACLR1-	-46.21	-29.2	PASS
Band18	5	23925	1	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23925	1	#0	QPSK	E-ACLR1+	-50.60	-29.2	PASS
Band18	5	23925	1	#0	QPSK	U-ACLR1+	-50.79	-32.2	PASS
Band18	5	23925	1	#0	QPSK	U-ACLR2+	-68.42	-35.2	PASS
Band18	5	23925	1	#Max	QPSK	U-ACLR2-	-69.85	-35.2	PASS
Band18	5	23925	1	#Max	QPSK	U-ACLR1-	-50.45	-32.2	PASS
Band18	5	23925	1	#Max	QPSK	E-ACLR1-	-50.26	-29.2	PASS
Band18	5	23925	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	5	23925	1	#Max	QPSK	E-ACLR1+	-46.23	-29.2	PASS
Band18	5	23925	1	#Max	QPSK	U-ACLR1+	-53.72	-32.2	PASS
Band18	5	23925	1	#Max	QPSK	U-ACLR2+	-62.31	-35.2	PASS
Band18	5	23925	25	#0	QPSK	U-ACLR2-	-58.57	-35.2	PASS
Band18	5	23925	25	#0	QPSK	U-ACLR1-	-45.00	-32.2	PASS
Band18	5	23925	25	#0	QPSK	E-ACLR1-	-44.07	-29.2	PASS
Band18	5	23925	25	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23925	25	#0	QPSK	E-ACLR1+	-43.44	-29.2	PASS
Band18	5	23925	25	#0	QPSK	U-ACLR1+	-44.33	-32.2	PASS
Band18	5	23925	25	#0	QPSK	U-ACLR2+	-57.07	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	5	23925	1	#0	16QAM	U-ACLR2-	-63.56	-35.2	PASS
Band18	5	23925	1	#0	16QAM	U-ACLR1-	-52.91	-32.2	PASS
Band18	5	23925	1	#0	16QAM	E-ACLR1-	-45.10	-29.2	PASS
Band18	5	23925	1	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23925	1	#0	16QAM	E-ACLR1+	-50.94	-29.2	PASS
Band18	5	23925	1	#0	16QAM	U-ACLR1+	-51.18	-32.2	PASS
Band18	5	23925	1	#0	16QAM	U-ACLR2+	-67.50	-35.2	PASS
Band18	5	23925	1	#Max	16QAM	U-ACLR2-	-69.07	-35.2	PASS
Band18	5	23925	1	#Max	16QAM	U-ACLR1-	-50.73	-32.2	PASS
Band18	5	23925	1	#Max	16QAM	E-ACLR1-	-50.51	-29.2	PASS
Band18	5	23925	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	5	23925	1	#Max	16QAM	E-ACLR1+	-46.24	-29.2	PASS
Band18	5	23925	1	#Max	16QAM	U-ACLR1+	-53.58	-32.2	PASS
Band18	5	23925	1	#Max	16QAM	U-ACLR2+	-62.02	-35.2	PASS
Band18	5	23925	25	#0	16QAM	U-ACLR2-	-58.10	-35.2	PASS
Band18	5	23925	25	#0	16QAM	U-ACLR1-	-46.69	-32.2	PASS
Band18	5	23925	25	#0	16QAM	E-ACLR1-	-45.67	-29.2	PASS
Band18	5	23925	25	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23925	25	#0	16QAM	E-ACLR1+	-44.83	-29.2	PASS
Band18	5	23925	25	#0	16QAM	U-ACLR1+	-45.75	-32.2	PASS
Band18	5	23925	25	#0	16QAM	U-ACLR2+	-56.83	-35.2	PASS
Band18	5	23975	1	#0	QPSK	U-ACLR2-	-62.51	-35.2	PASS
Band18	5	23975	1	#0	QPSK	U-ACLR1-	-54.09	-32.2	PASS
Band18	5	23975	1	#0	QPSK	E-ACLR1-	-46.43	-29.2	PASS
Band18	5	23975	1	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23975	1	#0	QPSK	E-ACLR1+	-51.18	-29.2	PASS
Band18	5	23975	1	#0	QPSK	U-ACLR1+	-51.40	-32.2	PASS
Band18	5	23975	1	#0	QPSK	U-ACLR2+	-68.40	-35.2	PASS
Band18	5	23975	1	#Max	QPSK	U-ACLR2-	-68.59	-35.2	PASS
Band18	5	23975	1	#Max	QPSK	U-ACLR1-	-50.75	-32.2	PASS
Band18	5	23975	1	#Max	QPSK	E-ACLR1-	-50.55	-29.2	PASS
Band18	5	23975	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	5	23975	1	#Max	QPSK	E-ACLR1+	-46.31	-29.2	PASS
Band18	5	23975	1	#Max	QPSK	U-ACLR1+	-53.49	-32.2	PASS
Band18	5	23975	1	#Max	QPSK	U-ACLR2+	-62.15	-35.2	PASS
Band18	5	23975	25	#0	QPSK	U-ACLR2-	-57.61	-35.2	PASS
Band18	5	23975	25	#0	QPSK	U-ACLR1-	-49.14	-32.2	PASS
Band18	5	23975	25	#0	QPSK	E-ACLR1-	-47.95	-29.2	PASS
Band18	5	23975	25	#0	QPSK	EUTRA	0.00		PASS
Band18	5	23975	25	#0	QPSK	E-ACLR1+	-47.45	-29.2	PASS
Band18	5	23975	25	#0	QPSK	U-ACLR1+	-48.50	-32.2	PASS
Band18	5	23975	25	#0	QPSK	U-ACLR2+	-57.16	-35.2	PASS
Band18	5	23975	1	#0	16QAM	U-ACLR2-	-62.32	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	5	23975	1	#0	16QAM	U-ACLR1-	-53.30	-32.2	PASS
Band18	5	23975	1	#0	16QAM	E-ACLR1-	-45.51	-29.2	PASS
Band18	5	23975	1	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23975	1	#0	16QAM	E-ACLR1+	-51.03	-29.2	PASS
Band18	5	23975	1	#0	16QAM	U-ACLR1+	-51.27	-32.2	PASS
Band18	5	23975	1	#0	16QAM	U-ACLR2+	-67.71	-35.2	PASS
Band18	5	23975	1	#Max	16QAM	U-ACLR2-	-68.62	-35.2	PASS
Band18	5	23975	1	#Max	16QAM	U-ACLR1-	-51.27	-32.2	PASS
Band18	5	23975	1	#Max	16QAM	E-ACLR1-	-51.03	-29.2	PASS
Band18	5	23975	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	5	23975	1	#Max	16QAM	E-ACLR1+	-46.15	-29.2	PASS
Band18	5	23975	1	#Max	16QAM	U-ACLR1+	-53.65	-32.2	PASS
Band18	5	23975	1	#Max	16QAM	U-ACLR2+	-62.32	-35.2	PASS
Band18	5	23975	25	#0	16QAM	U-ACLR2-	-57.26	-35.2	PASS
Band18	5	23975	25	#0	16QAM	U-ACLR1-	-48.90	-32.2	PASS
Band18	5	23975	25	#0	16QAM	E-ACLR1-	-47.75	-29.2	PASS
Band18	5	23975	25	#0	16QAM	EUTRA	0.00		PASS
Band18	5	23975	25	#0	16QAM	E-ACLR1+	-47.26	-29.2	PASS
Band18	5	23975	25	#0	16QAM	U-ACLR1+	-48.26	-32.2	PASS
Band18	5	23975	25	#0	16QAM	U-ACLR2+	-57.02	-35.2	PASS
Band18	10	23900	1	#0	QPSK	U-ACLR2-	-67.44	-35.2	PASS
Band18	10	23900	1	#0	QPSK	U-ACLR1-	-51.65	-32.2	PASS
Band18	10	23900	1	#0	QPSK	E-ACLR1-	-52.38	-29.2	PASS
Band18	10	23900	1	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23900	1	#0	QPSK	E-ACLR1+	-49.77	-29.2	PASS
Band18	10	23900	1	#0	QPSK	U-ACLR1+	-59.65	-32.2	PASS
Band18	10	23900	1	#0	QPSK	U-ACLR2+	-50.33	-35.2	PASS
Band18	10	23900	1	#Max	QPSK	U-ACLR2-	-62.44	-35.2	PASS
Band18	10	23900	1	#Max	QPSK	U-ACLR1-	-61.09	-32.2	PASS
Band18	10	23900	1	#Max	QPSK	E-ACLR1-	-58.43	-29.2	PASS
Band18	10	23900	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	10	23900	1	#Max	QPSK	E-ACLR1+	-52.02	-29.2	PASS
Band18	10	23900	1	#Max	QPSK	U-ACLR1+	-51.50	-32.2	PASS
Band18	10	23900	1	#Max	QPSK	U-ACLR2+	-64.22	-35.2	PASS
Band18	10	23900	50	#0	QPSK	U-ACLR2-	-61.36	-35.2	PASS
Band18	10	23900	50	#0	QPSK	U-ACLR1-	-49.26	-32.2	PASS
Band18	10	23900	50	#0	QPSK	E-ACLR1-	-48.61	-29.2	PASS
Band18	10	23900	50	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23900	50	#0	QPSK	E-ACLR1+	-44.30	-29.2	PASS
Band18	10	23900	50	#0	QPSK	U-ACLR1+	-46.22	-32.2	PASS
Band18	10	23900	50	#0	QPSK	U-ACLR2+	-50.85	-35.2	PASS
Band18	10	23900	1	#0	16QAM	U-ACLR2-	-67.03	-35.2	PASS
Band18	10	23900	1	#0	16QAM	U-ACLR1-	-51.36	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	10	23900	1	#0	16QAM	E-ACLR1-	-52.10	-29.2	PASS
Band18	10	23900	1	#0	16QAM	EUTRA	0.00		PASS
Band18	10	23900	1	#0	16QAM	E-ACLR1+	-49.80	-29.2	PASS
Band18	10	23900	1	#0	16QAM	U-ACLR1+	-59.04	-32.2	PASS
Band18	10	23900	1	#0	16QAM	U-ACLR2+	-50.46	-35.2	PASS
Band18	10	23900	1	#Max	16QAM	U-ACLR2-	-62.18	-35.2	PASS
Band18	10	23900	1	#Max	16QAM	U-ACLR1-	-60.53	-32.2	PASS
Band18	10	23900	1	#Max	16QAM	E-ACLR1-	-57.98	-29.2	PASS
Band18	10	23900	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	10	23900	1	#Max	16QAM	E-ACLR1+	-51.36	-29.2	PASS
Band18	10	23900	1	#Max	16QAM	U-ACLR1+	-50.87	-32.2	PASS
Band18	10	23900	1	#Max	16QAM	U-ACLR2+	-63.61	-35.2	PASS
Band18	10	23900	50	#0	16QAM	U-ACLR2-	-61.82	-35.2	PASS
Band18	10	23900	50	#0	16QAM	U-ACLR1-	-50.48	-32.2	PASS
Band18	10	23900	50	#0	16QAM	E-ACLR1-	-49.76	-29.2	PASS
Band18	10	23900	50	#0	16QAM	EUTRA	0.00		PASS
Band18	10	23900	50	#0	16QAM	E-ACLR1+	-44.90	-29.2	PASS
Band18	10	23900	50	#0	16QAM	U-ACLR1+	-46.77	-32.2	PASS
Band18	10	23900	50	#0	16QAM	U-ACLR2+	-51.74	-35.2	PASS
Band18	10	23925	1	#0	QPSK	U-ACLR2-	-66.15	-35.2	PASS
Band18	10	23925	1	#0	QPSK	U-ACLR1-	-51.53	-32.2	PASS
Band18	10	23925	1	#0	QPSK	E-ACLR1-	-52.16	-29.2	PASS
Band18	10	23925	1	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23925	1	#0	QPSK	E-ACLR1+	-50.46	-29.2	PASS
Band18	10	23925	1	#0	QPSK	U-ACLR1+	-59.86	-32.2	PASS
Band18	10	23925	1	#0	QPSK	U-ACLR2+	-51.09	-35.2	PASS
Band18	10	23925	1	#Max	QPSK	U-ACLR2-	-56.71	-35.2	PASS
Band18	10	23925	1	#Max	QPSK	U-ACLR1-	-60.30	-32.2	PASS
Band18	10	23925	1	#Max	QPSK	E-ACLR1-	-54.94	-29.2	PASS
Band18	10	23925	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	10	23925	1	#Max	QPSK	E-ACLR1+	-52.19	-29.2	PASS
Band18	10	23925	1	#Max	QPSK	U-ACLR1+	-51.64	-32.2	PASS
Band18	10	23925	1	#Max	QPSK	U-ACLR2+	-64.36	-35.2	PASS
Band18	10	23925	50	#0	QPSK	U-ACLR2-	-56.04	-35.2	PASS
Band18	10	23925	50	#0	QPSK	U-ACLR1-	-47.19	-32.2	PASS
Band18	10	23925	50	#0	QPSK	E-ACLR1-	-46.07	-29.2	PASS
Band18	10	23925	50	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23925	50	#0	QPSK	E-ACLR1+	-43.68	-29.2	PASS
Band18	10	23925	50	#0	QPSK	U-ACLR1+	-45.55	-32.2	PASS
Band18	10	23925	50	#0	QPSK	U-ACLR2+	-50.52	-35.2	PASS
Band18	10	23925	1	#0	16QAM	U-ACLR2-	-65.71	-35.2	PASS
Band18	10	23925	1	#0	16QAM	U-ACLR1-	-51.04	-32.2	PASS
Band18	10	23925	1	#0	16QAM	E-ACLR1-	-51.66	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	10	23925	1	#0	16QAM	EUTRA	0.00		PASS
Band18	10	23925	1	#0	16QAM	E-ACLR1+	-50.64	-29.2	PASS
Band18	10	23925	1	#0	16QAM	U-ACLR1+	-59.30	-32.2	PASS
Band18	10	23925	1	#0	16QAM	U-ACLR2+	-51.40	-35.2	PASS
Band18	10	23925	1	#Max	16QAM	U-ACLR2-	-57.11	-35.2	PASS
Band18	10	23925	1	#Max	16QAM	U-ACLR1-	-59.71	-32.2	PASS
Band18	10	23925	1	#Max	16QAM	E-ACLR1-	-54.98	-29.2	PASS
Band18	10	23925	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	10	23925	1	#Max	16QAM	E-ACLR1+	-51.71	-29.2	PASS
Band18	10	23925	1	#Max	16QAM	U-ACLR1+	-51.20	-32.2	PASS
Band18	10	23925	1	#Max	16QAM	U-ACLR2+	-63.55	-35.2	PASS
Band18	10	23925	50	#0	16QAM	U-ACLR2-	-57.26	-35.2	PASS
Band18	10	23925	50	#0	16QAM	U-ACLR1-	-49.01	-32.2	PASS
Band18	10	23925	50	#0	16QAM	E-ACLR1-	-47.81	-29.2	PASS
Band18	10	23925	50	#0	16QAM	EUTRA	0.00		PASS
Band18	10	23925	50	#0	16QAM	E-ACLR1+	-44.59	-29.2	PASS
Band18	10	23925	50	#0	16QAM	U-ACLR1+	-46.42	-32.2	PASS
Band18	10	23925	50	#0	16QAM	U-ACLR2+	-51.60	-35.2	PASS
Band18	10	23950	1	#0	QPSK	U-ACLR2-	-64.72	-35.2	PASS
Band18	10	23950	1	#0	QPSK	U-ACLR1-	-51.60	-32.2	PASS
Band18	10	23950	1	#0	QPSK	E-ACLR1-	-52.13	-29.2	PASS
Band18	10	23950	1	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23950	1	#0	QPSK	E-ACLR1+	-50.78	-29.2	PASS
Band18	10	23950	1	#0	QPSK	U-ACLR1+	-59.96	-32.2	PASS
Band18	10	23950	1	#0	QPSK	U-ACLR2+	-51.45	-35.2	PASS
Band18	10	23950	1	#Max	QPSK	U-ACLR2-	-53.20	-35.2	PASS
Band18	10	23950	1	#Max	QPSK	U-ACLR1-	-60.06	-32.2	PASS
Band18	10	23950	1	#Max	QPSK	E-ACLR1-	-52.26	-29.2	PASS
Band18	10	23950	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	10	23950	1	#Max	QPSK	E-ACLR1+	-52.31	-29.2	PASS
Band18	10	23950	1	#Max	QPSK	U-ACLR1+	-51.76	-32.2	PASS
Band18	10	23950	1	#Max	QPSK	U-ACLR2+	-64.36	-35.2	PASS
Band18	10	23950	50	#0	QPSK	U-ACLR2-	-54.68	-35.2	PASS
Band18	10	23950	50	#0	QPSK	U-ACLR1-	-48.41	-32.2	PASS
Band18	10	23950	50	#0	QPSK	E-ACLR1-	-46.89	-29.2	PASS
Band18	10	23950	50	#0	QPSK	EUTRA	0.00		PASS
Band18	10	23950	50	#0	QPSK	E-ACLR1+	-45.25	-29.2	PASS
Band18	10	23950	50	#0	QPSK	U-ACLR1+	-47.15	-32.2	PASS
Band18	10	23950	50	#0	QPSK	U-ACLR2+	-51.78	-35.2	PASS
Band18	10	23950	1	#0	16QAM	U-ACLR2-	-64.08	-35.2	PASS
Band18	10	23950	1	#0	16QAM	U-ACLR1-	-50.92	-32.2	PASS
Band18	10	23950	1	#0	16QAM	E-ACLR1-	-51.44	-29.2	PASS
Band18	10	23950	1	#0	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	10	23950	1	#0	16QAM	E-ACLR1+	-50.87	-29.2	PASS
Band18	10	23950	1	#0	16QAM	U-ACLR1+	-59.31	-32.2	PASS
Band18	10	23950	1	#0	16QAM	U-ACLR2+	-51.68	-35.2	PASS
Band18	10	23950	1	#Max	16QAM	U-ACLR2-	-53.33	-35.2	PASS
Band18	10	23950	1	#Max	16QAM	U-ACLR1-	-59.56	-32.2	PASS
Band18	10	23950	1	#Max	16QAM	E-ACLR1-	-52.27	-29.2	PASS
Band18	10	23950	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	10	23950	1	#Max	16QAM	E-ACLR1+	-51.67	-29.2	PASS
Band18	10	23950	1	#Max	16QAM	U-ACLR1+	-51.10	-32.2	PASS
Band18	10	23950	1	#Max	16QAM	U-ACLR2+	-63.81	-35.2	PASS
Band18	10	23950	50	#0	16QAM	U-ACLR2-	-55.17	-35.2	PASS
Band18	10	23950	50	#0	16QAM	U-ACLR1-	-49.35	-32.2	PASS
Band18	10	23950	50	#0	16QAM	E-ACLR1-	-47.75	-29.2	PASS
Band18	10	23950	50	#0	16QAM	EUTRA	0.00		PASS
Band18	10	23950	50	#0	16QAM	E-ACLR1+	-45.58	-29.2	PASS
Band18	10	23950	50	#0	16QAM	U-ACLR1+	-47.43	-32.2	PASS
Band18	10	23950	50	#0	16QAM	U-ACLR2+	-52.44	-35.2	PASS
Band18	15	23925	1	#0	QPSK	U-ACLR2-	-66.94	-35.2	PASS
Band18	15	23925	1	#0	QPSK	U-ACLR1-	-50.96	-32.2	PASS
Band18	15	23925	1	#0	QPSK	E-ACLR1-	-55.45	-29.2	PASS
Band18	15	23925	1	#0	QPSK	EUTRA	0.00		PASS
Band18	15	23925	1	#0	QPSK	E-ACLR1+	-50.04	-29.2	PASS
Band18	15	23925	1	#0	QPSK	U-ACLR1+	-60.07	-32.2	PASS
Band18	15	23925	1	#0	QPSK	U-ACLR2+	-59.60	-35.2	PASS
Band18	15	23925	1	#Max	QPSK	U-ACLR2-	-68.25	-35.2	PASS
Band18	15	23925	1	#Max	QPSK	U-ACLR1-	-61.99	-32.2	PASS
Band18	15	23925	1	#Max	QPSK	E-ACLR1-	-60.47	-29.2	PASS
Band18	15	23925	1	#Max	QPSK	EUTRA	0.00		PASS
Band18	15	23925	1	#Max	QPSK	E-ACLR1+	-54.04	-29.2	PASS
Band18	15	23925	1	#Max	QPSK	U-ACLR1+	-50.71	-32.2	PASS
Band18	15	23925	1	#Max	QPSK	U-ACLR2+	-61.44	-35.2	PASS
Band18	15	23925	75	#0	QPSK	U-ACLR2-	-61.28	-35.2	PASS
Band18	15	23925	75	#0	QPSK	U-ACLR1-	-51.21	-32.2	PASS
Band18	15	23925	75	#0	QPSK	E-ACLR1-	-50.73	-29.2	PASS
Band18	15	23925	75	#0	QPSK	EUTRA	0.00		PASS
Band18	15	23925	75	#0	QPSK	E-ACLR1+	-44.44	-29.2	PASS
Band18	15	23925	75	#0	QPSK	U-ACLR1+	-47.53	-32.2	PASS
Band18	15	23925	75	#0	QPSK	U-ACLR2+	-50.30	-35.2	PASS
Band18	15	23925	1	#0	16QAM	U-ACLR2-	-66.43	-35.2	PASS
Band18	15	23925	1	#0	16QAM	U-ACLR1-	-49.82	-32.2	PASS
Band18	15	23925	1	#0	16QAM	E-ACLR1-	-54.57	-29.2	PASS
Band18	15	23925	1	#0	16QAM	EUTRA	0.00		PASS
Band18	15	23925	1	#0	16QAM	E-ACLR1+	-49.98	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band18	15	23925	1	#0	16QAM	U-ACLR1+	-59.47	-32.2	PASS
Band18	15	23925	1	#0	16QAM	U-ACLR2+	-59.29	-35.2	PASS
Band18	15	23925	1	#Max	16QAM	U-ACLR2-	-67.76	-35.2	PASS
Band18	15	23925	1	#Max	16QAM	U-ACLR1-	-61.21	-32.2	PASS
Band18	15	23925	1	#Max	16QAM	E-ACLR1-	-59.82	-29.2	PASS
Band18	15	23925	1	#Max	16QAM	EUTRA	0.00		PASS
Band18	15	23925	1	#Max	16QAM	E-ACLR1+	-53.65	-29.2	PASS
Band18	15	23925	1	#Max	16QAM	U-ACLR1+	-50.61	-32.2	PASS
Band18	15	23925	1	#Max	16QAM	U-ACLR2+	-61.05	-35.2	PASS
Band18	15	23925	75	#0	16QAM	U-ACLR2-	-62.25	-35.2	PASS
Band18	15	23925	75	#0	16QAM	U-ACLR1-	-52.55	-32.2	PASS
Band18	15	23925	75	#0	16QAM	E-ACLR1-	-52.03	-29.2	PASS
Band18	15	23925	75	#0	16QAM	EUTRA	0.00		PASS
Band18	15	23925	75	#0	16QAM	E-ACLR1+	-44.60	-29.2	PASS
Band18	15	23925	75	#0	16QAM	U-ACLR1+	-47.68	-32.2	PASS
Band18	15	23925	75	#0	16QAM	U-ACLR2+	-50.16	-35.2	PASS
Band19	5	24025	1	#0	QPSK	U-ACLR2-	-63.28	-35.2	PASS
Band19	5	24025	1	#0	QPSK	U-ACLR1-	-53.84	-32.2	PASS
Band19	5	24025	1	#0	QPSK	E-ACLR1-	-46.31	-29.2	PASS
Band19	5	24025	1	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24025	1	#0	QPSK	E-ACLR1+	-50.07	-29.2	PASS
Band19	5	24025	1	#0	QPSK	U-ACLR1+	-50.25	-32.2	PASS
Band19	5	24025	1	#0	QPSK	U-ACLR2+	-68.53	-35.2	PASS
Band19	5	24025	1	#Max	QPSK	U-ACLR2-	-69.94	-35.2	PASS
Band19	5	24025	1	#Max	QPSK	U-ACLR1-	-49.67	-32.2	PASS
Band19	5	24025	1	#Max	QPSK	E-ACLR1-	-49.49	-29.2	PASS
Band19	5	24025	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	5	24025	1	#Max	QPSK	E-ACLR1+	-46.32	-29.2	PASS
Band19	5	24025	1	#Max	QPSK	U-ACLR1+	-53.78	-32.2	PASS
Band19	5	24025	1	#Max	QPSK	U-ACLR2+	-63.38	-35.2	PASS
Band19	5	24025	25	#0	QPSK	U-ACLR2-	-57.71	-35.2	PASS
Band19	5	24025	25	#0	QPSK	U-ACLR1-	-50.02	-32.2	PASS
Band19	5	24025	25	#0	QPSK	E-ACLR1-	-48.84	-29.2	PASS
Band19	5	24025	25	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24025	25	#0	QPSK	E-ACLR1+	-48.52	-29.2	PASS
Band19	5	24025	25	#0	QPSK	U-ACLR1+	-49.64	-32.2	PASS
Band19	5	24025	25	#0	QPSK	U-ACLR2+	-57.78	-35.2	PASS
Band19	5	24025	1	#0	16QAM	U-ACLR2-	-62.91	-35.2	PASS
Band19	5	24025	1	#0	16QAM	U-ACLR1-	-53.01	-32.2	PASS
Band19	5	24025	1	#0	16QAM	E-ACLR1-	-45.30	-29.2	PASS
Band19	5	24025	1	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24025	1	#0	16QAM	E-ACLR1+	-50.09	-29.2	PASS
Band19	5	24025	1	#0	16QAM	U-ACLR1+	-50.30	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	5	24025	1	#0	16QAM	U-ACLR2+	-67.97	-35.2	PASS
Band19	5	24025	1	#Max	16QAM	U-ACLR2-	-69.03	-35.2	PASS
Band19	5	24025	1	#Max	16QAM	U-ACLR1-	-49.85	-32.2	PASS
Band19	5	24025	1	#Max	16QAM	E-ACLR1-	-49.66	-29.2	PASS
Band19	5	24025	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	5	24025	1	#Max	16QAM	E-ACLR1+	-46.31	-29.2	PASS
Band19	5	24025	1	#Max	16QAM	U-ACLR1+	-53.59	-32.2	PASS
Band19	5	24025	1	#Max	16QAM	U-ACLR2+	-63.16	-35.2	PASS
Band19	5	24025	25	#0	16QAM	U-ACLR2-	-57.41	-35.2	PASS
Band19	5	24025	25	#0	16QAM	U-ACLR1-	-49.24	-32.2	PASS
Band19	5	24025	25	#0	16QAM	E-ACLR1-	-48.11	-29.2	PASS
Band19	5	24025	25	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24025	25	#0	16QAM	E-ACLR1+	-48.10	-29.2	PASS
Band19	5	24025	25	#0	16QAM	U-ACLR1+	-49.15	-32.2	PASS
Band19	5	24025	25	#0	16QAM	U-ACLR2+	-57.49	-35.2	PASS
Band19	5	24075	1	#0	QPSK	U-ACLR2-	-63.10	-35.2	PASS
Band19	5	24075	1	#0	QPSK	U-ACLR1-	-53.99	-32.2	PASS
Band19	5	24075	1	#0	QPSK	E-ACLR1-	-46.62	-29.2	PASS
Band19	5	24075	1	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24075	1	#0	QPSK	E-ACLR1+	-50.83	-29.2	PASS
Band19	5	24075	1	#0	QPSK	U-ACLR1+	-51.03	-32.2	PASS
Band19	5	24075	1	#0	QPSK	U-ACLR2+	-68.74	-35.2	PASS
Band19	5	24075	1	#Max	QPSK	U-ACLR2-	-69.20	-35.2	PASS
Band19	5	24075	1	#Max	QPSK	U-ACLR1-	-49.54	-32.2	PASS
Band19	5	24075	1	#Max	QPSK	E-ACLR1-	-49.37	-29.2	PASS
Band19	5	24075	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	5	24075	1	#Max	QPSK	E-ACLR1+	-46.47	-29.2	PASS
Band19	5	24075	1	#Max	QPSK	U-ACLR1+	-53.87	-32.2	PASS
Band19	5	24075	1	#Max	QPSK	U-ACLR2+	-62.94	-35.2	PASS
Band19	5	24075	25	#0	QPSK	U-ACLR2-	-57.00	-35.2	PASS
Band19	5	24075	25	#0	QPSK	U-ACLR1-	-48.57	-32.2	PASS
Band19	5	24075	25	#0	QPSK	E-ACLR1-	-47.51	-29.2	PASS
Band19	5	24075	25	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24075	25	#0	QPSK	E-ACLR1+	-46.75	-29.2	PASS
Band19	5	24075	25	#0	QPSK	U-ACLR1+	-47.74	-32.2	PASS
Band19	5	24075	25	#0	QPSK	U-ACLR2+	-58.14	-35.2	PASS
Band19	5	24075	1	#0	16QAM	U-ACLR2-	-62.80	-35.2	PASS
Band19	5	24075	1	#0	16QAM	U-ACLR1-	-53.06	-32.2	PASS
Band19	5	24075	1	#0	16QAM	E-ACLR1-	-45.49	-29.2	PASS
Band19	5	24075	1	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24075	1	#0	16QAM	E-ACLR1+	-50.87	-29.2	PASS
Band19	5	24075	1	#0	16QAM	U-ACLR1+	-51.10	-32.2	PASS
Band19	5	24075	1	#0	16QAM	U-ACLR2+	-67.79	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	5	24075	1	#Max	16QAM	U-ACLR2-	-69.00	-35.2	PASS
Band19	5	24075	1	#Max	16QAM	U-ACLR1-	-49.51	-32.2	PASS
Band19	5	24075	1	#Max	16QAM	E-ACLR1-	-49.33	-29.2	PASS
Band19	5	24075	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	5	24075	1	#Max	16QAM	E-ACLR1+	-46.09	-29.2	PASS
Band19	5	24075	1	#Max	16QAM	U-ACLR1+	-53.38	-32.2	PASS
Band19	5	24075	1	#Max	16QAM	U-ACLR2+	-62.57	-35.2	PASS
Band19	5	24075	25	#0	16QAM	U-ACLR2-	-56.81	-35.2	PASS
Band19	5	24075	25	#0	16QAM	U-ACLR1-	-49.00	-32.2	PASS
Band19	5	24075	25	#0	16QAM	E-ACLR1-	-47.89	-29.2	PASS
Band19	5	24075	25	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24075	25	#0	16QAM	E-ACLR1+	-47.13	-29.2	PASS
Band19	5	24075	25	#0	16QAM	U-ACLR1+	-48.08	-32.2	PASS
Band19	5	24075	25	#0	16QAM	U-ACLR2+	-58.02	-35.2	PASS
Band19	5	24125	1	#0	QPSK	U-ACLR2-	-62.07	-35.2	PASS
Band19	5	24125	1	#0	QPSK	U-ACLR1-	-53.69	-32.2	PASS
Band19	5	24125	1	#0	QPSK	E-ACLR1-	-46.23	-29.2	PASS
Band19	5	24125	1	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24125	1	#0	QPSK	E-ACLR1+	-51.02	-29.2	PASS
Band19	5	24125	1	#0	QPSK	U-ACLR1+	-51.21	-32.2	PASS
Band19	5	24125	1	#0	QPSK	U-ACLR2+	-68.99	-35.2	PASS
Band19	5	24125	1	#Max	QPSK	U-ACLR2-	-69.41	-35.2	PASS
Band19	5	24125	1	#Max	QPSK	U-ACLR1-	-48.21	-32.2	PASS
Band19	5	24125	1	#Max	QPSK	E-ACLR1-	-48.07	-29.2	PASS
Band19	5	24125	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	5	24125	1	#Max	QPSK	E-ACLR1+	-46.65	-29.2	PASS
Band19	5	24125	1	#Max	QPSK	U-ACLR1+	-53.93	-32.2	PASS
Band19	5	24125	1	#Max	QPSK	U-ACLR2+	-65.67	-35.2	PASS
Band19	5	24125	25	#0	QPSK	U-ACLR2-	-56.24	-35.2	PASS
Band19	5	24125	25	#0	QPSK	U-ACLR1-	-46.69	-32.2	PASS
Band19	5	24125	25	#0	QPSK	E-ACLR1-	-45.71	-29.2	PASS
Band19	5	24125	25	#0	QPSK	EUTRA	0.00		PASS
Band19	5	24125	25	#0	QPSK	E-ACLR1+	-45.43	-29.2	PASS
Band19	5	24125	25	#0	QPSK	U-ACLR1+	-46.38	-32.2	PASS
Band19	5	24125	25	#0	QPSK	U-ACLR2+	-60.24	-35.2	PASS
Band19	5	24125	1	#0	16QAM	U-ACLR2-	-61.73	-35.2	PASS
Band19	5	24125	1	#0	16QAM	U-ACLR1-	-52.85	-32.2	PASS
Band19	5	24125	1	#0	16QAM	E-ACLR1-	-45.25	-29.2	PASS
Band19	5	24125	1	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24125	1	#0	16QAM	E-ACLR1+	-51.19	-29.2	PASS
Band19	5	24125	1	#0	16QAM	U-ACLR1+	-51.42	-32.2	PASS
Band19	5	24125	1	#0	16QAM	U-ACLR2+	-68.44	-35.2	PASS
Band19	5	24125	1	#Max	16QAM	U-ACLR2-	-68.60	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	5	24125	1	#Max	16QAM	U-ACLR1-	-48.31	-32.2	PASS
Band19	5	24125	1	#Max	16QAM	E-ACLR1-	-48.15	-29.2	PASS
Band19	5	24125	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	5	24125	1	#Max	16QAM	E-ACLR1+	-46.15	-29.2	PASS
Band19	5	24125	1	#Max	16QAM	U-ACLR1+	-53.41	-32.2	PASS
Band19	5	24125	1	#Max	16QAM	U-ACLR2+	-65.03	-35.2	PASS
Band19	5	24125	25	#0	16QAM	U-ACLR2-	-56.24	-35.2	PASS
Band19	5	24125	25	#0	16QAM	U-ACLR1-	-47.53	-32.2	PASS
Band19	5	24125	25	#0	16QAM	E-ACLR1-	-46.48	-29.2	PASS
Band19	5	24125	25	#0	16QAM	EUTRA	0.00		PASS
Band19	5	24125	25	#0	16QAM	E-ACLR1+	-45.82	-29.2	PASS
Band19	5	24125	25	#0	16QAM	U-ACLR1+	-46.74	-32.2	PASS
Band19	5	24125	25	#0	16QAM	U-ACLR2+	-60.13	-35.2	PASS
Band19	10	24050	1	#0	QPSK	U-ACLR2-	-63.77	-35.2	PASS
Band19	10	24050	1	#0	QPSK	U-ACLR1-	-51.81	-32.2	PASS
Band19	10	24050	1	#0	QPSK	E-ACLR1-	-52.25	-29.2	PASS
Band19	10	24050	1	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24050	1	#0	QPSK	E-ACLR1+	-50.59	-29.2	PASS
Band19	10	24050	1	#0	QPSK	U-ACLR1+	-60.38	-32.2	PASS
Band19	10	24050	1	#0	QPSK	U-ACLR2+	-51.16	-35.2	PASS
Band19	10	24050	1	#Max	QPSK	U-ACLR2-	-50.52	-35.2	PASS
Band19	10	24050	1	#Max	QPSK	U-ACLR1-	-59.73	-32.2	PASS
Band19	10	24050	1	#Max	QPSK	E-ACLR1-	-49.96	-29.2	PASS
Band19	10	24050	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	10	24050	1	#Max	QPSK	E-ACLR1+	-52.61	-29.2	PASS
Band19	10	24050	1	#Max	QPSK	U-ACLR1+	-52.13	-32.2	PASS
Band19	10	24050	1	#Max	QPSK	U-ACLR2+	-64.09	-35.2	PASS
Band19	10	24050	50	#0	QPSK	U-ACLR2-	-56.34	-35.2	PASS
Band19	10	24050	50	#0	QPSK	U-ACLR1-	-50.85	-32.2	PASS
Band19	10	24050	50	#0	QPSK	E-ACLR1-	-49.19	-29.2	PASS
Band19	10	24050	50	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24050	50	#0	QPSK	E-ACLR1+	-47.60	-29.2	PASS
Band19	10	24050	50	#0	QPSK	U-ACLR1+	-49.69	-32.2	PASS
Band19	10	24050	50	#0	QPSK	U-ACLR2+	-53.67	-35.2	PASS
Band19	10	24050	1	#0	16QAM	U-ACLR2-	-63.35	-35.2	PASS
Band19	10	24050	1	#0	16QAM	U-ACLR1-	-51.28	-32.2	PASS
Band19	10	24050	1	#0	16QAM	E-ACLR1-	-51.76	-29.2	PASS
Band19	10	24050	1	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24050	1	#0	16QAM	E-ACLR1+	-50.43	-29.2	PASS
Band19	10	24050	1	#0	16QAM	U-ACLR1+	-59.80	-32.2	PASS
Band19	10	24050	1	#0	16QAM	U-ACLR2+	-51.06	-35.2	PASS
Band19	10	24050	1	#Max	16QAM	U-ACLR2-	-50.55	-35.2	PASS
Band19	10	24050	1	#Max	16QAM	U-ACLR1-	-59.24	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	10	24050	1	#Max	16QAM	E-ACLR1-	-49.92	-29.2	PASS
Band19	10	24050	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	10	24050	1	#Max	16QAM	E-ACLR1+	-51.74	-29.2	PASS
Band19	10	24050	1	#Max	16QAM	U-ACLR1+	-51.24	-32.2	PASS
Band19	10	24050	1	#Max	16QAM	U-ACLR2+	-63.46	-35.2	PASS
Band19	10	24050	50	#0	16QAM	U-ACLR2-	-55.62	-35.2	PASS
Band19	10	24050	50	#0	16QAM	U-ACLR1-	-50.74	-32.2	PASS
Band19	10	24050	50	#0	16QAM	E-ACLR1-	-48.93	-29.2	PASS
Band19	10	24050	50	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24050	50	#0	16QAM	E-ACLR1+	-47.41	-29.2	PASS
Band19	10	24050	50	#0	16QAM	U-ACLR1+	-49.32	-32.2	PASS
Band19	10	24050	50	#0	16QAM	U-ACLR2+	-54.02	-35.2	PASS
Band19	10	24075	1	#0	QPSK	U-ACLR2-	-63.50	-35.2	PASS
Band19	10	24075	1	#0	QPSK	U-ACLR1-	-51.56	-32.2	PASS
Band19	10	24075	1	#0	QPSK	E-ACLR1-	-52.03	-29.2	PASS
Band19	10	24075	1	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24075	1	#0	QPSK	E-ACLR1+	-52.01	-29.2	PASS
Band19	10	24075	1	#0	QPSK	U-ACLR1+	-60.71	-32.2	PASS
Band19	10	24075	1	#0	QPSK	U-ACLR2+	-52.76	-35.2	PASS
Band19	10	24075	1	#Max	QPSK	U-ACLR2-	-49.65	-35.2	PASS
Band19	10	24075	1	#Max	QPSK	U-ACLR1-	-59.39	-32.2	PASS
Band19	10	24075	1	#Max	QPSK	E-ACLR1-	-49.15	-29.2	PASS
Band19	10	24075	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	10	24075	1	#Max	QPSK	E-ACLR1+	-52.05	-29.2	PASS
Band19	10	24075	1	#Max	QPSK	U-ACLR1+	-51.46	-32.2	PASS
Band19	10	24075	1	#Max	QPSK	U-ACLR2+	-64.29	-35.2	PASS
Band19	10	24075	50	#0	QPSK	U-ACLR2-	-54.83	-35.2	PASS
Band19	10	24075	50	#0	QPSK	U-ACLR1-	-49.72	-32.2	PASS
Band19	10	24075	50	#0	QPSK	E-ACLR1-	-47.97	-29.2	PASS
Band19	10	24075	50	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24075	50	#0	QPSK	E-ACLR1+	-46.35	-29.2	PASS
Band19	10	24075	50	#0	QPSK	U-ACLR1+	-48.27	-32.2	PASS
Band19	10	24075	50	#0	QPSK	U-ACLR2+	-53.20	-35.2	PASS
Band19	10	24075	1	#0	16QAM	U-ACLR2-	-63.01	-35.2	PASS
Band19	10	24075	1	#0	16QAM	U-ACLR1-	-51.42	-32.2	PASS
Band19	10	24075	1	#0	16QAM	E-ACLR1-	-51.83	-29.2	PASS
Band19	10	24075	1	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24075	1	#0	16QAM	E-ACLR1+	-52.09	-29.2	PASS
Band19	10	24075	1	#0	16QAM	U-ACLR1+	-60.09	-32.2	PASS
Band19	10	24075	1	#0	16QAM	U-ACLR2+	-52.98	-35.2	PASS
Band19	10	24075	1	#Max	16QAM	U-ACLR2-	-49.80	-35.2	PASS
Band19	10	24075	1	#Max	16QAM	U-ACLR1-	-58.89	-32.2	PASS
Band19	10	24075	1	#Max	16QAM	E-ACLR1-	-49.22	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	10	24075	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	10	24075	1	#Max	16QAM	E-ACLR1+	-51.91	-29.2	PASS
Band19	10	24075	1	#Max	16QAM	U-ACLR1+	-51.43	-32.2	PASS
Band19	10	24075	1	#Max	16QAM	U-ACLR2+	-63.69	-35.2	PASS
Band19	10	24075	50	#0	16QAM	U-ACLR2-	-54.72	-35.2	PASS
Band19	10	24075	50	#0	16QAM	U-ACLR1-	-50.37	-32.2	PASS
Band19	10	24075	50	#0	16QAM	E-ACLR1-	-48.41	-29.2	PASS
Band19	10	24075	50	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24075	50	#0	16QAM	E-ACLR1+	-46.45	-29.2	PASS
Band19	10	24075	50	#0	16QAM	U-ACLR1+	-48.29	-32.2	PASS
Band19	10	24075	50	#0	16QAM	U-ACLR2+	-53.62	-35.2	PASS
Band19	10	24100	1	#0	QPSK	U-ACLR2-	-63.36	-35.2	PASS
Band19	10	24100	1	#0	QPSK	U-ACLR1-	-51.73	-32.2	PASS
Band19	10	24100	1	#0	QPSK	E-ACLR1-	-52.14	-29.2	PASS
Band19	10	24100	1	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24100	1	#0	QPSK	E-ACLR1+	-55.31	-29.2	PASS
Band19	10	24100	1	#0	QPSK	U-ACLR1+	-60.71	-32.2	PASS
Band19	10	24100	1	#0	QPSK	U-ACLR2+	-57.08	-35.2	PASS
Band19	10	24100	1	#Max	QPSK	U-ACLR2-	-48.53	-35.2	PASS
Band19	10	24100	1	#Max	QPSK	U-ACLR1-	-59.11	-32.2	PASS
Band19	10	24100	1	#Max	QPSK	E-ACLR1-	-48.11	-29.2	PASS
Band19	10	24100	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	10	24100	1	#Max	QPSK	E-ACLR1+	-52.09	-29.2	PASS
Band19	10	24100	1	#Max	QPSK	U-ACLR1+	-51.42	-32.2	PASS
Band19	10	24100	1	#Max	QPSK	U-ACLR2+	-65.96	-35.2	PASS
Band19	10	24100	50	#0	QPSK	U-ACLR2-	-53.49	-35.2	PASS
Band19	10	24100	50	#0	QPSK	U-ACLR1-	-48.85	-32.2	PASS
Band19	10	24100	50	#0	QPSK	E-ACLR1-	-46.98	-29.2	PASS
Band19	10	24100	50	#0	QPSK	EUTRA	0.00		PASS
Band19	10	24100	50	#0	QPSK	E-ACLR1+	-45.77	-29.2	PASS
Band19	10	24100	50	#0	QPSK	U-ACLR1+	-47.12	-32.2	PASS
Band19	10	24100	50	#0	QPSK	U-ACLR2+	-55.20	-35.2	PASS
Band19	10	24100	1	#0	16QAM	U-ACLR2-	-62.86	-35.2	PASS
Band19	10	24100	1	#0	16QAM	U-ACLR1-	-50.93	-32.2	PASS
Band19	10	24100	1	#0	16QAM	E-ACLR1-	-51.39	-29.2	PASS
Band19	10	24100	1	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24100	1	#0	16QAM	E-ACLR1+	-55.18	-29.2	PASS
Band19	10	24100	1	#0	16QAM	U-ACLR1+	-60.07	-32.2	PASS
Band19	10	24100	1	#0	16QAM	U-ACLR2+	-57.25	-35.2	PASS
Band19	10	24100	1	#Max	16QAM	U-ACLR2-	-48.87	-35.2	PASS
Band19	10	24100	1	#Max	16QAM	U-ACLR1-	-58.65	-32.2	PASS
Band19	10	24100	1	#Max	16QAM	E-ACLR1-	-48.37	-29.2	PASS
Band19	10	24100	1	#Max	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	10	24100	1	#Max	16QAM	E-ACLR1+	-52.18	-29.2	PASS
Band19	10	24100	1	#Max	16QAM	U-ACLR1+	-51.62	-32.2	PASS
Band19	10	24100	1	#Max	16QAM	U-ACLR2+	-65.27	-35.2	PASS
Band19	10	24100	50	#0	16QAM	U-ACLR2-	-53.62	-35.2	PASS
Band19	10	24100	50	#0	16QAM	U-ACLR1-	-49.56	-32.2	PASS
Band19	10	24100	50	#0	16QAM	E-ACLR1-	-47.51	-29.2	PASS
Band19	10	24100	50	#0	16QAM	EUTRA	0.00		PASS
Band19	10	24100	50	#0	16QAM	E-ACLR1+	-45.76	-29.2	PASS
Band19	10	24100	50	#0	16QAM	U-ACLR1+	-47.09	-32.2	PASS
Band19	10	24100	50	#0	16QAM	U-ACLR2+	-55.29	-35.2	PASS
Band19	15	24075	1	#0	QPSK	U-ACLR2-	-62.35	-35.2	PASS
Band19	15	24075	1	#0	QPSK	U-ACLR1-	-50.28	-32.2	PASS
Band19	15	24075	1	#0	QPSK	E-ACLR1-	-53.98	-29.2	PASS
Band19	15	24075	1	#0	QPSK	EUTRA	0.00		PASS
Band19	15	24075	1	#0	QPSK	E-ACLR1+	-58.56	-29.2	PASS
Band19	15	24075	1	#0	QPSK	U-ACLR1+	-61.29	-32.2	PASS
Band19	15	24075	1	#0	QPSK	U-ACLR2+	-64.54	-35.2	PASS
Band19	15	24075	1	#Max	QPSK	U-ACLR2-	-59.44	-35.2	PASS
Band19	15	24075	1	#Max	QPSK	U-ACLR1-	-60.08	-32.2	PASS
Band19	15	24075	1	#Max	QPSK	E-ACLR1-	-48.24	-29.2	PASS
Band19	15	24075	1	#Max	QPSK	EUTRA	0.00		PASS
Band19	15	24075	1	#Max	QPSK	E-ACLR1+	-54.65	-29.2	PASS
Band19	15	24075	1	#Max	QPSK	U-ACLR1+	-50.90	-32.2	PASS
Band19	15	24075	1	#Max	QPSK	U-ACLR2+	-62.91	-35.2	PASS
Band19	15	24075	75	#0	QPSK	U-ACLR2-	-54.80	-35.2	PASS
Band19	15	24075	75	#0	QPSK	U-ACLR1-	-51.25	-32.2	PASS
Band19	15	24075	75	#0	QPSK	E-ACLR1-	-48.55	-29.2	PASS
Band19	15	24075	75	#0	QPSK	EUTRA	0.00		PASS
Band19	15	24075	75	#0	QPSK	E-ACLR1+	-47.61	-29.2	PASS
Band19	15	24075	75	#0	QPSK	U-ACLR1+	-49.33	-32.2	PASS
Band19	15	24075	75	#0	QPSK	U-ACLR2+	-54.53	-35.2	PASS
Band19	15	24075	1	#0	16QAM	U-ACLR2-	-61.82	-35.2	PASS
Band19	15	24075	1	#0	16QAM	U-ACLR1-	-49.84	-32.2	PASS
Band19	15	24075	1	#0	16QAM	E-ACLR1-	-53.45	-29.2	PASS
Band19	15	24075	1	#0	16QAM	EUTRA	0.00		PASS
Band19	15	24075	1	#0	16QAM	E-ACLR1+	-57.91	-29.2	PASS
Band19	15	24075	1	#0	16QAM	U-ACLR1+	-60.60	-32.2	PASS
Band19	15	24075	1	#0	16QAM	U-ACLR2+	-64.04	-35.2	PASS
Band19	15	24075	1	#Max	16QAM	U-ACLR2-	-59.10	-35.2	PASS
Band19	15	24075	1	#Max	16QAM	U-ACLR1-	-59.33	-32.2	PASS
Band19	15	24075	1	#Max	16QAM	E-ACLR1-	-48.20	-29.2	PASS
Band19	15	24075	1	#Max	16QAM	EUTRA	0.00		PASS
Band19	15	24075	1	#Max	16QAM	E-ACLR1+	-54.05	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band19	15	24075	1	#Max	16QAM	U-ACLR1+	-50.36	-32.2	PASS
Band19	15	24075	1	#Max	16QAM	U-ACLR2+	-62.75	-35.2	PASS
Band19	15	24075	75	#0	16QAM	U-ACLR2-	-54.52	-35.2	PASS
Band19	15	24075	75	#0	16QAM	U-ACLR1-	-51.49	-32.2	PASS
Band19	15	24075	75	#0	16QAM	E-ACLR1-	-48.43	-29.2	PASS
Band19	15	24075	75	#0	16QAM	EUTRA	0.00		PASS
Band19	15	24075	75	#0	16QAM	E-ACLR1+	-47.01	-29.2	PASS
Band19	15	24075	75	#0	16QAM	U-ACLR1+	-48.76	-32.2	PASS
Band19	15	24075	75	#0	16QAM	U-ACLR2+	-53.89	-35.2	PASS
Band26	3	26715	1	#0	QPSK	U-ACLR1-	-58.97	-32.2	PASS
Band26	3	26715	1	#0	QPSK	E-ACLR1-	-55.25	-29.2	PASS
Band26	3	26715	1	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26715	1	#0	QPSK	E-ACLR1+	-58.21	-29.2	PASS
Band26	3	26715	1	#0	QPSK	U-ACLR1+	-58.36	-32.2	PASS
Band26	3	26715	1	#Max	QPSK	U-ACLR1-	-59.21	-32.2	PASS
Band26	3	26715	1	#Max	QPSK	E-ACLR1-	-59.03	-29.2	PASS
Band26	3	26715	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	3	26715	1	#Max	QPSK	E-ACLR1+	-55.22	-29.2	PASS
Band26	3	26715	1	#Max	QPSK	U-ACLR1+	-58.32	-32.2	PASS
Band26	3	26715	15	#0	QPSK	U-ACLR1-	-48.74	-32.2	PASS
Band26	3	26715	15	#0	QPSK	E-ACLR1-	-47.55	-29.2	PASS
Band26	3	26715	15	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26715	15	#0	QPSK	E-ACLR1+	-47.00	-29.2	PASS
Band26	3	26715	15	#0	QPSK	U-ACLR1+	-47.76	-32.2	PASS
Band26	3	26715	1	#0	16QAM	U-ACLR1-	-54.93	-32.2	PASS
Band26	3	26715	1	#0	16QAM	E-ACLR1-	-52.80	-29.2	PASS
Band26	3	26715	1	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26715	1	#0	16QAM	E-ACLR1+	-57.53	-29.2	PASS
Band26	3	26715	1	#0	16QAM	U-ACLR1+	-57.62	-32.2	PASS
Band26	3	26715	1	#Max	16QAM	U-ACLR1-	-58.63	-32.2	PASS
Band26	3	26715	1	#Max	16QAM	E-ACLR1-	-58.41	-29.2	PASS
Band26	3	26715	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	3	26715	1	#Max	16QAM	E-ACLR1+	-53.04	-29.2	PASS
Band26	3	26715	1	#Max	16QAM	U-ACLR1+	-54.87	-32.2	PASS
Band26	3	26715	15	#0	16QAM	U-ACLR1-	-47.25	-32.2	PASS
Band26	3	26715	15	#0	16QAM	E-ACLR1-	-45.96	-29.2	PASS
Band26	3	26715	15	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26715	15	#0	16QAM	E-ACLR1+	-45.77	-29.2	PASS
Band26	3	26715	15	#0	16QAM	U-ACLR1+	-46.74	-32.2	PASS
Band26	3	26850	1	#0	QPSK	U-ACLR1-	-58.77	-32.2	PASS
Band26	3	26850	1	#0	QPSK	E-ACLR1-	-55.32	-29.2	PASS
Band26	3	26850	1	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26850	1	#0	QPSK	E-ACLR1+	-58.40	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	3	26850	1	#0	QPSK	U-ACLR1+	-58.54	-32.2	PASS
Band26	3	26850	1	#Max	QPSK	U-ACLR1-	-58.46	-32.2	PASS
Band26	3	26850	1	#Max	QPSK	E-ACLR1-	-58.52	-29.2	PASS
Band26	3	26850	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	3	26850	1	#Max	QPSK	E-ACLR1+	-55.02	-29.2	PASS
Band26	3	26850	1	#Max	QPSK	U-ACLR1+	-58.46	-32.2	PASS
Band26	3	26850	15	#0	QPSK	U-ACLR1-	-47.28	-32.2	PASS
Band26	3	26850	15	#0	QPSK	E-ACLR1-	-45.77	-29.2	PASS
Band26	3	26850	15	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26850	15	#0	QPSK	E-ACLR1+	-46.27	-29.2	PASS
Band26	3	26850	15	#0	QPSK	U-ACLR1+	-47.66	-32.2	PASS
Band26	3	26850	1	#0	16QAM	U-ACLR1-	-54.68	-32.2	PASS
Band26	3	26850	1	#0	16QAM	E-ACLR1-	-52.44	-29.2	PASS
Band26	3	26850	1	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26850	1	#0	16QAM	E-ACLR1+	-57.69	-29.2	PASS
Band26	3	26850	1	#0	16QAM	U-ACLR1+	-57.79	-32.2	PASS
Band26	3	26850	1	#Max	16QAM	U-ACLR1-	-57.64	-32.2	PASS
Band26	3	26850	1	#Max	16QAM	E-ACLR1-	-57.78	-29.2	PASS
Band26	3	26850	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	3	26850	1	#Max	16QAM	E-ACLR1+	-52.02	-29.2	PASS
Band26	3	26850	1	#Max	16QAM	U-ACLR1+	-53.41	-32.2	PASS
Band26	3	26850	15	#0	16QAM	U-ACLR1-	-45.85	-32.2	PASS
Band26	3	26850	15	#0	16QAM	E-ACLR1-	-44.44	-29.2	PASS
Band26	3	26850	15	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26850	15	#0	16QAM	E-ACLR1+	-44.84	-29.2	PASS
Band26	3	26850	15	#0	16QAM	U-ACLR1+	-46.22	-32.2	PASS
Band26	3	26985	1	#0	QPSK	U-ACLR1-	-58.11	-32.2	PASS
Band26	3	26985	1	#0	QPSK	E-ACLR1-	-54.70	-29.2	PASS
Band26	3	26985	1	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26985	1	#0	QPSK	E-ACLR1+	-58.84	-29.2	PASS
Band26	3	26985	1	#0	QPSK	U-ACLR1+	-58.92	-32.2	PASS
Band26	3	26985	1	#Max	QPSK	U-ACLR1-	-58.10	-32.2	PASS
Band26	3	26985	1	#Max	QPSK	E-ACLR1-	-58.18	-29.2	PASS
Band26	3	26985	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	3	26985	1	#Max	QPSK	E-ACLR1+	-54.75	-29.2	PASS
Band26	3	26985	1	#Max	QPSK	U-ACLR1+	-57.99	-32.2	PASS
Band26	3	26985	15	#0	QPSK	U-ACLR1-	-45.05	-32.2	PASS
Band26	3	26985	15	#0	QPSK	E-ACLR1-	-43.75	-29.2	PASS
Band26	3	26985	15	#0	QPSK	EUTRA	0.00		PASS
Band26	3	26985	15	#0	QPSK	E-ACLR1+	-43.94	-29.2	PASS
Band26	3	26985	15	#0	QPSK	U-ACLR1+	-45.43	-32.2	PASS
Band26	3	26985	1	#0	16QAM	U-ACLR1-	-53.53	-32.2	PASS
Band26	3	26985	1	#0	16QAM	E-ACLR1-	-51.48	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	3	26985	1	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26985	1	#0	16QAM	E-ACLR1+	-58.40	-29.2	PASS
Band26	3	26985	1	#0	16QAM	U-ACLR1+	-58.49	-32.2	PASS
Band26	3	26985	1	#Max	16QAM	U-ACLR1-	-57.43	-32.2	PASS
Band26	3	26985	1	#Max	16QAM	E-ACLR1-	-57.52	-29.2	PASS
Band26	3	26985	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	3	26985	1	#Max	16QAM	E-ACLR1+	-50.01	-29.2	PASS
Band26	3	26985	1	#Max	16QAM	U-ACLR1+	-51.14	-32.2	PASS
Band26	3	26985	15	#0	16QAM	U-ACLR1-	-44.30	-32.2	PASS
Band26	3	26985	15	#0	16QAM	E-ACLR1-	-42.99	-29.2	PASS
Band26	3	26985	15	#0	16QAM	EUTRA	0.00		PASS
Band26	3	26985	15	#0	16QAM	E-ACLR1+	-43.17	-29.2	PASS
Band26	3	26985	15	#0	16QAM	U-ACLR1+	-44.71	-32.2	PASS
Band26	5	26725	1	#0	QPSK	U-ACLR2-	-67.56	-35.2	PASS
Band26	5	26725	1	#0	QPSK	U-ACLR1-	-58.12	-32.2	PASS
Band26	5	26725	1	#0	QPSK	E-ACLR1-	-56.24	-29.2	PASS
Band26	5	26725	1	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26725	1	#0	QPSK	E-ACLR1+	-56.57	-29.2	PASS
Band26	5	26725	1	#0	QPSK	U-ACLR1+	-57.21	-32.2	PASS
Band26	5	26725	1	#0	QPSK	U-ACLR2+	-68.23	-35.2	PASS
Band26	5	26725	1	#Max	QPSK	U-ACLR2-	-71.03	-35.2	PASS
Band26	5	26725	1	#Max	QPSK	U-ACLR1-	-58.81	-32.2	PASS
Band26	5	26725	1	#Max	QPSK	E-ACLR1-	-58.08	-29.2	PASS
Band26	5	26725	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	5	26725	1	#Max	QPSK	E-ACLR1+	-55.73	-29.2	PASS
Band26	5	26725	1	#Max	QPSK	U-ACLR1+	-57.18	-32.2	PASS
Band26	5	26725	1	#Max	QPSK	U-ACLR2+	-66.79	-35.2	PASS
Band26	5	26725	25	#0	QPSK	U-ACLR2-	-64.39	-35.2	PASS
Band26	5	26725	25	#0	QPSK	U-ACLR1-	-49.09	-32.2	PASS
Band26	5	26725	25	#0	QPSK	E-ACLR1-	-48.18	-29.2	PASS
Band26	5	26725	25	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26725	25	#0	QPSK	E-ACLR1+	-46.12	-29.2	PASS
Band26	5	26725	25	#0	QPSK	U-ACLR1+	-46.94	-32.2	PASS
Band26	5	26725	25	#0	QPSK	U-ACLR2+	-56.86	-35.2	PASS
Band26	5	26725	1	#0	16QAM	U-ACLR2-	-67.10	-35.2	PASS
Band26	5	26725	1	#0	16QAM	U-ACLR1-	-57.56	-32.2	PASS
Band26	5	26725	1	#0	16QAM	E-ACLR1-	-55.92	-29.2	PASS
Band26	5	26725	1	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26725	1	#0	16QAM	E-ACLR1+	-56.16	-29.2	PASS
Band26	5	26725	1	#0	16QAM	U-ACLR1+	-56.86	-32.2	PASS
Band26	5	26725	1	#0	16QAM	U-ACLR2+	-67.53	-35.2	PASS
Band26	5	26725	1	#Max	16QAM	U-ACLR2-	-70.43	-35.2	PASS
Band26	5	26725	1	#Max	16QAM	U-ACLR1-	-58.33	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	5	26725	1	#Max	16QAM	E-ACLR1-	-57.58	-29.2	PASS
Band26	5	26725	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	5	26725	1	#Max	16QAM	E-ACLR1+	-54.93	-29.2	PASS
Band26	5	26725	1	#Max	16QAM	U-ACLR1+	-56.32	-32.2	PASS
Band26	5	26725	1	#Max	16QAM	U-ACLR2+	-66.15	-35.2	PASS
Band26	5	26725	25	#0	16QAM	U-ACLR2-	-63.81	-35.2	PASS
Band26	5	26725	25	#0	16QAM	U-ACLR1-	-47.67	-32.2	PASS
Band26	5	26725	25	#0	16QAM	E-ACLR1-	-46.80	-29.2	PASS
Band26	5	26725	25	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26725	25	#0	16QAM	E-ACLR1+	-45.50	-29.2	PASS
Band26	5	26725	25	#0	16QAM	U-ACLR1+	-46.34	-32.2	PASS
Band26	5	26725	25	#0	16QAM	U-ACLR2+	-56.80	-35.2	PASS
Band26	5	26850	1	#0	QPSK	U-ACLR2-	-66.56	-35.2	PASS
Band26	5	26850	1	#0	QPSK	U-ACLR1-	-57.68	-32.2	PASS
Band26	5	26850	1	#0	QPSK	E-ACLR1-	-55.95	-29.2	PASS
Band26	5	26850	1	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26850	1	#0	QPSK	E-ACLR1+	-56.86	-29.2	PASS
Band26	5	26850	1	#0	QPSK	U-ACLR1+	-57.50	-32.2	PASS
Band26	5	26850	1	#0	QPSK	U-ACLR2+	-68.30	-35.2	PASS
Band26	5	26850	1	#Max	QPSK	U-ACLR2-	-69.63	-35.2	PASS
Band26	5	26850	1	#Max	QPSK	U-ACLR1-	-57.81	-32.2	PASS
Band26	5	26850	1	#Max	QPSK	E-ACLR1-	-57.12	-29.2	PASS
Band26	5	26850	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	5	26850	1	#Max	QPSK	E-ACLR1+	-55.92	-29.2	PASS
Band26	5	26850	1	#Max	QPSK	U-ACLR1+	-57.41	-32.2	PASS
Band26	5	26850	1	#Max	QPSK	U-ACLR2+	-66.84	-35.2	PASS
Band26	5	26850	25	#0	QPSK	U-ACLR2-	-57.29	-35.2	PASS
Band26	5	26850	25	#0	QPSK	U-ACLR1-	-46.60	-32.2	PASS
Band26	5	26850	25	#0	QPSK	E-ACLR1-	-45.57	-29.2	PASS
Band26	5	26850	25	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26850	25	#0	QPSK	E-ACLR1+	-46.01	-29.2	PASS
Band26	5	26850	25	#0	QPSK	U-ACLR1+	-46.97	-32.2	PASS
Band26	5	26850	25	#0	QPSK	U-ACLR2+	-56.98	-35.2	PASS
Band26	5	26850	1	#0	16QAM	U-ACLR2-	-66.04	-35.2	PASS
Band26	5	26850	1	#0	16QAM	U-ACLR1-	-57.12	-32.2	PASS
Band26	5	26850	1	#0	16QAM	E-ACLR1-	-55.57	-29.2	PASS
Band26	5	26850	1	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26850	1	#0	16QAM	E-ACLR1+	-56.29	-29.2	PASS
Band26	5	26850	1	#0	16QAM	U-ACLR1+	-56.98	-32.2	PASS
Band26	5	26850	1	#0	16QAM	U-ACLR2+	-67.63	-35.2	PASS
Band26	5	26850	1	#Max	16QAM	U-ACLR2-	-68.93	-35.2	PASS
Band26	5	26850	1	#Max	16QAM	U-ACLR1-	-57.14	-32.2	PASS
Band26	5	26850	1	#Max	16QAM	E-ACLR1-	-56.44	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	5	26850	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	5	26850	1	#Max	16QAM	E-ACLR1+	-55.25	-29.2	PASS
Band26	5	26850	1	#Max	16QAM	U-ACLR1+	-56.64	-32.2	PASS
Band26	5	26850	1	#Max	16QAM	U-ACLR2+	-66.18	-35.2	PASS
Band26	5	26850	25	#0	16QAM	U-ACLR2-	-57.16	-35.2	PASS
Band26	5	26850	25	#0	16QAM	U-ACLR1-	-45.26	-32.2	PASS
Band26	5	26850	25	#0	16QAM	E-ACLR1-	-44.35	-29.2	PASS
Band26	5	26850	25	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26850	25	#0	16QAM	E-ACLR1+	-44.65	-29.2	PASS
Band26	5	26850	25	#0	16QAM	U-ACLR1+	-45.54	-32.2	PASS
Band26	5	26850	25	#0	16QAM	U-ACLR2+	-56.89	-35.2	PASS
Band26	5	26975	1	#0	QPSK	U-ACLR2-	-66.44	-35.2	PASS
Band26	5	26975	1	#0	QPSK	U-ACLR1-	-57.23	-32.2	PASS
Band26	5	26975	1	#0	QPSK	E-ACLR1-	-55.62	-29.2	PASS
Band26	5	26975	1	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26975	1	#0	QPSK	E-ACLR1+	-57.48	-29.2	PASS
Band26	5	26975	1	#0	QPSK	U-ACLR1+	-58.11	-32.2	PASS
Band26	5	26975	1	#0	QPSK	U-ACLR2+	-69.04	-35.2	PASS
Band26	5	26975	1	#Max	QPSK	U-ACLR2-	-64.49	-35.2	PASS
Band26	5	26975	1	#Max	QPSK	U-ACLR1-	-56.15	-32.2	PASS
Band26	5	26975	1	#Max	QPSK	E-ACLR1-	-55.49	-29.2	PASS
Band26	5	26975	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	5	26975	1	#Max	QPSK	E-ACLR1+	-54.67	-29.2	PASS
Band26	5	26975	1	#Max	QPSK	U-ACLR1+	-56.18	-32.2	PASS
Band26	5	26975	1	#Max	QPSK	U-ACLR2+	-65.53	-35.2	PASS
Band26	5	26975	25	#0	QPSK	U-ACLR2-	-55.67	-35.2	PASS
Band26	5	26975	25	#0	QPSK	U-ACLR1-	-45.20	-32.2	PASS
Band26	5	26975	25	#0	QPSK	E-ACLR1-	-44.19	-29.2	PASS
Band26	5	26975	25	#0	QPSK	EUTRA	0.00		PASS
Band26	5	26975	25	#0	QPSK	E-ACLR1+	-43.37	-29.2	PASS
Band26	5	26975	25	#0	QPSK	U-ACLR1+	-44.23	-32.2	PASS
Band26	5	26975	25	#0	QPSK	U-ACLR2+	-59.79	-35.2	PASS
Band26	5	26975	1	#0	16QAM	U-ACLR2-	-65.80	-35.2	PASS
Band26	5	26975	1	#0	16QAM	U-ACLR1-	-56.39	-32.2	PASS
Band26	5	26975	1	#0	16QAM	E-ACLR1-	-54.85	-29.2	PASS
Band26	5	26975	1	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26975	1	#0	16QAM	E-ACLR1+	-56.86	-29.2	PASS
Band26	5	26975	1	#0	16QAM	U-ACLR1+	-57.52	-32.2	PASS
Band26	5	26975	1	#0	16QAM	U-ACLR2+	-68.02	-35.2	PASS
Band26	5	26975	1	#Max	16QAM	U-ACLR2-	-66.52	-35.2	PASS
Band26	5	26975	1	#Max	16QAM	U-ACLR1-	-55.96	-32.2	PASS
Band26	5	26975	1	#Max	16QAM	E-ACLR1-	-55.28	-29.2	PASS
Band26	5	26975	1	#Max	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	5	26975	1	#Max	16QAM	E-ACLR1+	-55.01	-29.2	PASS
Band26	5	26975	1	#Max	16QAM	U-ACLR1+	-56.37	-32.2	PASS
Band26	5	26975	1	#Max	16QAM	U-ACLR2+	-66.08	-35.2	PASS
Band26	5	26975	25	#0	16QAM	U-ACLR2-	-55.91	-35.2	PASS
Band26	5	26975	25	#0	16QAM	U-ACLR1-	-44.58	-32.2	PASS
Band26	5	26975	25	#0	16QAM	E-ACLR1-	-43.68	-29.2	PASS
Band26	5	26975	25	#0	16QAM	EUTRA	0.00		PASS
Band26	5	26975	25	#0	16QAM	E-ACLR1+	-42.97	-29.2	PASS
Band26	5	26975	25	#0	16QAM	U-ACLR1+	-43.81	-32.2	PASS
Band26	5	26975	25	#0	16QAM	U-ACLR2+	-59.81	-35.2	PASS
Band26	10	26750	1	#0	QPSK	U-ACLR2-	-67.01	-35.2	PASS
Band26	10	26750	1	#0	QPSK	U-ACLR1-	-58.97	-32.2	PASS
Band26	10	26750	1	#0	QPSK	E-ACLR1-	-58.13	-29.2	PASS
Band26	10	26750	1	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26750	1	#0	QPSK	E-ACLR1+	-56.18	-29.2	PASS
Band26	10	26750	1	#0	QPSK	U-ACLR1+	-58.77	-32.2	PASS
Band26	10	26750	1	#0	QPSK	U-ACLR2+	-60.62	-35.2	PASS
Band26	10	26750	1	#Max	QPSK	U-ACLR2-	-67.80	-35.2	PASS
Band26	10	26750	1	#Max	QPSK	U-ACLR1-	-60.73	-32.2	PASS
Band26	10	26750	1	#Max	QPSK	E-ACLR1-	-59.56	-29.2	PASS
Band26	10	26750	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	10	26750	1	#Max	QPSK	E-ACLR1+	-56.36	-29.2	PASS
Band26	10	26750	1	#Max	QPSK	U-ACLR1+	-58.11	-32.2	PASS
Band26	10	26750	1	#Max	QPSK	U-ACLR2+	-61.98	-35.2	PASS
Band26	10	26750	50	#0	QPSK	U-ACLR2-	-61.55	-35.2	PASS
Band26	10	26750	50	#0	QPSK	U-ACLR1-	-50.94	-32.2	PASS
Band26	10	26750	50	#0	QPSK	E-ACLR1-	-50.17	-29.2	PASS
Band26	10	26750	50	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26750	50	#0	QPSK	E-ACLR1+	-44.06	-29.2	PASS
Band26	10	26750	50	#0	QPSK	U-ACLR1+	-46.28	-32.2	PASS
Band26	10	26750	50	#0	QPSK	U-ACLR2+	-49.91	-35.2	PASS
Band26	10	26750	1	#0	16QAM	U-ACLR2-	-66.52	-35.2	PASS
Band26	10	26750	1	#0	16QAM	U-ACLR1-	-57.29	-32.2	PASS
Band26	10	26750	1	#0	16QAM	E-ACLR1-	-56.66	-29.2	PASS
Band26	10	26750	1	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26750	1	#0	16QAM	E-ACLR1+	-55.71	-29.2	PASS
Band26	10	26750	1	#0	16QAM	U-ACLR1+	-58.28	-32.2	PASS
Band26	10	26750	1	#0	16QAM	U-ACLR2+	-60.19	-35.2	PASS
Band26	10	26750	1	#Max	16QAM	U-ACLR2-	-67.24	-35.2	PASS
Band26	10	26750	1	#Max	16QAM	U-ACLR1-	-60.17	-32.2	PASS
Band26	10	26750	1	#Max	16QAM	E-ACLR1-	-59.02	-29.2	PASS
Band26	10	26750	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	10	26750	1	#Max	16QAM	E-ACLR1+	-53.37	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	10	26750	1	#Max	16QAM	U-ACLR1+	-54.40	-32.2	PASS
Band26	10	26750	1	#Max	16QAM	U-ACLR2+	-61.07	-35.2	PASS
Band26	10	26750	50	#0	16QAM	U-ACLR2-	-60.56	-35.2	PASS
Band26	10	26750	50	#0	16QAM	U-ACLR1-	-49.55	-32.2	PASS
Band26	10	26750	50	#0	16QAM	E-ACLR1-	-48.77	-29.2	PASS
Band26	10	26750	50	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26750	50	#0	16QAM	E-ACLR1+	-43.53	-29.2	PASS
Band26	10	26750	50	#0	16QAM	U-ACLR1+	-45.43	-32.2	PASS
Band26	10	26750	50	#0	16QAM	U-ACLR2+	-50.43	-35.2	PASS
Band26	10	26850	1	#0	QPSK	U-ACLR2-	-61.95	-35.2	PASS
Band26	10	26850	1	#0	QPSK	U-ACLR1-	-58.62	-32.2	PASS
Band26	10	26850	1	#0	QPSK	E-ACLR1-	-56.65	-29.2	PASS
Band26	10	26850	1	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26850	1	#0	QPSK	E-ACLR1+	-57.20	-29.2	PASS
Band26	10	26850	1	#0	QPSK	U-ACLR1+	-59.79	-32.2	PASS
Band26	10	26850	1	#0	QPSK	U-ACLR2+	-61.71	-35.2	PASS
Band26	10	26850	1	#Max	QPSK	U-ACLR2-	-62.74	-35.2	PASS
Band26	10	26850	1	#Max	QPSK	U-ACLR1-	-60.11	-32.2	PASS
Band26	10	26850	1	#Max	QPSK	E-ACLR1-	-57.74	-29.2	PASS
Band26	10	26850	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	10	26850	1	#Max	QPSK	E-ACLR1+	-56.92	-29.2	PASS
Band26	10	26850	1	#Max	QPSK	U-ACLR1+	-58.45	-32.2	PASS
Band26	10	26850	1	#Max	QPSK	U-ACLR2+	-63.12	-35.2	PASS
Band26	10	26850	50	#0	QPSK	U-ACLR2-	-54.36	-35.2	PASS
Band26	10	26850	50	#0	QPSK	U-ACLR1-	-47.17	-32.2	PASS
Band26	10	26850	50	#0	QPSK	E-ACLR1-	-45.76	-29.2	PASS
Band26	10	26850	50	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26850	50	#0	QPSK	E-ACLR1+	-46.11	-29.2	PASS
Band26	10	26850	50	#0	QPSK	U-ACLR1+	-47.90	-32.2	PASS
Band26	10	26850	50	#0	QPSK	U-ACLR2+	-52.86	-35.2	PASS
Band26	10	26850	1	#0	16QAM	U-ACLR2-	-60.91	-35.2	PASS
Band26	10	26850	1	#0	16QAM	U-ACLR1-	-56.07	-32.2	PASS
Band26	10	26850	1	#0	16QAM	E-ACLR1-	-54.62	-29.2	PASS
Band26	10	26850	1	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26850	1	#0	16QAM	E-ACLR1+	-56.69	-29.2	PASS
Band26	10	26850	1	#0	16QAM	U-ACLR1+	-59.25	-32.2	PASS
Band26	10	26850	1	#0	16QAM	U-ACLR2+	-61.31	-35.2	PASS
Band26	10	26850	1	#Max	16QAM	U-ACLR2-	-62.24	-35.2	PASS
Band26	10	26850	1	#Max	16QAM	U-ACLR1-	-59.61	-32.2	PASS
Band26	10	26850	1	#Max	16QAM	E-ACLR1-	-57.23	-29.2	PASS
Band26	10	26850	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	10	26850	1	#Max	16QAM	E-ACLR1+	-54.64	-29.2	PASS
Band26	10	26850	1	#Max	16QAM	U-ACLR1+	-55.74	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	10	26850	1	#Max	16QAM	U-ACLR2+	-62.08	-35.2	PASS
Band26	10	26850	50	#0	16QAM	U-ACLR2-	-53.18	-35.2	PASS
Band26	10	26850	50	#0	16QAM	U-ACLR1-	-46.06	-32.2	PASS
Band26	10	26850	50	#0	16QAM	E-ACLR1-	-44.63	-29.2	PASS
Band26	10	26850	50	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26850	50	#0	16QAM	E-ACLR1+	-44.75	-29.2	PASS
Band26	10	26850	50	#0	16QAM	U-ACLR1+	-46.31	-32.2	PASS
Band26	10	26850	50	#0	16QAM	U-ACLR2+	-52.59	-35.2	PASS
Band26	10	26950	1	#0	QPSK	U-ACLR2-	-62.29	-35.2	PASS
Band26	10	26950	1	#0	QPSK	U-ACLR1-	-58.30	-32.2	PASS
Band26	10	26950	1	#0	QPSK	E-ACLR1-	-56.51	-29.2	PASS
Band26	10	26950	1	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26950	1	#0	QPSK	E-ACLR1+	-58.57	-29.2	PASS
Band26	10	26950	1	#0	QPSK	U-ACLR1+	-60.63	-32.2	PASS
Band26	10	26950	1	#0	QPSK	U-ACLR2+	-64.15	-35.2	PASS
Band26	10	26950	1	#Max	QPSK	U-ACLR2-	-61.56	-35.2	PASS
Band26	10	26950	1	#Max	QPSK	U-ACLR1-	-58.52	-32.2	PASS
Band26	10	26950	1	#Max	QPSK	E-ACLR1-	-56.31	-29.2	PASS
Band26	10	26950	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	10	26950	1	#Max	QPSK	E-ACLR1+	-57.28	-29.2	PASS
Band26	10	26950	1	#Max	QPSK	U-ACLR1+	-58.40	-32.2	PASS
Band26	10	26950	1	#Max	QPSK	U-ACLR2+	-64.85	-35.2	PASS
Band26	10	26950	50	#0	QPSK	U-ACLR2-	-52.92	-35.2	PASS
Band26	10	26950	50	#0	QPSK	U-ACLR1-	-47.97	-32.2	PASS
Band26	10	26950	50	#0	QPSK	E-ACLR1-	-46.21	-29.2	PASS
Band26	10	26950	50	#0	QPSK	EUTRA	0.00		PASS
Band26	10	26950	50	#0	QPSK	E-ACLR1+	-43.79	-29.2	PASS
Band26	10	26950	50	#0	QPSK	U-ACLR1+	-45.11	-32.2	PASS
Band26	10	26950	50	#0	QPSK	U-ACLR2+	-53.56	-35.2	PASS
Band26	10	26950	1	#0	16QAM	U-ACLR2-	-61.77	-35.2	PASS
Band26	10	26950	1	#0	16QAM	U-ACLR1-	-57.76	-32.2	PASS
Band26	10	26950	1	#0	16QAM	E-ACLR1-	-55.99	-29.2	PASS
Band26	10	26950	1	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26950	1	#0	16QAM	E-ACLR1+	-58.02	-29.2	PASS
Band26	10	26950	1	#0	16QAM	U-ACLR1+	-60.06	-32.2	PASS
Band26	10	26950	1	#0	16QAM	U-ACLR2+	-63.74	-35.2	PASS
Band26	10	26950	1	#Max	16QAM	U-ACLR2-	-61.05	-35.2	PASS
Band26	10	26950	1	#Max	16QAM	U-ACLR1-	-58.01	-32.2	PASS
Band26	10	26950	1	#Max	16QAM	E-ACLR1-	-55.80	-29.2	PASS
Band26	10	26950	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	10	26950	1	#Max	16QAM	E-ACLR1+	-53.85	-29.2	PASS
Band26	10	26950	1	#Max	16QAM	U-ACLR1+	-54.46	-32.2	PASS
Band26	10	26950	1	#Max	16QAM	U-ACLR2+	-64.12	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	10	26950	50	#0	16QAM	U-ACLR2-	-52.22	-35.2	PASS
Band26	10	26950	50	#0	16QAM	U-ACLR1-	-46.76	-32.2	PASS
Band26	10	26950	50	#0	16QAM	E-ACLR1-	-45.06	-29.2	PASS
Band26	10	26950	50	#0	16QAM	EUTRA	0.00		PASS
Band26	10	26950	50	#0	16QAM	E-ACLR1+	-43.18	-29.2	PASS
Band26	10	26950	50	#0	16QAM	U-ACLR1+	-44.42	-32.2	PASS
Band26	10	26950	50	#0	16QAM	U-ACLR2+	-53.33	-35.2	PASS
Band26	15	26775	1	#0	QPSK	U-ACLR2-	-65.22	-35.2	PASS
Band26	15	26775	1	#0	QPSK	U-ACLR1-	-56.72	-32.2	PASS
Band26	15	26775	1	#0	QPSK	E-ACLR1-	-56.34	-29.2	PASS
Band26	15	26775	1	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26775	1	#0	QPSK	E-ACLR1+	-53.21	-29.2	PASS
Band26	15	26775	1	#0	QPSK	U-ACLR1+	-58.37	-32.2	PASS
Band26	15	26775	1	#0	QPSK	U-ACLR2+	-57.00	-35.2	PASS
Band26	15	26775	1	#Max	QPSK	U-ACLR2-	-67.83	-35.2	PASS
Band26	15	26775	1	#Max	QPSK	U-ACLR1-	-62.32	-32.2	PASS
Band26	15	26775	1	#Max	QPSK	E-ACLR1-	-60.59	-29.2	PASS
Band26	15	26775	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	15	26775	1	#Max	QPSK	E-ACLR1+	-56.16	-29.2	PASS
Band26	15	26775	1	#Max	QPSK	U-ACLR1+	-58.21	-32.2	PASS
Band26	15	26775	1	#Max	QPSK	U-ACLR2+	-62.05	-35.2	PASS
Band26	15	26775	75	#0	QPSK	U-ACLR2-	-62.22	-35.2	PASS
Band26	15	26775	75	#0	QPSK	U-ACLR1-	-51.60	-32.2	PASS
Band26	15	26775	75	#0	QPSK	E-ACLR1-	-51.13	-29.2	PASS
Band26	15	26775	75	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26775	75	#0	QPSK	E-ACLR1+	-43.60	-29.2	PASS
Band26	15	26775	75	#0	QPSK	U-ACLR1+	-46.92	-32.2	PASS
Band26	15	26775	75	#0	QPSK	U-ACLR2+	-49.22	-35.2	PASS
Band26	15	26775	1	#0	16QAM	U-ACLR2-	-66.45	-35.2	PASS
Band26	15	26775	1	#0	16QAM	U-ACLR1-	-57.87	-32.2	PASS
Band26	15	26775	1	#0	16QAM	E-ACLR1-	-57.72	-29.2	PASS
Band26	15	26775	1	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26775	1	#0	16QAM	E-ACLR1+	-54.07	-29.2	PASS
Band26	15	26775	1	#0	16QAM	U-ACLR1+	-59.48	-32.2	PASS
Band26	15	26775	1	#0	16QAM	U-ACLR2+	-57.32	-35.2	PASS
Band26	15	26775	1	#Max	16QAM	U-ACLR2-	-67.47	-35.2	PASS
Band26	15	26775	1	#Max	16QAM	U-ACLR1-	-61.77	-32.2	PASS
Band26	15	26775	1	#Max	16QAM	E-ACLR1-	-60.11	-29.2	PASS
Band26	15	26775	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	15	26775	1	#Max	16QAM	E-ACLR1+	-55.42	-29.2	PASS
Band26	15	26775	1	#Max	16QAM	U-ACLR1+	-57.46	-32.2	PASS
Band26	15	26775	1	#Max	16QAM	U-ACLR2+	-61.33	-35.2	PASS
Band26	15	26775	75	#0	16QAM	U-ACLR2-	-60.31	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	15	26775	75	#0	16QAM	U-ACLR1-	-50.37	-32.2	PASS
Band26	15	26775	75	#0	16QAM	E-ACLR1-	-49.80	-29.2	PASS
Band26	15	26775	75	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26775	75	#0	16QAM	E-ACLR1+	-42.88	-29.2	PASS
Band26	15	26775	75	#0	16QAM	U-ACLR1+	-45.92	-32.2	PASS
Band26	15	26775	75	#0	16QAM	U-ACLR2+	-48.38	-35.2	PASS
Band26	15	26850	1	#0	QPSK	U-ACLR2-	-61.92	-35.2	PASS
Band26	15	26850	1	#0	QPSK	U-ACLR1-	-57.66	-32.2	PASS
Band26	15	26850	1	#0	QPSK	E-ACLR1-	-56.02	-29.2	PASS
Band26	15	26850	1	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26850	1	#0	QPSK	E-ACLR1+	-55.01	-29.2	PASS
Band26	15	26850	1	#0	QPSK	U-ACLR1+	-60.38	-32.2	PASS
Band26	15	26850	1	#0	QPSK	U-ACLR2+	-58.43	-35.2	PASS
Band26	15	26850	1	#Max	QPSK	U-ACLR2-	-58.78	-35.2	PASS
Band26	15	26850	1	#Max	QPSK	U-ACLR1-	-61.12	-32.2	PASS
Band26	15	26850	1	#Max	QPSK	E-ACLR1-	-56.06	-29.2	PASS
Band26	15	26850	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	15	26850	1	#Max	QPSK	E-ACLR1+	-56.32	-29.2	PASS
Band26	15	26850	1	#Max	QPSK	U-ACLR1+	-58.16	-32.2	PASS
Band26	15	26850	1	#Max	QPSK	U-ACLR2+	-62.47	-35.2	PASS
Band26	15	26850	75	#0	QPSK	U-ACLR2-	-52.60	-35.2	PASS
Band26	15	26850	75	#0	QPSK	U-ACLR1-	-48.13	-32.2	PASS
Band26	15	26850	75	#0	QPSK	E-ACLR1-	-46.13	-29.2	PASS
Band26	15	26850	75	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26850	75	#0	QPSK	E-ACLR1+	-45.78	-29.2	PASS
Band26	15	26850	75	#0	QPSK	U-ACLR1+	-48.61	-32.2	PASS
Band26	15	26850	75	#0	QPSK	U-ACLR2+	-52.19	-35.2	PASS
Band26	15	26850	1	#0	16QAM	U-ACLR2-	-61.23	-35.2	PASS
Band26	15	26850	1	#0	16QAM	U-ACLR1-	-56.97	-32.2	PASS
Band26	15	26850	1	#0	16QAM	E-ACLR1-	-55.30	-29.2	PASS
Band26	15	26850	1	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26850	1	#0	16QAM	E-ACLR1+	-54.55	-29.2	PASS
Band26	15	26850	1	#0	16QAM	U-ACLR1+	-59.78	-32.2	PASS
Band26	15	26850	1	#0	16QAM	U-ACLR2+	-58.11	-35.2	PASS
Band26	15	26850	1	#Max	16QAM	U-ACLR2-	-58.67	-35.2	PASS
Band26	15	26850	1	#Max	16QAM	U-ACLR1-	-60.41	-32.2	PASS
Band26	15	26850	1	#Max	16QAM	E-ACLR1-	-55.67	-29.2	PASS
Band26	15	26850	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	15	26850	1	#Max	16QAM	E-ACLR1+	-55.50	-29.2	PASS
Band26	15	26850	1	#Max	16QAM	U-ACLR1+	-57.31	-32.2	PASS
Band26	15	26850	1	#Max	16QAM	U-ACLR2+	-61.67	-35.2	PASS
Band26	15	26850	75	#0	16QAM	U-ACLR2-	-51.42	-35.2	PASS
Band26	15	26850	75	#0	16QAM	U-ACLR1-	-47.37	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	15	26850	75	#0	16QAM	E-ACLR1-	-45.18	-29.2	PASS
Band26	15	26850	75	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26850	75	#0	16QAM	E-ACLR1+	-44.59	-29.2	PASS
Band26	15	26850	75	#0	16QAM	U-ACLR1+	-47.20	-32.2	PASS
Band26	15	26850	75	#0	16QAM	U-ACLR2+	-50.79	-35.2	PASS
Band26	15	26925	1	#0	QPSK	U-ACLR2-	-62.15	-35.2	PASS
Band26	15	26925	1	#0	QPSK	U-ACLR1-	-57.98	-32.2	PASS
Band26	15	26925	1	#0	QPSK	E-ACLR1-	-56.16	-29.2	PASS
Band26	15	26925	1	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26925	1	#0	QPSK	E-ACLR1+	-58.48	-29.2	PASS
Band26	15	26925	1	#0	QPSK	U-ACLR1+	-61.65	-32.2	PASS
Band26	15	26925	1	#0	QPSK	U-ACLR2+	-63.73	-35.2	PASS
Band26	15	26925	1	#Max	QPSK	U-ACLR2-	-57.49	-35.2	PASS
Band26	15	26925	1	#Max	QPSK	U-ACLR1-	-60.06	-32.2	PASS
Band26	15	26925	1	#Max	QPSK	E-ACLR1-	-54.74	-29.2	PASS
Band26	15	26925	1	#Max	QPSK	EUTRA	0.00		PASS
Band26	15	26925	1	#Max	QPSK	E-ACLR1+	-57.11	-29.2	PASS
Band26	15	26925	1	#Max	QPSK	U-ACLR1+	-58.30	-32.2	PASS
Band26	15	26925	1	#Max	QPSK	U-ACLR2+	-64.05	-35.2	PASS
Band26	15	26925	75	#0	QPSK	U-ACLR2-	-54.21	-35.2	PASS
Band26	15	26925	75	#0	QPSK	U-ACLR1-	-49.54	-32.2	PASS
Band26	15	26925	75	#0	QPSK	E-ACLR1-	-47.22	-29.2	PASS
Band26	15	26925	75	#0	QPSK	EUTRA	0.00		PASS
Band26	15	26925	75	#0	QPSK	E-ACLR1+	-45.14	-29.2	PASS
Band26	15	26925	75	#0	QPSK	U-ACLR1+	-46.77	-32.2	PASS
Band26	15	26925	75	#0	QPSK	U-ACLR2+	-52.19	-35.2	PASS
Band26	15	26925	1	#0	16QAM	U-ACLR2-	-61.61	-35.2	PASS
Band26	15	26925	1	#0	16QAM	U-ACLR1-	-57.50	-32.2	PASS
Band26	15	26925	1	#0	16QAM	E-ACLR1-	-55.51	-29.2	PASS
Band26	15	26925	1	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26925	1	#0	16QAM	E-ACLR1+	-57.90	-29.2	PASS
Band26	15	26925	1	#0	16QAM	U-ACLR1+	-61.00	-32.2	PASS
Band26	15	26925	1	#0	16QAM	U-ACLR2+	-63.31	-35.2	PASS
Band26	15	26925	1	#Max	16QAM	U-ACLR2-	-57.42	-35.2	PASS
Band26	15	26925	1	#Max	16QAM	U-ACLR1-	-59.44	-32.2	PASS
Band26	15	26925	1	#Max	16QAM	E-ACLR1-	-54.36	-29.2	PASS
Band26	15	26925	1	#Max	16QAM	EUTRA	0.00		PASS
Band26	15	26925	1	#Max	16QAM	E-ACLR1+	-56.29	-29.2	PASS
Band26	15	26925	1	#Max	16QAM	U-ACLR1+	-57.30	-32.2	PASS
Band26	15	26925	1	#Max	16QAM	U-ACLR2+	-63.31	-35.2	PASS
Band26	15	26925	75	#0	16QAM	U-ACLR2-	-51.96	-35.2	PASS
Band26	15	26925	75	#0	16QAM	U-ACLR1-	-48.15	-32.2	PASS
Band26	15	26925	75	#0	16QAM	E-ACLR1-	-45.59	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band26	15	26925	75	#0	16QAM	EUTRA	0.00		PASS
Band26	15	26925	75	#0	16QAM	E-ACLR1+	-44.18	-29.2	PASS
Band26	15	26925	75	#0	16QAM	U-ACLR1+	-45.82	-32.2	PASS
Band26	15	26925	75	#0	16QAM	U-ACLR2+	-51.38	-35.2	PASS
Band28	3	27345	1	#0	QPSK	U-ACLR1-	-58.38	-32.2	PASS
Band28	3	27345	1	#0	QPSK	E-ACLR1-	-56.16	-29.2	PASS
Band28	3	27345	1	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27345	1	#0	QPSK	E-ACLR1+	-48.44	-29.2	PASS
Band28	3	27345	1	#0	QPSK	U-ACLR1+	-48.44	-32.2	PASS
Band28	3	27345	1	#Max	QPSK	U-ACLR1-	-48.23	-32.2	PASS
Band28	3	27345	1	#Max	QPSK	E-ACLR1-	-48.25	-29.2	PASS
Band28	3	27345	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	3	27345	1	#Max	QPSK	E-ACLR1+	-56.36	-29.2	PASS
Band28	3	27345	1	#Max	QPSK	U-ACLR1+	-58.62	-32.2	PASS
Band28	3	27345	15	#0	QPSK	U-ACLR1-	-45.24	-32.2	PASS
Band28	3	27345	15	#0	QPSK	E-ACLR1-	-43.45	-29.2	PASS
Band28	3	27345	15	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27345	15	#0	QPSK	E-ACLR1+	-43.08	-29.2	PASS
Band28	3	27345	15	#0	QPSK	U-ACLR1+	-45.01	-32.2	PASS
Band28	3	27345	1	#0	16QAM	U-ACLR1-	-55.32	-32.2	PASS
Band28	3	27345	1	#0	16QAM	E-ACLR1-	-53.77	-29.2	PASS
Band28	3	27345	1	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27345	1	#0	16QAM	E-ACLR1+	-48.63	-29.2	PASS
Band28	3	27345	1	#0	16QAM	U-ACLR1+	-48.63	-32.2	PASS
Band28	3	27345	1	#Max	16QAM	U-ACLR1-	-48.56	-32.2	PASS
Band28	3	27345	1	#Max	16QAM	E-ACLR1-	-48.58	-29.2	PASS
Band28	3	27345	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	3	27345	1	#Max	16QAM	E-ACLR1+	-56.01	-29.2	PASS
Band28	3	27345	1	#Max	16QAM	U-ACLR1+	-58.00	-32.2	PASS
Band28	3	27345	15	#0	16QAM	U-ACLR1-	-44.60	-32.2	PASS
Band28	3	27345	15	#0	16QAM	E-ACLR1-	-42.95	-29.2	PASS
Band28	3	27345	15	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27345	15	#0	16QAM	E-ACLR1+	-42.82	-29.2	PASS
Band28	3	27345	15	#0	16QAM	U-ACLR1+	-44.64	-32.2	PASS
Band28	3	27495	1	#0	QPSK	U-ACLR1-	-58.18	-32.2	PASS
Band28	3	27495	1	#0	QPSK	E-ACLR1-	-55.85	-29.2	PASS
Band28	3	27495	1	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27495	1	#0	QPSK	E-ACLR1+	-51.29	-29.2	PASS
Band28	3	27495	1	#0	QPSK	U-ACLR1+	-51.31	-32.2	PASS
Band28	3	27495	1	#Max	QPSK	U-ACLR1-	-49.15	-32.2	PASS
Band28	3	27495	1	#Max	QPSK	E-ACLR1-	-49.14	-29.2	PASS
Band28	3	27495	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	3	27495	1	#Max	QPSK	E-ACLR1+	-56.49	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	3	27495	1	#Max	QPSK	U-ACLR1+	-58.99	-32.2	PASS
Band28	3	27495	15	#0	QPSK	U-ACLR1-	-48.01	-32.2	PASS
Band28	3	27495	15	#0	QPSK	E-ACLR1-	-46.73	-29.2	PASS
Band28	3	27495	15	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27495	15	#0	QPSK	E-ACLR1+	-48.78	-29.2	PASS
Band28	3	27495	15	#0	QPSK	U-ACLR1+	-50.25	-32.2	PASS
Band28	3	27495	1	#0	16QAM	U-ACLR1-	-57.39	-32.2	PASS
Band28	3	27495	1	#0	16QAM	E-ACLR1-	-55.34	-29.2	PASS
Band28	3	27495	1	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27495	1	#0	16QAM	E-ACLR1+	-51.77	-29.2	PASS
Band28	3	27495	1	#0	16QAM	U-ACLR1+	-51.81	-32.2	PASS
Band28	3	27495	1	#Max	16QAM	U-ACLR1-	-49.56	-32.2	PASS
Band28	3	27495	1	#Max	16QAM	E-ACLR1-	-49.54	-29.2	PASS
Band28	3	27495	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	3	27495	1	#Max	16QAM	E-ACLR1+	-54.56	-29.2	PASS
Band28	3	27495	1	#Max	16QAM	U-ACLR1+	-55.94	-32.2	PASS
Band28	3	27495	15	#0	16QAM	U-ACLR1-	-46.96	-32.2	PASS
Band28	3	27495	15	#0	16QAM	E-ACLR1-	-45.74	-29.2	PASS
Band28	3	27495	15	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27495	15	#0	16QAM	E-ACLR1+	-47.75	-29.2	PASS
Band28	3	27495	15	#0	16QAM	U-ACLR1+	-49.12	-32.2	PASS
Band28	3	27645	1	#0	QPSK	U-ACLR1-	-58.59	-32.2	PASS
Band28	3	27645	1	#0	QPSK	E-ACLR1-	-56.02	-29.2	PASS
Band28	3	27645	1	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27645	1	#0	QPSK	E-ACLR1+	-52.95	-29.2	PASS
Band28	3	27645	1	#0	QPSK	U-ACLR1+	-53.02	-32.2	PASS
Band28	3	27645	1	#Max	QPSK	U-ACLR1-	-49.90	-32.2	PASS
Band28	3	27645	1	#Max	QPSK	E-ACLR1-	-49.88	-29.2	PASS
Band28	3	27645	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	3	27645	1	#Max	QPSK	E-ACLR1+	-56.59	-29.2	PASS
Band28	3	27645	1	#Max	QPSK	U-ACLR1+	-60.19	-32.2	PASS
Band28	3	27645	15	#0	QPSK	U-ACLR1-	-45.88	-32.2	PASS
Band28	3	27645	15	#0	QPSK	E-ACLR1-	-44.47	-29.2	PASS
Band28	3	27645	15	#0	QPSK	EUTRA	0.00		PASS
Band28	3	27645	15	#0	QPSK	E-ACLR1+	-46.09	-29.2	PASS
Band28	3	27645	15	#0	QPSK	U-ACLR1+	-48.03	-32.2	PASS
Band28	3	27645	1	#0	16QAM	U-ACLR1-	-54.98	-32.2	PASS
Band28	3	27645	1	#0	16QAM	E-ACLR1-	-53.22	-29.2	PASS
Band28	3	27645	1	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27645	1	#0	16QAM	E-ACLR1+	-53.42	-29.2	PASS
Band28	3	27645	1	#0	16QAM	U-ACLR1+	-53.52	-32.2	PASS
Band28	3	27645	1	#Max	16QAM	U-ACLR1-	-49.83	-32.2	PASS
Band28	3	27645	1	#Max	16QAM	E-ACLR1-	-49.81	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	3	27645	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	3	27645	1	#Max	16QAM	E-ACLR1+	-53.12	-29.2	PASS
Band28	3	27645	1	#Max	16QAM	U-ACLR1+	-54.56	-32.2	PASS
Band28	3	27645	15	#0	16QAM	U-ACLR1-	-47.09	-32.2	PASS
Band28	3	27645	15	#0	16QAM	E-ACLR1-	-45.82	-29.2	PASS
Band28	3	27645	15	#0	16QAM	EUTRA	0.00		PASS
Band28	3	27645	15	#0	16QAM	E-ACLR1+	-47.54	-29.2	PASS
Band28	3	27645	15	#0	16QAM	U-ACLR1+	-49.29	-32.2	PASS
Band28	5	27385	1	#0	QPSK	U-ACLR2-	-64.16	-35.2	PASS
Band28	5	27385	1	#0	QPSK	U-ACLR1-	-54.16	-32.2	PASS
Band28	5	27385	1	#0	QPSK	E-ACLR1-	-46.69	-29.2	PASS
Band28	5	27385	1	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27385	1	#0	QPSK	E-ACLR1+	-46.93	-29.2	PASS
Band28	5	27385	1	#0	QPSK	U-ACLR1+	-47.06	-32.2	PASS
Band28	5	27385	1	#0	QPSK	U-ACLR2+	-66.95	-35.2	PASS
Band28	5	27385	1	#Max	QPSK	U-ACLR2-	-61.96	-35.2	PASS
Band28	5	27385	1	#Max	QPSK	U-ACLR1-	-49.68	-32.2	PASS
Band28	5	27385	1	#Max	QPSK	E-ACLR1-	-49.37	-29.2	PASS
Band28	5	27385	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	5	27385	1	#Max	QPSK	E-ACLR1+	-41.60	-29.2	PASS
Band28	5	27385	1	#Max	QPSK	U-ACLR1+	-45.51	-32.2	PASS
Band28	5	27385	1	#Max	QPSK	U-ACLR2+	-56.77	-35.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR2-	-59.52	-35.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR1-	-45.48	-32.2	PASS
Band28	5	27385	25	#0	QPSK	E-ACLR1-	-44.43	-29.2	PASS
Band28	5	27385	25	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27385	25	#0	QPSK	E-ACLR1+	-43.10	-29.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR1+	-44.12	-32.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR2+	-57.81	-35.2	PASS
Band28	5	27385	1	#0	16QAM	U-ACLR2-	-63.39	-35.2	PASS
Band28	5	27385	1	#0	16QAM	U-ACLR1-	-53.03	-32.2	PASS
Band28	5	27385	1	#0	16QAM	E-ACLR1-	-45.41	-29.2	PASS
Band28	5	27385	1	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27385	1	#0	16QAM	E-ACLR1+	-46.96	-29.2	PASS
Band28	5	27385	1	#0	16QAM	U-ACLR1+	-47.12	-32.2	PASS
Band28	5	27385	1	#0	16QAM	U-ACLR2+	-66.42	-35.2	PASS
Band28	5	27385	1	#Max	16QAM	U-ACLR2-	-60.74	-35.2	PASS
Band28	5	27385	1	#Max	16QAM	U-ACLR1-	-49.50	-32.2	PASS
Band28	5	27385	1	#Max	16QAM	E-ACLR1-	-49.12	-29.2	PASS
Band28	5	27385	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	5	27385	1	#Max	16QAM	E-ACLR1+	-40.35	-29.2	PASS
Band28	5	27385	1	#Max	16QAM	U-ACLR1+	-44.08	-32.2	PASS
Band28	5	27385	1	#Max	16QAM	U-ACLR2+	-55.71	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	5	27385	25	#0	16QAM	U-ACLR2-	-58.59	-35.2	PASS
Band28	5	27385	25	#0	16QAM	U-ACLR1-	-44.99	-32.2	PASS
Band28	5	27385	25	#0	16QAM	E-ACLR1-	-44.03	-29.2	PASS
Band28	5	27385	25	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27385	25	#0	16QAM	E-ACLR1+	-43.11	-29.2	PASS
Band28	5	27385	25	#0	16QAM	U-ACLR1+	-44.08	-32.2	PASS
Band28	5	27385	25	#0	16QAM	U-ACLR2+	-57.20	-35.2	PASS
Band28	5	27510	1	#0	QPSK	U-ACLR2-	-65.89	-35.2	PASS
Band28	5	27510	1	#0	QPSK	U-ACLR1-	-53.69	-32.2	PASS
Band28	5	27510	1	#0	QPSK	E-ACLR1-	-46.38	-29.2	PASS
Band28	5	27510	1	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27510	1	#0	QPSK	E-ACLR1+	-51.55	-29.2	PASS
Band28	5	27510	1	#0	QPSK	U-ACLR1+	-51.73	-32.2	PASS
Band28	5	27510	1	#0	QPSK	U-ACLR2+	-67.88	-35.2	PASS
Band28	5	27510	1	#Max	QPSK	U-ACLR2-	-59.93	-35.2	PASS
Band28	5	27510	1	#Max	QPSK	U-ACLR1-	-47.96	-32.2	PASS
Band28	5	27510	1	#Max	QPSK	E-ACLR1-	-47.56	-29.2	PASS
Band28	5	27510	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	5	27510	1	#Max	QPSK	E-ACLR1+	-40.48	-29.2	PASS
Band28	5	27510	1	#Max	QPSK	U-ACLR1+	-44.14	-32.2	PASS
Band28	5	27510	1	#Max	QPSK	U-ACLR2+	-56.09	-35.2	PASS
Band28	5	27510	25	#0	QPSK	U-ACLR2-	-58.59	-35.2	PASS
Band28	5	27510	25	#0	QPSK	U-ACLR1-	-47.83	-32.2	PASS
Band28	5	27510	25	#0	QPSK	E-ACLR1-	-46.67	-29.2	PASS
Band28	5	27510	25	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27510	25	#0	QPSK	E-ACLR1+	-49.58	-29.2	PASS
Band28	5	27510	25	#0	QPSK	U-ACLR1+	-50.99	-32.2	PASS
Band28	5	27510	25	#0	QPSK	U-ACLR2+	-58.10	-35.2	PASS
Band28	5	27510	1	#0	16QAM	U-ACLR2-	-65.36	-35.2	PASS
Band28	5	27510	1	#0	16QAM	U-ACLR1-	-52.79	-32.2	PASS
Band28	5	27510	1	#0	16QAM	E-ACLR1-	-45.28	-29.2	PASS
Band28	5	27510	1	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27510	1	#0	16QAM	E-ACLR1+	-51.42	-29.2	PASS
Band28	5	27510	1	#0	16QAM	U-ACLR1+	-51.64	-32.2	PASS
Band28	5	27510	1	#0	16QAM	U-ACLR2+	-67.02	-35.2	PASS
Band28	5	27510	1	#Max	16QAM	U-ACLR2-	-60.42	-35.2	PASS
Band28	5	27510	1	#Max	16QAM	U-ACLR1-	-47.94	-32.2	PASS
Band28	5	27510	1	#Max	16QAM	E-ACLR1-	-47.55	-29.2	PASS
Band28	5	27510	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	5	27510	1	#Max	16QAM	E-ACLR1+	-41.05	-29.2	PASS
Band28	5	27510	1	#Max	16QAM	U-ACLR1+	-44.87	-32.2	PASS
Band28	5	27510	1	#Max	16QAM	U-ACLR2+	-56.58	-35.2	PASS
Band28	5	27510	25	#0	16QAM	U-ACLR2-	-58.21	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	5	27510	25	#0	16QAM	U-ACLR1-	-46.38	-32.2	PASS
Band28	5	27510	25	#0	16QAM	E-ACLR1-	-45.37	-29.2	PASS
Band28	5	27510	25	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27510	25	#0	16QAM	E-ACLR1+	-48.45	-29.2	PASS
Band28	5	27510	25	#0	16QAM	U-ACLR1+	-49.63	-32.2	PASS
Band28	5	27510	25	#0	16QAM	U-ACLR2+	-58.07	-35.2	PASS
Band28	5	27635	1	#0	QPSK	U-ACLR2-	-65.08	-35.2	PASS
Band28	5	27635	1	#0	QPSK	U-ACLR1-	-54.27	-32.2	PASS
Band28	5	27635	1	#0	QPSK	E-ACLR1-	-46.90	-29.2	PASS
Band28	5	27635	1	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27635	1	#0	QPSK	E-ACLR1+	-54.75	-29.2	PASS
Band28	5	27635	1	#0	QPSK	U-ACLR1+	-55.02	-32.2	PASS
Band28	5	27635	1	#0	QPSK	U-ACLR2+	-68.35	-35.2	PASS
Band28	5	27635	1	#Max	QPSK	U-ACLR2-	-68.45	-35.2	PASS
Band28	5	27635	1	#Max	QPSK	U-ACLR1-	-50.51	-32.2	PASS
Band28	5	27635	1	#Max	QPSK	E-ACLR1-	-50.30	-29.2	PASS
Band28	5	27635	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	5	27635	1	#Max	QPSK	E-ACLR1+	-47.12	-29.2	PASS
Band28	5	27635	1	#Max	QPSK	U-ACLR1+	-55.02	-32.2	PASS
Band28	5	27635	1	#Max	QPSK	U-ACLR2+	-66.87	-35.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR2-	-58.75	-35.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR1-	-48.58	-32.2	PASS
Band28	5	27635	25	#0	QPSK	E-ACLR1-	-47.55	-29.2	PASS
Band28	5	27635	25	#0	QPSK	EUTRA	0.00		PASS
Band28	5	27635	25	#0	QPSK	E-ACLR1+	-49.16	-29.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR1+	-50.29	-32.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR2+	-67.06	-35.2	PASS
Band28	5	27635	1	#0	16QAM	U-ACLR2-	-64.49	-35.2	PASS
Band28	5	27635	1	#0	16QAM	U-ACLR1-	-53.22	-32.2	PASS
Band28	5	27635	1	#0	16QAM	E-ACLR1-	-45.59	-29.2	PASS
Band28	5	27635	1	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27635	1	#0	16QAM	E-ACLR1+	-54.83	-29.2	PASS
Band28	5	27635	1	#0	16QAM	U-ACLR1+	-55.16	-32.2	PASS
Band28	5	27635	1	#0	16QAM	U-ACLR2+	-67.70	-35.2	PASS
Band28	5	27635	1	#Max	16QAM	U-ACLR2-	-67.76	-35.2	PASS
Band28	5	27635	1	#Max	16QAM	U-ACLR1-	-50.69	-32.2	PASS
Band28	5	27635	1	#Max	16QAM	E-ACLR1-	-50.45	-29.2	PASS
Band28	5	27635	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	5	27635	1	#Max	16QAM	E-ACLR1+	-46.76	-29.2	PASS
Band28	5	27635	1	#Max	16QAM	U-ACLR1+	-54.62	-32.2	PASS
Band28	5	27635	1	#Max	16QAM	U-ACLR2+	-66.11	-35.2	PASS
Band28	5	27635	25	#0	16QAM	U-ACLR2-	-58.71	-35.2	PASS
Band28	5	27635	25	#0	16QAM	U-ACLR1-	-49.58	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	5	27635	25	#0	16QAM	E-ACLR1-	-48.50	-29.2	PASS
Band28	5	27635	25	#0	16QAM	EUTRA	0.00		PASS
Band28	5	27635	25	#0	16QAM	E-ACLR1+	-49.88	-29.2	PASS
Band28	5	27635	25	#0	16QAM	U-ACLR1+	-50.98	-32.2	PASS
Band28	5	27635	25	#0	16QAM	U-ACLR2+	-66.28	-35.2	PASS
Band28	10	27410	1	#0	QPSK	U-ACLR2-	-62.00	-35.2	PASS
Band28	10	27410	1	#0	QPSK	U-ACLR1-	-51.50	-32.2	PASS
Band28	10	27410	1	#0	QPSK	E-ACLR1-	-51.85	-29.2	PASS
Band28	10	27410	1	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27410	1	#0	QPSK	E-ACLR1+	-47.37	-29.2	PASS
Band28	10	27410	1	#0	QPSK	U-ACLR1+	-58.11	-32.2	PASS
Band28	10	27410	1	#0	QPSK	U-ACLR2+	-47.82	-35.2	PASS
Band28	10	27410	1	#Max	QPSK	U-ACLR2-	-54.01	-35.2	PASS
Band28	10	27410	1	#Max	QPSK	U-ACLR1-	-59.71	-32.2	PASS
Band28	10	27410	1	#Max	QPSK	E-ACLR1-	-52.85	-29.2	PASS
Band28	10	27410	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	10	27410	1	#Max	QPSK	E-ACLR1+	-52.11	-29.2	PASS
Band28	10	27410	1	#Max	QPSK	U-ACLR1+	-51.51	-32.2	PASS
Band28	10	27410	1	#Max	QPSK	U-ACLR2+	-64.07	-35.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR2-	-52.75	-35.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR1-	-45.84	-32.2	PASS
Band28	10	27410	50	#0	QPSK	E-ACLR1-	-44.36	-29.2	PASS
Band28	10	27410	50	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27410	50	#0	QPSK	E-ACLR1+	-45.28	-29.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR1+	-46.42	-32.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR2+	-54.38	-35.2	PASS
Band28	10	27410	1	#0	16QAM	U-ACLR2-	-61.26	-35.2	PASS
Band28	10	27410	1	#0	16QAM	U-ACLR1-	-51.32	-32.2	PASS
Band28	10	27410	1	#0	16QAM	E-ACLR1-	-51.56	-29.2	PASS
Band28	10	27410	1	#0	16QAM	EUTRA	0.00		PASS
Band28	10	27410	1	#0	16QAM	E-ACLR1+	-47.43	-29.2	PASS
Band28	10	27410	1	#0	16QAM	U-ACLR1+	-57.46	-32.2	PASS
Band28	10	27410	1	#0	16QAM	U-ACLR2+	-47.96	-35.2	PASS
Band28	10	27410	1	#Max	16QAM	U-ACLR2-	-54.08	-35.2	PASS
Band28	10	27410	1	#Max	16QAM	U-ACLR1-	-59.41	-32.2	PASS
Band28	10	27410	1	#Max	16QAM	E-ACLR1-	-52.84	-29.2	PASS
Band28	10	27410	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	10	27410	1	#Max	16QAM	E-ACLR1+	-51.89	-29.2	PASS
Band28	10	27410	1	#Max	16QAM	U-ACLR1+	-51.37	-32.2	PASS
Band28	10	27410	1	#Max	16QAM	U-ACLR2+	-63.42	-35.2	PASS
Band28	10	27410	50	#0	16QAM	U-ACLR2-	-52.43	-35.2	PASS
Band28	10	27410	50	#0	16QAM	U-ACLR1-	-45.48	-32.2	PASS
Band28	10	27410	50	#0	16QAM	E-ACLR1-	-44.01	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	10	27410	50	#0	16QAM	EUTRA	0.00		PASS
Band28	10	27410	50	#0	16QAM	E-ACLR1+	-45.17	-29.2	PASS
Band28	10	27410	50	#0	16QAM	U-ACLR1+	-46.34	-32.2	PASS
Band28	10	27410	50	#0	16QAM	U-ACLR2+	-54.24	-35.2	PASS
Band28	10	27510	1	#0	QPSK	U-ACLR2-	-64.04	-35.2	PASS
Band28	10	27510	1	#0	QPSK	U-ACLR1-	-51.56	-32.2	PASS
Band28	10	27510	1	#0	QPSK	E-ACLR1-	-52.09	-29.2	PASS
Band28	10	27510	1	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27510	1	#0	QPSK	E-ACLR1+	-50.08	-29.2	PASS
Band28	10	27510	1	#0	QPSK	U-ACLR1+	-59.21	-32.2	PASS
Band28	10	27510	1	#0	QPSK	U-ACLR2+	-50.73	-35.2	PASS
Band28	10	27510	1	#Max	QPSK	U-ACLR2-	-51.10	-35.2	PASS
Band28	10	27510	1	#Max	QPSK	U-ACLR1-	-58.32	-32.2	PASS
Band28	10	27510	1	#Max	QPSK	E-ACLR1-	-50.24	-29.2	PASS
Band28	10	27510	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	10	27510	1	#Max	QPSK	E-ACLR1+	-52.01	-29.2	PASS
Band28	10	27510	1	#Max	QPSK	U-ACLR1+	-51.65	-32.2	PASS
Band28	10	27510	1	#Max	QPSK	U-ACLR2+	-62.32	-35.2	PASS
Band28	10	27510	50	#0	QPSK	U-ACLR2-	-55.47	-35.2	PASS
Band28	10	27510	50	#0	QPSK	U-ACLR1-	-48.40	-32.2	PASS
Band28	10	27510	50	#0	QPSK	E-ACLR1-	-47.08	-29.2	PASS
Band28	10	27510	50	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27510	50	#0	QPSK	E-ACLR1+	-50.01	-29.2	PASS
Band28	10	27510	50	#0	QPSK	U-ACLR1+	-51.82	-32.2	PASS
Band28	10	27510	50	#0	QPSK	U-ACLR2+	-56.48	-35.2	PASS
Band28	10	27510	1	#0	16QAM	U-ACLR2-	-63.46	-35.2	PASS
Band28	10	27510	1	#0	16QAM	U-ACLR1-	-51.21	-32.2	PASS
Band28	10	27510	1	#0	16QAM	E-ACLR1-	-51.70	-29.2	PASS
Band28	10	27510	1	#0	16QAM	EUTRA	0.00		PASS
Band28	10	27510	1	#0	16QAM	E-ACLR1+	-50.17	-29.2	PASS
Band28	10	27510	1	#0	16QAM	U-ACLR1+	-58.92	-32.2	PASS
Band28	10	27510	1	#0	16QAM	U-ACLR2+	-50.88	-35.2	PASS
Band28	10	27510	1	#Max	16QAM	U-ACLR2-	-51.23	-35.2	PASS
Band28	10	27510	1	#Max	16QAM	U-ACLR1-	-57.83	-32.2	PASS
Band28	10	27510	1	#Max	16QAM	E-ACLR1-	-50.25	-29.2	PASS
Band28	10	27510	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	10	27510	1	#Max	16QAM	E-ACLR1+	-51.77	-29.2	PASS
Band28	10	27510	1	#Max	16QAM	U-ACLR1+	-51.49	-32.2	PASS
Band28	10	27510	1	#Max	16QAM	U-ACLR2+	-61.65	-35.2	PASS
Band28	10	27510	50	#0	16QAM	U-ACLR2-	-54.40	-35.2	PASS
Band28	10	27510	50	#0	16QAM	U-ACLR1-	-46.94	-32.2	PASS
Band28	10	27510	50	#0	16QAM	E-ACLR1-	-45.64	-29.2	PASS
Band28	10	27510	50	#0	16QAM	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	10	27510	50	#0	16QAM	E-ACLR1+	-48.84	-29.2	PASS
Band28	10	27510	50	#0	16QAM	U-ACLR1+	-50.79	-32.2	PASS
Band28	10	27510	50	#0	16QAM	U-ACLR2+	-55.19	-35.2	PASS
Band28	10	27610	1	#0	QPSK	U-ACLR2-	-61.06	-35.2	PASS
Band28	10	27610	1	#0	QPSK	U-ACLR1-	-51.23	-32.2	PASS
Band28	10	27610	1	#0	QPSK	E-ACLR1-	-51.47	-29.2	PASS
Band28	10	27610	1	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27610	1	#0	QPSK	E-ACLR1+	-60.73	-29.2	PASS
Band28	10	27610	1	#0	QPSK	U-ACLR1+	-62.17	-32.2	PASS
Band28	10	27610	1	#0	QPSK	U-ACLR2+	-67.75	-35.2	PASS
Band28	10	27610	1	#Max	QPSK	U-ACLR2-	-49.86	-35.2	PASS
Band28	10	27610	1	#Max	QPSK	U-ACLR1-	-59.41	-32.2	PASS
Band28	10	27610	1	#Max	QPSK	E-ACLR1-	-49.32	-29.2	PASS
Band28	10	27610	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	10	27610	1	#Max	QPSK	E-ACLR1+	-53.46	-29.2	PASS
Band28	10	27610	1	#Max	QPSK	U-ACLR1+	-52.62	-32.2	PASS
Band28	10	27610	1	#Max	QPSK	U-ACLR2+	-67.33	-35.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR2-	-51.98	-35.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR1-	-46.46	-32.2	PASS
Band28	10	27610	50	#0	QPSK	E-ACLR1-	-44.68	-29.2	PASS
Band28	10	27610	50	#0	QPSK	EUTRA	0.00		PASS
Band28	10	27610	50	#0	QPSK	E-ACLR1+	-51.42	-29.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR1+	-51.74	-32.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR2+	-67.00	-35.2	PASS
Band28	10	27610	1	#0	16QAM	U-ACLR2-	-60.47	-35.2	PASS
Band28	10	27610	1	#0	16QAM	U-ACLR1-	-51.42	-32.2	PASS
Band28	10	27610	1	#0	16QAM	E-ACLR1-	-51.50	-29.2	PASS
Band28	10	27610	1	#0	16QAM	EUTRA	0.00		PASS
Band28	10	27610	1	#0	16QAM	E-ACLR1+	-59.91	-29.2	PASS
Band28	10	27610	1	#0	16QAM	U-ACLR1+	-61.38	-32.2	PASS
Band28	10	27610	1	#0	16QAM	U-ACLR2+	-66.87	-35.2	PASS
Band28	10	27610	1	#Max	16QAM	U-ACLR2-	-50.25	-35.2	PASS
Band28	10	27610	1	#Max	16QAM	U-ACLR1-	-58.94	-32.2	PASS
Band28	10	27610	1	#Max	16QAM	E-ACLR1-	-49.60	-29.2	PASS
Band28	10	27610	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	10	27610	1	#Max	16QAM	E-ACLR1+	-53.43	-29.2	PASS
Band28	10	27610	1	#Max	16QAM	U-ACLR1+	-52.67	-32.2	PASS
Band28	10	27610	1	#Max	16QAM	U-ACLR2+	-66.84	-35.2	PASS
Band28	10	27610	50	#0	16QAM	U-ACLR2-	-52.28	-35.2	PASS
Band28	10	27610	50	#0	16QAM	U-ACLR1-	-47.30	-32.2	PASS
Band28	10	27610	50	#0	16QAM	E-ACLR1-	-45.37	-29.2	PASS
Band28	10	27610	50	#0	16QAM	EUTRA	0.00		PASS
Band28	10	27610	50	#0	16QAM	E-ACLR1+	-51.74	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	10	27610	50	#0	16QAM	U-ACLR1+	-52.12	-32.2	PASS
Band28	10	27610	50	#0	16QAM	U-ACLR2+	-65.97	-35.2	PASS
Band28	15	27435	1	#0	QPSK	U-ACLR2-	-61.52	-35.2	PASS
Band28	15	27435	1	#0	QPSK	U-ACLR1-	-50.62	-32.2	PASS
Band28	15	27435	1	#0	QPSK	E-ACLR1-	-53.77	-29.2	PASS
Band28	15	27435	1	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27435	1	#0	QPSK	E-ACLR1+	-46.31	-29.2	PASS
Band28	15	27435	1	#0	QPSK	U-ACLR1+	-59.72	-32.2	PASS
Band28	15	27435	1	#0	QPSK	U-ACLR2+	-59.52	-35.2	PASS
Band28	15	27435	1	#Max	QPSK	U-ACLR2-	-58.59	-35.2	PASS
Band28	15	27435	1	#Max	QPSK	U-ACLR1-	-61.23	-32.2	PASS
Band28	15	27435	1	#Max	QPSK	E-ACLR1-	-51.79	-29.2	PASS
Band28	15	27435	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	15	27435	1	#Max	QPSK	E-ACLR1+	-54.58	-29.2	PASS
Band28	15	27435	1	#Max	QPSK	U-ACLR1+	-51.41	-32.2	PASS
Band28	15	27435	1	#Max	QPSK	U-ACLR2+	-62.30	-35.2	PASS
Band28	15	27435	75	#0	QPSK	U-ACLR2-	-48.17	-35.2	PASS
Band28	15	27435	75	#0	QPSK	U-ACLR1-	-46.54	-32.2	PASS
Band28	15	27435	75	#0	QPSK	E-ACLR1-	-43.29	-29.2	PASS
Band28	15	27435	75	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27435	75	#0	QPSK	E-ACLR1+	-48.41	-29.2	PASS
Band28	15	27435	75	#0	QPSK	U-ACLR1+	-51.46	-32.2	PASS
Band28	15	27435	75	#0	QPSK	U-ACLR2+	-54.72	-35.2	PASS
Band28	15	27435	1	#0	16QAM	U-ACLR2-	-60.91	-35.2	PASS
Band28	15	27435	1	#0	16QAM	U-ACLR1-	-49.49	-32.2	PASS
Band28	15	27435	1	#0	16QAM	E-ACLR1-	-52.83	-29.2	PASS
Band28	15	27435	1	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27435	1	#0	16QAM	E-ACLR1+	-46.41	-29.2	PASS
Band28	15	27435	1	#0	16QAM	U-ACLR1+	-59.13	-32.2	PASS
Band28	15	27435	1	#0	16QAM	U-ACLR2+	-59.22	-35.2	PASS
Band28	15	27435	1	#Max	16QAM	U-ACLR2-	-58.44	-35.2	PASS
Band28	15	27435	1	#Max	16QAM	U-ACLR1-	-60.51	-32.2	PASS
Band28	15	27435	1	#Max	16QAM	E-ACLR1-	-51.66	-29.2	PASS
Band28	15	27435	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	15	27435	1	#Max	16QAM	E-ACLR1+	-54.14	-29.2	PASS
Band28	15	27435	1	#Max	16QAM	U-ACLR1+	-51.17	-32.2	PASS
Band28	15	27435	1	#Max	16QAM	U-ACLR2+	-61.80	-35.2	PASS
Band28	15	27435	75	#0	16QAM	U-ACLR2-	-47.88	-35.2	PASS
Band28	15	27435	75	#0	16QAM	U-ACLR1-	-46.31	-32.2	PASS
Band28	15	27435	75	#0	16QAM	E-ACLR1-	-43.01	-29.2	PASS
Band28	15	27435	75	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27435	75	#0	16QAM	E-ACLR1+	-47.45	-29.2	PASS
Band28	15	27435	75	#0	16QAM	U-ACLR1+	-50.49	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	15	27435	75	#0	16QAM	U-ACLR2+	-53.36	-35.2	PASS
Band28	15	27510	1	#0	QPSK	U-ACLR2-	-62.34	-35.2	PASS
Band28	15	27510	1	#0	QPSK	U-ACLR1-	-50.65	-32.2	PASS
Band28	15	27510	1	#0	QPSK	E-ACLR1-	-54.25	-29.2	PASS
Band28	15	27510	1	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27510	1	#0	QPSK	E-ACLR1+	-55.87	-29.2	PASS
Band28	15	27510	1	#0	QPSK	U-ACLR1+	-61.37	-32.2	PASS
Band28	15	27510	1	#0	QPSK	U-ACLR2+	-59.03	-35.2	PASS
Band28	15	27510	1	#Max	QPSK	U-ACLR2-	-59.51	-35.2	PASS
Band28	15	27510	1	#Max	QPSK	U-ACLR1-	-59.15	-32.2	PASS
Band28	15	27510	1	#Max	QPSK	E-ACLR1-	-49.85	-29.2	PASS
Band28	15	27510	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	15	27510	1	#Max	QPSK	E-ACLR1+	-53.56	-29.2	PASS
Band28	15	27510	1	#Max	QPSK	U-ACLR1+	-50.06	-32.2	PASS
Band28	15	27510	1	#Max	QPSK	U-ACLR2+	-61.52	-35.2	PASS
Band28	15	27510	75	#0	QPSK	U-ACLR2-	-53.60	-35.2	PASS
Band28	15	27510	75	#0	QPSK	U-ACLR1-	-49.17	-32.2	PASS
Band28	15	27510	75	#0	QPSK	E-ACLR1-	-46.90	-29.2	PASS
Band28	15	27510	75	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27510	75	#0	QPSK	E-ACLR1+	-49.80	-29.2	PASS
Band28	15	27510	75	#0	QPSK	U-ACLR1+	-52.08	-32.2	PASS
Band28	15	27510	75	#0	QPSK	U-ACLR2+	-56.02	-35.2	PASS
Band28	15	27510	1	#0	16QAM	U-ACLR2-	-61.92	-35.2	PASS
Band28	15	27510	1	#0	16QAM	U-ACLR1-	-50.09	-32.2	PASS
Band28	15	27510	1	#0	16QAM	E-ACLR1-	-53.67	-29.2	PASS
Band28	15	27510	1	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27510	1	#0	16QAM	E-ACLR1+	-55.47	-29.2	PASS
Band28	15	27510	1	#0	16QAM	U-ACLR1+	-60.67	-32.2	PASS
Band28	15	27510	1	#0	16QAM	U-ACLR2+	-58.89	-35.2	PASS
Band28	15	27510	1	#Max	16QAM	U-ACLR2-	-59.19	-35.2	PASS
Band28	15	27510	1	#Max	16QAM	U-ACLR1-	-58.57	-32.2	PASS
Band28	15	27510	1	#Max	16QAM	E-ACLR1-	-49.88	-29.2	PASS
Band28	15	27510	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	15	27510	1	#Max	16QAM	E-ACLR1+	-53.07	-29.2	PASS
Band28	15	27510	1	#Max	16QAM	U-ACLR1+	-49.75	-32.2	PASS
Band28	15	27510	1	#Max	16QAM	U-ACLR2+	-61.04	-35.2	PASS
Band28	15	27510	75	#0	16QAM	U-ACLR2-	-52.18	-35.2	PASS
Band28	15	27510	75	#0	16QAM	U-ACLR1-	-48.00	-32.2	PASS
Band28	15	27510	75	#0	16QAM	E-ACLR1-	-45.74	-29.2	PASS
Band28	15	27510	75	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27510	75	#0	16QAM	E-ACLR1+	-48.84	-29.2	PASS
Band28	15	27510	75	#0	16QAM	U-ACLR1+	-51.29	-32.2	PASS
Band28	15	27510	75	#0	16QAM	U-ACLR2+	-54.71	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	15	27585	1	#0	QPSK	U-ACLR2-	-60.32	-35.2	PASS
Band28	15	27585	1	#0	QPSK	U-ACLR1-	-49.92	-32.2	PASS
Band28	15	27585	1	#0	QPSK	E-ACLR1-	-53.09	-29.2	PASS
Band28	15	27585	1	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27585	1	#0	QPSK	E-ACLR1+	-60.51	-29.2	PASS
Band28	15	27585	1	#0	QPSK	U-ACLR1+	-63.30	-32.2	PASS
Band28	15	27585	1	#0	QPSK	U-ACLR2+	-67.85	-35.2	PASS
Band28	15	27585	1	#Max	QPSK	U-ACLR2-	-58.61	-35.2	PASS
Band28	15	27585	1	#Max	QPSK	U-ACLR1-	-58.80	-32.2	PASS
Band28	15	27585	1	#Max	QPSK	E-ACLR1-	-50.46	-29.2	PASS
Band28	15	27585	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	15	27585	1	#Max	QPSK	E-ACLR1+	-56.17	-29.2	PASS
Band28	15	27585	1	#Max	QPSK	U-ACLR1+	-51.70	-32.2	PASS
Band28	15	27585	1	#Max	QPSK	U-ACLR2+	-67.28	-35.2	PASS
Band28	15	27585	75	#0	QPSK	U-ACLR2-	-49.71	-35.2	PASS
Band28	15	27585	75	#0	QPSK	U-ACLR1-	-46.14	-32.2	PASS
Band28	15	27585	75	#0	QPSK	E-ACLR1-	-43.71	-29.2	PASS
Band28	15	27585	75	#0	QPSK	EUTRA	0.00		PASS
Band28	15	27585	75	#0	QPSK	E-ACLR1+	-53.62	-29.2	PASS
Band28	15	27585	75	#0	QPSK	U-ACLR1+	-53.77	-32.2	PASS
Band28	15	27585	75	#0	QPSK	U-ACLR2+	-67.09	-35.2	PASS
Band28	15	27585	1	#0	16QAM	U-ACLR2-	-59.81	-35.2	PASS
Band28	15	27585	1	#0	16QAM	U-ACLR1-	-49.39	-32.2	PASS
Band28	15	27585	1	#0	16QAM	E-ACLR1-	-52.54	-29.2	PASS
Band28	15	27585	1	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27585	1	#0	16QAM	E-ACLR1+	-59.82	-29.2	PASS
Band28	15	27585	1	#0	16QAM	U-ACLR1+	-62.63	-32.2	PASS
Band28	15	27585	1	#0	16QAM	U-ACLR2+	-67.33	-35.2	PASS
Band28	15	27585	1	#Max	16QAM	U-ACLR2-	-58.29	-35.2	PASS
Band28	15	27585	1	#Max	16QAM	U-ACLR1-	-58.17	-32.2	PASS
Band28	15	27585	1	#Max	16QAM	E-ACLR1-	-50.40	-29.2	PASS
Band28	15	27585	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	15	27585	1	#Max	16QAM	E-ACLR1+	-55.75	-29.2	PASS
Band28	15	27585	1	#Max	16QAM	U-ACLR1+	-51.53	-32.2	PASS
Band28	15	27585	1	#Max	16QAM	U-ACLR2+	-66.61	-35.2	PASS
Band28	15	27585	75	#0	16QAM	U-ACLR2-	-49.96	-35.2	PASS
Band28	15	27585	75	#0	16QAM	U-ACLR1-	-46.69	-32.2	PASS
Band28	15	27585	75	#0	16QAM	E-ACLR1-	-44.11	-29.2	PASS
Band28	15	27585	75	#0	16QAM	EUTRA	0.00		PASS
Band28	15	27585	75	#0	16QAM	E-ACLR1+	-53.41	-29.2	PASS
Band28	15	27585	75	#0	16QAM	U-ACLR1+	-53.65	-32.2	PASS
Band28	15	27585	75	#0	16QAM	U-ACLR2+	-66.06	-35.2	PASS
Band28	20	27460	1	#0	QPSK	U-ACLR2-	-62.35	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	20	27460	1	#0	QPSK	U-ACLR1-	-53.17	-32.2	PASS
Band28	20	27460	1	#0	QPSK	E-ACLR1-	-55.78	-29.2	PASS
Band28	20	27460	1	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27460	1	#0	QPSK	E-ACLR1+	-56.27	-29.2	PASS
Band28	20	27460	1	#0	QPSK	U-ACLR1+	-61.26	-32.2	PASS
Band28	20	27460	1	#0	QPSK	U-ACLR2+	-61.61	-35.2	PASS
Band28	20	27460	1	#Max	QPSK	U-ACLR2-	-62.46	-35.2	PASS
Band28	20	27460	1	#Max	QPSK	U-ACLR1-	-61.26	-32.2	PASS
Band28	20	27460	1	#Max	QPSK	E-ACLR1-	-50.41	-29.2	PASS
Band28	20	27460	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	20	27460	1	#Max	QPSK	E-ACLR1+	-55.81	-29.2	PASS
Band28	20	27460	1	#Max	QPSK	U-ACLR1+	-53.29	-32.2	PASS
Band28	20	27460	1	#Max	QPSK	U-ACLR2+	-61.84	-35.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR2-	-48.12	-35.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR1-	-47.80	-32.2	PASS
Band28	20	27460	100	#0	QPSK	E-ACLR1-	-42.91	-29.2	PASS
Band28	20	27460	100	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27460	100	#0	QPSK	E-ACLR1+	-48.52	-29.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR1+	-52.75	-32.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR2+	-53.26	-35.2	PASS
Band28	20	27460	1	#0	16QAM	U-ACLR2-	-62.06	-35.2	PASS
Band28	20	27460	1	#0	16QAM	U-ACLR1-	-52.65	-32.2	PASS
Band28	20	27460	1	#0	16QAM	E-ACLR1-	-55.33	-29.2	PASS
Band28	20	27460	1	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27460	1	#0	16QAM	E-ACLR1+	-55.76	-29.2	PASS
Band28	20	27460	1	#0	16QAM	U-ACLR1+	-60.66	-32.2	PASS
Band28	20	27460	1	#0	16QAM	U-ACLR2+	-61.21	-35.2	PASS
Band28	20	27460	1	#Max	16QAM	U-ACLR2-	-61.96	-35.2	PASS
Band28	20	27460	1	#Max	16QAM	U-ACLR1-	-60.65	-32.2	PASS
Band28	20	27460	1	#Max	16QAM	E-ACLR1-	-50.38	-29.2	PASS
Band28	20	27460	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	20	27460	1	#Max	16QAM	E-ACLR1+	-55.25	-29.2	PASS
Band28	20	27460	1	#Max	16QAM	U-ACLR1+	-52.83	-32.2	PASS
Band28	20	27460	1	#Max	16QAM	U-ACLR2+	-61.31	-35.2	PASS
Band28	20	27460	100	#0	16QAM	U-ACLR2-	-47.51	-35.2	PASS
Band28	20	27460	100	#0	16QAM	U-ACLR1-	-47.23	-32.2	PASS
Band28	20	27460	100	#0	16QAM	E-ACLR1-	-42.41	-29.2	PASS
Band28	20	27460	100	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27460	100	#0	16QAM	E-ACLR1+	-47.31	-29.2	PASS
Band28	20	27460	100	#0	16QAM	U-ACLR1+	-51.52	-32.2	PASS
Band28	20	27460	100	#0	16QAM	U-ACLR2+	-51.93	-35.2	PASS
Band28	20	27510	1	#0	QPSK	U-ACLR2-	-63.83	-35.2	PASS
Band28	20	27510	1	#0	QPSK	U-ACLR1-	-53.65	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	20	27510	1	#0	QPSK	E-ACLR1-	-56.56	-29.2	PASS
Band28	20	27510	1	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27510	1	#0	QPSK	E-ACLR1+	-57.78	-29.2	PASS
Band28	20	27510	1	#0	QPSK	U-ACLR1+	-61.26	-32.2	PASS
Band28	20	27510	1	#0	QPSK	U-ACLR2+	-64.81	-35.2	PASS
Band28	20	27510	1	#Max	QPSK	U-ACLR2-	-63.21	-35.2	PASS
Band28	20	27510	1	#Max	QPSK	U-ACLR1-	-61.10	-32.2	PASS
Band28	20	27510	1	#Max	QPSK	E-ACLR1-	-50.91	-29.2	PASS
Band28	20	27510	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	20	27510	1	#Max	QPSK	E-ACLR1+	-56.55	-29.2	PASS
Band28	20	27510	1	#Max	QPSK	U-ACLR1+	-52.94	-32.2	PASS
Band28	20	27510	1	#Max	QPSK	U-ACLR2+	-64.26	-35.2	PASS
Band28	20	27510	100	#0	QPSK	U-ACLR2-	-52.36	-35.2	PASS
Band28	20	27510	100	#0	QPSK	U-ACLR1-	-49.75	-32.2	PASS
Band28	20	27510	100	#0	QPSK	E-ACLR1-	-45.87	-29.2	PASS
Band28	20	27510	100	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27510	100	#0	QPSK	E-ACLR1+	-50.44	-29.2	PASS
Band28	20	27510	100	#0	QPSK	U-ACLR1+	-52.11	-32.2	PASS
Band28	20	27510	100	#0	QPSK	U-ACLR2+	-57.16	-35.2	PASS
Band28	20	27510	1	#0	16QAM	U-ACLR2-	-63.33	-35.2	PASS
Band28	20	27510	1	#0	16QAM	U-ACLR1-	-53.00	-32.2	PASS
Band28	20	27510	1	#0	16QAM	E-ACLR1-	-56.02	-29.2	PASS
Band28	20	27510	1	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27510	1	#0	16QAM	E-ACLR1+	-57.12	-29.2	PASS
Band28	20	27510	1	#0	16QAM	U-ACLR1+	-60.59	-32.2	PASS
Band28	20	27510	1	#0	16QAM	U-ACLR2+	-64.20	-35.2	PASS
Band28	20	27510	1	#Max	16QAM	U-ACLR2-	-62.70	-35.2	PASS
Band28	20	27510	1	#Max	16QAM	U-ACLR1-	-60.43	-32.2	PASS
Band28	20	27510	1	#Max	16QAM	E-ACLR1-	-51.08	-29.2	PASS
Band28	20	27510	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	20	27510	1	#Max	16QAM	E-ACLR1+	-55.90	-29.2	PASS
Band28	20	27510	1	#Max	16QAM	U-ACLR1+	-52.43	-32.2	PASS
Band28	20	27510	1	#Max	16QAM	U-ACLR2+	-63.72	-35.2	PASS
Band28	20	27510	100	#0	16QAM	U-ACLR2-	-51.06	-35.2	PASS
Band28	20	27510	100	#0	16QAM	U-ACLR1-	-48.87	-32.2	PASS
Band28	20	27510	100	#0	16QAM	E-ACLR1-	-45.03	-29.2	PASS
Band28	20	27510	100	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27510	100	#0	16QAM	E-ACLR1+	-49.66	-29.2	PASS
Band28	20	27510	100	#0	16QAM	U-ACLR1+	-51.42	-32.2	PASS
Band28	20	27510	100	#0	16QAM	U-ACLR2+	-56.17	-35.2	PASS
Band28	20	27560	1	#0	QPSK	U-ACLR2-	-63.37	-35.2	PASS
Band28	20	27560	1	#0	QPSK	U-ACLR1-	-53.33	-32.2	PASS
Band28	20	27560	1	#0	QPSK	E-ACLR1-	-56.68	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band28	20	27560	1	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27560	1	#0	QPSK	E-ACLR1+	-59.65	-29.2	PASS
Band28	20	27560	1	#0	QPSK	U-ACLR1+	-64.65	-32.2	PASS
Band28	20	27560	1	#0	QPSK	U-ACLR2+	-67.51	-35.2	PASS
Band28	20	27560	1	#Max	QPSK	U-ACLR2-	-63.11	-35.2	PASS
Band28	20	27560	1	#Max	QPSK	U-ACLR1-	-60.12	-32.2	PASS
Band28	20	27560	1	#Max	QPSK	E-ACLR1-	-51.24	-29.2	PASS
Band28	20	27560	1	#Max	QPSK	EUTRA	0.00		PASS
Band28	20	27560	1	#Max	QPSK	E-ACLR1+	-58.06	-29.2	PASS
Band28	20	27560	1	#Max	QPSK	U-ACLR1+	-54.60	-32.2	PASS
Band28	20	27560	1	#Max	QPSK	U-ACLR2+	-67.10	-35.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR2-	-52.10	-35.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR1-	-48.06	-32.2	PASS
Band28	20	27560	100	#0	QPSK	E-ACLR1-	-45.30	-29.2	PASS
Band28	20	27560	100	#0	QPSK	EUTRA	0.00		PASS
Band28	20	27560	100	#0	QPSK	E-ACLR1+	-54.86	-29.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR1+	-55.27	-32.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR2+	-66.91	-35.2	PASS
Band28	20	27560	1	#0	16QAM	U-ACLR2-	-63.00	-35.2	PASS
Band28	20	27560	1	#0	16QAM	U-ACLR1-	-53.04	-32.2	PASS
Band28	20	27560	1	#0	16QAM	E-ACLR1-	-56.20	-29.2	PASS
Band28	20	27560	1	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27560	1	#0	16QAM	E-ACLR1+	-59.01	-29.2	PASS
Band28	20	27560	1	#0	16QAM	U-ACLR1+	-64.00	-32.2	PASS
Band28	20	27560	1	#0	16QAM	U-ACLR2+	-66.96	-35.2	PASS
Band28	20	27560	1	#Max	16QAM	U-ACLR2-	-62.65	-35.2	PASS
Band28	20	27560	1	#Max	16QAM	U-ACLR1-	-59.57	-32.2	PASS
Band28	20	27560	1	#Max	16QAM	E-ACLR1-	-51.23	-29.2	PASS
Band28	20	27560	1	#Max	16QAM	EUTRA	0.00		PASS
Band28	20	27560	1	#Max	16QAM	E-ACLR1+	-57.57	-29.2	PASS
Band28	20	27560	1	#Max	16QAM	U-ACLR1+	-54.17	-32.2	PASS
Band28	20	27560	1	#Max	16QAM	U-ACLR2+	-66.40	-35.2	PASS
Band28	20	27560	100	#0	16QAM	U-ACLR2-	-51.42	-35.2	PASS
Band28	20	27560	100	#0	16QAM	U-ACLR1-	-47.95	-32.2	PASS
Band28	20	27560	100	#0	16QAM	E-ACLR1-	-45.06	-29.2	PASS
Band28	20	27560	100	#0	16QAM	EUTRA	0.00		PASS
Band28	20	27560	100	#0	16QAM	E-ACLR1+	-54.41	-29.2	PASS
Band28	20	27560	100	#0	16QAM	U-ACLR1+	-55.02	-32.2	PASS
Band28	20	27560	100	#0	16QAM	U-ACLR2+	-65.95	-35.2	PASS
Band34	5	36225	1	#0	QPSK	U-ACLR2-	-63.76	-35.2	PASS
Band34	5	36225	1	#0	QPSK	U-ACLR1-	-40.23	-32.2	PASS
Band34	5	36225	1	#0	QPSK	E-ACLR1-	-45.42	-29.2	PASS
Band34	5	36225	1	#0	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	5	36225	1	#0	QPSK	E-ACLR1+	-46.36	-29.2	PASS
Band34	5	36225	1	#0	QPSK	U-ACLR1+	-61.21	-32.2	PASS
Band34	5	36225	1	#0	QPSK	U-ACLR2+	-63.32	-35.2	PASS
Band34	5	36225	1	#Max	QPSK	U-ACLR2-	-63.22	-35.2	PASS
Band34	5	36225	1	#Max	QPSK	U-ACLR1-	-61.10	-32.2	PASS
Band34	5	36225	1	#Max	QPSK	E-ACLR1-	-44.81	-29.2	PASS
Band34	5	36225	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	5	36225	1	#Max	QPSK	E-ACLR1+	-47.07	-29.2	PASS
Band34	5	36225	1	#Max	QPSK	U-ACLR1+	-42.06	-32.2	PASS
Band34	5	36225	1	#Max	QPSK	U-ACLR2+	-63.22	-35.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR2-	-49.05	-35.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR1-	-45.73	-32.2	PASS
Band34	5	36225	25	#0	QPSK	E-ACLR1-	-43.50	-29.2	PASS
Band34	5	36225	25	#0	QPSK	EUTRA	0.00		PASS
Band34	5	36225	25	#0	QPSK	E-ACLR1+	-43.45	-29.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR1+	-45.55	-32.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR2+	-49.14	-35.2	PASS
Band34	5	36225	1	#0	16QAM	U-ACLR2-	-63.20	-35.2	PASS
Band34	5	36225	1	#0	16QAM	U-ACLR1-	-39.79	-32.2	PASS
Band34	5	36225	1	#0	16QAM	E-ACLR1-	-45.01	-29.2	PASS
Band34	5	36225	1	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36225	1	#0	16QAM	E-ACLR1+	-46.83	-29.2	PASS
Band34	5	36225	1	#0	16QAM	U-ACLR1+	-60.54	-32.2	PASS
Band34	5	36225	1	#0	16QAM	U-ACLR2+	-63.05	-35.2	PASS
Band34	5	36225	1	#Max	16QAM	U-ACLR2-	-62.78	-35.2	PASS
Band34	5	36225	1	#Max	16QAM	U-ACLR1-	-60.33	-32.2	PASS
Band34	5	36225	1	#Max	16QAM	E-ACLR1-	-45.19	-29.2	PASS
Band34	5	36225	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	5	36225	1	#Max	16QAM	E-ACLR1+	-45.24	-29.2	PASS
Band34	5	36225	1	#Max	16QAM	U-ACLR1+	-40.17	-32.2	PASS
Band34	5	36225	1	#Max	16QAM	U-ACLR2+	-62.56	-35.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR2-	-49.06	-35.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR1-	-45.12	-32.2	PASS
Band34	5	36225	25	#0	16QAM	E-ACLR1-	-43.37	-29.2	PASS
Band34	5	36225	25	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36225	25	#0	16QAM	E-ACLR1+	-43.59	-29.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR1+	-45.92	-32.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR2+	-49.04	-35.2	PASS
Band34	5	36275	1	#0	QPSK	U-ACLR2-	-63.78	-35.2	PASS
Band34	5	36275	1	#0	QPSK	U-ACLR1-	-40.24	-32.2	PASS
Band34	5	36275	1	#0	QPSK	E-ACLR1-	-45.46	-29.2	PASS
Band34	5	36275	1	#0	QPSK	EUTRA	0.00		PASS
Band34	5	36275	1	#0	QPSK	E-ACLR1+	-46.14	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	5	36275	1	#0	QPSK	U-ACLR1+	-61.17	-32.2	PASS
Band34	5	36275	1	#0	QPSK	U-ACLR2+	-63.40	-35.2	PASS
Band34	5	36275	1	#Max	QPSK	U-ACLR2-	-63.31	-35.2	PASS
Band34	5	36275	1	#Max	QPSK	U-ACLR1-	-61.18	-32.2	PASS
Band34	5	36275	1	#Max	QPSK	E-ACLR1-	-44.69	-29.2	PASS
Band34	5	36275	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	5	36275	1	#Max	QPSK	E-ACLR1+	-47.08	-29.2	PASS
Band34	5	36275	1	#Max	QPSK	U-ACLR1+	-42.07	-32.2	PASS
Band34	5	36275	1	#Max	QPSK	U-ACLR2+	-63.14	-35.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR2-	-48.95	-35.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR1-	-45.70	-32.2	PASS
Band34	5	36275	25	#0	QPSK	E-ACLR1-	-43.44	-29.2	PASS
Band34	5	36275	25	#0	QPSK	EUTRA	0.00		PASS
Band34	5	36275	25	#0	QPSK	E-ACLR1+	-43.41	-29.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR1+	-45.51	-32.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR2+	-49.08	-35.2	PASS
Band34	5	36275	1	#0	16QAM	U-ACLR2-	-63.29	-35.2	PASS
Band34	5	36275	1	#0	16QAM	U-ACLR1-	-39.80	-32.2	PASS
Band34	5	36275	1	#0	16QAM	E-ACLR1-	-45.03	-29.2	PASS
Band34	5	36275	1	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36275	1	#0	16QAM	E-ACLR1+	-46.55	-29.2	PASS
Band34	5	36275	1	#0	16QAM	U-ACLR1+	-60.58	-32.2	PASS
Band34	5	36275	1	#0	16QAM	U-ACLR2+	-63.09	-35.2	PASS
Band34	5	36275	1	#Max	16QAM	U-ACLR2-	-62.76	-35.2	PASS
Band34	5	36275	1	#Max	16QAM	U-ACLR1-	-60.43	-32.2	PASS
Band34	5	36275	1	#Max	16QAM	E-ACLR1-	-45.02	-29.2	PASS
Band34	5	36275	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	5	36275	1	#Max	16QAM	E-ACLR1+	-45.27	-29.2	PASS
Band34	5	36275	1	#Max	16QAM	U-ACLR1+	-40.18	-32.2	PASS
Band34	5	36275	1	#Max	16QAM	U-ACLR2+	-62.56	-35.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR2-	-48.88	-35.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR1-	-45.45	-32.2	PASS
Band34	5	36275	25	#0	16QAM	E-ACLR1-	-43.46	-29.2	PASS
Band34	5	36275	25	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36275	25	#0	16QAM	E-ACLR1+	-43.57	-29.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR1+	-45.93	-32.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR2+	-48.95	-35.2	PASS
Band34	5	36325	1	#0	QPSK	U-ACLR2-	-63.66	-35.2	PASS
Band34	5	36325	1	#0	QPSK	U-ACLR1-	-40.25	-32.2	PASS
Band34	5	36325	1	#0	QPSK	E-ACLR1-	-45.47	-29.2	PASS
Band34	5	36325	1	#0	QPSK	EUTRA	0.00		PASS
Band34	5	36325	1	#0	QPSK	E-ACLR1+	-45.99	-29.2	PASS
Band34	5	36325	1	#0	QPSK	U-ACLR1+	-61.27	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	5	36325	1	#0	QPSK	U-ACLR2+	-63.52	-35.2	PASS
Band34	5	36325	1	#Max	QPSK	U-ACLR2-	-63.32	-35.2	PASS
Band34	5	36325	1	#Max	QPSK	U-ACLR1-	-60.98	-32.2	PASS
Band34	5	36325	1	#Max	QPSK	E-ACLR1-	-44.40	-29.2	PASS
Band34	5	36325	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	5	36325	1	#Max	QPSK	E-ACLR1+	-47.10	-29.2	PASS
Band34	5	36325	1	#Max	QPSK	U-ACLR1+	-42.08	-32.2	PASS
Band34	5	36325	1	#Max	QPSK	U-ACLR2+	-63.30	-35.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR2-	-48.76	-35.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR1-	-45.51	-32.2	PASS
Band34	5	36325	25	#0	QPSK	E-ACLR1-	-43.25	-29.2	PASS
Band34	5	36325	25	#0	QPSK	EUTRA	0.00		PASS
Band34	5	36325	25	#0	QPSK	E-ACLR1+	-43.31	-29.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR1+	-45.40	-32.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR2+	-48.99	-35.2	PASS
Band34	5	36325	1	#0	16QAM	U-ACLR2-	-63.25	-35.2	PASS
Band34	5	36325	1	#0	16QAM	U-ACLR1-	-39.80	-32.2	PASS
Band34	5	36325	1	#0	16QAM	E-ACLR1-	-45.04	-29.2	PASS
Band34	5	36325	1	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36325	1	#0	16QAM	E-ACLR1+	-46.41	-29.2	PASS
Band34	5	36325	1	#0	16QAM	U-ACLR1+	-60.69	-32.2	PASS
Band34	5	36325	1	#0	16QAM	U-ACLR2+	-63.25	-35.2	PASS
Band34	5	36325	1	#Max	16QAM	U-ACLR2-	-62.70	-35.2	PASS
Band34	5	36325	1	#Max	16QAM	U-ACLR1-	-60.38	-32.2	PASS
Band34	5	36325	1	#Max	16QAM	E-ACLR1-	-44.79	-29.2	PASS
Band34	5	36325	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	5	36325	1	#Max	16QAM	E-ACLR1+	-45.28	-29.2	PASS
Band34	5	36325	1	#Max	16QAM	U-ACLR1+	-40.18	-32.2	PASS
Band34	5	36325	1	#Max	16QAM	U-ACLR2+	-62.56	-35.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR2-	-48.71	-35.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR1-	-45.29	-32.2	PASS
Band34	5	36325	25	#0	16QAM	E-ACLR1-	-43.30	-29.2	PASS
Band34	5	36325	25	#0	16QAM	EUTRA	0.00		PASS
Band34	5	36325	25	#0	16QAM	E-ACLR1+	-43.48	-29.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR1+	-45.82	-32.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR2+	-48.85	-35.2	PASS
Band34	10	36250	1	#0	QPSK	U-ACLR2-	-64.81	-35.2	PASS
Band34	10	36250	1	#0	QPSK	U-ACLR1-	-43.08	-32.2	PASS
Band34	10	36250	1	#0	QPSK	E-ACLR1-	-52.61	-29.2	PASS
Band34	10	36250	1	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36250	1	#0	QPSK	E-ACLR1+	-46.52	-29.2	PASS
Band34	10	36250	1	#0	QPSK	U-ACLR1+	-63.30	-32.2	PASS
Band34	10	36250	1	#0	QPSK	U-ACLR2+	-65.80	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	10	36250	1	#Max	QPSK	U-ACLR2-	-65.78	-35.2	PASS
Band34	10	36250	1	#Max	QPSK	U-ACLR1-	-63.14	-32.2	PASS
Band34	10	36250	1	#Max	QPSK	E-ACLR1-	-44.55	-29.2	PASS
Band34	10	36250	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	10	36250	1	#Max	QPSK	E-ACLR1+	-50.97	-29.2	PASS
Band34	10	36250	1	#Max	QPSK	U-ACLR1+	-40.90	-32.2	PASS
Band34	10	36250	1	#Max	QPSK	U-ACLR2+	-64.85	-35.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR2-	-50.16	-35.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR1-	-48.35	-32.2	PASS
Band34	10	36250	50	#0	QPSK	E-ACLR1-	-43.74	-29.2	PASS
Band34	10	36250	50	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36250	50	#0	QPSK	E-ACLR1+	-44.21	-29.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR1+	-48.22	-32.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR2+	-51.06	-35.2	PASS
Band34	10	36250	1	#0	16QAM	U-ACLR2-	-64.34	-35.2	PASS
Band34	10	36250	1	#0	16QAM	U-ACLR1-	-42.64	-32.2	PASS
Band34	10	36250	1	#0	16QAM	E-ACLR1-	-52.16	-29.2	PASS
Band34	10	36250	1	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36250	1	#0	16QAM	E-ACLR1+	-46.87	-29.2	PASS
Band34	10	36250	1	#0	16QAM	U-ACLR1+	-62.60	-32.2	PASS
Band34	10	36250	1	#0	16QAM	U-ACLR2+	-65.39	-35.2	PASS
Band34	10	36250	1	#Max	16QAM	U-ACLR2-	-65.03	-35.2	PASS
Band34	10	36250	1	#Max	16QAM	U-ACLR1-	-62.39	-32.2	PASS
Band34	10	36250	1	#Max	16QAM	E-ACLR1-	-44.92	-29.2	PASS
Band34	10	36250	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	10	36250	1	#Max	16QAM	E-ACLR1+	-51.82	-29.2	PASS
Band34	10	36250	1	#Max	16QAM	U-ACLR1+	-42.08	-32.2	PASS
Band34	10	36250	1	#Max	16QAM	U-ACLR2+	-64.27	-35.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR2-	-49.77	-35.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR1-	-48.19	-32.2	PASS
Band34	10	36250	50	#0	16QAM	E-ACLR1-	-43.70	-29.2	PASS
Band34	10	36250	50	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36250	50	#0	16QAM	E-ACLR1+	-44.08	-29.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR1+	-48.64	-32.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR2+	-50.36	-35.2	PASS
Band34	10	36275	1	#0	QPSK	U-ACLR2-	-64.96	-35.2	PASS
Band34	10	36275	1	#0	QPSK	U-ACLR1-	-43.09	-32.2	PASS
Band34	10	36275	1	#0	QPSK	E-ACLR1-	-52.69	-29.2	PASS
Band34	10	36275	1	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36275	1	#0	QPSK	E-ACLR1+	-46.35	-29.2	PASS
Band34	10	36275	1	#0	QPSK	U-ACLR1+	-63.30	-32.2	PASS
Band34	10	36275	1	#0	QPSK	U-ACLR2+	-65.79	-35.2	PASS
Band34	10	36275	1	#Max	QPSK	U-ACLR2-	-65.74	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	10	36275	1	#Max	QPSK	U-ACLR1-	-63.15	-32.2	PASS
Band34	10	36275	1	#Max	QPSK	E-ACLR1-	-44.48	-29.2	PASS
Band34	10	36275	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	10	36275	1	#Max	QPSK	E-ACLR1+	-51.01	-29.2	PASS
Band34	10	36275	1	#Max	QPSK	U-ACLR1+	-40.92	-32.2	PASS
Band34	10	36275	1	#Max	QPSK	U-ACLR2+	-64.83	-35.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR2-	-50.11	-35.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR1-	-48.29	-32.2	PASS
Band34	10	36275	50	#0	QPSK	E-ACLR1-	-43.69	-29.2	PASS
Band34	10	36275	50	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36275	50	#0	QPSK	E-ACLR1+	-44.18	-29.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR1+	-48.17	-32.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR2+	-51.00	-35.2	PASS
Band34	10	36275	1	#0	16QAM	U-ACLR2-	-64.46	-35.2	PASS
Band34	10	36275	1	#0	16QAM	U-ACLR1-	-42.66	-32.2	PASS
Band34	10	36275	1	#0	16QAM	E-ACLR1-	-52.20	-29.2	PASS
Band34	10	36275	1	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36275	1	#0	16QAM	E-ACLR1+	-46.79	-29.2	PASS
Band34	10	36275	1	#0	16QAM	U-ACLR1+	-62.68	-32.2	PASS
Band34	10	36275	1	#0	16QAM	U-ACLR2+	-65.39	-35.2	PASS
Band34	10	36275	1	#Max	16QAM	U-ACLR2-	-64.99	-35.2	PASS
Band34	10	36275	1	#Max	16QAM	U-ACLR1-	-62.36	-32.2	PASS
Band34	10	36275	1	#Max	16QAM	E-ACLR1-	-44.89	-29.2	PASS
Band34	10	36275	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	10	36275	1	#Max	16QAM	E-ACLR1+	-51.89	-29.2	PASS
Band34	10	36275	1	#Max	16QAM	U-ACLR1+	-42.09	-32.2	PASS
Band34	10	36275	1	#Max	16QAM	U-ACLR2+	-64.42	-35.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR2-	-49.70	-35.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR1-	-48.09	-32.2	PASS
Band34	10	36275	50	#0	16QAM	E-ACLR1-	-43.63	-29.2	PASS
Band34	10	36275	50	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36275	50	#0	16QAM	E-ACLR1+	-44.03	-29.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR1+	-48.57	-32.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR2+	-50.31	-35.2	PASS
Band34	10	36300	1	#0	QPSK	U-ACLR2-	-64.91	-35.2	PASS
Band34	10	36300	1	#0	QPSK	U-ACLR1-	-43.09	-32.2	PASS
Band34	10	36300	1	#0	QPSK	E-ACLR1-	-52.71	-29.2	PASS
Band34	10	36300	1	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36300	1	#0	QPSK	E-ACLR1+	-46.37	-29.2	PASS
Band34	10	36300	1	#0	QPSK	U-ACLR1+	-63.35	-32.2	PASS
Band34	10	36300	1	#0	QPSK	U-ACLR2+	-65.82	-35.2	PASS
Band34	10	36300	1	#Max	QPSK	U-ACLR2-	-65.69	-35.2	PASS
Band34	10	36300	1	#Max	QPSK	U-ACLR1-	-63.04	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	10	36300	1	#Max	QPSK	E-ACLR1-	-44.39	-29.2	PASS
Band34	10	36300	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	10	36300	1	#Max	QPSK	E-ACLR1+	-51.03	-29.2	PASS
Band34	10	36300	1	#Max	QPSK	U-ACLR1+	-40.93	-32.2	PASS
Band34	10	36300	1	#Max	QPSK	U-ACLR2+	-64.83	-35.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR2-	-50.06	-35.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR1-	-48.23	-32.2	PASS
Band34	10	36300	50	#0	QPSK	E-ACLR1-	-43.63	-29.2	PASS
Band34	10	36300	50	#0	QPSK	EUTRA	0.00		PASS
Band34	10	36300	50	#0	QPSK	E-ACLR1+	-44.16	-29.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR1+	-48.13	-32.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR2+	-50.94	-35.2	PASS
Band34	10	36300	1	#0	16QAM	U-ACLR2-	-64.52	-35.2	PASS
Band34	10	36300	1	#0	16QAM	U-ACLR1-	-42.65	-32.2	PASS
Band34	10	36300	1	#0	16QAM	E-ACLR1-	-52.21	-29.2	PASS
Band34	10	36300	1	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36300	1	#0	16QAM	E-ACLR1+	-46.69	-29.2	PASS
Band34	10	36300	1	#0	16QAM	U-ACLR1+	-62.75	-32.2	PASS
Band34	10	36300	1	#0	16QAM	U-ACLR2+	-65.43	-35.2	PASS
Band34	10	36300	1	#Max	16QAM	U-ACLR2-	-64.96	-35.2	PASS
Band34	10	36300	1	#Max	16QAM	U-ACLR1-	-62.37	-32.2	PASS
Band34	10	36300	1	#Max	16QAM	E-ACLR1-	-44.76	-29.2	PASS
Band34	10	36300	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	10	36300	1	#Max	16QAM	E-ACLR1+	-51.89	-29.2	PASS
Band34	10	36300	1	#Max	16QAM	U-ACLR1+	-42.11	-32.2	PASS
Band34	10	36300	1	#Max	16QAM	U-ACLR2+	-64.36	-35.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR2-	-49.61	-35.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR1-	-48.03	-32.2	PASS
Band34	10	36300	50	#0	16QAM	E-ACLR1-	-43.56	-29.2	PASS
Band34	10	36300	50	#0	16QAM	EUTRA	0.00		PASS
Band34	10	36300	50	#0	16QAM	E-ACLR1+	-44.00	-29.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR1+	-48.52	-32.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR2+	-50.26	-35.2	PASS
Band34	15	36275	1	#0	QPSK	U-ACLR2-	-64.30	-35.2	PASS
Band34	15	36275	1	#0	QPSK	U-ACLR1-	-41.25	-32.2	PASS
Band34	15	36275	1	#0	QPSK	E-ACLR1-	-53.05	-29.2	PASS
Band34	15	36275	1	#0	QPSK	EUTRA	0.00		PASS
Band34	15	36275	1	#0	QPSK	E-ACLR1+	-46.74	-29.2	PASS
Band34	15	36275	1	#0	QPSK	U-ACLR1+	-63.96	-32.2	PASS
Band34	15	36275	1	#0	QPSK	U-ACLR2+	-66.20	-35.2	PASS
Band34	15	36275	1	#Max	QPSK	U-ACLR2-	-65.96	-35.2	PASS
Band34	15	36275	1	#Max	QPSK	U-ACLR1-	-63.80	-32.2	PASS
Band34	15	36275	1	#Max	QPSK	E-ACLR1-	-44.02	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band34	15	36275	1	#Max	QPSK	EUTRA	0.00		PASS
Band34	15	36275	1	#Max	QPSK	E-ACLR1+	-54.47	-29.2	PASS
Band34	15	36275	1	#Max	QPSK	U-ACLR1+	-44.15	-32.2	PASS
Band34	15	36275	1	#Max	QPSK	U-ACLR2+	-64.55	-35.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR2-	-50.86	-35.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR1-	-49.02	-32.2	PASS
Band34	15	36275	75	#0	QPSK	E-ACLR1-	-43.30	-29.2	PASS
Band34	15	36275	75	#0	QPSK	EUTRA	0.00		PASS
Band34	15	36275	75	#0	QPSK	E-ACLR1+	-44.41	-29.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR1+	-50.26	-32.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR2+	-51.57	-35.2	PASS
Band34	15	36275	1	#0	16QAM	U-ACLR2-	-63.61	-35.2	PASS
Band34	15	36275	1	#0	16QAM	U-ACLR1-	-42.55	-32.2	PASS
Band34	15	36275	1	#0	16QAM	E-ACLR1-	-53.47	-29.2	PASS
Band34	15	36275	1	#0	16QAM	EUTRA	0.00		PASS
Band34	15	36275	1	#0	16QAM	E-ACLR1+	-47.24	-29.2	PASS
Band34	15	36275	1	#0	16QAM	U-ACLR1+	-63.57	-32.2	PASS
Band34	15	36275	1	#0	16QAM	U-ACLR2+	-65.67	-35.2	PASS
Band34	15	36275	1	#Max	16QAM	U-ACLR2-	-65.40	-35.2	PASS
Band34	15	36275	1	#Max	16QAM	U-ACLR1-	-63.07	-32.2	PASS
Band34	15	36275	1	#Max	16QAM	E-ACLR1-	-44.38	-29.2	PASS
Band34	15	36275	1	#Max	16QAM	EUTRA	0.00		PASS
Band34	15	36275	1	#Max	16QAM	E-ACLR1+	-53.40	-29.2	PASS
Band34	15	36275	1	#Max	16QAM	U-ACLR1+	-42.18	-32.2	PASS
Band34	15	36275	1	#Max	16QAM	U-ACLR2+	-63.65	-35.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR2-	-50.39	-35.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR1-	-49.46	-32.2	PASS
Band34	15	36275	75	#0	16QAM	E-ACLR1-	-43.26	-29.2	PASS
Band34	15	36275	75	#0	16QAM	EUTRA	0.00		PASS
Band34	15	36275	75	#0	16QAM	E-ACLR1+	-43.98	-29.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR1+	-50.11	-32.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR2+	-50.80	-35.2	PASS
Band40	5	38975	1	#0	QPSK	U-ACLR2-	-63.65	-35.2	PASS
Band40	5	38975	1	#0	QPSK	U-ACLR1-	-40.06	-32.2	PASS
Band40	5	38975	1	#0	QPSK	E-ACLR1-	-45.17	-29.2	PASS
Band40	5	38975	1	#0	QPSK	EUTRA	0.00		PASS
Band40	5	38975	1	#0	QPSK	E-ACLR1+	-47.04	-29.2	PASS
Band40	5	38975	1	#0	QPSK	U-ACLR1+	-60.79	-32.2	PASS
Band40	5	38975	1	#0	QPSK	U-ACLR2+	-63.33	-35.2	PASS
Band40	5	38975	1	#Max	QPSK	U-ACLR2-	-63.72	-35.2	PASS
Band40	5	38975	1	#Max	QPSK	U-ACLR1-	-61.24	-32.2	PASS
Band40	5	38975	1	#Max	QPSK	E-ACLR1-	-47.28	-29.2	PASS
Band40	5	38975	1	#Max	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	5	38975	1	#Max	QPSK	E-ACLR1+	-46.82	-29.2	PASS
Band40	5	38975	1	#Max	QPSK	U-ACLR1+	-41.89	-32.2	PASS
Band40	5	38975	1	#Max	QPSK	U-ACLR2+	-63.51	-35.2	PASS
Band40	5	38975	25	#0	QPSK	U-ACLR2-	-47.51	-35.2	PASS
Band40	5	38975	25	#0	QPSK	U-ACLR1-	-44.94	-32.2	PASS
Band40	5	38975	25	#0	QPSK	E-ACLR1-	-41.40	-29.2	PASS
Band40	5	38975	25	#0	QPSK	EUTRA	0.00		PASS
Band40	5	38975	25	#0	QPSK	E-ACLR1+	-41.27	-29.2	PASS
Band40	5	38975	25	#0	QPSK	U-ACLR1+	-44.55	-32.2	PASS
Band40	5	38975	25	#0	QPSK	U-ACLR2+	-47.47	-35.2	PASS
Band40	5	38975	1	#0	16QAM	U-ACLR2-	-62.95	-35.2	PASS
Band40	5	38975	1	#0	16QAM	U-ACLR1-	-39.58	-32.2	PASS
Band40	5	38975	1	#0	16QAM	E-ACLR1-	-44.70	-29.2	PASS
Band40	5	38975	1	#0	16QAM	EUTRA	0.00		PASS
Band40	5	38975	1	#0	16QAM	E-ACLR1+	-47.50	-29.2	PASS
Band40	5	38975	1	#0	16QAM	U-ACLR1+	-60.03	-32.2	PASS
Band40	5	38975	1	#0	16QAM	U-ACLR2+	-62.85	-35.2	PASS
Band40	5	38975	1	#Max	16QAM	U-ACLR2-	-63.25	-35.2	PASS
Band40	5	38975	1	#Max	16QAM	U-ACLR1-	-60.59	-32.2	PASS
Band40	5	38975	1	#Max	16QAM	E-ACLR1-	-47.71	-29.2	PASS
Band40	5	38975	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	5	38975	1	#Max	16QAM	E-ACLR1+	-45.07	-29.2	PASS
Band40	5	38975	1	#Max	16QAM	U-ACLR1+	-40.09	-32.2	PASS
Band40	5	38975	1	#Max	16QAM	U-ACLR2+	-62.92	-35.2	PASS
Band40	5	38975	25	#0	16QAM	U-ACLR2-	-46.28	-35.2	PASS
Band40	5	38975	25	#0	16QAM	U-ACLR1-	-42.28	-32.2	PASS
Band40	5	38975	25	#0	16QAM	E-ACLR1-	-40.27	-29.2	PASS
Band40	5	38975	25	#0	16QAM	EUTRA	0.00		PASS
Band40	5	38975	25	#0	16QAM	E-ACLR1+	-41.30	-29.2	PASS
Band40	5	38975	25	#0	16QAM	U-ACLR1+	-44.41	-32.2	PASS
Band40	5	38975	25	#0	16QAM	U-ACLR2+	-46.74	-35.2	PASS
Band40	5	39150	1	#0	QPSK	U-ACLR2-	-63.93	-35.2	PASS
Band40	5	39150	1	#0	QPSK	U-ACLR1-	-40.16	-32.2	PASS
Band40	5	39150	1	#0	QPSK	E-ACLR1-	-45.32	-29.2	PASS
Band40	5	39150	1	#0	QPSK	EUTRA	0.00		PASS
Band40	5	39150	1	#0	QPSK	E-ACLR1+	-47.85	-29.2	PASS
Band40	5	39150	1	#0	QPSK	U-ACLR1+	-60.65	-32.2	PASS
Band40	5	39150	1	#0	QPSK	U-ACLR2+	-63.20	-35.2	PASS
Band40	5	39150	1	#Max	QPSK	U-ACLR2-	-64.19	-35.2	PASS
Band40	5	39150	1	#Max	QPSK	U-ACLR1-	-61.32	-32.2	PASS
Band40	5	39150	1	#Max	QPSK	E-ACLR1-	-48.35	-29.2	PASS
Band40	5	39150	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	5	39150	1	#Max	QPSK	E-ACLR1+	-46.85	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	5	39150	1	#Max	QPSK	U-ACLR1+	-41.91	-32.2	PASS
Band40	5	39150	1	#Max	QPSK	U-ACLR2+	-63.42	-35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	-48.20	-35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	-45.28	-32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR1-	-41.87	-29.2	PASS
Band40	5	39150	25	#0	QPSK	EUTRA	0.00		PASS
Band40	5	39150	25	#0	QPSK	E-ACLR1+	-41.04	-29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1+	-44.22	-32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	-47.15	-35.2	PASS
Band40	5	39150	1	#0	16QAM	U-ACLR2-	-63.37	-35.2	PASS
Band40	5	39150	1	#0	16QAM	U-ACLR1-	-39.69	-32.2	PASS
Band40	5	39150	1	#0	16QAM	E-ACLR1-	-44.88	-29.2	PASS
Band40	5	39150	1	#0	16QAM	EUTRA	0.00		PASS
Band40	5	39150	1	#0	16QAM	E-ACLR1+	-48.39	-29.2	PASS
Band40	5	39150	1	#0	16QAM	U-ACLR1+	-59.84	-32.2	PASS
Band40	5	39150	1	#0	16QAM	U-ACLR2+	-62.87	-35.2	PASS
Band40	5	39150	1	#Max	16QAM	U-ACLR2-	-63.62	-35.2	PASS
Band40	5	39150	1	#Max	16QAM	U-ACLR1-	-60.61	-32.2	PASS
Band40	5	39150	1	#Max	16QAM	E-ACLR1-	-48.83	-29.2	PASS
Band40	5	39150	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	5	39150	1	#Max	16QAM	E-ACLR1+	-45.12	-29.2	PASS
Band40	5	39150	1	#Max	16QAM	U-ACLR1+	-40.12	-32.2	PASS
Band40	5	39150	1	#Max	16QAM	U-ACLR2+	-62.80	-35.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR2-	-47.46	-35.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR1-	-44.50	-32.2	PASS
Band40	5	39150	25	#0	16QAM	E-ACLR1-	-41.82	-29.2	PASS
Band40	5	39150	25	#0	16QAM	EUTRA	0.00		PASS
Band40	5	39150	25	#0	16QAM	E-ACLR1+	-41.12	-29.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR1+	-44.14	-32.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR2+	-46.52	-35.2	PASS
Band40	5	39325	1	#0	QPSK	U-ACLR2-	-63.52	-35.2	PASS
Band40	5	39325	1	#0	QPSK	U-ACLR1-	-40.11	-32.2	PASS
Band40	5	39325	1	#0	QPSK	E-ACLR1-	-45.23	-29.2	PASS
Band40	5	39325	1	#0	QPSK	EUTRA	0.00		PASS
Band40	5	39325	1	#0	QPSK	E-ACLR1+	-48.29	-29.2	PASS
Band40	5	39325	1	#0	QPSK	U-ACLR1+	-61.01	-32.2	PASS
Band40	5	39325	1	#0	QPSK	U-ACLR2+	-63.32	-35.2	PASS
Band40	5	39325	1	#Max	QPSK	U-ACLR2-	-63.41	-35.2	PASS
Band40	5	39325	1	#Max	QPSK	U-ACLR1-	-60.86	-32.2	PASS
Band40	5	39325	1	#Max	QPSK	E-ACLR1-	-47.99	-29.2	PASS
Band40	5	39325	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	5	39325	1	#Max	QPSK	E-ACLR1+	-46.75	-29.2	PASS
Band40	5	39325	1	#Max	QPSK	U-ACLR1+	-41.86	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	5	39325	1	#Max	QPSK	U-ACLR2+	-63.35	-35.2	PASS
Band40	5	39325	25	#0	QPSK	U-ACLR2-	-47.49	-35.2	PASS
Band40	5	39325	25	#0	QPSK	U-ACLR1-	-44.58	-32.2	PASS
Band40	5	39325	25	#0	QPSK	E-ACLR1-	-41.34	-29.2	PASS
Band40	5	39325	25	#0	QPSK	EUTRA	0.00		PASS
Band40	5	39325	25	#0	QPSK	E-ACLR1+	-40.93	-29.2	PASS
Band40	5	39325	25	#0	QPSK	U-ACLR1+	-43.98	-32.2	PASS
Band40	5	39325	25	#0	QPSK	U-ACLR2+	-47.09	-35.2	PASS
Band40	5	39325	1	#0	16QAM	U-ACLR2-	-62.97	-35.2	PASS
Band40	5	39325	1	#0	16QAM	U-ACLR1-	-39.62	-32.2	PASS
Band40	5	39325	1	#0	16QAM	E-ACLR1-	-44.77	-29.2	PASS
Band40	5	39325	1	#0	16QAM	EUTRA	0.00		PASS
Band40	5	39325	1	#0	16QAM	E-ACLR1+	-48.80	-29.2	PASS
Band40	5	39325	1	#0	16QAM	U-ACLR1+	-60.26	-32.2	PASS
Band40	5	39325	1	#0	16QAM	U-ACLR2+	-62.93	-35.2	PASS
Band40	5	39325	1	#Max	16QAM	U-ACLR2-	-63.03	-35.2	PASS
Band40	5	39325	1	#Max	16QAM	U-ACLR1-	-60.22	-32.2	PASS
Band40	5	39325	1	#Max	16QAM	E-ACLR1-	-48.45	-29.2	PASS
Band40	5	39325	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	5	39325	1	#Max	16QAM	E-ACLR1+	-45.00	-29.2	PASS
Band40	5	39325	1	#Max	16QAM	U-ACLR1+	-40.05	-32.2	PASS
Band40	5	39325	1	#Max	16QAM	U-ACLR2+	-62.72	-35.2	PASS
Band40	5	39325	25	#0	16QAM	U-ACLR2-	-47.12	-35.2	PASS
Band40	5	39325	25	#0	16QAM	U-ACLR1-	-44.21	-32.2	PASS
Band40	5	39325	25	#0	16QAM	E-ACLR1-	-41.55	-29.2	PASS
Band40	5	39325	25	#0	16QAM	EUTRA	0.00		PASS
Band40	5	39325	25	#0	16QAM	E-ACLR1+	-41.25	-29.2	PASS
Band40	5	39325	25	#0	16QAM	U-ACLR1+	-44.24	-32.2	PASS
Band40	5	39325	25	#0	16QAM	U-ACLR2+	-46.74	-35.2	PASS
Band40	10	39000	1	#0	QPSK	U-ACLR2-	-64.25	-35.2	PASS
Band40	10	39000	1	#0	QPSK	U-ACLR1-	-42.59	-32.2	PASS
Band40	10	39000	1	#0	QPSK	E-ACLR1-	-51.77	-29.2	PASS
Band40	10	39000	1	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39000	1	#0	QPSK	E-ACLR1+	-46.22	-29.2	PASS
Band40	10	39000	1	#0	QPSK	U-ACLR1+	-63.01	-32.2	PASS
Band40	10	39000	1	#0	QPSK	U-ACLR2+	-65.11	-35.2	PASS
Band40	10	39000	1	#Max	QPSK	U-ACLR2-	-66.10	-35.2	PASS
Band40	10	39000	1	#Max	QPSK	U-ACLR1-	-63.62	-32.2	PASS
Band40	10	39000	1	#Max	QPSK	E-ACLR1-	-47.65	-29.2	PASS
Band40	10	39000	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	10	39000	1	#Max	QPSK	E-ACLR1+	-50.50	-29.2	PASS
Band40	10	39000	1	#Max	QPSK	U-ACLR1+	-40.75	-32.2	PASS
Band40	10	39000	1	#Max	QPSK	U-ACLR2+	-63.49	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	10	39000	50	#0	QPSK	U-ACLR2-	-49.38	-35.2	PASS
Band40	10	39000	50	#0	QPSK	U-ACLR1-	-47.48	-32.2	PASS
Band40	10	39000	50	#0	QPSK	E-ACLR1-	-41.98	-29.2	PASS
Band40	10	39000	50	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39000	50	#0	QPSK	E-ACLR1+	-41.53	-29.2	PASS
Band40	10	39000	50	#0	QPSK	U-ACLR1+	-47.10	-32.2	PASS
Band40	10	39000	50	#0	QPSK	U-ACLR2+	-49.46	-35.2	PASS
Band40	10	39000	1	#0	16QAM	U-ACLR2-	-63.97	-35.2	PASS
Band40	10	39000	1	#0	16QAM	U-ACLR1-	-42.53	-32.2	PASS
Band40	10	39000	1	#0	16QAM	E-ACLR1-	-51.88	-29.2	PASS
Band40	10	39000	1	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39000	1	#0	16QAM	E-ACLR1+	-46.79	-29.2	PASS
Band40	10	39000	1	#0	16QAM	U-ACLR1+	-62.16	-32.2	PASS
Band40	10	39000	1	#0	16QAM	U-ACLR2+	-64.51	-35.2	PASS
Band40	10	39000	1	#Max	16QAM	U-ACLR2-	-65.28	-35.2	PASS
Band40	10	39000	1	#Max	16QAM	U-ACLR1-	-62.79	-32.2	PASS
Band40	10	39000	1	#Max	16QAM	E-ACLR1-	-48.15	-29.2	PASS
Band40	10	39000	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	10	39000	1	#Max	16QAM	E-ACLR1+	-51.52	-29.2	PASS
Band40	10	39000	1	#Max	16QAM	U-ACLR1+	-41.99	-32.2	PASS
Band40	10	39000	1	#Max	16QAM	U-ACLR2+	-63.67	-35.2	PASS
Band40	10	39000	50	#0	16QAM	U-ACLR2-	-48.39	-35.2	PASS
Band40	10	39000	50	#0	16QAM	U-ACLR1-	-47.06	-32.2	PASS
Band40	10	39000	50	#0	16QAM	E-ACLR1-	-41.69	-29.2	PASS
Band40	10	39000	50	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39000	50	#0	16QAM	E-ACLR1+	-41.35	-29.2	PASS
Band40	10	39000	50	#0	16QAM	U-ACLR1+	-47.00	-32.2	PASS
Band40	10	39000	50	#0	16QAM	U-ACLR2+	-48.34	-35.2	PASS
Band40	10	39150	1	#0	QPSK	U-ACLR2-	-63.95	-35.2	PASS
Band40	10	39150	1	#0	QPSK	U-ACLR1-	-42.88	-32.2	PASS
Band40	10	39150	1	#0	QPSK	E-ACLR1-	-51.97	-29.2	PASS
Band40	10	39150	1	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39150	1	#0	QPSK	E-ACLR1+	-46.39	-29.2	PASS
Band40	10	39150	1	#0	QPSK	U-ACLR1+	-62.93	-32.2	PASS
Band40	10	39150	1	#0	QPSK	U-ACLR2+	-65.37	-35.2	PASS
Band40	10	39150	1	#Max	QPSK	U-ACLR2-	-65.96	-35.2	PASS
Band40	10	39150	1	#Max	QPSK	U-ACLR1-	-64.00	-32.2	PASS
Band40	10	39150	1	#Max	QPSK	E-ACLR1-	-48.32	-29.2	PASS
Band40	10	39150	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	10	39150	1	#Max	QPSK	E-ACLR1+	-50.77	-29.2	PASS
Band40	10	39150	1	#Max	QPSK	U-ACLR1+	-40.92	-32.2	PASS
Band40	10	39150	1	#Max	QPSK	U-ACLR2+	-63.92	-35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	-49.63	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	10	39150	50	#0	QPSK	U-ACLR1-	-48.62	-32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR1-	-42.22	-29.2	PASS
Band40	10	39150	50	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39150	50	#0	QPSK	E-ACLR1+	-41.33	-29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1+	-47.45	-32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	-49.58	-35.2	PASS
Band40	10	39150	1	#0	16QAM	U-ACLR2-	-63.89	-35.2	PASS
Band40	10	39150	1	#0	16QAM	U-ACLR1-	-42.69	-32.2	PASS
Band40	10	39150	1	#0	16QAM	E-ACLR1-	-51.91	-29.2	PASS
Band40	10	39150	1	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39150	1	#0	16QAM	E-ACLR1+	-47.00	-29.2	PASS
Band40	10	39150	1	#0	16QAM	U-ACLR1+	-62.07	-32.2	PASS
Band40	10	39150	1	#0	16QAM	U-ACLR2+	-64.80	-35.2	PASS
Band40	10	39150	1	#Max	16QAM	U-ACLR2-	-65.50	-35.2	PASS
Band40	10	39150	1	#Max	16QAM	U-ACLR1-	-63.11	-32.2	PASS
Band40	10	39150	1	#Max	16QAM	E-ACLR1-	-48.85	-29.2	PASS
Band40	10	39150	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	10	39150	1	#Max	16QAM	E-ACLR1+	-51.74	-29.2	PASS
Band40	10	39150	1	#Max	16QAM	U-ACLR1+	-42.13	-32.2	PASS
Band40	10	39150	1	#Max	16QAM	U-ACLR2+	-64.17	-35.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR2-	-48.98	-35.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR1-	-47.53	-32.2	PASS
Band40	10	39150	50	#0	16QAM	E-ACLR1-	-42.10	-29.2	PASS
Band40	10	39150	50	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39150	50	#0	16QAM	E-ACLR1+	-41.08	-29.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR1+	-46.95	-32.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR2+	-48.35	-35.2	PASS
Band40	10	39300	1	#0	QPSK	U-ACLR2-	-64.43	-35.2	PASS
Band40	10	39300	1	#0	QPSK	U-ACLR1-	-42.87	-32.2	PASS
Band40	10	39300	1	#0	QPSK	E-ACLR1-	-52.18	-29.2	PASS
Band40	10	39300	1	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39300	1	#0	QPSK	E-ACLR1+	-47.56	-29.2	PASS
Band40	10	39300	1	#0	QPSK	U-ACLR1+	-63.23	-32.2	PASS
Band40	10	39300	1	#0	QPSK	U-ACLR2+	-65.37	-35.2	PASS
Band40	10	39300	1	#Max	QPSK	U-ACLR2-	-66.03	-35.2	PASS
Band40	10	39300	1	#Max	QPSK	U-ACLR1-	-63.40	-32.2	PASS
Band40	10	39300	1	#Max	QPSK	E-ACLR1-	-47.70	-29.2	PASS
Band40	10	39300	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	10	39300	1	#Max	QPSK	E-ACLR1+	-50.69	-29.2	PASS
Band40	10	39300	1	#Max	QPSK	U-ACLR1+	-40.86	-32.2	PASS
Band40	10	39300	1	#Max	QPSK	U-ACLR2+	-63.46	-35.2	PASS
Band40	10	39300	50	#0	QPSK	U-ACLR2-	-49.89	-35.2	PASS
Band40	10	39300	50	#0	QPSK	U-ACLR1-	-48.49	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	10	39300	50	#0	QPSK	E-ACLR1-	-42.02	-29.2	PASS
Band40	10	39300	50	#0	QPSK	EUTRA	0.00		PASS
Band40	10	39300	50	#0	QPSK	E-ACLR1+	-41.62	-29.2	PASS
Band40	10	39300	50	#0	QPSK	U-ACLR1+	-47.74	-32.2	PASS
Band40	10	39300	50	#0	QPSK	U-ACLR2+	-49.67	-35.2	PASS
Band40	10	39300	1	#0	16QAM	U-ACLR2-	-64.29	-35.2	PASS
Band40	10	39300	1	#0	16QAM	U-ACLR1-	-42.66	-32.2	PASS
Band40	10	39300	1	#0	16QAM	E-ACLR1-	-52.07	-29.2	PASS
Band40	10	39300	1	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39300	1	#0	16QAM	E-ACLR1+	-48.17	-29.2	PASS
Band40	10	39300	1	#0	16QAM	U-ACLR1+	-62.46	-32.2	PASS
Band40	10	39300	1	#0	16QAM	U-ACLR2+	-64.74	-35.2	PASS
Band40	10	39300	1	#Max	16QAM	U-ACLR2-	-65.33	-35.2	PASS
Band40	10	39300	1	#Max	16QAM	U-ACLR1-	-62.66	-32.2	PASS
Band40	10	39300	1	#Max	16QAM	E-ACLR1-	-48.17	-29.2	PASS
Band40	10	39300	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	10	39300	1	#Max	16QAM	E-ACLR1+	-51.54	-29.2	PASS
Band40	10	39300	1	#Max	16QAM	U-ACLR1+	-42.01	-32.2	PASS
Band40	10	39300	1	#Max	16QAM	U-ACLR2+	-63.63	-35.2	PASS
Band40	10	39300	50	#0	16QAM	U-ACLR2-	-48.84	-35.2	PASS
Band40	10	39300	50	#0	16QAM	U-ACLR1-	-47.17	-32.2	PASS
Band40	10	39300	50	#0	16QAM	E-ACLR1-	-41.69	-29.2	PASS
Band40	10	39300	50	#0	16QAM	EUTRA	0.00		PASS
Band40	10	39300	50	#0	16QAM	E-ACLR1+	-41.09	-29.2	PASS
Band40	10	39300	50	#0	16QAM	U-ACLR1+	-46.87	-32.2	PASS
Band40	10	39300	50	#0	16QAM	U-ACLR2+	-48.12	-35.2	PASS
Band40	15	39025	1	#0	QPSK	U-ACLR2-	-63.67	-35.2	PASS
Band40	15	39025	1	#0	QPSK	U-ACLR1-	-41.04	-32.2	PASS
Band40	15	39025	1	#0	QPSK	E-ACLR1-	-52.66	-29.2	PASS
Band40	15	39025	1	#0	QPSK	EUTRA	0.00		PASS
Band40	15	39025	1	#0	QPSK	E-ACLR1+	-45.60	-29.2	PASS
Band40	15	39025	1	#0	QPSK	U-ACLR1+	-63.07	-32.2	PASS
Band40	15	39025	1	#0	QPSK	U-ACLR2+	-64.76	-35.2	PASS
Band40	15	39025	1	#Max	QPSK	U-ACLR2-	-66.39	-35.2	PASS
Band40	15	39025	1	#Max	QPSK	U-ACLR1-	-64.20	-32.2	PASS
Band40	15	39025	1	#Max	QPSK	E-ACLR1-	-47.15	-29.2	PASS
Band40	15	39025	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	15	39025	1	#Max	QPSK	E-ACLR1+	-53.64	-29.2	PASS
Band40	15	39025	1	#Max	QPSK	U-ACLR1+	-43.87	-32.2	PASS
Band40	15	39025	1	#Max	QPSK	U-ACLR2+	-63.27	-35.2	PASS
Band40	15	39025	75	#0	QPSK	U-ACLR2-	-50.71	-35.2	PASS
Band40	15	39025	75	#0	QPSK	U-ACLR1-	-48.93	-32.2	PASS
Band40	15	39025	75	#0	QPSK	E-ACLR1-	-42.14	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	15	39025	75	#0	QPSK	EUTRA	0.00		PASS
Band40	15	39025	75	#0	QPSK	E-ACLR1+	-41.15	-29.2	PASS
Band40	15	39025	75	#0	QPSK	U-ACLR1+	-49.21	-32.2	PASS
Band40	15	39025	75	#0	QPSK	U-ACLR2+	-50.15	-35.2	PASS
Band40	15	39025	1	#0	16QAM	U-ACLR2-	-62.84	-35.2	PASS
Band40	15	39025	1	#0	16QAM	U-ACLR1-	-42.31	-32.2	PASS
Band40	15	39025	1	#0	16QAM	E-ACLR1-	-52.91	-29.2	PASS
Band40	15	39025	1	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39025	1	#0	16QAM	E-ACLR1+	-46.21	-29.2	PASS
Band40	15	39025	1	#0	16QAM	U-ACLR1+	-62.62	-32.2	PASS
Band40	15	39025	1	#0	16QAM	U-ACLR2+	-64.24	-35.2	PASS
Band40	15	39025	1	#Max	16QAM	U-ACLR2-	-65.73	-35.2	PASS
Band40	15	39025	1	#Max	16QAM	U-ACLR1-	-63.40	-32.2	PASS
Band40	15	39025	1	#Max	16QAM	E-ACLR1-	-47.69	-29.2	PASS
Band40	15	39025	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	15	39025	1	#Max	16QAM	E-ACLR1+	-52.56	-29.2	PASS
Band40	15	39025	1	#Max	16QAM	U-ACLR1+	-41.94	-32.2	PASS
Band40	15	39025	1	#Max	16QAM	U-ACLR2+	-62.93	-35.2	PASS
Band40	15	39025	75	#0	16QAM	U-ACLR2-	-50.07	-35.2	PASS
Band40	15	39025	75	#0	16QAM	U-ACLR1-	-48.91	-32.2	PASS
Band40	15	39025	75	#0	16QAM	E-ACLR1-	-42.18	-29.2	PASS
Band40	15	39025	75	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39025	75	#0	16QAM	E-ACLR1+	-40.73	-29.2	PASS
Band40	15	39025	75	#0	16QAM	U-ACLR1+	-48.40	-32.2	PASS
Band40	15	39025	75	#0	16QAM	U-ACLR2+	-49.11	-35.2	PASS
Band40	15	39150	1	#0	QPSK	U-ACLR2-	-63.61	-35.2	PASS
Band40	15	39150	1	#0	QPSK	U-ACLR1-	-41.06	-32.2	PASS
Band40	15	39150	1	#0	QPSK	E-ACLR1-	-52.65	-29.2	PASS
Band40	15	39150	1	#0	QPSK	EUTRA	0.00		PASS
Band40	15	39150	1	#0	QPSK	E-ACLR1+	-46.09	-29.2	PASS
Band40	15	39150	1	#0	QPSK	U-ACLR1+	-63.04	-32.2	PASS
Band40	15	39150	1	#0	QPSK	U-ACLR2+	-64.68	-35.2	PASS
Band40	15	39150	1	#Max	QPSK	U-ACLR2-	-66.21	-35.2	PASS
Band40	15	39150	1	#Max	QPSK	U-ACLR1-	-64.15	-32.2	PASS
Band40	15	39150	1	#Max	QPSK	E-ACLR1-	-47.53	-29.2	PASS
Band40	15	39150	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	15	39150	1	#Max	QPSK	E-ACLR1+	-53.76	-29.2	PASS
Band40	15	39150	1	#Max	QPSK	U-ACLR1+	-43.92	-32.2	PASS
Band40	15	39150	1	#Max	QPSK	U-ACLR2+	-63.41	-35.2	PASS
Band40	15	39150	75	#0	QPSK	U-ACLR2-	-51.06	-35.2	PASS
Band40	15	39150	75	#0	QPSK	U-ACLR1-	-49.23	-32.2	PASS
Band40	15	39150	75	#0	QPSK	E-ACLR1-	-42.24	-29.2	PASS
Band40	15	39150	75	#0	QPSK	EUTRA	0.00		PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	15	39150	75	#0	QPSK	E-ACLR1+	-41.07	-29.2	PASS
Band40	15	39150	75	#0	QPSK	U-ACLR1+	-49.18	-32.2	PASS
Band40	15	39150	75	#0	QPSK	U-ACLR2+	-50.10	-35.2	PASS
Band40	15	39150	1	#0	16QAM	U-ACLR2-	-62.95	-35.2	PASS
Band40	15	39150	1	#0	16QAM	U-ACLR1-	-42.35	-32.2	PASS
Band40	15	39150	1	#0	16QAM	E-ACLR1-	-53.01	-29.2	PASS
Band40	15	39150	1	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39150	1	#0	16QAM	E-ACLR1+	-46.71	-29.2	PASS
Band40	15	39150	1	#0	16QAM	U-ACLR1+	-62.67	-32.2	PASS
Band40	15	39150	1	#0	16QAM	U-ACLR2+	-64.25	-35.2	PASS
Band40	15	39150	1	#Max	16QAM	U-ACLR2-	-65.84	-35.2	PASS
Band40	15	39150	1	#Max	16QAM	U-ACLR1-	-63.40	-32.2	PASS
Band40	15	39150	1	#Max	16QAM	E-ACLR1-	-48.02	-29.2	PASS
Band40	15	39150	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	15	39150	1	#Max	16QAM	E-ACLR1+	-52.57	-29.2	PASS
Band40	15	39150	1	#Max	16QAM	U-ACLR1+	-42.00	-32.2	PASS
Band40	15	39150	1	#Max	16QAM	U-ACLR2+	-62.99	-35.2	PASS
Band40	15	39150	75	#0	16QAM	U-ACLR2-	-49.95	-35.2	PASS
Band40	15	39150	75	#0	16QAM	U-ACLR1-	-48.82	-32.2	PASS
Band40	15	39150	75	#0	16QAM	E-ACLR1-	-42.03	-29.2	PASS
Band40	15	39150	75	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39150	75	#0	16QAM	E-ACLR1+	-40.49	-29.2	PASS
Band40	15	39150	75	#0	16QAM	U-ACLR1+	-48.46	-32.2	PASS
Band40	15	39150	75	#0	16QAM	U-ACLR2+	-48.72	-35.2	PASS
Band40	15	39275	1	#0	QPSK	U-ACLR2-	-63.48	-35.2	PASS
Band40	15	39275	1	#0	QPSK	U-ACLR1-	-41.04	-32.2	PASS
Band40	15	39275	1	#0	QPSK	E-ACLR1-	-52.69	-29.2	PASS
Band40	15	39275	1	#0	QPSK	EUTRA	0.00		PASS
Band40	15	39275	1	#0	QPSK	E-ACLR1+	-47.03	-29.2	PASS
Band40	15	39275	1	#0	QPSK	U-ACLR1+	-63.10	-32.2	PASS
Band40	15	39275	1	#0	QPSK	U-ACLR2+	-64.95	-35.2	PASS
Band40	15	39275	1	#Max	QPSK	U-ACLR2-	-66.09	-35.2	PASS
Band40	15	39275	1	#Max	QPSK	U-ACLR1-	-64.05	-32.2	PASS
Band40	15	39275	1	#Max	QPSK	E-ACLR1-	-48.02	-29.2	PASS
Band40	15	39275	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	15	39275	1	#Max	QPSK	E-ACLR1+	-53.91	-29.2	PASS
Band40	15	39275	1	#Max	QPSK	U-ACLR1+	-44.01	-32.2	PASS
Band40	15	39275	1	#Max	QPSK	U-ACLR2+	-63.63	-35.2	PASS
Band40	15	39275	75	#0	QPSK	U-ACLR2-	-50.64	-35.2	PASS
Band40	15	39275	75	#0	QPSK	U-ACLR1-	-48.91	-32.2	PASS
Band40	15	39275	75	#0	QPSK	E-ACLR1-	-41.94	-29.2	PASS
Band40	15	39275	75	#0	QPSK	EUTRA	0.00		PASS
Band40	15	39275	75	#0	QPSK	E-ACLR1+	-41.47	-29.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	15	39275	75	#0	QPSK	U-ACLR1+	-49.27	-32.2	PASS
Band40	15	39275	75	#0	QPSK	U-ACLR2+	-50.47	-35.2	PASS
Band40	15	39275	1	#0	16QAM	U-ACLR2-	-62.77	-35.2	PASS
Band40	15	39275	1	#0	16QAM	U-ACLR1-	-42.34	-32.2	PASS
Band40	15	39275	1	#0	16QAM	E-ACLR1-	-53.11	-29.2	PASS
Band40	15	39275	1	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39275	1	#0	16QAM	E-ACLR1+	-47.50	-29.2	PASS
Band40	15	39275	1	#0	16QAM	U-ACLR1+	-62.61	-32.2	PASS
Band40	15	39275	1	#0	16QAM	U-ACLR2+	-64.55	-35.2	PASS
Band40	15	39275	1	#Max	16QAM	U-ACLR2-	-65.42	-35.2	PASS
Band40	15	39275	1	#Max	16QAM	U-ACLR1-	-63.11	-32.2	PASS
Band40	15	39275	1	#Max	16QAM	E-ACLR1-	-48.35	-29.2	PASS
Band40	15	39275	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	15	39275	1	#Max	16QAM	E-ACLR1+	-52.82	-29.2	PASS
Band40	15	39275	1	#Max	16QAM	U-ACLR1+	-41.97	-32.2	PASS
Band40	15	39275	1	#Max	16QAM	U-ACLR2+	-63.06	-35.2	PASS
Band40	15	39275	75	#0	16QAM	U-ACLR2-	-49.11	-35.2	PASS
Band40	15	39275	75	#0	16QAM	U-ACLR1-	-48.20	-32.2	PASS
Band40	15	39275	75	#0	16QAM	E-ACLR1-	-41.44	-29.2	PASS
Band40	15	39275	75	#0	16QAM	EUTRA	0.00		PASS
Band40	15	39275	75	#0	16QAM	E-ACLR1+	-40.68	-29.2	PASS
Band40	15	39275	75	#0	16QAM	U-ACLR1+	-48.28	-32.2	PASS
Band40	15	39275	75	#0	16QAM	U-ACLR2+	-48.75	-35.2	PASS
Band40	20	39050	1	#0	QPSK	U-ACLR2-	-63.90	-35.2	PASS
Band40	20	39050	1	#0	QPSK	U-ACLR1-	-47.24	-32.2	PASS
Band40	20	39050	1	#0	QPSK	E-ACLR1-	-56.54	-29.2	PASS
Band40	20	39050	1	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39050	1	#0	QPSK	E-ACLR1+	-47.28	-29.2	PASS
Band40	20	39050	1	#0	QPSK	U-ACLR1+	-64.09	-32.2	PASS
Band40	20	39050	1	#0	QPSK	U-ACLR2+	-65.45	-35.2	PASS
Band40	20	39050	1	#Max	QPSK	U-ACLR2-	-67.58	-35.2	PASS
Band40	20	39050	1	#Max	QPSK	U-ACLR1-	-66.50	-32.2	PASS
Band40	20	39050	1	#Max	QPSK	E-ACLR1-	-49.19	-29.2	PASS
Band40	20	39050	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	20	39050	1	#Max	QPSK	E-ACLR1+	-55.48	-29.2	PASS
Band40	20	39050	1	#Max	QPSK	U-ACLR1+	-44.62	-32.2	PASS
Band40	20	39050	1	#Max	QPSK	U-ACLR2+	-63.03	-35.2	PASS
Band40	20	39050	100	#0	QPSK	U-ACLR2-	-52.07	-35.2	PASS
Band40	20	39050	100	#0	QPSK	U-ACLR1-	-50.73	-32.2	PASS
Band40	20	39050	100	#0	QPSK	E-ACLR1-	-42.69	-29.2	PASS
Band40	20	39050	100	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39050	100	#0	QPSK	E-ACLR1+	-41.34	-29.2	PASS
Band40	20	39050	100	#0	QPSK	U-ACLR1+	-50.23	-32.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	20	39050	100	#0	QPSK	U-ACLR2+	-51.59	-35.2	PASS
Band40	20	39050	1	#0	16QAM	U-ACLR2-	-63.34	-35.2	PASS
Band40	20	39050	1	#0	16QAM	U-ACLR1-	-45.51	-32.2	PASS
Band40	20	39050	1	#0	16QAM	E-ACLR1-	-55.71	-29.2	PASS
Band40	20	39050	1	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39050	1	#0	16QAM	E-ACLR1+	-47.70	-29.2	PASS
Band40	20	39050	1	#0	16QAM	U-ACLR1+	-63.37	-32.2	PASS
Band40	20	39050	1	#0	16QAM	U-ACLR2+	-64.80	-35.2	PASS
Band40	20	39050	1	#Max	16QAM	U-ACLR2-	-67.09	-35.2	PASS
Band40	20	39050	1	#Max	16QAM	U-ACLR1-	-65.30	-32.2	PASS
Band40	20	39050	1	#Max	16QAM	E-ACLR1-	-49.60	-29.2	PASS
Band40	20	39050	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	20	39050	1	#Max	16QAM	E-ACLR1+	-55.37	-29.2	PASS
Band40	20	39050	1	#Max	16QAM	U-ACLR1+	-45.76	-32.2	PASS
Band40	20	39050	1	#Max	16QAM	U-ACLR2+	-63.48	-35.2	PASS
Band40	20	39050	100	#0	16QAM	U-ACLR2-	-51.48	-35.2	PASS
Band40	20	39050	100	#0	16QAM	U-ACLR1-	-50.06	-32.2	PASS
Band40	20	39050	100	#0	16QAM	E-ACLR1-	-42.55	-29.2	PASS
Band40	20	39050	100	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39050	100	#0	16QAM	E-ACLR1+	-40.79	-29.2	PASS
Band40	20	39050	100	#0	16QAM	U-ACLR1+	-49.01	-32.2	PASS
Band40	20	39050	100	#0	16QAM	U-ACLR2+	-50.48	-35.2	PASS
Band40	20	39150	1	#0	QPSK	U-ACLR2-	-63.88	-35.2	PASS
Band40	20	39150	1	#0	QPSK	U-ACLR1-	-47.51	-32.2	PASS
Band40	20	39150	1	#0	QPSK	E-ACLR1-	-56.68	-29.2	PASS
Band40	20	39150	1	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39150	1	#0	QPSK	E-ACLR1+	-48.51	-29.2	PASS
Band40	20	39150	1	#0	QPSK	U-ACLR1+	-64.41	-32.2	PASS
Band40	20	39150	1	#0	QPSK	U-ACLR2+	-65.62	-35.2	PASS
Band40	20	39150	1	#Max	QPSK	U-ACLR2-	-67.12	-35.2	PASS
Band40	20	39150	1	#Max	QPSK	U-ACLR1-	-66.29	-32.2	PASS
Band40	20	39150	1	#Max	QPSK	E-ACLR1-	-48.77	-29.2	PASS
Band40	20	39150	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	20	39150	1	#Max	QPSK	E-ACLR1+	-55.48	-29.2	PASS
Band40	20	39150	1	#Max	QPSK	U-ACLR1+	-44.63	-32.2	PASS
Band40	20	39150	1	#Max	QPSK	U-ACLR2+	-63.11	-35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2-	-52.08	-35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1-	-50.80	-32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR1-	-42.68	-29.2	PASS
Band40	20	39150	100	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39150	100	#0	QPSK	E-ACLR1+	-41.30	-29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1+	-50.15	-32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	-51.55	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	20	39150	1	#0	16QAM	U-ACLR2-	-63.53	-35.2	PASS
Band40	20	39150	1	#0	16QAM	U-ACLR1-	-45.71	-32.2	PASS
Band40	20	39150	1	#0	16QAM	E-ACLR1-	-55.86	-29.2	PASS
Band40	20	39150	1	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39150	1	#0	16QAM	E-ACLR1+	-48.74	-29.2	PASS
Band40	20	39150	1	#0	16QAM	U-ACLR1+	-63.49	-32.2	PASS
Band40	20	39150	1	#0	16QAM	U-ACLR2+	-64.75	-35.2	PASS
Band40	20	39150	1	#Max	16QAM	U-ACLR2-	-66.73	-35.2	PASS
Band40	20	39150	1	#Max	16QAM	U-ACLR1-	-65.14	-32.2	PASS
Band40	20	39150	1	#Max	16QAM	E-ACLR1-	-49.23	-29.2	PASS
Band40	20	39150	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	20	39150	1	#Max	16QAM	E-ACLR1+	-55.32	-29.2	PASS
Band40	20	39150	1	#Max	16QAM	U-ACLR1+	-45.74	-32.2	PASS
Band40	20	39150	1	#Max	16QAM	U-ACLR2+	-63.52	-35.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR2-	-51.31	-35.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR1-	-49.81	-32.2	PASS
Band40	20	39150	100	#0	16QAM	E-ACLR1-	-42.42	-29.2	PASS
Band40	20	39150	100	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39150	100	#0	16QAM	E-ACLR1+	-40.57	-29.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR1+	-48.69	-32.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR2+	-50.06	-35.2	PASS
Band40	20	39250	1	#0	QPSK	U-ACLR2-	-64.00	-35.2	PASS
Band40	20	39250	1	#0	QPSK	U-ACLR1-	-47.52	-32.2	PASS
Band40	20	39250	1	#0	QPSK	E-ACLR1-	-57.13	-29.2	PASS
Band40	20	39250	1	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39250	1	#0	QPSK	E-ACLR1+	-47.19	-29.2	PASS
Band40	20	39250	1	#0	QPSK	U-ACLR1+	-64.72	-32.2	PASS
Band40	20	39250	1	#0	QPSK	U-ACLR2+	-66.30	-35.2	PASS
Band40	20	39250	1	#Max	QPSK	U-ACLR2-	-67.16	-35.2	PASS
Band40	20	39250	1	#Max	QPSK	U-ACLR1-	-66.02	-32.2	PASS
Band40	20	39250	1	#Max	QPSK	E-ACLR1-	-48.76	-29.2	PASS
Band40	20	39250	1	#Max	QPSK	EUTRA	0.00		PASS
Band40	20	39250	1	#Max	QPSK	E-ACLR1+	-55.55	-29.2	PASS
Band40	20	39250	1	#Max	QPSK	U-ACLR1+	-44.73	-32.2	PASS
Band40	20	39250	1	#Max	QPSK	U-ACLR2+	-63.13	-35.2	PASS
Band40	20	39250	100	#0	QPSK	U-ACLR2-	-52.06	-35.2	PASS
Band40	20	39250	100	#0	QPSK	U-ACLR1-	-50.51	-32.2	PASS
Band40	20	39250	100	#0	QPSK	E-ACLR1-	-42.57	-29.2	PASS
Band40	20	39250	100	#0	QPSK	EUTRA	0.00		PASS
Band40	20	39250	100	#0	QPSK	E-ACLR1+	-41.84	-29.2	PASS
Band40	20	39250	100	#0	QPSK	U-ACLR1+	-50.50	-32.2	PASS
Band40	20	39250	100	#0	QPSK	U-ACLR2+	-52.02	-35.2	PASS
Band40	20	39250	1	#0	16QAM	U-ACLR2-	-63.66	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band40	20	39250	1	#0	16QAM	U-ACLR1-	-45.75	-32.2	PASS
Band40	20	39250	1	#0	16QAM	E-ACLR1-	-56.26	-29.2	PASS
Band40	20	39250	1	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39250	1	#0	16QAM	E-ACLR1+	-47.67	-29.2	PASS
Band40	20	39250	1	#0	16QAM	U-ACLR1+	-63.92	-32.2	PASS
Band40	20	39250	1	#0	16QAM	U-ACLR2+	-65.30	-35.2	PASS
Band40	20	39250	1	#Max	16QAM	U-ACLR2-	-66.74	-35.2	PASS
Band40	20	39250	1	#Max	16QAM	U-ACLR1-	-64.77	-32.2	PASS
Band40	20	39250	1	#Max	16QAM	E-ACLR1-	-49.18	-29.2	PASS
Band40	20	39250	1	#Max	16QAM	EUTRA	0.00		PASS
Band40	20	39250	1	#Max	16QAM	E-ACLR1+	-55.43	-29.2	PASS
Band40	20	39250	1	#Max	16QAM	U-ACLR1+	-45.78	-32.2	PASS
Band40	20	39250	1	#Max	16QAM	U-ACLR2+	-63.43	-35.2	PASS
Band40	20	39250	100	#0	16QAM	U-ACLR2-	-51.10	-35.2	PASS
Band40	20	39250	100	#0	16QAM	U-ACLR1-	-49.39	-32.2	PASS
Band40	20	39250	100	#0	16QAM	E-ACLR1-	-42.19	-29.2	PASS
Band40	20	39250	100	#0	16QAM	EUTRA	0.00		PASS
Band40	20	39250	100	#0	16QAM	E-ACLR1+	-40.97	-29.2	PASS
Band40	20	39250	100	#0	16QAM	U-ACLR1+	-48.85	-32.2	PASS
Band40	20	39250	100	#0	16QAM	U-ACLR2+	-50.33	-35.2	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band	Bandwidth (MHz)	UL Channel	RB Config	Modulation	Type	ACLR (dBm)	Limit (dBm)	MBW (MHz)	Verdict
Band41	5	40165	1@#0	QPSK	EUTRA	23.36		5	PASS
Band41	5	40165	1@#0	QPSK	E-ACLR1-	-15.04	2	5	PASS
Band41	5	40165	1@#0	QPSK	E-ACLR1+	-18.98	2	5	PASS
Band41	5	40165	1@#Max	QPSK	EUTRA	23.62		5	PASS
Band41	5	40165	1@#Max	QPSK	E-ACLR1-	-23.32	2	5	PASS
Band41	5	40165	1@#Max	QPSK	E-ACLR1+	-15.76	2	5	PASS
Band41	5	40165	25@#0	QPSK	EUTRA	23.63		5	PASS
Band41	5	40165	25@#0	QPSK	E-ACLR1-	-17.70	2	5	PASS
Band41	5	40165	25@#0	QPSK	E-ACLR1+	-16.76	2	5	PASS
Band41	5	40165	1@#0	16QAM	EUTRA	23.63		5	PASS
Band41	5	40165	1@#0	16QAM	E-ACLR1-	-14.42	2	5	PASS
Band41	5	40165	1@#0	16QAM	E-ACLR1+	-18.99	2	5	PASS
Band41	5	40165	1@#Max	16QAM	EUTRA	24.20		5	PASS
Band41	5	40165	1@#Max	16QAM	E-ACLR1-	-22.47	2	5	PASS
Band41	5	40165	1@#Max	16QAM	E-ACLR1+	-14.19	2	5	PASS
Band41	5	40165	25@#0	16QAM	EUTRA	23.63		5	PASS
Band41	5	40165	25@#0	16QAM	E-ACLR1-	-17.01	2	5	PASS
Band41	5	40165	25@#0	16QAM	E-ACLR1+	-15.82	2	5	PASS
Band41	5	40665	1@#0	QPSK	EUTRA	23.57		5	PASS
Band41	5	40665	1@#0	QPSK	E-ACLR1-	-14.63	2	5	PASS
Band41	5	40665	1@#0	QPSK	E-ACLR1+	-20.57	2	5	PASS
Band41	5	40665	1@#Max	QPSK	EUTRA	23.02		5	PASS
Band41	5	40665	1@#Max	QPSK	E-ACLR1-	-23.26	2	5	PASS
Band41	5	40665	1@#Max	QPSK	E-ACLR1+	-15.90	2	5	PASS
Band41	5	40665	25@#0	QPSK	EUTRA	23.71		5	PASS
Band41	5	40665	25@#0	QPSK	E-ACLR1-	-15.47	2	5	PASS
Band41	5	40665	25@#0	QPSK	E-ACLR1+	-14.76	2	5	PASS
Band41	5	40665	1@#0	16QAM	EUTRA	24.10		5	PASS
Band41	5	40665	1@#0	16QAM	E-ACLR1-	-13.19	2	5	PASS
Band41	5	40665	1@#0	16QAM	E-ACLR1+	-20.20	2	5	PASS
Band41	5	40665	1@#Max	16QAM	EUTRA	23.40		5	PASS
Band41	5	40665	1@#Max	16QAM	E-ACLR1-	-22.67	2	5	PASS
Band41	5	40665	1@#Max	16QAM	E-ACLR1+	-13.72	2	5	PASS
Band41	5	40665	25@#0	16QAM	EUTRA	23.67		5	PASS
Band41	5	40665	25@#0	16QAM	E-ACLR1-	-14.10	2	5	PASS
Band41	5	40665	25@#0	16QAM	E-ACLR1+	-13.50	2	5	PASS
Band41	5	41165	1@#0	QPSK	EUTRA	23.51		5	PASS
Band41	5	41165	1@#0	QPSK	E-ACLR1-	-15.29	2	5	PASS
Band41	5	41165	1@#0	QPSK	E-ACLR1+	-20.65	2	5	PASS
Band41	5	41165	1@#Max	QPSK	EUTRA	23.63		5	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band41	5	41165	1@#Max	QPSK	E-ACLR1-	-22.26	2	5	PASS
Band41	5	41165	1@#Max	QPSK	E-ACLR1+	-15.80	2	5	PASS
Band41	5	41165	25@#0	QPSK	EUTRA	23.60		5	PASS
Band41	5	41165	25@#0	QPSK	E-ACLR1-	-16.28	2	5	PASS
Band41	5	41165	25@#0	QPSK	E-ACLR1+	-16.67	2	5	PASS
Band41	5	41165	1@#0	16QAM	EUTRA	23.95		5	PASS
Band41	5	41165	1@#0	16QAM	E-ACLR1-	-14.43	2	5	PASS
Band41	5	41165	1@#0	16QAM	E-ACLR1+	-20.16	2	5	PASS
Band41	5	41165	1@#Max	16QAM	EUTRA	23.73		5	PASS
Band41	5	41165	1@#Max	16QAM	E-ACLR1-	-20.76	2	5	PASS
Band41	5	41165	1@#Max	16QAM	E-ACLR1+	-13.79	2	5	PASS
Band41	5	41165	25@#0	16QAM	EUTRA	23.68		5	PASS
Band41	5	41165	25@#0	16QAM	E-ACLR1-	-15.27	2	5	PASS
Band41	5	41165	25@#0	16QAM	E-ACLR1+	-15.75	2	5	PASS
Band41	10	40190	1@#0	QPSK	EUTRA	23.91		10	PASS
Band41	10	40190	1@#0	QPSK	E-ACLR1-	-16.27	2	10	PASS
Band41	10	40190	1@#0	QPSK	E-ACLR1+	-20.38	2	10	PASS
Band41	10	40190	1@#Max	QPSK	EUTRA	23.04		10	PASS
Band41	10	40190	1@#Max	QPSK	E-ACLR1-	-23.79	2	10	PASS
Band41	10	40190	1@#Max	QPSK	E-ACLR1+	-16.81	2	10	PASS
Band41	10	40190	50@#0	QPSK	EUTRA	23.85		10	PASS
Band41	10	40190	50@#0	QPSK	E-ACLR1-	-18.86	2	10	PASS
Band41	10	40190	50@#0	QPSK	E-ACLR1+	-17.88	2	10	PASS
Band41	10	40190	1@#0	16QAM	EUTRA	24.15		10	PASS
Band41	10	40190	1@#0	16QAM	E-ACLR1-	-15.62	2	10	PASS
Band41	10	40190	1@#0	16QAM	E-ACLR1+	-18.26	2	10	PASS
Band41	10	40190	1@#Max	16QAM	EUTRA	23.81		10	PASS
Band41	10	40190	1@#Max	16QAM	E-ACLR1-	-23.56	2	10	PASS
Band41	10	40190	1@#Max	16QAM	E-ACLR1+	-16.06	2	10	PASS
Band41	10	40190	50@#0	16QAM	EUTRA	23.72		10	PASS
Band41	10	40190	50@#0	16QAM	E-ACLR1-	-17.94	2	10	PASS
Band41	10	40190	50@#0	16QAM	E-ACLR1+	-16.74	2	10	PASS
Band41	10	40665	1@#0	QPSK	EUTRA	23.37		10	PASS
Band41	10	40665	1@#0	QPSK	E-ACLR1-	-16.42	2	10	PASS
Band41	10	40665	1@#0	QPSK	E-ACLR1+	-19.69	2	10	PASS
Band41	10	40665	1@#Max	QPSK	EUTRA	23.90		10	PASS
Band41	10	40665	1@#Max	QPSK	E-ACLR1-	-24.30	2	10	PASS
Band41	10	40665	1@#Max	QPSK	E-ACLR1+	-16.41	2	10	PASS
Band41	10	40665	50@#0	QPSK	EUTRA	23.88		10	PASS
Band41	10	40665	50@#0	QPSK	E-ACLR1-	-15.92	2	10	PASS
Band41	10	40665	50@#0	QPSK	E-ACLR1+	-15.01	2	10	PASS
Band41	10	40665	1@#0	16QAM	EUTRA	24.53		10	PASS
Band41	10	40665	1@#0	16QAM	E-ACLR1-	-16.18	2	10	PASS


This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band41	10	40665	1@#0	16QAM	E-ACLR1+	-21.95	2	10	PASS
Band41	10	40665	1@#Max	16QAM	EUTRA	24.33		10	PASS
Band41	10	40665	1@#Max	16QAM	E-ACLR1-	-24.27	2	10	PASS
Band41	10	40665	1@#Max	16QAM	E-ACLR1+	-15.75	2	10	PASS
Band41	10	40665	50@#0	16QAM	EUTRA	23.84		10	PASS
Band41	10	40665	50@#0	16QAM	E-ACLR1-	-14.12	2	10	PASS
Band41	10	40665	50@#0	16QAM	E-ACLR1+	-13.18	2	10	PASS
Band41	10	41140	1@#0	QPSK	EUTRA	23.12		10	PASS
Band41	10	41140	1@#0	QPSK	E-ACLR1-	-17.02	2	10	PASS
Band41	10	41140	1@#0	QPSK	E-ACLR1+	-20.09	2	10	PASS
Band41	10	41140	1@#Max	QPSK	EUTRA	23.36		10	PASS
Band41	10	41140	1@#Max	QPSK	E-ACLR1-	-23.38	2	10	PASS
Band41	10	41140	1@#Max	QPSK	E-ACLR1+	-16.66	2	10	PASS
Band41	10	41140	50@#0	QPSK	EUTRA	23.61		10	PASS
Band41	10	41140	50@#0	QPSK	E-ACLR1-	-17.24	2	10	PASS
Band41	10	41140	50@#0	QPSK	E-ACLR1+	-17.43	2	10	PASS
Band41	10	41140	1@#0	16QAM	EUTRA	24.01		10	PASS
Band41	10	41140	1@#0	16QAM	E-ACLR1-	-16.08	2	10	PASS
Band41	10	41140	1@#0	16QAM	E-ACLR1+	-21.00	2	10	PASS
Band41	10	41140	1@#Max	16QAM	EUTRA	24.64		10	PASS
Band41	10	41140	1@#Max	16QAM	E-ACLR1-	-22.40	2	10	PASS
Band41	10	41140	1@#Max	16QAM	E-ACLR1+	-16.01	2	10	PASS
Band41	10	41140	50@#0	16QAM	EUTRA	23.59		10	PASS
Band41	10	41140	50@#0	16QAM	E-ACLR1-	-15.65	2	10	PASS
Band41	10	41140	50@#0	16QAM	E-ACLR1+	-16.15	2	10	PASS
Band41	20	40240	1@#0	QPSK	EUTRA	23.13		20	PASS
Band41	20	40240	1@#0	QPSK	E-ACLR1-	-20.05	3	20	PASS
Band41	20	40240	1@#0	QPSK	E-ACLR1+	-18.11	3	20	PASS
Band41	20	40240	1@#Max	QPSK	EUTRA	23.50		20	PASS
Band41	20	40240	1@#Max	QPSK	E-ACLR1-	-24.41	3	20	PASS
Band41	20	40240	1@#Max	QPSK	E-ACLR1+	-19.56	3	20	PASS
Band41	20	40240	100@#0	QPSK	EUTRA	23.61		20	PASS
Band41	20	40240	100@#0	QPSK	E-ACLR1-	-19.44	3	20	PASS
Band41	20	40240	100@#0	QPSK	E-ACLR1+	-17.67	3	20	PASS
Band41	20	40240	1@#0	16QAM	EUTRA	23.08		20	PASS
Band41	20	40240	1@#0	16QAM	E-ACLR1-	-18.81	3	20	PASS
Band41	20	40240	1@#0	16QAM	E-ACLR1+	-18.85	3	20	PASS
Band41	20	40240	1@#Max	16QAM	EUTRA	23.50		20	PASS
Band41	20	40240	1@#Max	16QAM	E-ACLR1-	-23.18	3	20	PASS
Band41	20	40240	1@#Max	16QAM	E-ACLR1+	-18.87	3	20	PASS
Band41	20	40240	100@#0	16QAM	EUTRA	23.47		20	PASS
Band41	20	40240	100@#0	16QAM	E-ACLR1-	-18.60	3	20	PASS
Band41	20	40240	100@#0	16QAM	E-ACLR1+	-16.95	3	20	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.


Band41	20	40665	1@#0	QPSK	EUTRA	22.77		20	PASS
Band41	20	40665	1@#0	QPSK	E-ACLR1-	-20.57	3	20	PASS
Band41	20	40665	1@#0	QPSK	E-ACLR1+	-18.93	3	20	PASS
Band41	20	40665	1@#Max	QPSK	EUTRA	22.71		20	PASS
Band41	20	40665	1@#Max	QPSK	E-ACLR1-	-25.90	3	20	PASS
Band41	20	40665	1@#Max	QPSK	E-ACLR1+	-19.88	3	20	PASS
Band41	20	40665	100@#0	QPSK	EUTRA	23.78		20	PASS
Band41	20	40665	100@#0	QPSK	E-ACLR1-	-17.58	3	20	PASS
Band41	20	40665	100@#0	QPSK	E-ACLR1+	-15.30	3	20	PASS
Band41	20	40665	1@#0	16QAM	EUTRA	24.05		20	PASS
Band41	20	40665	1@#0	16QAM	E-ACLR1-	-19.23	3	20	PASS
Band41	20	40665	1@#0	16QAM	E-ACLR1+	-20.15	3	20	PASS
Band41	20	40665	1@#Max	16QAM	EUTRA	23.51		20	PASS
Band41	20	40665	1@#Max	16QAM	E-ACLR1-	-25.42	3	20	PASS
Band41	20	40665	1@#Max	16QAM	E-ACLR1+	-18.73	3	20	PASS
Band41	20	40665	100@#0	16QAM	EUTRA	23.55		20	PASS
Band41	20	40665	100@#0	16QAM	E-ACLR1-	-15.76	3	20	PASS
Band41	20	40665	100@#0	16QAM	E-ACLR1+	-13.90	3	20	PASS
Band41	20	41090	1@#0	QPSK	EUTRA	22.88		20	PASS
Band41	20	41090	1@#0	QPSK	E-ACLR1-	-20.54	3	20	PASS
Band41	20	41090	1@#0	QPSK	E-ACLR1+	-19.25	3	20	PASS
Band41	20	41090	1@#Max	QPSK	EUTRA	22.58		20	PASS
Band41	20	41090	1@#Max	QPSK	E-ACLR1-	-25.24	3	20	PASS
Band41	20	41090	1@#Max	QPSK	E-ACLR1+	-20.72	3	20	PASS
Band41	20	41090	100@#0	QPSK	EUTRA	23.53		20	PASS
Band41	20	41090	100@#0	QPSK	E-ACLR1-	-19.31	3	20	PASS
Band41	20	41090	100@#0	QPSK	E-ACLR1+	-17.53	3	20	PASS
Band41	20	41090	1@#0	16QAM	EUTRA	23.55		20	PASS
Band41	20	41090	1@#0	16QAM	E-ACLR1-	-18.89	3	20	PASS
Band41	20	41090	1@#0	16QAM	E-ACLR1+	-19.64	3	20	PASS
Band41	20	41090	1@#Max	16QAM	EUTRA	25.05		20	PASS
Band41	20	41090	1@#Max	16QAM	E-ACLR1-	-24.80	3	20	PASS
Band41	20	41090	1@#Max	16QAM	E-ACLR1+	-19.41	3	20	PASS
Band41	20	41090	100@#0	16QAM	EUTRA	23.47		20	PASS
Band41	20	41090	100@#0	16QAM	E-ACLR1-	-17.66	3	20	PASS
Band41	20	41090	100@#0	16QAM	E-ACLR1+	-16.45	3	20	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.79	22.30	21.38 dBm
-10MHz	-51.34	-50.26	-52.55 dB
10MHz	-44.09	-43.76	-44.35 dB
UTRA			
-12.5MHz	-63.76	-63.35	-64.51 dB
-7.5MHz	-50.85	-49.69	-52.19 dB
7.5MHz	-58.85	-58.42	-59.32 dB
12.5MHz	-44.26	-43.91	-44.56 dB


Band1(Others) 16QAM BW=10MHz Channel=18107 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.70	22.06	21.25 dBm
-10MHz	-45.98	-45.28	-46.50 dB
10MHz	-51.49	-50.21	-52.36 dB
UTRA			
-12.5MHz	-46.19	-45.45	-46.75 dB
-7.5MHz	-59.81	-59.32	-60.25 dB
7.5MHz	-51.07	-49.56	-52.07 dB
12.5MHz	-63.15	-62.75	-63.98 dB

Band1(Others) 16QAM BW=10MHz Channel=18107 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.75	20.84	20.65 dBm
-10MHz	-45.87	-45.67	-46.13 dB
10MHz	-44.98	-44.74	-45.17 dB
UTRA			
-12.5MHz	-53.42	-53.17	-53.78 dB
-7.5MHz	-47.50	-47.24	-47.77 dB
7.5MHz	-46.96	-46.73	-47.13 dB
12.5MHz	-51.41	-51.04	-51.80 dB


Band1(Others) 16QAM BW=10MHz Channel=18107 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.46	21.96	21.06 dBm
-10MHz	-51.37	-50.59	-52.29 dB
10MHz	-46.95	-46.45	-47.30 dB
UTRA			
-12.5MHz	-63.45	-62.75	-64.28 dB
-7.5MHz	-50.98	-49.99	-51.99 dB
7.5MHz	-61.08	-60.75	-61.61 dB
12.5MHz	-47.15	-46.62	-47.52 dB


Band1(Others) 16QAM BW=10MHz Channel=18329 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.63	22.02	21.32 dBm
-10MHz	-44.93	-44.22	-45.28 dB
10MHz	-51.37	-49.07	-52.79 dB
UTRA			
-12.5MHz	-45.15	-44.41	-45.54 dB
-7.5MHz	-58.59	-58.07	-59.06 dB
7.5MHz	-50.90	-48.50	-52.50 dB
12.5MHz	-63.61	-63.01	-63.92 dB


Band1(Others) 16QAM BW=10MHz Channel=18329 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.56	20.66	20.45 dBm
-10MHz	-42.16	-41.31	-43.26 dB
10MHz	-43.46	-42.68	-44.58 dB
UTRA			
-12.5MHz	-50.85	-50.04	-51.96 dB
-7.5MHz	-43.54	-42.68	-44.65 dB
7.5MHz	-44.68	-43.87	-45.82 dB
12.5MHz	-52.99	-52.21	-54.02 dB


Band1(Others) 16QAM BW=10MHz Channel=18329 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.85	22.29	21.44 dBm
-10MHz	-51.46	-50.75	-52.52 dB
10MHz	-44.77	-44.29	-45.14 dB
UTRA			
-12.5MHz	-62.91	-62.22	-63.31 dB
-7.5MHz	-51.05	-50.20	-52.51 dB
7.5MHz	-59.03	-58.74	-59.45 dB
12.5MHz	-44.96	-44.45	-45.36 dB


Band1(Others) 16QAM BW=10MHz Channel=18550 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.89	22.38	21.49 dBm
-10MHz	-45.40	-44.69	-45.80 dB
10MHz	-51.34	-49.69	-52.04 dB
UTRA			
-12.5MHz	-45.60	-44.85	-46.03 dB
-7.5MHz	-59.54	-59.09	-59.97 dB
7.5MHz	-50.90	-49.08	-51.64 dB
12.5MHz	-62.91	-62.51	-63.75 dB

Band1(Others) 16QAM BW=10MHz Channel=18550 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.83	20.91	20.68 dBm
-10MHz	-44.31	-44.03	-44.61 dB
10MHz	-44.51	-44.30	-44.88 dB
UTRA			
-12.5MHz	-52.26	-51.99	-52.56 dB
-7.5MHz	-45.88	-45.51	-46.26 dB
7.5MHz	-46.27	-46.00	-46.70 dB
12.5MHz	-51.58	-51.35	-51.87 dB


Band1(Others) 16QAM BW=10MHz Channel=18550 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.70	22.22	21.21 dBm
-15MHz	-53.55	-52.75	-54.27 dB
15MHz	-45.63	-45.20	-46.06 dB
UTRA			
-15MHz	-62.22	-61.66	-62.69 dB
-10MHz	-49.72	-48.39	-50.88 dB
10MHz	-59.55	-59.09	-60.04 dB
15MHz	-59.50	-59.18	-59.87 dB


Band1(Others) 16QAM BW=15MHz Channel=18182 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.47	21.85	21.09 dBm
-15MHz	-46.35	-45.64	-46.80 dB
15MHz	-53.38	-53.06	-53.95 dB
UTRA			
-15MHz	-61.67	-61.26	-62.06 dB
-10MHz	-61.67	-61.11	-62.11 dB
10MHz	-49.59	-49.08	-50.35 dB
15MHz	-62.49	-62.06	-62.77 dB


Band1(Others) 16QAM BW=15MHz Channel=18182 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.57	20.64	20.53 dBm
-15MHz	-46.28	-46.11	-46.65 dB
15MHz	-44.75	-44.45	-45.23 dB
UTRA			
-15MHz	-52.26	-52.02	-52.51 dB
-10MHz	-48.84	-48.55	-49.31 dB
10MHz	-47.28	-46.83	-47.87 dB
15MHz	-50.70	-50.50	-51.07 dB


Band1(Others) 16QAM BW=15MHz Channel=18182 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.34	21.88	20.94 dBm
-15MHz	-53.47	-52.69	-54.42 dB
15MHz	-46.82	-46.37	-47.22 dB
UTRA			
-15MHz	-62.83	-62.34	-63.19 dB
-10MHz	-49.83	-48.57	-51.77 dB
10MHz	-61.50	-61.26	-61.94 dB
15MHz	-61.58	-60.86	-61.92 dB


Band1(Others) 16QAM BW=15MHz Channel=18354 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.35	21.86	20.98 dBm
-20MHz	-56.51	-56.25	-56.93 dB
20MHz	-47.32	-46.94	-47.98 dB
UTRA			
-17.5MHz	-63.40	-62.90	-63.81 dB
-12.5MHz	-52.70	-51.73	-54.16 dB
12.5MHz	-61.93	-61.45	-62.59 dB
17.5MHz	-63.80	-63.08	-64.37 dB

Band1(Others) 16QAM BW=20MHz Channel=18257 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.79	22.10	21.40 dBm
-15MHz	-43.30	-42.28	-44.49 dB
15MHz	-53.00	-52.49	-54.30 dB
UTRA			
-15MHz	-59.20	-58.83	-59.52 dB
-10MHz	-60.24	-59.65	-60.80 dB
10MHz	-49.83	-49.02	-51.77 dB
15MHz	-60.55	-59.69	-61.14 dB


Band1(Others) 16QAM BW=15MHz Channel=18525 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.75	20.85	20.66 dBm
-15MHz	-43.61	-43.35	-43.90 dB
15MHz	-44.68	-44.30	-45.01 dB
UTRA			
-15MHz	-49.06	-48.77	-49.38 dB
-10MHz	-46.45	-45.94	-46.91 dB
10MHz	-47.55	-46.99	-47.98 dB
15MHz	-50.48	-50.08	-50.80 dB

Band1(Others) 16QAM BW=15MHz Channel=18525 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.55	20.65	20.45 dBm
-15MHz	-42.48	-41.75	-43.24 dB
15MHz	-44.47	-43.75	-45.21 dB
UTRA			
-15MHz	-48.45	-47.75	-49.16 dB
-10MHz	-44.86	-44.10	-45.58 dB
10MHz	-46.66	-45.90	-47.46 dB
15MHz	-50.67	-49.91	-51.42 dB


Band1(Others) 16QAM BW=15MHz Channel=18354 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.66	21.98	21.41 dBm
-15MHz	-43.55	-42.72	-43.93 dB
15MHz	-53.38	-52.96	-53.79 dB
UTRA			
-15MHz	-58.58	-58.26	-58.85 dB
-10MHz	-59.10	-58.90	-59.42 dB
10MHz	-49.82	-49.26	-50.55 dB
15MHz	-61.45	-61.10	-61.87 dB


Band1(Others) 16QAM BW=15MHz Channel=18354 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.78	22.08	21.53 dBm
-15MHz	-53.07	-52.14	-53.92 dB
15MHz	-45.71	-45.33	-46.19 dB
UTRA			
-15MHz	-61.49	-61.15	-61.88 dB
-10MHz	-49.45	-47.89	-51.42 dB
10MHz	-59.85	-59.56	-60.37 dB
15MHz	-59.31	-58.96	-59.53 dB

Band1(Others) 16QAM BW=15MHz Channel=18525 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.40	21.68	21.08 dBm
-20MHz	-47.54	-46.55	-48.15 dB
20MHz	-55.85	-55.07	-56.21 dB
UTRA			
-17.5MHz	-62.82	-62.16	-63.30 dB
-12.5MHz	-61.44	-61.13	-61.81 dB
12.5MHz	-52.81	-50.14	-54.59 dB
17.5MHz	-62.27	-61.59	-62.57 dB


Band1(Others) 16QAM BW=20MHz Channel=18257 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.44	20.51	20.38 dBm
-20MHz	-45.83	-45.39	-46.41 dB
20MHz	-44.99	-44.49	-45.73 dB
UTRA			
-17.5MHz	-51.99	-51.63	-52.66 dB
-12.5MHz	-49.11	-48.64	-49.77 dB
12.5MHz	-47.92	-47.50	-48.60 dB
17.5MHz	-50.79	-50.25	-51.46 dB

Band1(Others) 16QAM BW=20MHz Channel=18257 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.20	21.66	20.75 dBm
-20MHz	-56.09	-55.68	-56.60 dB
20MHz	-48.31	-47.76	-48.71 dB
UTRA			
-17.5MHz	-62.95	-62.28	-63.45 dB
-12.5MHz	-52.32	-51.15	-53.72 dB
12.5MHz	-62.88	-62.21	-63.46 dB
17.5MHz	-64.18	-63.52	-64.69 dB


Band1(Others) 16QAM BW=20MHz Channel=18379 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.50	21.90	21.12 dBm
-20MHz	-44.60	-43.72	-44.90 dB
20MHz	-55.35	-52.79	-55.83 dB
UTRA			
-17.5MHz	-60.77	-60.40	-61.21 dB
-12.5MHz	-59.67	-59.02	-60.35 dB
12.5MHz	-52.50	-50.43	-53.91 dB
17.5MHz	-61.58	-60.43	-62.07 dB


Band1(Others) 16QAM BW=20MHz Channel=18379 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.71	22.16	21.24 dBm
-5MHz	-45.67	-43.68	-47.57 dB
5MHz	-45.37	-44.83	-45.85 dB
UTRA			
-10MHz	-59.61	-57.79	-60.62 dB
-5MHz	-53.09	-51.55	-54.35 dB
5MHz	-45.49	-44.91	-45.96 dB
10MHz	-69.66	-69.19	-70.10 dB


Band1(Others) 16QAM BW=5MHz Channel=18042 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.74	20.83	20.69 dBm
-20MHz	-42.89	-42.50	-43.22 dB
20MHz	-45.19	-44.74	-45.56 dB
UTRA			
-17.5MHz	-48.32	-47.92	-48.60 dB
-12.5MHz	-46.73	-46.32	-47.23 dB
12.5MHz	-48.86	-48.41	-49.33 dB
17.5MHz	-51.14	-50.70	-51.52 dB


Band1(Others) 16QAM BW=20MHz Channel=18500 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.61	21.98	21.38 dBm
-20MHz	-44.27	-43.94	-44.57 dB
20MHz	-55.55	-55.19	-55.74 dB
UTRA			
-17.5MHz	-61.31	-60.97	-61.94 dB
-12.5MHz	-60.83	-60.42	-61.19 dB
12.5MHz	-52.66	-50.41	-54.58 dB
17.5MHz	-61.39	-61.02	-61.78 dB

Band1(Others) 16QAM BW=20MHz Channel=18500 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.61	20.67	20.51 dBm
-20MHz	-42.45	-41.95	-42.96 dB
20MHz	-44.98	-44.38	-45.47 dB
UTRA			
-17.5MHz	-48.11	-47.69	-48.56 dB
-12.5MHz	-45.70	-45.10	-46.18 dB
12.5MHz	-48.10	-47.45	-48.67 dB
17.5MHz	-50.88	-50.37	-51.44 dB

Band1(Others) 16QAM BW=20MHz Channel=18379 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.45	21.84	21.21 dBm
-20MHz	-55.38	-54.94	-55.91 dB
20MHz	-47.20	-46.95	-47.63 dB
UTRA			
-17.5MHz	-61.80	-61.32	-62.46 dB
-12.5MHz	-52.62	-51.47	-54.22 dB
12.5MHz	-61.23	-60.84	-61.63 dB
17.5MHz	-62.67	-62.19	-63.07 dB


Band1(Others) 16QAM BW=20MHz Channel=18500 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.65	22.10	21.23 dBm
-5MHz	-44.58	-43.83	-45.06 dB
5MHz	-45.82	-45.21	-46.95 dB
UTRA			
-10MHz	-69.70	-69.27	-70.19 dB
-5MHz	-44.67	-43.93	-45.17 dB
5MHz	-53.14	-52.67	-53.90 dB
10MHz	-58.48	-54.97	-59.69 dB


Band1(Others) 16QAM BW=5MHz Channel=18042 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.72	20.86	20.54 dBm
-5MHz	-45.74	-45.56	-45.96 dB
5MHz	-45.77	-45.42	-45.99 dB
UTRA			
-10MHz	-59.05	-58.58	-59.35 dB
-5MHz	-46.72	-46.58	-46.89 dB
5MHz	-46.72	-46.43	-46.97 dB
10MHz	-57.88	-57.46	-58.18 dB

Band1(Others) 16QAM BW=5MHz Channel=18042 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.38	21.88	20.86 dBm
-5MHz	-44.91	-42.28	-46.67 dB
5MHz	-46.74	-46.31	-47.20 dB
UTRA			
-10MHz	-59.45	-57.27	-60.67 dB
-5MHz	-52.38	-49.85	-53.67 dB
5MHz	-46.86	-46.43	-47.32 dB
10MHz	-69.40	-68.82	-69.93 dB

Band1(Others) 16QAM BW=5MHz Channel=18309 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.51	21.82	21.16 dBm
-5MHz	-45.88	-45.38	-46.18 dB
5MHz	-45.06	-43.36	-45.83 dB
UTRA			
-10MHz	-69.53	-69.16	-69.84 dB
-5MHz	-46.00	-45.50	-46.30 dB
5MHz	-52.47	-50.30	-53.28 dB
10MHz	-59.04	-55.18	-62.33 dB


Band1(Others) 16QAM BW=5MHz Channel=18309 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.48	20.61	20.34 dBm
-5MHz	-42.65	-42.20	-42.96 dB
5MHz	-43.17	-42.87	-43.61 dB
UTRA			
-10MHz	-59.88	-59.58	-60.20 dB
-5MHz	-43.62	-43.19	-43.95 dB
5MHz	-44.18	-43.87	-44.58 dB
10MHz	-61.72	-61.05	-62.60 dB


Band1(Others) 16QAM BW=5MHz Channel=18309 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.38	22.45	22.26 dBm
-10MHz	-46.02	-45.81	-46.40 dB
10MHz	-51.49	-50.49	-53.03 dB
UTRA			
-12.5MHz	-46.21	-46.00	-46.60 dB
-7.5MHz	-60.38	-60.13	-60.62 dB
7.5MHz	-50.99	-49.87	-52.88 dB
12.5MHz	-63.89	-63.49	-64.44 dB


Band1(Others) QPSK BW=10MHz Channel=18107 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.74	21.81	21.67 dBm
-10MHz	-45.83	-45.57	-46.08 dB
10MHz	-45.22	-45.08	-45.47 dB
UTRA			
-12.5MHz	-52.20	-51.99	-52.45 dB
-7.5MHz	-47.88	-47.47	-48.16 dB
7.5MHz	-47.84	-47.52	-48.10 dB
12.5MHz	-50.22	-50.04	-50.57 dB

Band1(Others) QPSK BW=10MHz Channel=18107 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.50	22.61	22.40 dBm
-10MHz	-51.69	-50.48	-53.31 dB
10MHz	-44.12	-43.80	-44.43 dB
UTRA			
-12.5MHz	-64.47	-63.95	-64.82 dB
-7.5MHz	-51.20	-49.93	-53.04 dB
7.5MHz	-59.42	-59.20	-59.59 dB
12.5MHz	-44.27	-43.94	-44.59 dB

Band1(Others) QPSK BW=10MHz Channel=18107 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.79	20.84	20.71 dBm
-5MHz	-44.20	-41.27	-44.85 dB
5MHz	-44.06	-42.09	-44.86 dB
UTRA			
-10MHz	-56.86	-52.67	-58.57 dB
-5MHz	-45.19	-42.55	-45.76 dB
5MHz	-45.03	-43.25	-45.69 dB
10MHz	-55.79	-50.97	-57.80 dB


Band1(Others) 16QAM BW=5MHz Channel=18575 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.81	22.36	21.27 dBm
-5MHz	-44.49	-43.74	-44.98 dB
5MHz	-45.92	-44.73	-47.66 dB
UTRA			
-10MHz	-69.80	-69.33	-70.35 dB
-5MHz	-44.58	-43.84	-45.09 dB
5MHz	-53.16	-52.05	-54.32 dB
10MHz	-60.55	-54.83	-64.13 dB


Band1(Others) 16QAM BW=5MHz Channel=18575 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.73	22.06	21.39 dBm
-5MHz	-45.12	-43.74	-47.09 dB
5MHz	-44.09	-43.47	-45.41 dB
UTRA			
-10MHz	-59.55	-56.65	-60.75 dB
-5MHz	-52.39	-50.98	-53.55 dB
5MHz	-44.19	-43.54	-45.52 dB
10MHz	-69.12	-67.56	-69.99 dB


Band1(Others) 16QAM BW=5MHz Channel=18575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.23	22.32	22.12 dBm
-10MHz	-51.56	-50.26	-53.13 dB
10MHz	-46.57	-46.31	-46.80 dB
UTRA			
-12.5MHz	-64.01	-63.72	-64.44 dB
-7.5MHz	-51.11	-49.69	-53.03 dB
7.5MHz	-61.85	-61.51	-62.16 dB
12.5MHz	-46.72	-46.45	-46.96 dB


Band1(Others) QPSK BW=10MHz Channel=18329 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.31	22.42	22.16 dBm
-10MHz	-44.68	-44.48	-44.92 dB
10MHz	-51.90	-50.76	-53.75 dB
UTRA			
-12.5MHz	-44.87	-44.65	-45.12 dB
-7.5MHz	-59.03	-58.70	-59.31 dB
7.5MHz	-51.41	-50.24	-53.60 dB
12.5MHz	-64.20	-63.56	-64.86 dB


Band1(Others) QPSK BW=10MHz Channel=18329 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.58	21.67	21.49 dBm
-10MHz	-40.20	-39.39	-41.32 dB
10MHz	-41.48	-40.67	-42.58 dB
UTRA			
-12.5MHz	-48.30	-47.71	-49.43 dB
-7.5MHz	-41.73	-40.84	-42.83 dB
7.5MHz	-42.85	-41.98	-43.94 dB
12.5MHz	-50.30	-49.65	-51.38 dB


Band1(Others) QPSK BW=10MHz Channel=18329 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.52	22.66	22.42 dBm
-10MHz	-51.65	-50.93	-52.79 dB
10MHz	-44.60	-44.31	-44.86 dB
UTRA			
-12.5MHz	-63.48	-63.20	-63.79 dB
-7.5MHz	-51.22	-50.46	-52.55 dB
7.5MHz	-59.54	-59.37	-59.84 dB
12.5MHz	-44.77	-44.47	-45.02 dB


Band1(Others) QPSK BW=10MHz Channel=18550 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.57	22.68	22.47 dBm
-10MHz	-45.35	-45.04	-45.78 dB
10MHz	-52.04	-51.14	-53.24 dB
UTRA			
-12.5MHz	-45.53	-45.21	-45.96 dB
-7.5MHz	-60.15	-59.79	-60.36 dB
7.5MHz	-51.63	-50.52	-53.17 dB
12.5MHz	-63.68	-63.29	-64.06 dB


Band1(Others) QPSK BW=10MHz Channel=18550 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.81	21.87	21.74 dBm
-10MHz	-44.55	-44.31	-44.93 dB
10MHz	-45.12	-44.91	-45.42 dB
UTRA			
-12.5MHz	-51.47	-50.92	-51.79 dB
-7.5MHz	-46.44	-46.12	-46.93 dB
7.5MHz	-47.34	-47.10	-47.63 dB
12.5MHz	-50.88	-50.59	-51.31 dB


Band1(Others) QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.43	22.58	22.24 dBm
-15MHz	-54.16	-53.43	-55.36 dB
15MHz	-45.65	-45.25	-45.96 dB
UTRA			
-15MHz	-62.87	-62.37	-63.19 dB
-10MHz	-50.54	-49.20	-52.95 dB
10MHz	-60.25	-60.00	-60.46 dB
15MHz	-59.82	-59.61	-60.13 dB


Band1(Others) QPSK BW=15MHz Channel=18182 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.16	22.30	22.00 dBm
-15MHz	-46.11	-45.89	-46.36 dB
15MHz	-53.93	-53.28	-55.39 dB
UTRA			
-15MHz	-61.97	-61.62	-62.27 dB
-10MHz	-62.31	-61.84	-62.80 dB
10MHz	-50.11	-48.95	-52.99 dB
15MHz	-62.75	-62.46	-63.05 dB

Band1(Others) QPSK BW=15MHz Channel=18182 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.61	21.67	21.54 dBm
-15MHz	-45.85	-45.44	-46.20 dB
15MHz	-44.06	-43.62	-44.51 dB
UTRA			
-15MHz	-51.81	-51.55	-52.13 dB
-10MHz	-48.62	-48.15	-49.12 dB
10MHz	-46.99	-46.41	-47.62 dB
15MHz	-49.69	-49.27	-50.17 dB


Band1(Others) QPSK BW=15MHz Channel=18182 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.27	22.09 dBm
-15MHz	-53.67	-52.83	-54.98 dB
15MHz	-46.60	-46.37	-46.90 dB
UTRA			
-15MHz	-63.28	-62.86	-63.58 dB
-10MHz	-49.91	-48.59	-52.07 dB
10MHz	-62.33	-62.06	-62.61 dB
15MHz	-61.97	-61.64	-62.28 dB


Band1(Others) QPSK BW=15MHz Channel=18354 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.35	22.44	22.24 dBm
-15MHz	-43.47	-43.22	-43.74 dB
15MHz	-54.11	-53.30	-55.48 dB
UTRA			
-15MHz	-58.73	-58.52	-58.91 dB
-10MHz	-59.75	-59.46	-60.18 dB
10MHz	-50.71	-49.35	-53.69 dB
15MHz	-61.62	-61.25	-61.90 dB


Band1(Others) QPSK BW=15MHz Channel=18354 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.75	21.81	21.69 dBm
-15MHz	-43.61	-43.31	-43.90 dB
15MHz	-45.36	-44.98	-45.79 dB
UTRA			
-15MHz	-48.86	-48.54	-49.21 dB
-10MHz	-46.68	-46.15	-47.11 dB
10MHz	-48.62	-47.99	-49.12 dB
15MHz	-51.25	-50.92	-51.77 dB

Band1(Others) QPSK BW=15MHz Channel=18525 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.52	22.67	22.41 dBm
-15MHz	-43.20	-42.84	-44.04 dB
15MHz	-53.33	-52.12	-54.74 dB
UTRA			
-15MHz	-59.46	-59.11	-59.83 dB
-10MHz	-60.88	-60.27	-61.35 dB
10MHz	-50.13	-48.75	-52.55 dB
15MHz	-60.78	-59.88	-61.38 dB


Band1(Others) QPSK BW=15MHz Channel=18525 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.17	22.28	22.09 dBm
-20MHz	-57.01	-56.79	-57.35 dB
20MHz	-47.19	-46.75	-47.69 dB
UTRA			
-17.5MHz	-63.79	-63.31	-64.39 dB
-12.5MHz	-53.29	-52.23	-55.03 dB
12.5MHz	-62.75	-62.40	-63.13 dB
17.5MHz	-64.13	-63.80	-64.56 dB


Band1(Others) QPSK BW=20MHz Channel=18257 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.59	21.65	21.51 dBm
-15MHz	-40.74	-39.96	-41.34 dB
15MHz	-42.71	-41.99	-43.36 dB
UTRA			
-15MHz	-46.45	-45.73	-46.99 dB
-10MHz	-43.40	-42.51	-44.04 dB
10MHz	-45.15	-44.43	-45.83 dB
15MHz	-48.56	-47.89	-49.25 dB


Band1(Others) QPSK BW=15MHz Channel=18354 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.44	22.51	22.33 dBm
-15MHz	-53.10	-51.96	-54.02 dB
15MHz	-45.42	-44.22	-45.94 dB
UTRA			
-15MHz	-61.44	-60.55	-62.25 dB
-10MHz	-49.82	-48.43	-52.08 dB
10MHz	-60.24	-59.88	-60.72 dB
15MHz	-59.48	-59.10	-59.78 dB

Band1(Others) QPSK BW=15MHz Channel=18525 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.08	22.20	21.94 dBm
-20MHz	-47.52	-47.33	-47.75 dB
20MHz	-56.35	-56.13	-56.54 dB
UTRA			
-17.5MHz	-63.13	-62.61	-63.55 dB
-12.5MHz	-62.04	-61.79	-62.35 dB
12.5MHz	-53.18	-52.08	-55.13 dB
17.5MHz	-62.64	-62.36	-62.89 dB

Band1(Others) QPSK BW=20MHz Channel=18257 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.