


























































NTHV 11A Ant1 5700 30~5460



NTHV 11A Ant1 5700 5460~5470



NTHV 11A Ant1 5700 5745~5765





































NTHV 11N40SISO Ant1 5190 5278.4~26000



NTHV 11N40SISO Ant1 5230 30~5141.6



NTHV 11N40SISO Ant1 5230 5141.6~5150

















NTHV 11N40SISO Ant1 5510 5460~5470



NTHV 11N40SISO Ant1 5510 5770~26000



NTHV 11N40SISO Ant1 5550 30~5460




























NTHV 11AX20SISO Ant1 5180 5260~5266.7



NTHV 11AX20SISO Ant1 5180 5266.7~26000



NTHV 11AX20SISO Ant1 5240 30~5142






















NTHV 11AX40SISO Ant1 5190 5141.6~5150



NTHV 11AX40SISO Ant1 5190 5250~5251



NTHV 11AX40SISO Ant1 5190 5251~5270





























NTHV 11AX80SISO Ant1 5530 5460~5469.5



NTHV 11AX80SISO Ant1 5530 5469.5~5470



NTHV 11AX80SISO Ant1 5530 5770~26000





Appendix A.5: Test Results of Spurious Emissions for Receiver
Test Result

TestCondition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~500	201.55	-69.40	≤-54	0.11482	≤4	PASS
				500~1000	731.75	-76.64	≤-54	0.02168	≤4	PASS
				1000~26000	2000.00	-67.00	≤-47	0.19953	≤20	PASS
			5200	30~500	182.28	-69.23	≤-54	0.11940	≤4	PASS
				500~1000	731.75	-78.38	≤-54	0.01452	≤4	PASS
				1000~26000	2097.50	-67.34	≤-47	0.18450	≤20	PASS
			5220	30~500	184.63	-68.91	≤-54	0.12853	≤4	PASS
				500~1000	731.75	-77.83	≤-54	0.01648	≤4	PASS
				1000~26000	2103.75	-67.23	≤-47	0.18923	≤20	PASS
			5240	30~500	195.44	-69.12	≤-54	0.12246	≤4	PASS
				500~1000	731.75	-78.09	≤-54	0.01552	≤4	PASS
				1000~26000	2068.75	-67.31	≤-47	0.18578	≤20	PASS
			5260	30~500	183.69	-68.49	≤-54	0.14158	≤4	PASS
				500~1000	731.75	-78.33	≤-54	0.01469	≤4	PASS
				1000~26000	2136.25	-66.77	≤-47	0.21038	≤20	PASS
			5280	30~500	192.62	-69.05	≤-54	0.12445	≤4	PASS
				500~1000	1000.00	-77.69	≤-54	0.01702	≤4	PASS
				1000~26000	2042.50	-67.53	≤-47	0.17660	≤20	PASS
			5300	30~500	164.42	-69.12	≤-54	0.12246	≤4	PASS
				500~1000	731.75	-78.86	≤-54	0.01300	≤4	PASS
				1000~26000	2036.25	-67.10	≤-47	0.19498	≤20	PASS
			5320	30~500	183.46	-69.22	≤-54	0.11967	≤4	PASS
				500~1000	731.75	-78.26	≤-54	0.01493	≤4	PASS
				1000~26000	23902.50	-67.47	≤-47	0.17906	≤20	PASS
			5500	30~500	190.04	-69.22	≤-54	0.11967	≤4	PASS
				500~1000	731.75	-77.74	≤-54	0.01683	≤4	PASS
				1000~26000	2135.00	-67.04	≤-47	0.19770	≤20	PASS
			5580	30~500	164.66	-69.44	≤-54	0.11376	≤4	PASS
				500~1000	731.75	-78.81	≤-54	0.01315	≤4	PASS
				1000~26000	2027.50	-66.39	≤-47	0.22961	≤20	PASS
			5600	30~500	164.89	-69.09	≤-54	0.12331	≤4	PASS
				500~1000	731.75	-78.41	≤-54	0.01442	≤4	PASS
				1000~26000	2035.00	-67.34	≤-47	0.18450	≤20	PASS
			5700	30~500	184.16	-69.51	≤-54	0.11194	≤4	PASS
				500~1000	731.75	-78.25	≤-54	0.01496	≤4	PASS
				1000~26000	1716.25	-64.61	≤-47	0.34594	≤20	PASS
	11N20SISO	Ant1	5180	30~500	189.57	-69.11	≤-54	0.12274	≤4	PASS
				500~1000	731.75	-78.06	≤-54	0.01563	≤4	PASS
				1000~26000	2102.50	-66.46	≤-47	0.22594	≤20	PASS
			5200	30~500	187.69	-69.33	≤-54	0.11668	≤4	PASS
				500~1000	731.75	-77.50	≤-54	0.01778	≤4	PASS
				1000~26000	2081.25	-67.40	≤-47	0.18197	≤20	PASS
			5220	30~500	169.83	-69.04	≤-54	0.12474	≤4	PASS
				500~1000	731.75	-79.38	≤-54	0.01153	≤4	PASS
				1000~26000	2053.75	-65.26	≤-47	0.29785	≤20	PASS
			5240	30~500	189.10	-68.75	≤-54	0.13335	≤4	PASS
				500~1000	731.75	-78.73	≤-54	0.01340	≤4	PASS
				1000~26000	2052.50	-67.29	≤-47	0.18664	≤20	PASS
			5260	30~500	205.78	-69.31	≤-54	0.11722	≤4	PASS
				500~1000	731.75	-77.63	≤-54	0.01726	≤4	PASS
				1000~26000	1938.75	-67.27	≤-47	0.18750	≤20	PASS
			5280	30~500	182.75	-68.94	≤-54	0.12764	≤4	PASS
				500~1000	731.75	-78.62	≤-54	0.01374	≤4	PASS
				1000~26000	2061.25	-65.71	≤-47	0.26853	≤20	PASS
			5300	30~500	186.51	-68.60	≤-54	0.13804	≤4	PASS
				500~1000	731.75	-77.60	≤-54	0.01738	≤4	PASS
				1000~26000	23808.75	-67.39	≤-47	0.18239	≤20	PASS
			5320	30~500	184.87	-68.09	≤-54	0.15524	≤4	PASS
				500~1000	731.75	-78.90	≤-54	0.01288	≤4	PASS
				1000~26000	2055.00	-67.40	≤-47	0.18197	≤20	PASS
			5500	30~500	183.93	-68.60	≤-54	0.13804	≤4	PASS
				500~1000	731.75	-77.88	≤-54	0.01629	≤4	PASS
				1000~26000	2107.50	-66.92	≤-47	0.20324	≤20	PASS
			5580	30~500	186.51	-68.57	≤-54	0.13900	≤4	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 365 of 813

	11N40SISO	Ant1		500~1000	731.75	-77.78	≤-54	0.01667	≤4	PASS
				1000~26000	25695.00	-67.13	≤-47	0.19364	≤20	PASS
			5600	30~500	191.45	-69.81	≤-54	0.10447	≤4	PASS
				500~1000	731.75	-78.40	≤-54	0.01445	≤4	PASS
				1000~26000	2133.75	-66.64	≤-47	0.21677	≤20	PASS
			5700	30~500	184.87	-68.35	≤-54	0.14622	≤4	PASS
				500~1000	731.75	-77.84	≤-54	0.01644	≤4	PASS
				1000~26000	2035.00	-67.42	≤-47	0.18113	≤20	PASS
			5190	30~500	182.05	-69.60	≤-54	0.10965	≤4	PASS
				500~1000	731.75	-78.21	≤-54	0.01510	≤4	PASS
				1000~26000	2028.75	-66.68	≤-47	0.21478	≤20	PASS
			5230	30~500	182.75	-68.86	≤-54	0.13002	≤4	PASS
				500~1000	731.75	-77.87	≤-54	0.01633	≤4	PASS
				1000~26000	2097.50	-67.23	≤-47	0.18923	≤20	PASS
			5270	30~500	184.16	-68.63	≤-54	0.13709	≤4	PASS
				500~1000	731.75	-78.85	≤-54	0.01303	≤4	PASS
				1000~26000	2108.75	-67.25	≤-47	0.18836	≤20	PASS
			5310	30~500	142.57	-68.25	≤-54	0.14962	≤4	PASS
				500~1000	731.75	-78.65	≤-54	0.01365	≤4	PASS
				1000~26000	1728.75	-62.32	≤-47	0.58614	≤20	PASS
			5510	30~500	183.22	-69.38	≤-54	0.11535	≤4	PASS
				500~1000	731.75	-78.74	≤-54	0.01337	≤4	PASS
				1000~26000	2173.75	-66.42	≤-47	0.22803	≤20	PASS
			5550	30~500	174.29	-68.65	≤-54	0.13646	≤4	PASS
				500~1000	731.75	-78.02	≤-54	0.01578	≤4	PASS
				1000~26000	2030.00	-66.84	≤-47	0.20701	≤20	PASS
			5670	30~500	180.64	-69.01	≤-54	0.12560	≤4	PASS
				500~1000	731.75	-78.23	≤-54	0.01503	≤4	PASS
				1000~26000	2072.50	-66.89	≤-47	0.20464	≤20	PASS
	11AC20SISO	Ant1	5180	30~500	169.36	-69.51	≤-54	0.11194	≤4	PASS
				500~1000	893.00	-76.46	≤-54	0.02259	≤4	PASS
				1000~26000	2017.50	-67.41	≤-47	0.18155	≤20	PASS
			5200	30~500	180.87	-69.21	≤-54	0.11995	≤4	PASS
				500~1000	731.75	-78.86	≤-54	0.01300	≤4	PASS
				1000~26000	2078.75	-67.35	≤-47	0.18408	≤20	PASS
			5220	30~500	183.93	-68.84	≤-54	0.13062	≤4	PASS
				500~1000	893.75	-76.82	≤-54	0.02080	≤4	PASS
				1000~26000	2147.50	-66.70	≤-47	0.21380	≤20	PASS
			5240	30~500	192.39	-69.06	≤-54	0.12417	≤4	PASS
				500~1000	731.75	-77.32	≤-54	0.01854	≤4	PASS
				1000~26000	1977.50	-67.14	≤-47	0.19320	≤20	PASS
			5260	30~500	183.69	-69.39	≤-54	0.11508	≤4	PASS
				500~1000	731.75	-78.52	≤-54	0.01406	≤4	PASS
				1000~26000	2008.75	-66.71	≤-47	0.21330	≤20	PASS
			5280	30~500	189.57	-67.83	≤-54	0.16482	≤4	PASS
				500~1000	731.75	-78.03	≤-54	0.01574	≤4	PASS
				1000~26000	2030.00	-66.87	≤-47	0.20559	≤20	PASS
			5300	30~500	183.46	-69.28	≤-54	0.11803	≤4	PASS
				500~1000	731.75	-78.38	≤-54	0.01452	≤4	PASS
				1000~26000	2036.25	-66.57	≤-47	0.22029	≤20	PASS
			5320	30~500	186.04	-68.52	≤-54	0.14060	≤4	PASS
				500~1000	731.75	-78.31	≤-54	0.01476	≤4	PASS
				1000~26000	2091.25	-66.60	≤-47	0.21878	≤20	PASS
			5500	30~500	186.75	-69.69	≤-54	0.10740	≤4	PASS
				500~1000	731.75	-78.23	≤-54	0.01503	≤4	PASS
				1000~26000	2168.75	-67.05	≤-47	0.19724	≤20	PASS
			5580	30~500	146.33	-69.23	≤-54	0.11940	≤4	PASS
				500~1000	1000.00	-78.74	≤-54	0.01337	≤4	PASS
				1000~26000	2008.75	-66.81	≤-47	0.20845	≤20	PASS
			5600	30~500	182.75	-68.59	≤-54	0.13836	≤4	PASS
				500~1000	731.75	-77.95	≤-54	0.01603	≤4	PASS
				1000~26000	25667.50	-67.25	≤-47	0.18836	≤20	PASS
			5700	30~500	204.14	-68.78	≤-54	0.13243	≤4	PASS
				500~1000	731.75	-77.77	≤-54	0.01671	≤4	PASS
				1000~26000	2410.00	-64.83	≤-47	0.32885	≤20	PASS
	11AC40SISO	Ant1	5190	30~500	169.36	-69.76	≤-54	0.10568	≤4	PASS
				500~1000	731.75	-78.17	≤-54	0.01524	≤4	PASS
				1000~26000	2052.50	-67.26	≤-47	0.18793	≤20	PASS
			5230	30~500	185.10	-67.62	≤-54	0.17298	≤4	PASS
				500~1000	731.75	-78.48	≤-54	0.01419	≤4	PASS
				1000~26000	1971.25	-67.03	≤-47	0.19815	≤20	PASS

Appendix A

CN266W4G 003



Prüfbericht - Produkte
Test Report - Products

Page 366 of 813

			5270	30~500	179.93	-69.00	≤-54	0.12589	≤4	PASS
				500~1000	731.75	-77.90	≤-54	0.01622	≤4	PASS
				1000~26000	2045.00	-65.54	≤-47	0.27925	≤20	PASS
			5310	30~500	182.28	-69.06	≤-54	0.12417	≤4	PASS
				500~1000	710.00	-77.17	≤-54	0.01919	≤4	PASS
				1000~26000	2007.50	-66.74	≤-47	0.21184	≤20	PASS
			5510	30~500	142.57	-68.99	≤-54	0.12618	≤4	PASS
				500~1000	1000.00	-79.16	≤-54	0.01213	≤4	PASS
				1000~26000	2068.75	-67.46	≤-47	0.17947	≤20	PASS
			5550	30~500	181.81	-67.91	≤-54	0.16181	≤4	PASS
				500~1000	731.75	-77.80	≤-54	0.01660	≤4	PASS
				1000~26000	2055.00	-66.87	≤-47	0.20559	≤20	PASS
			5670	30~500	185.81	-69.07	≤-54	0.12388	≤4	PASS
				500~1000	731.75	-77.14	≤-54	0.01932	≤4	PASS
				1000~26000	2142.50	-66.30	≤-47	0.23442	≤20	PASS
	11AC80SISO	Ant1	5210	30~500	142.57	-69.34	≤-54	0.11641	≤4	PASS
				500~1000	731.75	-78.96	≤-54	0.01271	≤4	PASS
				1000~26000	2036.25	-67.61	≤-47	0.17338	≤20	PASS
			5290	30~500	185.34	-68.39	≤-54	0.14488	≤4	PASS
				500~1000	731.75	-77.30	≤-54	0.01862	≤4	PASS
				1000~26000	25697.50	-67.01	≤-47	0.19907	≤20	PASS
			5530	30~500	168.65	-68.86	≤-54	0.13002	≤4	PASS
				500~1000	731.75	-78.64	≤-54	0.01368	≤4	PASS
				1000~26000	2072.50	-67.54	≤-47	0.17620	≤20	PASS
			5610	30~500	184.63	-68.45	≤-54	0.14289	≤4	PASS
				500~1000	894.00	-77.85	≤-54	0.01641	≤4	PASS
				1000~26000	2057.50	-67.66	≤-47	0.17140	≤20	PASS
	11AX20SISO	Ant1	5180	30~500	196.38	-69.64	≤-54	0.10864	≤4	PASS
				500~1000	731.75	-79.28	≤-54	0.01180	≤4	PASS
				1000~26000	2081.25	-67.56	≤-47	0.17539	≤20	PASS
			5200	30~500	186.51	-68.54	≤-54	0.13996	≤4	PASS
				500~1000	889.50	-71.78	≤-54	0.06637	≤4	PASS
				1000~26000	25902.50	-67.30	≤-47	0.18621	≤20	PASS
			5220	30~500	186.51	-68.32	≤-54	0.14723	≤4	PASS
				500~1000	731.75	-79.02	≤-54	0.01253	≤4	PASS
				1000~26000	2141.25	-66.62	≤-47	0.21777	≤20	PASS
			5240	30~500	186.75	-69.38	≤-54	0.11535	≤4	PASS
				500~1000	731.75	-78.08	≤-54	0.01556	≤4	PASS
				1000~26000	1966.25	-67.17	≤-47	0.19187	≤20	PASS
			5260	30~500	190.51	-68.81	≤-54	0.13152	≤4	PASS
				500~1000	731.75	-78.23	≤-54	0.01503	≤4	PASS
				1000~26000	25697.50	-67.05	≤-47	0.19724	≤20	PASS
			5280	30~500	165.13	-69.42	≤-54	0.11429	≤4	PASS
				500~1000	731.75	-77.47	≤-54	0.01791	≤4	PASS
				1000~26000	2410.00	-66.27	≤-47	0.23605	≤20	PASS
			5300	30~500	185.81	-69.02	≤-54	0.12531	≤4	PASS
				500~1000	731.75	-77.93	≤-54	0.01611	≤4	PASS
				1000~26000	2058.75	-67.48	≤-47	0.17865	≤20	PASS
			5320	30~500	177.11	-69.49	≤-54	0.11246	≤4	PASS
				500~1000	731.75	-79.09	≤-54	0.01233	≤4	PASS
				1000~26000	2143.75	-67.03	≤-47	0.19815	≤20	PASS
			5500	30~500	183.46	-68.24	≤-54	0.14997	≤4	PASS
				500~1000	731.75	-78.58	≤-54	0.01387	≤4	PASS
				1000~26000	2015.00	-66.89	≤-47	0.20464	≤20	PASS
			5580	30~500	202.96	-68.88	≤-54	0.12942	≤4	PASS
				500~1000	731.75	-78.02	≤-54	0.01578	≤4	PASS
				1000~26000	2043.75	-67.65	≤-47	0.17179	≤20	PASS
			5600	30~500	183.46	-68.92	≤-54	0.12823	≤4	PASS
				500~1000	731.75	-78.84	≤-54	0.01306	≤4	PASS
				1000~26000	2121.25	-67.33	≤-47	0.18493	≤20	PASS
			5700	30~500	184.40	-69.64	≤-54	0.10864	≤4	PASS
				500~1000	731.75	-78.81	≤-54	0.01315	≤4	PASS
				1000~26000	23791.25	-66.99	≤-47	0.19999	≤20	PASS
	11AX40SISO	Ant1	5190	30~500	142.57	-69.26	≤-54	0.11858	≤4	PASS
				500~1000	731.75	-78.59	≤-54	0.01384	≤4	PASS
				1000~26000	2168.75	-67.66	≤-47	0.17140	≤20	PASS
			5230	30~500	181.58	-68.95	≤-54	0.12735	≤4	PASS
				500~1000	731.75	-79.11	≤-54	0.01227	≤4	PASS
				1000~26000	2011.25	-66.91	≤-47	0.20370	≤20	PASS
			5270	30~500	195.44	-68.87	≤-54	0.12972	≤4	PASS
				500~1000	731.75	-78.88	≤-54	0.01294	≤4	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 367 of 813

NTLV	11AX80SISO	Ant1	5310	1000~26000	2038.75	-67.12	≤-47	0.19409	≤20	PASS
				30~500	184.63	-68.93	≤-54	0.12794	≤4	PASS
				500~1000	731.75	-77.62	≤-54	0.01730	≤4	PASS
			5510	1000~26000	2148.75	-66.46	≤-47	0.22594	≤20	PASS
				30~500	179.46	-69.80	≤-54	0.10471	≤4	PASS
				500~1000	731.75	-77.70	≤-54	0.01698	≤4	PASS
			5550	1000~26000	2042.50	-67.35	≤-47	0.18408	≤20	PASS
				30~500	203.90	-69.41	≤-54	0.11455	≤4	PASS
				500~1000	731.75	-77.86	≤-54	0.01637	≤4	PASS
			5670	1000~26000	2095.00	-67.34	≤-47	0.18450	≤20	PASS
				30~500	142.57	-69.17	≤-54	0.12106	≤4	PASS
				500~1000	1000.00	-78.24	≤-54	0.01500	≤4	PASS
	11A	Ant1	5210	1000~26000	2026.25	-67.35	≤-47	0.18408	≤20	PASS
				30~500	184.16	-69.02	≤-54	0.12531	≤4	PASS
				500~1000	731.75	-77.85	≤-54	0.01641	≤4	PASS
			5290	1000~26000	2017.50	-67.00	≤-47	0.19953	≤20	PASS
				30~500	202.73	-69.14	≤-54	0.12190	≤4	PASS
				500~1000	731.75	-77.89	≤-54	0.01626	≤4	PASS
			5530	1000~26000	2077.50	-67.21	≤-47	0.19011	≤20	PASS
				30~500	170.06	-68.36	≤-54	0.14588	≤4	PASS
				500~1000	731.75	-78.71	≤-54	0.01346	≤4	PASS
			5610	1000~26000	2016.25	-66.95	≤-47	0.20184	≤20	PASS
				30~500	182.99	-69.75	≤-54	0.10593	≤4	PASS
				500~1000	731.75	-79.08	≤-54	0.01236	≤4	PASS
NTLV	11A	Ant1	5180	1000~26000	2077.50	-66.23	≤-47	0.23823	≤20	PASS
				30~500	164.19	-69.57	≤-54	0.11041	≤4	PASS
				500~1000	879.25	-79.44	≤-54	0.01138	≤4	PASS
			5200	1000~26000	2032.50	-67.17	≤-47	0.19187	≤20	PASS
				30~500	185.10	-69.37	≤-54	0.11561	≤4	PASS
				500~1000	731.75	-78.18	≤-54	0.01521	≤4	PASS
			5220	1000~26000	2003.75	-66.86	≤-47	0.20606	≤20	PASS
				30~500	183.22	-69.71	≤-54	0.10691	≤4	PASS
				500~1000	731.75	-77.16	≤-54	0.01923	≤4	PASS
			5240	1000~26000	2145.00	-67.22	≤-47	0.18967	≤20	PASS
				30~500	167.95	-69.50	≤-54	0.11220	≤4	PASS
				500~1000	731.75	-78.17	≤-54	0.01524	≤4	PASS
			5260	1000~26000	2140.00	-67.15	≤-47	0.19275	≤20	PASS
				30~500	142.57	-69.01	≤-54	0.12560	≤4	PASS
				500~1000	731.75	-77.38	≤-54	0.01828	≤4	PASS
			5280	1000~26000	2020.00	-67.19	≤-47	0.19099	≤20	PASS
				30~500	193.56	-69.74	≤-54	0.10617	≤4	PASS
				500~1000	731.75	-79.29	≤-54	0.01178	≤4	PASS
			5300	1000~26000	1977.50	-67.33	≤-47	0.18493	≤20	PASS
				30~500	187.45	-68.92	≤-54	0.12823	≤4	PASS
				500~1000	731.75	-78.44	≤-54	0.01432	≤4	PASS
			5320	1000~26000	2032.50	-66.55	≤-47	0.22131	≤20	PASS
				30~500	182.75	-70.03	≤-54	0.09931	≤4	PASS
				500~1000	731.75	-77.98	≤-54	0.01592	≤4	PASS
	11N20SISO	Ant1	5180	1000~26000	2000.00	-67.19	≤-47	0.19099	≤20	PASS
				30~500	183.46	-69.13	≤-54	0.12218	≤4	PASS
				500~1000	1000.00	-78.25	≤-54	0.01496	≤4	PASS
			5500	1000~26000	2012.50	-67.11	≤-47	0.19454	≤20	PASS
				30~500	184.40	-69.04	≤-54	0.12474	≤4	PASS
				500~1000	731.75	-78.77	≤-54	0.01327	≤4	PASS
			5580	1000~26000	2012.50	-66.57	≤-47	0.22029	≤20	PASS
				30~500	180.17	-69.52	≤-54	0.11169	≤4	PASS
				500~1000	731.75	-77.39	≤-54	0.01824	≤4	PASS
			5600	1000~26000	2030.00	-67.37	≤-47	0.18323	≤20	PASS
				30~500	186.28	-69.17	≤-54	0.12106	≤4	PASS
				500~1000	731.75	-78.97	≤-54	0.01268	≤4	PASS
			5240	1000~26000	2086.25	-67.40	≤-47	0.18197	≤20	PASS
				30~500	165.36	-68.40	≤-54	0.14454	≤4	PASS
				500~1000	731.75	-78.70	≤-54	0.01349	≤4	PASS

Appendix A

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 368 of 813

			5260	500~1000	731.75	-78.66	≤-54	0.01361	≤4	PASS
				1000~26000	2133.75	-67.05	≤-47	0.19724	≤20	PASS
				30~500	168.89	-68.50	≤-54	0.14125	≤4	PASS
				500~1000	731.75	-78.19	≤-54	0.01517	≤4	PASS
				1000~26000	25632.50	-67.87	≤-47	0.16331	≤20	PASS
			5280	30~500	142.57	-69.18	≤-54	0.12078	≤4	PASS
				500~1000	731.75	-77.74	≤-54	0.01683	≤4	PASS
				1000~26000	2081.25	-66.87	≤-47	0.20559	≤20	PASS
			5300	30~500	182.99	-68.33	≤-54	0.14689	≤4	PASS
				500~1000	731.75	-78.10	≤-54	0.01549	≤4	PASS
				1000~26000	2017.50	-67.23	≤-47	0.18923	≤20	PASS
			5320	30~500	154.79	-69.23	≤-54	0.11940	≤4	PASS
				500~1000	731.75	-77.91	≤-54	0.01618	≤4	PASS
				1000~26000	25792.50	-67.55	≤-47	0.17579	≤20	PASS
			5500	30~500	172.18	-67.78	≤-54	0.16672	≤4	PASS
				500~1000	731.75	-77.50	≤-54	0.01778	≤4	PASS
				1000~26000	2045.00	-66.39	≤-47	0.22961	≤20	PASS
			5580	30~500	168.18	-69.20	≤-54	0.12023	≤4	PASS
				500~1000	731.75	-78.40	≤-54	0.01445	≤4	PASS
				1000~26000	2038.75	-66.12	≤-47	0.24434	≤20	PASS
			5600	30~500	182.05	-68.69	≤-54	0.13521	≤4	PASS
				500~1000	731.75	-77.67	≤-54	0.01710	≤4	PASS
				1000~26000	25750.00	-67.18	≤-47	0.19143	≤20	PASS
			5700	30~500	182.05	-68.13	≤-54	0.15382	≤4	PASS
				500~1000	731.75	-77.92	≤-54	0.01614	≤4	PASS
				1000~26000	1723.75	-66.56	≤-47	0.22080	≤20	PASS
	11N40SISO	Ant1	5190	30~500	182.75	-69.40	≤-54	0.11482	≤4	PASS
				500~1000	731.75	-77.96	≤-54	0.01600	≤4	PASS
				1000~26000	2016.25	-67.41	≤-47	0.18155	≤20	PASS
			5230	30~500	184.16	-69.10	≤-54	0.12303	≤4	PASS
				500~1000	731.75	-78.81	≤-54	0.01315	≤4	PASS
				1000~26000	2158.75	-67.71	≤-47	0.16943	≤20	PASS
			5270	30~500	182.05	-69.34	≤-54	0.11641	≤4	PASS
				500~1000	731.75	-77.76	≤-54	0.01675	≤4	PASS
				1000~26000	1972.50	-67.24	≤-47	0.18880	≤20	PASS
			5310	30~500	204.61	-68.93	≤-54	0.12794	≤4	PASS
				500~1000	731.75	-78.81	≤-54	0.01315	≤4	PASS
				1000~26000	25940.00	-66.86	≤-47	0.20606	≤20	PASS
			5510	30~500	183.69	-69.04	≤-54	0.12474	≤4	PASS
				500~1000	731.75	-78.51	≤-54	0.01409	≤4	PASS
				1000~26000	1990.00	-66.71	≤-47	0.21330	≤20	PASS
			5550	30~500	142.57	-68.38	≤-54	0.14521	≤4	PASS
				500~1000	731.75	-78.61	≤-54	0.01377	≤4	PASS
				1000~26000	2140.00	-67.34	≤-47	0.18450	≤20	PASS
			5670	30~500	142.57	-68.59	≤-54	0.13836	≤4	PASS
				500~1000	731.75	-77.70	≤-54	0.01698	≤4	PASS
				1000~26000	2131.25	-66.25	≤-47	0.23714	≤20	PASS
	11AC20SISO	Ant1	5180	30~500	186.75	-69.26	≤-54	0.11858	≤4	PASS
				500~1000	731.75	-78.14	≤-54	0.01535	≤4	PASS
				1000~26000	1996.25	-67.29	≤-47	0.18664	≤20	PASS
			5200	30~500	183.22	-68.50	≤-54	0.14125	≤4	PASS
				500~1000	731.75	-78.11	≤-54	0.01545	≤4	PASS
				1000~26000	2100.00	-66.87	≤-47	0.20559	≤20	PASS
			5220	30~500	186.28	-69.01	≤-54	0.12560	≤4	PASS
				500~1000	731.75	-78.06	≤-54	0.01563	≤4	PASS
				1000~26000	2007.50	-66.66	≤-47	0.21577	≤20	PASS
			5240	30~500	181.58	-69.31	≤-54	0.11722	≤4	PASS
				500~1000	731.75	-78.57	≤-54	0.01390	≤4	PASS
				1000~26000	1981.25	-67.16	≤-47	0.19231	≤20	PASS
			5260	30~500	183.22	-68.04	≤-54	0.15704	≤4	PASS
				500~1000	731.75	-78.92	≤-54	0.01282	≤4	PASS
				1000~26000	2020.00	-67.24	≤-47	0.18880	≤20	PASS
			5280	30~500	185.57	-68.74	≤-54	0.13366	≤4	PASS
				500~1000	731.75	-77.63	≤-54	0.01726	≤4	PASS
				1000~26000	1993.75	-67.15	≤-47	0.19275	≤20	PASS
			5300	30~500	186.75	-69.31	≤-54	0.11722	≤4	PASS
				500~1000	731.75	-77.62	≤-54	0.01730	≤4	PASS
				1000~26000	1990.00	-67.65	≤-47	0.17179	≤20	PASS
			5320	30~500	181.34	-68.67	≤-54	0.13583	≤4	PASS
				500~1000	731.75	-77.23	≤-54	0.01892	≤4	PASS
				1000~26000	2052.50	-67.26	≤-47	0.18793	≤20	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 369 of 813

	11AC40SISO	Ant1	5500	30~500	201.55	-69.63	≤-54	0.10889	≤4	PASS
				500~1000	731.75	-78.61	≤-54	0.01377	≤4	PASS
				1000~26000	2027.50	-66.95	≤-47	0.20184	≤20	PASS
			5580	30~500	184.16	-68.14	≤-54	0.15346	≤4	PASS
				500~1000	1000.00	-78.30	≤-54	0.01479	≤4	PASS
				1000~26000	2448.75	-61.53	≤-47	0.70307	≤20	PASS
			5600	30~500	199.91	-68.57	≤-54	0.13900	≤4	PASS
				500~1000	731.75	-77.35	≤-54	0.01841	≤4	PASS
				1000~26000	2063.75	-66.88	≤-47	0.20512	≤20	PASS
			5700	30~500	142.57	-69.14	≤-54	0.12190	≤4	PASS
				500~1000	731.75	-78.08	≤-54	0.01556	≤4	PASS
				1000~26000	2071.25	-67.46	≤-47	0.17947	≤20	PASS
	11AC80SISO	Ant1	5190	30~500	185.81	-69.68	≤-54	0.10765	≤4	PASS
				500~1000	731.75	-78.41	≤-54	0.01442	≤4	PASS
				1000~26000	2173.75	-66.23	≤-47	0.23823	≤20	PASS
			5230	30~500	162.31	-68.90	≤-54	0.12882	≤4	PASS
				500~1000	731.75	-77.90	≤-54	0.01622	≤4	PASS
				1000~26000	23847.50	-66.84	≤-47	0.20701	≤20	PASS
			5270	30~500	182.28	-69.40	≤-54	0.11482	≤4	PASS
				500~1000	1000.00	-78.95	≤-54	0.01274	≤4	PASS
				1000~26000	2046.25	-66.33	≤-47	0.23281	≤20	PASS
			5310	30~500	184.87	-69.30	≤-54	0.11749	≤4	PASS
				500~1000	731.75	-78.37	≤-54	0.01455	≤4	PASS
				1000~26000	2086.25	-67.36	≤-47	0.18365	≤20	PASS
			5510	30~500	205.08	-69.58	≤-54	0.11015	≤4	PASS
				500~1000	731.75	-78.63	≤-54	0.01371	≤4	PASS
				1000~26000	2098.75	-67.10	≤-47	0.19498	≤20	PASS
			5550	30~500	185.10	-69.45	≤-54	0.11350	≤4	PASS
				500~1000	731.75	-77.49	≤-54	0.01782	≤4	PASS
				1000~26000	1985.00	-66.88	≤-47	0.20512	≤20	PASS
	11AX20SISO	Ant1	5670	30~500	190.98	-69.34	≤-54	0.11641	≤4	PASS
				500~1000	731.75	-77.92	≤-54	0.01614	≤4	PASS
				1000~26000	2040.00	-67.43	≤-47	0.18072	≤20	PASS
			5210	30~500	167.71	-68.72	≤-54	0.13428	≤4	PASS
				500~1000	890.00	-75.65	≤-54	0.02723	≤4	PASS
				1000~26000	2107.50	-66.56	≤-47	0.22080	≤20	PASS
			5290	30~500	182.75	-69.36	≤-54	0.11588	≤4	PASS
				500~1000	731.75	-78.23	≤-54	0.01503	≤4	PASS
				1000~26000	2038.75	-66.54	≤-47	0.22182	≤20	PASS
			5530	30~500	182.05	-69.55	≤-54	0.11092	≤4	PASS
				500~1000	731.75	-77.95	≤-54	0.01603	≤4	PASS
				1000~26000	2173.75	-67.65	≤-47	0.17179	≤20	PASS
			5610	30~500	142.57	-69.29	≤-54	0.11776	≤4	PASS
				500~1000	1000.00	-78.63	≤-54	0.01371	≤4	PASS
				1000~26000	2001.25	-67.07	≤-47	0.19634	≤20	PASS
	11AX20SISO	Ant1	5180	30~500	185.10	-69.52	≤-54	0.11169	≤4	PASS
				500~1000	891.25	-75.92	≤-54	0.02559	≤4	PASS
				1000~26000	2067.50	-67.54	≤-47	0.17620	≤20	PASS
			5200	30~500	186.04	-69.12	≤-54	0.12246	≤4	PASS
				500~1000	731.75	-78.40	≤-54	0.01445	≤4	PASS
				1000~26000	2523.75	-67.64	≤-47	0.17219	≤20	PASS
			5220	30~500	190.04	-68.84	≤-54	0.13062	≤4	PASS
				500~1000	731.75	-77.73	≤-54	0.01687	≤4	PASS
				1000~26000	25636.25	-67.02	≤-47	0.19861	≤20	PASS
			5240	30~500	189.33	-68.18	≤-54	0.15205	≤4	PASS
				500~1000	731.75	-78.40	≤-54	0.01445	≤4	PASS
				1000~26000	25587.50	-67.10	≤-47	0.19498	≤20	PASS
			5260	30~500	183.22	-69.78	≤-54	0.10520	≤4	PASS
				500~1000	731.75	-77.57	≤-54	0.01750	≤4	PASS
				1000~26000	2048.75	-67.63	≤-47	0.17258	≤20	PASS
			5280	30~500	188.86	-68.63	≤-54	0.13709	≤4	PASS
				500~1000	731.75	-78.47	≤-54	0.01422	≤4	PASS
				1000~26000	2047.50	-67.26	≤-47	0.18793	≤20	PASS
			5300	30~500	186.28	-68.81	≤-54	0.13152	≤4	PASS
				500~1000	731.75	-78.61	≤-54	0.01377	≤4	PASS
				1000~26000	2092.50	-66.15	≤-47	0.24266	≤20	PASS
			5320	30~500	182.75	-69.01	≤-54	0.12560	≤4	PASS
				500~1000	731.75	-77.98	≤-54	0.01592	≤4	PASS
				1000~26000	2058.75	-67.07	≤-47	0.19634	≤20	PASS
			5500	30~500	168.18	-69.51	≤-54	0.11194	≤4	PASS
				500~1000	731.75	-79.01	≤-54	0.01256	≤4	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 370 of 813

NTHV	11AX40SISO	Ant1	5580	1000~26000	23851.25	-66.59	≤-47	0.21928	≤20	PASS
				30~500	186.04	-68.55	≤-54	0.13964	≤4	PASS
				500~1000	1000.00	-79.02	≤-54	0.01253	≤4	PASS
			5600	1000~26000	25605.00	-67.59	≤-47	0.17418	≤20	PASS
				30~500	183.22	-68.76	≤-54	0.13305	≤4	PASS
				500~1000	731.75	-78.09	≤-54	0.01552	≤4	PASS
			5700	1000~26000	2047.50	-67.06	≤-47	0.19679	≤20	PASS
				30~500	162.07	-69.56	≤-54	0.11066	≤4	PASS
				500~1000	731.75	-77.74	≤-54	0.01683	≤4	PASS
			5190	1000~26000	2050.00	-66.10	≤-47	0.24547	≤20	PASS
				30~500	203.90	-69.73	≤-54	0.10641	≤4	PASS
				500~1000	731.75	-77.93	≤-54	0.01611	≤4	PASS
			5230	1000~26000	2045.00	-67.46	≤-47	0.17947	≤20	PASS
				30~500	186.51	-68.48	≤-54	0.14191	≤4	PASS
				500~1000	731.75	-78.72	≤-54	0.01343	≤4	PASS
			5270	1000~26000	2012.50	-67.63	≤-47	0.17258	≤20	PASS
				30~500	187.69	-68.72	≤-54	0.13428	≤4	PASS
				500~1000	731.75	-78.66	≤-54	0.01361	≤4	PASS
			5310	1000~26000	2082.50	-67.35	≤-47	0.18408	≤20	PASS
				30~500	187.22	-69.04	≤-54	0.12474	≤4	PASS
				500~1000	1000.00	-78.16	≤-54	0.01528	≤4	PASS
			5510	1000~26000	2102.50	-67.19	≤-47	0.19099	≤20	PASS
				30~500	185.57	-69.48	≤-54	0.11272	≤4	PASS
				500~1000	1000.00	-78.49	≤-54	0.01416	≤4	PASS
			5550	1000~26000	2042.50	-67.05	≤-47	0.19724	≤20	PASS
				30~500	186.28	-68.90	≤-54	0.12882	≤4	PASS
				500~1000	731.75	-78.59	≤-54	0.01384	≤4	PASS
			5670	1000~26000	2027.50	-67.27	≤-47	0.18750	≤20	PASS
				30~500	190.74	-69.25	≤-54	0.11885	≤4	PASS
				500~1000	731.75	-77.86	≤-54	0.01637	≤4	PASS
	11AX80SISO	Ant1	5210	1000~26000	2066.25	-66.32	≤-47	0.23335	≤20	PASS
				30~500	142.57	-68.81	≤-54	0.13152	≤4	PASS
				500~1000	706.75	-77.10	≤-54	0.01950	≤4	PASS
			5290	1000~26000	2032.50	-67.12	≤-47	0.19409	≤20	PASS
				30~500	181.58	-69.42	≤-54	0.11429	≤4	PASS
				500~1000	731.75	-78.29	≤-54	0.01483	≤4	PASS
			5530	1000~26000	2055.00	-67.69	≤-47	0.17022	≤20	PASS
				30~500	183.22	-68.63	≤-54	0.13709	≤4	PASS
				500~1000	731.75	-78.70	≤-54	0.01349	≤4	PASS
			5610	1000~26000	2011.25	-67.19	≤-47	0.19099	≤20	PASS
				30~500	182.99	-68.74	≤-54	0.13366	≤4	PASS
				500~1000	731.75	-78.33	≤-54	0.01469	≤4	PASS
			5180	1000~26000	1712.50	-64.52	≤-47	0.35318	≤20	PASS
				30~500	185.10	-69.48	≤-54	0.11272	≤4	PASS
				500~1000	731.75	-79.29	≤-54	0.01178	≤4	PASS
	11A	Ant1	5200	1000~26000	1995.00	-67.24	≤-47	0.18880	≤20	PASS
				30~500	191.92	-68.98	≤-54	0.12647	≤4	PASS
				500~1000	731.75	-78.43	≤-54	0.01435	≤4	PASS
			5220	1000~26000	2045.00	-67.29	≤-47	0.18664	≤20	PASS
				30~500	183.93	-69.59	≤-54	0.10990	≤4	PASS
				500~1000	731.75	-78.93	≤-54	0.01279	≤4	PASS
			5240	1000~26000	2093.75	-66.95	≤-47	0.20184	≤20	PASS
				30~500	186.04	-69.34	≤-54	0.11641	≤4	PASS
				500~1000	731.75	-78.60	≤-54	0.01380	≤4	PASS
			5260	1000~26000	2041.25	-67.56	≤-47	0.17539	≤20	PASS
				30~500	201.55	-69.39	≤-54	0.11508	≤4	PASS
				500~1000	731.75	-78.65	≤-54	0.01365	≤4	PASS
			5280	1000~26000	2027.50	-67.41	≤-47	0.18155	≤20	PASS
				30~500	166.77	-68.79	≤-54	0.13213	≤4	PASS
				500~1000	731.75	-78.19	≤-54	0.01517	≤4	PASS
			5300	1000~26000	2168.75	-66.95	≤-47	0.20184	≤20	PASS
				30~500	190.74	-69.42	≤-54	0.11429	≤4	PASS
				500~1000	731.75	-77.53	≤-54	0.01766	≤4	PASS
			5320	1000~26000	2128.75	-67.89	≤-47	0.16255	≤20	PASS
				30~500	181.34	-69.17	≤-54	0.12106	≤4	PASS
				500~1000	731.75	-78.23	≤-54	0.01503	≤4	PASS
			5500	1000~26000	2031.25	-67.45	≤-47	0.17989	≤20	PASS
				30~500	201.79	-69.52	≤-54	0.11169	≤4	PASS
				500~1000	731.75	-77.94	≤-54	0.01607	≤4	PASS
			5580	1000~26000	2083.75	-66.25	≤-47	0.23714	≤20	PASS
				30~500	184.63	-69.29	≤-54	0.11776	≤4	PASS

Appendix A



CN266W4G 003

Prüfbericht - Produkte
Test Report - Products

Page 371 of 813

				500~1000	731.75	-78.27	≤-54	0.01489	≤4	PASS
				1000~26000	2042.50	-67.07	≤-47	0.19634	≤20	PASS
				30~500	201.79	-69.05	≤-54	0.12445	≤4	PASS
				500~1000	731.75	-78.33	≤-54	0.01469	≤4	PASS
				1000~26000	2083.75	-66.81	≤-47	0.20845	≤20	PASS
				30~500	184.16	-68.06	≤-54	0.15631	≤4	PASS
				500~1000	731.75	-78.18	≤-54	0.01521	≤4	PASS
				1000~26000	24717.50	-67.41	≤-47	0.18155	≤20	PASS
				30~500	184.16	-69.80	≤-54	0.10471	≤4	PASS
				500~1000	731.75	-77.86	≤-54	0.01637	≤4	PASS
				1000~26000	2062.50	-67.16	≤-47	0.19231	≤20	PASS
				30~500	186.98	-69.50	≤-54	0.11220	≤4	PASS
				500~1000	1000.00	-78.08	≤-54	0.01556	≤4	PASS
				1000~26000	2068.75	-67.51	≤-47	0.17742	≤20	PASS
				30~500	183.69	-69.53	≤-54	0.11143	≤4	PASS
				500~1000	731.75	-78.75	≤-54	0.01334	≤4	PASS
				1000~26000	2061.25	-67.07	≤-47	0.19634	≤20	PASS
				30~500	189.33	-68.42	≤-54	0.14388	≤4	PASS
				500~1000	731.75	-79.15	≤-54	0.01216	≤4	PASS
				1000~26000	2055.00	-67.60	≤-47	0.17378	≤20	PASS
				30~500	187.69	-69.22	≤-54	0.11967	≤4	PASS
				500~1000	731.75	-79.04	≤-54	0.01247	≤4	PASS
				1000~26000	2073.75	-67.14	≤-47	0.19320	≤20	PASS
				30~500	182.99	-69.34	≤-54	0.11641	≤4	PASS
				500~1000	731.75	-78.39	≤-54	0.01449	≤4	PASS
				1000~26000	2017.50	-66.65	≤-47	0.21627	≤20	PASS
				30~500	184.87	-69.68	≤-54	0.10765	≤4	PASS
				500~1000	731.75	-77.64	≤-54	0.01722	≤4	PASS
				1000~26000	2036.25	-65.46	≤-47	0.28445	≤20	PASS
				30~500	166.54	-69.17	≤-54	0.12106	≤4	PASS
				500~1000	731.75	-78.90	≤-54	0.01288	≤4	PASS
				1000~26000	2018.75	-66.73	≤-47	0.21232	≤20	PASS
				30~500	182.99	-68.74	≤-54	0.13366	≤4	PASS
				500~1000	731.75	-77.72	≤-54	0.01690	≤4	PASS
				1000~26000	2007.50	-67.59	≤-47	0.17418	≤20	PASS
				30~500	183.22	-68.78	≤-54	0.13243	≤4	PASS
				500~1000	731.75	-78.51	≤-54	0.01409	≤4	PASS
				1000~26000	2063.75	-66.29	≤-47	0.23496	≤20	PASS
				30~500	181.11	-69.39	≤-54	0.11508	≤4	PASS
				500~1000	731.75	-77.15	≤-54	0.01928	≤4	PASS
				1000~26000	2037.50	-66.40	≤-47	0.22909	≤20	PASS
				30~500	184.87	-69.35	≤-54	0.11614	≤4	PASS
				500~1000	731.75	-78.55	≤-54	0.01396	≤4	PASS
				1000~26000	25752.50	-67.07	≤-47	0.19634	≤20	PASS
				30~500	142.57	-69.30	≤-54	0.11749	≤4	PASS
				500~1000	731.75	-78.01	≤-54	0.01581	≤4	PASS
				1000~26000	2071.25	-66.77	≤-47	0.21038	≤20	PASS
				30~500	163.01	-69.10	≤-54	0.12303	≤4	PASS
				500~1000	731.75	-78.55	≤-54	0.01396	≤4	PASS
				1000~26000	2016.25	-67.08	≤-47	0.19588	≤20	PASS
				30~500	169.12	-69.32	≤-54	0.11695	≤4	PASS
				500~1000	731.75	-78.12	≤-54	0.01542	≤4	PASS
				1000~26000	2083.75	-66.04	≤-47	0.24889	≤20	PASS
				30~500	182.99	-68.03	≤-54	0.15740	≤4	PASS
				500~1000	731.75	-77.59	≤-54	0.01742	≤4	PASS
				1000~26000	2048.75	-67.11	≤-47	0.19454	≤20	PASS
				30~500	183.93	-69.44	≤-54	0.11376	≤4	PASS
				500~1000	731.75	-78.42	≤-54	0.01439	≤4	PASS
				1000~26000	2017.50	-66.93	≤-47	0.20277	≤20	PASS
				30~500	182.52	-68.98	≤-54	0.12647	≤4	PASS
				500~1000	731.75	-77.56	≤-54	0.01754	≤4	PASS
				1000~26000	2011.25	-67.19	≤-47	0.19099	≤20	PASS
				30~500	204.14	-68.90	≤-54	0.12882	≤4	PASS
				500~1000	731.75	-78.49	≤-54	0.01416	≤4	PASS
				1000~26000	2040.00	-66.70	≤-47	0.21380	≤20	PASS
				30~500	182.99	-69.00	≤-54	0.12589	≤4	PASS
				500~1000	731.75	-78.24	≤-54	0.01500	≤4	PASS
				1000~26000	2005.00	-66.15	≤-47	0.24266	≤20	PASS
				30~500	167.48	-69.41	≤-54	0.11455	≤4	PASS
				500~1000	731.75	-79.44	≤-54	0.01138	≤4	PASS
				1000~26000	25722.50	-66.37	≤-47	0.23067	≤20	PASS

Appendix A

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 372 of 813

			5220	30~500	185.10	-69.18	≤-54	0.12078	≤4	PASS
				500~1000	731.75	-77.79	≤-54	0.01663	≤4	PASS
				1000~26000	25627.50	-67.40	≤-47	0.18197	≤20	PASS
			5240	30~500	183.22	-68.89	≤-54	0.12912	≤4	PASS
				500~1000	1000.00	-78.35	≤-54	0.01462	≤4	PASS
				1000~26000	2011.25	-66.78	≤-47	0.20989	≤20	PASS
			5260	30~500	182.75	-67.64	≤-54	0.17219	≤4	PASS
				500~1000	1000.00	-78.40	≤-54	0.01445	≤4	PASS
				1000~26000	2061.25	-66.91	≤-47	0.20370	≤20	PASS
			5280	30~500	182.05	-69.00	≤-54	0.12589	≤4	PASS
				500~1000	731.75	-78.67	≤-54	0.01358	≤4	PASS
				1000~26000	2015.00	-67.07	≤-47	0.19634	≤20	PASS
			5300	30~500	181.11	-69.28	≤-54	0.11803	≤4	PASS
				500~1000	731.75	-77.44	≤-54	0.01803	≤4	PASS
				1000~26000	2087.50	-67.00	≤-47	0.19953	≤20	PASS
			5320	30~500	181.58	-68.84	≤-54	0.13062	≤4	PASS
				500~1000	731.75	-77.27	≤-54	0.01875	≤4	PASS
				1000~26000	1985.00	-66.88	≤-47	0.20512	≤20	PASS
			5500	30~500	188.63	-69.57	≤-54	0.11041	≤4	PASS
				500~1000	731.75	-78.05	≤-54	0.01567	≤4	PASS
				1000~26000	2425.00	-66.74	≤-47	0.21184	≤20	PASS
			5580	30~500	198.26	-69.23	≤-54	0.11940	≤4	PASS
				500~1000	731.75	-78.42	≤-54	0.01439	≤4	PASS
				1000~26000	1993.75	-67.26	≤-47	0.18793	≤20	PASS
			5600	30~500	190.98	-68.90	≤-54	0.12882	≤4	PASS
				500~1000	1000.00	-78.79	≤-54	0.01321	≤4	PASS
				1000~26000	1978.75	-67.02	≤-47	0.19861	≤20	PASS
			5700	30~500	142.57	-68.74	≤-54	0.13366	≤4	PASS
				500~1000	731.75	-78.30	≤-54	0.01479	≤4	PASS
				1000~26000	2051.25	-66.75	≤-47	0.21135	≤20	PASS
	11AC40SISO	Ant1	5190	30~500	180.40	-69.51	≤-54	0.11194	≤4	PASS
				500~1000	731.75	-78.67	≤-54	0.01358	≤4	PASS
				1000~26000	2106.25	-67.80	≤-47	0.16596	≤20	PASS
			5230	30~500	185.81	-69.03	≤-54	0.12503	≤4	PASS
				500~1000	731.75	-78.31	≤-54	0.01476	≤4	PASS
				1000~26000	2016.25	-66.73	≤-47	0.21232	≤20	PASS
			5270	30~500	183.46	-69.31	≤-54	0.11722	≤4	PASS
				500~1000	1000.00	-77.39	≤-54	0.01824	≤4	PASS
				1000~26000	2141.25	-67.14	≤-47	0.19320	≤20	PASS
			5310	30~500	183.22	-68.98	≤-54	0.12647	≤4	PASS
				500~1000	731.75	-78.11	≤-54	0.01545	≤4	PASS
				1000~26000	2015.00	-66.94	≤-47	0.20230	≤20	PASS
			5510	30~500	186.04	-68.63	≤-54	0.13709	≤4	PASS
				500~1000	731.75	-77.98	≤-54	0.01592	≤4	PASS
				1000~26000	2122.50	-66.72	≤-47	0.21281	≤20	PASS
			5550	30~500	163.25	-69.42	≤-54	0.11429	≤4	PASS
				500~1000	731.75	-78.21	≤-54	0.01510	≤4	PASS
				1000~26000	1993.75	-66.54	≤-47	0.22182	≤20	PASS
			5670	30~500	194.03	-68.96	≤-54	0.12706	≤4	PASS
				500~1000	731.75	-78.64	≤-54	0.01368	≤4	PASS
				1000~26000	2021.25	-66.44	≤-47	0.22699	≤20	PASS
	11AC80SISO	Ant1	5210	30~500	185.10	-67.94	≤-54	0.16069	≤4	PASS
				500~1000	731.75	-78.68	≤-54	0.01355	≤4	PASS
				1000~26000	2127.50	-67.24	≤-47	0.18880	≤20	PASS
			5290	30~500	205.31	-69.42	≤-54	0.11429	≤4	PASS
				500~1000	731.75	-78.19	≤-54	0.01517	≤4	PASS
				1000~26000	2020.00	-67.27	≤-47	0.18750	≤20	PASS
			5530	30~500	189.10	-69.78	≤-54	0.10520	≤4	PASS
				500~1000	890.75	-77.80	≤-54	0.01660	≤4	PASS
				1000~26000	2430.00	-66.13	≤-47	0.24378	≤20	PASS
			5610	30~500	184.87	-68.39	≤-54	0.14488	≤4	PASS
				500~1000	731.75	-78.11	≤-54	0.01545	≤4	PASS
				1000~26000	2050.00	-66.50	≤-47	0.22387	≤20	PASS
	11AX20SISO	Ant1	5180	30~500	184.87	-69.39	≤-54	0.11508	≤4	PASS
				500~1000	731.75	-78.53	≤-54	0.01403	≤4	PASS
				1000~26000	2092.50	-67.81	≤-47	0.16558	≤20	PASS
			5200	30~500	201.55	-69.86	≤-54	0.10328	≤4	PASS
				500~1000	731.75	-78.02	≤-54	0.01578	≤4	PASS
				1000~26000	2067.50	-67.37	≤-47	0.18323	≤20	PASS
			5220	30~500	187.22	-69.37	≤-54	0.11561	≤4	PASS
				500~1000	731.75	-78.64	≤-54	0.01368	≤4	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN266W4G 003

Page 373 of 813

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Test Graphs

