



## Appendix A: Frequency Error

### Test Result

| Test Condition | Test Mode  | Antenna | Freq(MHz) | CenterFreq<br>[MHz] | Result<br>[ppm] | Limit<br>[ppm] | Verdict |
|----------------|------------|---------|-----------|---------------------|-----------------|----------------|---------|
| NTNV           | 11A        | Ant1    | 5180      | 5180                | 0.00000         | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5200      | 5199.98             | -3.84615        | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5220      | 5219.96             | -7.66284        | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5240      | 5239.98             | -3.81679        | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5260      | 5260                | 0.00000         | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5280      | 5280.02             | 3.78788         | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5300      | 5300                | 0.00000         | ±20            | PASS    |
| NTNV           | 11A        | Ant1    | 5320      | 5320                | 0.00000         | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5180      | 5179.98             | -3.86100        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5200      | 5199.98             | -3.84615        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5220      | 5219.98             | -3.83142        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5240      | 5239.98             | -3.81679        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5260      | 5259.98             | -3.80228        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5280      | 5279.98             | -3.78788        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5300      | 5299.98             | -3.77359        | ±20            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5320      | 5319.98             | -3.75940        | ±20            | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5190      | 5189.96             | -7.70713        | ±20            | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5230      | 5230.04             | 7.64818         | ±20            | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5270      | 5270                | 0.00000         | ±20            | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5310      | 5310                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5180      | 5180                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5200      | 5200.02             | 3.84615         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5220      | 5219.98             | -3.83142        | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5240      | 5240.02             | 3.81679         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5260      | 5260                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5280      | 5280                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5300      | 5300                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5320      | 5320.02             | 3.75940         | ±20            | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5190      | 5190                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5230      | 5230.04             | 7.64818         | ±20            | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5270      | 5270.04             | 7.59013         | ±20            | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5310      | 5310.04             | 7.53296         | ±20            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5180      | 5180                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5200      | 5200                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5220      | 5220                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5240      | 5240                | 0.00000         | ±20            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5260      | 5260.02             | 3.80228         | ±20            | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 2 of 239

|      |            |      |      |      |         |     |      |
|------|------------|------|------|------|---------|-----|------|
| NTNV | 11AX20SISO | Ant1 | 5280 | 5280 | 0.00000 | ±20 | PASS |
| NTNV | 11AX20SISO | Ant1 | 5300 | 5300 | 0.00000 | ±20 | PASS |
| NTNV | 11AX20SISO | Ant1 | 5320 | 5320 | 0.00000 | ±20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5190 | 5190 | 0.00000 | ±20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5230 | 5230 | 0.00000 | ±20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5270 | 5270 | 0.00000 | ±20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5310 | 5310 | 0.00000 | ±20 | PASS |





## Test Graphs



NTVN-11A-Ant1-5180-PASS

NTVN-11A-Ant1-5200-PASS



NTVN-11A-Ant1-5220-PASS


NTVN-11A-Ant1-5240-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 4 of 239




Date: 9.AUG.2026 17:08:03




Date: 9.AUG.2026 17:37:29

## NTNV-11A-Ant1-5260-PASS



Date: 9.AUG.2026 17:45:03

## NTNV-11A-Ant1-5280-PASS



Date: 9.AUG.2026 17:47:49

## NTNV-11A-Ant1-5300-PASS


## NTNV-11A-Ant1-5320-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 5 of 239




Date: 20.AUG.2026 14:39:17




Date: 20.AUG.2026 14:39:57

## NTNV-11N20SISO-Ant1-5180-PASS



Date: 20.AUG.2026 14:40:43

## NTNV-11N20SISO-Ant1-5200-PASS



Date: 20.AUG.2026 14:41:15

## NTNV-11N20SISO-Ant1-5220-PASS


## NTNV-11N20SISO-Ant1-5240-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 6 of 239




Date: 20.AUG.2026 14:42:21




Date: 20.AUG.2026 14:42:51

## NTNV-11N20SISO-Ant1-5260-PASS



Date: 20.AUG.2026 14:43:23

## NTNV-11N20SISO-Ant1-5280-PASS



Date: 20.AUG.2026 14:43:55

## NTNV-11N20SISO-Ant1-5300-PASS


## NTNV-11N20SISO-Ant1-5320-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 7 of 239




Date: 20.AUG.2026 14:44:36




Date: 20.AUG.2026 14:45:11

## NTNV-11N40SISO-Ant1-5190-PASS



Date: 20.AUG.2026 14:45:42

## NTNV-11N40SISO-Ant1-5230-PASS



Date: 20.AUG.2026 14:46:13

## NTNV-11N40SISO-Ant1-5270-PASS


## NTNV-11N40SISO-Ant1-5310-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 8 of 239




Date: 20.AUG.2026 14:46:39




Date: 20.AUG.2026 14:47:07

NTNV-11AC20SISO-Ant1-5180-PASS



Date: 20.AUG.2026 14:47:35

NTNV-11AC20SISO-Ant1-5200-PASS



Date: 20.AUG.2026 14:48:00

NTNV-11AC20SISO-Ant1-5220-PASS


NTNV-11AC20SISO-Ant1-5240-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 9 of 239




Date: 20.AUG.2026 14:48:25




Date: 20.AUG.2026 14:48:50

## NTNV-11AC20SISO-Ant1-5260-PASS



Date: 20.AUG.2026 14:49:18

## NTNV-11AC20SISO-Ant1-5280-PASS



Date: 20.AUG.2026 14:49:50

## NTNV-11AC20SISO-Ant1-5300-PASS


## NTNV-11AC20SISO-Ant1-5320-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 10 of




Date: 20.AUG.2026 14:50:21




Date: 20.AUG.2026 16:51:07

## NTNV-11AC40SISO-Ant1-5190-PASS



Date: 20.AUG.2026 16:51:24

## NTNV-11AC40SISO-Ant1-5230-PASS



Date: 20.AUG.2026 16:52:03

## NTNV-11AC40SISO-Ant1-5270-PASS



## NTNV-11AC40SISO-Ant1-5310-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1


Page 11 of 239



NTNV-11AX20SISO-Ant1-5180-PASS



NTNV-11AX20SISO-Ant1-5200-PASS



NTNV-11AX20SISO-Ant1-5220-PASS


NTNV-11AX20SISO-Ant1-5240-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 12 of




Date: 20.AUG.2026 15:19:50




Date: 20.AUG.2026 15:20:22

## NTNV-11AX20SISO-Ant1-5260-PASS



Date: 20.AUG.2026 15:20:53

## NTNV-11AX20SISO-Ant1-5280-PASS



Date: 20.AUG.2026 15:21:24

## NTNV-11AX20SISO-Ant1-5300-PASS



## NTNV-11AX20SISO-Ant1-5320-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1


Page 13 of



NTNV-11AX40SISO-Ant1-5190-PASS



NTNV-11AX40SISO-Ant1-5230-PASS



NTNV-11AX40SISO-Ant1-5270-PASS

NTNV-11AX40SISO-Ant1-5310-PASS



## Appendix B: Antenna Power

### Test Result

| Antenna Power  |            |         |            |                  |                 |                |         |
|----------------|------------|---------|------------|------------------|-----------------|----------------|---------|
| Test Condition | Test Mode  | Antenna | Freq (MHz) | Result (dBm/MHz) | Result (mW/MHz) | Limit (mW/MHz) | Verdict |
| NTNV           | 11A        | Ant1    | 5180       | 1.80             | 1.5136          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5200       | 0.70             | 1.1749          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5220       | 0.84             | 1.2134          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5240       | 1.78             | 1.5066          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5260       | -1.77            | 0.6653          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5280       | -1.15            | 0.7674          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5300       | -1.28            | 0.7447          | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5320       | -1.05            | 0.7852          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5180       | 0.82             | 1.2078          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5200       | -1.46            | 0.7145          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5220       | -1.02            | 0.7907          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5240       | -0.77            | 0.8375          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5260       | -1.50            | 0.7079          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5280       | -1.36            | 0.7311          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5300       | -1.90            | 0.6457          | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5320       | -1.52            | 0.7047          | ≤10            | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5190       | -4.48            | 0.3565          | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5230       | -4.15            | 0.3846          | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5270       | -5.61            | 0.2748          | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5310       | -5.46            | 0.2844          | ≤5             | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5180       | -1.46            | 0.7145          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5200       | -1.21            | 0.7568          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5220       | -1.04            | 0.7870          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5240       | -0.84            | 0.8241          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5260       | -1.61            | 0.6902          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5280       | -1.61            | 0.6902          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5300       | -0.52            | 0.8872          | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5320       | -1.47            | 0.7129          | ≤10            | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5190       | -4.78            | 0.3327          | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5230       | -4.19            | 0.3811          | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5270       | -5.63            | 0.2735          | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5310       | -5.40            | 0.2884          | ≤5             | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5180       | -1.78            | 0.6637          | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5200       | -1.91            | 0.6442          | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5220       | -3.53            | 0.4436          | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5240       | -5.01            | 0.3155          | ≤10            | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 15 of

|      |            |      |      |       |        |     |      |
|------|------------|------|------|-------|--------|-----|------|
| NTNV | 11AX20SISO | Ant1 | 5260 | -5.41 | 0.2877 | ≤10 | PASS |
| NTNV | 11AX20SISO | Ant1 | 5280 | -6.30 | 0.2344 | ≤10 | PASS |
| NTNV | 11AX20SISO | Ant1 | 5300 | -6.31 | 0.2339 | ≤10 | PASS |
| NTNV | 11AX20SISO | Ant1 | 5320 | -6.38 | 0.2301 | ≤10 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5190 | -4.30 | 0.3715 | ≤5  | PASS |
| NTNV | 11AX40SISO | Ant1 | 5230 | -3.77 | 0.4198 | ≤5  | PASS |
| NTNV | 11AX40SISO | Ant1 | 5270 | -2.70 | 0.5370 | ≤5  | PASS |
| NTNV | 11AX40SISO | Ant1 | 5310 | -2.49 | 0.5636 | ≤5  | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 16 of

| Tolerance      |            |         |            |                |                      |            |            |         |
|----------------|------------|---------|------------|----------------|----------------------|------------|------------|---------|
| Test Condition | Test Mode  | Antenna | Freq (MHz) | Power (mW/MHz) | Rated Power (mW/MHz) | Result (%) | Limit (%)  | Verdict |
| NTNV           | 11A        | Ant1    | 5180       | 1.5136         | 1.3                  | 16.43%     | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5200       | 1.1749         | 1.3                  | -9.62%     | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5220       | 1.2134         | 1.3                  | -6.66%     | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5240       | 1.5066         | 1.3                  | 15.89%     | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5260       | 0.6653         | 1.3                  | -48.82%    | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5280       | 0.7674         | 1.3                  | -40.97%    | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5300       | 0.7447         | 1.3                  | -42.72%    | -80 to +20 | PASS    |
| NTNV           | 11A        | Ant1    | 5320       | 0.7852         | 1.3                  | -39.60%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5180       | 1.2078         | 1.2                  | 0.65%      | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5200       | 0.7145         | 1.2                  | -40.46%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5220       | 0.7907         | 1.2                  | -34.11%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5240       | 0.8375         | 1.2                  | -30.21%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5260       | 0.7079         | 1.2                  | -41.01%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5280       | 0.7311         | 1.2                  | -39.08%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5300       | 0.6457         | 1.2                  | -46.19%    | -80 to +20 | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5320       | 0.7047         | 1.2                  | -41.28%    | -80 to +20 | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5190       | 0.3565         | 0.4                  | -10.88%    | -80 to +20 | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5230       | 0.3846         | 0.4                  | -3.85%     | -80 to +20 | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5270       | 0.2748         | 0.4                  | -31.30%    | -80 to +20 | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5310       | 0.2844         | 0.4                  | -28.90%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5180       | 0.7145         | 1                    | -28.55%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5200       | 0.7568         | 1                    | -24.32%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5220       | 0.7870         | 1                    | -21.30%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5240       | 0.8241         | 1                    | -17.59%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5260       | 0.6902         | 1                    | -30.98%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5280       | 0.6902         | 1                    | -30.98%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5300       | 0.8872         | 1                    | -11.28%    | -80 to +20 | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5320       | 0.7129         | 1                    | -28.71%    | -80 to +20 | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5190       | 0.3327         | 0.4                  | -16.83%    | -80 to +20 | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5230       | 0.3811         | 0.4                  | -4.73%     | -80 to +20 | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5270       | 0.2735         | 0.4                  | -31.63%    | -80 to +20 | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5310       | 0.2884         | 0.4                  | -27.90%    | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5180       | 0.6637         | 0.6                  | 10.62%     | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5200       | 0.6442         | 0.6                  | 7.37%      | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5220       | 0.4436         | 0.6                  | -26.07%    | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5240       | 0.3155         | 0.6                  | -47.42%    | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5260       | 0.2877         | 0.6                  | -52.05%    | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5280       | 0.2344         | 0.6                  | -60.93%    | -80 to +20 | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5300       | 0.2339         | 0.6                  | -61.02%    | -80 to +20 | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 17 of

|      |            |      |      |        |     |         |            |      |
|------|------------|------|------|--------|-----|---------|------------|------|
| NTNV | 11AX20SISO | Ant1 | 5320 | 0.2301 | 0.6 | -61.65% | -80 to +20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5190 | 0.3715 | 0.5 | -25.70% | -80 to +20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5230 | 0.4198 | 0.5 | -16.04% | -80 to +20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5270 | 0.5370 | 0.5 | 7.40%   | -80 to +20 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5310 | 0.5636 | 0.5 | 12.72%  | -80 to +20 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 18 of

| EIRP           |            |         |            |                 |               |                |         |
|----------------|------------|---------|------------|-----------------|---------------|----------------|---------|
| Test Condition | TestMode   | Antenna | Freq (MHz) | Result (mW/MHz) | EIRP (mW/MHz) | Limit (mW/MHz) | Verdict |
| NTNV           | 11A        | Ant1    | 5180       | 1.5136          | 8.4723        | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5200       | 1.1749          | 6.5766        | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5220       | 1.2134          | 6.7920        | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5240       | 1.5066          | 8.4333        | ≤10            | PASS    |
| NTNV           | 11A        | Ant1    | 5260       | 0.6653          | 2.5704        | ≤5             | PASS    |
| NTNV           | 11A        | Ant1    | 5280       | 0.7674          | 2.9648        | ≤5             | PASS    |
| NTNV           | 11A        | Ant1    | 5300       | 0.7447          | 2.8774        | ≤5             | PASS    |
| NTNV           | 11A        | Ant1    | 5320       | 0.7852          | 3.0339        | ≤5             | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5180       | 1.2078          | 6.7608        | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5200       | 0.7145          | 3.9994        | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5220       | 0.7907          | 4.4259        | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5240       | 0.8375          | 4.6881        | ≤10            | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5260       | 0.7079          | 2.7353        | ≤5             | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5280       | 0.7311          | 2.8249        | ≤5             | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5300       | 0.6457          | 2.4946        | ≤5             | PASS    |
| NTNV           | 11N20SISO  | Ant1    | 5320       | 0.7047          | 2.7227        | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5190       | 0.3565          | 1.9953        | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5230       | 0.3846          | 2.1528        | ≤5             | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5270       | 0.2748          | 1.0617        | ≤2.5           | PASS    |
| NTNV           | 11N40SISO  | Ant1    | 5310       | 0.2844          | 1.5922        | ≤2.5           | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5180       | 0.7145          | 3.9994        | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5200       | 0.7568          | 4.2364        | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5220       | 0.7870          | 4.4055        | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5240       | 0.8241          | 4.6132        | ≤10            | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5260       | 0.6902          | 2.6669        | ≤5             | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5280       | 0.6902          | 2.6669        | ≤5             | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5300       | 0.8872          | 4.9659        | ≤5             | PASS    |
| NTNV           | 11AC20SISO | Ant1    | 5320       | 0.7129          | 2.7542        | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5190       | 0.3327          | 1.8621        | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5230       | 0.3811          | 2.1330        | ≤5             | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5270       | 0.2735          | 1.5311        | ≤2.5           | PASS    |
| NTNV           | 11AC40SISO | Ant1    | 5310       | 0.2884          | 1.6144        | ≤2.5           | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5180       | 0.6637          | 3.7154        | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5200       | 0.6442          | 3.6058        | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5220       | 0.4436          | 2.4831        | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5240       | 0.3155          | 1.7660        | ≤10            | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5260       | 0.2877          | 1.6106        | ≤5             | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5280       | 0.2344          | 1.3122        | ≤5             | PASS    |
| NTNV           | 11AX20SISO | Ant1    | 5300       | 0.2339          | 1.3092        | ≤5             | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 19 of

|      |            |      |      |        |        |      |      |
|------|------------|------|------|--------|--------|------|------|
| NTNV | 11AX20SISO | Ant1 | 5320 | 0.2301 | 1.2882 | ≤5   | PASS |
| NTNV | 11AX40SISO | Ant1 | 5190 | 0.3715 | 2.0797 | ≤2.5 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5230 | 0.4198 | 2.3496 | ≤2.5 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5270 | 0.5370 | 2.0749 | ≤2.5 | PASS |
| NTNV | 11AX40SISO | Ant1 | 5310 | 0.5636 | 2.1777 | ≤2.5 | PASS |





## Test Graphs



NTNV-11A-Ant1-5180-PASS

NTNV-11A-Ant1-5180-PASS



NTNV-11A-Ant1-5200-PASS



NTNV-11A-Ant1-5200-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 21 of



NTNV-11A-Ant1-5220-PASS

NTNV-11A-Ant1-5220-PASS



NTNV-11A-Ant1-5240-PASS


NTNV-11A-Ant1-5240-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0009-RF2-ATT1

Page 22 of




Date: 25.AUG.2026 11:10:50




Date: 25.AUG.2026 11:10:57

NTNV-11A-Ant1-5260-PASS

NTNV-11A-Ant1-5260-PASS




Date: 25.AUG.2026 11:11:27




Date: 25.AUG.2026 11:11:35

NTNV-11A-Ant1-5280-PASS

NTNV-11A-Ant1-5280-PASS




Date: 25.AUG.2026 11:12:11




Date: 25.AUG.2026 11:12:19

NTVN-11A-Ant1-5300-PASS

NTVN-11A-Ant1-5300-PASS





Date: 25.AUG.2026 11:44:08



Date: 25.AUG.2026 11:44:15



NTVN-11A-Ant1-5320-PASS

NTVN-11A-Ant1-5320-PASS



NTNV-11A-Ant1-5260-PASS

NTNV-11A-Ant1-5260-PASS



NTNV-11A-Ant1-5280-PASS

NTNV-11A-Ant1-5280-PASS