










 02:49:13 PM 03/16/2025	 02:49:46 PM 03/16/2025
NTNV-11AX20MIMO-Ant1-5320-5233.3~5240-P ASS	NTNV-11AX20MIMO-Ant1-5320-5233.3~5240-P ASS
 02:51:07 PM 03/16/2025	 02:51:41 PM 03/16/2025
NTNV-11AX20MIMO-Ant2-5320-5233.3~5240-P ASS	NTNV-11AX20MIMO-Ant2-5320-5233.3~5240-P ASS




NTVN-11AX20MIMO-Ant3-5320-5233.3~5240-P
ASSNTVN-11AX20MIMO-Ant3-5320-5233.3~5240-P
ASS



NTVN-11AX40SISO-Ant1-5270-30~5221.6-PASS







NTVN-11AX40SISO-Ant1-5270-30~5221.6-PASS





NTNV-11AX40SISO-Ant1-5270-5221.6~5230-PA SS  11:07:54 AM 03/16/2026	NTNV-11AX40SISO-Ant1-5270-5221.6~5230-PA SS  11:08:08 AM 03/16/2026
NTNV-11AX40SISO-Ant2-5270-5221.6~5230-PA SS  12:02:05 PM 03/16/2026	NTNV-11AX40SISO-Ant2-5270-5221.6~5230-PA SS  12:02:16 PM 03/16/2026
NTNV-11AX40SISO-Ant3-5270-5221.6~5230-PA SS	NTNV-11AX40SISO-Ant3-5270-5221.6~5230-PA SS


 09:29:35 AM 02/05/2025	 09:29:45 AM 02/05/2025
NTNV-11AX40SISO-Ant1-5310-5221.6~5230-PA SS	NTNV-11AX40SISO-Ant1-5310-5221.6~5230-PA SS
 11:10:44 AM 03/16/2025	 11:10:54 AM 03/16/2025
NTNV-11AX40SISO-Ant2-5310-5221.6~5230-PA SS	NTNV-11AX40SISO-Ant2-5310-5221.6~5230-PA SS





 02:57:08 PM 03/16/2026	 02:57:17 PM 03/16/2026
NTNV-11AX40MIMO-Ant2-5270-5221.6~5230-P ASS	NTNV-11AX40MIMO-Ant2-5270-5221.6~5230-P ASS
 02:59:02 PM 03/16/2026	 02:59:12 PM 03/16/2026
NTNV-11AX40MIMO-Ant3-5270-5221.6~5230-P ASS	NTNV-11AX40MIMO-Ant3-5270-5221.6~5230-P ASS




















NTVN-11AX40MIMO-Ant3-5310-5221.6~5230-P
ASSNTVN-11AX40MIMO-Ant3-5310-5221.6~5230-P
ASS




NTVN-11AX80SISO-Ant1-5290-30~5203.3-PASS



NTVN-11AX80SISO-Ant1-5290-30~5203.3-PASS



NTNV-11AX80SISO-Ant1-5290-5203.3~5210-PA	
SS	SS
NTNV-11AX80SISO-Ant1-5290-5210~5249-PAS	NTNV-11AX80SISO-Ant1-5290-5210~5249-PAS
S	S
NTNV-11AX80SISO-Ant2-5290-5249~5250-PAS	NTNV-11AX80SISO-Ant2-5290-5249~5250-PAS
S	S

 12:05:46 PM 03/16/2026	 12:06:01 PM 03/16/2026
NTVN-11AX80SISO-Ant3-5290-5249~5250-PAS S	NTVN-11AX80SISO-Ant3-5290-5249~5250-PAS S
 03:54:52 PM 03/16/2026	 03:55:09 PM 03/16/2026
NTVN-11AX160SISO-Ant2-5250-30~5099.6-PAS S	NTVN-11AX160SISO-Ant2-5250-30~5099.6-PAS S

Appendix F: Secondary Radiated Emission Strength

Test Result

Test Condition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5260	30~1000	31.70	-81.51	0.00706	≤4	PASS
NTNV	11A	Ant2	5260	30~1000	32.18	-82.03	0.00627	≤4	PASS
NTNV	11A	Ant3	5260	30~1000	34.61	-81.55	0.00700	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	21842.10	-67.19	0.19099	≤20	PASS
NTNV	11A	Ant2	5260	1000~26000	2426.80	-66.80	0.20893	≤20	PASS
NTNV	11A	Ant3	5260	1000~26000	21504.60	-67.30	0.18621	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	32.18	-81.73	0.00671	≤4	PASS
NTNV	11A	Ant2	5300	30~1000	34.61	-81.74	0.00670	≤4	PASS
NTNV	11A	Ant3	5300	30~1000	35.57	-79.84	0.01038	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	22043.30	-65.98	0.25235	≤20	PASS
NTNV	11A	Ant2	5300	1000~26000	22107.10	-67.41	0.18155	≤20	PASS
NTNV	11A	Ant3	5300	1000~26000	22098.30	-66.30	0.23442	≤20	PASS
NTNV	11A	Ant1	5320	30~1000	32.67	-81.44	0.00718	≤4	PASS
NTNV	11A	Ant2	5320	30~1000	33.64	-81.87	0.00650	≤4	PASS
NTNV	11A	Ant3	5320	30~1000	35.57	-81.32	0.00738	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	22055.80	-66.91	0.20370	≤20	PASS
NTNV	11A	Ant2	5320	1000~26000	18806.00	-67.15	0.19275	≤20	PASS
NTNV	11A	Ant3	5320	1000~26000	21643.30	-66.58	0.21979	≤20	PASS
NTNV	11N20SISO	Ant1	5260	30~1000	34.12	-80.93	0.00807	≤4	PASS
NTNV	11N20SISO	Ant2	5260	30~1000	31.70	-81.06	0.00783	≤4	PASS
NTNV	11N20SISO	Ant3	5260	30~1000	34.12	-82.05	0.00624	≤4	PASS
NTNV	11N20SISO	Ant1	5260	1000~26000	22102.10	-66.88	0.20512	≤20	PASS
NTNV	11N20SISO	Ant2	5260	1000~26000	18862.20	-67.05	0.19724	≤20	PASS
NTNV	11N20SISO	Ant3	5260	1000~26000	21538.30	-66.10	0.24547	≤20	PASS
NTNV	11N20SISO	Ant1	5300	30~1000	36.06	-81.59	0.00693	≤4	PASS
NTNV	11N20SISO	Ant2	5300	30~1000	30.24	-81.83	0.00656	≤4	PASS
NTNV	11N20SISO	Ant3	5300	30~1000	33.15	-81.74	0.00670	≤4	PASS
NTNV	11N20SISO	Ant1	5300	1000~26000	21503.30	-66.17	0.24155	≤20	PASS
NTNV	11N20SISO	Ant2	5300	1000~26000	21849.60	-66.60	0.21878	≤20	PASS
NTNV	11N20SISO	Ant3	5300	1000~26000	22037.10	-66.68	0.21478	≤20	PASS
NTNV	11N20SISO	Ant1	5320	30~1000	34.61	-82.10	0.00617	≤4	PASS
NTNV	11N20SISO	Ant2	5320	30~1000	36.06	-81.62	0.00689	≤4	PASS
NTNV	11N20SISO	Ant3	5320	30~1000	30.24	-81.54	0.00701	≤4	PASS
NTNV	11N20SISO	Ant1	5320	1000~26000	22133.30	-66.70	0.21380	≤20	PASS

NTNV	11N20SISO	Ant2	5320	1000~26000	22048.30	-66.62	0.21777	≤20	PASS
NTNV	11N20SISO	Ant3	5320	1000~26000	21969.60	-66.57	0.22029	≤20	PASS
NTNV	11N20MIMO	Ant1	5260	30~1000	36.06	-82.05	0.00624	≤4	PASS
NTNV	11N20MIMO	Ant2	5260	30~1000	35.57	-81.89	0.00647	≤4	PASS
NTNV	11N20MIMO	Ant3	5260	30~1000	33.15	-81.41	0.00723	≤4	PASS
NTNV	11N20MIMO	total	5260	30~1000	---	---	0.01994	≤4	PASS
NTNV	11N20MIMO	Ant1	5260	1000~26000	22160.80	-67.22	0.18967	≤20	PASS
NTNV	11N20MIMO	Ant2	5260	1000~26000	22114.60	-66.14	0.24322	≤20	PASS
NTNV	11N20MIMO	Ant3	5260	1000~26000	21837.10	-66.97	0.20091	≤20	PASS
NTNV	11N20MIMO	total	5260	1000~26000	---	---	0.63380	≤20	PASS
NTNV	11N20MIMO	Ant1	5300	30~1000	32.67	-82.09	0.00618	≤4	PASS
NTNV	11N20MIMO	Ant2	5300	30~1000	31.70	-81.70	0.00676	≤4	PASS
NTNV	11N20MIMO	Ant3	5300	30~1000	33.15	-82.17	0.00607	≤4	PASS
NTNV	11N20MIMO	total	5300	30~1000	---	---	0.01901	≤4	PASS
NTNV	11N20MIMO	Ant1	5300	1000~26000	22060.80	-66.70	0.21380	≤20	PASS
NTNV	11N20MIMO	Ant2	5300	1000~26000	21907.10	-67.12	0.19409	≤20	PASS
NTNV	11N20MIMO	Ant3	5300	1000~26000	18777.20	-66.15	0.24266	≤20	PASS
NTNV	11N20MIMO	total	5300	1000~26000	---	---	0.65055	≤20	PASS
NTNV	11N20MIMO	Ant1	5320	30~1000	36.06	-81.46	0.00714	≤4	PASS
NTNV	11N20MIMO	Ant2	5320	30~1000	34.12	-79.58	0.01102	≤4	PASS
NTNV	11N20MIMO	Ant3	5320	30~1000	31.70	-80.76	0.00839	≤4	PASS
NTNV	11N20MIMO	total	5320	30~1000	---	---	0.02655	≤4	PASS
NTNV	11N20MIMO	Ant1	5320	1000~26000	22147.10	-66.82	0.20797	≤20	PASS
NTNV	11N20MIMO	Ant2	5320	1000~26000	2460.60	-66.11	0.24491	≤20	PASS
NTNV	11N20MIMO	Ant3	5320	1000~26000	18888.50	-66.80	0.20893	≤20	PASS
NTNV	11N20MIMO	total	5320	1000~26000	---	---	0.66181	≤20	PASS
NTNV	11N40SISO	Ant1	5270	30~1000	35.57	-80.30	0.00933	≤4	PASS
NTNV	11N40SISO	Ant2	5270	30~1000	34.61	-81.67	0.00681	≤4	PASS
NTNV	11N40SISO	Ant3	5270	30~1000	35.09	-81.57	0.00697	≤4	PASS
NTNV	11N40SISO	Ant1	5270	1000~26000	18817.20	-67.12	0.19409	≤20	PASS
NTNV	11N40SISO	Ant2	5270	1000~26000	21489.60	-66.80	0.20893	≤20	PASS
NTNV	11N40SISO	Ant3	5270	1000~26000	22064.60	-66.90	0.20417	≤20	PASS
NTNV	11N40SISO	Ant1	5310	30~1000	30.24	-81.43	0.00719	≤4	PASS
NTNV	11N40SISO	Ant2	5310	30~1000	33.15	-81.58	0.00695	≤4	PASS
NTNV	11N40SISO	Ant3	5310	30~1000	33.64	-80.24	0.00946	≤4	PASS
NTNV	11N40SISO	Ant1	5310	1000~26000	21473.40	-67.01	0.19907	≤20	PASS
NTNV	11N40SISO	Ant2	5310	1000~26000	22233.30	-65.96	0.25351	≤20	PASS
NTNV	11N40SISO	Ant3	5310	1000~26000	22090.80	-66.96	0.20137	≤20	PASS
NTNV	11N40MIMO	Ant1	5270	30~1000	33.15	-81.59	0.00693	≤4	PASS
NTNV	11N40MIMO	Ant2	5270	30~1000	35.09	-80.01	0.00998	≤4	PASS
NTNV	11N40MIMO	Ant3	5270	30~1000	35.57	-81.85	0.00653	≤4	PASS

NTNV	11N40MIMO	total	5270	30~1000	---	---	0.02344	≤4	PASS
NTNV	11N40MIMO	Ant1	5270	1000~26000	22012.10	-67.14	0.19320	≤20	PASS
NTNV	11N40MIMO	Ant2	5270	1000~26000	21562.10	-66.76	0.21086	≤20	PASS
NTNV	11N40MIMO	Ant3	5270	1000~26000	21438.40	-66.85	0.20654	≤20	PASS
NTNV	11N40MIMO	total	5270	1000~26000	---	---	0.61060	≤20	PASS
NTNV	11N40MIMO	Ant1	5310	30~1000	35.57	-81.26	0.00748	≤4	PASS
NTNV	11N40MIMO	Ant2	5310	30~1000	34.12	-81.08	0.00780	≤4	PASS
NTNV	11N40MIMO	Ant3	5310	30~1000	33.64	-80.90	0.00813	≤4	PASS
NTNV	11N40MIMO	total	5310	30~1000	---	---	0.02341	≤4	PASS
NTNV	11N40MIMO	Ant1	5310	1000~26000	21355.90	-67.44	0.18030	≤20	PASS
NTNV	11N40MIMO	Ant2	5310	1000~26000	21580.80	-66.84	0.20701	≤20	PASS
NTNV	11N40MIMO	Ant3	5310	1000~26000	22089.60	-67.09	0.19543	≤20	PASS
NTNV	11N40MIMO	total	5310	1000~26000	---	---	0.58274	≤20	PASS
NTNV	11AC20SISO	Ant1	5260	30~1000	35.57	-81.51	0.00706	≤4	PASS
NTNV	11AC20SISO	Ant2	5260	30~1000	31.21	-82.31	0.00587	≤4	PASS
NTNV	11AC20SISO	Ant3	5260	30~1000	34.61	-82.26	0.00594	≤4	PASS
NTNV	11AC20SISO	Ant1	5260	1000~26000	21442.10	-66.93	0.20277	≤20	PASS
NTNV	11AC20SISO	Ant2	5260	1000~26000	2434.30	-62.02	0.62806	≤20	PASS
NTNV	11AC20SISO	Ant3	5260	1000~26000	22047.10	-66.98	0.20045	≤20	PASS
NTNV	11AC20SISO	Ant1	5300	30~1000	35.57	-81.90	0.00646	≤4	PASS
NTNV	11AC20SISO	Ant2	5300	30~1000	30.73	-81.86	0.00652	≤4	PASS
NTNV	11AC20SISO	Ant3	5300	30~1000	33.64	-82.00	0.00631	≤4	PASS
NTNV	11AC20SISO	Ant1	5300	1000~26000	18816.00	-66.19	0.24044	≤20	PASS
NTNV	11AC20SISO	Ant2	5300	1000~26000	19028.50	-67.07	0.19634	≤20	PASS
NTNV	11AC20SISO	Ant3	5300	1000~26000	21547.10	-67.26	0.18793	≤20	PASS
NTNV	11AC20SISO	Ant1	5320	30~1000	33.64	-81.50	0.00708	≤4	PASS
NTNV	11AC20SISO	Ant2	5320	30~1000	34.61	-81.27	0.00746	≤4	PASS
NTNV	11AC20SISO	Ant3	5320	30~1000	31.21	-81.77	0.00665	≤4	PASS
NTNV	11AC20SISO	Ant1	5320	1000~26000	22014.60	-66.82	0.20797	≤20	PASS
NTNV	11AC20SISO	Ant2	5320	1000~26000	21600.80	-67.27	0.18750	≤20	PASS
NTNV	11AC20SISO	Ant3	5320	1000~26000	22000.80	-66.97	0.20091	≤20	PASS
NTNV	11AC20MIMO	Ant1	5260	30~1000	31.21	-81.77	0.00665	≤4	PASS
NTNV	11AC20MIMO	Ant2	5260	30~1000	34.12	-81.66	0.00682	≤4	PASS
NTNV	11AC20MIMO	Ant3	5260	30~1000	35.57	-81.34	0.00735	≤4	PASS
NTNV	11AC20MIMO	total	5260	30~1000	---	---	0.02082	≤4	PASS
NTNV	11AC20MIMO	Ant1	5260	1000~26000	21858.30	-66.95	0.20184	≤20	PASS
NTNV	11AC20MIMO	Ant2	5260	1000~26000	22127.10	-66.00	0.25119	≤20	PASS
NTNV	11AC20MIMO	Ant3	5260	1000~26000	21432.10	-66.76	0.21086	≤20	PASS
NTNV	11AC20MIMO	total	5260	1000~26000	---	---	0.66389	≤20	PASS
NTNV	11AC20MIMO	Ant1	5300	30~1000	33.64	-80.63	0.00865	≤4	PASS
NTNV	11AC20MIMO	Ant2	5300	30~1000	34.61	-81.58	0.00695	≤4	PASS

NTNV	11AC20MIMO	Ant3	5300	30~1000	33.15	-81.78	0.00664	≤4	PASS
NTNV	11AC20MIMO	total	5300	30~1000	---	---	0.02224	≤4	PASS
NTNV	11AC20MIMO	Ant1	5300	1000~26000	21513.30	-66.79	0.20941	≤20	PASS
NTNV	11AC20MIMO	Ant2	5300	1000~26000	22185.80	-67.43	0.18072	≤20	PASS
NTNV	11AC20MIMO	Ant3	5300	1000~26000	22084.60	-66.52	0.22284	≤20	PASS
NTNV	11AC20MIMO	total	5300	1000~26000	---	---	0.61297	≤20	PASS
NTNV	11AC20MIMO	Ant1	5320	30~1000	31.21	-80.94	0.00805	≤4	PASS
NTNV	11AC20MIMO	Ant2	5320	30~1000	36.06	-81.37	0.00729	≤4	PASS
NTNV	11AC20MIMO	Ant3	5320	30~1000	35.09	-81.21	0.00757	≤4	PASS
NTNV	11AC20MIMO	total	5320	30~1000	---	---	0.02291	≤4	PASS
NTNV	11AC20MIMO	Ant1	5320	1000~26000	22018.30	-66.87	0.20559	≤20	PASS
NTNV	11AC20MIMO	Ant2	5320	1000~26000	22025.80	-66.47	0.22542	≤20	PASS
NTNV	11AC20MIMO	Ant3	5320	1000~26000	22112.10	-67.06	0.19679	≤20	PASS
NTNV	11AC20MIMO	total	5320	1000~26000	---	---	0.62780	≤20	PASS
NTNV	11AC40SISO	Ant1	5270	30~1000	34.61	-81.67	0.00681	≤4	PASS
NTNV	11AC40SISO	Ant2	5270	30~1000	32.67	-81.16	0.00766	≤4	PASS
NTNV	11AC40SISO	Ant3	5270	30~1000	35.09	-81.66	0.00682	≤4	PASS
NTNV	11AC40SISO	Ant1	5270	1000~26000	21890.80	-66.66	0.21577	≤20	PASS
NTNV	11AC40SISO	Ant2	5270	1000~26000	21910.80	-66.85	0.20654	≤20	PASS
NTNV	11AC40SISO	Ant3	5270	1000~26000	21492.10	-66.96	0.20137	≤20	PASS
NTNV	11AC40SISO	Ant1	5310	30~1000	31.21	-82.37	0.00579	≤4	PASS
NTNV	11AC40SISO	Ant2	5310	30~1000	35.57	-81.61	0.00690	≤4	PASS
NTNV	11AC40SISO	Ant3	5310	30~1000	35.09	-81.60	0.00692	≤4	PASS
NTNV	11AC40SISO	Ant1	5310	1000~26000	18799.70	-66.66	0.21577	≤20	PASS
NTNV	11AC40SISO	Ant2	5310	1000~26000	19081.00	-66.74	0.21184	≤20	PASS
NTNV	11AC40SISO	Ant3	5310	1000~26000	22097.10	-67.03	0.19815	≤20	PASS
NTNV	11AC40MIMO	Ant1	5270	30~1000	34.12	-82.02	0.00628	≤4	PASS
NTNV	11AC40MIMO	Ant2	5270	30~1000	32.18	-81.56	0.00698	≤4	PASS
NTNV	11AC40MIMO	Ant3	5270	30~1000	34.61	-82.13	0.00612	≤4	PASS
NTNV	11AC40MIMO	total	5270	30~1000	---	---	0.01938	≤4	PASS
NTNV	11AC40MIMO	Ant1	5270	1000~26000	21558.30	-66.90	0.20417	≤20	PASS
NTNV	11AC40MIMO	Ant2	5270	1000~26000	22780.80	-66.89	0.20464	≤20	PASS
NTNV	11AC40MIMO	Ant3	5270	1000~26000	22097.10	-66.29	0.23496	≤20	PASS
NTNV	11AC40MIMO	total	5270	1000~26000	---	---	0.64377	≤20	PASS
NTNV	11AC40MIMO	Ant1	5310	30~1000	35.09	-81.63	0.00687	≤4	PASS
NTNV	11AC40MIMO	Ant2	5310	30~1000	35.09	-81.44	0.00718	≤4	PASS
NTNV	11AC40MIMO	Ant3	5310	30~1000	33.15	-80.73	0.00845	≤4	PASS
NTNV	11AC40MIMO	total	5310	30~1000	---	---	0.02250	≤4	PASS
NTNV	11AC40MIMO	Ant1	5310	1000~26000	23452.00	-66.93	0.20277	≤20	PASS
NTNV	11AC40MIMO	Ant2	5310	1000~26000	21968.30	-66.32	0.23335	≤20	PASS
NTNV	11AC40MIMO	Ant3	5310	1000~26000	21418.40	-66.81	0.20845	≤20	PASS


NTNV	11AC40MIMO	total	5310	1000~26000	---	---	0.64457	≤20	PASS
NTNV	11AC80SISO	Ant1	5290	30~1000	30.24	-81.27	0.00746	≤4	PASS
NTNV	11AC80SISO	Ant2	5290	30~1000	34.12	-82.17	0.00607	≤4	PASS
NTNV	11AC80SISO	Ant3	5290	30~1000	34.12	-81.67	0.00681	≤4	PASS
NTNV	11AC80SISO	Ant1	5290	1000~26000	21932.10	-67.08	0.19588	≤20	PASS
NTNV	11AC80SISO	Ant2	5290	1000~26000	22020.80	-66.28	0.23550	≤20	PASS
NTNV	11AC80SISO	Ant3	5290	1000~26000	21552.10	-67.24	0.18880	≤20	PASS
NTNV	11AC80MIMO	Ant1	5290	30~1000	35.09	-81.79	0.00662	≤4	PASS
NTNV	11AC80MIMO	Ant2	5290	30~1000	34.12	-80.75	0.00841	≤4	PASS
NTNV	11AC80MIMO	Ant3	5290	30~1000	35.09	-81.85	0.00653	≤4	PASS
NTNV	11AC80MIMO	total	5290	30~1000	---	---	0.02156	≤4	PASS
NTNV	11AC80MIMO	Ant1	5290	1000~26000	22138.30	-66.62	0.21777	≤20	PASS
NTNV	11AC80MIMO	Ant2	5290	1000~26000	18989.70	-65.85	0.26002	≤20	PASS
NTNV	11AC80MIMO	Ant3	5290	1000~26000	18819.70	-66.93	0.20277	≤20	PASS
NTNV	11AC80MIMO	total	5290	1000~26000	---	---	0.68056	≤20	PASS
NTNV	11AC160SISO	Ant1	5250	30~1000	36.06	-81.44	0.00718	≤4	PASS
NTNV	11AC160SISO	Ant2	5250	30~1000	34.61	-81.73	0.00671	≤4	PASS
NTNV	11AC160SISO	Ant3	5250	30~1000	35.09	-81.16	0.00766	≤4	PASS
NTNV	11AC160SISO	Ant1	5250	1000~26000	20988.40	-66.63	0.21727	≤20	PASS
NTNV	11AC160SISO	Ant2	5250	1000~26000	18667.20	-67.30	0.18621	≤20	PASS
NTNV	11AC160SISO	Ant3	5250	1000~26000	18884.70	-66.72	0.21281	≤20	PASS
NTNV	11AX20SISO	Ant1	5260	30~1000	34.61	-81.23	0.00753	≤4	PASS
NTNV	11AX20SISO	Ant2	5260	30~1000	35.57	-81.96	0.00637	≤4	PASS
NTNV	11AX20SISO	Ant3	5260	30~1000	33.15	-81.39	0.00726	≤4	PASS
NTNV	11AX20SISO	Ant1	5260	1000~26000	18688.50	-66.98	0.20045	≤20	PASS
NTNV	11AX20SISO	Ant2	5260	1000~26000	18758.50	-66.62	0.21777	≤20	PASS
NTNV	11AX20SISO	Ant3	5260	1000~26000	21458.40	-67.13	0.19364	≤20	PASS
NTNV	11AX20SISO	Ant1	5300	30~1000	33.15	-81.79	0.00662	≤4	PASS
NTNV	11AX20SISO	Ant2	5300	30~1000	35.09	-81.71	0.00675	≤4	PASS
NTNV	11AX20SISO	Ant3	5300	30~1000	33.64	-81.51	0.00706	≤4	PASS
NTNV	11AX20SISO	Ant1	5300	1000~26000	22103.30	-66.03	0.24946	≤20	PASS
NTNV	11AX20SISO	Ant2	5300	1000~26000	22169.60	-67.35	0.18408	≤20	PASS
NTNV	11AX20SISO	Ant3	5300	1000~26000	21975.80	-66.14	0.24322	≤20	PASS
NTNV	11AX20SISO	Ant1	5320	30~1000	34.61	-80.78	0.00836	≤4	PASS
NTNV	11AX20SISO	Ant2	5320	30~1000	34.12	-80.75	0.00841	≤4	PASS
NTNV	11AX20SISO	Ant3	5320	30~1000	34.12	-81.82	0.00658	≤4	PASS
NTNV	11AX20SISO	Ant1	5320	1000~26000	22019.60	-66.78	0.20989	≤20	PASS
NTNV	11AX20SISO	Ant2	5320	1000~26000	23514.50	-65.90	0.25704	≤20	PASS
NTNV	11AX20SISO	Ant3	5320	1000~26000	22050.80	-66.62	0.21777	≤20	PASS
NTNV	11AX20MIMO	Ant1	5260	30~1000	32.67	-80.61	0.00869	≤4	PASS
NTNV	11AX20MIMO	Ant2	5260	30~1000	35.57	-81.91	0.00644	≤4	PASS


NTNV	11AX20MIMO	Ant3	5260	30~1000	33.15	-81.67	0.00681	≤4	PASS
NTNV	11AX20MIMO	total	5260	30~1000	---	---	0.02194	≤4	PASS
NTNV	11AX20MIMO	Ant1	5260	1000~26000	18904.70	-67.36	0.18365	≤20	PASS
NTNV	11AX20MIMO	Ant2	5260	1000~26000	22132.10	-67.16	0.19231	≤20	PASS
NTNV	11AX20MIMO	Ant3	5260	1000~26000	18816.00	-66.34	0.23227	≤20	PASS
NTNV	11AX20MIMO	total	5260	1000~26000	---	---	0.60823	≤20	PASS
NTNV	11AX20MIMO	Ant1	5300	30~1000	34.61	-81.03	0.00789	≤4	PASS
NTNV	11AX20MIMO	Ant2	5300	30~1000	30.24	-82.05	0.00624	≤4	PASS
NTNV	11AX20MIMO	Ant3	5300	30~1000	32.67	-81.63	0.00687	≤4	PASS
NTNV	11AX20MIMO	total	5300	30~1000	---	---	0.02100	≤4	PASS
NTNV	11AX20MIMO	Ant1	5300	1000~26000	21517.10	-66.68	0.21478	≤20	PASS
NTNV	11AX20MIMO	Ant2	5300	1000~26000	18792.20	-66.84	0.20701	≤20	PASS
NTNV	11AX20MIMO	Ant3	5300	1000~26000	18997.20	-66.79	0.20941	≤20	PASS
NTNV	11AX20MIMO	total	5300	1000~26000	---	---	0.63120	≤20	PASS
NTNV	11AX20MIMO	Ant1	5320	30~1000	35.09	-82.41	0.00574	≤4	PASS
NTNV	11AX20MIMO	Ant2	5320	30~1000	33.15	-81.62	0.00689	≤4	PASS
NTNV	11AX20MIMO	Ant3	5320	30~1000	30.73	-81.39	0.00726	≤4	PASS
NTNV	11AX20MIMO	total	5320	30~1000	---	---	0.01989	≤4	PASS
NTNV	11AX20MIMO	Ant1	5320	1000~26000	21443.40	-66.94	0.20230	≤20	PASS
NTNV	11AX20MIMO	Ant2	5320	1000~26000	22073.30	-66.45	0.22646	≤20	PASS
NTNV	11AX20MIMO	Ant3	5320	1000~26000	2444.30	-64.50	0.35481	≤20	PASS
NTNV	11AX20MIMO	total	5320	1000~26000	---	---	0.78357	≤20	PASS
NTNV	11AX40SISO	Ant1	5270	30~1000	32.18	-80.67	0.00857	≤4	PASS
NTNV	11AX40SISO	Ant2	5270	30~1000	34.61	-82.00	0.00631	≤4	PASS
NTNV	11AX40SISO	Ant3	5270	30~1000	30.24	-81.62	0.00689	≤4	PASS
NTNV	11AX40SISO	Ant1	5270	1000~26000	22119.60	-67.46	0.17947	≤20	PASS
NTNV	11AX40SISO	Ant2	5270	1000~26000	22103.30	-66.40	0.22909	≤20	PASS
NTNV	11AX40SISO	Ant3	5270	1000~26000	22039.60	-66.82	0.20797	≤20	PASS
NTNV	11AX40SISO	Ant1	5310	30~1000	35.09	-81.33	0.00736	≤4	PASS
NTNV	11AX40SISO	Ant2	5310	30~1000	31.70	-81.91	0.00644	≤4	PASS
NTNV	11AX40SISO	Ant3	5310	30~1000	32.18	-81.88	0.00649	≤4	PASS
NTNV	11AX40SISO	Ant1	5310	1000~26000	22010.80	-67.39	0.18239	≤20	PASS
NTNV	11AX40SISO	Ant2	5310	1000~26000	21490.90	-66.52	0.22284	≤20	PASS
NTNV	11AX40SISO	Ant3	5310	1000~26000	22097.10	-67.10	0.19498	≤20	PASS
NTNV	11AX40MIMO	Ant1	5270	30~1000	35.57	-81.63	0.00687	≤4	PASS
NTNV	11AX40MIMO	Ant2	5270	30~1000	35.09	-81.15	0.00767	≤4	PASS
NTNV	11AX40MIMO	Ant3	5270	30~1000	35.09	-81.96	0.00637	≤4	PASS
NTNV	11AX40MIMO	total	5270	30~1000	---	---	0.02091	≤4	PASS
NTNV	11AX40MIMO	Ant1	5270	1000~26000	18837.20	-66.83	0.20749	≤20	PASS
NTNV	11AX40MIMO	Ant2	5270	1000~26000	18778.50	-66.73	0.21232	≤20	PASS
NTNV	11AX40MIMO	Ant3	5270	1000~26000	22147.10	-66.11	0.24491	≤20	PASS


NTNV	11AX40MIMO	total	5270	1000~26000	---	---	0.66472	≤20	PASS
NTNV	11AX40MIMO	Ant1	5310	30~1000	35.09	-81.75	0.00668	≤4	PASS
NTNV	11AX40MIMO	Ant2	5310	30~1000	34.61	-81.78	0.00664	≤4	PASS
NTNV	11AX40MIMO	Ant3	5310	30~1000	36.06	-81.99	0.00632	≤4	PASS
NTNV	11AX40MIMO	total	5310	30~1000	---	---	0.01964	≤4	PASS
NTNV	11AX40MIMO	Ant1	5310	1000~26000	21544.60	-66.50	0.22387	≤20	PASS
NTNV	11AX40MIMO	Ant2	5310	1000~26000	21997.10	-66.69	0.21429	≤20	PASS
NTNV	11AX40MIMO	Ant3	5310	1000~26000	22118.30	-66.54	0.22182	≤20	PASS
NTNV	11AX40MIMO	total	5310	1000~26000	---	---	0.65998	≤20	PASS
NTNV	11AX80SISO	Ant1	5290	30~1000	34.61	-81.26	0.00748	≤4	PASS
NTNV	11AX80SISO	Ant2	5290	30~1000	35.09	-81.70	0.00676	≤4	PASS
NTNV	11AX80SISO	Ant3	5290	30~1000	32.18	-81.84	0.00655	≤4	PASS
NTNV	11AX80SISO	Ant1	5290	1000~26000	22065.80	-66.31	0.23388	≤20	PASS
NTNV	11AX80SISO	Ant2	5290	1000~26000	18632.20	-66.88	0.20512	≤20	PASS
NTNV	11AX80SISO	Ant3	5290	1000~26000	22138.30	-66.83	0.20749	≤20	PASS
NTNV	11AX80MIMO	Ant1	5290	30~1000	35.57	-81.38	0.00728	≤4	PASS
NTNV	11AX80MIMO	Ant2	5290	30~1000	32.18	-81.90	0.00646	≤4	PASS
NTNV	11AX80MIMO	Ant3	5290	30~1000	32.18	-81.82	0.00658	≤4	PASS
NTNV	11AX80MIMO	total	5290	30~1000	---	---	0.02032	≤4	PASS
NTNV	11AX80MIMO	Ant1	5290	1000~26000	22067.10	-66.77	0.21038	≤20	PASS
NTNV	11AX80MIMO	Ant2	5290	1000~26000	18767.20	-67.12	0.19409	≤20	PASS
NTNV	11AX80MIMO	Ant3	5290	1000~26000	18792.20	-67.18	0.19143	≤20	PASS
NTNV	11AX80MIMO	total	5290	1000~26000	---	---	0.59590	≤20	PASS
NTNV	11AX160SISO	Ant1	5250	30~1000	36.06	-82.35	0.00582	≤4	PASS
NTNV	11AX160SISO	Ant2	5250	30~1000	32.67	-81.56	0.00698	≤4	PASS
NTNV	11AX160SISO	Ant3	5250	30~1000	35.09	-81.52	0.00705	≤4	PASS
NTNV	11AX160SISO	Ant1	5250	1000~26000	22115.80	-66.76	0.21086	≤20	PASS
NTNV	11AX160SISO	Ant2	5250	1000~26000	22065.80	-66.68	0.21478	≤20	PASS
NTNV	11AX160SISO	Ant3	5250	1000~26000	21543.30	-66.66	0.21577	≤20	PASS
NTNV	11AX160MIMO	Ant1	5250	30~1000	35.57	-81.93	0.00641	≤4	PASS
NTNV	11AX160MIMO	Ant2	5250	30~1000	30.73	-82.06	0.00622	≤4	PASS
NTNV	11AX160MIMO	Ant3	5250	30~1000	34.61	-81.96	0.00637	≤4	PASS
NTNV	11AX160MIMO	total	5250	30~1000	---	---	0.01900	≤4	PASS
NTNV	11AX160MIMO	Ant1	5250	1000~26000	21583.30	-66.60	0.21878	≤20	PASS
NTNV	11AX160MIMO	Ant2	5250	1000~26000	21878.30	-66.67	0.21528	≤20	PASS


NTNV	11AX160MIM O	Ant3	5250	1000~26000	21508.30	-67.19	0.19099	≤20	PASS
NTNV	11AX160MIM O	total	5250	1000~26000	---	---	0.62505	≤20	PASS


Test Graphs
















09:10:11 PM 03/18/2026

NTNV-11N20SISO-Ant1-5320-30~1000-PASS




09:21:45 PM 03/18/2026

NTNV-11N20SISO-Ant2-5320-30~1000-PASS




09:32:07 PM 03/18/2026

NTNV-11N20SISO-Ant3-5320-30~1000-PASS




09:10:21 PM 03/18/2026

NTNV-11N20SISO-Ant1-5320-1000~26000-PAS
S

09:21:56 PM 03/18/2026

NTNV-11N20SISO-Ant2-5320-1000~26000-PAS





09:32:17 PM 03/18/2026


NTNV-11N20SISO-Ant3-5320-1000~26000-PAS


S


S























 09-11-27 PM 03/18/2026	 09-25-09 PM 03/18/2026
NTNV-11AC20SISO-Ant1-5260-30~1000-PASS	NTNV-11AC20SISO-Ant2-5260-30~1000-PASS
 09-33-21 PM 03/18/2026	 09-11-38 PM 03/18/2026
NTNV-11AC20SISO-Ant3-5260-30~1000-PASS	NTNV-11AC20SISO-Ant1-5260-1000~26000-PA SS
 09-25-20 PM 03/18/2026	 09-33-31 PM 03/18/2026
NTNV-11AC20SISO-Ant2-5260-1000~26000-PA SS	NTNV-11AC20SISO-Ant3-5260-1000~26000-PA SS

