


802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5510MHz_TX




EUT_X_2TX
Setting 60
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	66.08	74.00	-7.92	5.22	3	Vertical	192	2.05	-
AV	5.459G	49.95	54.00	-4.05	5.22	3	Vertical	192	2.05	-
PK	5.4632G	68.14	68.20	-0.06	5.23	3	Vertical	192	2.05	-
PK	5.5154G	111.42	Inf	-Inf	5.42	3	Vertical	192	2.05	-
AV	5.5094G	100.12	Inf	-Inf	5.41	3	Vertical	192	2.05	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5510MHz_TX




EUT_X_2TX
Setting 60
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.417G	57.47	74.00	-16.53	5.06	3	Horizontal	140	1.87	-								
AV	5.4572G	45.17	54.00	-8.83	5.21	3	Horizontal	140	1.87	-								
PK	5.468G	56.76	68.20	-11.44	5.25	3	Horizontal	140	1.87	-								
PK	5.5082G	95.41	Inf	-Inf	5.41	3	Horizontal	140	1.87	-								
AV	5.5022G	84.33	Inf	-Inf	5.38	3	Horizontal	140	1.87	-								

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5550MHz_TX




EUT_X_2TX
Setting 82
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4582G	67.13	74.00	-6.87	5.21	3	Vertical	193	2.12	-
AV	5.4588G	52.51	54.00	-1.49	5.22	3	Vertical	193	2.12	-
PK	5.4696G	68.13	68.20	-0.07	5.26	3	Vertical	193	2.12	-
PK	5.5482G	116.36	Inf	-Inf	5.51	3	Vertical	193	2.12	-
AV	5.5422G	105.20	Inf	-Inf	5.48	3	Vertical	193	2.12	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5550MHz_TX




EUT_X_2TX
Setting 82
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4594G	57.92	74.00	-16.08	5.22	3	Horizontal	140	1.86	-
AV	5.4498G	45.66	54.00	-8.34	5.19	3	Horizontal	140	1.86	-
PK	5.4678G	57.50	68.20	-10.70	5.25	3	Horizontal	140	1.86	-
PK	5.5422G	99.89	Inf	-Inf	5.48	3	Horizontal	140	1.86	-
AV	5.5422G	88.63	Inf	-Inf	5.48	3	Horizontal	140	1.86	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5670MHz_TX




EUT_X_2TX
Setting 62
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6652G	112.90	Inf	-Inf	5.71	3	Vertical	193	2.15	-
AV	5.6754G	101.12	Inf	-Inf	5.72	3	Vertical	193	2.15	-
PK	5.7252G	68.01	68.20	-0.19	5.79	3	Vertical	193	2.15	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5670MHz_TX




EUT_X_2TX
Setting 62
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6562G	92.47	Inf	-Inf	5.70	3	Horizontal	106	2.07	-
AV	5.6562G	81.29	Inf	-Inf	5.70	3	Horizontal	106	2.07	-
PK	5.8152G	58.34	68.20	-9.86	6.08	3	Horizontal	106	2.07	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 94
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	59.58	74.00	-14.42	5.18	3	Vertical	189	2.12	-
PK	5.4616G	60.06	68.20	-8.14	5.22	3	Vertical	189	2.12	-
AV	5.4556G	47.81	54.00	-6.19	5.21	3	Vertical	189	2.12	-
PK	5.7076G	118.19	Inf	-Inf	5.76	3	Vertical	189	2.12	-
AV	5.7088G	106.75	Inf	-Inf	5.76	3	Vertical	189	2.12	-
PK	5.854G	68.17	68.20	-0.03	6.35	3	Vertical	189	2.12	-

802.11ax HEW40_Nss2,(MCS0)_2TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 94
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	56.63	74.00	-17.37	5.19	3	Horizontal	135	2.04	-
AV	5.4484G	44.96	54.00	-9.04	5.19	3	Horizontal	135	2.04	-
PK	5.4628G	56.59	68.20	-11.61	5.23	3	Horizontal	135	2.04	-
PK	5.7088G	99.20	Inf	-Inf	5.76	3	Horizontal	135	2.04	-
AV	5.7088G	87.89	Inf	-Inf	5.76	3	Horizontal	135	2.04	-
PK	5.8936G	58.69	68.20	-9.51	6.65	3	Horizontal	135	2.04	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5290MHz_TX




EUT_X_2TX
Setting 60
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	59.50	74.00	-14.50	4.25	3	Vertical	158	2.18	-
AV	5.143G	49.24	54.00	-4.76	4.24	3	Vertical	158	2.18	-
PK	5.299G	108.20	Inf	-Inf	4.62	3	Vertical	158	2.18	-
AV	5.294G	97.69	Inf	-Inf	4.62	3	Vertical	158	2.18	-
PK	5.368G	69.35	74.00	-4.65	4.87	3	Vertical	158	2.18	-
AV	5.352G	53.86	54.00	-0.14	4.82	3	Vertical	158	2.18	-
PK	5.486G	58.57	68.20	-9.63	5.33	3	Vertical	158	2.18	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5290MHz_TX




EUT_X_2TX
Setting 60
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.147G	56.75	74.00	-17.25	4.25	3	Horizontal	142	1.92	-
AV	5.076G	46.41	54.00	-7.59	4.25	3	Horizontal	142	1.92	-
PK	5.263G	92.67	Inf	-Inf	4.50	3	Horizontal	142	1.92	-
AV	5.303G	81.90	Inf	-Inf	4.65	3	Horizontal	142	1.92	-
PK	5.388G	58.48	74.00	-15.52	4.94	3	Horizontal	142	1.92	-
AV	5.37G	46.93	54.00	-7.07	4.88	3	Horizontal	142	1.92	-
PK	5.532G	57.97	68.20	-10.23	5.46	3	Horizontal	142	1.92	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5530MHz_TX




EUT_X_2TX
Setting 56
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.347G	58.61	68.20	-9.59	4.81	3	Vertical	193	2.13	-
PK	5.453G	64.29	74.00	-9.71	5.19	3	Vertical	193	2.13	-
AV	5.452G	50.07	54.00	-3.93	5.19	3	Vertical	193	2.13	-
PK	5.467G	68.14	68.20	-0.06	5.25	3	Vertical	193	2.13	-
PK	5.55G	107.87	Inf	-Inf	5.51	3	Vertical	193	2.13	-
AV	5.522G	98.19	Inf	-Inf	5.44	3	Vertical	193	2.13	-
PK	5.751G	59.21	68.20	-8.99	5.85	3	Vertical	193	2.13	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5530MHz_TX




EUT_X_2TX
Setting 56
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.331G	56.98	68.20	-11.22	4.75	3	Horizontal	235	1.01	-
PK	5.392G	57.66	74.00	-16.34	4.97	3	Horizontal	235	1.01	-
PK	5.465G	57.70	68.20	-10.50	5.25	3	Horizontal	235	1.01	-
AV	5.437G	46.51	54.00	-7.49	5.14	3	Horizontal	235	1.01	-
PK	5.517G	92.98	Inf	-Inf	5.42	3	Horizontal	235	1.01	-
AV	5.521G	82.21	Inf	-Inf	5.44	3	Horizontal	235	1.01	-
PK	5.752G	58.20	68.20	-10.00	5.85	3	Horizontal	235	1.01	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5610MHz_TX




EUT_X_2TX
Setting 67
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	64.33	74.00	-9.67	5.21	3	Vertical	190	2.19	-
AV	5.455G	51.42	54.00	-2.58	5.20	3	Vertical	190	2.19	-
PK	5.464G	63.47	68.20	-4.73	5.23	3	Vertical	190	2.19	-
PK	5.599G	111.22	Inf	-Inf	5.64	3	Vertical	190	2.19	-
AV	5.599G	100.44	Inf	-Inf	5.64	3	Vertical	190	2.19	-
PK	5.727G	68.05	68.20	-0.15	5.79	3	Vertical	190	2.19	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5610MHz_TX




EUT_X_2TX
Setting 67
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.423G	57.91	74.00	-16.09	5.08	3	Horizontal	231	1.07	-
AV	5.399G	46.63	54.00	-7.37	4.99	3	Horizontal	231	1.07	-
PK	5.467G	56.96	68.20	-11.24	5.25	3	Horizontal	231	1.07	-
PK	5.63G	95.31	Inf	-Inf	5.67	3	Horizontal	231	1.07	-
AV	5.635G	84.97	Inf	-Inf	5.67	3	Horizontal	231	1.07	-
PK	5.731G	58.85	68.20	-9.35	5.80	3	Horizontal	231	1.07	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 75
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	60.30	74.00	-13.70	5.21	3	Vertical	191	2.11	-
AV	5.4548G	49.86	54.00	-4.14	5.19	3	Vertical	191	2.11	-
PK	5.4608G	61.83	68.20	-6.37	5.22	3	Vertical	191	2.11	-
PK	5.6984G	113.41	Inf	-Inf	5.74	3	Vertical	191	2.11	-
AV	5.6756G	103.05	Inf	-Inf	5.72	3	Vertical	191	2.11	-
PK	5.8556G	68.17	68.20	-0.03	6.36	3	Vertical	191	2.11	-

802.11ax HEW80_Nss2,(MCS0)_2TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 75
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4392G	57.01	74.00	-16.99	5.15	3	Horizontal	229	2.01	-
AV	5.4572G	46.58	54.00	-7.42	5.21	3	Horizontal	229	2.01	-
PK	5.4644G	56.29	68.20	-11.91	5.23	3	Horizontal	229	2.01	-
PK	5.6816G	96.33	Inf	-Inf	5.72	3	Horizontal	229	2.01	-
AV	5.678G	86.37	Inf	-Inf	5.72	3	Horizontal	229	2.01	-
PK	5.966G	59.67	68.20	-8.53	7.00	3	Horizontal	229	2.01	-

802.11ax HEW160_Nss2,(MCS0)_2TX

05/03/2019

5570MHz_TX




EUT_X_2TX
Setting 51
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3268G	59.24	68.20	-8.96	4.74	3	Vertical	188	2.10	-
PK	5.4516G	68.65	74.00	-5.35	5.18	3	Vertical	188	2.10	-
PK	5.4628G	65.79	68.20	-2.41	5.23	3	Vertical	188	2.10	-
AV	5.458G	53.19	54.00	-0.81	5.21	3	Vertical	188	2.10	-
PK	5.5796G	105.10	Inf	-Inf	5.58	3	Vertical	188	2.10	-
AV	5.5588G	94.52	Inf	-Inf	5.54	3	Vertical	188	2.10	-
PK	5.73G	68.15	68.20	-0.05	5.80	3	Vertical	188	2.10	-

802.11ax HEW160_Nss2,(MCS0)_2TX

05/03/2019

5570MHz_TX



EUT_X_2TX
Setting 51
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2564G	56.72	68.20	-11.48	4.48	3	Horizontal	231	1.01	-
PK	5.37G	56.73	74.00	-17.27	4.88	3	Horizontal	231	1.01	-
AV	5.4164G	46.82	54.00	-7.18	5.06	3	Horizontal	231	1.01	-
PK	5.4644G	56.42	68.20	-11.78	5.23	3	Horizontal	231	1.01	-
PK	5.578G	87.91	Inf	-Inf	5.58	3	Horizontal	231	1.01	-
AV	5.586G	78.70	Inf	-Inf	5.60	3	Horizontal	231	1.01	-
PK	5.9412G	58.75	68.20	-9.45	6.88	3	Horizontal	231	1.01	-



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.5


For Non-beamforming / 4T1S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.3516G	73.99	74.00	-0.01	4.81	3	Vertical	160	2.19	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 85
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1226G	62.57	74.00	-11.43	4.23	3	Vertical	201	2.13	-
AV	5.1484G	48.78	54.00	-5.22	4.25	3	Vertical	201	2.13	-
PK	5.2534G	123.96	Inf	-Inf	4.47	3	Vertical	201	2.13	-
AV	5.2534G	114.54	Inf	-Inf	4.47	3	Vertical	201	2.13	-
PK	5.353G	61.66	74.00	-12.34	4.82	3	Vertical	201	2.13	-
AV	5.35G	48.89	54.00	-5.11	4.81	3	Vertical	201	2.13	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 85
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1388G	56.90	74.00	-17.10	4.24	3	Horizontal	215	1.93	-
AV	5.136G	44.25	54.00	-9.75	4.22	3	Horizontal	215	1.93	-
PK	5.2624G	106.73	Inf	-Inf	4.50	3	Horizontal	215	1.93	-
AV	5.2624G	96.93	Inf	-Inf	4.50	3	Horizontal	215	1.93	-
PK	5.392G	56.85	74.00	-17.15	4.97	3	Horizontal	215	1.93	-
AV	5.3986G	44.57	54.00	-9.43	4.99	3	Horizontal	215	1.93	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3036G	123.63	Inf	-Inf	4.65	3	Vertical	160	2.19	-
AV	5.3042G	114.39	Inf	-Inf	4.65	3	Vertical	160	2.19	-
PK	5.3516G	73.99	74.00	-0.01	4.81	3	Vertical	160	2.19	-
AV	5.3504G	52.81	54.00	-1.19	4.81	3	Vertical	160	2.19	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 84
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3036G	106.00	Inf	-Inf	4.65	3	Horizontal	217	1.72	-
AV	5.3042G	96.55	Inf	-Inf	4.65	3	Horizontal	217	1.72	-
PK	5.4482G	57.28	74.00	-16.72	5.18	3	Horizontal	217	1.72	-
AV	5.4086G	44.79	54.00	-9.21	5.03	3	Horizontal	217	1.72	-

802.11a_Nss1.(6Mbps)_4TX

05/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 68
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3236G	120.52	Inf	-Inf	4.72	3	Vertical	160	2.16	-
AV	5.324G	111.52	Inf	-Inf	4.72	3	Vertical	160	2.16	-
PK	5.35G	73.79	74.00	-0.21	4.81	3	Vertical	160	2.16	-
AV	5.35G	51.71	54.00	-2.29	4.81	3	Vertical	160	2.16	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5320MHz_TX




EUT Z_4TX
Setting 68
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3248G	101.96	Inf	-Inf	4.72	3	Horizontal	218	1.69	-
AV	5.3244G	92.43	Inf	-Inf	4.72	3	Horizontal	218	1.69	-
PK	5.3504G	57.78	74.00	-16.22	4.81	3	Horizontal	218	1.69	-
AV	5.4112G	44.68	54.00	-9.32	5.03	3	Horizontal	218	1.69	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 51
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4596G	60.90	74.00	-13.10	5.22	3	Vertical	191	2.16	-								
AV	5.458G	47.17	54.00	-6.83	5.21	3	Vertical	191	2.16	-								
PK	5.4684G	68.14	68.20	-0.06	5.26	3	Vertical	191	2.16	-								
PK	5.5064G	117.09	Inf	-Inf	5.40	3	Vertical	191	2.16	-								
AV	5.5068G	107.48	Inf	-Inf	5.40	3	Vertical	191	2.16	-								

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 51
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4184G	57.29	74.00	-16.71	5.07	3	Horizontal	109	1.37	-
AV	5.4108G	44.74	54.00	-9.26	5.03	3	Horizontal	109	1.37	-
PK	5.4648G	58.09	68.20	-10.11	5.23	3	Horizontal	109	1.37	-
PK	5.4956G	99.11	Inf	-Inf	5.37	3	Horizontal	109	1.37	-
AV	5.4956G	89.60	Inf	-Inf	5.37	3	Horizontal	109	1.37	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 88
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4104G	61.87	74.00	-12.13	5.03	3	Vertical	174	2.21	-
AV	5.4136G	49.31	54.00	-4.69	5.04	3	Vertical	174	2.21	-
PK	5.4688G	62.13	68.20	-6.07	5.26	3	Vertical	174	2.21	-
PK	5.5736G	125.40	Inf	-Inf	5.58	3	Vertical	174	2.21	-
AV	5.5736G	116.02	Inf	-Inf	5.58	3	Vertical	174	2.21	-
PK	5.736G	62.16	68.20	-6.04	5.81	3	Vertical	174	2.21	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 88
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4352G	57.59	74.00	-16.41	5.14	3	Horizontal	110	1.59	-
AV	5.4168G	44.84	54.00	-9.16	5.06	3	Horizontal	110	1.59	-
PK	5.4672G	58.27	68.20	-9.93	5.25	3	Horizontal	110	1.59	-
PK	5.5752G	105.77	Inf	-Inf	5.57	3	Horizontal	110	1.59	-
AV	5.5752G	95.75	Inf	-Inf	5.57	3	Horizontal	110	1.59	-
PK	5.7432G	58.32	68.20	-9.88	5.84	3	Horizontal	110	1.59	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5700MHz_TX




EUT_Z_4TX
Setting 47
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7072G	116.83	Inf	-Inf	5.75	3	Vertical	166	2.14	-
AV	5.7078G	107.57	Inf	-Inf	5.76	3	Vertical	166	2.14	-
PK	5.7264G	68.16	68.20	-0.04	5.79	3	Vertical	166	2.14	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5700MHz_TX




EUT_Z_4TX
Setting 47
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6934G	96.59	Inf	-Inf	5.73	3	Horizontal	199	1.98	-
AV	5.6934G	87.20	Inf	-Inf	5.73	3	Horizontal	199	1.98	-
PK	5.808G	59.02	68.20	-9.18	6.02	3	Horizontal	199	1.98	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 88
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	60.38	74.00	-13.62	5.16	3	Vertical	174	2.24	-
AV	5.4524G	48.11	54.00	-5.89	5.19	3	Vertical	174	2.24	-
PK	5.4632G	59.88	68.20	-8.32	5.23	3	Vertical	174	2.24	-
PK	5.714G	125.40	Inf	-Inf	5.78	3	Vertical	174	2.24	-
AV	5.714G	115.65	Inf	-Inf	5.78	3	Vertical	174	2.24	-
PK	5.9456G	62.00	68.20	-6.20	6.91	3	Vertical	174	2.24	-

802.11a_Nss1,(6Mbps)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 88
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4272G	57.12	74.00	-16.88	5.10	3	Horizontal	99	1.20	-
AV	5.4464G	44.59	54.00	-9.41	5.18	3	Horizontal	99	1.20	-
PK	5.4644G	56.92	68.20	-11.28	5.23	3	Horizontal	99	1.20	-
PK	5.714G	105.75	Inf	-Inf	5.78	3	Horizontal	99	1.20	-
AV	5.714G	95.84	Inf	-Inf	5.78	3	Horizontal	99	1.20	-
PK	5.9648G	58.80	68.20	-9.40	6.99	3	Horizontal	99	1.20	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1148G	61.83	74.00	-12.17	4.22	3	Vertical	202	2.21	-
AV	5.1226G	49.02	54.00	-4.98	4.23	3	Vertical	202	2.21	-
PK	5.257G	126.10	Inf	-Inf	4.48	3	Vertical	202	2.21	-
AV	5.2618G	114.45	Inf	-Inf	4.50	3	Vertical	202	2.21	-
PK	5.353G	62.65	74.00	-11.35	4.82	3	Vertical	202	2.21	-
AV	5.353G	49.48	54.00	-4.52	4.82	3	Vertical	202	2.21	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.11G	56.91	74.00	-17.09	4.23	3	Horizontal	131	1.61	-
AV	5.1358G	44.22	54.00	-9.78	4.25	3	Horizontal	131	1.61	-
PK	5.2684G	106.79	Inf	-Inf	4.53	3	Horizontal	131	1.61	-
AV	5.263G	95.68	Inf	-Inf	4.50	3	Horizontal	131	1.61	-
PK	5.3938G	56.97	74.00	-17.03	4.97	3	Horizontal	131	1.61	-
AV	5.4022G	44.66	54.00	-9.34	5.00	3	Horizontal	131	1.61	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 82
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3084G	125.15	Inf	-Inf	4.68	3	Vertical	192	2.17	-
AV	5.2982G	112.15	Inf	-Inf	4.63	3	Vertical	192	2.17	-
PK	5.3534G	73.95	74.00	-0.05	4.82	3	Vertical	192	2.17	-
AV	5.3534G	53.12	54.00	-0.88	4.82	3	Vertical	192	2.17	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5300MHz_TX




EUT Z_4TX
Setting 82
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3054G	106.57	Inf	-Inf	4.66	3	Horizontal	156	1.06	-
AV	5.2952G	94.55	Inf	-Inf	4.63	3	Horizontal	156	1.06	-
PK	5.369G	57.60	74.00	-16.40	4.88	3	Horizontal	156	1.06	-
AV	5.3504G	44.16	54.00	-9.84	4.81	3	Horizontal	156	1.06	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 64
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3284G	120.84	Inf	-Inf	4.75	3	Vertical	192	2.16	-
AV	5.3236G	107.95	Inf	-Inf	4.72	3	Vertical	192	2.16	-
PK	5.354G	73.87	74.00	-0.13	4.82	3	Vertical	192	2.16	-
AV	5.354G	51.44	54.00	-2.56	4.82	3	Vertical	192	2.16	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 64
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	102.72	Inf	-Inf	4.74	3	Horizontal	213	1.72	-
AV	5.3252G	89.28	Inf	-Inf	4.74	3	Horizontal	213	1.72	-
PK	5.3508G	57.54	74.00	-16.46	4.81	3	Horizontal	213	1.72	-
AV	5.3508G	44.22	54.00	-9.78	4.81	3	Horizontal	213	1.72	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	63.39	74.00	-10.61	5.22	3	Vertical	192	2.09	-
AV	5.4584G	46.76	54.00	-7.24	5.22	3	Vertical	192	2.09	-
PK	5.4684G	67.97	68.20	-0.23	5.26	3	Vertical	192	2.09	-
PK	5.4932G	118.82	Inf	-Inf	5.35	3	Vertical	192	2.09	-
AV	5.4984G	106.46	Inf	-Inf	5.38	3	Vertical	192	2.09	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4436G	57.79	74.00	-16.21	5.16	3	Horizontal	106	1.60	-
AV	5.456G	44.03	54.00	-9.97	5.21	3	Horizontal	106	1.60	-
PK	5.4676G	57.36	68.20	-10.84	5.25	3	Horizontal	106	1.60	-
PK	5.4968G	101.37	Inf	-Inf	5.37	3	Horizontal	106	1.60	-
AV	5.4968G	87.51	Inf	-Inf	5.37	3	Horizontal	106	1.60	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 92
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4552G	61.84	74.00	-12.16	5.21	3	Vertical	200	2.10	-
AV	5.4152G	48.39	54.00	-5.61	5.06	3	Vertical	200	2.10	-
PK	5.4696G	62.11	68.20	-6.09	5.26	3	Vertical	200	2.10	-
PK	5.5768G	127.42	Inf	-Inf	5.57	3	Vertical	200	2.10	-
AV	5.5816G	113.93	Inf	-Inf	5.59	3	Vertical	200	2.10	-
PK	5.736G	62.04	68.20	-6.16	5.81	3	Vertical	200	2.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 92
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3968G	57.19	74.00	-16.81	4.98	3	Horizontal	242	1.50	-
AV	5.4592G	44.01	54.00	-9.99	5.22	3	Horizontal	242	1.50	-
PK	5.464G	57.11	68.20	-11.09	5.23	3	Horizontal	242	1.50	-
PK	5.5832G	105.20	Inf	-Inf	5.60	3	Horizontal	242	1.50	-
AV	5.5832G	93.24	Inf	-Inf	5.60	3	Horizontal	242	1.50	-
PK	5.7312G	58.14	68.20	-10.06	5.80	3	Horizontal	242	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT Z_4TX
Setting 39
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6932G	116.95	Inf	-Inf	5.73	3	Vertical	163	2.20	-
AV	5.6984G	104.41	Inf	-Inf	5.74	3	Vertical	163	2.20	-
PK	5.728G	68.15	68.20	-0.05	5.80	3	Vertical	163	2.20	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT_Z_4TX
Setting 39
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6968G	97.11	Inf	-Inf	5.74	3	Horizontal	199	1.98	-
AV	5.6964G	84.56	Inf	-Inf	5.74	3	Horizontal	199	1.98	-
PK	5.7524G	58.71	68.20	-9.49	5.85	3	Horizontal	199	1.98	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 92
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	60.42	74.00	-13.58	5.19	3	Vertical	166	2.09	-
AV	5.4536G	48.32	54.00	-5.68	5.19	3	Vertical	166	2.09	-
PK	5.4692G	60.47	68.20	-7.73	5.26	3	Vertical	166	2.09	-
PK	5.714G	125.87	Inf	-Inf	5.78	3	Vertical	166	2.09	-
AV	5.7188G	115.69	Inf	-Inf	5.79	3	Vertical	166	2.09	-
PK	5.894G	62.63	68.20	-5.57	6.65	3	Vertical	166	2.09	-

802.11ax HEW20_Nss1,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 92
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	57.14	74.00	-16.86	5.19	3	Horizontal	199	1.93	-
AV	5.4428G	44.70	54.00	-9.30	5.16	3	Horizontal	199	1.93	-
PK	5.4644G	56.68	68.20	-11.52	5.23	3	Horizontal	199	1.93	-
PK	5.7164G	107.14	Inf	-Inf	5.78	3	Horizontal	199	1.93	-
AV	5.7164G	95.15	Inf	-Inf	5.78	3	Horizontal	199	1.93	-
PK	5.9456G	59.75	68.20	-8.45	6.91	3	Horizontal	199	1.93	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT_Z_4TX
Setting 73
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1314G	61.87	74.00	-12.13	4.24	3	Vertical	202	2.08	-
AV	5.1314G	49.29	54.00	-4.71	4.24	3	Vertical	202	2.08	-
PK	5.2622G	120.77	Inf	-Inf	4.50	3	Vertical	202	2.08	-
AV	5.2772G	108.79	Inf	-Inf	4.55	3	Vertical	202	2.08	-
PK	5.3636G	69.24	74.00	-4.76	4.86	3	Vertical	202	2.08	-
AV	5.3516G	53.78	54.00	-0.22	4.81	3	Vertical	202	2.08	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT_Z_4TX
Setting 73
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1242G	57.27	74.00	-16.73	4.23	3	Horizontal	130	1.77	-
AV	5.1398G	44.59	54.00	-9.41	4.24	3	Horizontal	130	1.77	-
PK	5.2784G	101.47	Inf	-Inf	4.56	3	Horizontal	130	1.77	-
AV	5.2778G	89.71	Inf	-Inf	4.55	3	Horizontal	130	1.77	-
PK	5.414G	56.99	74.00	-17.01	5.04	3	Horizontal	130	1.77	-
AV	5.4164G	45.27	54.00	-8.73	5.06	3	Horizontal	130	1.77	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT_Z_4TX
Setting 57
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3232G	115.38	Inf	-Inf	4.72	3	Vertical	192	2.20	-
AV	5.3034G	104.43	Inf	-Inf	4.65	3	Vertical	192	2.20	-
PK	5.3532G	72.18	74.00	-1.82	4.82	3	Vertical	192	2.20	-
AV	5.3532G	53.77	54.00	-0.23	4.82	3	Vertical	192	2.20	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT_Z_4TX
Setting 57
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3202G	97.44	Inf	-Inf	4.71	3	Horizontal	212	1.11	-
AV	5.3058G	86.28	Inf	-Inf	4.66	3	Horizontal	212	1.11	-
PK	5.358G	57.71	74.00	-16.29	4.83	3	Horizontal	212	1.11	-
AV	5.445G	45.39	54.00	-8.61	5.18	3	Horizontal	212	1.11	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4584G	65.70	74.00	-8.30	5.22	3	Vertical	192	2.14	-								
AV	5.4584G	51.73	54.00	-2.27	5.22	3	Vertical	192	2.14	-								
PK	5.4686G	67.99	68.20	-0.21	5.26	3	Vertical	192	2.14	-								
PK	5.5034G	115.31	Inf	-Inf	5.39	3	Vertical	192	2.14	-								
AV	5.5136G	105.29	Inf	-Inf	5.42	3	Vertical	192	2.14	-								

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4458G	57.67	74.00	-16.33	5.18	3	Horizontal	107	1.04	-								
AV	5.4572G	45.32	54.00	-8.68	5.21	3	Horizontal	107	1.04	-								
PK	5.4692G	58.33	68.20	-9.87	5.26	3	Horizontal	107	1.04	-								
PK	5.5022G	98.05	Inf	-Inf	5.38	3	Horizontal	107	1.04	-								
AV	5.4926G	85.80	Inf	-Inf	5.35	3	Horizontal	107	1.04	-								

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 70
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.457G	64.58	74.00	-9.42	5.21	3	Vertical	201	2.15	-								
AV	5.457G	51.08	54.00	-2.92	5.21	3	Vertical	201	2.15	-								
PK	5.4666G	68.17	68.20	-0.03	5.25	3	Vertical	201	2.15	-								
PK	5.5422G	120.99	Inf	-Inf	5.48	3	Vertical	201	2.15	-								
AV	5.5416G	109.41	Inf	-Inf	5.48	3	Vertical	201	2.15	-								

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 70
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4258G	57.68	74.00	-16.32	5.10	3	Horizontal	109	1.47	-
AV	5.4318G	45.43	54.00	-8.57	5.12	3	Horizontal	109	1.47	-
PK	5.4624G	57.39	68.20	-10.81	5.23	3	Horizontal	109	1.47	-
PK	5.5422G	102.18	Inf	-Inf	5.48	3	Horizontal	109	1.47	-
AV	5.5422G	89.86	Inf	-Inf	5.48	3	Horizontal	109	1.47	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT Z_4TX
Setting 55
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6838G	116.99	Inf	-Inf	5.72	3	Vertical	166	2.03	-
AV	5.6736G	106.58	Inf	-Inf	5.71	3	Vertical	166	2.03	-
PK	5.7282G	68.14	68.20	-0.06	5.80	3	Vertical	166	2.03	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT Z_4TX
Setting 55
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6718G	98.09	Inf	-Inf	5.71	3	Horizontal	103	1.01	-
AV	5.6766G	87.03	Inf	-Inf	5.72	3	Horizontal	103	1.01	-
PK	5.769G	58.75	68.20	-9.45	5.90	3	Horizontal	103	1.01	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 83
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4184G	60.94	74.00	-13.06	5.07	3	Vertical	172	2.14	-
AV	5.4388G	48.09	54.00	-5.91	5.15	3	Vertical	172	2.14	-
PK	5.47G	61.10	68.20	-7.10	5.26	3	Vertical	172	2.14	-
PK	5.7256G	122.35	Inf	-Inf	5.79	3	Vertical	172	2.14	-
AV	5.716G	111.44	Inf	-Inf	5.78	3	Vertical	172	2.14	-
PK	5.85G	68.11	68.20	-0.09	6.33	3	Vertical	172	2.14	-

802.11ax HEW40_Nss1,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 83
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4148G	57.43	74.00	-16.57	5.04	3	Horizontal	199	1.95	-
AV	5.4472G	44.61	54.00	-9.39	5.18	3	Horizontal	199	1.95	-
PK	5.4628G	56.87	68.20	-11.33	5.23	3	Horizontal	199	1.95	-
PK	5.7124G	102.15	Inf	-Inf	5.76	3	Horizontal	199	1.95	-
AV	5.7172G	91.35	Inf	-Inf	5.78	3	Horizontal	199	1.95	-
PK	5.9596G	59.91	68.20	-8.29	6.97	3	Horizontal	199	1.95	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.111G	59.44	74.00	-14.56	4.23	3	Vertical	201	2.17	-
AV	5.138G	47.62	54.00	-6.38	4.24	3	Vertical	201	2.17	-
PK	5.317G	111.83	Inf	-Inf	4.70	3	Vertical	201	2.17	-
AV	5.302G	100.92	Inf	-Inf	4.65	3	Vertical	201	2.17	-
PK	5.352G	66.12	74.00	-7.88	4.82	3	Vertical	201	2.17	-
AV	5.352G	53.89	54.00	-0.11	4.82	3	Vertical	201	2.17	-
PK	5.526G	58.73	68.20	-9.47	5.44	3	Vertical	201	2.17	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 54
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.071G	56.42	74.00	-17.58	4.26	3	Horizontal	137	1.04	-
AV	5.045G	44.72	54.00	-9.28	4.31	3	Horizontal	137	1.04	-
PK	5.289G	93.67	Inf	-Inf	4.60	3	Horizontal	137	1.04	-
AV	5.304G	82.25	Inf	-Inf	4.65	3	Horizontal	137	1.04	-
PK	5.352G	56.98	74.00	-17.02	4.82	3	Horizontal	137	1.04	-
AV	5.401G	45.16	54.00	-8.84	4.99	3	Horizontal	137	1.04	-
PK	5.535G	57.39	68.20	-10.81	5.47	3	Horizontal	137	1.04	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 51
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.34G	59.16	68.20	-9.04	4.78	3	Vertical	200	2.04	-
PK	5.456G	65.13	74.00	-8.87	5.21	3	Vertical	200	2.04	-
AV	5.456G	53.77	54.00	-0.23	5.21	3	Vertical	200	2.04	-
PK	5.466G	64.93	68.20	-3.27	5.25	3	Vertical	200	2.04	-
PK	5.522G	111.95	Inf	-Inf	5.44	3	Vertical	200	2.04	-
AV	5.542G	101.30	Inf	-Inf	5.48	3	Vertical	200	2.04	-
PK	5.754G	59.17	68.20	-9.03	5.86	3	Vertical	200	2.04	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 51
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.282G	56.97	68.20	-11.23	4.58	3	Horizontal	108	1.40	-
PK	5.412G	57.47	74.00	-16.53	5.04	3	Horizontal	108	1.40	-
AV	5.458G	45.43	54.00	-8.57	5.21	3	Horizontal	108	1.40	-
PK	5.463G	57.03	68.20	-11.17	5.23	3	Horizontal	108	1.40	-
PK	5.517G	92.59	Inf	-Inf	5.42	3	Horizontal	108	1.40	-
AV	5.522G	82.27	Inf	-Inf	5.44	3	Horizontal	108	1.40	-
PK	5.754G	57.85	68.20	-10.35	5.86	3	Horizontal	108	1.40	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 61
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.55	74.00	-11.45	5.22	3	Vertical	200	2.22	-
AV	5.46G	50.35	54.00	-3.65	5.22	3	Vertical	200	2.22	-
PK	5.469G	64.43	68.20	-3.77	5.26	3	Vertical	200	2.22	-
PK	5.637G	115.85	Inf	-Inf	5.68	3	Vertical	200	2.22	-
AV	5.602G	104.28	Inf	-Inf	5.64	3	Vertical	200	2.22	-
PK	5.727G	68.09	68.20	-0.11	5.79	3	Vertical	200	2.22	-

802.11ax HEW80_Nss1,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 61
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.384G	56.89	74.00	-17.11	4.93	3	Horizontal	242	1.48	-
AV	5.436G	45.42	54.00	-8.58	5.14	3	Horizontal	242	1.48	-
PK	5.468G	56.53	68.20	-11.67	5.25	3	Horizontal	242	1.48	-
PK	5.588G	92.51	Inf	-Inf	5.61	3	Horizontal	242	1.48	-
AV	5.583G	82.70	Inf	-Inf	5.60	3	Horizontal	242	1.48	-
PK	5.824G	59.04	68.20	-9.16	6.13	3	Horizontal	242	1.48	-

802.11ax HEW80_Nss1,(MCS0)_4TX

06/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 68
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	60.89	74.00	-13.11	5.21	3	Vertical	200	2.12	-
AV	5.4536G	48.70	54.00	-5.30	5.19	3	Vertical	200	2.12	-
PK	5.4656G	60.28	68.20	-7.92	5.25	3	Vertical	200	2.12	-
PK	5.6816G	116.46	Inf	-Inf	5.72	3	Vertical	200	2.12	-
AV	5.6816G	106.29	Inf	-Inf	5.72	3	Vertical	200	2.12	-
PK	5.858G	67.96	68.20	-0.24	6.39	3	Vertical	200	2.12	-

802.11ax HEW80_Nss1,(MCS0)_4TX

06/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 68
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	57.43	74.00	-16.57	5.19	3	Horizontal	198	1.50	-
AV	5.4512G	45.47	54.00	-8.53	5.18	3	Horizontal	198	1.50	-
PK	5.4668G	57.20	68.20	-11.00	5.25	3	Horizontal	198	1.50	-
PK	5.6816G	95.56	Inf	-Inf	5.72	3	Horizontal	198	1.50	-
AV	5.6816G	84.73	Inf	-Inf	5.72	3	Horizontal	198	1.50	-
PK	5.9072G	60.49	68.20	-7.71	6.73	3	Horizontal	198	1.50	-

802.11ax HEW160_Nss1,(MCS0)_4TX

06/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 45
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	66.05	74.00	-7.95	4.25	3	Vertical	192	2.17	-
AV	5.1348G	53.95	54.00	-0.05	4.24	3	Vertical	192	2.17	-
PK	5.234G	108.63	Inf	-Inf	4.39	3	Vertical	192	2.17	-
AV	5.2388G	97.95	Inf	-Inf	4.42	3	Vertical	192	2.17	-
PK	5.3844G	62.77	74.00	-11.23	4.93	3	Vertical	192	2.17	-
AV	5.378G	51.45	54.00	-2.55	4.91	3	Vertical	192	2.17	-
PK	5.4948G	59.17	68.20	-9.03	5.35	3	Vertical	192	2.17	-

802.11ax HEW160_Nss1,(MCS0)_4TX

19/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 45
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.042G	57.75	74.00	-16.25	4.32	3	Horizontal	132	1.00	-
AV	4.9652G	46.97	54.00	-7.03	4.23	3	Horizontal	132	1.00	-
PK	5.1956G	89.84	Inf	-Inf	4.27	3	Horizontal	132	1.00	-
AV	5.2132G	79.48	Inf	-Inf	4.32	3	Horizontal	132	1.00	-
PK	5.442G	57.28	74.00	-16.72	5.16	3	Horizontal	132	1.00	-
AV	5.426G	46.65	54.00	-7.35	5.10	3	Horizontal	132	1.00	-
PK	5.5924G	58.63	68.20	-9.57	5.61	3	Horizontal	132	1.00	-

802.11ax HEW160_Nss1,(MCS0)_4TX

06/03/2019

5570MHz_TX




EUT_Z_4TX
Setting 48
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3156G	60.61	68.20	-7.59	4.70	3	Vertical	190	2.21	-
PK	5.4148G	65.21	74.00	-8.79	5.04	3	Vertical	190	2.21	-
AV	5.4564G	53.78	54.00	-0.22	5.21	3	Vertical	190	2.21	-
PK	5.4692G	64.51	68.20	-3.69	5.26	3	Vertical	190	2.21	-
PK	5.5524G	110.13	Inf	-Inf	5.51	3	Vertical	190	2.21	-
AV	5.5588G	99.63	Inf	-Inf	5.54	3	Vertical	190	2.21	-
PK	5.7252G	66.73	68.20	-1.47	5.79	3	Vertical	190	2.21	-

802.11ax HEW160_Nss1,(MCS0)_4TX

06/03/2019

5570MHz_TX



EUT_Z_4TX
Setting 48
01-E-4-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.338G	56.79	68.20	-11.41	4.77	3	Horizontal	125	1.04	-
PK	5.4388G	57.15	74.00	-16.85	5.15	3	Horizontal	125	1.04	-
AV	5.4244G	46.83	54.00	-7.17	5.08	3	Horizontal	125	1.04	-
PK	5.4676G	56.79	68.20	-11.41	5.25	3	Horizontal	125	1.04	-
PK	5.5652G	91.45	Inf	-Inf	5.55	3	Horizontal	125	1.04	-
AV	5.5508G	81.14	Inf	-Inf	5.51	3	Horizontal	125	1.04	-
PK	5.9636G	59.15	68.20	-9.05	6.99	3	Horizontal	125	1.04	-



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.6

For Beamforming / 4T1S mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4698G	68.18	68.20	-0.02	8.56	3	Vertical	350	1.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	64.61	74.00	-9.39	8.04	3	Vertical	1	2.66	-
AV	5.15G	49.97	54.00	-4.03	8.04	3	Vertical	1	2.66	-
PK	5.2654G	129.13	Inf	-Inf	8.26	3	Vertical	1	2.66	-
AV	5.269G	117.77	Inf	-Inf	8.26	3	Vertical	1	2.66	-
PK	5.3512G	66.67	74.00	-7.33	8.38	3	Vertical	1	2.66	-
AV	5.35G	52.50	54.00	-1.50	8.38	3	Vertical	1	2.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	58.92	74.00	-15.08	8.02	3	Horizontal	33	1.01	-
AV	5.1406G	46.38	54.00	-7.62	8.03	3	Horizontal	33	1.01	-
PK	5.269G	113.13	Inf	-Inf	8.26	3	Horizontal	33	1.01	-
AV	5.269G	102.62	Inf	-Inf	8.26	3	Horizontal	33	1.01	-
PK	5.4052G	59.48	74.00	-14.52	8.45	3	Horizontal	33	1.01	-
AV	5.3602G	47.07	54.00	-6.93	8.39	3	Horizontal	33	1.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 76
02-R-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2912G	124.55	Inf	-Inf	8.30	3	Vertical	359	2.50	-
AV	5.2912G	112.49	Inf	-Inf	8.30	3	Vertical	359	2.50	-
PK	5.3524G	73.85	74.00	-0.15	8.38	3	Vertical	359	2.50	-
AV	5.3504G	52.80	54.00	-1.20	8.38	3	Vertical	359	2.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 76
02-R-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.308G	111.64	Inf	-Inf	8.32	3	Horizontal	21	1.12	-
AV	5.3076G	99.19	Inf	-Inf	8.32	3	Horizontal	21	1.12	-
PK	5.35G	63.01	74.00	-10.99	8.38	3	Horizontal	21	1.12	-
AV	5.3504G	47.34	54.00	-6.66	8.38	3	Horizontal	21	1.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 62
02-R-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.319G	123.00	Inf	-Inf	8.33	3	Vertical	305	2.15	-
AV	5.3214G	110.43	Inf	-Inf	8.33	3	Vertical	305	2.15	-
PK	5.3508G	73.20	74.00	-0.80	8.38	3	Vertical	305	2.15	-
AV	5.351G	53.85	54.00	-0.15	8.38	3	Vertical	305	2.15	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

04/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 62
02-R-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.313G	107.49	Inf	-Inf	8.32	3	Horizontal	16	1.11	-
AV	5.3116G	95.05	Inf	-Inf	8.32	3	Horizontal	16	1.11	-
PK	5.3508G	61.69	74.00	-12.31	8.38	3	Horizontal	16	1.11	-
AV	5.3506G	47.28	54.00	-6.72	8.38	3	Horizontal	16	1.11	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 50
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4268G	61.55	74.00	-12.45	8.49	3	Vertical	350	1.97	-								
AV	5.4532G	48.55	54.00	-5.45	8.54	3	Vertical	350	1.97	-								
PK	5.4698G	68.18	68.20	-0.02	8.56	3	Vertical	350	1.97	-								
PK	5.5084G	120.66	Inf	-Inf	8.62	3	Vertical	350	1.97	-								
AV	5.5084G	107.79	Inf	-Inf	8.62	3	Vertical	350	1.97	-								

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 50
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.44G	59.52	74.00	-14.48	8.51	3	Horizontal	46	1.08	-
AV	5.4478G	46.90	54.00	-7.10	8.52	3	Horizontal	46	1.08	-
PK	5.4658G	59.23	68.20	-8.97	8.56	3	Horizontal	46	1.08	-
PK	5.4922G	106.21	Inf	-Inf	8.61	3	Horizontal	46	1.08	-
AV	5.4916G	93.76	Inf	-Inf	8.61	3	Horizontal	46	1.08	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 88
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4544G	65.83	74.00	-8.17	8.54	3	Vertical	355	2.33	-
AV	5.4599G	50.70	54.00	-3.30	8.55	3	Vertical	355	2.33	-
PK	5.4656G	67.98	68.20	-0.22	8.56	3	Vertical	355	2.33	-
PK	5.5744G	125.86	Inf	-Inf	8.63	3	Vertical	355	2.33	-
AV	5.572G	114.34	Inf	-Inf	8.63	3	Vertical	355	2.33	-
PK	5.7344G	63.65	68.20	-4.55	8.81	3	Vertical	355	2.33	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 88
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3976G	59.34	74.00	-14.66	8.44	3	Horizontal	24	1.32	-
AV	5.4592G	46.78	54.00	-7.22	8.55	3	Horizontal	24	1.32	-
PK	5.4696G	58.41	68.20	-9.79	8.56	3	Horizontal	24	1.32	-
PK	5.5744G	109.94	Inf	-Inf	8.63	3	Horizontal	24	1.32	-
AV	5.5752G	98.02	Inf	-Inf	8.64	3	Horizontal	24	1.32	-
PK	5.748G	59.34	68.20	-8.86	8.82	3	Horizontal	24	1.32	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT_Z_4TX
Setting 35
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7078G	117.84	Inf	-Inf	8.78	3	Vertical	327	2.31	-
AV	5.708G	105.81	Inf	-Inf	8.78	3	Vertical	327	2.31	-
PK	5.7252G	68.01	68.20	-0.19	8.80	3	Vertical	327	2.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT_Z_4TX
Setting 35
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7084G	98.89	Inf	-Inf	8.78	3	Horizontal	134	1.40	-
AV	5.708G	86.22	Inf	-Inf	8.78	3	Horizontal	134	1.40	-
PK	5.7452G	59.42	68.20	-8.78	8.82	3	Horizontal	134	1.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 92
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4416G	60.47	74.00	-13.53	8.51	3	Vertical	346	1.03	-
AV	5.456G	48.45	54.00	-5.55	8.54	3	Vertical	346	1.03	-
PK	5.4601G	60.37	68.20	-7.83	8.55	3	Vertical	346	1.03	-
PK	5.7128G	127.24	Inf	-Inf	8.78	3	Vertical	346	1.03	-
AV	5.7116G	116.75	Inf	-Inf	8.79	3	Vertical	346	1.03	-
PK	5.8628G	64.77	68.20	-3.43	8.86	3	Vertical	346	1.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 92
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	58.95	74.00	-15.05	8.52	3	Horizontal	153	1.72	-
AV	5.4464G	46.63	54.00	-7.37	8.52	3	Horizontal	153	1.72	-
PK	5.4632G	58.71	68.20	-9.49	8.55	3	Horizontal	153	1.72	-
PK	5.7116G	108.78	Inf	-Inf	8.79	3	Horizontal	153	1.72	-
AV	5.7116G	98.58	Inf	-Inf	8.79	3	Horizontal	153	1.72	-
PK	5.87G	59.44	68.20	-8.76	8.86	3	Horizontal	153	1.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT_Z_4TX
Setting 72
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1356G	66.26	74.00	-7.74	8.02	3	Vertical	339	2.39	-
AV	5.1368G	50.21	54.00	-3.79	8.02	3	Vertical	339	2.39	-
PK	5.2748G	124.63	Inf	-Inf	8.27	3	Vertical	339	2.39	-
AV	5.2736G	112.46	Inf	-Inf	8.27	3	Vertical	339	2.39	-
PK	5.35G	73.22	74.00	-0.78	8.38	3	Vertical	339	2.39	-
AV	5.35G	53.82	54.00	-0.18	8.38	3	Vertical	339	2.39	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT Z_4TX
Setting 72
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1296G	58.15	74.00	-15.85	8.01	3	Horizontal	38	1.20	-
AV	5.1266G	46.63	54.00	-7.37	8.00	3	Horizontal	38	1.20	-
PK	5.2748G	105.63	Inf	-Inf	8.27	3	Horizontal	38	1.20	-
AV	5.2718G	94.81	Inf	-Inf	8.27	3	Horizontal	38	1.20	-
PK	5.3798G	59.94	74.00	-14.06	8.42	3	Horizontal	38	1.20	-
AV	5.3648G	47.61	54.00	-6.39	8.39	3	Horizontal	38	1.20	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT_Z_4TX
Setting 50
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3148G	117.10	Inf	-Inf	8.33	3	Vertical	345	2.62	-
AV	5.3148G	104.98	Inf	-Inf	8.33	3	Vertical	345	2.62	-
AV	5.3532G	51.56	54.00	-2.44	8.38	3	Vertical	345	2.62	-
PK	5.3501G	73.93	74.00	-0.07	8.38	3	Vertical	345	2.62	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT_Z_4TX
Setting 50
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.292G	100.19	Inf	-Inf	8.30	3	Horizontal	38	1.35	-
AV	5.2926G	87.87	Inf	-Inf	8.30	3	Horizontal	38	1.35	-
PK	5.35G	59.97	74.00	-14.03	8.38	3	Horizontal	38	1.35	-
AV	5.3568G	47.33	54.00	-6.67	8.38	3	Horizontal	38	1.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 32
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	63.61	74.00	-10.39	8.54	3	Vertical	328	2.30	-
AV	5.458G	49.38	54.00	-4.62	8.55	3	Vertical	328	2.30	-
PK	5.4696G	68.02	68.20	-0.18	8.56	3	Vertical	328	2.30	-
PK	5.5036G	114.73	Inf	-Inf	8.62	3	Vertical	328	2.30	-
AV	5.5052G	102.36	Inf	-Inf	8.62	3	Vertical	328	2.30	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 32
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	59.74	74.00	-14.26	8.52	3	Horizontal	43	1.10	-
AV	5.4516G	47.67	54.00	-6.33	8.54	3	Horizontal	43	1.10	-
PK	5.4616G	58.81	68.20	-9.39	8.55	3	Horizontal	43	1.10	-
PK	5.494G	98.82	Inf	-Inf	8.61	3	Horizontal	43	1.10	-
AV	5.4952G	87.10	Inf	-Inf	8.61	3	Horizontal	43	1.10	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 60
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.451G	66.15	74.00	-7.85	8.54	3	Vertical	337	2.24	-
AV	5.457G	51.69	54.00	-2.31	8.54	3	Vertical	337	2.24	-
PK	5.4672G	68.06	68.20	-0.14	8.56	3	Vertical	337	2.24	-
PK	5.5548G	122.10	Inf	-Inf	8.63	3	Vertical	337	2.24	-
AV	5.5548G	109.92	Inf	-Inf	8.63	3	Vertical	337	2.24	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 60
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4516G	59.11	74.00	-14.89	8.54	3	Horizontal	259	1.17	-
AV	5.4432G	47.49	54.00	-6.51	8.52	3	Horizontal	259	1.17	-
PK	5.4612G	58.58	68.20	-9.62	8.55	3	Horizontal	259	1.17	-
PK	5.5626G	103.00	Inf	-Inf	8.63	3	Horizontal	259	1.17	-
AV	5.5392G	92.13	Inf	-Inf	8.63	3	Horizontal	259	1.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT_Z_4TX
Setting 45
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6656G	115.69	Inf	-Inf	8.72	3	Vertical	6	2.11	-
AV	5.6652G	107.63	Inf	-Inf	8.72	3	Vertical	6	2.11	-
PK	5.7252G	68.05	68.20	-0.15	8.80	3	Vertical	6	2.11	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT_Z_4TX
Setting 45
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6824G	98.84	Inf	-Inf	8.76	3	Horizontal	264	1.48	-
AV	5.6796G	86.90	Inf	-Inf	8.75	3	Horizontal	264	1.48	-
PK	5.7548G	60.05	68.20	-8.15	8.83	3	Horizontal	264	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4376G	62.23	74.00	-11.77	8.51	3	Vertical	336	2.31	-
AV	5.458G	50.28	54.00	-3.72	8.55	3	Vertical	336	2.31	-
PK	5.4688G	61.41	68.20	-6.79	8.56	3	Vertical	336	2.31	-
PK	5.7052G	125.22	Inf	-Inf	8.78	3	Vertical	336	2.31	-
AV	5.6932G	113.59	Inf	-Inf	8.76	3	Vertical	336	2.31	-
PK	5.8648G	68.05	68.20	-0.15	8.86	3	Vertical	336	2.31	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 78
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4484G	59.14	74.00	-14.86	8.52	3	Horizontal	135	1.51	-
AV	5.4316G	47.26	54.00	-6.74	8.50	3	Horizontal	135	1.51	-
PK	5.4699G	58.11	68.20	-10.09	8.56	3	Horizontal	135	1.51	-
PK	5.7052G	104.89	Inf	-Inf	8.78	3	Horizontal	135	1.51	-
AV	5.7064G	93.97	Inf	-Inf	8.78	3	Horizontal	135	1.51	-
PK	5.854G	59.74	68.20	-8.46	8.86	3	Horizontal	135	1.51	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 51
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1084G	60.77	74.00	-13.23	7.96	3	Vertical	340	2.44	-
AV	5.146G	49.38	54.00	-4.62	8.04	3	Vertical	340	2.44	-
PK	5.274G	117.77	Inf	-Inf	8.27	3	Vertical	340	2.44	-
AV	5.2772G	105.11	Inf	-Inf	8.27	3	Vertical	340	2.44	-
PK	5.3676G	71.21	74.00	-2.79	8.39	3	Vertical	340	2.44	-
AV	5.3501G	53.80	54.00	-0.20	8.38	3	Vertical	340	2.44	-
PK	5.4628G	61.26	68.20	-6.94	8.55	3	Vertical	340	2.44	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 51
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.098G	58.49	74.00	-15.51	7.94	3	Horizontal	37	1.15	-
AV	5.1196G	46.90	54.00	-7.10	7.98	3	Horizontal	37	1.15	-
PK	5.2764G	101.97	Inf	-Inf	8.27	3	Horizontal	37	1.15	-
AV	5.2756G	88.77	Inf	-Inf	8.27	3	Horizontal	37	1.15	-
PK	5.3572G	59.61	74.00	-14.39	8.38	3	Horizontal	37	1.15	-
AV	5.43G	47.63	54.00	-6.37	8.50	3	Horizontal	37	1.15	-
PK	5.4868G	59.33	68.20	-8.87	8.60	3	Horizontal	37	1.15	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 43
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	65.37	74.00	-8.63	8.52	3	Vertical	332	2.21	-
PK	5.464G	68.01	68.20	-0.19	8.55	3	Vertical	332	2.21	-
AV	5.457G	52.57	54.00	-1.43	8.54	3	Vertical	332	2.21	-
PK	5.514G	114.87	Inf	-Inf	8.62	3	Vertical	332	2.21	-
AV	5.503G	102.99	Inf	-Inf	8.62	3	Vertical	332	2.21	-
PK	5.772G	60.94	68.20	-7.26	8.84	3	Vertical	332	2.21	-
PK	5.346G	60.06	68.20	-8.14	8.37	3	Vertical	332	2.21	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

19/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 43
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.39G	60.32	74.00	-13.68	8.43	3	Horizontal	260	1.51	-
PK	5.4697G	58.37	68.20	-9.83	8.56	3	Horizontal	260	1.51	-
AV	5.459G	47.48	54.00	-6.52	8.55	3	Horizontal	260	1.51	-
PK	5.516G	96.70	Inf	-Inf	8.62	3	Horizontal	260	1.51	-
AV	5.515G	83.83	Inf	-Inf	8.62	3	Horizontal	260	1.51	-
PK	5.759G	59.30	68.20	-8.90	8.84	3	Horizontal	260	1.51	-
PK	5.287G	58.60	68.20	-9.60	8.29	3	Horizontal	260	1.51	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 54
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	64.06	74.00	-9.94	8.55	3	Vertical	338	2.36	-
AV	5.458G	52.09	54.00	-1.91	8.55	3	Vertical	338	2.36	-
PK	5.4644G	65.30	68.20	-2.90	8.55	3	Vertical	338	2.36	-
PK	5.6276G	115.18	Inf	-Inf	8.68	3	Vertical	338	2.36	-
AV	5.63G	103.22	Inf	-Inf	8.68	3	Vertical	338	2.36	-
PK	5.7348G	68.02	68.20	-0.18	8.82	3	Vertical	338	2.36	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 54
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.442G	59.54	74.00	-14.46	8.51	3	Horizontal	139	1.30	-
AV	5.4452G	47.38	54.00	-6.62	8.52	3	Horizontal	139	1.30	-
PK	5.4668G	59.29	68.20	-8.91	8.56	3	Horizontal	139	1.30	-
PK	5.6164G	98.31	Inf	-Inf	8.66	3	Horizontal	139	1.30	-
AV	5.6188G	85.97	Inf	-Inf	8.66	3	Horizontal	139	1.30	-
PK	5.758G	60.20	68.20	-8.00	8.84	3	Horizontal	139	1.30	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 65
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	62.26	74.00	-11.74	8.55	3	Vertical	335	2.48	-
AV	5.4572G	50.77	54.00	-3.23	8.54	3	Vertical	335	2.48	-
PK	5.4697G	63.88	68.20	-4.32	8.56	3	Vertical	335	2.48	-
PK	5.666G	120.05	Inf	-Inf	8.72	3	Vertical	335	2.48	-
AV	5.6756G	107.61	Inf	-Inf	8.75	3	Vertical	335	2.48	-
PK	5.8501G	68.13	68.20	-0.07	8.86	3	Vertical	335	2.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 65
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4404G	59.26	74.00	-14.74	8.51	3	Horizontal	133	1.53	-
AV	5.45G	47.34	54.00	-6.66	8.54	3	Horizontal	133	1.53	-
PK	5.4601G	58.73	68.20	-9.47	8.55	3	Horizontal	133	1.53	-
PK	5.678G	101.97	Inf	-Inf	8.75	3	Horizontal	133	1.53	-
AV	5.666G	90.43	Inf	-Inf	8.72	3	Horizontal	133	1.53	-
PK	5.924G	59.67	68.20	-8.53	8.85	3	Horizontal	133	1.53	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 45
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	71.04	74.00	-2.96	8.02	3	Vertical	333	2.44	-
AV	5.1196G	52.87	54.00	-1.13	7.98	3	Vertical	333	2.44	-
PK	5.27G	112.84	Inf	-Inf	8.26	3	Vertical	333	2.44	-
AV	5.2724G	100.51	Inf	-Inf	8.27	3	Vertical	333	2.44	-
PK	5.3836G	73.84	74.00	-0.16	8.42	3	Vertical	333	2.44	-
AV	5.4028G	51.19	54.00	-2.81	8.44	3	Vertical	333	2.44	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 45
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	59.71	74.00	-14.29	8.02	3	Horizontal	37	1.04	-
AV	5.1028G	46.12	54.00	-7.88	7.94	3	Horizontal	37	1.04	-
PK	5.1972G	98.74	Inf	-Inf	8.16	3	Horizontal	37	1.04	-
AV	5.2004G	86.04	Inf	-Inf	8.16	3	Horizontal	37	1.04	-
PK	5.3692G	58.75	74.00	-15.25	8.40	3	Horizontal	37	1.04	-
AV	5.3692G	46.37	54.00	-7.63	8.40	3	Horizontal	37	1.04	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

19/03/2019

5570MHz_TX




EUT_Z_4TX
Setting 35
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.446G	67.67	74.00	-6.33	8.52	3	Vertical	1	2.15	-
AV	5.453G	49.46	54.00	-4.54	8.54	3	Vertical	1	2.15	-
PK	5.462G	63.08	68.20	-5.12	8.55	3	Vertical	1	2.15	-
PK	5.559G	111.46	Inf	-Inf	8.63	3	Vertical	1	2.15	-
AV	5.558G	98.88	Inf	-Inf	8.63	3	Vertical	1	2.15	-
PK	5.726G	68.00	68.20	-0.20	8.80	3	Vertical	1	2.15	-
PK	5.349G	60.94	68.20	-7.26	8.37	3	Vertical	1	2.15	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

19/03/2019

5570MHz_TX



EUT_Z_4TX
Setting 35
02-C-5-10
FSP
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.363G	59.72	74.00	-14.28	8.39	3	Horizontal	254	1.02	-
AV	5.446G	46.50	54.00	-7.50	8.52	3	Horizontal	254	1.02	-
PK	5.461G	58.64	68.20	-9.56	8.55	3	Horizontal	254	1.02	-
PK	5.555G	93.03	Inf	-Inf	8.63	3	Horizontal	254	1.02	-
AV	5.555G	79.94	Inf	-Inf	8.63	3	Horizontal	254	1.02	-
PK	5.738G	59.34	68.20	-8.86	8.81	3	Horizontal	254	1.02	-
PK	5.349G	59.59	68.20	-8.61	8.37	3	Horizontal	254	1.02	-



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.7

For Non-beamforming / 4T4S mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.4676G	68.19	68.20	-0.01	5.25	3	Vertical	190	2.07	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1442G	62.28	74.00	-11.72	4.24	3	Vertical	158	2.21	-
AV	5.1496G	49.65	54.00	-4.35	4.25	3	Vertical	158	2.21	-
PK	5.2624G	124.35	Inf	-Inf	4.50	3	Vertical	158	2.21	-
AV	5.257G	111.86	Inf	-Inf	4.48	3	Vertical	158	2.21	-
PK	5.3506G	62.15	74.00	-11.85	4.81	3	Vertical	158	2.21	-
AV	5.35G	50.41	54.00	-3.59	4.81	3	Vertical	158	2.21	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5260MHz_TX




EUT_Z_4TX
Setting 89
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1424G	57.02	74.00	-16.98	4.24	3	Horizontal	135	1.03	-
AV	5.1364G	45.01	54.00	-8.99	4.25	3	Horizontal	135	1.03	-
PK	5.2654G	106.91	Inf	-Inf	4.52	3	Horizontal	135	1.03	-
AV	5.2582G	94.49	Inf	-Inf	4.48	3	Horizontal	135	1.03	-
PK	5.356G	57.12	74.00	-16.88	4.83	3	Horizontal	135	1.03	-
AV	5.4082G	45.15	54.00	-8.85	5.02	3	Horizontal	135	1.03	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 81
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3036G	122.26	Inf	-Inf	4.65	3	Vertical	158	2.09	-
AV	5.297G	110.24	Inf	-Inf	4.63	3	Vertical	158	2.09	-
PK	5.351G	68.62	74.00	-5.38	4.81	3	Vertical	158	2.09	-
AV	5.351G	53.81	54.00	-0.19	4.81	3	Vertical	158	2.09	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5300MHz_TX




EUT_Z_4TX
Setting 81
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2982G	104.00	Inf	-Inf	4.63	3	Horizontal	134	1.34	-
AV	5.2982G	92.26	Inf	-Inf	4.63	3	Horizontal	134	1.34	-
PK	5.435G	58.02	74.00	-15.98	5.12	3	Horizontal	134	1.34	-
AV	5.4278G	45.40	54.00	-8.60	5.10	3	Horizontal	134	1.34	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3264G	118.46	Inf	-Inf	4.74	3	Vertical	191	2.17	-
AV	5.324G	105.83	Inf	-Inf	4.72	3	Vertical	191	2.17	-
PK	5.3544G	69.16	74.00	-4.84	4.82	3	Vertical	191	2.17	-
AV	5.351G	53.82	54.00	-0.18	4.81	3	Vertical	191	2.17	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5320MHz_TX




EUT_Z_4TX
Setting 66
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.318G	100.09	Inf	-Inf	4.70	3	Horizontal	133	1.70	-
AV	5.3244G	87.96	Inf	-Inf	4.72	3	Horizontal	133	1.70	-
PK	5.3576G	57.49	74.00	-16.51	4.83	3	Horizontal	133	1.70	-
AV	5.4116G	45.43	54.00	-8.57	5.03	3	Horizontal	133	1.70	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 58
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	61.12	74.00	-12.88	5.22	3	Vertical	190	2.07	-
AV	5.4596G	48.62	54.00	-5.38	5.22	3	Vertical	190	2.07	-
PK	5.4676G	68.19	68.20	-0.01	5.25	3	Vertical	190	2.07	-
PK	5.5064G	117.88	Inf	-Inf	5.40	3	Vertical	190	2.07	-
AV	5.4984G	105.61	Inf	-Inf	5.38	3	Vertical	190	2.07	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5500MHz_TX




EUT_Z_4TX
Setting 58
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.43G	57.68	74.00	-16.32	5.11	3	Horizontal	244	1.26	-
AV	5.4592G	45.29	54.00	-8.71	5.22	3	Horizontal	244	1.26	-
PK	5.4684G	57.47	68.20	-10.73	5.26	3	Horizontal	244	1.26	-
PK	5.4988G	97.31	Inf	-Inf	5.38	3	Horizontal	244	1.26	-
AV	5.4984G	85.96	Inf	-Inf	5.38	3	Horizontal	244	1.26	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4144G	62.69	74.00	-11.31	5.04	3	Vertical	199	2.06	-
PK	5.468G	62.40	68.20	-5.80	5.25	3	Vertical	199	2.06	-
AV	5.46G	50.02	54.00	-3.98	5.22	3	Vertical	199	2.06	-
PK	5.5728G	124.36	Inf	-Inf	5.58	3	Vertical	199	2.06	-
AV	5.5816G	111.84	Inf	-Inf	5.59	3	Vertical	199	2.06	-
PK	5.7256G	62.15	68.20	-6.05	5.79	3	Vertical	199	2.06	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5580MHz_TX




EUT_Z_4TX
Setting 92
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4408G	57.71	74.00	-16.29	5.15	3	Horizontal	108	1.79	-
AV	5.4232G	45.42	54.00	-8.58	5.08	3	Horizontal	108	1.79	-
PK	5.4648G	56.86	68.20	-11.34	5.23	3	Horizontal	108	1.79	-
PK	5.5744G	104.42	Inf	-Inf	5.58	3	Horizontal	108	1.79	-
AV	5.576G	91.88	Inf	-Inf	5.57	3	Horizontal	108	1.79	-
PK	5.764G	57.90	68.20	-10.30	5.89	3	Horizontal	108	1.79	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT Z_4TX
Setting 52
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7066G	116.43	Inf	-Inf	5.75	3	Vertical	164	2.16	-
AV	5.6982G	104.71	Inf	-Inf	5.74	3	Vertical	164	2.16	-
PK	5.7264G	68.15	68.20	-0.05	5.79	3	Vertical	164	2.16	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5700MHz_TX




EUT Z_4TX
Setting 52
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6922G	97.34	Inf	-Inf	5.73	3	Horizontal	199	1.97	-
AV	5.6952G	84.14	Inf	-Inf	5.74	3	Horizontal	199	1.97	-
PK	5.8266G	58.81	68.20	-9.39	6.16	3	Horizontal	199	1.97	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 92
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7264G	124.90	Inf	-Inf	5.79	3	Vertical	165	2.11	-
AV	5.7184G	112.25	Inf	-Inf	5.79	3	Vertical	165	2.11	-
PK	5.8824G	62.76	68.20	-5.44	6.57	3	Vertical	165	2.11	-

802.11ax HEW20_Nss4,(MCS0)_4TX

05/03/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 92
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7144G	105.10	Inf	-Inf	5.78	3	Horizontal	200	1.95	-
AV	5.7152G	91.30	Inf	-Inf	5.78	3	Horizontal	200	1.95	-
PK	5.8928G	59.67	68.20	-8.53	6.65	3	Horizontal	200	1.95	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	61.67	74.00	-12.33	4.24	3	Vertical	202	2.21	-
AV	5.1452G	51.10	54.00	-2.90	4.25	3	Vertical	202	2.21	-
PK	5.2562G	118.13	Inf	-Inf	4.48	3	Vertical	202	2.21	-
AV	5.2646G	107.18	Inf	-Inf	4.51	3	Vertical	202	2.21	-
PK	5.351G	66.45	74.00	-7.55	4.81	3	Vertical	202	2.21	-
AV	5.351G	53.89	54.00	-0.11	4.81	3	Vertical	202	2.21	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5270MHz_TX




EUT_Z_4TX
Setting 75
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.147G	56.49	74.00	-17.51	4.25	3	Horizontal	132	1.42	-
AV	5.138G	46.16	54.00	-7.84	4.24	3	Horizontal	132	1.42	-
PK	5.258G	100.18	Inf	-Inf	4.48	3	Horizontal	132	1.42	-
AV	5.2574G	89.36	Inf	-Inf	4.48	3	Horizontal	132	1.42	-
PK	5.3852G	57.63	74.00	-16.37	4.94	3	Horizontal	132	1.42	-
AV	5.4182G	46.45	54.00	-7.55	5.06	3	Horizontal	132	1.42	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT_Z_4TX
Setting 57
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2992G	112.98	Inf	-Inf	4.64	3	Vertical	165	2.18	-
AV	5.2986G	102.37	Inf	-Inf	4.64	3	Vertical	165	2.18	-
PK	5.3568G	69.73	74.00	-4.27	4.83	3	Vertical	165	2.18	-
AV	5.358G	53.97	54.00	-0.03	4.83	3	Vertical	165	2.18	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5310MHz_TX




EUT Z_4TX
Setting 57
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.304G	93.92	Inf	-Inf	4.65	3	Horizontal	140	1.02	-
AV	5.3046G	85.35	Inf	-Inf	4.65	3	Horizontal	140	1.02	-
PK	5.4234G	57.69	74.00	-16.31	5.08	3	Horizontal	140	1.02	-
AV	5.4042G	47.11	54.00	-6.89	5.00	3	Horizontal	140	1.02	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 52
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.456G	62.80	74.00	-11.20	5.21	3	Vertical	200	2.08	-								
AV	5.459G	50.51	54.00	-3.49	5.22	3	Vertical	200	2.08	-								
PK	5.465G	68.16	68.20	-0.04	5.25	3	Vertical	200	2.08	-								
PK	5.504G	112.85	Inf	-Inf	5.39	3	Vertical	200	2.08	-								
AV	5.5046G	102.59	Inf	-Inf	5.39	3	Vertical	200	2.08	-								

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5510MHz_TX




EUT_Z_4TX
Setting 52
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3816G	58.02	74.00	-15.98	4.92	3	Horizontal	108	1.32	-
AV	5.4362G	46.79	54.00	-7.21	5.14	3	Horizontal	108	1.32	-
PK	5.4686G	58.25	68.20	-9.95	5.26	3	Horizontal	108	1.32	-
PK	5.5052G	93.92	Inf	-Inf	5.39	3	Horizontal	108	1.32	-
AV	5.5046G	83.19	Inf	-Inf	5.39	3	Horizontal	108	1.32	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 74
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	64.58	74.00	-9.42	5.22	3	Vertical	200	2.16	-
AV	5.4572G	52.85	54.00	-1.15	5.21	3	Vertical	200	2.16	-
PK	5.4628G	67.99	68.20	-0.21	5.23	3	Vertical	200	2.16	-
PK	5.5428G	118.10	Inf	-Inf	5.49	3	Vertical	200	2.16	-
AV	5.5452G	107.79	Inf	-Inf	5.50	3	Vertical	200	2.16	-
PK	5.7268G	60.13	68.20	-8.07	5.79	3	Vertical	200	2.16	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5550MHz_TX




EUT_Z_4TX
Setting 74
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4268G	57.52	74.00	-16.48	5.10	3	Horizontal	108	1.71	-
AV	5.4428G	47.10	54.00	-6.90	5.16	3	Horizontal	108	1.71	-
PK	5.4644G	57.41	68.20	-10.79	5.23	3	Horizontal	108	1.71	-
PK	5.5636G	98.30	Inf	-Inf	5.55	3	Horizontal	108	1.71	-
AV	5.564G	88.45	Inf	-Inf	5.53	3	Horizontal	108	1.71	-
PK	5.7404G	57.41	68.20	-10.79	5.83	3	Horizontal	108	1.71	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT Z_4TX
Setting 57
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.676G	115.81	Inf	-Inf	5.72	3	Vertical	164	2.14	-
AV	5.6778G	104.71	Inf	-Inf	5.72	3	Vertical	164	2.14	-
PK	5.7282G	68.04	68.20	-0.16	5.80	3	Vertical	164	2.14	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5670MHz_TX




EUT Z_4TX
Setting 57
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6748G	95.83	Inf	-Inf	5.71	3	Horizontal	101	1.01	-
AV	5.6664G	84.89	Inf	-Inf	5.71	3	Horizontal	101	1.01	-
PK	5.7432G	58.44	68.20	-9.76	5.84	3	Horizontal	101	1.01	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 83
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	60.69	74.00	-13.31	5.21	3	Vertical	167	2.14	-
AV	5.4484G	50.67	54.00	-3.33	5.19	3	Vertical	167	2.14	-
PK	5.4664G	60.64	68.20	-7.56	5.25	3	Vertical	167	2.14	-
PK	5.6992G	120.39	Inf	-Inf	5.74	3	Vertical	167	2.14	-
AV	5.704G	110.17	Inf	-Inf	5.75	3	Vertical	167	2.14	-
PK	5.8516G	68.01	68.20	-0.19	6.34	3	Vertical	167	2.14	-

802.11ax HEW40_Nss4,(MCS0)_4TX

05/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 83
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4292G	56.69	74.00	-17.31	5.11	3	Horizontal	208	1.09	-
AV	5.4556G	46.52	54.00	-7.48	5.21	3	Horizontal	208	1.09	-
PK	5.4688G	56.45	68.20	-11.75	5.26	3	Horizontal	208	1.09	-
PK	5.7148G	100.46	Inf	-Inf	5.78	3	Horizontal	208	1.09	-
AV	5.7172G	90.50	Inf	-Inf	5.78	3	Horizontal	208	1.09	-
PK	5.9548G	59.97	68.20	-8.23	6.94	3	Horizontal	208	1.09	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 55
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.131G	59.99	74.00	-14.01	4.24	3	Vertical	194	2.13	-
AV	5.146G	49.06	54.00	-4.94	4.25	3	Vertical	194	2.13	-
PK	5.299G	110.73	Inf	-Inf	4.64	3	Vertical	194	2.13	-
AV	5.279G	99.21	Inf	-Inf	4.57	3	Vertical	194	2.13	-
PK	5.359G	64.14	74.00	-9.86	4.85	3	Vertical	194	2.13	-
AV	5.351G	53.82	54.00	-0.18	4.81	3	Vertical	194	2.13	-
PK	5.496G	58.93	68.20	-9.27	5.37	3	Vertical	194	2.13	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5290MHz_TX




EUT_Z_4TX
Setting 55
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.079G	56.70	74.00	-17.30	4.25	3	Horizontal	131	1.37	-
AV	5.124G	46.04	54.00	-7.96	4.23	3	Horizontal	131	1.37	-
PK	5.261G	91.48	Inf	-Inf	4.49	3	Horizontal	131	1.37	-
AV	5.279G	80.90	Inf	-Inf	4.57	3	Horizontal	131	1.37	-
PK	5.434G	57.18	74.00	-16.82	5.12	3	Horizontal	131	1.37	-
AV	5.422G	46.87	54.00	-7.13	5.08	3	Horizontal	131	1.37	-
PK	5.535G	57.64	68.20	-10.56	5.47	3	Horizontal	131	1.37	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.327G	58.54	68.20	-9.66	4.74	3	Vertical	191	2.19	-
PK	5.457G	64.00	74.00	-10.00	5.21	3	Vertical	191	2.19	-
AV	5.439G	53.80	54.00	-0.20	5.15	3	Vertical	191	2.19	-
PK	5.464G	65.07	68.20	-3.13	5.23	3	Vertical	191	2.19	-
PK	5.516G	111.38	Inf	-Inf	5.42	3	Vertical	191	2.19	-
AV	5.522G	100.73	Inf	-Inf	5.44	3	Vertical	191	2.19	-
PK	5.768G	59.56	68.20	-8.64	5.90	3	Vertical	191	2.19	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5530MHz_TX




EUT_Z_4TX
Setting 54
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.334G	56.91	68.20	-11.29	4.76	3	Horizontal	108	1.41	-
PK	5.456G	57.43	74.00	-16.57	5.21	3	Horizontal	108	1.41	-
PK	5.462G	56.57	68.20	-11.63	5.23	3	Horizontal	108	1.41	-
AV	5.46G	46.77	54.00	-7.23	5.22	3	Horizontal	108	1.41	-
PK	5.525G	91.52	Inf	-Inf	5.45	3	Horizontal	108	1.41	-
AV	5.523G	81.60	Inf	-Inf	5.45	3	Horizontal	108	1.41	-
PK	5.771G	57.80	68.20	-10.40	5.90	3	Horizontal	108	1.41	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 65
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	65.46	74.00	-8.54	5.21	3	Vertical	163	2.17	-
AV	5.457G	53.69	54.00	-0.31	5.21	3	Vertical	163	2.17	-
PK	5.468G	63.94	68.20	-4.26	5.25	3	Vertical	163	2.17	-
PK	5.596G	114.24	Inf	-Inf	5.63	3	Vertical	163	2.17	-
AV	5.602G	103.30	Inf	-Inf	5.64	3	Vertical	163	2.17	-
PK	5.729G	68.15	68.20	-0.05	5.80	3	Vertical	163	2.17	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5610MHz_TX




EUT_Z_4TX
Setting 65
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	57.72	74.00	-16.28	5.21	3	Horizontal	95	1.21	-
AV	5.411G	46.73	54.00	-7.27	5.03	3	Horizontal	95	1.21	-
PK	5.469G	56.85	68.20	-11.35	5.26	3	Horizontal	95	1.21	-
PK	5.585G	93.97	Inf	-Inf	5.60	3	Horizontal	95	1.21	-
AV	5.602G	83.08	Inf	-Inf	5.64	3	Horizontal	95	1.21	-
PK	5.824G	58.85	68.20	-9.35	6.13	3	Horizontal	95	1.21	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 71
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4152G	60.14	74.00	-13.86	5.06	3	Vertical	165	2.12	-
PK	5.4668G	63.55	68.20	-4.65	5.25	3	Vertical	165	2.12	-
AV	5.4524G	50.30	54.00	-3.70	5.19	3	Vertical	165	2.12	-
PK	5.6804G	116.57	Inf	-Inf	5.72	3	Vertical	165	2.12	-
AV	5.6792G	105.36	Inf	-Inf	5.72	3	Vertical	165	2.12	-
PK	5.8556G	68.12	68.20	-0.08	6.36	3	Vertical	165	2.12	-

802.11ax HEW80_Nss4,(MCS0)_4TX

05/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 71
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4572G	56.76	74.00	-17.24	5.21	3	Horizontal	199	1.33	-
AV	5.42G	47.04	54.00	-6.96	5.07	3	Horizontal	199	1.33	-
PK	5.4692G	58.48	68.20	-9.72	5.26	3	Horizontal	199	1.33	-
PK	5.6804G	95.59	Inf	-Inf	5.72	3	Horizontal	199	1.33	-
AV	5.6768G	84.98	Inf	-Inf	5.72	3	Horizontal	199	1.33	-
PK	5.8952G	58.73	68.20	-9.47	6.66	3	Horizontal	199	1.33	-

802.11ax HEW160_Nss4,(MCS0)_4TX

05/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 48
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1396G	65.06	74.00	-8.94	4.24	3	Vertical	195	2.19	-
AV	5.138G	53.96	54.00	-0.04	4.24	3	Vertical	195	2.19	-
PK	5.2596G	107.74	Inf	-Inf	4.49	3	Vertical	195	2.19	-
AV	5.266G	94.86	Inf	-Inf	4.52	3	Vertical	195	2.19	-
PK	5.3764G	65.05	74.00	-8.95	4.91	3	Vertical	195	2.19	-
AV	5.378G	51.64	54.00	-2.36	4.91	3	Vertical	195	2.19	-
PK	5.5732G	59.78	68.20	-8.42	5.58	3	Vertical	195	2.19	-

802.11ax HEW160_Nss4,(MCS0)_4TX

05/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 48
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.0452G	57.95	74.00	-16.05	4.31	3	Horizontal	133	1.01	-
AV	5.0964G	46.60	54.00	-7.40	4.22	3	Horizontal	133	1.01	-
PK	5.1908G	90.06	Inf	-Inf	4.26	3	Horizontal	133	1.01	-
AV	5.2148G	79.30	Inf	-Inf	4.32	3	Horizontal	133	1.01	-
PK	5.3796G	56.91	74.00	-17.09	4.92	3	Horizontal	133	1.01	-
AV	5.4148G	46.74	54.00	-7.26	5.04	3	Horizontal	133	1.01	-
PK	5.578G	58.31	68.20	-9.89	5.58	3	Horizontal	133	1.01	-

802.11ax HEW160_Nss4,(MCS0)_4TX

05/03/2019

5570MHz_TX




EUT_Z_4TX
Setting 47
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2804G	59.29	68.20	-8.91	4.57	3	Vertical	199	2.24	-
PK	5.4436G	67.88	74.00	-6.12	5.16	3	Vertical	199	2.24	-
AV	5.4436G	52.33	54.00	-1.67	5.16	3	Vertical	199	2.24	-
PK	5.4628G	64.72	68.20	-3.48	5.23	3	Vertical	199	2.24	-
PK	5.586G	107.35	Inf	-Inf	5.60	3	Vertical	199	2.24	-
AV	5.5428G	96.75	Inf	-Inf	5.49	3	Vertical	199	2.24	-
PK	5.7348G	68.14	68.20	-0.06	5.81	3	Vertical	199	2.24	-

802.11ax HEW160_Nss4,(MCS0)_4TX

05/03/2019

5570MHz_TX



EUT_Z_4TX
Setting 47
01-J-5-10
FSU
ANT6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.298G	57.27	68.20	-10.93	4.63	3	Horizontal	107	1.78	-
PK	5.3844G	57.17	74.00	-16.83	4.93	3	Horizontal	107	1.78	-
AV	5.4164G	46.68	54.00	-7.32	5.06	3	Horizontal	107	1.78	-
PK	5.4644G	56.00	68.20	-12.20	5.23	3	Horizontal	107	1.78	-
PK	5.562G	86.36	Inf	-Inf	5.54	3	Horizontal	107	1.78	-
AV	5.5684G	76.82	Inf	-Inf	5.56	3	Horizontal	107	1.78	-
PK	5.8516G	58.49	68.20	-9.71	6.34	3	Horizontal	107	1.78	-



RSE TX above 1GHz Result_Radio 1_Radiated Emission

Appendix E.8

Mode 2: (Ant. 6 Omni antenna / 6 dBi)

For Non-beamforming / 4T1S mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	15.7538G	53.98	54.00	-0.02	14.20	3	Horizontal	54	1.55	-

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5260MHz_TX




EUT Y_4TX
Setting 82
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.78192G	67.67	74.00	-6.33	14.16	3	Vertical	341	1.82	-						
AV	15.77736G	53.35	54.00	-0.65	14.16	3	Vertical	341	1.82	-						

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5260MHz_TX




EUT Y_4TX
Setting 82
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.77432G	68.68	74.00	-5.32	14.18	3	Horizontal	56	2.95	-						
AV	15.7772G	53.83	54.00	-0.17	14.16	3	Horizontal	56	2.95	-						

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5300MHz_TX




EUT Y_4TX
Setting 90
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9016G	65.19	74.00	-8.81	14.02	3	Vertical	210	1.50	-						
AV	15.89936G	50.48	54.00	-3.52	14.02	3	Vertical	210	1.50	-						

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5300MHz_TX




EUT Y_4TX
Setting 90
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9016G	67.75	74.00	-6.25	14.02	3	Horizontal	103	1.59	-						
AV	15.90032G	53.81	54.00	-0.19	14.02	3	Horizontal	103	1.59	-						

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5320MHz_TX




EUT Y_4TX
Setting 89
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9616G	64.78	74.00	-9.22	13.94	3	Vertical	247	1.50	-						
AV	15.95736G	50.87	54.00	-3.13	13.96	3	Vertical	247	1.50	-						

802.11a_Nss1,(6Mbps)_4TX

20/02/2019

5320MHz_TX




EUT_Y_4TX
Setting 89
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.95936G	68.40	74.00	-5.60	13.95	3	Horizontal	104	1.56	-						
AV	15.95832G	53.90	54.00	-0.10	13.96	3	Horizontal	104	1.56	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5500MHz_TX




EUT_X_4TX
Setting 86
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.49952G	67.98	68.20	-0.22	15.75	3	Vertical	35	1.50	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5500MHz_TX




EUT_X_4TX
Setting 86
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.4934G	67.99	68.20	-0.21	15.73	3	Horizontal	67	1.45	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5580MHz_TX




EUT_X_4TX
Setting 79
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.74152G	68.11	68.20	-0.09	16.65	3	Vertical	63	1.42	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5580MHz_TX




EUT_X_4TX
Setting 79
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.73432G	67.66	68.20	-0.54	16.63	3	Horizontal	83	1.53	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5700MHz_TX




EUT_X_4TX
Setting 75
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.09344G	67.28	68.20	-0.92	17.79	3	Vertical	64	1.33	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5700MHz_TX




EUT_X_4TX
Setting 75
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.09336G	67.96	68.20	-0.24	17.79	3	Horizontal	57	2.43	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 78
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.17216G	68.15	68.20	-0.05	17.93	3	Vertical	65	1.34	-						

802.11a_Nss1,(6Mbps)_4TX

19/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 78
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.15952G	64.72	68.20	-3.48	17.90	3	Horizontal	100	1.44	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5260MHz_TX




EUT Y_4TX
Setting 84
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.77904G	68.04	74.00	-5.96	14.16	3	Vertical	31	1.89	-						
AV	15.7776G	51.77	54.00	-2.23	14.16	3	Vertical	31	1.89	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5260MHz_TX




EUT Y_4TX
Setting 84
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
PK	15.7712G	69.39	74.00	-4.61	14.18	3	Horizontal	57	2.95	-							
AV	15.78144G	53.89	54.00	-0.11	14.16	3	Horizontal	57	2.95	-							

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5300MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9072G	65.38	74.00	-8.62	14.02	3	Vertical	210	1.48	-						
AV	15.9G	50.19	54.00	-3.81	14.02	3	Vertical	210	1.48	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5300MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.90736G	69.68	74.00	-4.32	14.02	3	Horizontal	103	1.57	-						
AV	15.90248G	53.86	54.00	-0.14	14.02	3	Horizontal	103	1.57	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5320MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.95992G	65.98	74.00	-8.02	13.95	3	Vertical	240	2.99	-						
AV	15.95992G	51.51	54.00	-2.49	13.95	3	Vertical	240	2.99	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5320MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.95952G	68.28	74.00	-5.72	13.95	3	Horizontal	104	1.55	-						
AV	15.95968G	53.94	54.00	-0.06	13.95	3	Horizontal	104	1.55	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5500MHz_TX




EUT_X_4TX
Setting 82
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.49112G	67.93	68.20	-0.27	15.72	3	Vertical	68	1.38	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5500MHz_TX




EUT_X_4TX
Setting 82
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.49128G	68.11	68.20	-0.09	15.72	3	Horizontal	66	1.36	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5580MHz_TX




EUT_X_4TX
Setting 84
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.73184G	67.91	68.20	-0.29	16.62	3	Vertical	63	1.40	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5580MHz_TX




EUT_X_4TX
Setting 84
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.73312G	67.99	68.20	-0.21	16.62	3	Horizontal	87	1.57	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5700MHz_TX




EUT_X_4TX
Setting 77
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.09104G	67.33	68.20	-0.87	17.78	3	Vertical	65	1.33	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

19/02/2019

5700MHz_TX




EUT_X_4TX
Setting 77
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.09104G	68.17	68.20	-0.03	17.78	3	Horizontal	56	2.43	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 89
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.15622G	66.95	68.20	-1.25	17.90	3	Vertical	298	1.50	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

20/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 89
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.15622G	68.02	68.20	-0.18	17.90	3	Horizontal	312	1.40	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5270MHz_TX




EUT Y_4TX
Setting 88
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7911G	64.86	74.00	-9.14	14.16	3	Vertical	340	1.74	-						
AV	15.8029G	52.39	54.00	-1.61	14.14	3	Vertical	340	1.74	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5270MHz_TX




EUT_Y_4TX
Setting 88
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.8016G	66.48	74.00	-7.52	14.14	3	Horizontal	55	2.94	-						
AV	15.8037G	53.79	54.00	-0.21	14.14	3	Horizontal	55	2.94	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5310MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9394G	62.39	74.00	-11.61	13.98	3	Vertical	211	1.50	-						
AV	15.9297G	50.14	54.00	-3.86	13.98	3	Vertical	211	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5310MHz_TX




EUT Y_4TX
Setting 92
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9225G	65.68	74.00	-8.32	14.00	3	Horizontal	103	1.57	-						
AV	15.9301G	53.81	54.00	-0.19	13.98	3	Horizontal	103	1.57	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5510MHz_TX




EUT_X_4TX
Setting 99
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.53516G	68.03	68.20	-0.17	15.90	3	Vertical	296	1.70	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5510MHz_TX




EUT_X_4TX
Setting 99
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.52148G	66.69	68.20	-1.51	15.84	3	Horizontal	258	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5550MHz_TX




EUT_X_4TX
Setting 90
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.64688G	68.12	68.20	-0.08	16.31	3	Vertical	347	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5550MHz_TX




EUT_X_4TX
Setting 90
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.64664G	66.34	68.20	-1.86	16.31	3	Horizontal	26	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5670MHz_TX




EUT_X_4TX
Setting 88
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.01876G	66.79	68.20	-1.41	17.65	3	Vertical	297	1.48	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5670MHz_TX




EUT_X_4TX
Setting 88
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.99926G	68.18	68.20	-0.02	17.62	3	Horizontal	280	2.46	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 99
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.14072G	67.86	68.20	-0.34	17.87	3	Vertical	296	1.50	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

20/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 99
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.13624G	68.01	68.20	-0.19	17.86	3	Horizontal	305	2.99	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5290MHz_TX




EUT Y_4TX
Setting 106
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.9176G	64.12	74.00	-9.88	14.00	3	Vertical	239	2.22	-						
AV	15.8968G	51.33	54.00	-2.67	14.03	3	Vertical	239	2.22	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5290MHz_TX




EUT Y_4TX
Setting 106
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.8822G	66.59	74.00	-7.41	14.04	3	Horizontal	103	1.52	-						
AV	15.8794G	53.93	54.00	-0.07	14.05	3	Horizontal	103	1.52	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5530MHz_TX




EUT_X_4TX
Setting 107
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.5954G	68.03	68.20	-0.17	16.11	3	Vertical	345	1.56	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5530MHz_TX




EUT_X_4TX
Setting 107
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.5796G	66.98	68.20	-1.22	16.06	3	Horizontal	261	1.50	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5610MHz_TX




EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.8172G	65.07	68.20	-3.13	16.94	3	Vertical	344	1.50	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5610MHz_TX




EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.8236G	66.07	68.20	-2.13	16.97	3	Horizontal	276	1.43	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.0856G	65.06	68.20	-3.14	17.78	3	Vertical	298	1.51	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

20/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	17.0589G	60.34	68.20	-7.86	16.94	3	Horizontal	356	1.00	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

20/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 98
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7452G	65.11	74.00	-8.89	14.20	3	Vertical	31	1.89	-						
AV	15.7542G	53.89	54.00	-0.11	14.20	3	Vertical	31	1.89	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

20/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_4TX
Setting 98
01-J-4
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7604G	64.64	74.00	-9.36	14.18	3	Horizontal	54	1.55	-						
AV	15.7538G	53.98	54.00	-0.02	14.20	3	Horizontal	54	1.55	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

20/02/2019

5570MHz_TX




EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.6598G	67.85	68.20	-0.35	16.36	3	Vertical	344	1.50	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

20/02/2019

5570MHz_TX



EUT_X_4TX
Setting 110
01-J-5
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	16.6602G	63.03	68.20	-5.17	16.36	3	Horizontal	26	1.50	-						



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.9

For Non-beamforming / 1T1S mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_1TX	Pass	PK	5.462G	68.17	68.20	-0.03	5.23	3	Vertical	174	1.70	-

802.11a_Nss1,(6Mbps)_1TX

21/02/2019

5260MHz_TX




EUT Y_1TX
Setting 82
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1334G	60.61	74.00	-13.39	4.24	3	Vertical	354	1.57	-
AV	5.1436G	48.60	54.00	-5.40	4.24	3	Vertical	354	1.57	-
PK	5.2624G	117.53	Inf	-Inf	4.50	3	Vertical	354	1.57	-
AV	5.2642G	107.53	Inf	-Inf	4.50	3	Vertical	354	1.57	-
PK	5.395G	62.56	74.00	-11.44	4.98	3	Vertical	354	1.57	-
AV	5.389G	50.02	54.00	-3.98	4.95	3	Vertical	354	1.57	-

802.11a_Nss1,(6Mbps)_1TX

21/02/2019

5300MHz_TX




EUT Y_1TX
Setting 90
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3024G	118.51	Inf	-Inf	4.65	3	Vertical	4	1.54	-
AV	5.3042G	108.67	Inf	-Inf	4.65	3	Vertical	4	1.54	-
PK	5.35G	72.67	74.00	-1.33	4.81	3	Vertical	4	1.54	-
AV	5.35G	53.77	54.00	-0.23	4.81	3	Vertical	4	1.54	-

802.11a_Nss1,(6Mbps)_1TX

21/02/2019

5320MHz_TX




EUT Y_1TX
Setting 74
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	115.76	Inf	-Inf	4.71	3	Vertical	4	1.50	-
AV	5.324G	105.52	Inf	-Inf	4.72	3	Vertical	4	1.50	-
PK	5.3532G	71.68	74.00	-2.32	4.82	3	Vertical	4	1.50	-
AV	5.35G	53.96	54.00	-0.04	4.81	3	Vertical	4	1.50	-

802.11a_Nss1,(6Mbps)_1TX

21/02/2019

5500MHz_TX




EUT Y_1TX
Setting 56
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.456G	61.15	74.00	-12.85	5.21	3	Vertical	354	1.51	-								
AV	5.4584G	49.34	54.00	-4.66	5.22	3	Vertical	354	1.51	-								
PK	5.4696G	68.09	68.20	-0.11	5.26	3	Vertical	354	1.51	-								
PK	5.5024G	113.42	Inf	-Inf	5.38	3	Vertical	354	1.51	-								
AV	5.4952G	103.22	Inf	-Inf	5.37	3	Vertical	354	1.51	-								

802.11a_Nss1,(6Mbps)_1TX

21/02/2019

5580MHz_TX




EUT Y_1TX
Setting 79
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4064G	61.70	74.00	-12.30	5.02	3	Vertical	176	1.76	-
AV	5.4576G	49.49	54.00	-4.51	5.21	3	Vertical	176	1.76	-
PK	5.4632G	61.11	68.20	-7.09	5.23	3	Vertical	176	1.76	-
PK	5.5816G	116.44	Inf	-Inf	5.59	3	Vertical	176	1.76	-
AV	5.584G	106.40	Inf	-Inf	5.60	3	Vertical	176	1.76	-
PK	5.74G	61.80	68.20	-6.40	5.83	3	Vertical	176	1.76	-

802.11a_Nss1.(6Mbps)_1TX

22/02/2019

5700MHz_TX




EUT Y_1TX
Setting 54
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7024G	113.48	Inf	-Inf	5.74	3	Vertical	177	1.54	-
AV	5.6952G	103.35	Inf	-Inf	5.74	3	Vertical	177	1.54	-
PK	5.7292G	68.04	68.20	-0.16	5.80	3	Vertical	177	1.54	-

802.11a_Nss1,(6Mbps)_1TX

22/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 78
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4308G	60.60	74.00	-13.40	5.11	3	Vertical	177	1.55	-
AV	5.4524G	48.97	54.00	-5.03	5.19	3	Vertical	177	1.55	-
PK	5.462G	60.51	68.20	-7.69	5.23	3	Vertical	177	1.55	-
PK	5.7188G	117.97	Inf	-Inf	5.79	3	Vertical	177	1.55	-
AV	5.7176G	108.53	Inf	-Inf	5.79	3	Vertical	177	1.55	-
PK	5.9312G	62.37	68.20	-5.83	6.83	3	Vertical	177	1.55	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5260MHz_TX




EUT Y_1TX
Setting 84
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	61.59	74.00	-12.41	4.25	3	Vertical	149	1.50	-
AV	5.122G	48.93	54.00	-5.07	4.23	3	Vertical	149	1.50	-
PK	5.257G	120.48	Inf	-Inf	4.48	3	Vertical	149	1.50	-
AV	5.263G	106.71	Inf	-Inf	4.50	3	Vertical	149	1.50	-
PK	5.3644G	62.32	74.00	-11.68	4.86	3	Vertical	149	1.50	-
AV	5.35G	50.17	54.00	-3.83	4.81	3	Vertical	149	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5300MHz_TX




EUT Y_1TX
Setting 85
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.297G	121.24	Inf	-Inf	4.63	3	Vertical	146	1.58	-
AV	5.303G	107.49	Inf	-Inf	4.65	3	Vertical	146	1.58	-
PK	5.3516G	72.23	74.00	-1.77	4.81	3	Vertical	146	1.58	-
AV	5.35G	53.76	54.00	-0.24	4.81	3	Vertical	146	1.58	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5320MHz_TX




EUT Y_1TX
Setting 70
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3252G	116.73	Inf	-Inf	4.74	3	Vertical	148	1.56	-
AV	5.3236G	104.21	Inf	-Inf	4.72	3	Vertical	148	1.56	-
PK	5.3536G	72.95	74.00	-1.05	4.82	3	Vertical	148	1.56	-
AV	5.35G	53.77	54.00	-0.23	4.81	3	Vertical	148	1.56	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5500MHz_TX




EUT Y_1TX
Setting 60
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4572G	62.51	74.00	-11.49	5.21	3	Vertical	175	1.69	-
AV	5.46G	49.15	54.00	-4.85	5.22	3	Vertical	175	1.69	-
PK	5.4696G	68.16	68.20	-0.04	5.26	3	Vertical	175	1.69	-
PK	5.4968G	116.73	Inf	-Inf	5.37	3	Vertical	175	1.69	-
AV	5.5028G	102.83	Inf	-Inf	5.39	3	Vertical	175	1.69	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5580MHz_TX




EUT Y_1TX
Setting 84
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	60.98	74.00	-13.02	5.21	3	Vertical	175	1.66	-
AV	5.46G	49.27	54.00	-4.73	5.22	3	Vertical	175	1.66	-
PK	5.4608G	62.15	68.20	-6.05	5.22	3	Vertical	175	1.66	-
PK	5.5768G	119.25	Inf	-Inf	5.57	3	Vertical	175	1.66	-
AV	5.5816G	105.34	Inf	-Inf	5.59	3	Vertical	175	1.66	-
PK	5.7456G	61.89	68.20	-6.31	5.84	3	Vertical	175	1.66	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5700MHz_TX




EUT Y_1TX
Setting 43
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.698G	113.01	Inf	-Inf	5.74	3	Vertical	177	1.52	-
AV	5.698G	100.13	Inf	-Inf	5.74	3	Vertical	177	1.52	-
PK	5.726G	68.17	68.20	-0.03	5.79	3	Vertical	177	1.52	-

802.11ax HEW20_Nss1,(MCS0)_1TX

22/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 89
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4428G	60.45	74.00	-13.55	5.16	3	Vertical	177	1.57	-
AV	5.4584G	48.73	54.00	-5.27	5.22	3	Vertical	177	1.57	-
PK	5.4644G	60.24	68.20	-7.96	5.23	3	Vertical	177	1.57	-
PK	5.7176G	121.94	Inf	-Inf	5.79	3	Vertical	177	1.57	-
AV	5.7188G	108.80	Inf	-Inf	5.79	3	Vertical	177	1.57	-
PK	5.8868G	61.92	68.20	-6.28	6.60	3	Vertical	177	1.57	-

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5270MHz_TX




EUT Y_1TX
Setting 76
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1218G	62.01	74.00	-11.99	4.23	3	Vertical	148	1.50	-
AV	5.123G	49.80	54.00	-4.20	4.23	3	Vertical	148	1.50	-
PK	5.2622G	115.79	Inf	-Inf	4.50	3	Vertical	148	1.50	-
AV	5.264G	103.47	Inf	-Inf	4.50	3	Vertical	148	1.50	-
PK	5.35G	68.35	74.00	-5.65	4.81	3	Vertical	148	1.50	-
AV	5.35G	53.82	54.00	-0.18	4.81	3	Vertical	148	1.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5310MHz_TX




EUT Y_1TX
Setting 62
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3022G	112.59	Inf	-Inf	4.65	3	Vertical	145	1.57	-
AV	5.304G	100.35	Inf	-Inf	4.65	3	Vertical	145	1.57	-
PK	5.3532G	71.65	74.00	-2.35	4.82	3	Vertical	145	1.57	-
AV	5.35G	53.92	54.00	-0.08	4.81	3	Vertical	145	1.57	-

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5510MHz_TX




EUT Y_1TX
Setting 57
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4596G	63.97	74.00	-10.03	5.22	3	Vertical	175	1.65	-								
AV	5.4584G	50.90	54.00	-3.10	5.22	3	Vertical	175	1.65	-								
PK	5.4698G	68.03	68.20	-0.17	5.26	3	Vertical	175	1.65	-								
PK	5.5022G	112.74	Inf	-Inf	5.38	3	Vertical	175	1.65	-								
AV	5.504G	100.31	Inf	-Inf	5.39	3	Vertical	175	1.65	-								

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5550MHz_TX




EUT Y_1TX
Setting 77
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	65.62	74.00	-8.38	5.22	3	Vertical	176	1.64	-
AV	5.46G	52.25	54.00	-1.75	5.22	3	Vertical	176	1.64	-
PK	5.4696G	68.04	68.20	-0.16	5.26	3	Vertical	176	1.64	-
PK	5.5422G	116.18	Inf	-Inf	5.48	3	Vertical	176	1.64	-
AV	5.5362G	104.06	Inf	-Inf	5.47	3	Vertical	176	1.64	-

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5670MHz_TX




EUT Y_1TX
Setting 61
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6748G	114.02	Inf	-Inf	5.71	3	Vertical	176	1.59	-
AV	5.676G	101.98	Inf	-Inf	5.72	3	Vertical	176	1.59	-
PK	5.7258G	67.98	68.20	-0.22	5.79	3	Vertical	176	1.59	-

802.11ax HEW40_Nss1,(MCS0)_1TX

22/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 99
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	61.04	74.00	-12.96	5.22	3	Vertical	177	1.58	-
AV	5.458G	50.02	54.00	-3.98	5.21	3	Vertical	177	1.58	-
PK	5.47G	62.35	68.20	-5.85	5.26	3	Vertical	177	1.58	-
PK	5.7256G	120.83	Inf	-Inf	5.79	3	Vertical	177	1.58	-
AV	5.7136G	108.78	Inf	-Inf	5.78	3	Vertical	177	1.58	-
PK	5.86G	68.07	68.20	-0.13	6.40	3	Vertical	177	1.58	-

802.11ax HEW80_Nss1,(MCS0)_1TX

22/02/2019

5290MHz_TX




EUT Y_1TX
Setting 61
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.129G	60.85	74.00	-13.15	4.24	3	Vertical	146	1.61	-
AV	5.125G	49.37	54.00	-4.63	4.23	3	Vertical	146	1.61	-
PK	5.306G	110.13	Inf	-Inf	4.66	3	Vertical	146	1.61	-
AV	5.303G	97.67	Inf	-Inf	4.65	3	Vertical	146	1.61	-
PK	5.352G	68.52	74.00	-5.48	4.82	3	Vertical	146	1.61	-
AV	5.35G	53.94	54.00	-0.06	4.81	3	Vertical	146	1.61	-
PK	5.471G	60.64	68.20	-7.56	5.26	3	Vertical	146	1.61	-

802.11ax HEW80_Nss1,(MCS0)_1TX

22/02/2019

5530MHz_TX




EUT Y_1TX
Setting 59
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.29G	59.47	68.20	-8.73	4.60	3	Vertical	174	1.70	-
PK	5.456G	67.33	74.00	-6.67	5.21	3	Vertical	174	1.70	-
AV	5.458G	52.53	54.00	-1.47	5.21	3	Vertical	174	1.70	-
PK	5.462G	68.17	68.20	-0.03	5.23	3	Vertical	174	1.70	-
PK	5.52G	109.20	Inf	-Inf	5.44	3	Vertical	174	1.70	-
AV	5.519G	97.37	Inf	-Inf	5.44	3	Vertical	174	1.70	-
PK	5.75G	60.64	68.20	-7.56	5.85	3	Vertical	174	1.70	-

802.11ax HEW80_Nss1,(MCS0)_1TX

22/02/2019

5610MHz_TX




EUT Y_1TX
Setting 66
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.60	74.00	-11.40	5.22	3	Vertical	176	1.61	-
AV	5.46G	50.96	54.00	-3.04	5.22	3	Vertical	176	1.61	-
PK	5.468G	63.69	68.20	-4.51	5.25	3	Vertical	176	1.61	-
PK	5.626G	111.30	Inf	-Inf	5.67	3	Vertical	176	1.61	-
AV	5.647G	99.09	Inf	-Inf	5.69	3	Vertical	176	1.61	-
PK	5.732G	68.01	68.20	-0.19	5.80	3	Vertical	176	1.61	-

802.11ax HEW80_Nss1,(MCS0)_1TX

22/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 82
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	63.33	74.00	-10.67	5.22	3	Vertical	175	1.60	-
AV	5.4572G	51.40	54.00	-2.60	5.21	3	Vertical	175	1.60	-
PK	5.4668G	64.74	68.20	-3.46	5.25	3	Vertical	175	1.60	-
PK	5.7056G	115.84	Inf	-Inf	5.75	3	Vertical	175	1.60	-
AV	5.6768G	103.66	Inf	-Inf	5.72	3	Vertical	175	1.60	-
PK	5.8532G	68.06	68.20	-0.14	6.35	3	Vertical	175	1.60	-

802.11ax HEW160_Nss1,(MCS0)_1TX

22/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_1TX
Setting 57
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1316G	65.92	74.00	-8.08	4.24	3	Vertical	210	1.47	-
AV	5.1476G	53.86	54.00	-0.14	4.25	3	Vertical	210	1.47	-
PK	5.234G	106.91	Inf	-Inf	4.39	3	Vertical	210	1.47	-
AV	5.234G	94.72	Inf	-Inf	4.39	3	Vertical	210	1.47	-
PK	5.3508G	69.27	74.00	-4.73	4.81	3	Vertical	210	1.47	-
AV	5.3972G	53.91	54.00	-0.09	4.98	3	Vertical	210	1.47	-
PK	5.4676G	63.53	68.20	-4.67	5.25	3	Vertical	210	1.47	-

802.11ax HEW160_Nss1,(MCS0)_1TX

22/02/2019

5570MHz_TX



EUT Y_1TX
Setting 52
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2436G	60.10	68.20	-8.10	4.43	3	Vertical	177	1.67	-
PK	5.4548G	64.93	74.00	-9.07	5.19	3	Vertical	177	1.67	-
AV	5.4564G	52.13	54.00	-1.87	5.21	3	Vertical	177	1.67	-
PK	5.4628G	68.11	68.20	-0.09	5.23	3	Vertical	177	1.67	-
PK	5.5748G	104.50	Inf	-Inf	5.58	3	Vertical	177	1.67	-
AV	5.5428G	94.13	Inf	-Inf	5.49	3	Vertical	177	1.67	-
PK	5.7252G	67.49	68.20	-0.71	5.79	3	Vertical	177	1.67	-



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.10


For Non-beamforming / 2T2S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.138G	53.98	54.00	-0.02	4.24	3	Vertical	28	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5260MHz_TX




EUT_X_2TX
Setting 84
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1166G	63.09	74.00	-10.91	4.23	3	Vertical	26	1.50	-
AV	5.149G	51.46	54.00	-2.54	4.25	3	Vertical	26	1.50	-
PK	5.2648G	122.63	Inf	-Inf	4.51	3	Vertical	26	1.50	-
AV	5.2558G	111.12	Inf	-Inf	4.48	3	Vertical	26	1.50	-
PK	5.3698G	63.11	74.00	-10.89	4.88	3	Vertical	26	1.50	-
AV	5.35G	51.12	54.00	-2.88	4.81	3	Vertical	26	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5300MHz_TX




EUT_X_2TX
Setting 79
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.294G	121.61	Inf	-Inf	4.62	3	Vertical	30	1.50	-
AV	5.3018G	110.00	Inf	-Inf	4.65	3	Vertical	30	1.50	-
PK	5.35G	70.22	74.00	-3.78	4.81	3	Vertical	30	1.50	-
AV	5.35G	53.97	54.00	-0.03	4.81	3	Vertical	30	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5320MHz_TX




EUT_X_2TX
Setting 65
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.314G	117.11	Inf	-Inf	4.69	3	Vertical	30	1.52	-
AV	5.3216G	105.91	Inf	-Inf	4.71	3	Vertical	30	1.52	-
PK	5.3536G	71.35	74.00	-2.65	4.82	3	Vertical	30	1.52	-
AV	5.3508G	53.94	54.00	-0.06	4.81	3	Vertical	30	1.52	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5500MHz_TX




EUT_X_2TX
Setting 58
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4496G	62.54	74.00	-11.46	5.19	3	Vertical	30	1.43	-
AV	5.46G	51.00	54.00	-3.00	5.22	3	Vertical	30	1.43	-
PK	5.4692G	68.01	68.20	-0.19	5.26	3	Vertical	30	1.43	-
PK	5.5016G	118.52	Inf	-Inf	5.38	3	Vertical	30	1.43	-
AV	5.5012G	106.84	Inf	-Inf	5.38	3	Vertical	30	1.43	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5580MHz_TX




EUT_X_2TX
Setting 84
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4528G	62.87	74.00	-11.13	5.19	3	Vertical	32	1.50	-
AV	5.4544G	51.62	54.00	-2.38	5.19	3	Vertical	32	1.50	-
PK	5.4656G	64.48	68.20	-3.72	5.25	3	Vertical	32	1.50	-
PK	5.5832G	122.31	Inf	-Inf	5.60	3	Vertical	32	1.50	-
AV	5.5816G	111.49	Inf	-Inf	5.59	3	Vertical	32	1.50	-
PK	5.7376G	63.75	68.20	-4.45	5.83	3	Vertical	32	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5700MHz_TX




EUT_X_2TX
Setting 49
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6988G	117.00	Inf	-Inf	5.74	3	Vertical	328	1.54	-
AV	5.698G	104.86	Inf	-Inf	5.74	3	Vertical	328	1.54	-
PK	5.7272G	68.00	68.20	-0.20	5.79	3	Vertical	328	1.54	-

802.11ax HEW20_Nss2,(MCS0)_2TX

21/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 89
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4404G	62.35	74.00	-11.65	5.15	3	Vertical	31	1.50	-
AV	5.4548G	51.09	54.00	-2.91	5.19	3	Vertical	31	1.50	-
PK	5.4692G	62.03	68.20	-6.17	5.26	3	Vertical	31	1.50	-
PK	5.7224G	123.91	Inf	-Inf	5.79	3	Vertical	31	1.50	-
AV	5.7212G	113.16	Inf	-Inf	5.79	3	Vertical	31	1.50	-
PK	5.9504G	63.68	68.20	-4.52	6.93	3	Vertical	31	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5270MHz_TX




EUT_X_2TX
Setting 75
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.135G	62.83	74.00	-11.17	4.25	3	Vertical	28	1.50	-
AV	5.144G	51.18	54.00	-2.82	4.24	3	Vertical	28	1.50	-
PK	5.2682G	117.68	Inf	-Inf	4.52	3	Vertical	28	1.50	-
AV	5.2622G	106.43	Inf	-Inf	4.50	3	Vertical	28	1.50	-
PK	5.35G	68.52	74.00	-5.48	4.81	3	Vertical	28	1.50	-
AV	5.3504G	53.86	54.00	-0.14	4.81	3	Vertical	28	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5310MHz_TX




EUT_X_2TX
Setting 61
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.307G	113.73	Inf	-Inf	4.66	3	Vertical	29	1.49	-
AV	5.2968G	102.09	Inf	-Inf	4.63	3	Vertical	29	1.49	-
PK	5.3538G	71.10	74.00	-2.90	4.82	3	Vertical	29	1.49	-
AV	5.3514G	53.96	54.00	-0.04	4.81	3	Vertical	29	1.49	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5510MHz_TX




EUT_X_2TX
Setting 56
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4572G	66.91	74.00	-7.09	5.21	3	Vertical	31	1.51	-
AV	5.459G	52.69	54.00	-1.31	5.22	3	Vertical	31	1.51	-
PK	5.468G	68.09	68.20	-0.11	5.25	3	Vertical	31	1.51	-
PK	5.5214G	114.55	Inf	-Inf	5.44	3	Vertical	31	1.51	-
AV	5.5094G	103.53	Inf	-Inf	5.41	3	Vertical	31	1.51	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5550MHz_TX




EUT_X_2TX
Setting 73
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4582G	65.84	74.00	-8.16	5.21	3	Vertical	31	1.53	-
AV	5.46G	52.59	54.00	-1.41	5.22	3	Vertical	31	1.53	-
PK	5.4678G	67.99	68.20	-0.21	5.25	3	Vertical	31	1.53	-
PK	5.5614G	117.27	Inf	-Inf	5.54	3	Vertical	31	1.53	-
AV	5.544G	106.15	Inf	-Inf	5.50	3	Vertical	31	1.53	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5670MHz_TX




EUT_X_2TX
Setting 54
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6748G	114.96	Inf	-Inf	5.71	3	Vertical	327	1.53	-
AV	5.6742G	103.65	Inf	-Inf	5.71	3	Vertical	327	1.53	-
PK	5.7264G	68.17	68.20	-0.03	5.79	3	Vertical	327	1.53	-

802.11ax HEW40_Nss2,(MCS0)_2TX

21/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 88
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4268G	62.89	74.00	-11.11	5.10	3	Vertical	328	1.50	-
AV	5.4112G	51.36	54.00	-2.64	5.03	3	Vertical	328	1.50	-
PK	5.4616G	62.64	68.20	-5.56	5.22	3	Vertical	328	1.50	-
PK	5.7064G	121.87	Inf	-Inf	5.75	3	Vertical	328	1.50	-
AV	5.7148G	110.13	Inf	-Inf	5.78	3	Vertical	328	1.50	-
PK	5.8576G	68.01	68.20	-0.19	6.39	3	Vertical	328	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

21/02/2019

5290MHz_TX




EUT_X_2TX
Setting 57
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	61.55	74.00	-12.45	4.25	3	Vertical	31	1.50	-
AV	5.129G	51.06	54.00	-2.94	4.24	3	Vertical	31	1.50	-
PK	5.295G	109.48	Inf	-Inf	4.62	3	Vertical	31	1.50	-
AV	5.279G	99.87	Inf	-Inf	4.57	3	Vertical	31	1.50	-
PK	5.354G	66.87	74.00	-7.13	4.82	3	Vertical	31	1.50	-
AV	5.368G	53.96	54.00	-0.04	4.87	3	Vertical	31	1.50	-
PK	5.477G	61.25	68.20	-6.95	5.29	3	Vertical	31	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

21/02/2019

5530MHz_TX




EUT_X_2TX
Setting 54
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.337G	60.49	68.20	-7.71	4.77	3	Vertical	28	1.50	-
PK	5.457G	65.99	74.00	-8.01	5.21	3	Vertical	28	1.50	-
AV	5.458G	53.88	54.00	-0.12	5.21	3	Vertical	28	1.50	-
PK	5.466G	67.74	68.20	-0.46	5.25	3	Vertical	28	1.50	-
PK	5.514G	110.23	Inf	-Inf	5.42	3	Vertical	28	1.50	-
AV	5.519G	100.62	Inf	-Inf	5.44	3	Vertical	28	1.50	-
PK	5.779G	61.53	68.20	-6.67	5.91	3	Vertical	28	1.50	-

802.11ax HEW80_Nss2,(MCS0)_2TX

21/02/2019

5610MHz_TX




EUT_X_2TX
Setting 63
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.453G	66.91	74.00	-7.09	5.19	3	Vertical	31	1.55	-
AV	5.452G	53.72	54.00	-0.28	5.19	3	Vertical	31	1.55	-
PK	5.463G	68.03	68.20	-0.17	5.23	3	Vertical	31	1.55	-
PK	5.623G	112.57	Inf	-Inf	5.66	3	Vertical	31	1.55	-
AV	5.623G	102.22	Inf	-Inf	5.66	3	Vertical	31	1.55	-
PK	5.727G	68.10	68.20	-0.10	5.79	3	Vertical	31	1.55	-

802.11ax HEW80_Nss2,(MCS0)_2TX

21/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 71
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4464G	62.45	74.00	-11.55	5.18	3	Vertical	330	1.47	-
AV	5.456G	51.95	54.00	-2.05	5.21	3	Vertical	330	1.47	-
PK	5.4692G	63.01	68.20	-5.19	5.26	3	Vertical	330	1.47	-
PK	5.6744G	115.54	Inf	-Inf	5.71	3	Vertical	330	1.47	-
AV	5.678G	105.70	Inf	-Inf	5.72	3	Vertical	330	1.47	-
PK	5.8556G	67.97	68.20	-0.23	6.36	3	Vertical	330	1.47	-

802.11ax HEW160_Nss2,(MCS0)_2TX

21/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 50
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1316G	63.01	74.00	-10.99	4.24	3	Vertical	28	1.50	-
AV	5.138G	53.98	54.00	-0.02	4.24	3	Vertical	28	1.50	-
PK	5.2596G	107.44	Inf	-Inf	4.49	3	Vertical	28	1.50	-
AV	5.2628G	96.43	Inf	-Inf	4.50	3	Vertical	28	1.50	-
PK	5.386G	64.78	74.00	-9.22	4.94	3	Vertical	28	1.50	-
AV	5.3796G	53.84	54.00	-0.16	4.92	3	Vertical	28	1.50	-
PK	5.49G	61.67	68.20	-6.53	5.34	3	Vertical	28	1.50	-

802.11ax HEW160_Nss2,(MCS0)_2TX

21/02/2019

5570MHz_TX



EUT_X_2TX
Setting 49
01-E-4-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3396G	61.27	68.20	-6.93	4.78	3	Vertical	32	1.50	-
PK	5.458G	65.01	74.00	-8.99	5.21	3	Vertical	32	1.50	-
AV	5.458G	53.98	54.00	-0.02	5.21	3	Vertical	32	1.50	-
PK	5.4676G	66.02	68.20	-2.18	5.25	3	Vertical	32	1.50	-
PK	5.5796G	107.37	Inf	-Inf	5.58	3	Vertical	32	1.50	-
AV	5.5828G	96.54	Inf	-Inf	5.60	3	Vertical	32	1.50	-
PK	5.7252G	66.49	68.20	-1.71	5.79	3	Vertical	32	1.50	-



RSE TX above 1GHz Result_Radio 1_Bandedge

Appendix E.11


For Non-beamforming / 4T1S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_4TX	Pass	PK	5.3576G	73.97	74.00	-0.03	4.83	3	Vertical	25	1.50	-

802.11a_Nss1,(6Mbps)_4TX

21/02/2019

5260MHz_TX




EUT_X_4TX
Setting 82
01-M-01-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1136G	63.63	74.00	-10.37	4.22	3	Vertical	326	1.50	-
AV	5.1442G	51.23	54.00	-2.77	4.24	3	Vertical	326	1.50	-
PK	5.2528G	126.24	Inf	-Inf	4.47	3	Vertical	326	1.50	-
AV	5.2522G	117.65	Inf	-Inf	4.47	3	Vertical	326	1.50	-
PK	5.3764G	64.67	74.00	-9.33	4.91	3	Vertical	326	1.50	-
AV	5.3506G	51.47	54.00	-2.53	4.81	3	Vertical	326	1.50	-

802.11a_Nss1,(6Mbps)_4TX

21/02/2019

5300MHz_TX




EUT_X_4TX
Setting 76
01-M-01-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2932G	125.74	Inf	-Inf	4.62	3	Vertical	328	1.50	-
AV	5.2924G	116.44	Inf	-Inf	4.61	3	Vertical	328	1.50	-
PK	5.3504G	73.80	74.00	-0.20	4.81	3	Vertical	328	1.50	-
AV	5.35G	53.32	54.00	-0.68	4.81	3	Vertical	328	1.50	-

802.11a_Nss1,(6Mbps)_4TX

21/02/2019

5320MHz_TX



EUT_X_4TX
Setting 64
01-M-01-10
FSU
ANT7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3176G	122.29	Inf	-Inf	4.70	3	Vertical	28	1.45	-
AV	5.3172G	112.67	Inf	-Inf	4.70	3	Vertical	28	1.45	-
PK	5.354G	73.79	74.00	-0.21	4.82	3	Vertical	28	1.45	-
AV	5.3548G	52.75	54.00	-1.25	4.82	3	Vertical	28	1.45	-