

Appendix Test Data

|                  |                     |                    |             |
|------------------|---------------------|--------------------|-------------|
| Report No.:      | 1814C60190112502-01 | Test Sample No.:   | 1-2-2       |
| Start Test Date: | 2026-7-1            | Finish Test Date:  | 2026-7-6    |
| Test Engineer:   | Tracy Liang         | Auditor:           | Justin Feng |
| Temperature:     | 24.8°C              | Relative Humidity: | 52%         |
| Pressure:        | 101kPa              |                    |             |

Appendix A: Frequency Error


Test Result

| Test Condition | Test Mode | Antenna | Frequency [MHz] | Center Freq. [MHz] | Result [ppm] | Limit [ppm] | Verdict |
|----------------|-----------|---------|-----------------|--------------------|--------------|-------------|---------|
| NTNV           | CW        | Ant1    | 2412            | 2412.04            | 16.58375     | ±50         | PASS    |
| NTNV           | CW        | Ant1    | 2442            | 2442.041           | 16.78952     | ±50         | PASS    |
| NTNV           | CW        | Ant1    | 2472            | 2472.042           | 16.99029     | ±50         | PASS    |


Note: Result[ppm]= (Center Freq[MHz] -Freq.[MHz])/Freq.[MHz]\*1000000



## Test Graphs




NTNV-CW-Ant1-2412-PASS



NTNV-CW-Ant1-2442-PASS





## Appendix B: Antenna Power

### Test Result

| Test Condition | Test Mode     | Antenna | Frequency[MHz] | Result [dBm/MHz] | Result [mW/MHz] | Limit [mW/MHz] | Verdict |
|----------------|---------------|---------|----------------|------------------|-----------------|----------------|---------|
| NTNV           | 11B           | Ant1    | 2412           | 4.39             | 2.7479          | ≤10            | PASS    |
| NTNV           | 11B           | Ant1    | 2442           | 4.57             | 2.8642          | ≤10            | PASS    |
| NTNV           | 11B           | Ant1    | 2472           | 4.83             | 3.0409          | ≤10            | PASS    |
| NTNV           | 11G           | Ant1    | 2412           | 2.48             | 1.7701          | ≤10            | PASS    |
| NTNV           | 11G           | Ant1    | 2442           | 2.49             | 1.7742          | ≤10            | PASS    |
| NTNV           | 11G           | Ant1    | 2472           | 3.06             | 2.0230          | ≤10            | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2412           | 2.45             | 1.7579          | ≤10            | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2442           | 2.57             | 1.8072          | ≤10            | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2472           | 2.53             | 1.7906          | ≤10            | PASS    |

| Test Condition | Test Mode     | Antenna | Frequency[MHz] | Power [mW/MHz] | RatedPower [mW/MHz] | Result [%] | Limit [%] | Verdict |
|----------------|---------------|---------|----------------|----------------|---------------------|------------|-----------|---------|
| NTNV           | 11B           | Ant1    | 2412           | 2.7479         | 3                   | -8.40      | +20       | PASS    |
| NTNV           | 11B           | Ant1    | 2442           | 2.8642         | 3                   | -4.53      | +20       | PASS    |
| NTNV           | 11B           | Ant1    | 2472           | 3.0409         | 3                   | 1.36       | +20       | PASS    |
| NTNV           | 11G           | Ant1    | 2412           | 1.7701         | 2                   | -11.50     | +20       | PASS    |
| NTNV           | 11G           | Ant1    | 2442           | 1.7742         | 2                   | -11.29     | +20       | PASS    |
| NTNV           | 11G           | Ant1    | 2472           | 2.023          | 2                   | 1.15       | +20       | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2412           | 1.7579         | 2                   | -12.11     | +20       | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2442           | 1.8072         | 2                   | -9.64      | +20       | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2472           | 1.7906         | 2                   | -10.47     | +20       | PASS    |

| Test Condition | Test Mode | Antenna | Frequency[MHz] | Result[dBm/MHz] | Gain[dBi] | EIRP(dBm/MHz) | Limit(dBm/MHz) | Verdict |
|----------------|-----------|---------|----------------|-----------------|-----------|---------------|----------------|---------|
| NTNV           | 11B       | Ant1    | 2412           | 4.39            | 2.54      | 6.93          | ≤12.14         | PASS    |
| NTNV           | 11B       | Ant1    | 2442           | 4.57            | 2.54      | 7.11          | ≤12.14         | PASS    |
| NTNV           | 11B       | Ant1    | 2472           | 4.83            | 2.54      | 7.37          | ≤12.14         | PASS    |
| NTNV           | 11G       | Ant1    | 2412           | 2.48            | 2.54      | 5.02          | ≤12.14         | PASS    |
| NTNV           | 11G       | Ant1    | 2442           | 2.49            | 2.54      | 5.03          | ≤12.14         | PASS    |

### Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com




|      |               |      |      |      |      |      |              |      |
|------|---------------|------|------|------|------|------|--------------|------|
| NTNV | 11G           | Ant1 | 2472 | 3.06 | 2.54 | 5.60 | $\leq 12.14$ | PASS |
| NTNV | 11N20SI<br>SO | Ant1 | 2412 | 2.45 | 2.54 | 4.99 | $\leq 12.14$ | PASS |
| NTNV | 11N20SI<br>SO | Ant1 | 2442 | 2.57 | 2.54 | 5.11 | $\leq 12.14$ | PASS |
| NTNV | 11N20SI<br>SO | Ant1 | 2472 | 2.53 | 2.54 | 5.07 | $\leq 12.14$ | PASS |

Note: EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)



## Test Graphs





### Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com
























## NTNV-11N20SISO-Ant1-2472-PASS




## Appendix C: Occupied Bandwidth

### Test Result


| Test Condition | Test Mode     | Antenna | Frequency [MHz] | Result [MHz] | Limit [MHz] | Verdict |
|----------------|---------------|---------|-----------------|--------------|-------------|---------|
| NTNV           | 11B           | Ant1    | 2412            | 14.066       | ≤26         | PASS    |
| NTNV           | 11B           | Ant1    | 2442            | 14.066       | ≤26         | PASS    |
| NTNV           | 11B           | Ant1    | 2472            | 14.066       | ≤26         | PASS    |
| NTNV           | 11G           | Ant1    | 2412            | 16.583       | ≤26         | PASS    |
| NTNV           | 11G           | Ant1    | 2442            | 16.943       | ≤26         | PASS    |
| NTNV           | 11G           | Ant1    | 2472            | 16.823       | ≤26         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2412            | 18.022       | ≤26         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2442            | 18.102       | ≤26         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2472            | 17.902       | ≤26         | PASS    |



## Test Graphs




NTNV-11B-Ant1-2412-PASS




NTNV-11B-Ant1-2442-PASS






NTNV-11B-Ant1-2472-PASS




NTNV-11G-Ant1-2412-PASS






NTNV-11G-Ant1-2442-PASS




NTNV-11G-Ant1-2472-PASS






NTNV-11N20SISO-Ant1-2412-PASS



NTNV-11N20SISO-Ant1-2442-PASS





## Appendix D: Spurious Emission of TX

## Test Result

| Test Condition | Test Mode | Antenna | Frequency [MHz] | Freq. Range [MHz] | Freq. [MHz] | Result [dBm/MHz] | Limit [dBm/MHz] | Result [ $\mu$ W/MHz] | Limit [ $\mu$ W/MHz] | Verdict |
|----------------|-----------|---------|-----------------|-------------------|-------------|------------------|-----------------|-----------------------|----------------------|---------|
| NTNV           | 11B       | Ant1    | 2412            | 30~1000           | 981.57      | -49.88           | $\leq -26$      | 0.01028               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 1000~2387         | 2379.72     | -46.04           | $\leq -26$      | 0.02489               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2387~2400         | 2399.97     | -33.64           | $\leq -16$      | 0.43251               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2483.5~2496.5     | 2496.14     | -37.61           | $\leq -16$      | 0.17338               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2412            | 2496.5~13000      | 4823.55     | -43.34           | $\leq -26$      | 0.04634               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 30~1000           | 628.98      | -49.80           | $\leq -26$      | 0.01047               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 1000~2387         | 2381.45     | -44.01           | $\leq -26$      | 0.03972               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2387~2400         | 2399.35     | -37.52           | $\leq -16$      | 0.17701               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2483.5~2496.5     | 2484.48     | -35.44           | $\leq -16$      | 0.28576               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2442            | 2496.5~13000      | 2510.68     | -42.13           | $\leq -26$      | 0.06124               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 30~1000           | 892.57      | -49.48           | $\leq -26$      | 0.01127               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 1000~2387         | 2278.12     | -47.47           | $\leq -26$      | 0.01791               | $\leq 2.5$           | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2387~2400         | 2398.32     | -37.96           | $\leq -16$      | 0.15996               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2483.5~2496.5     | 2483.58     | -29.09           | $\leq -16$      | 1.23310               | $\leq 25$            | PASS    |
| NTNV           | 11B       | Ant1    | 2472            | 2496.5~13000      | 4943.82     | -42.63           | $\leq -26$      | 0.05458               | $\leq 2.5$           | PASS    |

## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500

www.anbotek.com



|      |               |      |      |                       |             |        |      |              |      |                       |
|------|---------------|------|------|-----------------------|-------------|--------|------|--------------|------|-----------------------|
|      |               |      |      | 0                     |             |        |      |              |      |                       |
| NTNV | 11G           | Ant1 | 2412 | 30~10<br>00           | 897.<br>67  | -49.78 | ≤-26 | 0.0105<br>2  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2412 | 1000~<br>2387         | 238<br>5.27 | -42.90 | ≤-26 | 0.0512<br>9  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2412 | 2387~<br>2400         | 239<br>9.95 | -14.67 | ≤-16 | 34.119<br>29 | ≤25  | See<br>table<br>below |
| NTNV | 11G           | Ant1 | 2412 | 2483.5<br>~2496.<br>5 | 249<br>5.90 | -37.21 | ≤-16 | 0.1901<br>1  | ≤25  | PASS                  |
| NTNV | 11G           | Ant1 | 2412 | 2496.5<br>~1300<br>0  | 689<br>5.37 | -44.55 | ≤-26 | 0.0350<br>8  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2442 | 30~10<br>00           | 942.<br>04  | -50.06 | ≤-26 | 0.0098<br>6  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2442 | 1000~<br>2387         | 235<br>5.10 | -46.02 | ≤-26 | 0.0250<br>0  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2442 | 2387~<br>2400         | 239<br>7.94 | -38.12 | ≤-16 | 0.1541<br>7  | ≤25  | PASS                  |
| NTNV | 11G           | Ant1 | 2442 | 2483.5<br>~2496.<br>5 | 248<br>7.61 | -38.00 | ≤-16 | 0.1584<br>9  | ≤25  | PASS                  |
| NTNV | 11G           | Ant1 | 2442 | 2496.5<br>~1300<br>0  | 691<br>6.37 | -44.41 | ≤-26 | 0.0362<br>2  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2472 | 30~10<br>00           | 852.<br>32  | -49.54 | ≤-26 | 0.01112      | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2472 | 1000~<br>2387         | 236<br>7.93 | -46.71 | ≤-26 | 0.0213<br>3  | ≤2.5 | PASS                  |
| NTNV | 11G           | Ant1 | 2472 | 2387~<br>2400         | 239<br>2.13 | -37.55 | ≤-16 | 0.1757<br>9  | ≤25  | PASS                  |
| NTNV | 11G           | Ant1 | 2472 | 2483.5<br>~2496.<br>5 | 248<br>3.57 | -11.31 | ≤-16 | 73.960<br>53 | ≤25  | See<br>table<br>below |
| NTNV | 11G           | Ant1 | 2472 | 2496.5<br>~1300<br>0  | 249<br>6.50 | -41.54 | ≤-26 | 0.0701<br>5  | ≤2.5 | PASS                  |
| NTNV | 11N20S<br>ISO | Ant1 | 2412 | 30~10<br>00           | 830.<br>25  | -50.16 | ≤-26 | 0.0096<br>4  | ≤2.5 | PASS                  |
| NTNV | 11N20S<br>ISO | Ant1 | 2412 | 1000~<br>2387         | 238<br>1.80 | -41.26 | ≤-26 | 0.0748<br>2  | ≤2.5 | PASS                  |
| NTNV | 11N20S        | Ant1 | 2412 | 2387~                 | 239         | -14.65 | ≤-16 | 34.276       | ≤25  | See                   |

## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



|      |            |      |      |                   |             |        |      |              |      |                 |
|------|------------|------|------|-------------------|-------------|--------|------|--------------|------|-----------------|
|      | ISO        |      |      | 2400              | 9.98        |        |      | 78           |      | table below     |
| NTNV | 11N20S ISO | Ant1 | 2412 | 2483.5<br>~2496.5 | 249<br>3.44 | -37.47 | ≤-16 | 0.1790<br>6  | ≤25  | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2412 | 2496.5<br>~13000  | 695<br>9.44 | -44.68 | ≤-26 | 0.0340<br>4  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2442 | 30~1000           | 943.01      | -50.26 | ≤-26 | 0.0094<br>2  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2442 | 1000~2387         | 237<br>5.90 | -46.29 | ≤-26 | 0.0235<br>0  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2442 | 2387~2400         | 239<br>7.89 | -37.30 | ≤-16 | 0.1862<br>1  | ≤25  | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2442 | 2483.5<br>~2496.5 | 248<br>3.87 | -37.47 | ≤-16 | 0.1790<br>6  | ≤25  | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2442 | 2496.5<br>~13000  | 488<br>6.05 | -44.24 | ≤-26 | 0.0376<br>7  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2472 | 30~1000           | 806.49      | -49.69 | ≤-26 | 0.0107<br>4  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2472 | 1000~2387         | 236<br>6.20 | -46.55 | ≤-26 | 0.0221<br>3  | ≤2.5 | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2472 | 2387~2400         | 239<br>4.00 | -37.71 | ≤-16 | 0.1694<br>3  | ≤25  | PASS            |
| NTNV | 11N20S ISO | Ant1 | 2472 | 2483.5<br>~2496.5 | 248<br>3.51 | -10.60 | ≤-16 | 87.096<br>36 | ≤25  | See table below |
| NTNV | 11N20S ISO | Ant1 | 2472 | 2496.5<br>~13000  | 249<br>7.03 | -41.03 | ≤-26 | 0.0788<br>9  | ≤2.5 | PASS            |

## Test Result\_Step2

| Test Condition | Test Mode | Antenna | Frequency [MHz] | Freq. [MHz] | Result [dBm/MHz] | Result [μW/MHz] | Limit [μW/MHz] | Verdict |
|----------------|-----------|---------|-----------------|-------------|------------------|-----------------|----------------|---------|
| NTNV           | 11G       | Ant1    | 2412            | 2399.98     | -30.98           | 0.7979<br>9     | ≤25            | PASS    |
| NTNV           | 11G       | Ant1    | 2472            | 2483.53     | -27.57           | 1.7498<br>5     | ≤25            | PASS    |
| NTNV           | 11N20SI   | Ant1    | 2412            | 2399.99     | -30.40           | 0.9120          | ≤25            | PASS    |

## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com




|      |               |      |      |         |        |             |     |      |
|------|---------------|------|------|---------|--------|-------------|-----|------|
|      | SO            |      |      |         |        | 1           |     |      |
| NTNV | 11N20SI<br>SO | Ant1 | 2472 | 2483.53 | -26.59 | 2.1928<br>0 | ≤25 | PASS |



## Test Graphs





NTNV-11B-Ant1-2412-30~1000-PASS




NTNV-11B-Ant1-2412-1000~2387-PASS












NTNV-11B-Ant1-2442-1000~2387-PASS




NTNV-11B-Ant1-2442-2387~2400-PASS









NTNV-11B-Ant1-2472-30~1000-PASS




NTNV-11B-Ant1-2472-1000~2387-PASS












NTNV-11G-Ant1-2412-1000~2387-PASS




NTNV-11G-Ant1-2412-2387~2400-See table below









NTNV-11G-Ant1-2442-30~1000-PASS




NTNV-11G-Ant1-2442-1000~2387-PASS











NTNV-11G-Ant1-2472-1000~2387-PASS




NTNV-11G-Ant1-2472-2387~2400-PASS







NTNV-11G-Ant1-2472-2483.5~2496.5-See table below




NTNV-11G-Ant1-2472-2496.5~13000-PASS








NTNV-11N20SISO-Ant1-2412-2387~2400-See table below




NTNV-11N20SISO-Ant1-2412-2483.5~2496.5-PASS







NTNV-11N20SISO-Ant1-2412-2496.5~13000-PASS





NTNV-11N20SISO-Ant1-2442-30~1000-PASS















## Test Graphs\_Step2



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com





Hotline


400-003-0500

www.anbotek.com










## Appendix E: Spurious Emission of RX

## Test Result


| Test Condition | Test Mode     | Antenna | Frequency [MHz] | Freq. Range [MHz] | Freq. [MHz] | Result [dBm] | Limit [dBm] | Result [nW] | Limit [nW] | Verdict |
|----------------|---------------|---------|-----------------|-------------------|-------------|--------------|-------------|-------------|------------|---------|
| NTNV           | 11B           | Ant1    | 2412            | 30~1000           | 218.81      | -81.63       | ≤-54        | 0.00687     | ≤4         | PASS    |
| NTNV           | 11B           | Ant1    | 2412            | 1000~12500        | 6902.94     | -65.98       | ≤-47        | 0.25235     | ≤20        | PASS    |
| NTNV           | 11B           | Ant1    | 2442            | 30~1000           | 397.20      | -82.43       | ≤-54        | 0.00571     | ≤4         | PASS    |
| NTNV           | 11B           | Ant1    | 2442            | 1000~12500        | 6929.39     | -66.04       | ≤-47        | 0.24889     | ≤20        | PASS    |
| NTNV           | 11B           | Ant1    | 2472            | 30~1000           | 843.67      | -82.15       | ≤-54        | 0.00610     | ≤4         | PASS    |
| NTNV           | 11B           | Ant1    | 2472            | 1000~12500        | 6975.96     | -65.77       | ≤-47        | 0.26485     | ≤20        | PASS    |
| NTNV           | 11G           | Ant1    | 2412            | 30~1000           | 673.03      | -81.89       | ≤-54        | 0.00647     | ≤4         | PASS    |
| NTNV           | 11G           | Ant1    | 2412            | 1000~12500        | 6967.91     | -65.84       | ≤-47        | 0.26062     | ≤20        | PASS    |
| NTNV           | 11G           | Ant1    | 2442            | 30~1000           | 910.56      | -81.12       | ≤-54        | 0.00773     | ≤4         | PASS    |
| NTNV           | 11G           | Ant1    | 2442            | 1000~12500        | 6928.24     | -66.09       | ≤-47        | 0.24604     | ≤20        | PASS    |
| NTNV           | 11G           | Ant1    | 2472            | 30~1000           | 468.46      | -82.16       | ≤-54        | 0.00608     | ≤4         | PASS    |
| NTNV           | 11G           | Ant1    | 2472            | 1000~12500        | 6978.84     | -66.19       | ≤-47        | 0.24044     | ≤20        | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2412            | 30~1000           | 726.84      | -82.28       | ≤-54        | 0.00592     | ≤4         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2412            | 1000~12500        | 6927.67     | -64.12       | ≤-47        | 0.38726     | ≤20        | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2442            | 30~1000           | 836.88      | -81.89       | ≤-54        | 0.00647     | ≤4         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2442            | 1000~12500        | 6925.37     | -65.87       | ≤-47        | 0.25882     | ≤20        | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2472            | 30~1000           | 753.50      | -82.02       | ≤-54        | 0.00628     | ≤4         | PASS    |
| NTNV           | 11N20SI<br>SO | Ant1    | 2472            | 1000~12500        | 6986.89     | -65.03       | ≤-47        | 0.31405     | ≤20        | PASS    |



## Test Graphs





NTNV-11B-Ant1-2412-30~1000-PASS




NTNV-11B-Ant1-2412-1000~12500-PASS












NTNV-11G-Ant1-2412-30~1000-PASS




NTNV-11G-Ant1-2412-1000~12500-PASS









NTNV-11G-Ant1-2472-30~1000-PASS




NTNV-11G-Ant1-2472-1000~12500-PASS









---End---

