























































Appendix H: Adjacent Channel Power Tolerance

Test Result


TestCondition	TestMode	Antenna	Frequency[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant2	5500	-40	-53.43	≤-40	PASS
NTNV	11A	Ant2	5500	-20	-31.39	≤-25	PASS
NTNV	11A	Ant2	5500	+20	-30.58	≤-25	PASS
NTNV	11A	Ant2	5500	+40	-51.86	≤-40	PASS
NTNV	11A	Ant2	5580	-40	-55.85	≤-40	PASS
NTNV	11A	Ant2	5580	-20	-39.02	≤-25	PASS
NTNV	11A	Ant2	5580	+20	-39.88	≤-25	PASS
NTNV	11A	Ant2	5580	+40	-55.81	≤-40	PASS
NTNV	11A	Ant2	5600	-40	-55.99	≤-40	PASS
NTNV	11A	Ant2	5600	-20	-39.16	≤-25	PASS
NTNV	11A	Ant2	5600	+20	-40.17	≤-25	PASS
NTNV	11A	Ant2	5600	+40	-56.26	≤-40	PASS
NTNV	11A	Ant2	5700	-40	-55.43	≤-40	PASS
NTNV	11A	Ant2	5700	-20	-37.94	≤-25	PASS
NTNV	11A	Ant2	5700	+20	-39.46	≤-25	PASS
NTNV	11A	Ant2	5700	+40	-55.59	≤-40	PASS
NTNV	11A	Ant2	5720	-40	-55.55	≤-40	PASS
NTNV	11A	Ant2	5720	-20	-38.09	≤-25	PASS
NTNV	11A	Ant2	5720	+20	-39.08	≤-25	PASS
NTNV	11A	Ant2	5720	+40	-55.52	≤-40	PASS
NTNV	11N20SISO	Ant2	5500	-40	-53.56	≤-40	PASS
NTNV	11N20SISO	Ant2	5500	-20	-37.90	≤-25	PASS
NTNV	11N20SISO	Ant2	5500	+20	-38.09	≤-25	PASS
NTNV	11N20SISO	Ant2	5500	+40	-53.08	≤-40	PASS
NTNV	11N20SISO	Ant2	5580	-40	-56.24	≤-40	PASS
NTNV	11N20SISO	Ant2	5580	-20	-36.68	≤-25	PASS
NTNV	11N20SISO	Ant2	5580	+20	-36.25	≤-25	PASS
NTNV	11N20SISO	Ant2	5580	+40	-56.40	≤-40	PASS
NTNV	11N20SISO	Ant2	5600	-40	-56.14	≤-40	PASS
NTNV	11N20SISO	Ant2	5600	-20	-37.05	≤-25	PASS
NTNV	11N20SISO	Ant2	5600	+20	-36.85	≤-25	PASS
NTNV	11N20SISO	Ant2	5600	+40	-56.33	≤-40	PASS
NTNV	11N20SISO	Ant2	5700	-40	-55.32	≤-40	PASS
NTNV	11N20SISO	Ant2	5700	-20	-36.43	≤-25	PASS
NTNV	11N20SISO	Ant2	5700	+20	-36.83	≤-25	PASS
NTNV	11N20SISO	Ant2	5700	+40	-55.48	≤-40	PASS


NTNV	11N20SISO	Ant2	5720	-40	-55.39	≤-40	PASS
NTNV	11N20SISO	Ant2	5720	-20	-36.69	≤-25	PASS
NTNV	11N20SISO	Ant2	5720	+20	-36.82	≤-25	PASS
NTNV	11N20SISO	Ant2	5720	+40	-55.32	≤-40	PASS
NTNV	11N40SISO	Ant2	5510	-80	-51.99	≤-40	PASS
NTNV	11N40SISO	Ant2	5510	-40	-41.97	≤-25	PASS
NTNV	11N40SISO	Ant2	5510	+40	-42.82	≤-25	PASS
NTNV	11N40SISO	Ant2	5510	+80	-51.24	≤-40	PASS
NTNV	11N40SISO	Ant2	5550	-80	-51.70	≤-40	PASS
NTNV	11N40SISO	Ant2	5550	-40	-42.14	≤-25	PASS
NTNV	11N40SISO	Ant2	5550	+40	-43.16	≤-25	PASS
NTNV	11N40SISO	Ant2	5550	+80	-51.51	≤-40	PASS
NTNV	11N40SISO	Ant2	5670	-80	-50.44	≤-40	PASS
NTNV	11N40SISO	Ant2	5670	-40	-41.54	≤-25	PASS
NTNV	11N40SISO	Ant2	5670	+40	-43.59	≤-25	PASS
NTNV	11N40SISO	Ant2	5670	+80	-51.01	≤-40	PASS
NTNV	11N40SISO	Ant2	5710	-80	-51.67	≤-40	PASS
NTNV	11N40SISO	Ant2	5710	-40	-39.27	≤-25	PASS
NTNV	11N40SISO	Ant2	5710	+40	-42.04	≤-25	PASS
NTNV	11N40SISO	Ant2	5710	+80	-51.66	≤-40	PASS
NTNV	11AC20SISO	Ant2	5500	-40	-54.56	≤-40	PASS
NTNV	11AC20SISO	Ant2	5500	-20	-36.93	≤-25	PASS
NTNV	11AC20SISO	Ant2	5500	+20	-36.19	≤-25	PASS
NTNV	11AC20SISO	Ant2	5500	+40	-53.70	≤-40	PASS
NTNV	11AC20SISO	Ant2	5580	-40	-56.31	≤-40	PASS
NTNV	11AC20SISO	Ant2	5580	-20	-36.66	≤-25	PASS
NTNV	11AC20SISO	Ant2	5580	+20	-36.93	≤-25	PASS
NTNV	11AC20SISO	Ant2	5580	+40	-56.10	≤-40	PASS
NTNV	11AC20SISO	Ant2	5600	-40	-56.16	≤-40	PASS
NTNV	11AC20SISO	Ant2	5600	-20	-37.17	≤-25	PASS
NTNV	11AC20SISO	Ant2	5600	+20	-37.08	≤-25	PASS
NTNV	11AC20SISO	Ant2	5600	+40	-56.45	≤-40	PASS
NTNV	11AC20SISO	Ant2	5700	-40	-55.32	≤-40	PASS
NTNV	11AC20SISO	Ant2	5700	-20	-36.60	≤-25	PASS
NTNV	11AC20SISO	Ant2	5700	+20	-37.42	≤-25	PASS
NTNV	11AC20SISO	Ant2	5700	+40	-55.51	≤-40	PASS
NTNV	11AC20SISO	Ant2	5720	-40	-55.36	≤-40	PASS
NTNV	11AC20SISO	Ant2	5720	-20	-36.56	≤-25	PASS
NTNV	11AC20SISO	Ant2	5720	+20	-36.46	≤-25	PASS
NTNV	11AC20SISO	Ant2	5720	+40	-55.32	≤-40	PASS
NTNV	11AC40SISO	Ant2	5510	-80	-51.54	≤-40	PASS


NTNV	11AC40SISO	Ant2	5510	-40	-41.64	≤-25	PASS
NTNV	11AC40SISO	Ant2	5510	+40	-42.38	≤-25	PASS
NTNV	11AC40SISO	Ant2	5510	+80	-50.79	≤-40	PASS
NTNV	11AC40SISO	Ant2	5550	-80	-52.05	≤-40	PASS
NTNV	11AC40SISO	Ant2	5550	-40	-41.63	≤-25	PASS
NTNV	11AC40SISO	Ant2	5550	+40	-43.11	≤-25	PASS
NTNV	11AC40SISO	Ant2	5550	+80	-51.72	≤-40	PASS
NTNV	11AC40SISO	Ant2	5670	-80	-51.48	≤-40	PASS
NTNV	11AC40SISO	Ant2	5670	-40	-40.33	≤-25	PASS
NTNV	11AC40SISO	Ant2	5670	+40	-42.49	≤-25	PASS
NTNV	11AC40SISO	Ant2	5670	+80	-52.20	≤-40	PASS
NTNV	11AC40SISO	Ant2	5710	-80	-51.55	≤-40	PASS
NTNV	11AC40SISO	Ant2	5710	-40	-39.66	≤-25	PASS
NTNV	11AC40SISO	Ant2	5710	+40	-42.78	≤-25	PASS
NTNV	11AC40SISO	Ant2	5710	+80	-51.68	≤-40	PASS
NTNV	11AC80SISO	Ant2	5530	-80	-39.79	≤-25	PASS
NTNV	11AC80SISO	Ant2	5530	+80	-39.70	≤-25	PASS
NTNV	11AC80SISO	Ant2	5610	-80	-39.79	≤-25	PASS
NTNV	11AC80SISO	Ant2	5610	+80	-41.53	≤-25	PASS
NTNV	11AC80SISO	Ant2	5690	-80	-36.27	≤-25	PASS
NTNV	11AC80SISO	Ant2	5690	+80	-39.71	≤-25	PASS
NTNV	11AX20SISO	Ant2	5500	-40	-54.17	≤-40	PASS
NTNV	11AX20SISO	Ant2	5500	-20	-35.36	≤-25	PASS
NTNV	11AX20SISO	Ant2	5500	+20	-36.15	≤-25	PASS
NTNV	11AX20SISO	Ant2	5500	+40	-53.57	≤-40	PASS
NTNV	11AX20SISO	Ant2	5580	-40	-56.34	≤-40	PASS
NTNV	11AX20SISO	Ant2	5580	-20	-33.30	≤-25	PASS
NTNV	11AX20SISO	Ant2	5580	+20	-34.25	≤-25	PASS
NTNV	11AX20SISO	Ant2	5580	+40	-56.18	≤-40	PASS
NTNV	11AX20SISO	Ant2	5600	-40	-56.29	≤-40	PASS
NTNV	11AX20SISO	Ant2	5600	-20	-36.60	≤-25	PASS
NTNV	11AX20SISO	Ant2	5600	+20	-35.02	≤-25	PASS
NTNV	11AX20SISO	Ant2	5600	+40	-56.52	≤-40	PASS
NTNV	11AX20SISO	Ant2	5700	-40	-55.56	≤-40	PASS
NTNV	11AX20SISO	Ant2	5700	-20	-35.47	≤-25	PASS
NTNV	11AX20SISO	Ant2	5700	+20	-35.08	≤-25	PASS
NTNV	11AX20SISO	Ant2	5700	+40	-55.47	≤-40	PASS
NTNV	11AX20SISO	Ant2	5720	-40	-54.10	≤-40	PASS
NTNV	11AX20SISO	Ant2	5720	-20	-33.00	≤-25	PASS
NTNV	11AX20SISO	Ant2	5720	+20	-33.48	≤-25	PASS
NTNV	11AX20SISO	Ant2	5720	+40	-54.00	≤-40	PASS


NTNV	11AX40SISO	Ant2	5510	-80	-51.42	≤-40	PASS
NTNV	11AX40SISO	Ant2	5510	-40	-42.30	≤-25	PASS
NTNV	11AX40SISO	Ant2	5510	+40	-42.63	≤-25	PASS
NTNV	11AX40SISO	Ant2	5510	+80	-50.52	≤-40	PASS
NTNV	11AX40SISO	Ant2	5550	-80	-51.10	≤-40	PASS
NTNV	11AX40SISO	Ant2	5550	-40	-42.14	≤-25	PASS
NTNV	11AX40SISO	Ant2	5550	+40	-42.15	≤-25	PASS
NTNV	11AX40SISO	Ant2	5550	+80	-50.98	≤-40	PASS
NTNV	11AX40SISO	Ant2	5670	-80	-50.84	≤-40	PASS
NTNV	11AX40SISO	Ant2	5670	-40	-41.35	≤-25	PASS
NTNV	11AX40SISO	Ant2	5670	+40	-43.54	≤-25	PASS
NTNV	11AX40SISO	Ant2	5670	+80	-51.48	≤-40	PASS
NTNV	11AX40SISO	Ant2	5710	-80	-50.43	≤-40	PASS
NTNV	11AX40SISO	Ant2	5710	-40	-40.64	≤-25	PASS
NTNV	11AX40SISO	Ant2	5710	+40	-41.96	≤-25	PASS
NTNV	11AX40SISO	Ant2	5710	+80	-50.61	≤-40	PASS
NTNV	11AX80SISO	Ant2	5530	-80	-40.07	≤-25	PASS
NTNV	11AX80SISO	Ant2	5530	+80	-40.41	≤-25	PASS
NTNV	11AX80SISO	Ant2	5610	-80	-39.84	≤-25	PASS
NTNV	11AX80SISO	Ant2	5610	+80	-41.81	≤-25	PASS
NTNV	11AX80SISO	Ant2	5690	-80	-38.44	≤-25	PASS
NTNV	11AX80SISO	Ant2	5690	+80	-40.86	≤-25	PASS


Test Graphs





















































Appendix I: Carrier Sense Function

Test Result

Condition	Mode	Frequency (MHz)	Antenna	CW Level (dBm)	Verdict
NVNT	a	5500	Ant1	-48.0173	PASS
NVNT	n40	5510	Ant1	-48.0330	PASS
NVNT	ac80	5530	Ant1	-48.0645	PASS
NVNT	ax160	5570	Ant1	-48.1271	PASS


Note: Only the worst data was recorded.


CW Level (dBm) = 22.79 + Gr – 20log(F).

T1: CW signal injection

T2: CW signal remove

Test Graphs





*** End of Report ***