

GRANT OF EQUIPMENT CERTIFICATION

Issued By:

Eurofins Electrical and Electronic Testing NA, Inc.914 W. Patapsco Avenue
Baltimore, Maryland 21230
CAB Number: 214**FILE/CERTIFICATE NUMBER: 3931-07-2026-260232****Date:** 7/24/2026

Eurofins Electrical and Electronic Testing NA, Inc., operating as a Conformity Assessment Body with respect to the Japan/EU MRA, declares that the listed product complies with the Certification by Type of the Ordinance Concerning Technical Regulations Conformity Certification, etc. of Specified Radio Equipment (MPT Ordinance No. 37 of 1981).

Identification Code:

When the manufacturer (or holder of this certificate) is placing the product on the Japanese market, the product must be affixed with the following Identification Code:

**R****214-260232**

The requirements for the mark are:

- It Must be attached to an easily recognizable section of the Specified Radio Equipment of certified type.
- The material must be one that is not susceptible to damage.
- Coloring may be made as desired. However, it must not prevent easy identification of the mark.

This Certification is granted to:BEYLESS CO.,LTD.
201-4, 40, Yeonam-ro, Bukgu, Daegu, Republic of Korea**Manufacturer:**BEYLESS CO.,LTD.
201-4, 40, Yeonam-ro, Bukgu, Daegu, Republic of Korea

Product Trade Name:	USEN; Model: URX-05
Family Name:	Media box
Serial Number:	N/A
Modulation Type:	Bluetooth (BR+EDR): GFSK, $\pi/4$ -DQPSK, 8-DPSK Bluetooth (BLE): GFSK IEEE 802.11b: DSSS (CCK, DQPSK, DBPSK) IEEE 802.11a/g/n: OFDM (64QAM, 16QAM, QPSK, BPSK) IEEE 802.11ac: OFDM (256QAM, 64QAM, 16QAM, QPSK, BPSK)
Class of Emission:	78M9F1D 2402-2480MHz[1MHz Spacing, 79CH BR] 0.05mW/MHz 78M9G1D 2402-2480MHz[1MHz Spacing, 79CH EDR] 0.05mW/MHz 78M9G1D 2402-2480MHz[1MHz Spacing, 79CH EDR] 0.05mW/MHz 1M06F1D 2402-2480MHz[2MHz Spacing, 40CH BLE 1M] 5mW 2M08F1D 2402-2480MHz[2MHz Spacing, 40CH BLE 2M] 5mW 17M1G1D 2412-2472MHz[5MHz Spacing, 13CH b] 0.2mW/MHz 17M4D1D 2412-2472MHz[5MHz Spacing, 13CH g] 0.2mW/MHz 17M7D1D 2412-2472MHz[5MHz Spacing, 13CH n20] 0.1mW/MHz 36M2D1D 2422-2462MHz[5MHz Spacing, 9CH n40] 0.05mW/MHz 17M1D1D 5180-5240MHz[20MHz Spacing 4CH a] 0.2mW/MHz 18M1D1D 5180-5240MHz[20MHz Spacing 4CH n20] 0.2mW/MHz 18M2D1D 5180-5240MHz[20MHz Spacing 4CH ac20] 0.2mW/MHz 36M1D1D 5190-5230MHz[40MHz Spacing 2CH n40] 0.1mW/MHz 36M2D1D 5190-5230MHz[40MHz Spacing 2CH ac40] 0.1mW/MHz 75M2D1D 5210-5210MHz[1CH ac80] 0.1mW/MHz 17M3D1D 5260-5320MHz[20MHz Spacing 4CH a] 0.2mW/MHz 18M5D1D 5260-5320MHz[20MHz Spacing 4CH n20] 0.2mW/MHz 18M1D1D 5260-5320MHz[20MHz Spacing 4CH ac20] 0.2mW/MHz 36M4D1D 5270-5310MHz[40MHz Spacing 2CH n40] 0.1mW/MHz 36M6D1D 5270-5310MHz[40MHz Spacing 2CH ac40] 0.1mW/MHz 75M5D1D 5290-5290MHz[1CH ac80] 0.1mW/MHz 16M9D1D 5500-5700MHz[20MHz Spacing 11CH a] 0.2mW/MHz 18M0D1D 5500-5700MHz[20MHz Spacing 11CH n20] 0.2mW/MHz 18M1D1D 5500-5700MHz[20MHz Spacing 11CH ac20] 0.2mW/MHz 36M2D1D 5510-5670MHz[40MHz Spacing 5CH n40] 0.2mW/MHz 36M3D1D 5510-5670MHz[40MHz Spacing 5CH ac40] 0.2mW/MHz 75M5D1D 5530-5690MHz[3CH ac80] 0.05mW/MHz
Software Version:	V1.0
Category of Specified Radio Equipment:	Item 19 of Article 2 Paragraph 1 Item 19-3 of Article 2 Paragraph 1
Frequency:	BT:2402-2480MHz 2.4GHz WiFi:2412-2472MHz 5GHz WiFi:5180-5240MHz, 5260-5320MHz, 5500-5700MHz

Antenna Type and Gain:FPC antenna
BT: 2.87dBi
2.4GHz WiFi: 2.87dBi
5GHz WiFi: 2.05dBiAuthorized CAB Signature:
Printed: 7/24/2026
Jackson Yang*Eurofins Electrical and Electronic Testing NA, Inc. is part of the Eurofins Electrical & Electronics (E&E) global compliance network*