


802.11ac VHT80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.00	44.80	1.25	43.55	54.00	-9.20	104	296 Average	Horizontal	
2 *	5610.00	86.37	42.62	43.55	54.00	32.37	104	296 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5441.50	44.83	1.26	43.57	54.00	-9.17	400	269 Average	Vertical	
2 *	5610.00	87.68	44.33	43.55	54.00	33.68	400	269 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5615.00	58.16	14.63	43.53	68.20	-10.04	110	296 Peak	Horizontal	
2	5685.50	58.22	14.63	43.59	94.50	-36.28	110	296 Peak	Horizontal	
3	5720.00	66.46	22.78	43.68	110.80	-44.34	110	296 Peak	Horizontal	
4	5724.00	73.70	30.01	43.69	119.92	-46.22	110	296 Peak	Horizontal	
5	5745.00	108.97	65.27	43.70	122.20	-13.23	110	296 Peak	Horizontal	
6	5854.50	56.61	12.70	43.91	111.94	-55.33	110	296 Peak	Horizontal	
7	5860.50	57.97	14.05	43.92	109.26	-51.29	110	296 Peak	Horizontal	
8	5915.50	57.32	13.21	44.11	75.21	-17.89	110	296 Peak	Horizontal	
9	5939.00	57.62	13.39	44.23	68.20	-10.58	110	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5617.00	57.60	14.08	43.52	68.20	-10.60	320	264 Peak	Vertical	
2	5655.00	56.89	13.44	43.45	71.91	-15.02	320	264 Peak	Vertical	
3	5720.00	67.39	23.71	43.68	110.80	-43.41	320	264 Peak	Vertical	
4	5724.00	75.46	31.77	43.69	119.92	-44.46	320	264 Peak	Vertical	
5	5745.00	109.38	65.68	43.70	122.20	-12.82	320	264 Peak	Vertical	
6	5852.50	56.41	12.51	43.90	116.50	-60.09	320	264 Peak	Vertical	
7	5862.50	57.55	13.63	43.92	108.70	-51.15	320	264 Peak	Vertical	
8	5883.00	57.95	13.96	43.99	99.26	-41.31	320	264 Peak	Vertical	
9	5947.00	57.96	13.70	44.26	68.20	-10.24	320	264 Peak	Vertical	

802.11a

CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	99.29	55.59	43.70	54.00	45.29	110	296 Average	Horizontal

CH 149 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	100.10	56.40	43.70	54.00	46.10	320	264 Average	Vertical


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5644.50	57.78	14.34	43.44	68.20	-10.42	100	308 Peak	Horizontal	
2	5679.00	58.91	15.34	43.57	89.70	-30.79	100	308 Peak	Horizontal	
3	5701.00	58.01	14.34	43.67	105.48	-47.47	100	308 Peak	Horizontal	
4	5720.50	57.38	13.70	43.68	111.94	-54.56	100	308 Peak	Horizontal	
5	5785.00	108.67	64.93	43.74	122.20	-13.53	100	308 Peak	Horizontal	
6	5853.50	58.73	14.82	43.91	114.22	-55.49	100	308 Peak	Horizontal	
7	5865.50	57.80	13.86	43.94	107.86	-50.06	100	308 Peak	Horizontal	
8	5883.00	58.02	14.03	43.99	99.26	-41.24	100	308 Peak	Horizontal	
9	5997.00	58.22	13.90	44.32	68.20	-9.98	100	308 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5549.00	58.30	14.85	43.45	68.20	-9.90	314	244 Peak	Vertical	
2	5661.50	57.83	14.35	43.48	76.74	-18.91	314	244 Peak	Vertical	
3	5713.50	57.65	13.97	43.68	108.98	-51.33	314	244 Peak	Vertical	
4	5723.50	56.21	12.53	43.68	118.78	-62.57	314	244 Peak	Vertical	
5	5785.00	110.09	66.35	43.74	122.20	-12.11	314	244 Peak	Vertical	
6	5853.00	58.07	14.16	43.91	115.36	-57.29	314	244 Peak	Vertical	
7	5858.50	58.25	14.33	43.92	109.82	-51.57	314	244 Peak	Vertical	
8	5911.00	58.07	13.99	44.08	78.53	-20.46	314	244 Peak	Vertical	
9	5973.00	58.50	14.20	44.30	68.20	-9.70	314	244 Peak	Vertical	

802.11a

CH 157 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	99.20	55.46	43.74	54.00	45.20	100	300 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	100.24	56.50	43.74	54.00	46.24	314	244 Average	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5590.00	57.49	13.94	43.55	68.20	-10.71	101	303 Peak	Horizontal	
2	5666.50	57.55	14.04	43.51	80.45	-22.90	101	303 Peak	Horizontal	
3	5700.50	58.19	14.52	43.67	105.34	-47.15	101	303 Peak	Horizontal	
4	5721.00	57.96	14.28	43.68	113.08	-55.12	101	303 Peak	Horizontal	
5	5825.00	109.07	65.25	43.82	122.20	-13.13	101	303 Peak	Horizontal	
6	5851.00	65.60	21.71	43.89	119.92	-54.32	101	303 Peak	Horizontal	
7	5855.00	60.58	16.67	43.91	110.90	-50.22	101	303 Peak	Horizontal	
8	5916.00	57.90	13.79	44.11	74.84	-16.94	101	303 Peak	Horizontal	
9	5972.00	58.14	13.84	44.30	68.20	-10.06	101	303 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5597.50	58.02	14.45	43.57	68.20	-10.18	311	246 Peak	Vertical	
2	5668.00	58.34	14.83	43.51	81.56	-23.22	311	246 Peak	Vertical	
3	5718.50	57.87	14.19	43.68	110.38	-52.51	311	246 Peak	Vertical	
4	5721.00	56.41	12.73	43.68	113.08	-56.67	311	246 Peak	Vertical	
5	5825.00	110.19	66.37	43.82	122.20	-12.01	311	246 Peak	Vertical	
6	5851.00	64.79	20.90	43.89	119.92	-55.13	311	246 Peak	Vertical	
7	5855.00	61.36	17.45	43.91	110.90	-49.44	311	246 Peak	Vertical	
8	5883.50	58.23	14.24	43.99	98.89	-40.66	311	246 Peak	Vertical	
9	5955.50	58.49	14.21	44.28	68.20	-9.71	311	246 Peak	Vertical	

802.11a

CH 165 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	99.79	55.97	43.82	54.00	45.79	101	303 Average	Horizontal

CH 165 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	100.91	57.09	43.82	54.00	46.91	311	246 Average	Vertical


802.11n HT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5534.00	57.70	14.18	43.52	68.20	-10.50	100	242 Peak	Horizontal	
2	5696.50	58.18	14.53	43.65	102.62	-44.44	100	242 Peak	Horizontal	
3	5719.50	74.67	30.99	43.68	110.66	-35.99	100	242 Peak	Horizontal	
4	5724.00	78.98	35.29	43.69	119.92	-40.94	100	242 Peak	Horizontal	
5	5745.00	111.84	68.14	43.70	122.20	-10.36	100	242 Peak	Horizontal	
6	5850.50	56.94	13.05	43.89	121.06	-64.12	100	242 Peak	Horizontal	
7	5861.50	57.86	13.94	43.92	108.98	-51.12	100	242 Peak	Horizontal	
8	5888.50	57.90	13.89	44.01	95.18	-37.28	100	242 Peak	Horizontal	
9	5990.00	58.54	14.23	44.31	68.20	-9.66	100	242 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.50	58.26	14.72	43.54	68.20	-9.94	352	247 Peak	Vertical	
2	5664.50	57.89	14.40	43.49	78.96	-21.07	352	247 Peak	Vertical	
3	5719.00	74.01	30.33	43.68	110.52	-36.51	352	247 Peak	Vertical	
4	5724.00	80.67	36.98	43.69	119.92	-39.25	352	247 Peak	Vertical	
5	5745.00	114.33	70.63	43.70	122.20	-7.87	352	247 Peak	Vertical	
6	5851.00	57.81	13.92	43.89	119.92	-62.11	352	247 Peak	Vertical	
7	5864.00	57.83	13.90	43.93	108.20	-50.45	352	247 Peak	Vertical	
8	5884.50	58.61	14.62	43.99	98.15	-39.54	352	247 Peak	Vertical	
9	5964.00	58.42	14.13	44.29	68.20	-9.78	352	247 Peak	Vertical	

802.11n HT20


CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.50	58.31	14.89	43.42	68.20	-9.89	100	206 Peak	Horizontal	
2	5674.00	58.02	14.48	43.54	86.00	-27.98	100	206 Peak	Horizontal	
3	5704.50	58.91	15.24	43.67	106.46	-47.55	100	206 Peak	Horizontal	
4	5723.50	58.05	14.37	43.68	118.78	-60.73	100	206 Peak	Horizontal	
5	5785.00	111.88	68.14	43.74	122.20	-10.32	100	206 Peak	Horizontal	
6	5853.50	58.49	14.50	43.91	114.22	-55.73	100	206 Peak	Horizontal	
7	5874.50	58.38	14.42	43.96	105.34	-46.96	100	206 Peak	Horizontal	
8	5876.00	58.56	14.60	43.96	104.46	-45.90	100	206 Peak	Horizontal	
9	5931.50	58.18	13.99	44.19	68.20	-10.02	100	206 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.50	58.27	14.82	43.45	68.20	-9.93	331	248 Peak	Vertical	
2	5653.50	58.43	14.99	43.44	70.80	-12.37	331	248 Peak	Vertical	
3	5705.00	57.25	13.58	43.67	106.60	-49.35	331	248 Peak	Vertical	
4	5725.00	59.04	15.35	43.69	122.20	-63.16	331	248 Peak	Vertical	
5	5785.00	114.15	70.41	43.74	122.20	-8.05	331	248 Peak	Vertical	
6	5853.50	57.40	13.49	43.91	114.22	-56.82	331	248 Peak	Vertical	
7	5868.00	59.58	15.63	43.95	107.16	-47.58	331	248 Peak	Vertical	
8	5905.00	58.72	14.66	44.06	82.96	-24.24	331	248 Peak	Vertical	
9	5975.00	58.50	14.20	44.30	68.20	-9.70	331	248 Peak	Vertical	

802.11n HT20

CH 157 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	104.67	57.93	43.74	54.00	47.67	100	206 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	104.84	61.10	43.74	54.00	50.84	331	248 Average	Vertical


802.11n HT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.00	57.78	14.23	43.55	68.20	-10.42	100	198 Peak	Horizontal	
2	5684.50	57.84	14.25	43.59	93.76	-35.92	100	198 Peak	Horizontal	
3	5715.00	57.84	13.36	43.68	109.40	-52.36	100	198 Peak	Horizontal	
4	5721.50	57.11	13.43	43.68	114.22	-57.11	100	198 Peak	Horizontal	
5	5825.00	111.21	67.39	43.82	122.20	-10.99	100	198 Peak	Horizontal	
6	5851.00	73.12	29.23	43.89	119.92	-46.00	100	198 Peak	Horizontal	
7	5859.50	66.54	22.62	43.92	109.54	-43.00	100	198 Peak	Horizontal	
8	5886.00	58.80	14.81	43.99	97.03	-38.23	100	198 Peak	Horizontal	
9	5930.00	58.79	14.61	44.18	68.20	-9.41	100	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5558.00	58.17	14.71	43.46	68.20	-10.03	311	247 Peak	Vertical	
2	5690.50	58.16	14.54	43.62	98.20	-40.04	311	247 Peak	Vertical	
3	5706.00	58.36	14.69	43.67	106.88	-48.52	311	247 Peak	Vertical	
4	5720.50	57.35	13.67	43.68	111.94	-54.59	311	247 Peak	Vertical	
5	5825.00	113.38	69.56	43.82	122.20	-8.82	311	247 Peak	Vertical	
6	5850.50	72.06	28.17	43.89	121.86	-49.00	311	247 Peak	Vertical	
7	5857.00	65.74	21.83	43.91	110.24	-44.50	311	247 Peak	Vertical	
8	5886.50	58.22	14.23	43.99	96.66	-38.44	311	247 Peak	Vertical	
9	5944.00	58.46	14.21	44.25	68.20	-9.74	311	247 Peak	Vertical	

802.11n HT20

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	104.58	57.44	43.82	54.00	47.26	100	198 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	104.58	60.76	43.82	54.00	50.58	311	247 Average	Vertical


802.11n HT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5565.50	58.23	14.75	43.48	68.20	-9.97	110	243 Peak	Horizontal	
2	5698.50	67.89	24.24	43.65	104.89	-36.20	110	243 Peak	Horizontal	
3	5728.00	78.46	34.78	43.68	110.80	-32.34	110	243 Peak	Horizontal	
4	5723.00	81.00	38.12	43.68	117.64	-35.84	110	243 Peak	Horizontal	
5	5755.00	108.36	64.65	43.71	122.20	-13.84	110	243 Peak	Horizontal	
6	5851.50	57.62	13.73	43.89	118.78	-61.16	110	243 Peak	Horizontal	
7	5866.50	57.76	13.82	43.94	107.58	-49.82	110	243 Peak	Horizontal	
8	5918.50	58.88	13.96	44.12	72.99	-14.91	110	243 Peak	Horizontal	
9	5976.00	58.36	14.06	44.30	68.20	-9.84	110	243 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5632.00	58.83	15.35	43.48	68.20	-9.37	353	270 Peak	Vertical	
2	5697.50	70.34	26.69	43.65	103.36	-33.02	353	270 Peak	Vertical	
3	5728.00	83.29	39.61	43.68	110.80	-27.51	353	270 Peak	Vertical	
4	5722.50	84.41	40.73	43.68	116.50	-32.09	353	270 Peak	Vertical	
5	5755.00	112.29	68.58	43.71	122.20	-9.91	353	270 Peak	Vertical	
6	5855.00	58.16	14.25	43.91	110.80	-52.64	353	270 Peak	Vertical	
7	5863.00	59.06	15.13	43.93	108.56	-49.50	353	270 Peak	Vertical	
8	5885.50	58.77	14.78	43.99	97.40	-38.63	353	270 Peak	Vertical	
9	5986.00	58.28	13.97	44.31	68.20	-9.92	353	270 Peak	Vertical	

802.11n HT40

CH 151 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	99.11	55.48	43.71	54.00	45.11	110	243 Average	Horizontal

CH 151 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	102.84	59.13	43.71	54.00	48.84	353	270 Average	Vertical


802.11n HT40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5627.00	57.62	14.13	43.49	68.20	-10.58	100	204 Peak	Horizontal	
2	5660.00	58.57	15.10	43.47	75.63	-17.06	100	204 Peak	Horizontal	
3	5717.00	62.93	19.25	43.68	109.96	-47.03	100	204 Peak	Horizontal	
4	5721.00	62.05	18.37	43.68	113.08	-51.03	100	204 Peak	Horizontal	
5	5795.00	108.75	65.00	43.75	122.20	-13.45	100	204 Peak	Horizontal	
6	5851.50	68.24	24.35	43.89	118.78	-50.54	100	204 Peak	Horizontal	
7	5855.50	65.48	21.57	43.91	110.66	-45.18	100	204 Peak	Horizontal	
8	5890.50	60.45	16.44	44.01	93.70	-33.25	100	204 Peak	Horizontal	
9	5950.00	58.16	13.88	44.28	68.20	-10.04	100	204 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5628.50	58.28	14.79	43.49	68.20	-9.92	349	268 Peak	Vertical	
2	5687.50	59.12	15.52	43.60	95.98	-36.86	349	268 Peak	Vertical	
3	5717.00	60.50	16.82	43.68	109.96	-49.46	349	268 Peak	Vertical	
4	5720.00	59.20	15.52	43.68	110.80	-51.60	349	268 Peak	Vertical	
5	5795.00	111.26	67.51	43.75	122.20	-10.94	349	268 Peak	Vertical	
6	5851.00	66.42	22.53	43.89	119.92	-53.50	349	268 Peak	Vertical	
7	5859.50	63.06	19.14	43.92	109.54	-46.40	349	268 Peak	Vertical	
8	5910.00	58.88	14.80	44.00	79.27	-20.39	349	268 Peak	Vertical	
9	5929.50	57.77	13.59	44.18	68.20	-10.43	349	268 Peak	Vertical	

802.11n HT40


CH 159 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5588.50	57.84	14.19	43.65	68.20	-10.36	100	206 Peak	Horizontal	
2	5699.00	62.95	19.29	43.66	104.46	-41.51	100	206 Peak	Horizontal	
3	5719.00	68.80	25.12	43.68	110.52	-41.72	100	206 Peak	Horizontal	
4	5720.00	66.70	23.02	43.68	110.80	-44.10	100	206 Peak	Horizontal	
5	5775.00	101.65	57.92	43.73	122.20	-20.55	100	206 Peak	Horizontal	
6	5854.50	63.31	19.40	43.91	111.94	-48.63	100	206 Peak	Horizontal	
7	5873.00	63.19	19.23	43.96	105.76	-42.57	100	206 Peak	Horizontal	
8	5880.00	60.35	16.37	43.98	101.49	-41.14	100	206 Peak	Horizontal	
9	5939.00	58.70	14.47	44.23	68.20	-9.50	100	206 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.00	58.25	14.82	43.43	68.20	-9.95	348	269 Peak	Vertical	
2	5680.50	64.89	21.32	43.57	90.81	-25.92	348	269 Peak	Vertical	
3	5720.00	65.47	21.79	43.68	110.80	-45.33	348	269 Peak	Vertical	
4	5721.00	65.47	21.79	43.68	113.08	-47.61	348	269 Peak	Vertical	
5	5775.00	104.21	60.48	43.73	122.20	-17.99	348	269 Peak	Vertical	
6	5851.50	60.59	16.70	43.89	110.78	-50.19	348	269 Peak	Vertical	
7	5864.00	59.19	15.26	43.93	100.20	-49.00	348	269 Peak	Vertical	
8	5879.50	59.11	15.13	43.98	101.86	-42.75	348	269 Peak	Vertical	
9	5926.50	58.17	14.00	44.17	68.20	-10.03	348	269 Peak	Vertical	

802.11ac VHT80


CH 155 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	57.56	60.88	-3.32	68.20	-10.64	116	64	Peak
2	15600.00	53.48	49.76	3.72	54.00	-0.52	117	295	Average
3	15600.00	67.78	64.06	3.72	74.00	-6.22	117	295	Peak

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	55.24	58.56	-3.32	68.20	-12.96	114	66	Peak
2	15600.00	52.53	48.81	3.72	54.00	-1.47	290	244	Average
3	15600.00	65.18	61.46	3.72	74.00	-8.82	290	244	Peak

802.11a

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	57.70	60.84	-3.14	68.20	-10.50	120	63	Peak	Horizontal		
2	15720.00	53.32	49.12	4.20	54.00	-0.68	120	294	Average	Horizontal		
3	15720.00	68.75	64.55	4.20	74.00	-5.25	120	294	Peak	Horizontal		

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	55.93	59.07	-3.14	68.20	-12.27	112	65	Peak	Vertical		
2	15720.00	52.31	48.11	4.20	54.00	-1.69	295	243	Average	Vertical		
3	15720.00	66.97	62.77	4.20	74.00	-7.03	295	243	Peak	Vertical		


802.11n HT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	60.72	64.00	-3.37	68.20	-7.48	187	296 Peak	Horizontal	
2	15540.00	53.40	49.59	3.81	54.00	-0.60	115	293 Average	Horizontal	
3	15540.00	67.94	64.13	3.81	74.00	-6.06	115	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	58.36	61.73	-3.37	68.20	-9.84	117	67 Peak	Vertical	
2	15540.00	53.48	49.67	3.81	54.00	-0.52	300	249 Average	Vertical	
3	15540.00	69.04	65.23	3.81	74.00	-4.96	300	249 Peak	Vertical	


802.11n HT20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	60.25	63.57	-3.32	68.20	-7.95	115	63	Peak	Horizontal		
2	15600.00	52.77	49.05	3.72	54.00	-1.23	117	296	Average	Horizontal		
3	15600.00	68.81	65.09	3.72	74.00	-5.19	117	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	59.10	61.42	-3.32	68.20	-10.10	100	66	Peak	Vertical		
2	15600.00	52.89	49.17	3.72	54.00	-1.11	315	244	Average	Vertical		
3	15600.00	68.05	64.33	3.72	74.00	-5.95	315	244	Peak	Vertical		

802.11n HT20

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	61.64	64.78	-3.14	68.20	-6.56		121		64 Peak	Horizontal	
2	15720.00	52.89	48.69	4.20	54.00	-1.11		118		296 Average	Horizontal	
3	15720.00	68.35	64.15	4.20	74.00	-5.65		118		296 Peak	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	60.99	64.13	-3.14	68.20	-7.21		118		90 Peak	Vertical	
2	15720.00	51.77	47.57	4.20	54.00	-2.23		294		245 Average	Vertical	
3	15720.00	67.00	62.80	4.20	74.00	-7.00		294		245 Peak	Vertical	

802.11n HT40

CH 38 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10380.00	56.64	59.99	-3.35	68.20	-11.56	120		61	Peak	Horizontal	
2	15570.00	50.82	46.26	3.76	54.00	-3.98	117		295	Average	Horizontal	
3	15570.00	64.77	61.01	3.76	74.00	-9.23	117		295	Peak	Horizontal	

CH 38 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10380.00	54.69	58.04	-3.35	68.20	-13.51	109		66	Peak	Vertical	
2	15570.00	49.18	45.42	3.76	54.00	-4.82	286		244	Average	Vertical	
3	15570.00	64.15	60.39	3.76	74.00	-9.85	286		244	Peak	Vertical	


802.11n HT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 42 (Horizontal)


CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10520.00	62.45	65.52	-3.07	68.20	-5.75	122	66	Peak	Horizontal		
2	15780.00	53.23	48.95	4.28	54.00	-0.77	117	295	Average	Horizontal		
3	15780.00	68.40	64.12	4.28	74.00	-5.60	117	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10520.00	62.25	65.32	-3.07	68.20	-5.95	111	94	Peak	Vertical		
2	15780.00	52.65	48.37	4.28	54.00	-1.35	293	244	Average	Vertical		
3	15780.00	68.16	63.88	4.28	74.00	-5.84	293	244	Peak	Vertical		

802.11n HT20

CH 60 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	46.57	49.54	-2.97	54.00	-7.43	111	64	Average	Horizontal		
2	10600.00	62.87	65.84	-2.97	68.20	-5.33	111	64	Peak	Horizontal		
3	15900.00	52.89	48.43	4.46	54.00	-1.11	117	296	Average	Horizontal		
4	15900.00	68.73	64.27	4.46	74.00	-5.27	117	296	Peak	Horizontal		

CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	47.36	50.33	-2.97	54.00	-6.64	100	94	Average	Vertical		
2	10600.00	63.78	66.75	-2.97	68.20	-4.42	100	94	Peak	Vertical		
3	15900.00	52.80	48.34	4.46	54.00	-1.20	313	246	Average	Vertical		
4	15900.00	68.20	63.74	4.46	74.00	-5.80	313	246	Peak	Vertical		


802.11n HT20

CH 64 (Horizontal)


CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	58.47	61.52	-3.05	68.20	-9.73	130	60 Peak	Horizontal	
2	15810.00	52.64	48.31	4.33	54.00	-1.36	117	294 Average	Horizontal	
3	15810.00	67.31	62.98	4.33	74.00	-6.69	117	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	59.63	62.68	-3.05	68.20	-8.57	114	92 Peak	Vertical	
2	15810.00	52.17	47.84	4.33	54.00	-1.83	216	242 Average	Vertical	
3	15810.00	65.79	61.46	4.33	74.00	-8.21	216	242 Peak	Vertical	


802.11n HT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	45.58	48.48	-2.90	54.00	-8.42	113	61	Average	Horizontal	
2	10620.00	58.64	61.54	-2.90	74.00	-15.36	113	61	Peak	Horizontal	
3	15930.00	46.22	41.68	4.54	54.00	-7.78	122	293	Average	Horizontal	
4	15930.00	61.51	56.97	4.54	74.00	-12.49	122	293	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	45.22	48.12	-2.90	54.00	-8.78	101	78	Average	Vertical	
2	10620.00	58.29	61.19	-2.90	74.00	-15.71	101	78	Peak	Vertical	
3	15930.00	45.27	40.73	4.54	54.00	-8.73	284	244	Average	Vertical	
4	15930.00	60.26	55.72	4.54	74.00	-13.74	284	244	Peak	Vertical	


802.11ac VHT80

CH 58 (Horizontal)


CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2C


802.11a

CH 100 (Horizontal)


CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	52.58	54.48	-1.90	54.00	-1.42	119	295	Average	Horizontal	
2	11160.00	66.21	68.11	-1.90	74.00	-7.79	119	295	Peak	Horizontal	
3	16740.00	64.25	57.44	6.81	68.20	-3.95	120	292	Peak	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	50.00	51.90	-1.90	54.00	-4.00	100	37	Average	Vertical	
2	11160.00	63.64	65.54	-1.90	74.00	-10.36	100	37	Peak	Vertical	
3	16740.00	60.58	53.77	6.81	68.20	-7.62	324	251	Peak	Vertical	

802.11a

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	49.62	51.00	-1.38	54.00	-4.38	121	291	Average	Horizontal		
2	11400.00	63.33	64.71	-1.38	74.00	-10.67	121	291	Peak	Horizontal		
3	17100.00	60.28	53.46	6.82	68.20	-7.92	117	293	Peak	Horizontal		

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	46.61	47.99	-1.38	54.00	-7.39	100	38	Average	Vertical		
2	11400.00	60.32	61.70	-1.38	74.00	-13.68	100	38	Peak	Vertical		
3	17100.00	57.78	50.96	6.82	68.20	-10.42	344	250	Peak	Vertical		

802.11n HT20

CH 100 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11000.00	46.83	49.09	-2.26	54.00	-7.17	106	297	Average	Horizontal		
2	11800.00	61.88	64.14	-2.26	74.00	-12.12	106	297	Peak	Horizontal		
3	16500.00	61.75	55.26	6.49	68.20	-6.45	116	282	Peak	Horizontal		

CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11000.00	48.19	50.45	-2.26	54.00	-5.81	110	64	Average	Vertical		
2	11800.00	62.33	64.59	-2.26	74.00	-11.67	110	64	Peak	Vertical		
3	16500.00	61.44	54.95	6.49	68.20	-6.76	349	253	Peak	Vertical		

802.11n HT20

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11160.00	52.68	54.58	-1.90	54.00	-1.32	116	296	Average	Horizontal		
2 11160.00	66.82	68.72	-1.90	74.00	-7.18	116	296	Peak	Horizontal		
3 16740.00	62.54	55.73	6.81	68.20	-5.66	118	291	Peak	Horizontal		

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11160.00	51.73	53.63	-1.90	54.00	-2.27	106	61	Average	Vertical		
2 11160.00	65.89	67.79	-1.90	74.00	-8.11	106	61	Peak	Vertical		
3 16740.00	60.61	53.80	6.81	68.20	-7.59	330	253	Peak	Vertical		


802.11n HT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	45.58	46.96	-1.38	54.00	-8.42	110	297	Average	Horizontal		
2	11400.00	60.14	61.52	-1.38	74.00	-13.86	110	297	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	42.20	43.58	-1.38	54.00	-11.80	100	62	Average	Vertical		
2	11400.00	56.92	58.30	-1.38	74.00	-17.08	100	62	Peak	Vertical		


802.11n HT40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	41.71	43.93	-2.22	54.00	-12.29	189	61 Average	Horizontal	
2	11820.00	54.15	56.37	-2.22	74.00	-19.85	189	61 Peak	Horizontal	
3	16530.00	55.31	48.87	6.44	68.20	-12.89	122	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	42.22	44.44	-2.22	54.00	-11.78	121	63 Average	Vertical	
2	11820.00	54.21	56.43	-2.22	74.00	-19.79	121	63 Peak	Vertical	
3	16530.00	53.62	47.18	6.44	68.20	-14.58	314	245 Peak	Vertical	

802.11n HT40

CH 118 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11180.00	52.44	54.30	-1.86	54.00	-1.56	119	296	Average	Horizontal		
2 11180.00	65.30	67.16	-1.86	74.00	-8.70	119	296	Peak	Horizontal		
3 16770.00	57.20	50.32	6.88	68.20	-11.00	118	292	Peak	Horizontal		

CH 118 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11180.00	48.75	50.61	-1.86	54.00	-5.25	100	57	Average	Vertical		
2 11180.00	63.95	65.81	-1.86	74.00	-10.05	100	57	Peak	Vertical		
3 16770.00	53.77	46.89	6.88	68.20	-14.43	328	251	Peak	Vertical		


802.11n HT40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	49.87	51.39	-1.52	54.00	-4.13	119	297	Average	Horizontal	
2	11340.00	63.51	65.03	-1.52	74.00	-10.49	119	297	Peak	Horizontal	
3	17018.00	58.94	52.15	6.79	68.20	-9.26	117	293	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	46.65	48.17	-1.52	54.00	-7.35	119	48	Average	Vertical	
2	11340.00	59.65	61.17	-1.52	74.00	-14.35	119	48	Peak	Vertical	
3	17018.00	55.22	48.43	6.79	68.20	-12.98	336	253	Peak	Vertical	


802.11ac VHT80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	45.55	47.67	-2.12	74.00	-28.45	100	204 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	46.25	48.37	-2.12	74.00	-27.75	300	85 Peak	Vertical


802.11ac VHT80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	36.84	38.62	-1.78	54.00	-17.16	100	297 Average	Horizontal	
2	11220.00	51.11	52.89	-1.78	74.00	-22.89	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	35.06	36.84	-1.78	54.00	-18.94	400	205 Average	Vertical	
2	11220.00	48.89	50.67	-1.78	74.00	-25.11	400	205 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	53.04	54.32	-1.28	54.00	-0.96	189	285 Average	Horizontal	
2 11490.00	66.68	67.96	-1.28	74.00	-7.32	189	285 Peak	Horizontal	
3 17235.00	64.56	57.83	6.73	68.20	-3.64	121	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	49.23	50.51	-1.28	54.00	-4.77	182	38 Average	Vertical	
2 11490.00	62.61	63.89	-1.28	74.00	-11.39	182	38 Peak	Vertical	
3 17235.00	60.08	53.35	6.73	68.20	-8.12	333	249 Peak	Vertical	

802.11a

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11570.00	53.64	54.78	-1.14	54.00	-0.36	189	286	Average	Horizontal		
2 11570.00	67.05	68.19	-1.14	74.00	-6.95	189	286	Peak	Horizontal		
3 17355.00	65.18	58.16	7.02	68.20	-3.02	118	292	Peak	Horizontal		

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11570.00	49.39	50.53	-1.14	54.00	-4.61	186	38	Average	Vertical		
2 11570.00	62.88	64.02	-1.14	74.00	-11.12	186	38	Peak	Vertical		
3 17355.00	60.31	53.29	7.02	68.20	-7.89	327	252	Peak	Vertical		

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.00	53.37	54.31	-0.94	54.00	-0.63	117	291	Average	Horizontal		
2 11650.00	67.11	68.05	-0.94	74.00	-6.89	117	291	Peak	Horizontal		
3 17475.00	65.99	58.76	7.23	68.20	-2.21	119	295	Peak	Horizontal		

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.00	48.64	49.58	-0.94	54.00	-5.36	104	43	Average	Vertical		
2 11650.00	62.29	63.23	-0.94	74.00	-11.71	104	43	Peak	Vertical		
3 17475.00	61.83	54.60	7.23	68.20	-6.37	302	235	Peak	Vertical		

802.11n HT20

CH 149 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11490.00	52.88	54.16	-1.28	54.00	-1.12	121	295	Average	Horizontal		
2 11490.00	66.95	68.23	-1.28	74.00	-7.05	121	295	Peak	Horizontal		
3 17235.00	63.33	56.60	6.73	68.20	-4.87	117	293	Peak	Horizontal		

CH 149 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11490.00	50.92	52.20	-1.28	54.00	-3.08	322	300	Average	Vertical		
2 11490.00	64.92	66.20	-1.28	74.00	-9.08	322	300	Peak	Vertical		
3 17235.00	57.63	50.90	6.73	68.20	-10.57	124	270	Peak	Vertical		

802.11n HT20

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11570.00	53.65	54.79	-1.14	54.00	-0.35	122	291	Average	Horizontal		
2 11570.00	67.63	68.77	-1.14	74.00	-6.37	122	291	Peak	Horizontal		
3 17355.00	64.00	56.98	7.02	68.20	-4.20	120	293	Peak	Horizontal		

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11570.00	48.76	49.90	-1.14	54.00	-5.24	100	44	Average	Vertical		
2 11570.00	62.85	63.99	-1.14	74.00	-11.15	100	44	Peak	Vertical		
3 17355.00	60.75	53.73	7.02	68.20	-7.45	300	246	Peak	Vertical		

802.11n HT20

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.00	52.53	53.47	-0.94	54.00	-1.47	123	292	Average	Horizontal		
2 11650.00	66.62	67.56	-0.94	74.00	-7.38	123	292	Peak	Horizontal		
3 17475.00	64.27	57.04	7.23	68.20	-3.93	100	291	Peak	Horizontal		

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.00	47.69	48.63	-0.94	54.00	-6.31	100	57	Average	Vertical		
2 11650.00	61.88	62.82	-0.94	74.00	-12.12	100	57	Peak	Vertical		
3 17475.00	61.37	54.14	7.23	68.20	-6.83	100	254	Peak	Vertical		


802.11n HT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11510.00	51.24	52.48	-1.24	54.00	-2.76	123	296	Average	Horizontal	
2	11510.00	65.43	66.67	-1.24	74.00	-8.57	123	296	Peak	Horizontal	
3	17265.00	58.84	52.83	6.81	68.20	-9.36	117	293	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11510.00	47.34	48.58	-1.24	54.00	-6.66	100	53	Average	Vertical	
2	11510.00	60.81	61.25	-1.24	74.00	-13.99	100	53	Peak	Vertical	
3	17265.00	56.43	49.62	6.81	68.20	-11.77	265	254	Peak	Vertical	


802.11n HT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11590.00	51.38	52.48	-1.10	54.00	-2.62	112	296	Average	Horizontal		
2 11590.00	65.03	66.13	-1.10	74.00	-8.97	112	296	Peak	Horizontal		
3 17385.00	60.12	53.02	7.10	68.20	-8.08	118	294	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11590.00	47.03	48.13	-1.10	54.00	-6.97	100	38	Average	Vertical		
2 11590.00	60.39	61.49	-1.10	74.00	-13.61	100	38	Peak	Vertical		
3 17385.00	56.82	49.72	7.10	68.20	-11.38	325	237	Peak	Vertical		