









NTNV-11AC20SISO-Ant1-5180-5142~5150-PAS S	NTHV-11AC20SISO-Ant1-5180-5142~5150-PAS S
	
NTLV-11AC20SISO-Ant1-5180-5250~5251-PAS S	NTNV-11AC20SISO-Ant1-5180-5250~5251-PAS S
	
NTHV-11AC20SISO-Ant1-5180-5250~5251-PAS S	NTLV-11AC20SISO-Ant1-5180-5251~5260-PAS S
	
NTNV-11AC20SISO-Ant1-5180-5251~5260-PAS S	NTHV-11AC20SISO-Ant1-5180-5251~5260-PAS S







NTLV-11AC20SISO-Ant1-5220-5250~5251-PAS S 	NTNV-11AC20SISO-Ant1-5220-5250~5251-PAS S 
NTHV-11AC20SISO-Ant1-5220-5250~5251-PAS S 	NTLV-11AC20SISO-Ant1-5220-5251~5260-PAS S 
NTNV-11AC20SISO-Ant1-5220-5251~5260-PAS S 	NTHV-11AC20SISO-Ant1-5220-5251~5260-PAS S 
NTLV-11AC20SISO-Ant1-5220-5260~5266.7-PA SS	NTNV-11AC20SISO-Ant1-5220-5260~5266.7-PA SS





NTHV-11AC20SISO-Ant1-5240-30~5142-PASS	NTHV-11AC20SISO-Ant1-5240-5142~5150-PASS
	
NTNV-11AC20SISO-Ant1-5240-5142~5150-PASS	NTHV-11AC20SISO-Ant1-5240-5142~5150-PASS
	
NTHV-11AC20SISO-Ant1-5240-5250~5251-PASS	NTNV-11AC20SISO-Ant1-5240-5250~5251-PASS
	
NTHV-11AC20SISO-Ant1-5240-5250~5251-PASS	NTHV-11AC20SISO-Ant1-5240-5251~5260-PASS








NTLV-11AX20SISO-Ant1-5180-5142~5150-PAS S 	NTNV-11AX20SISO-Ant1-5180-5142~5150-PAS S 
NTNV-11AX20SISO-Ant1-5180-5250~5250.2-PA SS 	NTHV-11AX20SISO-Ant1-5180-5250~5250.2-PA SS 
NTLV-11AX20SISO-Ant1-5180-5250~5250.2-PA SS 	NTNV-11AX20SISO-Ant1-5180-5250.2~5251-PA SS 
NTHV-11AX20SISO-Ant1-5180-5250.2~5251-PA SS	NTLV-11AX20SISO-Ant1-5180-5250.2~5251-PA SS











NTLV-11AX20SISO-Ant1-5220-5142~5150-PAS S 	NTNV-11AX20SISO-Ant1-5220-5142~5150-PAS S 
NTHV-11AX20SISO-Ant1-5220-5142~5150-PAS S 	NTLV-11AX20SISO-Ant1-5220-5250~5250.2-PA SS 
NTNV-11AX20SISO-Ant1-5220-5250~5250.2-PA SS 	NTHV-11AX20SISO-Ant1-5220-5250~5250.2-PA SS 
NTLV-11AX20SISO-Ant1-5220-5250.2~5251-PA SS	NTNV-11AX20SISO-Ant1-5220-5250.2~5251-PA SS








NTHV-11AX20SISO-Ant1-5240-30~5142-PASS	NTHV-11AX20SISO-Ant1-5240-5142~5150-PASS
	
NTNV-11AX20SISO-Ant1-5240-5142~5150-PASS	NTHV-11AX20SISO-Ant1-5240-5142~5150-PASS
	
NTHV-11AX20SISO-Ant1-5240-5250~5250.2-See table below	NTNV-11AX20SISO-Ant1-5240-5250~5250.2-See table below
	
NTHV-11AX20SISO-Ant1-5240-5250~5250.2-See table below	NTHV-11AX20SISO-Ant1-5240-5250.2~5251-See table below


	
NTVN-11AX20SISO-Ant1-5240-5250.2~5251-Se e table below	NTHV-11AX20SISO-Ant1-5240-5250.2~5251-Se e table below
	
NTLV-11AX20SISO-Ant1-5240-5251~5260-See table below	NTVN-11AX20SISO-Ant1-5240-5251~5260-See table below
	
NTHV-11AX20SISO-Ant1-5240-5251~5260-PAS S	NTLV-11AX20SISO-Ant1-5240-5260~5266.7-PAS SS




Test Graphs_Step2



NTHV-11N20SISO-Ant1-5240-5251~5260-PASS 	NTHV-11N20SISO-Ant1-5240-5251~5260-PASS 
NTLV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS 	NTLV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS 
NTNV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS 	NTNV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS 
NTHV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS	NTHV-11AX20SISO-Ant1-5240-5250~5250.2-PA SS





Appendix F: Secondary Radiated Emission Strength


Test Result


TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm]	Result [nW]	Limit [nW]	Verdict
NTLV	11A	Ant1	5180	30~1000	288.02	-89.52	0.00112	≤4	PASS
NTNV	11A	Ant1	5180	30~1000	288.02	-88.20	0.00151	≤4	PASS
NTHV	11A	Ant1	5180	30~1000	288.02	-87.90	0.00162	≤4	PASS
NTLV	11A	Ant1	5180	1000~26000	6907.50	-58.76	1.33045	≤20	PASS
NTNV	11A	Ant1	5180	1000~26000	6907.50	-58.86	1.30017	≤20	PASS
NTHV	11A	Ant1	5180	1000~26000	6907.50	-58.68	1.35519	≤20	PASS
NTLV	11A	Ant1	5220	30~1000	288.02	-86.95	0.00202	≤4	PASS
NTNV	11A	Ant1	5220	30~1000	288.02	-88.78	0.00132	≤4	PASS
NTHV	11A	Ant1	5220	30~1000	288.02	-87.26	0.00188	≤4	PASS
NTLV	11A	Ant1	5220	1000~26000	6907.50	-58.52	1.40605	≤20	PASS
NTNV	11A	Ant1	5220	1000~26000	6907.50	-58.46	1.42561	≤20	PASS
NTHV	11A	Ant1	5220	1000~26000	6907.50	-58.73	1.33968	≤20	PASS
NTLV	11A	Ant1	5240	30~1000	288.02	-88.07	0.00156	≤4	PASS
NTNV	11A	Ant1	5240	30~1000	288.02	-88.56	0.00139	≤4	PASS
NTHV	11A	Ant1	5240	30~1000	288.02	-88.28	0.00149	≤4	PASS
NTLV	11A	Ant1	5240	1000~26000	6907.50	-58.63	1.37088	≤20	PASS
NTNV	11A	Ant1	5240	1000~26000	6907.50	-58.53	1.40281	≤20	PASS
NTHV	11A	Ant1	5240	1000~26000	6907.50	-58.65	1.36458	≤20	PASS
NTLV	11N20SISO	Ant1	5180	30~1000	288.02	-88.20	0.00151	≤4	PASS
NTNV	11N20SISO	Ant1	5180	30~1000	288.02	-88.69	0.00135	≤4	PASS
NTHV	11N20SISO	Ant1	5180	30~1000	288.02	-87.92	0.00161	≤4	PASS
NTLV	11N20SISO	Ant1	5180	1000~26000	6907.50	-58.70	1.34896	≤20	PASS
NTNV	11N20SISO	Ant1	5180	1000~26000	6907.50	-58.55	1.39637	≤20	PASS
NTHV	11N20SISO	Ant1	5180	1000~26000	6907.50	-58.38	1.45211	≤20	PASS
NTLV	11N20SISO	Ant1	5220	30~1000	288.02	-87.66	0.00171	≤4	PASS
NTNV	11N20SISO	Ant1	5220	30~1000	288.02	-87.77	0.00167	≤4	PASS
NTHV	11N20SISO	Ant1	5220	30~1000	288.02	-88.33	0.00147	≤4	PASS
NTLV	11N20SISO	Ant1	5220	1000~26000	6907.50	-58.67	1.35831	≤20	PASS
NTNV	11N20SISO	Ant1	5220	1000~26000	6907.50	-58.71	1.34586	≤20	PASS
NTHV	11N20SISO	Ant1	5220	1000~26000	6907.50	-58.76	1.33045	≤20	PASS
NTLV	11N20SISO	Ant1	5240	30~1000	288.02	-88.27	0.00149	≤4	PASS
NTNV	11N20SISO	Ant1	5240	30~1000	288.02	-88.51	0.00141	≤4	PASS
NTHV	11N20SISO	Ant1	5240	30~1000	288.02	-88.79	0.00132	≤4	PASS


NTLV	11N20SISO	Ant1	5240	1000~26000	6907.50	-58.58	1.38676	≤20	PASS
NTNV	11N20SISO	Ant1	5240	1000~26000	6907.50	-58.71	1.34586	≤20	PASS
NTHV	11N20SISO	Ant1	5240	1000~26000	6907.50	-58.75	1.33352	≤20	PASS
NTLV	11N40SISO	Ant1	5190	30~1000	288.02	-88.88	0.00129	≤4	PASS
NTNV	11N40SISO	Ant1	5190	30~1000	288.02	-88.34	0.00147	≤4	PASS
NTHV	11N40SISO	Ant1	5190	30~1000	288.02	-88.12	0.00154	≤4	PASS
NTLV	11N40SISO	Ant1	5190	1000~26000	6907.50	-58.59	1.38357	≤20	PASS
NTNV	11N40SISO	Ant1	5190	1000~26000	6907.50	-58.67	1.35831	≤20	PASS
NTHV	11N40SISO	Ant1	5190	1000~26000	6907.50	-58.63	1.37088	≤20	PASS
NTLV	11N40SISO	Ant1	5230	30~1000	288.02	-88.58	0.00139	≤4	PASS
NTNV	11N40SISO	Ant1	5230	30~1000	288.02	-88.82	0.00131	≤4	PASS
NTHV	11N40SISO	Ant1	5230	30~1000	288.02	-88.52	0.00141	≤4	PASS
NTLV	11N40SISO	Ant1	5230	1000~26000	6907.50	-58.88	1.29420	≤20	PASS
NTNV	11N40SISO	Ant1	5230	1000~26000	6907.50	-58.65	1.36458	≤20	PASS
NTHV	11N40SISO	Ant1	5230	1000~26000	6907.50	-58.52	1.40605	≤20	PASS
NTLV	11AC20SISO	Ant1	5180	30~1000	288.02	-88.64	0.00137	≤4	PASS
NTNV	11AC20SISO	Ant1	5180	30~1000	288.02	-88.60	0.00138	≤4	PASS
NTHV	11AC20SISO	Ant1	5180	30~1000	288.02	-88.46	0.00143	≤4	PASS
NTLV	11AC20SISO	Ant1	5180	1000~26000	6907.50	-58.80	1.31826	≤20	PASS
NTNV	11AC20SISO	Ant1	5180	1000~26000	6907.50	-58.87	1.29718	≤20	PASS
NTHV	11AC20SISO	Ant1	5180	1000~26000	6907.50	-58.57	1.38995	≤20	PASS
NTLV	11AC20SISO	Ant1	5220	30~1000	288.02	-88.40	0.00145	≤4	PASS
NTNV	11AC20SISO	Ant1	5220	30~1000	288.02	-89.33	0.00117	≤4	PASS
NTHV	11AC20SISO	Ant1	5220	30~1000	288.02	-88.67	0.00136	≤4	PASS
NTLV	11AC20SISO	Ant1	5220	1000~26000	6907.50	-58.76	1.33045	≤20	PASS
NTNV	11AC20SISO	Ant1	5220	1000~26000	6907.50	-58.43	1.43549	≤20	PASS
NTHV	11AC20SISO	Ant1	5220	1000~26000	6907.50	-58.82	1.31220	≤20	PASS
NTLV	11AC20SISO	Ant1	5240	30~1000	288.02	-88.36	0.00146	≤4	PASS
NTNV	11AC20SISO	Ant1	5240	30~1000	288.02	-87.37	0.00183	≤4	PASS
NTHV	11AC20SISO	Ant1	5240	30~1000	288.02	-88.19	0.00152	≤4	PASS
NTLV	11AC20SISO	Ant1	5240	1000~26000	6907.50	-58.58	1.38676	≤20	PASS
NTNV	11AC20SISO	Ant1	5240	1000~26000	6907.50	-58.81	1.31522	≤20	PASS
NTHV	11AC20SISO	Ant1	5240	1000~26000	6907.50	-58.81	1.31522	≤20	PASS
NTLV	11AX20SISO	Ant1	5180	30~1000	288.02	-88.85	0.00130	≤4	PASS
NTNV	11AX20SISO	Ant1	5180	30~1000	288.02	-89.29	0.00118	≤4	PASS
NTHV	11AX20SISO	Ant1	5180	30~1000	288.02	-88.70	0.00135	≤4	PASS
NTLV	11AX20SISO	Ant1	5180	1000~26000	6907.50	-58.88	1.29420	≤20	PASS
NTNV	11AX20SISO	Ant1	5180	1000~26000	6907.50	-58.73	1.33968	≤20	PASS
NTHV	11AX20SISO	Ant1	5180	1000~26000	6907.50	-58.74	1.33660	≤20	PASS
NTLV	11AX20SISO	Ant1	5220	30~1000	288.02	-88.01	0.00158	≤4	PASS

NTNV	11AX20SISO	Ant1	5220	30~1000	288.02	-88.22	0.00151	≤4	PASS
NTHV	11AX20SISO	Ant1	5220	30~1000	320.03	-89.32	0.00117	≤4	PASS
NTLV	11AX20SISO	Ant1	5220	1000~26000	6907.50	-58.48	1.41906	≤20	PASS
NTNV	11AX20SISO	Ant1	5220	1000~26000	6907.50	-59.09	1.23310	≤20	PASS
NTHV	11AX20SISO	Ant1	5220	1000~26000	6907.50	-58.79	1.32130	≤20	PASS
NTLV	11AX20SISO	Ant1	5240	30~1000	288.02	-89.13	0.00122	≤4	PASS
NTNV	11AX20SISO	Ant1	5240	30~1000	288.02	-88.24	0.00150	≤4	PASS
NTHV	11AX20SISO	Ant1	5240	30~1000	320.03	-88.92	0.00128	≤4	PASS
NTLV	11AX20SISO	Ant1	5240	1000~26000	6907.50	-58.73	1.33968	≤20	PASS
NTNV	11AX20SISO	Ant1	5240	1000~26000	6907.50	-58.87	1.29718	≤20	PASS
NTHV	11AX20SISO	Ant1	5240	1000~26000	6907.50	-58.61	1.37721	≤20	PASS

Test Graphs















S


S















S 	S 
NTLV-11AC20SISO-Ant1-5180-30~1000-PASS	NTVN-11AC20SISO-Ant1-5180-30~1000-PASS
	
NTHV-11AC20SISO-Ant1-5180-30~1000-PASS	NTVN-11AC20SISO-Ant1-5180-1000~26000-PAS
	S 
NTNV-11AC20SISO-Ant1-5180-1000~26000-PA	NTHV-11AC20SISO-Ant1-5180-1000~26000-PA
SS	SS







NTHV-11AX20SISO-Ant1-5220-30~1000-PASS 	NTLV-11AX20SISO-Ant1-5220-1000~26000-PASS S 
NTNV-11AX20SISO-Ant1-5220-1000~26000-PA SS 	NTHV-11AX20SISO-Ant1-5220-1000~26000-PA SS 
NTLV-11AX20SISO-Ant1-5240-30~1000-PASS 	NTNV-11AX20SISO-Ant1-5240-30~1000-PASS 
NTHV-11AX20SISO-Ant1-5240-30~1000-PASS	NTLV-11AX20SISO-Ant1-5240-1000~26000-PASS S




Appendix G: Transmission Burst Length


Test Result

Test Condition	TestMode	Antenna	Frequency[MHz]	Result [ms]	Limit [ms]	Verdict
NTLV	11A	Ant1	5180	0.61	≤8	PASS
NTNV	11A	Ant1	5180	0.61	≤8	PASS
NTHV	11A	Ant1	5180	0.61	≤8	PASS
NTLV	11A	Ant1	5220	0.61	≤8	PASS
NTNV	11A	Ant1	5220	0.61	≤8	PASS
NTHV	11A	Ant1	5220	0.61	≤8	PASS
NTLV	11A	Ant1	5240	0.61	≤8	PASS
NTNV	11A	Ant1	5240	0.61	≤8	PASS
NTHV	11A	Ant1	5240	0.61	≤8	PASS
NTLV	11N20SISO	Ant1	5180	0.61	≤8	PASS
NTNV	11N20SISO	Ant1	5180	0.61	≤8	PASS
NTHV	11N20SISO	Ant1	5180	0.61	≤8	PASS
NTLV	11N20SISO	Ant1	5220	0.61	≤8	PASS
NTNV	11N20SISO	Ant1	5220	0.61	≤8	PASS
NTHV	11N20SISO	Ant1	5220	0.61	≤8	PASS
NTLV	11N20SISO	Ant1	5240	0.61	≤8	PASS
NTNV	11N20SISO	Ant1	5240	0.61	≤8	PASS
NTHV	11N20SISO	Ant1	5240	0.61	≤8	PASS
NTLV	11N40SISO	Ant1	5190	0.31	≤8	PASS
NTNV	11N40SISO	Ant1	5190	0.31	≤8	PASS
NTHV	11N40SISO	Ant1	5190	0.31	≤8	PASS
NTLV	11N40SISO	Ant1	5230	0.31	≤8	PASS
NTNV	11N40SISO	Ant1	5230	0.31	≤8	PASS
NTHV	11N40SISO	Ant1	5230	0.31	≤8	PASS
NTLV	11AC20SISO	Ant1	5180	0.62	≤8	PASS
NTNV	11AC20SISO	Ant1	5180	0.62	≤8	PASS
NTHV	11AC20SISO	Ant1	5180	0.62	≤8	PASS
NTLV	11AC20SISO	Ant1	5220	0.62	≤8	PASS
NTNV	11AC20SISO	Ant1	5220	0.62	≤8	PASS
NTHV	11AC20SISO	Ant1	5220	0.62	≤8	PASS
NTLV	11AC20SISO	Ant1	5240	0.62	≤8	PASS
NTNV	11AC20SISO	Ant1	5240	0.62	≤8	PASS
NTHV	11AC20SISO	Ant1	5240	0.62	≤8	PASS
NTLV	11AX20SISO	Ant1	5180	0.63	≤8	PASS


NTNV	11AX20SISO	Ant1	5180	0.63	≤8	PASS
NTHV	11AX20SISO	Ant1	5180	0.63	≤8	PASS
NTLV	11AX20SISO	Ant1	5220	0.63	≤8	PASS
NTNV	11AX20SISO	Ant1	5220	0.63	≤8	PASS
NTHV	11AX20SISO	Ant1	5220	0.63	≤8	PASS
NTLV	11AX20SISO	Ant1	5240	0.63	≤8	PASS
NTNV	11AX20SISO	Ant1	5240	0.63	≤8	PASS
NTHV	11AX20SISO	Ant1	5240	0.63	≤8	PASS


Test Graphs














Appendix H: Adjacent Channel Power Tolerance

Test Result

TestCon dition	TestMode	Antenna	Frequen cy[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTLV	11A	Ant1	5180	-40	-51.88	≤-40	PASS
NTNV	11A	Ant1	5180	-40	-52.15	≤-40	PASS
NTHV	11A	Ant1	5180	-40	-51.93	≤-40	PASS
NTLV	11A	Ant1	5180	-20	-35.55	≤-25	PASS
NTNV	11A	Ant1	5180	-20	-35.94	≤-25	PASS
NTHV	11A	Ant1	5180	-20	-35.92	≤-25	PASS
NTLV	11A	Ant1	5180	+20	-35.56	≤-25	PASS
NTNV	11A	Ant1	5180	+20	-35.03	≤-25	PASS
NTHV	11A	Ant1	5180	+20	-35.36	≤-25	PASS
NTLV	11A	Ant1	5180	+40	-52.33	≤-40	PASS
NTNV	11A	Ant1	5180	+40	-52.35	≤-40	PASS
NTHV	11A	Ant1	5180	+40	-52.30	≤-40	PASS
NTLV	11A	Ant1	5220	-40	-52.35	≤-40	PASS
NTNV	11A	Ant1	5220	-40	-52.09	≤-40	PASS
NTHV	11A	Ant1	5220	-40	-52.16	≤-40	PASS
NTLV	11A	Ant1	5220	-20	-35.72	≤-25	PASS
NTNV	11A	Ant1	5220	-20	-35.42	≤-25	PASS
NTHV	11A	Ant1	5220	-20	-36.33	≤-25	PASS
NTLV	11A	Ant1	5220	+20	-35.46	≤-25	PASS
NTNV	11A	Ant1	5220	+20	-34.76	≤-25	PASS
NTHV	11A	Ant1	5220	+20	-35.38	≤-25	PASS
NTLV	11A	Ant1	5220	+40	-53.88	≤-40	PASS
NTNV	11A	Ant1	5220	+40	-53.55	≤-40	PASS
NTHV	11A	Ant1	5220	+40	-53.83	≤-40	PASS
NTLV	11A	Ant1	5240	-40	-52.40	≤-40	PASS
NTNV	11A	Ant1	5240	-40	-52.24	≤-40	PASS
NTHV	11A	Ant1	5240	-40	-52.25	≤-40	PASS
NTLV	11A	Ant1	5240	-20	-36.23	≤-25	PASS
NTNV	11A	Ant1	5240	-20	-35.66	≤-25	PASS
NTHV	11A	Ant1	5240	-20	-35.52	≤-25	PASS
NTLV	11A	Ant1	5240	+20	-36.18	≤-25	PASS
NTNV	11A	Ant1	5240	+20	-35.77	≤-25	PASS
NTHV	11A	Ant1	5240	+20	-35.17	≤-25	PASS
NTLV	11A	Ant1	5240	+40	-54.09	≤-40	PASS

NTNV	11A	Ant1	5240	+40	-53.90	≤-40	PASS
NTHV	11A	Ant1	5240	+40	-53.69	≤-40	PASS
NTLV	11N20SISO	Ant1	5180	-40	-52.28	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-40	-52.17	≤-40	PASS
NTHV	11N20SISO	Ant1	5180	-40	-52.21	≤-40	PASS
NTLV	11N20SISO	Ant1	5180	-20	-34.45	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	-20	-34.63	≤-25	PASS
NTHV	11N20SISO	Ant1	5180	-20	-34.77	≤-25	PASS
NTLV	11N20SISO	Ant1	5180	+20	-33.17	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+20	-33.38	≤-25	PASS
NTHV	11N20SISO	Ant1	5180	+20	-34.19	≤-25	PASS
NTLV	11N20SISO	Ant1	5180	+40	-52.64	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	+40	-52.61	≤-40	PASS
NTHV	11N20SISO	Ant1	5180	+40	-52.49	≤-40	PASS
NTLV	11N20SISO	Ant1	5220	-40	-52.34	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-40	-52.51	≤-40	PASS
NTHV	11N20SISO	Ant1	5220	-40	-52.94	≤-40	PASS
NTLV	11N20SISO	Ant1	5220	-20	-34.84	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	-20	-34.83	≤-25	PASS
NTHV	11N20SISO	Ant1	5220	-20	-34.90	≤-25	PASS
NTLV	11N20SISO	Ant1	5220	+20	-33.66	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+20	-33.34	≤-25	PASS
NTHV	11N20SISO	Ant1	5220	+20	-33.99	≤-25	PASS
NTLV	11N20SISO	Ant1	5220	+40	-53.70	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	+40	-53.62	≤-40	PASS
NTHV	11N20SISO	Ant1	5220	+40	-54.01	≤-40	PASS
NTLV	11N20SISO	Ant1	5240	-40	-53.00	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-40	-52.51	≤-40	PASS
NTHV	11N20SISO	Ant1	5240	-40	-52.67	≤-40	PASS
NTLV	11N20SISO	Ant1	5240	-20	-34.69	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	-20	-34.70	≤-25	PASS
NTHV	11N20SISO	Ant1	5240	-20	-34.39	≤-25	PASS
NTLV	11N20SISO	Ant1	5240	+20	-33.64	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+20	-33.47	≤-25	PASS
NTHV	11N20SISO	Ant1	5240	+20	-33.74	≤-25	PASS
NTLV	11N20SISO	Ant1	5240	+40	-54.35	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	+40	-53.96	≤-40	PASS
NTHV	11N20SISO	Ant1	5240	+40	-54.01	≤-40	PASS
NTLV	11N40SISO	Ant1	5190	-80	-49.35	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	-80	-49.26	≤-40	PASS

NTHV	11N40SISO	Ant1	5190	-80	-49.31	≤-40	PASS
NTLV	11N40SISO	Ant1	5190	-40	-37.67	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	-40	-37.45	≤-25	PASS
NTHV	11N40SISO	Ant1	5190	-40	-37.12	≤-25	PASS
NTLV	11N40SISO	Ant1	5190	+40	-38.49	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	+40	-38.55	≤-25	PASS
NTHV	11N40SISO	Ant1	5190	+40	-38.30	≤-25	PASS
NTLV	11N40SISO	Ant1	5190	+80	-50.45	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	+80	-50.60	≤-40	PASS
NTHV	11N40SISO	Ant1	5190	+80	-50.57	≤-40	PASS
NTLV	11N40SISO	Ant1	5230	-80	-49.24	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	-80	-49.09	≤-40	PASS
NTHV	11N40SISO	Ant1	5230	-80	-49.27	≤-40	PASS
NTLV	11N40SISO	Ant1	5230	-40	-38.49	≤-25	PASS
NTNV	11N40SISO	Ant1	5230	-40	-37.80	≤-25	PASS
NTHV	11N40SISO	Ant1	5230	-40	-38.53	≤-25	PASS
NTLV	11N40SISO	Ant1	5230	+40	-39.17	≤-25	PASS
NTNV	11N40SISO	Ant1	5230	+40	-39.52	≤-25	PASS
NTHV	11N40SISO	Ant1	5230	+40	-39.16	≤-25	PASS
NTLV	11N40SISO	Ant1	5230	+80	-51.19	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	+80	-51.10	≤-40	PASS
NTHV	11N40SISO	Ant1	5230	+80	-51.33	≤-40	PASS
NTLV	11AC20SISO	Ant1	5180	-40	-52.32	≤-40	PASS
NTNV	11AC20SISO	Ant1	5180	-40	-52.24	≤-40	PASS
NTHV	11AC20SISO	Ant1	5180	-40	-52.25	≤-40	PASS
NTLV	11AC20SISO	Ant1	5180	-20	-32.73	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	-20	-33.21	≤-25	PASS
NTHV	11AC20SISO	Ant1	5180	-20	-33.80	≤-25	PASS
NTLV	11AC20SISO	Ant1	5180	+20	-33.91	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	+20	-34.06	≤-25	PASS
NTHV	11AC20SISO	Ant1	5180	+20	-33.94	≤-25	PASS
NTLV	11AC20SISO	Ant1	5180	+40	-52.63	≤-40	PASS
NTNV	11AC20SISO	Ant1	5180	+40	-52.70	≤-40	PASS
NTHV	11AC20SISO	Ant1	5180	+40	-52.80	≤-40	PASS
NTLV	11AC20SISO	Ant1	5220	-40	-52.60	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	-40	-52.43	≤-40	PASS
NTHV	11AC20SISO	Ant1	5220	-40	-52.60	≤-40	PASS
NTLV	11AC20SISO	Ant1	5220	-20	-33.67	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	-20	-33.02	≤-25	PASS
NTHV	11AC20SISO	Ant1	5220	-20	-32.70	≤-25	PASS

NTLV	11AC20SISO	Ant1	5220	+20	-34.08	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	+20	-33.89	≤-25	PASS
NTHV	11AC20SISO	Ant1	5220	+20	-34.25	≤-25	PASS
NTLV	11AC20SISO	Ant1	5220	+40	-53.86	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	+40	-53.89	≤-40	PASS
NTHV	11AC20SISO	Ant1	5220	+40	-53.97	≤-40	PASS
NTLV	11AC20SISO	Ant1	5240	-40	-52.84	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	-40	-52.72	≤-40	PASS
NTHV	11AC20SISO	Ant1	5240	-40	-52.66	≤-40	PASS
NTLV	11AC20SISO	Ant1	5240	-20	-32.65	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	-20	-32.53	≤-25	PASS
NTHV	11AC20SISO	Ant1	5240	-20	-33.06	≤-25	PASS
NTLV	11AC20SISO	Ant1	5240	+20	-33.87	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	+20	-33.92	≤-25	PASS
NTHV	11AC20SISO	Ant1	5240	+20	-33.85	≤-25	PASS
NTLV	11AC20SISO	Ant1	5240	+40	-54.12	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	+40	-54.05	≤-40	PASS
NTHV	11AC20SISO	Ant1	5240	+40	-54.19	≤-40	PASS
NTLV	11AX20SISO	Ant1	5180	-40	-51.11	≤-40	PASS
NTNV	11AX20SISO	Ant1	5180	-40	-50.88	≤-40	PASS
NTHV	11AX20SISO	Ant1	5180	-40	-50.99	≤-40	PASS
NTLV	11AX20SISO	Ant1	5180	-20	-33.87	≤-25	PASS
NTNV	11AX20SISO	Ant1	5180	-20	-33.74	≤-25	PASS
NTHV	11AX20SISO	Ant1	5180	-20	-34.15	≤-25	PASS
NTLV	11AX20SISO	Ant1	5180	+20	-32.28	≤-25	PASS
NTNV	11AX20SISO	Ant1	5180	+20	-32.95	≤-25	PASS
NTHV	11AX20SISO	Ant1	5180	+20	-33.22	≤-25	PASS
NTLV	11AX20SISO	Ant1	5180	+40	-51.81	≤-40	PASS
NTNV	11AX20SISO	Ant1	5180	+40	-51.76	≤-40	PASS
NTHV	11AX20SISO	Ant1	5180	+40	-51.70	≤-40	PASS
NTLV	11AX20SISO	Ant1	5220	-40	-51.85	≤-40	PASS
NTNV	11AX20SISO	Ant1	5220	-40	-51.64	≤-40	PASS
NTHV	11AX20SISO	Ant1	5220	-40	-51.55	≤-40	PASS
NTLV	11AX20SISO	Ant1	5220	-20	-34.37	≤-25	PASS
NTNV	11AX20SISO	Ant1	5220	-20	-34.25	≤-25	PASS
NTHV	11AX20SISO	Ant1	5220	-20	-34.15	≤-25	PASS
NTLV	11AX20SISO	Ant1	5220	+20	-31.47	≤-25	PASS
NTNV	11AX20SISO	Ant1	5220	+20	-31.54	≤-25	PASS
NTHV	11AX20SISO	Ant1	5220	+20	-31.74	≤-25	PASS
NTLV	11AX20SISO	Ant1	5220	+40	-53.69	≤-40	PASS

NTNV	11AX20SISO	Ant1	5220	+40	-53.62	≤-40	PASS
NTHV	11AX20SISO	Ant1	5220	+40	-53.26	≤-40	PASS
NTLV	11AX20SISO	Ant1	5240	-40	-51.99	≤-40	PASS
NTNV	11AX20SISO	Ant1	5240	-40	-51.78	≤-40	PASS
NTHV	11AX20SISO	Ant1	5240	-40	-52.22	≤-40	PASS
NTLV	11AX20SISO	Ant1	5240	-20	-34.46	≤-25	PASS
NTNV	11AX20SISO	Ant1	5240	-20	-33.79	≤-25	PASS
NTHV	11AX20SISO	Ant1	5240	-20	-34.02	≤-25	PASS
NTLV	11AX20SISO	Ant1	5240	+20	-32.52	≤-25	PASS
NTNV	11AX20SISO	Ant1	5240	+20	-31.80	≤-25	PASS
NTHV	11AX20SISO	Ant1	5240	+20	-32.49	≤-25	PASS
NTLV	11AX20SISO	Ant1	5240	+40	-53.91	≤-40	PASS
NTNV	11AX20SISO	Ant1	5240	+40	-53.86	≤-40	PASS
NTHV	11AX20SISO	Ant1	5240	+40	-53.93	≤-40	PASS

Test Graphs

