



Test Graphs






NTNV-11N20SISO-Ant1-5180-30~1000-PASS




NTNV-11N20SISO-Ant1-5180-1000~26000-PAS

S




NTNV-11N20SISO-Ant1-5220-30~1000-PASS



NTNV-11N20SISO-Ant1-5220-1000~26000-PAS

S




NTNV-11N20SISO-Ant1-5240-30~1000-PASS



NTNV-11N20SISO-Ant1-5240-1000~26000-PAS

S





Appendix G: Transmission Burst Length

Test Result

Test Condition	TestMode	Antenna	Frequency[MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11A	Ant1	5180	1.36	≤8	PASS
NTNV	11A	Ant1	5220	1.36	≤8	PASS
NTNV	11A	Ant1	5240	1.36	≤8	PASS
NTNV	11N20SISO	Ant1	5180	1.27	≤8	PASS
NTNV	11N20SISO	Ant1	5220	1.27	≤8	PASS
NTNV	11N20SISO	Ant1	5240	1.27	≤8	PASS
NTNV	11N40SISO	Ant1	5190	0.63	≤8	PASS
NTNV	11N40SISO	Ant1	5230	0.63	≤8	PASS

Test Graphs







Appendix H: Adjacent Channel Power Tolerance

Test Result

Test Condition	TestMode	Antenna	Frequency [MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5180	-40	-56.71	≤-40	PASS
NTNV	11A	Ant1	5180	-20	-37.61	≤-25	PASS
NTNV	11A	Ant1	5180	+20	-37.06	≤-25	PASS
NTNV	11A	Ant1	5180	+40	-56.39	≤-40	PASS
NTNV	11A	Ant1	5220	-40	-56.42	≤-40	PASS
NTNV	11A	Ant1	5220	-20	-36.82	≤-25	PASS
NTNV	11A	Ant1	5220	+20	-37.03	≤-25	PASS
NTNV	11A	Ant1	5220	+40	-56.47	≤-40	PASS
NTNV	11A	Ant1	5240	-40	-56.36	≤-40	PASS
NTNV	11A	Ant1	5240	-20	-37.22	≤-25	PASS
NTNV	11A	Ant1	5240	+20	-36.91	≤-25	PASS
NTNV	11A	Ant1	5240	+40	-56.91	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-40	-55.65	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-20	-36.65	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+20	-35.60	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+40	-55.24	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-40	-55.70	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-20	-36.50	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+20	-35.59	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+40	-55.71	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-40	-55.39	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-20	-35.25	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+20	-35.62	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+40	-56.01	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	-80	-53.25	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	-40	-47.33	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	+40	-48.57	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	+80	-52.90	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	-80	-53.33	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	-40	-48.17	≤-25	PASS
NTNV	11N40SISO	Ant1	5230	+40	-49.09	≤-25	PASS
NTNV	11N40SISO	Ant1	5230	+80	-53.81	≤-40	PASS

Test Graphs





Appendix I: Carrier Sense Function

Test Result


Test Condition	TestMode	Antenna	Frequency[MHz]	Pcs[dBm]	Result	Verdict
NTNV	11A	Ant1	5180	-48.496	Good	PASS
NTNV	11N40SISO	Ant1	5190	-48.513	Good	PASS

Note: $Pcs (dBm) = 22.79 + Gr - 20\log(F)$.

V1: CW signal injection

V2: CW signal remove

Test Graphs



*** End of Report ***