


802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4544G	99.20	Inf	-Inf	32.35	3	Vertical	338	1.40	-				
AV	2.4904G	46.42	54.00	-7.58	32.51	3	Vertical	338	1.40	-				
PK	2.4532G	108.75	Inf	-Inf	32.35	3	Vertical	338	1.40	-				
PK	2.4836G	59.87	74.00	-14.13	32.48	3	Vertical	338	1.40	-				

802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4634G	105.35	Inf	-Inf	32.39	3	Horizontal	311	2.30	-				
AV	2.4835G	53.25	54.00	-0.75	32.48	3	Horizontal	311	2.30	-				
PK	2.4634G	115.39	Inf	-Inf	32.39	3	Horizontal	311	2.30	-				
PK	2.4856G	67.50	74.00	-6.50	32.49	3	Horizontal	311	2.30	-				

802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4592G	98.70	Inf	-Inf	32.38	3	Vertical	341	1.41	-				
AV	2.4835G	49.37	54.00	-4.63	32.48	3	Vertical	341	1.41	-				
PK	2.4604G	108.53	Inf	-Inf	32.38	3	Vertical	341	1.41	-				
PK	2.4844G	61.85	74.00	-12.15	32.48	3	Vertical	341	1.41	-				

802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.469G	104.92	Inf	-Inf	32.42	3	Horizontal	311	2.31	-				
AV	2.4848G	52.98	54.00	-1.02	32.48	3	Horizontal	311	2.31	-				
PK	2.4684G	114.82	Inf	-Inf	32.42	3	Horizontal	311	2.31	-				
PK	2.4835G	67.52	74.00	-6.48	32.48	3	Horizontal	311	2.31	-				

802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.91968G	34.34	54.00	-19.66	8.61	3	Vertical	62	2.89	-				
PK	4.91608G	48.24	74.00	-25.76	8.60	3	Vertical	62	2.89	-				

802.11n HT20_Nss1,(MCS0)_2TX

18/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.92766G	40.13	54.00	-13.87	8.62	3	Horizontal	360	1.43	-				
PK	4.92658G	54.24	74.00	-19.76	8.62	3	Horizontal	360	1.43	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	46.26	54.00	-7.74	32.09	3	Vertical	332	1.45	-				
AV	2.4376G	91.25	Inf	-Inf	32.28	3	Vertical	332	1.45	-				
AV	2.4864G	46.48	54.00	-7.52	32.49	3	Vertical	332	1.45	-				
PK	2.3556G	57.20	74.00	-16.80	31.95	3	Vertical	332	1.45	-				
PK	2.438G	100.11	Inf	-Inf	32.28	3	Vertical	332	1.45	-				
PK	2.4992G	57.22	74.00	-16.78	32.55	3	Vertical	332	1.45	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3888G	53.24	54.00	-0.76	32.09	3	Horizontal	321	1.06	-
AV	2.4268G	98.01	Inf	-Inf	32.24	3	Horizontal	321	1.06	-
AV	2.488G	46.75	54.00	-7.25	32.49	3	Horizontal	321	1.06	-
PK	2.3884G	66.38	74.00	-7.62	32.09	3	Horizontal	321	1.06	-
PK	2.4268G	106.52	Inf	-Inf	32.24	3	Horizontal	321	1.06	-
PK	2.492G	58.05	74.00	-15.95	32.52	3	Horizontal	321	1.06	-

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.8578G	33.37	54.00	-20.63	8.47	3	Vertical	321	1.66	-				
PK	4.83092G	46.10	74.00	-27.90	8.41	3	Vertical	321	1.66	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.85294G	34.49	54.00	-19.51	8.47	3	Horizontal	360	1.74	-				
PK	4.83482G	46.78	74.00	-27.22	8.41	3	Horizontal	360	1.74	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3874G	47.08	54.00	-6.92	32.08	3	Vertical	336	1.45	-				
AV	2.4426G	91.91	Inf	-Inf	32.31	3	Vertical	336	1.45	-				
AV	2.4922G	46.53	54.00	-7.47	32.52	3	Vertical	336	1.45	-				
PK	2.3842G	59.67	74.00	-14.33	32.06	3	Vertical	336	1.45	-				
PK	2.4414G	100.67	Inf	-Inf	32.30	3	Vertical	336	1.45	-				
PK	2.4958G	58.04	74.00	-15.96	32.53	3	Vertical	336	1.45	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	53.30	54.00	-0.70	32.09	3	Horizontal	327	1.07	-				
AV	2.4326G	98.82	Inf	-Inf	32.27	3	Horizontal	327	1.07	-				
AV	2.4878G	47.10	54.00	-6.90	32.49	3	Horizontal	327	1.07	-				
PK	2.389G	65.66	74.00	-8.34	32.09	3	Horizontal	327	1.07	-				
PK	2.4318G	107.74	Inf	-Inf	32.27	3	Horizontal	327	1.07	-				
PK	2.4842G	58.15	74.00	-15.85	32.48	3	Horizontal	327	1.07	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019


2437MHz_TX



802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3874G	51.12	54.00	-2.88	32.08	3	Horizontal	309	2.05	-
AV	2.4458G	102.00	Inf	-Inf	32.32	3	Horizontal	309	2.05	-
AV	2.4835G	53.84	54.00	-0.16	32.48	3	Horizontal	309	2.05	-
PK	2.3866G	63.00	74.00	-11.00	32.07	3	Horizontal	309	2.05	-
PK	2.4446G	110.79	Inf	-Inf	32.31	3	Horizontal	309	2.05	-
PK	2.4835G	66.66	74.00	-7.34	32.48	3	Horizontal	309	2.05	-

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.86998G	33.76	54.00	-20.24	8.51	3	Vertical	275	1.91	-				
PK	4.86482G	45.92	74.00	-28.08	8.49	3	Vertical	275	1.91	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.87418G	39.72	54.00	-14.28	8.51	3	Horizontal	346	1.77	-				
PK	4.8731G	50.91	74.00	-23.09	8.51	3	Horizontal	346	1.77	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.389G	46.02	54.00	-7.98	32.09	3	Vertical	338	1.44	-				
AV	2.4426G	95.01	Inf	-Inf	32.31	3	Vertical	338	1.44	-				
AV	2.4838G	51.97	54.00	-2.03	32.48	3	Vertical	338	1.44	-				
PK	2.3666G	57.05	74.00	-16.95	31.99	3	Vertical	338	1.44	-				
PK	2.4418G	104.13	Inf	-Inf	32.31	3	Vertical	338	1.44	-				
PK	2.4835G	64.25	74.00	-9.75	32.48	3	Vertical	338	1.44	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3894G	47.04	54.00	-6.96	32.09	3	Horizontal	324	2.33	-
AV	2.4566G	101.17	Inf	-Inf	32.37	3	Horizontal	324	2.33	-
AV	2.4835G	53.04	54.00	-0.96	32.48	3	Horizontal	324	2.33	-
PK	2.3814G	58.56	74.00	-15.44	32.05	3	Horizontal	324	2.33	-
PK	2.4566G	110.15	Inf	-Inf	32.37	3	Horizontal	324	2.33	-
PK	2.4846G	67.70	74.00	-6.30	32.48	3	Horizontal	324	2.33	-

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3724G	45.84	54.00	-8.16	32.02	3	Vertical	344	1.45	-				
AV	2.4484G	90.51	Inf	-Inf	32.34	3	Vertical	344	1.45	-				
AV	2.4852G	47.76	54.00	-6.24	32.49	3	Vertical	344	1.45	-				
PK	2.3668G	57.15	74.00	-16.85	31.99	3	Vertical	344	1.45	-				
PK	2.4496G	99.49	Inf	-Inf	32.34	3	Vertical	344	1.45	-				
PK	2.4864G	59.32	74.00	-14.68	32.49	3	Vertical	344	1.45	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.384G	46.29	54.00	-7.71	32.06	3	Horizontal	316	2.29	-				
AV	2.4608G	97.49	Inf	-Inf	32.38	3	Horizontal	316	2.29	-				
AV	2.4835G	53.72	54.00	-0.28	32.48	3	Horizontal	316	2.29	-				
PK	2.3872G	57.16	74.00	-16.84	32.08	3	Horizontal	316	2.29	-				
PK	2.4604G	106.34	Inf	-Inf	32.38	3	Horizontal	316	2.29	-				
PK	2.4848G	65.46	74.00	-8.54	32.48	3	Horizontal	316	2.29	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.90544G	33.51	54.00	-20.49	8.58	3	Vertical	356	1.51	-				
PK	4.8914G	45.94	74.00	-28.06	8.54	3	Vertical	356	1.51	-				

802.11n HT40_Nss1,(MCS0)_2TX

18/06/2019

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	4.9097G	35.06	54.00	-18.94	8.59	3	Horizontal	357	1.69	-				
PK	4.90784G	47.21	74.00	-26.79	8.58	3	Horizontal	357	1.69	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	897.18M	40.15	46.00	-5.85	2.33	3	Vertical	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	32.16	40.00	-7.84	-8.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	303.54M	28.49	46.00	-17.51	-5.78	3	Vertical	0	1.00	-
2437MHz	Pass	PK	480.08M	36.47	46.00	-9.53	-2.34	3	Vertical	0	1.00	-
2437MHz	Pass	PK	565.44M	34.92	46.00	-11.08	-1.05	3	Vertical	0	1.00	-
2437MHz	Pass	PK	755.56M	35.94	46.00	-10.06	0.98	3	Vertical	0	1.00	-
2437MHz	Pass	PK	897.18M	40.15	46.00	-5.85	2.33	3	Vertical	0	1.00	-
2437MHz	Pass	PK	37.76M	31.48	40.00	-8.52	-8.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	321M	30.98	46.00	-15.02	-5.50	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	480.08M	37.63	46.00	-8.37	-2.34	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	547.98M	38.10	46.00	-7.90	-1.15	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	765.26M	31.54	46.00	-14.46	1.09	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	951.5M	36.21	46.00	-9.79	3.55	3	Horizontal	360	1.00	-

802.11ax HEW40_Nss1,(MCS0)_4RX

20/06/2019

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	37.76M	32.16	40.00	-7.84	-8.64	3	Vertical	0	1.00	-				
PK	303.54M	28.49	46.00	-17.51	-5.78	3	Vertical	0	1.00	-				
PK	480.08M	36.47	46.00	-9.53	-2.34	3	Vertical	0	1.00	-				
PK	565.44M	34.92	46.00	-11.08	-1.05	3	Vertical	0	1.00	-				
PK	755.56M	35.94	46.00	-10.06	0.98	3	Vertical	0	1.00	-				
PK	897.18M	40.15	46.00	-5.85	2.33	3	Vertical	0	1.00	-				

802.11ax HEW40_Nss1,(MCS0)_4RX

20/06/2019

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	37.76M	31.48	40.00	-8.52	-8.64	3	Horizontal	360	1.00	-				
PK	321M	30.98	46.00	-15.02	-5.50	3	Horizontal	360	1.00	-				
PK	480.08M	37.63	46.00	-8.37	-2.34	3	Horizontal	360	1.00	-				
PK	547.98M	38.10	46.00	-7.90	-1.15	3	Horizontal	360	1.00	-				
PK	765.26M	31.54	46.00	-14.46	1.09	3	Horizontal	360	1.00	-				
PK	951.5M	36.21	46.00	-9.79	3.55	3	Horizontal	360	1.00	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	1.948G	48.51	54.00	-5.49	-0.37	3	Vertical	294	2.24	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.2G	32.76	54.00	-21.24	-4.30	3	Vertical	199	1.30	-
2437MHz	Pass	AV	1.948G	48.51	54.00	-5.49	-0.37	3	Vertical	294	2.24	-
2437MHz	Pass	AV	2.744G	31.45	54.00	-22.55	2.89	3	Vertical	316	1.26	-
2437MHz	Pass	PK	1.2G	38.92	74.00	-35.08	-4.30	3	Vertical	199	1.30	-
2437MHz	Pass	PK	1.948G	51.82	74.00	-22.18	-0.37	3	Vertical	294	2.24	-
2437MHz	Pass	PK	2.744G	41.28	74.00	-32.72	2.89	3	Vertical	316	1.26	-
2437MHz	Pass	AV	1.2G	31.66	54.00	-22.34	-4.30	3	Horizontal	156	2.97	-
2437MHz	Pass	AV	1.948G	46.79	54.00	-7.21	-0.37	3	Horizontal	89	1.36	-
2437MHz	Pass	AV	2.752G	30.73	54.00	-23.27	2.92	3	Horizontal	214	2.28	-
2437MHz	Pass	PK	1.2G	38.93	74.00	-35.07	-4.30	3	Horizontal	156	2.97	-
2437MHz	Pass	PK	1.948G	57.21	74.00	-16.79	-0.37	3	Horizontal	89	1.36	-
2437MHz	Pass	PK	2.752G	40.08	74.00	-33.92	2.92	3	Horizontal	214	2.28	-

802.11ax HEW40_Nss1,(MCS0)_4RX

20/06/2019

2437MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	1.2G	32.76	54.00	-21.24	-4.30	3	Vertical	199	1.30	-				
AV	1.948G	48.51	54.00	-5.49	-0.37	3	Vertical	294	2.24	-				
AV	2.744G	31.45	54.00	-22.55	2.89	3	Vertical	316	1.26	-				
PK	1.2G	38.92	74.00	-35.08	-4.30	3	Vertical	199	1.30	-				
PK	1.948G	51.82	74.00	-22.18	-0.37	3	Vertical	294	2.24	-				
PK	2.744G	41.28	74.00	-32.72	2.89	3	Vertical	316	1.26	-				

802.11ax HEW40_Nss1,(MCS0)_4RX

20/06/2019

2437MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	1.2G	31.66	54.00	-22.34	-4.30	3	Horizontal	156	2.97	-				
AV	1.948G	46.79	54.00	-7.21	-0.37	3	Horizontal	89	1.36	-				
AV	2.752G	30.73	54.00	-23.27	2.92	3	Horizontal	214	2.28	-				
PK	1.2G	38.93	74.00	-35.07	-4.30	3	Horizontal	156	2.97	-				
PK	1.948G	57.21	74.00	-16.79	-0.37	3	Horizontal	89	1.36	-				
PK	2.752G	40.08	74.00	-33.92	2.92	3	Horizontal	214	2.28	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	513.06M	39.40	46.00	-6.60	-2.36	3	Horizontal	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	31.86	40.00	-8.14	-8.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	146.4M	24.97	43.50	-18.53	-10.01	3	Vertical	0	1.00	-
2437MHz	Pass	PK	295.78M	29.74	46.00	-16.26	-5.94	3	Vertical	0	1.00	-
2437MHz	Pass	PK	513.06M	38.31	46.00	-7.69	-2.36	3	Vertical	0	1.00	-
2437MHz	Pass	PK	565.44M	33.14	46.00	-12.86	-1.05	3	Vertical	0	1.00	-
2437MHz	Pass	PK	714.82M	35.69	46.00	-10.31	0.11	3	Vertical	0	1.00	-
2437MHz	Pass	PK	37.76M	30.04	40.00	-9.96	-8.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	225.94M	25.94	46.00	-20.06	-9.85	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	295.78M	29.89	46.00	-16.11	-5.94	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	410.24M	33.01	46.00	-12.99	-3.30	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	513.06M	39.40	46.00	-6.60	-2.36	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	755.56M	34.86	46.00	-11.14	0.98	3	Horizontal	360	1.00	-

802.11n HT40_Nss1,(MCS0)_2RX

20/06/2019

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
PK	37.76M	31.86	40.00	-8.14	-8.64	3	Vertical	0	1.00	-				
PK	146.4M	24.97	43.50	-18.53	-10.01	3	Vertical	0	1.00	-				
PK	295.78M	29.74	46.00	-16.26	-5.94	3	Vertical	0	1.00	-				
PK	513.06M	38.31	46.00	-7.69	-2.36	3	Vertical	0	1.00	-				
PK	565.44M	33.14	46.00	-12.86	-1.05	3	Vertical	0	1.00	-				
PK	714.82M	35.69	46.00	-10.31	0.11	3	Vertical	0	1.00	-				

802.11n HT40_Nss1,(MCS0)_2RX

20/06/2019

2437MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	1.948G	45.76	54.00	-8.24	-0.37	3	Vertical	306	1.24	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.2G	32.87	54.00	-21.13	-4.30	3	Vertical	254	1.96	-
2437MHz	Pass	AV	1.948G	45.76	54.00	-8.24	-0.37	3	Vertical	306	1.24	-
2437MHz	Pass	AV	2.752G	30.78	54.00	-23.22	2.92	3	Vertical	12	2.71	-
2437MHz	Pass	PK	1.2G	38.70	74.00	-35.30	-4.30	3	Vertical	254	1.96	-
2437MHz	Pass	PK	1.948G	52.90	74.00	-21.10	-0.37	3	Vertical	306	1.24	-
2437MHz	Pass	PK	2.752G	41.21	74.00	-32.79	2.92	3	Vertical	12	2.71	-
2437MHz	Pass	AV	1.2G	33.66	54.00	-20.34	-4.30	3	Horizontal	237	1.21	-
2437MHz	Pass	AV	1.944G	38.14	54.00	-15.86	-0.38	3	Horizontal	149	1.79	-
2437MHz	Pass	AV	2.752G	30.78	54.00	-23.22	2.92	3	Horizontal	354	2.26	-
2437MHz	Pass	PK	1.2G	38.40	74.00	-35.60	-4.30	3	Horizontal	237	1.21	-
2437MHz	Pass	PK	1.944G	50.29	74.00	-23.71	-0.38	3	Horizontal	149	1.79	-
2437MHz	Pass	PK	2.752G	40.74	74.00	-33.26	2.92	3	Horizontal	354	2.26	-

802.11n HT40_Nss1,(MCS0)_2RX

20/06/2019

2437MHz_RX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	1.2G	32.87	54.00	-21.13	-4.30	3	Vertical	254	1.96	-				
AV	1.948G	45.76	54.00	-8.24	-0.37	3	Vertical	306	1.24	-				
AV	2.752G	30.78	54.00	-23.22	2.92	3	Vertical	12	2.71	-				
PK	1.2G	38.70	74.00	-35.30	-4.30	3	Vertical	254	1.96	-				
PK	1.948G	52.90	74.00	-21.10	-0.37	3	Vertical	306	1.24	-				
PK	2.752G	41.21	74.00	-32.79	2.92	3	Vertical	12	2.71	-				

802.11n HT40_Nss1,(MCS0)_2RX

20/06/2019

2437MHz_RX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	1.2G	33.66	54.00	-20.34	-4.30	3	Horizontal	237	1.21	-				
AV	1.944G	38.14	54.00	-15.86	-0.38	3	Horizontal	149	1.79	-				
AV	2.752G	30.78	54.00	-23.22	2.92	3	Horizontal	354	2.26	-				
PK	1.2G	38.40	74.00	-35.60	-4.30	3	Horizontal	237	1.21	-				
PK	1.944G	50.29	74.00	-23.71	-0.38	3	Horizontal	149	1.79	-				
PK	2.752G	40.74	74.00	-33.26	2.92	3	Horizontal	354	2.26	-				

1. Photographs of Conducted Emissions Test Configuration – TX Mode

Front view



Side view



Under table view




2. Photographs of Conducted Emissions Test Configuration – RX Mode

Front view



Side view



Under table view




3. Photographs of Radiated Emissions Test Configuration – TX Mode


For radiated emissions 30MHz~1GHz

Radio 1

Front view




Rear view




Radio 2

Front view




Rear view



For radiated emissions above 1GHz
Radio 1

Front view




Rear view



Radio 2

Front view



Rear view




4. Photographs of Radiated Emissions Test Configuration – RX Mode


For radiated emissions 30MHz~1GHz

Radio 1

Front view




Rear view




Radio 2

Front view




Rear view




For radiated emissions above 1GHz
Radio 1

Front view




Rear view




Radio 2

Front view



Rear view



————THE END————