


802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX


23/06/2020



802.11ax HEW80_Nss1,(MCS0)_8TX

23/06/2020


5775MHz_TX



802.11ax HEW80_Nss1,(MCS0)_8TX

23/06/2020

5775MHz_TX






8TX mode <160MHz (80+80MHz)>:
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_8TX	Pass	AV	5.4492G	53.93	54.00	-0.07	3	Vertical	152	2.24	-

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	64.33	74.00	-9.67	57.54	3	Vertical	154	2.35	-	33.90	6.73	33.84
AV	5.1452G	52.70	54.00	-1.30	45.91	3	Vertical	154	2.35	-	33.90	6.73	33.84
PK	5.2892G	112.39	Inf	-Inf	105.17	3	Vertical	154	2.35	-	34.17	6.85	33.80
AV	5.288G	100.87	Inf	-Inf	93.66	3	Vertical	154	2.35	-	34.16	6.85	33.80
PK	5.35G	66.92	74.00	-7.08	59.57	3	Vertical	154	2.35	-	34.25	6.89	33.79
AV	5.35G	53.66	54.00	-0.34	46.31	3	Vertical	154	2.35	-	34.25	6.89	33.79
PK	5.4632G	60.27	68.20	-7.93	52.70	3	Vertical	154	2.35	-	34.36	6.98	33.77

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.24	74.00	-10.76	56.45	3	Horizontal	160	2.45	-	33.90	6.73	33.84
AV	5.15G	49.74	54.00	-4.26	42.95	3	Horizontal	160	2.45	-	33.90	6.73	33.84
PK	5.228G	107.59	Inf	-Inf	100.63	3	Horizontal	160	2.45	-	33.98	6.80	33.82
AV	5.2076G	96.82	Inf	-Inf	89.95	3	Horizontal	160	2.45	-	33.92	6.78	33.83
PK	5.3564G	62.37	74.00	-11.63	55.00	3	Horizontal	160	2.45	-	34.26	6.90	33.79
AV	5.3552G	50.16	54.00	-3.84	42.79	3	Horizontal	160	2.45	-	34.26	6.90	33.79
PK	5.47G	60.41	68.20	-7.79	52.82	3	Horizontal	160	2.45	-	34.37	6.99	33.77

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63144G	59.67	74.00	-14.33	43.90	3	Vertical	1	1.80	-	38.61	11.67	34.51
AV	15.6189G	45.99	54.00	-8.01	30.19	3	Vertical	1	1.80	-	38.64	11.67	34.51

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62808G	59.67	74.00	-14.33	43.89	3	Horizontal	359	1.80	-	38.62	11.67	34.51
AV	15.62184G	45.87	54.00	-8.13	30.08	3	Horizontal	359	1.80	-	38.63	11.67	34.51

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.23	74.00	-8.77	58.44	3	Vertical	8	2.22	-	33.90	6.73	33.84
AV	5.146G	52.25	54.00	-1.75	45.46	3	Vertical	8	2.22	-	33.90	6.73	33.84
PK	5.3032G	113.38	Inf	-Inf	106.12	3	Vertical	8	2.22	-	34.20	6.86	33.80
AV	5.2828G	101.74	Inf	-Inf	94.56	3	Vertical	8	2.22	-	34.15	6.84	33.81
PK	5.3512G	69.23	74.00	-4.77	61.87	3	Vertical	8	2.22	-	34.25	6.90	33.79
AV	5.3512G	53.22	54.00	-0.78	45.86	3	Vertical	8	2.22	-	34.25	6.90	33.79
PK	5.554G	60.42	68.20	-7.78	52.83	3	Vertical	8	2.22	-	34.35	7.02	33.78

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TX

12/06/2020




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.95	74.00	-10.05	57.16	3	Horizontal	77	2.21	-	33.90	6.73	33.84
AV	5.1496G	49.71	54.00	-4.29	42.92	3	Horizontal	77	2.21	-	33.90	6.73	33.84
PK	5.2672G	108.11	Inf	-Inf	100.99	3	Horizontal	77	2.21	-	34.10	6.83	33.81
AV	5.2864G	96.31	Inf	-Inf	89.10	3	Horizontal	77	2.21	-	34.16	6.85	33.80
PK	5.3548G	62.23	74.00	-11.77	54.87	3	Horizontal	77	2.21	-	34.25	6.90	33.79
AV	5.3548G	50.21	54.00	-3.79	42.85	3	Horizontal	77	2.21	-	34.25	6.90	33.79
PK	5.4916G	60.79	68.20	-7.41	53.16	3	Horizontal	77	2.21	-	34.39	7.00	33.76

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TX


12/06/2020



802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TX


12/06/2020



802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TX


12/06/2020



802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TX


12/06/2020



802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TX


12/06/2020



802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TX


12/06/2020



802.11ax HEW80+80_Nss2,(MCS0)_8TX

12/06/2020

5530MHz,#5610MHz_TX




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	60.55	68.20	-7.65	53.27	3	Vertical	152	2.24	-	34.21	6.87	33.80
PK	5.4528G	64.35	74.00	-9.65	56.80	3	Vertical	152	2.24	-	34.35	6.97	33.77
AV	5.4492G	53.93	54.00	-0.07	46.38	3	Vertical	152	2.24	-	34.35	6.97	33.77
PK	5.4612G	64.87	68.20	-3.33	57.30	3	Vertical	152	2.24	-	34.36	6.98	33.77
PK	5.6184G	111.62	Inf	-Inf	104.13	3	Vertical	152	2.24	-	34.28	7.02	33.81
AV	5.6184G	99.36	Inf	-Inf	91.87	3	Vertical	152	2.24	-	34.28	7.02	33.81
PK	5.7588G	66.02	68.20	-2.18	58.64	3	Vertical	152	2.24	-	34.20	7.04	33.86

802.11ax HEW80+80_Nss2,(MCS0)_8TX

12/06/2020

5530MHz,#5610MHz_TX




EUT_Z_8TX
Setting 32
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2059G	55.18	74.00	-18.82	40.76	3	Horizontal	317	1.76	-	38.54	10.13	34.25
AV	11.20668G	41.14	54.00	-12.86	26.72	3	Horizontal	317	1.76	-	38.54	10.13	34.25

802.11ax HEW80+80_Nss2,(MCS0)_8TX

12/06/2020

5530MHz,#5610MHz_TX




EUT_Z_8TX
Setting 32
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	60.12	68.20	-8.08	52.83	3	Horizontal	171	2.22	-	34.22	6.87	33.80
PK	5.454G	61.23	74.00	-12.77	53.68	3	Horizontal	171	2.22	-	34.35	6.97	33.77
AV	5.4516G	48.73	54.00	-5.27	41.18	3	Horizontal	171	2.22	-	34.35	6.97	33.77
PK	5.466G	61.95	68.20	-6.25	54.37	3	Horizontal	171	2.22	-	34.37	6.98	33.77
AV	5.5152G	95.42	Inf	-Inf	87.80	3	Horizontal	171	2.22	-	34.38	7.01	33.77
PK	5.6052G	108.26	Inf	-Inf	100.75	3	Horizontal	171	2.22	-	34.29	7.02	33.80
PK	5.73G	59.78	68.20	-8.42	52.40	3	Horizontal	171	2.22	-	34.20	7.03	33.85

802.11ax HEW80+80_Nss2,(MCS0)_8TX

12/06/2020

5530MHz,#5610MHz_TX



EUT_Z_8TX
Setting 32
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21466G	54.60	74.00	-19.40	40.17	3	Vertical	313	1.77	-	38.55	10.13	34.25
AV	11.20668G	41.15	54.00	-12.85	26.73	3	Vertical	313	1.77	-	38.54	10.13	34.25