

Japan Test Report

Equipment : marine product
Model No. : A04913
Brand Name : GARMIN
Applicant : Garmin Corp.
Address : No.68, Zhangshu 2nd Rd., Xizhi Dist., New
Taipei City 221, Taiwan (R.O.C)
Standard : Article 2 Paragraph 1 Item 19
Received Date : Dec. 23, 2025
Tested Date : Apr. 09, 2026

Measurement was conducted by the following test method:
the test method of Ordinance Concerning Technical Regulations Conformity Certification
etc. of Specified Radio Equipment in Annex 1, the Ministry of Internal Affairs and
Communications notification in Annex "43" of Article 88, Paragraph 1.

We, International Certification Corporation, would like to declare that the tested sample has
been evaluated and in compliance with the requirement of the above standards. The test
results contained in this report refer exclusively to the product. It shall not be reproduced
except in full without the written approval of our laboratory.

Reviewed by:

Approved by:


Alex Huang / Supervisor


Gary Chang / Manager

Table of Contents

1	GENERAL DESCRIPTION	5
1.1	Information.....	5
1.2	Test Equipment and Calibration Data	7
1.3	Testing Applied Standards	7
1.4	Deviation from Test Standard and Measurement Procedure.....	7
1.5	Measurement Uncertainty	7
2	TEST CONFIGURATION	8
2.1	Testing Location and Conditions	8
2.2	Testing Facility	8
2.3	Supporting Units	8
2.4	The Worst Test Modes and Channel Details	8
3	TRANSMITTER TEST RESULTS.....	9
3.1	Antenna Power	9
3.2	Frequency Tolerance	11
3.3	Occupied Bandwidth	12
3.4	Transmitter Spurious Emissions.....	13
3.5	Interference prevention function.....	14
4	RECEIVER TEST RESULTS	15
4.1	Receiver Spurious Emissions.....	15
5	TEST LABORATORY INFORMATION.....	16
	Appendix A. Antenna Power	
	Appendix B. Frequency Tolerance	
	Appendix C. Occupied Bandwidth	
	Appendix D. Transmitter Spurious Emissions	
	Appendix E. Interference Prevention Function	
	Appendix F. Receiver Spurious Emissions	

Release Record

Report No.	Version	Description	Issued Date
JR5D2303AC	Rev. 01	Initial issue	Apr. 29, 2026

Summary of Test Results

Ref. Std. Clause	Description	Result
3.2(2)(3)	Antenna Power	Pass
3.2(4)	Frequency Tolerance	Pass
3.2(6)	Transmitter Spurious Emission	Pass
3.2(7)	Occupied Bandwidth	Pass
3.3(1)	Receiver Emission	Pass
3.4.1	Interference prevention function	Pass
3.4.1(3)	Carrier Sense	Note

Note: This item is not required since the device does not support 802.11n HT 40 function.

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

The EUT is available in two versions, 42" and 49" in lengths.

1.1.1 Specification of the Equipment under Test (EUT)

Power Type	12 / 24 / 36 Vdc
Type(s) of Modulation / Technology	DBPSK, DQPSK, CCK / DSSS 64QAM, 16QAM, QPSK, BPSK / OFDM
Frequency Range (MHz)	2412~2462 MHz
Total Channel Number	11
Operating Mode: IEEE Std. 802.11 / Data rate (Mbps/MCS)	802.11b: Up to 11 Mbps 802.11g: Up to 54 Mbps 802.11n HT 20 (MCS 0~7)
HW Version	105-04913-00
SW Version	2.0

1.1.2 Accessories

No.	Equipment	Description
1	Power cable	Brand: GARMIN Model: 320-01723-00 2m non-shielded without core.

1.1.3 Antenna Details

Ant. No.	Brand	Model	Type	Connector	Gain (dBi)
1	Garmin	A04913-A1	Patch	U.FL	5.23

Note: Please refer to antenna report for more details about antenna pattern and other information.

1.1.4 Antenna Power

Operating Mode	Rated Power (mW/MHz)	Measured Conducted Power (mW/MHz)	Radiated Power (mW/MHz)
11b	2.5	1.85353	6.18016
11g	2.5	2.43781	8.12831
HT20	2.5	2.23872	7.46449

1.1.5 Channel List

Channel	Frequency(MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

1.1.6 Test Tool and Power Index

Test Tool
Garmin TM RF Test Tool V0.20, version: 2.23

Power Index				
Channel	Frequency (MHz)	11b	11g	HT20
1	2412	Max dBm	Max dBm	Max dBm
7	2442	Max dBm	Max dBm	Max dBm
13	2462	Max dBm	Max dBm	Max dBm

1.1.7 Test Voltage

Test Voltage	☒ Vnom (24 Vdc)	☒ Vmax (45 Vdc)	☒ Vmin (10 Vdc)
--------------	---	---	---

1.1.8 Protection Method for High Frequency and Modulation Section

Protected Method	Description
Special Screw	The high-frequency and modulation components are well covered within EUT' housing which uses special screws to protect itself from being opened unless with the dedicated tools.

1.2 Test Equipment and Calibration Data

Test Item	RF Conducted						
Test Site	(TH01-WS)						
Tested Date	Apr. 09, 2026						
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until	Calibration Authority	Calibration Method
Spectrum Analyzer	R&S	FSV40	101486	Mar. 11, 2026	Mar. 10, 2027	ETC	(C)
DC POWER SOURCE	GW INSTEK	GPE-6030	GEZ824073	Oct. 27, 2025	Oct. 26, 2026	ETC	(C)
Power Sensor	Anritsu	MA2411B	1207367	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Power Meter	Anritsu	ML2495A	1218007	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Measurement Software	Sperton	SENSE	5.11.8	NA	NA	N/A	N/A
Note 1: Calibration Interval of instruments listed above is one year.							
Note 2: Calibration Method							
a. Calibration conducted by the National Institute of Information and Communications Technology(NICT) or a designated calibration agency under Article 102-18 paragraph (1) of the Radio Law.							
b. Calibration conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992) Japan Calibration Service System.							
c. Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).							
d. Calibration conducted by using other equipment that listed above from a) to c).							

1.3 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

Article 2 Paragraph 1 Item 19

1.4 Deviation from Test Standard and Measurement Procedure

None

1.5 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor ($k=2$)).

Measurement Uncertainty	
Parameters	Uncertainty
Bandwidth	± 34.139 Hz
Conducted power	± 0.808 dB
Frequency error	$\pm 1 \times 10^{-9}$
TX Conducted emission	± 2.680 dB
RX Conducted emission	± 3.034 dB

2 Test Configuration

2.1 Testing Location and Conditions

Test Site	Site Category	Ambient Condition	Tested By
TH01-WS	OVEN Room	21°C / 65%	Alan Tang

2.2 Testing Facility

Test Laboratory	International Certification Corporation
Test Site	TH01-WS
Address of Test Site	No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

2.3 Supporting Units

Support Unit	Brand	Model	FCC ID
Laptop	DELL	Latitude 5400	DoC

2.4 The Worst Test Modes and Channel Details

Test item	Mode	Test channel
Antenna Power Frequency Tolerance Occupied Bandwidth Transmitter Spurious Emission Interference prevention function Receiver Spurious Emissions	11b, 11g, HT20	1 / 7 / 11

3 Transmitter Test Results

3.1 Antenna Power


3.1.1 Limit of Antenna Power

Spread Spectrum Method	Frequency Range	Limit	Tolerance
1) FHSS (compound method with DSSS or OFDM)	2427 ~ 2470.75 MHz	3 mW / MHz	+20 %
	2400 ~ 2483.5 MHz (except 2427 ~2470.75MHz)	10 mW/MHz	
2) DSSS	2400 ~ 2483.5 MHz	10 mW / MHz	
3) OFDM (OBW with 26 MHz)	2400 ~ 2483.5 MHz	10 mW / MHz	
4) OFDM (OWB with 26 ~ 40MHz)	2400 ~ 2483.5 MHz	5 mW / MHz	
5) Other method (Except SS & OFDM)	2400 ~ 2483.5 MHz	10mW	

3.1.2 Test Procedures

1. A power meter is connected on the IF output port of the spectrum analyzer. Adjust the spectrum analyzer to have the center frequency the same with the measured carrier. RBW=VBW=1MHz, detector mode is positive peak. Turn off the averaging function and use zero span.
2. The calibrating signal power shall be reduced to 0 dBm and it shall be verified that the power meter reading also reduces by 10 dB. Connect the equipment to be measured. Using the following settings of the spectrum analyzer in combination with "max hold" function, find the frequency of highest power output in the power envelope: center frequency equal to operating frequency; RBW & VBW: 1 MHz; detector mode: positive peak; averaging: off; span: 3 times the spectrum width; amplitude: adjust for middle of the instrument's range. The frequency found shall be recorded.
3. Set the center frequency of the spectrum analyzer to the found frequency and switch to zero span. The power meter indicates the measured power density "E". Remove the EUT and put the replacing standard signal generator (SSG). Set the standard signal generator (SSG) at same frequency and transmit on, then set SSG output power at P_t to give the equivalent output level of "E".
4. Calculate antenna power density by the formula below $PD = P_t + 10 \cdot \log(1/x)$.
x: The duty cycle of the EUT in continuously transmitting mode.
 P_t : Output power of the SSG.
5. Antenna Power Error is definition that actual measure antenna power tolerance between + 20% to - 80% power range that base on manufacturer declare the conducted power density.

3.1.3 Test Setup



3.1.4 Test Result

Refer to Appendix A.

3.2 Frequency Tolerance

3.2.1 Limit of Frequency Tolerance


Frequency tolerance shall be +/- 50ppm.

3.2.2 Test Procedures

1. Set Span = 500kHz, RBW = 1kHz, VBW = 3kHz, Sweep time = Auto, detector = Peak.
2. Use Peak search function to find the max peak value and record this value (RF).
3. Calculate frequency tolerance by below formula
$$FT(ppm) = \{ (RF) - (MF) / (MF) \} \times 1000000$$

(FT: Frequency Tolerance, RF: Reading Frequency, MF: Measurement Frequency.)

3.2.3 Test Setup



3.2.4 Test Result

Refer to Appendix B.

3.3 Occupied Bandwidth

3.3.1 Limit of Occupied Bandwidth

Spread Spectrum Method	Limit (MHz)
FHSS (compound method with DSSS or OFDM)	83.5
DSSS	26
OFDM(Narrow bandwidth)	26
OFDM(Wide bandwidth)	26 ~ 40
Other method (Except SS & OFDM)	26

3.3.2 Test Procedures

1. Set Span = 2 times the limit of above table, RBW = VBW= About 3% or less of the limit of above table, detector = Peak, Sweep time = Auto.
2. Enable OBW function of spectrum analyzer to measure OBW and capture test plot.

3.3.3 Test Setup



3.3.4 Test Result

Refer to Appendix C.

3.4 Transmitter Spurious Emissions


3.4.1 Limit of Transmitter Spurious Emissions

Item	Limits
Tx Spurious Emission	$\leq 2.5 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} > f$; $2496.5\text{MHz} < f$).
	$\leq 25 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} \leq f < 2400\text{MHz}$) and ($2483.5\text{MHz} < f \leq 2496.5\text{MHz}$).

3.4.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto.
3. Following above setting of spectrum analyzer to measure spurious emission of 30~12500 MHz.

3.4.3 Test Setup



3.4.4 Test Result

Refer to Appendix D.

3.5 Interference prevention function


3.5.1 Limit of Interference Prevention Function

Limits
The identification code shall be 48 bits long

3.5.2 Test Procedures

1. Set EUT under operating mode and link up with companion equipment
2. Check communication status between EUT and companion equipment is normal
3. Confirm the MAC address of EUT

3.5.3 Test Setup



3.5.4 Test Result

Refer to Appendix E.

4 Receiver Test Results

4.1 Receiver Spurious Emissions

4.1.1 Limit of Receiver Spurious Emissions

Item	Limits
Rx Spurious Emission	$\leq 4\text{nW}$ ($f < 1\text{GHz}$).
	$\leq 20\text{nW}$ ($1\text{GHz} \leq f$).

4.1.2 Test Procedures

1. Set EUT under receiving condition to perform test
2. Set RBW = VBW = 100kHz, detector = Peak, Sweep time = Auto for emission measurement below 1GHz.
3. Set RBW = VBW=1MHz, detector = Peak, Sweep time = Auto for emission measurement above 1GHz.

4.1.3 Test Setup



4.1.4 Test Result

Refer to Appendix F.

5 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corporation (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <https://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No.30-2, Ding Fwu Tsuen, Lin Kou
District, New Taipei City, Taiwan
(R.O.C.)

Kwei Shan

Tel: 886-3-271-8666

No.3-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)
No.2-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

Kwei Shan Site II

Tel: 886-3-271-8640

No.14-1, Lane 19, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0345

Email: ICC_Service@icertifi.com.tw

==END==



Summary

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.68	1.85353	2.5	-25.86	20	-Inf
802.11g_(6Mbps)_1TX	Pass	3.87	2.43781	2.5	-2.49	20	-Inf
802.11n HT20_Nss1,(MCS0)_1TX	Pass	3.50	2.23872	2.5	-10.45	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.05	1.60325	2.5	-35.87	20	-Inf
2412MHz_TnomVmin	Pass	2.08	1.61436	2.5	-35.43	20	-Inf
2412MHz_TnomVmax	Pass	2.03	1.59588	2.5	-36.16	20	-Inf
2442MHz_TnomVnom	Pass	2.26	1.68267	2.5	-32.69	20	-Inf
2442MHz_TnomVmin	Pass	2.27	1.68655	2.5	-32.54	20	-Inf
2442MHz_TnomVmax	Pass	2.23	1.67109	2.5	-33.16	20	-Inf
2462MHz_TnomVnom	Pass	2.68	1.85353	2.5	-25.86	20	-Inf
2462MHz_TnomVmin	Pass	2.65	1.84077	2.5	-26.37	20	-Inf
2462MHz_TnomVmax	Pass	2.67	1.84927	2.5	-26.03	20	-Inf
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	0.16	1.03753	2.5	-58.50	20	-Inf
2412MHz_TnomVmin	Pass	0.14	1.03276	2.5	-58.69	20	-Inf
2412MHz_TnomVmax	Pass	0.11	1.02565	2.5	-58.97	20	-Inf
2442MHz_TnomVnom	Pass	3.87	2.43781	2.5	-2.49	20	-Inf
2442MHz_TnomVmin	Pass	3.85	2.42661	2.5	-2.94	20	-Inf
2442MHz_TnomVmax	Pass	3.83	2.41546	2.5	-3.38	20	-Inf
2462MHz_TnomVnom	Pass	0.99	1.25603	2.5	-49.76	20	-Inf
2462MHz_TnomVmin	Pass	0.95	1.24451	2.5	-50.22	20	-Inf
2462MHz_TnomVmax	Pass	0.96	1.24738	2.5	-50.10	20	-Inf
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	-1.04	0.78705	2.5	-68.52	20	-Inf
2412MHz_TnomVmin	Pass	-1.01	0.79250	2.5	-68.30	20	-Inf
2412MHz_TnomVmax	Pass	-1.03	0.78886	2.5	-68.45	20	-Inf
2442MHz_TnomVnom	Pass	3.48	2.22844	2.5	-10.86	20	-Inf
2442MHz_TnomVmin	Pass	3.48	2.22844	2.5	-10.86	20	-Inf
2442MHz_TnomVmax	Pass	3.50	2.23872	2.5	-10.45	20	-Inf
2462MHz_TnomVnom	Pass	0.61	1.15080	2.5	-53.97	20	-Inf
2462MHz_TnomVmin	Pass	0.59	1.14551	2.5	-54.18	20	-Inf
2462MHz_TnomVmax	Pass	0.57	1.14025	2.5	-54.39	20	-Inf

Inf = There's no restriction for the limit.



Antenna Power

Appendix A.2

Summary

Mode	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)
2.4-2.4835GHz	-	-	-	-
802.11b_(1Mbps)_1TX	2.68	1.85353	7.91	6.18016
802.11g_(6Mbps)_1TX	3.87	2.43781	9.10	8.12831
802.11n HT20_Nss1,(MCS0)_1TX	3.50	2.23872	8.73	7.46449

Result

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	5.23	2.05	2.05	1.60325	10	7.28	5.34564	16.368
2412MHz_TnomVmin	Pass	5.23	2.08	2.08	1.61436	10	7.31	5.38270	16.368
2412MHz_TnomVmax	Pass	5.23	2.03	2.03	1.59588	10	7.26	5.32108	16.368
2442MHz_TnomVnom	Pass	5.23	2.26	2.26	1.68267	10	7.49	5.61048	16.368
2442MHz_TnomVmin	Pass	5.23	2.27	2.27	1.68655	10	7.50	5.62341	16.368
2442MHz_TnomVmax	Pass	5.23	2.23	2.23	1.67109	10	7.46	5.57186	16.368
2462MHz_TnomVnom	Pass	5.23	2.68	2.68	1.85353	10	7.91	6.18016	16.368
2462MHz_TnomVmin	Pass	5.23	2.65	2.65	1.84077	10	7.88	6.13762	16.368
2462MHz_TnomVmax	Pass	5.23	2.67	2.67	1.84927	10	7.90	6.16595	16.368
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	5.23	0.16	0.16	1.03753	10	5.39	3.45939	16.368
2412MHz_TnomVmin	Pass	5.23	0.14	0.14	1.03276	10	5.37	3.44350	16.368
2412MHz_TnomVmax	Pass	5.23	0.11	0.11	1.02565	10	5.34	3.41979	16.368
2442MHz_TnomVnom	Pass	5.23	3.87	3.87	2.43781	10	9.10	8.12831	16.368
2442MHz_TnomVmin	Pass	5.23	3.85	3.85	2.42661	10	9.08	8.09096	16.368
2442MHz_TnomVmax	Pass	5.23	3.83	3.83	2.41546	10	9.06	8.05378	16.368
2462MHz_TnomVnom	Pass	5.23	0.99	0.99	1.25603	10	6.22	4.18794	16.368
2462MHz_TnomVmin	Pass	5.23	0.95	0.95	1.24451	10	6.18	4.14954	16.368
2462MHz_TnomVmax	Pass	5.23	0.96	0.96	1.24738	10	6.19	4.15911	16.368
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	5.23	-1.04	-1.04	0.78705	10	4.19	2.62422	16.368
2412MHz_TnomVmin	Pass	5.23	-1.01	-1.01	0.79250	10	4.22	2.64241	16.368
2412MHz_TnomVmax	Pass	5.23	-1.03	-1.03	0.78886	10	4.20	2.63027	16.368
2442MHz_TnomVnom	Pass	5.23	3.48	3.48	2.22844	10	8.71	7.43019	16.368
2442MHz_TnomVmin	Pass	5.23	3.48	3.48	2.22844	10	8.71	7.43019	16.368
2442MHz_TnomVmax	Pass	5.23	3.50	3.50	2.23872	10	8.73	7.46449	16.368
2462MHz_TnomVnom	Pass	5.23	0.61	0.61	1.15080	10	5.84	3.83707	16.368
2462MHz_TnomVmin	Pass	5.23	0.59	0.59	1.14551	10	5.82	3.81944	16.368
2462MHz_TnomVmax	Pass	5.23	0.57	0.57	1.14025	10	5.80	3.80189	16.368

P1 = Port 1 Antenna Power



Frequency Tolerance

Appendix B

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.462G	2.461981634G	-7.4598	±50	1	-
802.11g_(6Mbps)_1TX	Pass	2.462G	2.461981638G	-7.4582	±50	1	-
802.11n HT20_Nss1,(MCS0)_1TX	Pass	2.462G	2.46198164G	-7.4574	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.411982243G	-7.3619	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.411982241G	-7.3628	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.411982238G	-7.364	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.441981974G	-7.3817	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.441981976G	-7.3808	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.441981969G	-7.3837	±50	1	-
2462MHz_TnomVnom	Pass	2.462G	2.46198164G	-7.4574	±50	1	-
2462MHz_TnomVmin	Pass	2.462G	2.461981634G	-7.4598	±50	1	-
2462MHz_TnomVmax	Pass	2.462G	2.461981643G	-7.4561	±50	1	-
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.411982239G	-7.3636	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.411982237G	-7.3644	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.411982235G	-7.3653	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.441981971G	-7.3829	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.441981976G	-7.3808	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.441981968G	-7.3841	±50	1	-
2462MHz_TnomVnom	Pass	2.462G	2.461981638G	-7.4582	±50	1	-
2462MHz_TnomVmin	Pass	2.462G	2.461981645G	-7.4553	±50	1	-
2462MHz_TnomVmax	Pass	2.462G	2.461981654G	-7.4517	±50	1	-
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.411982235G	-7.3653	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.411982233G	-7.3661	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.411982235G	-7.3653	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.441981966G	-7.3849	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.441981965G	-7.3853	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.441981968G	-7.3841	±50	1	-
2462MHz_TnomVnom	Pass	2.462G	2.46198164G	-7.4574	±50	1	-
2462MHz_TnomVmin	Pass	2.462G	2.461981646G	-7.4549	±50	1	-
2462MHz_TnomVmax	Pass	2.462G	2.46198164G	-7.4574	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVnom

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982243G	-	-	-7.3619	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVmin

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982241G	-	-	-7.3628	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVmax

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982238G	-	-	-7.364	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVnom

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981974G	-	-	-7.3817	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVmin

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981976G	-	-	-7.3808	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVmax

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981969G	-	-	-7.3837	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2462MHz_TnomVnom

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.46198164G	-	-	-7.4574	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2462MHz_TnomVmin

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981634G	-	-	-7.4598	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2462MHz_TnomVmax

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981643G	-	-	-7.4561	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVnom

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982239G	-	-	-7.3636	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVmin

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982237G	-	-	-7.3644	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVmax

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982235G	-	-	-7.3653	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVnom

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981971G	-	-	-7.3829	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVmin

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981976G	-	-	-7.3808	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVmax

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981968G	-	-	-7.3841	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2462MHz_TnomVnom

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981638G	-	-	-7.4582	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2462MHz_TnomVmin

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981645G	-	-	-7.4553	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2462MHz_TnomVmax

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981654G	-	-	-7.4517	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVnom

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982235G	-	-	-7.3653	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmin

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982233G	-	-	-7.3661	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmax

09/04/2026

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.411982235G	-	-	-7.3653	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVnom

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981966G	-	-	-7.3849	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmin

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981965G	-	-	-7.3853	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmax

09/04/2026

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.441981968G	-	-	-7.3841	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2462MHz_TnomVnom

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.46198164G	-	-	-7.4574	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability


2462MHz_TnomVmin

09/04/2026

CF (Hz)
2.462G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.462G	2.461981646G	-	-	-7.4549	±50	1	-





Occupied Bandwidth

Appendix C

Summary

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
802.11b_(1Mbps)_1TX	14.113M	14M1G1D	13.873M
802.11g_(6Mbps)_1TX	16.632M	16M6D1D	16.472M
802.11n HT20_Nss1,(MCS0)_1TX	17.791M	17M8D1D	17.611M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
802.11b_(1Mbps)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	13.873M
2412MHz_TnomVmin	Pass	26M	13.873M
2412MHz_TnomVmax	Pass	26M	13.873M
2442MHz_TnomVnom	Pass	26M	14.113M
2442MHz_TnomVmin	Pass	26M	14.093M
2442MHz_TnomVmax	Pass	26M	14.093M
2462MHz_TnomVnom	Pass	26M	13.913M
2462MHz_TnomVmin	Pass	26M	13.893M
2462MHz_TnomVmax	Pass	26M	13.913M
802.11g_(6Mbps)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	16.472M
2412MHz_TnomVmin	Pass	26M	16.472M
2412MHz_TnomVmax	Pass	26M	16.472M
2442MHz_TnomVnom	Pass	26M	16.592M
2442MHz_TnomVmin	Pass	26M	16.632M
2442MHz_TnomVmax	Pass	26M	16.632M
2462MHz_TnomVnom	Pass	26M	16.492M
2462MHz_TnomVmin	Pass	26M	16.492M
2462MHz_TnomVmax	Pass	26M	16.492M
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	17.611M
2412MHz_TnomVmin	Pass	26M	17.611M
2412MHz_TnomVmax	Pass	26M	17.631M
2442MHz_TnomVnom	Pass	26M	17.791M
2442MHz_TnomVmin	Pass	26M	17.791M
2442MHz_TnomVmax	Pass	26M	17.791M
2462MHz_TnomVnom	Pass	26M	17.651M
2462MHz_TnomVmin	Pass	26M	17.651M
2462MHz_TnomVmax	Pass	26M	17.651M

P1-OBW = Port 1 99% occupied bandwidth;




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVnom

09/04/2026




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVmin

09/04/2026






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVmax

09/04/2026

CF (Hz)
2.412G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
13.873M	2.405183G	2.419056G	26M	1


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVnom

09/04/2026

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.113M	2.435003G	2.449116G	26M	1




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVmin

09/04/2026




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVmax

09/04/2026






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2462MHz_TnomVnom

09/04/2026




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2462MHz_TnomVmin

09/04/2026






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2462MHz_TnomVmax

09/04/2026




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVnom

09/04/2026






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVmin

09/04/2026




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVmax

09/04/2026






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

2442MHz_TnomVnom

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.592M	2.433724G	2.450316G	26M	1

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

2442MHz_TnomVmin

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.632M	2.433704G	2.450336G	26M	1




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2442MHz_TnomVmax

09/04/2026




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2462MHz_TnomVnom

09/04/2026






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2462MHz_TnomVmin

09/04/2026

CF (Hz)
2.462G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.492M	2.453664G	2.470156G	26M	1


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW



2462MHz_TnomVmax

09/04/2026

CF (Hz)
2.462G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.492M	2.453664G	2.470156G	26M	1






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2412MHz_TnomVmax

09/04/2026

CF (Hz)
2.412G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.631M	2.403244G	2.420876G	26M	1


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW



2442MHz_TnomVnom

09/04/2026

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.791M	2.433124G	2.450916G	26M	1






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2462MHz_TnomVnom

09/04/2026





2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2462MHz_TnomVmin

09/04/2026







Transmitter Spurious Emissions

Appendix D

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.4965G	12.5G	1M	12.46686G	-44.06	-44.06	0.03926	-26.02	2.5
802.11g_(6Mbps)_1TX	Pass	2.387G	2.4G	1M	2.3999G	-26.51	-26.51	2.23357	-16.02	25
802.11n HT20_Nss1,(MCS0)_1TX	Pass	2.387G	2.4G	1M	2.39992G	-26.51	-26.51	2.23357	-16.02	25

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.3059G	-53.60	-53.60	0.00437	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39967G	-45.69	-45.69	0.02698	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49421G	-53.08	-53.08	0.00492	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.19423G	-44.38	-44.38	0.03648	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.29596G	-53.09	-53.09	0.00491	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39959G	-45.71	-45.71	0.02685	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48575G	-52.88	-52.88	0.00515	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.48562G	-44.54	-44.54	0.03516	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.33176G	-53.22	-53.22	0.00476	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39951G	-45.88	-45.88	0.02582	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48603G	-52.84	-52.84	0.0052	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.49437G	-44.42	-44.42	0.03614	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	782.55M	-53.90	-53.90	0.00407	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39992G	-53.33	-53.33	0.00465	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48915G	-53.00	-53.00	0.00501	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.11268G	-44.19	-44.19	0.03811	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.29736G	-53.75	-53.75	0.00422	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.3997G	-53.48	-53.48	0.00449	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48575G	-52.94	-52.94	0.00508	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.49218G	-44.39	-44.39	0.03639	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.3224G	-53.96	-53.96	0.00402	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39961G	-53.19	-53.19	0.0048	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49192G	-53.21	-53.21	0.00478	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.19235G	-44.51	-44.51	0.0354	-26.02	2.5
2462MHz_TnomVnom	Pass	30M	2.387G	1M	2.35187G	-53.97	-53.97	0.00401	-26.02	2.5
2462MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39965G	-53.28	-53.28	0.0047	-16.02	25
2462MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49118G	-52.45	-52.45	0.00569	-16.02	25
2462MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.11487G	-44.34	-44.34	0.03681	-26.02	2.5
2462MHz_TnomVmin	Pass	30M	2.387G	1M	1.00322G	-54.01	-54.01	0.00397	-26.02	2.5
2462MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39997G	-53.64	-53.64	0.00433	-16.02	25
2462MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49054G	-53.04	-53.04	0.00497	-16.02	25
2462MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.45186G	-44.42	-44.42	0.03614	-26.02	2.5
2462MHz_TnomVmax	Pass	30M	2.387G	1M	1.12416G	-53.63	-53.63	0.00434	-26.02	2.5
2462MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.3895G	-53.55	-53.55	0.00442	-16.02	25
2462MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49111G	-52.86	-52.86	0.00518	-16.02	25
2462MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.46686G	-44.06	-44.06	0.03926	-26.02	2.5



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.28668G	-53.56	-53.56	0.00441	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39978G	-27.58	-27.58	1.74582	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.4934G	-52.31	-52.31	0.00587	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.46124G	-44.07	-44.07	0.03917	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.31437G	-53.69	-53.69	0.00428	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39978G	-27.29	-27.29	1.86638	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49231G	-52.88	-52.88	0.00515	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.47937G	-44.27	-44.27	0.03741	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	913.21M	-53.56	-53.56	0.00441	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.3999G	-26.51	-26.51	2.23357	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49613G	-53.07	-53.07	0.00493	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.20236G	-43.71	-43.71	0.04256	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.37522G	-53.92	-53.92	0.00406	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39992G	-51.60	-51.60	0.00692	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48671G	-52.93	-52.93	0.00509	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.09204G	-44.40	-44.40	0.03631	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.32056G	-53.56	-53.56	0.00441	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39924G	-51.57	-51.57	0.00697	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49271G	-52.68	-52.68	0.0054	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.4703G	-44.41	-44.41	0.03622	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	744.02M	-53.89	-53.89	0.00408	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39983G	-51.39	-51.39	0.00726	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48678G	-52.80	-52.80	0.00525	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	10.52024G	-44.37	-44.37	0.03656	-26.02	2.5
2462MHz_TnomVnom	Pass	30M	2.387G	1M	2.30694G	-53.71	-53.71	0.00426	-26.02	2.5
2462MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.4G	-53.46	-53.46	0.00451	-16.02	25
2462MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48414G	-52.80	-52.80	0.00525	-16.02	25
2462MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.2033G	-43.95	-43.95	0.04027	-26.02	2.5
2462MHz_TnomVmin	Pass	30M	2.387G	1M	2.35466G	-53.81	-53.81	0.00416	-26.02	2.5
2462MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39895G	-53.14	-53.14	0.00485	-16.02	25
2462MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48523G	-52.92	-52.92	0.00511	-16.02	25
2462MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.48437G	-44.24	-44.24	0.03767	-26.02	2.5
2462MHz_TnomVmax	Pass	30M	2.387G	1M	2.34089G	-53.95	-53.95	0.00403	-26.02	2.5
2462MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39963G	-53.09	-53.09	0.00491	-16.02	25
2462MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49155G	-52.77	-52.77	0.00528	-16.02	25
2462MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.47593G	-43.98	-43.98	0.03999	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.26038G	-53.79	-53.79	0.00418	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39994G	-26.84	-26.84	2.07014	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48426G	-52.74	-52.74	0.00532	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.47687G	-43.87	-43.87	0.04102	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.30767G	-54.02	-54.02	0.00396	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39992G	-26.51	-26.51	2.23357	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48475G	-52.74	-52.74	0.00532	-16.02	25



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.48249G	-44.05	-44.05	0.03936	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.32962G	-53.62	-53.62	0.00435	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39996G	-26.73	-26.73	2.12324	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.4868G	-52.76	-52.76	0.0053	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.18141G	-44.55	-44.55	0.03508	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.3213G	-53.73	-53.73	0.00424	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39943G	-51.50	-51.50	0.00708	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48779G	-52.98	-52.98	0.00504	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.24706G	-44.43	-44.43	0.03606	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.35282G	-53.82	-53.82	0.00415	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39979G	-51.19	-51.19	0.0076	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48612G	-52.41	-52.41	0.00574	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.46624G	-44.13	-44.13	0.03864	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.29508G	-53.83	-53.83	0.00414	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39995G	-50.33	-50.33	0.00927	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48896G	-53.02	-53.02	0.00499	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.49531G	-43.63	-43.63	0.04335	-26.02	2.5
2462MHz_TnomVnom	Pass	30M	2.387G	1M	2.34067G	-53.58	-53.58	0.00439	-26.02	2.5
2462MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39886G	-53.06	-53.06	0.00494	-16.02	25
2462MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49101G	-52.70	-52.70	0.00537	-16.02	25
2462MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.17329G	-43.80	-43.80	0.04169	-26.02	2.5
2462MHz_TnomVmin	Pass	30M	2.387G	1M	997.77M	-53.85	-53.85	0.00412	-26.02	2.5
2462MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.3971G	-53.36	-53.36	0.00461	-16.02	25
2462MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48417G	-53.13	-53.13	0.00486	-16.02	25
2462MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.46905G	-44.01	-44.01	0.03972	-26.02	2.5
2462MHz_TnomVmax	Pass	30M	2.387G	1M	2.2553G	-53.91	-53.91	0.00406	-26.02	2.5
2462MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39631G	-53.23	-53.23	0.00475	-16.02	25
2462MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48668G	-52.75	-52.75	0.00531	-16.02	25
2462MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.45561G	-44.17	-44.17	0.03828	-26.02	2.5





2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVnom

09/04/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.3899G	-53.60	-26.02	-27.58	-53.60
2.387G	2.4G	2.39967G	-45.69	-16.02	-29.67	-45.69
2.4835G	2.4965G	2.49421G	-53.08	-16.02	-37.06	-53.08
2.4965G	12.5G	11.19423G	-44.38	-26.02	-18.36	-44.38

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.3899G	-53.09	-26.02	-27.07	-53.09
2.387G	2.4G	2.39959G	-45.71	-16.02	-29.69	-45.71
2.4835G	2.4965G	2.48575G	-52.88	-16.02	-36.86	-52.88
2.4965G	12.5G	12.48562G	-44.54	-26.02	-18.52	-44.54




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.33176G	-53.22	-26.02	-27.20	-53.22
2.387G	2.4G	2.39951G	-45.88	-16.02	-29.86	-45.88
2.4835G	2.4965G	2.48603G	-52.84	-16.02	-36.82	-52.84
2.4965G	12.5G	12.49437G	-44.42	-26.02	-18.40	-44.42

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	782.55M	-53.90	-26.02	-27.88	-53.90
2.387G	2.4G	2.39992G	-53.33	-16.02	-37.31	-53.33
2.4835G	2.4965G	2.48915G	-53.00	-16.02	-36.98	-53.00
2.4965G	12.5G	12.11268G	-44.19	-26.02	-18.17	-44.19




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.29736G	-53.75	-26.02	-27.73	-53.75
2.387G	2.4G	2.3997G	-53.48	-16.02	-37.46	-53.48
2.4835G	2.4965G	2.48575G	-52.94	-16.02	-36.92	-52.94
2.4965G	12.5G	12.49218G	-44.39	-26.02	-18.37	-44.39

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.3224G	-53.96	-26.02	-27.94	-53.96
2.387G	2.4G	2.39961G	-53.19	-16.02	-37.17	-53.19
2.4835G	2.4965G	2.49192G	-53.21	-16.02	-37.19	-53.21
2.4965G	12.5G	11.19235G	-44.51	-26.02	-18.49	-44.51




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2462MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.35187G	-53.97	-26.02	-27.95	-53.97
2.387G	2.4G	2.39965G	-53.28	-16.02	-37.26	-53.28
2.4835G	2.4965G	2.49118G	-52.45	-16.02	-36.43	-52.45
2.4965G	12.5G	12.11487G	-44.34	-26.02	-18.32	-44.34

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2462MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	1.00322G	-54.01	-26.02	-27.99	-54.01
2.387G	2.4G	2.39997G	-53.64	-16.02	-37.62	-53.64
2.4835G	2.4965G	2.49054G	-53.04	-16.02	-37.02	-53.04
2.4965G	12.5G	12.45186G	-44.42	-26.02	-18.40	-44.42




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2462MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	1.12416G	-53.63	-26.02	-27.61	-53.63
2.387G	2.4G	2.3895G	-53.55	-16.02	-37.53	-53.55
2.4835G	2.4965G	2.49111G	-52.86	-16.02	-36.84	-52.86
2.4965G	12.5G	12.46686G	-44.06	-26.02	-18.04	-44.06

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.28668G	-53.56	-26.02	-27.54	-53.56
2.387G	2.4G	2.39978G	-27.58	-16.02	-11.56	-27.58
2.4835G	2.4965G	2.4934G	-52.31	-16.02	-36.29	-52.31
2.4965G	12.5G	12.46124G	-44.07	-26.02	-18.05	-44.07




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.31437G	-53.69	-26.02	-27.67	-53.69
2.387G	2.4G	2.39978G	-27.29	-16.02	-11.27	-27.29
2.4835G	2.4965G	2.49231G	-52.88	-16.02	-36.86	-52.88
2.4965G	12.5G	12.47937G	-44.27	-26.02	-18.25	-44.27

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	913.21M	-53.56	-26.02	-27.54	-53.56
2.387G	2.4G	2.3999G	-26.51	-16.02	-10.49	-26.51
2.4835G	2.4965G	2.49613G	-53.07	-16.02	-37.05	-53.07
2.4965G	12.5G	11.20236G	-43.71	-26.02	-17.69	-43.71




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.37522G	-53.92	-26.02	-27.90	-53.92
2.387G	2.4G	2.39992G	-51.60	-16.02	-35.58	-51.60
2.4835G	2.4965G	2.48671G	-52.93	-16.02	-36.91	-52.93
2.4965G	12.5G	12.09204G	-44.40	-26.02	-18.38	-44.40

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.32056G	-53.56	-26.02	-27.54	-53.56
2.387G	2.4G	2.39924G	-51.57	-16.02	-35.55	-51.57
2.4835G	2.4965G	2.49271G	-52.68	-16.02	-36.66	-52.68
2.4965G	12.5G	12.4703G	-44.41	-26.02	-18.39	-44.41




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	744.02M	-53.89	-26.02	-27.87	-53.89
2.387G	2.4G	2.39983G	-51.39	-16.02	-35.37	-51.39
2.4835G	2.4965G	2.48678G	-52.80	-16.02	-36.78	-52.80
2.4965G	12.5G	10.52024G	-44.37	-26.02	-18.35	-44.37

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2462MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.30694G	-53.71	-26.02	-27.69	-53.71
2.387G	2.4G	2.4G	-53.46	-16.02	-37.44	-53.46
2.4835G	2.4965G	2.48414G	-52.80	-16.02	-36.78	-52.80
2.4965G	12.5G	11.2033G	-43.95	-26.02	-17.93	-43.95




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2462MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.35466G	-53.81	-26.02	-27.79	-53.81
2.387G	2.4G	2.39895G	-53.14	-16.02	-37.12	-53.14
2.4835G	2.4965G	2.48523G	-52.92	-16.02	-36.90	-52.92
2.4965G	12.5G	12.48437G	-44.24	-26.02	-18.22	-44.24

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2462MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.34089G	-53.95	-26.02	-27.93	-53.95
2.387G	2.4G	2.39963G	-53.09	-16.02	-37.07	-53.09
2.4835G	2.4965G	2.49155G	-52.77	-16.02	-36.75	-52.77
2.4965G	12.5G	12.47993G	-43.98	-26.02	-17.96	-43.98




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.26038G	-53.79	-26.02	-27.77	-53.79
2.387G	2.4G	2.39994G	-26.84	-16.02	-10.82	-26.84
2.4835G	2.4965G	2.48426G	-52.74	-16.02	-36.72	-52.74
2.4965G	12.5G	12.47687G	-43.87	-26.02	-17.85	-43.87

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.30767G	-54.02	-26.02	-28.00	-54.02
2.387G	2.4G	2.39992G	-26.51	-16.02	-10.49	-26.51
2.4835G	2.4965G	2.48475G	-52.74	-16.02	-36.72	-52.74
2.4965G	12.5G	12.48249G	-44.05	-26.02	-18.03	-44.05




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVmax

09/04/2026




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVnom

09/04/2026






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.35282G	-53.82	-26.02	-27.80	-53.82
2.387G	2.4G	2.39979G	-51.19	-16.02	-35.17	-51.19
2.4835G	2.4965G	2.48612G	-52.41	-16.02	-36.39	-52.41
2.4965G	12.5G	12.46624G	-44.13	-26.02	-18.11	-44.13

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.29508G	-53.83	-26.02	-27.81	-53.83
2.387G	2.4G	2.39995G	-50.33	-16.02	-34.31	-50.33
2.4835G	2.4965G	2.48896G	-53.02	-16.02	-37.00	-53.02
2.4965G	12.5G	12.49531G	-43.63	-26.02	-17.61	-43.63




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2462MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.34067G	-53.58	-26.02	-27.56	-53.58
2.387G	2.4G	2.39886G	-53.06	-16.02	-37.04	-53.06
2.4835G	2.4965G	2.49101G	-52.70	-16.02	-36.68	-52.70
2.4965G	12.5G	11.17329G	-43.80	-26.02	-17.78	-43.80

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2462MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	997.77M	-53.85	-26.02	-27.83	-53.85
2.387G	2.4G	2.3971G	-53.36	-16.02	-37.34	-53.36
2.4835G	2.4965G	2.48417G	-53.13	-16.02	-37.11	-53.13
2.4965G	12.5G	12.46905G	-44.01	-26.02	-17.99	-44.01




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2462MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.2553G	-53.91	-26.02	-27.89	-53.91
2.387G	2.4G	2.39631G	-53.23	-16.02	-37.21	-53.23
2.4835G	2.4965G	2.48668G	-52.75	-16.02	-36.73	-52.75
2.4965G	12.5G	12.45561G	-44.17	-26.02	-18.15	-44.17

Summary

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	A0:28:84:8E:4D:9C	48 bits	Good
802.11g_(6Mbps)_1TX	Pass	A0:28:84:8E:4D:9C	48 bits	Good
802.11n HT20_Nss1,(MCS0)_1TX	Pass	A0:28:84:8E:4D:9C	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
802.11b_(1Mbps)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
802.11g_(6Mbps)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2412MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2442MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVnom	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmin	Pass	A0:28:84:8E:4D:9C	48 bits	Good
2462MHz_TnomVmax	Pass	A0:28:84:8E:4D:9C	48 bits	Good



Receiver Spurious Emissions

Appendix F

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	1G	12.5G	1M	12.49425G	-74.65	-74.65	0.03428	-46.99	20
802.11g_(6Mbps)_1TX	Pass	1G	12.5G	1M	12.49173G	-74.43	-74.43	0.03606	-46.99	20
802.11n HT20_Nss1,(MCS0)_1TX	Pass	1G	12.5G	1M	11.14911G	-74.64	-74.64	0.03436	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	511.57M	-89.95	-89.95	0.00101	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	12.49425G	-74.65	-74.65	0.03428	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	888.06M	-89.63	-89.63	0.00109	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	12.45148G	-75.04	-75.04	0.03133	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	984.63M	-89.85	-89.85	0.00104	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	10.52308G	-75.07	-75.07	0.03112	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	992.06M	-90.29	-90.29	0.00094	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	10.26936G	-75.28	-75.28	0.02965	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	799.57M	-89.78	-89.78	0.00105	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	12.4867G	-74.93	-74.93	0.03214	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	924.1M	-90.02	-90.02	0.001	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	11.20338G	-74.83	-74.83	0.03289	-46.99	20
2462MHz_TnomVnom	Pass	30M	1G	100k	559.77M	-90.19	-90.19	0.00096	-53.98	4
2462MHz_TnomVnom	Pass	1G	12.5G	1M	12.47952G	-75.09	-75.09	0.03097	-46.99	20
2462MHz_TnomVmin	Pass	30M	1G	100k	747.38M	-89.96	-89.96	0.00101	-53.98	4
2462MHz_TnomVmin	Pass	1G	12.5G	1M	11.27453G	-74.92	-74.92	0.03221	-46.99	20
2462MHz_TnomVmax	Pass	30M	1G	100k	549.07M	-89.66	-89.66	0.00108	-53.98	4
2462MHz_TnomVmax	Pass	1G	12.5G	1M	11.37264G	-74.80	-74.80	0.03311	-46.99	20
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	858.35M	-89.64	-89.64	0.00109	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	12.49173G	-74.43	-74.43	0.03606	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	961.38M	-89.76	-89.76	0.00106	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	12.49281G	-74.98	-74.98	0.03177	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	911.91M	-89.55	-89.55	0.00111	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	11.19367G	-74.63	-74.63	0.03443	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	895.85M	-89.85	-89.85	0.00104	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	11.19223G	-75.22	-75.22	0.03006	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	926.01M	-89.74	-89.74	0.00106	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	10.54392G	-75.09	-75.09	0.03097	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	984.75M	-89.93	-89.93	0.00102	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	10.522G	-74.94	-74.94	0.03206	-46.99	20
2462MHz_TnomVnom	Pass	30M	1G	100k	996.39M	-89.52	-89.52	0.00112	-53.98	4
2462MHz_TnomVnom	Pass	1G	12.5G	1M	12.0975G	-75.03	-75.03	0.03141	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2462MHz_TnomVmin	Pass	30M	1G	100k	751.38M	-89.77	-89.77	0.00105	-53.98	4
2462MHz_TnomVmin	Pass	1G	12.5G	1M	12.47844G	-74.75	-74.75	0.0335	-46.99	20
2462MHz_TnomVmax	Pass	30M	1G	100k	637.77M	-89.45	-89.45	0.00114	-53.98	4
2462MHz_TnomVmax	Pass	1G	12.5G	1M	12.49641G	-75.12	-75.12	0.03076	-46.99	20
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	967.72M	-90.14	-90.14	0.00097	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	10.51661G	-74.87	-74.87	0.03258	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	849.01M	-89.96	-89.96	0.00101	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	11.21919G	-74.74	-74.74	0.03357	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	873.2M	-88.93	-88.93	0.00128	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	11.14911G	-74.64	-74.64	0.03436	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	770.02M	-89.90	-89.90	0.00102	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	11.33634G	-75.00	-75.00	0.03162	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	993.79M	-90.05	-90.05	0.00099	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	10.88353G	-74.82	-74.82	0.03296	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	996.7M	-90.24	-90.24	0.00095	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	10.54895G	-75.12	-75.12	0.03076	-46.99	20
2462MHz_TnomVnom	Pass	30M	1G	100k	695.21M	-89.76	-89.76	0.00106	-53.98	4
2462MHz_TnomVnom	Pass	1G	12.5G	1M	12.48383G	-75.05	-75.05	0.03126	-46.99	20
2462MHz_TnomVmin	Pass	30M	1G	100k	899.7M	-89.50	-89.50	0.00112	-53.98	4
2462MHz_TnomVmin	Pass	1G	12.5G	1M	12.48598G	-74.80	-74.80	0.03311	-46.99	20
2462MHz_TnomVmax	Pass	30M	1G	100k	778.75M	-89.07	-89.07	0.00124	-53.98	4
2462MHz_TnomVmax	Pass	1G	12.5G	1M	10.23594G	-75.02	-75.02	0.03148	-46.99	20




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	511.57M	-89.95	-53.98	-35.97	-89.95
1G	12.5G	12.49425G	-74.65	-46.99	-27.66	-74.65

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	880.06M	-89.63	-53.98	-35.65	-89.63
1G	12.5G	12.45148G	-75.04	-46.99	-28.05	-75.04




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	984.63M	-89.85	-53.98	-35.87	-89.85
1G	12.5G	10.52308G	-75.07	-46.99	-28.08	-75.07

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	992.06M	-90.29	-53.98	-36.31	-90.29
1G	12.5G	10.26936G	-75.28	-46.99	-28.29	-75.28




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	799.57M	-89.78	-53.98	-35.80	-89.78
1G	12.5G	12.4867G	-74.93	-46.99	-27.94	-74.93

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	924.1M	-90.02	-53.98	-36.04	-90.02
1G	12.5G	11.20338G	-74.83	-46.99	-27.84	-74.83




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2462MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	559.77M	-90.19	-53.98	-36.21	-90.19
1G	12.5G	12.47952G	-75.09	-46.99	-28.10	-75.09

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2462MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	747.38M	-89.96	-53.98	-35.98	-89.96
1G	12.5G	11.27453G	-74.92	-46.99	-27.93	-74.92




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2462MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	549.07M	-89.66	-53.98	-35.68	-89.66
1G	12.5G	11.37264G	-74.80	-46.99	-27.81	-74.80

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	858.35M	-89.64	-53.98	-35.66	-89.64
1G	12.5G	12.49173G	-74.43	-46.99	-27.44	-74.43




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	961.38M	-89.76	-53.98	-35.78	-89.76
1G	12.5G	12.49281G	-74.98	-46.99	-27.99	-74.98

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	911.91M	-89.55	-53.98	-35.57	-89.55
1G	12.5G	11.19367G	-74.63	-46.99	-27.64	-74.63




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	895.85M	-89.85	-53.98	-35.87	-89.85
1G	12.5G	11.19223G	-75.22	-46.99	-28.23	-75.22

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	926.01M	-89.74	-53.98	-35.76	-89.74
1G	12.5G	10.54392G	-75.09	-46.99	-28.10	-75.09




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	984.75M	-89.93	-53.98	-35.95	-89.93
1G	12.5G	10.522G	-74.94	-46.99	-27.95	-74.94

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2462MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	996.39M	-89.52	-53.98	-35.54	-89.52
1G	12.5G	12.0975G	-75.03	-46.99	-28.04	-75.03




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2462MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	751.38M	-89.77	-53.98	-35.79	-89.77
1G	12.5G	12.47844G	-74.75	-46.99	-27.76	-74.75

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2462MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	637.77M	-89.45	-53.98	-35.47	-89.45
1G	12.5G	12.49641G	-75.12	-46.99	-28.13	-75.12




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	967.72M	-90.14	-53.98	-36.16	-90.14
1G	12.5G	10.51661G	-74.87	-46.99	-27.88	-74.87

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	849.01M	-89.96	-53.98	-35.98	-89.96
1G	12.5G	11.21919G	-74.74	-46.99	-27.75	-74.74




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmax

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	873.2M	-88.93	-53.98	-34.95	-88.93
1G	12.5G	11.14911G	-74.64	-46.99	-27.65	-74.64

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVnom

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	770.02M	-89.90	-53.98	-35.92	-89.90
1G	12.5G	11.33634G	-75.00	-46.99	-28.01	-75.00




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmin

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	993.79M	-90.05	-53.98	-36.07	-90.05
1G	12.5G	10.88353G	-74.82	-46.99	-27.83	-74.82

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmax

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	996.7M	-90.24	-53.98	-36.26	-90.24
1G	12.5G	10.54895G	-75.12	-46.99	-28.13	-75.12




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2462MHz_TnomVnom

09/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	695.21M	-89.76	-53.98	-35.78	-89.76
1G	12.5G	12.48383G	-75.05	-46.99	-28.06	-75.05

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2462MHz_TnomVmin

09/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	899.7M	-89.50	-53.98	-35.52	-89.50
1G	12.5G	12.48598G	-74.80	-46.99	-27.81	-74.80

