



























Test Graphs_Step2



Appendix E: Spurious Emission of RX**Test Result**

TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	120.21	-62.94	≤-54	0.50816	≤4	See table below
NTNV	11A	Ant1	5180	1000~26000	2412.5	-55.17	≤-47	3.04089	≤20	See table below
NTNV	11A	Ant1	5200	30~1000	95.96	-65.39	≤-54	0.28907	≤4	PASS
NTNV	11A	Ant1	5200	1000~26000	2477.5	-53.73	≤-47	4.23643	≤20	See table below
NTNV	11A	Ant1	5220	30~1000	120.21	-64.83	≤-54	0.32885	≤4	PASS
NTNV	11A	Ant1	5220	1000~26000	2438.75	-50.28	≤-47	9.37562	≤20	See table below
NTNV	11A	Ant1	5240	30~1000	95.96	-65.05	≤-54	0.31261	≤4	PASS
NTNV	11A	Ant1	5240	1000~26000	2402.5	-55.51	≤-47	2.81190	≤20	See table below
NTNV	11N20SI SO	Ant1	5180	30~1000	824.92	-61.26	≤-54	0.74817	≤4	See table below
NTNV	11N20SI SO	Ant1	5180	1000~26000	2402.5	-55.35	≤-47	2.91743	≤20	See table below
NTNV	11N20SI SO	Ant1	5200	30~1000	95.96	-64.91	≤-54	0.32285	≤4	PASS
NTNV	11N20SI SO	Ant1	5200	1000~26000	1783.75	-52.31	≤-47	5.87489	≤20	See table below
NTNV	11N20SI SO	Ant1	5220	30~1000	96.93	-80.46	≤-54	0.00899	≤4	PASS
NTNV	11N20SI SO	Ant1	5220	1000~26000	3417.5	-50.70	≤-47	8.51138	≤20	See table below

NTNV	11N20SI SO	Ant1	5240	30~1000	97.90	-81.22	≤-54	0.0075 5	≤4	PASS
NTNV	11N20SI SO	Ant1	5240	1000~26000	2402.5	-55.37	≤-47	2.9040 2	≤20	See table below
NTNV	11N40SI SO	Ant1	5190	30~1000	98.39	-81.24	≤-54	0.0075 2	≤4	PASS
NTNV	11N40SI SO	Ant1	5190	1000~26000	2402.5	-54.57	≤-47	3.4914 0	≤20	See table below
NTNV	11N40SI SO	Ant1	5230	30~1000	97.90	-81.52	≤-54	0.0070 5	≤4	PASS
NTNV	11N40SI SO	Ant1	5230	1000~26000	2402.5	-55.42	≤-47	2.8707 8	≤20	See table below
NTNV	11AC20S ISO	Ant1	5180	30~1000	98.87	-80.86	≤-54	0.0082 0	≤4	PASS
NTNV	11AC20S ISO	Ant1	5180	1000~26000	2402.5	-55.48	≤-47	2.8313 9	≤20	See table below
NTNV	11AC20S ISO	Ant1	5200	30~1000	97.42	-80.25	≤-54	0.0094 4	≤4	PASS
NTNV	11AC20S ISO	Ant1	5200	1000~26000	2467.5	-48.19	≤-47	15.170 50	≤20	See table below
NTNV	11AC20S ISO	Ant1	5220	30~1000	98.39	-80.11	≤-54	0.0097 5	≤4	PASS
NTNV	11AC20S ISO	Ant1	5220	1000~26000	2402.5	-55.29	≤-47	2.9580 1	≤20	See table below
NTNV	11AC20S ISO	Ant1	5240	30~1000	97.42	-81.10	≤-54	0.0077 6	≤4	PASS
NTNV	11AC20S ISO	Ant1	5240	1000~26000	3410	-49.20	≤-47	12.022 64	≤20	See table below
NTNV	11AC40S ISO	Ant1	5190	30~1000	98.39	-80.06	≤-54	0.0098 6	≤4	PASS
NTNV	11AC40S ISO	Ant1	5190	1000~26000	2402.5	-55.36	≤-47	2.9107 2	≤20	See table below
NTNV	11AC40S ISO	Ant1	5230	30~1000	98.39	-80.99	≤-54	0.0079 6	≤4	PASS
NTNV	11AC40S	Ant1	5230	1000~26000	2402.5	-55.32	≤-47	2.9376	≤20	See


	ISO							5		table below
NTNV	11AX20S ISO	Ant1	5180	30~1000	99.84	-80.85	≤-54	0.0082 2	≤4	PASS
NTNV	11AX20S ISO	Ant1	5180	1000~26000	2402.5	-55.36	≤-47	2.9107 2	≤20	See table below
NTNV	11AX20S ISO	Ant1	5200	30~1000	99.84	-81.84	≤-54	0.0065 5	≤4	PASS
NTNV	11AX20S ISO	Ant1	5200	1000~26000	2402.5	-55.29	≤-47	2.9580 1	≤20	See table below
NTNV	11AX20S ISO	Ant1	5220	30~1000	98.87	-81.25	≤-54	0.0075 0	≤4	PASS
NTNV	11AX20S ISO	Ant1	5220	1000~26000	2402.5	-55.22	≤-47	3.0060 8	≤20	See table below
NTNV	11AX20S ISO	Ant1	5240	30~1000	97.90	-81.18	≤-54	0.0076 2	≤4	PASS
NTNV	11AX20S ISO	Ant1	5240	1000~26000	2402.5	-55.12	≤-47	3.0761 0	≤20	See table below
NTNV	11AX40S ISO	Ant1	5190	30~1000	98.39	-80.92	≤-54	0.0080 9	≤4	PASS
NTNV	11AX40S ISO	Ant1	5190	1000~26000	2402.5	-55.37	≤-47	2.9040 2	≤20	See table below
NTNV	11AX40S ISO	Ant1	5230	30~1000	829.77	-80.84	≤-54	0.0082 4	≤4	PASS
NTNV	11AX40S ISO	Ant1	5230	1000~26000	2402.5	-55.13	≤-47	3.0690 2	≤20	See table below


Test Result_Step2


TestCondition	TestMode	Antenna	Frequen cy[MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	120.21	-61.42	≤-54	0.72111	≤4	PASS
NTNV	11A	Ant1	5180	2412.50	-53.48	≤-47	4.4874 5	≤20	PASS
NTNV	11A	Ant1	5200	2477.50	-76.65	≤-47	0.0216 3	≤20	PASS
NTNV	11A	Ant1	5220	2438.75	-53.12	≤-47	4.8752	≤20	PASS


							8		
NTNV	11A	Ant1	5240	2402.50	-53.13	≤-47	4.8640 7	≤20	PASS
NTNV	11N20SI SO	Ant1	5180	824.92	-89.16	≤-54	0.0012 1	≤4	PASS
NTNV	11N20SI SO	Ant1	5180	2402.50	-56.29	≤-47	2.3496 3	≤20	PASS
NTNV	11N20SI SO	Ant1	5200	1783.75	-48.40	≤-47	14.454 40	≤20	PASS
NTNV	11N20SI SO	Ant1	5220	3417.50	-76.27	≤-47	0.0236 0	≤20	PASS
NTNV	11N20SI SO	Ant1	5240	2402.50	-52.78	≤-47	5.2723 0	≤20	PASS
NTNV	11N40SI SO	Ant1	5190	2402.50	-52.88	≤-47	5.1522 9	≤20	PASS
NTNV	11N40SI SO	Ant1	5230	2402.50	-53.07	≤-47	4.9317 4	≤20	PASS
NTNV	11AC20S ISO	Ant1	5180	2402.50	-52.98	≤-47	5.0350 1	≤20	PASS
NTNV	11AC20S ISO	Ant1	5200	2467.50	-53.54	≤-47	4.4258 8	≤20	PASS
NTNV	11AC20S ISO	Ant1	5220	2402.50	-52.84	≤-47	5.1999 6	≤20	PASS
NTNV	11AC20S ISO	Ant1	5240	3410.00	-53.54	≤-47	4.4258 8	≤20	PASS
NTNV	11AC40S ISO	Ant1	5190	2402.50	-55.04	≤-47	3.1332 9	≤20	PASS
NTNV	11AC40S ISO	Ant1	5230	2402.50	-54.22	≤-47	3.7844 3	≤20	PASS
NTNV	11AX20S ISO	Ant1	5180	2402.50	-53.00	≤-47	5.01187	≤20	PASS
NTNV	11AX20S ISO	Ant1	5200	2402.50	-53.36	≤-47	4.6131 8	≤20	PASS
NTNV	11AX20S ISO	Ant1	5220	2402.50	-52.82	≤-47	5.2239 6	≤20	PASS
NTNV	11AX20S ISO	Ant1	5240	2402.50	-52.65	≤-47	5.4325 0	≤20	PASS
NTNV	11AX40S ISO	Ant1	5190	2402.50	-52.74	≤-47	5.3210 8	≤20	PASS
NTNV	11AX40S ISO	Ant1	5230	2402.50	-53.08	≤-47	4.9204 0	≤20	PASS


Test Graphs









































Test Graphs_Step2

