


測試頻道:	IEEE 802.11ac(VHT20) / 5825 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11648.95	52.17	4.90	57.07	74.00	-16.93	peak	
2	*	11650.89	46.19	4.91	51.10	54.00	-2.90	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5826.400	67.36	40.19	107.55	122.20	-14.65	peak	
2		5850.000	40.14	40.25	80.39	122.20	-41.81	peak	
3		5860.000	28.06	40.27	68.33	109.40	-41.07	peak	
4	*	5992.600	23.92	40.58	64.50	68.20	-3.70	peak	

測試頻道: IEEE 802.11ac(VHT20) /
 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11650.90	45.89	4.91	50.80	74.00	-23.20	peak	

測試頻道: IEEE 802.11ac(VHT40) /
 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5649.000	28.16	39.70	67.86	68.20	-0.34	peak	
2		5715.000	44.11	39.88	83.99	109.40	-25.41	peak	
3		5725.000	50.56	39.91	90.47	122.20	-31.73	peak	
4		5757.800	73.54	40.01	113.55	122.20	-8.65	peak	

測試頻道: IEEE 802.11ac(VHT40) / 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11506.65	42.12	5.50	47.62	54.00	-6.38	AVG	
2		11510.50	48.32	5.48	53.80	74.00	-20.20	peak	

測試頻道: IEEE 802.11ac(VHT40) /
 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5606.400	24.35	39.57	63.92	68.20	-4.28	peak	
2		5715.000	32.68	39.88	72.56	109.40	-36.84	peak	
3		5725.000	36.90	39.91	76.81	122.20	-45.39	peak	
4		5756.400	60.39	40.00	100.39	122.20	-21.81	peak	

測試頻道: IEEE 802.11ac(VHT40) / 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11510.00	43.69	5.49	49.18	74.00	-24.82	peak	


測試頻道: IEEE 802.11ac(VHT40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5792.000	75.35	40.10	115.45	122.20	-6.75	peak	
2		5850.000	41.25	40.25	81.50	122.20	-40.70	peak	
3		5860.000	40.13	40.27	80.40	109.40	-29.00	peak	
4	*	5985.400	25.13	40.57	65.70	68.20	-2.50	peak	

測試頻道:	IEEE 802.11ac(VHT40) / 5795 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.45	49.86	5.22	55.08	74.00	-18.92	peak	
2	*	11592.44	44.76	5.21	49.97	54.00	-4.03	AVG	

測試頻道: IEEE 802.11ac(VHT40) /
 5795 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5800.400	60.88	40.13	101.01	122.20	-21.19	peak	
2		5850.000	29.01	40.25	69.26	122.20	-52.94	peak	
3		5860.000	25.91	40.27	66.18	109.40	-43.22	peak	
4	*	5999.200	24.80	40.60	65.40	68.20	-2.80	peak	

測試頻道: IEEE 802.11ac(VHT40) / 5795 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11590.00	44.85	5.22	50.07	74.00	-23.93	peak	

測試頻道: IEEE 802.11ac(VHT80) /
 5775 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5648.600	28.16	39.70	67.86	68.20	-0.34	peak	
2		5715.000	38.48	39.88	78.36	109.40	-31.04	peak	
3		5725.000	39.45	39.91	79.36	122.20	-42.84	peak	
4		5771.200	67.39	40.04	107.43	122.20	-14.77	peak	

測試頻道: IEEE 802.11ac(VHT80) / 5775 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11550.00	42.89	5.36	48.25	74.00	-25.75	peak	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5640.600	23.73	39.67	63.40	68.20	-4.80	peak	
2		5715.000	23.22	39.88	63.10	109.40	-46.30	peak	
3		5725.000	23.89	39.91	63.80	122.20	-58.40	peak	
4		5771.200	54.62	40.04	94.66	122.20	-27.54	peak	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11550.00	42.68	5.36	48.04	74.00	-25.96	peak	

測試頻道: IEEE 802.11ax (HE20) /
 5180 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5147.100	21.38	39.56	60.94	74.00	-13.06	peak	
2		5147.100	11.44	39.56	51.00	54.00	-3.00	AVG	
3	*	5181.600	74.01	39.57	113.58	68.20	45.38	peak	NO limit
4	X	5181.600	63.65	39.57	103.22	68.20	35.02	AVG	NO limit

測試頻道: IEEE 802.11ax (HE20) / 5180 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10360.00	44.10	4.51	48.61	68.20	-19.59	peak	

測試頻道: IEEE 802.11ax (HE20) /
5180 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5111.400	22.09	39.56	61.65	74.00	-12.35	peak	
2		5111.400	9.71	39.56	49.27	54.00	-4.73	AVG	
3	*	5180.850	61.27	39.57	100.84	68.20	32.64	peak	NO limit
4	X	5180.850	54.18	39.57	93.75	68.20	25.55	AVG	NO limit

測試頻道: IEEE 802.11ax (HE20) /
 5180 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10360.00	42.73	4.51	47.24	68.20	-20.96	peak	


測試頻道: IEEE 802.11ax (HE20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5148.450	22.95	39.56	62.51	74.00	-11.49	peak	
2		5148.450	12.75	39.56	52.31	54.00	-1.69	AVG	
3	*	5201.100	73.68	39.57	113.25	68.20	45.05	peak	NO limit
4	X	5201.100	65.13	39.57	104.70	68.20	36.50	AVG	NO limit


測試頻道:	IEEE 802.11ax (HE20) / 5200 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10402.90	47.21	4.64	51.85	68.20	-16.35	peak	
2		15593.80	46.03	6.13	52.16	74.00	-21.84	peak	
3	*	15597.95	40.16	6.12	46.28	54.00	-7.72	AVG	

測試頻道: IEEE 802.11ax (HE20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	22.45	39.57	62.02	74.00	-11.98	peak	
2		5150.000	9.24	39.57	48.81	54.00	-5.19	AVG	
3	*	5198.250	63.60	39.57	103.17	68.20	34.97	peak	NO limit
4	X	5198.250	55.63	39.57	95.20	68.20	27.00	AVG	NO limit

測試頻道: IEEE 802.11ax (HE20) /
 5200 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10400.00	43.59	4.63	48.22	68.20	-19.98	peak	

測試頻道: IEEE 802.11ax (HE20) /
 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23


Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	23.26	39.57	62.83	74.00	-11.17	peak	
2		5150.000	12.79	39.57	52.36	54.00	-1.64	AVG	
3	*	5241.000	77.08	39.56	116.64	68.20	48.44	peak	NO limit
4	X	5241.000	68.44	39.56	108.00	68.20	39.80	AVG	NO limit

測試頻道:	IEEE 802.11ax (HE20) / 5240 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10478.95	51.86	4.87	56.73	68.20	-11.47	peak	
2		15724.45	53.15	5.66	58.81	74.00	-15.19	peak	
3	*	15725.84	48.15	5.66	53.81	54.00	-0.19	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23


Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	21.52	39.57	61.09	74.00	-12.91	peak	
2		5150.000	8.98	39.57	48.55	54.00	-5.45	AVG	
3	*	5239.050	65.47	39.56	105.03	68.20	36.83	peak	NO limit
4	X	5239.050	57.97	39.56	97.53	68.20	29.33	AVG	NO limit

測試頻道:	IEEE 802.11ax (HE20) / 5240 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10486.75	45.67	4.89	50.56	68.20	-17.64	peak	
2		15732.25	43.35	5.63	48.98	74.00	-25.02	peak	

測試頻道: IEEE 802.11ax (HE40) /
 5190 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5145.150	26.83	39.56	66.39	74.00	-7.61	peak	
2		5145.150	14.32	39.56	53.88	54.00	-0.12	AVG	
3	*	5188.200	69.13	39.57	108.70	68.20	40.50	peak	NO limit
4	X	5188.200	60.26	39.57	99.83	68.20	31.63	AVG	NO limit

測試頻道: IEEE 802.11ax (HE40) / 5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式:	發射
視頻頻寬:	1000 kHz / 3kHz
測試距離:	3 米
測試日期:	110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	10380.00	42.82	4.57	47.39	68.20	-20.81	peak

測試頻道: IEEE 802.11ax (HE40) /
5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5133.900	11.94	39.56	51.50	74.00	-22.50	peak	
2		5133.900	11.94	39.56	51.50	54.00	-2.50	AVG	
3	*	5192.400	50.58	39.57	90.15	68.20	21.95	AVG	NO limit
4	X	5192.400	50.58	39.57	90.15	68.20	21.95	peak	NO limit

測試頻道: IEEE 802.11ax (HE40) /
 5190 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10380.00	42.61	4.57	47.18	68.20	-21.02	peak	


測試頻道: IEEE 802.11ax (HE40) /
 5230 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5147.850	23.95	39.56	63.51	74.00	-10.49	peak	
2		5147.850	14.29	39.56	53.85	54.00	-0.15	AVG	
3	*	5228.700	73.85	39.56	113.41	68.20	45.21	peak	NO limit
4	X	5228.700	65.46	39.56	105.02	68.20	36.82	AVG	NO limit


測試頻道:	IEEE 802.11ax (HE40) / 5230 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10455.55	48.73	4.80	53.53	68.20	-14.67	peak	
2	*	15676.84	39.59	5.83	45.42	54.00	-8.58	AVG	
3		15693.25	46.32	5.77	52.09	74.00	-21.91	peak	

測試頻道: IEEE 802.11ax (HE40) /
5230 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5108.850	21.78	39.55	61.33	74.00	-12.67	peak	
2		5108.850	12.01	39.55	51.56	54.00	-2.44	AVG	
3	*	5228.700	60.69	39.56	100.25	68.20	32.05	peak	NO limit
4	X	5228.700	54.26	39.56	93.82	68.20	25.62	AVG	NO limit

測試頻道: IEEE 802.11ax (HE40) /
 5230 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10380.00	42.70	4.57	47.27	68.20	-20.93	peak	

測試頻道: IEEE 802.11ax (HE80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5149.650	25.65	39.56	65.21	74.00	-8.79	peak	
2		5149.650	13.96	39.56	53.52	54.00	-0.48	AVG	
3	*	5208.300	67.27	39.57	106.84	68.20	38.64	peak	NO limit
4	X	5208.300	59.16	39.57	98.73	68.20	30.53	AVG	NO limit

測試頻道: IEEE 802.11ax (HE80) /
 5210 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10420.00	42.81	4.69	47.50	68.20	-20.70	peak	

測試頻道: IEEE 802.11ax (HE80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5136.000	20.98	39.56	60.54	74.00	-13.46	peak	
2		5136.000	12.26	39.56	51.82	54.00	-2.18	AVG	
3	*	5205.450	57.41	39.57	96.98	68.20	28.78	peak	NO limit
4	X	5205.450	48.72	39.57	88.29	68.20	20.09	AVG	NO limit

測試頻道: IEEE 802.11ax (HE80) /
 5210 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	42.80	4.69	47.49	68.20	-20.71	peak	


測試頻道: IEEE 802.11ax (HE20) /
 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5259.000	76.93	39.55	116.48	68.20	48.28	peak	No limit
2	X	5259.000	69.33	39.55	108.88	68.20	40.68	AVG	No limit
3		5355.600	21.79	39.52	61.31	74.00	-12.69	peak	
4		5355.600	11.83	39.52	51.35	54.00	-2.65	AVG	


測試頻道:	IEEE 802.11ax (HE20) / 5260 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10520.00	44.73	3.84	48.57	68.20	-19.63	peak	

測試頻道: IEEE 802.11ax (HE20) /
5260 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5257.800	62.88	39.55	102.43	68.20	34.23	peak	No limit
2	X	5257.800	56.03	39.55	95.58	68.20	27.38	AVG	No limit
3		5362.950	20.90	39.52	60.42	74.00	-13.58	peak	
4		5362.950	10.49	39.52	50.01	54.00	-3.99	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.00	43.69	3.84	47.53	68.20	-20.67	peak	

測試頻道: IEEE 802.11ax (HE20) /
 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5301.150	77.04	39.54	116.58	68.20	48.38	peak	No limit
2	X	5301.150	68.28	39.54	107.82	68.20	39.62	AVG	No limit
3		5358.450	22.58	39.52	62.10	74.00	-11.90	peak	
4		5358.450	12.77	39.52	52.29	54.00	-1.71	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10600.00	43.85	3.72	47.57	68.20	-20.63	peak	

測試頻道: IEEE 802.11ax (HE20) /
5300 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5302.350	62.36	39.54	101.90	68.20	33.70	peak	No limit
2	X	5302.350	54.52	39.54	94.06	68.20	25.86	AVG	No limit
3		5391.000	21.16	39.51	60.67	74.00	-13.33	peak	
4		5391.000	10.85	39.51	50.36	54.00	-3.64	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10600.00	43.92	3.72	47.64	68.20	-20.56	peak	

測試頻道: IEEE 802.11ax (HE20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5318.700	74.38	39.53	113.91	68.20	45.71	peak	No limit
2	X	5318.700	65.70	39.53	105.23	68.20	37.03	AVG	No limit
3		5353.650	21.33	39.52	60.85	74.00	-13.15	peak	
4		5353.650	11.98	39.52	51.50	54.00	-2.50	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20


Orthogonal Axis: X
 Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10640.00	43.89	3.70	47.59	74.00	-26.41	peak	

測試頻道: IEEE 802.11ax (HE20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5319.000	59.67	39.53	99.20	68.20	31.00	peak	No limit
2	X	5319.000	52.22	39.53	91.75	68.20	23.55	AVG	No limit
3		5355.600	21.15	39.52	60.67	74.00	-13.33	peak	
4		5355.600	10.82	39.52	50.34	54.00	-3.66	AVG	

測試頻道: IEEE 802.11ax (HE20) /
 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20

Orthogonal Axis: X
 Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10640.00	44.31	3.70	48.01	74.00	-25.99	peak	

測試頻道: IEEE 802.11ax (HE40) /
5270 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5268.150	71.97	39.55	111.52	68.20	43.32	peak	No limit
2	X	5268.150	63.76	39.55	103.31	68.20	35.11	AVG	No limit
3		5384.700	20.70	39.51	60.21	74.00	-13.79	peak	
4		5384.700	11.41	39.51	50.92	54.00	-3.08	AVG	

測試頻道:	IEEE 802.11ax (HE40) / 5270 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20


Orthogonal Axis: X Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10540.00	43.61	3.81	47.42	68.20	-20.78	peak	


測試頻道: IEEE 802.11ax (HE40) /
 5270 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5268.600	57.20	39.55	96.75	68.20	28.55	peak	No limit
2	X	5268.600	50.23	39.55	89.78	68.20	21.58	AVG	No limit
3		5355.450	21.42	39.52	60.94	74.00	-13.06	peak	
4		5355.450	11.22	39.52	50.74	54.00	-3.26	AVG	


測試頻道:	IEEE 802.11ax (HE40) / 5270 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.00	43.31	3.81	47.12	68.20	-21.08	peak	

測試頻道: IEEE 802.11ax (HE40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5308.650	70.51	39.54	110.05	68.20	41.85	peak	No limit
2	X	5308.650	62.43	39.54	101.97	68.20	33.77	AVG	No limit
3		5354.550	23.14	39.52	62.66	74.00	-11.34	peak	
4		5354.550	12.23	39.52	51.75	54.00	-2.25	AVG	

測試頻道: IEEE 802.11ax (HE40) /
 5310 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10620.00	43.27	3.71	46.98	74.00	-27.02	peak	

測試頻道: IEEE 802.11ax (HE40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5308.650	56.27	39.54	95.81	68.20	27.61	peak	No limit
2	X	5308.650	48.75	39.54	88.29	68.20	20.09	AVG	No limit
3		5370.450	20.96	39.51	60.47	74.00	-13.53	peak	
4		5370.450	10.68	39.51	50.19	54.00	-3.81	AVG	

測試頻道: IEEE 802.11ax (HE40) /
 5310 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10620.00	43.92	3.71	47.63	74.00	-26.37	peak	


測試頻道: IEEE 802.11ax (HE80) /
 5290 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5288.400	67.71	39.54	107.25	68.20	39.05	peak	No limit
2	X	5288.400	58.53	39.54	98.07	68.20	29.87	AVG	No limit
3		5350.200	24.41	39.52	63.93	74.00	-10.07	peak	
4		5350.200	14.35	39.52	53.87	54.00	-0.13	AVG	


測試頻道:	IEEE 802.11ax (HE80) / 5290 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10580.00	44.02	3.75	47.77	68.20	-20.43	peak	

測試頻道: IEEE 802.11ax (HE80) /
5290 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5288.100	52.99	39.54	92.53	68.20	24.33	peak	No limit
2	X	5288.100	45.71	39.54	85.25	68.20	17.05	AVG	No limit
3		5380.050	21.69	39.51	61.20	74.00	-12.80	peak	
4		5380.050	11.19	39.51	50.70	54.00	-3.30	AVG	

測試頻道: IEEE 802.11ax (HE80) /
 5290 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.00	43.51	3.75	47.26	68.20	-20.94	peak	


測試頻道: IEEE 802.11ax (HE20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5453.335	22.86	39.49	62.35	74.00	-11.65	peak	
2		5453.335	12.92	39.49	52.41	54.00	-1.59	AVG	
3		5470.000	24.01	39.48	63.49	68.20	-4.71	peak	
4	*	5499.193	73.51	39.47	112.98	68.20	44.78	peak	No limit
5	X	5499.193	65.00	39.47	104.47	68.20	36.27	AVG	No limit

測試頻道:	IEEE 802.11ax (HE20) / 5500 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11000.00	44.68	3.72	48.40	74.00	-25.60	peak	

測試頻道: IEEE 802.11ax (HE20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5400.630	21.05	39.50	60.55	74.00	-13.45	peak	
2		5400.630	11.16	39.50	50.66	54.00	-3.34	AVG	
3		5470.000	23.20	39.48	62.68	68.20	-5.52	peak	
4	*	5499.193	59.25	39.47	98.72	68.20	30.52	peak	No limit
5	X	5499.193	49.97	39.47	89.44	68.20	21.24	AVG	No limit

測試頻道: IEEE 802.11ax (HE20) /
 5500 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11000.00	43.98	3.72	47.70	74.00	-26.30	peak	


測試頻道: IEEE 802.11ax (HE20) /
 5580 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5360.583	21.79	39.52	61.31	74.00	-12.69	peak	
2	X	5360.583	11.13	39.52	50.65	54.00	-3.35	AVG	
3	X	5470.000	22.90	39.48	62.38	68.20	-5.82	peak	
4	*	5579.080	77.01	39.54	116.55	68.20	48.35	peak	No limit
5	X	5579.080	69.91	39.54	109.45	68.20	41.25	AVG	No limit


測試頻道:	IEEE 802.11ax (HE20) / 5580 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11160.00	44.36	2.96	47.32	74.00	-26.68	peak	


測試頻道: IEEE 802.11ax (HE20) /
5580 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5385.068	20.78	39.51	60.29	74.00	-13.71	peak	
2		5385.068	11.13	39.51	50.64	54.00	-3.36	AVG	
3		5470.000	23.06	39.48	62.54	68.20	-5.66	peak	
4	*	5581.570	62.86	39.54	102.40	68.20	34.20	peak	No limit
5	X	5581.570	54.83	39.54	94.37	68.20	26.17	AVG	No limit


測試頻道:	IEEE 802.11ax (HE20) / 5580 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11160.00	46.08	2.96	49.04	74.00	-24.96	peak	


測試頻道: IEEE 802.11ax (HE20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5699.222	75.07	39.84	114.91	68.20	46.71	peak	No limit
2	X	5699.222	65.15	39.84	104.99	68.20	36.79	AVG	No limit
3		5725.000	25.10	39.91	65.01	68.20	-3.19	peak	

測試頻道:	IEEE 802.11ax (HE20) / 5700 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11400.00	45.55	2.22	47.77	74.00	-26.23	peak	

測試頻道: IEEE 802.11ax (HE20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5701.090	58.05	39.84	97.89	68.20	29.69	peak	No limit
2	X	5701.090	52.41	39.84	92.25	68.20	24.05	AVG	No limit
3		5725.000	21.46	39.91	61.37	68.20	-6.83	peak	

測試頻道: IEEE 802.11ax (HE20) /
 5700 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11400.00	45.63	2.22	47.85	74.00	-26.15	peak	

測試頻道: IEEE 802.11ax (HE40) /
5510 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5445.865	25.26	39.49	64.75	74.00	-9.25	peak	
2		5445.865	12.31	39.49	51.80	54.00	-2.20	AVG	
3		5470.000	26.84	39.48	66.32	68.20	-1.88	peak	
4	*	5510.605	71.02	39.48	110.50	68.20	42.30	peak	No limit
5	X	5510.605	62.09	39.48	101.57	68.20	33.37	AVG	No limit

測試頻道: IEEE 802.11ax (HE40) /
 5510 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11020.00	45.44	3.63	49.07	74.00	-24.93	peak	

測試頻道: IEEE 802.11ax (HE40) /
 5510 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5444.620	21.20	39.49	60.69	74.00	-13.31	peak	
2		5444.620	10.89	39.49	50.38	54.00	-3.62	AVG	
3		5470.000	21.58	39.48	61.06	68.20	-7.14	peak	
4	*	5510.813	52.43	39.48	91.91	68.20	23.71	peak	No limit
5	X	5510.813	47.95	39.48	87.43	68.20	19.23	AVG	No limit

測試頻道: IEEE 802.11ax (HE40) /
 5510 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11020.00	44.13	3.63	47.76	74.00	-26.24	peak	

測試頻道: IEEE 802.11ax (HE40) /
 5550 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.42	39.48	64.90	74.00	-9.10	peak	
2		5460.000	13.68	39.48	53.16	54.00	-0.84	AVG	
3		5470.000	28.32	39.48	67.80	68.20	-0.40	peak	
4	*	5548.785	74.43	39.51	113.94	68.20	45.74	peak	No limit
5	X	5548.785	64.64	39.51	104.15	68.20	35.95	AVG	No limit

測試頻道: IEEE 802.11ax (HE40) / 5550 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11100.00	44.26	3.25	47.51	74.00	-26.49	peak	


測試頻道: IEEE 802.11ax (HE40) /
5550 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment				
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5389.840	21.20	39.51	60.71	74.00	-13.29	peak	
2		5389.840	11.09	39.51	50.60	54.00	-3.40	AVG	
3		5470.000	21.94	39.48	61.42	68.20	-6.78	peak	
4	*	5551.483	58.86	39.51	98.37	68.20	30.17	peak	No limit
5	X	5551.483	50.21	39.51	89.72	68.20	21.52	AVG	No limit


測試頻道:	IEEE 802.11ax (HE40) / 5550 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11100.00	45.30	3.25	48.55	74.00	-25.45	peak	

測試頻道: IEEE 802.11ax (HE40) /
 5670 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5669.135	73.00	39.76	112.76	68.20	44.56	peak	No limit
2	X	5669.135	64.69	39.76	104.45	68.20	36.25	AVG	No limit
3		5725.000	27.62	39.91	67.53	68.20	-0.67	peak	


測試頻道: IEEE 802.11ax (HE40) / 5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射

視頻頻寬: 1000 kHz / 3kHz

測試距離: 3 米

測試日期: 110/05/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11340.00	45.14	2.39	47.53	74.00	-26.47	peak	

測試頻道: IEEE 802.11ax (HE40) /
5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5670.795	57.93	39.76	97.69	68.20	29.49	peak	No limit
2	X	5670.795	49.67	39.76	89.43	68.20	21.23	AVG	No limit
3		5725.000	21.21	39.91	61.12	68.20	-7.08	peak	

測試頻道: IEEE 802.11ax (HE40) /
 5670 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11340.00	44.82	2.39	47.21	74.00	-26.79	peak	

測試頻道: IEEE 802.11ax (HE80) /
 5530 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5457.485	22.64	39.48	62.12	74.00	-11.88	peak	
2		5457.485	12.90	39.48	52.38	54.00	-1.62	AVG	
3		5470.000	23.39	39.48	62.87	68.20	-5.33	peak	
4	*	5531.977	67.42	39.50	106.92	68.20	38.72	peak	No limit
5	X	5531.977	58.81	39.50	98.31	68.20	30.11	AVG	No limit

測試頻道: IEEE 802.11ax (HE80) /
 5530 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11060.00	43.85	3.43	47.28	74.00	-26.72	peak	

測試頻道: IEEE 802.11ax (HE80) /
5530 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/05/19



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5442.752	21.02	39.49	60.51	74.00	-13.49	peak	
2		5442.752	10.90	39.49	50.39	54.00	-3.61	AVG	
3		5470.000	21.65	39.48	61.13	68.20	-7.07	peak	
4	*	5532.600	53.30	39.50	92.80	68.20	24.60	peak	No limit
5	X	5532.600	44.92	39.50	84.42	68.20	16.22	AVG	No limit

測試頻道: IEEE 802.11ax (HE80) /
 5530 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11060.00	44.10	3.43	47.53	74.00	-26.47	peak	


測試頻道: IEEE 802.11ax(HE20) /
 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5645.800	26.35	39.69	66.04	68.20	-2.16	peak	
2		5715.000	44.55	39.88	84.43	109.40	-24.97	peak	
3		5725.000	54.73	39.91	94.64	122.20	-27.56	peak	
4	!	5737.800	78.93	39.95	118.88	122.20	-3.32	peak	

測試頻道:	IEEE 802.11ax(HE20) / 5745 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11490.27	46.85	5.51	52.36	54.00	-1.64	AVG	
2		11492.95	52.71	5.52	58.23	74.00	-15.77	peak	
3		17247.40	43.08	10.44	53.52	68.20	-14.68	peak	

測試頻道: IEEE 802.11ax(HE20) /
5745 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5640.000	23.56	39.67	63.23	68.20	-4.97	peak	
2		5715.000	31.96	39.88	71.84	109.40	-37.56	peak	
3		5725.000	42.38	39.91	82.29	122.20	-39.91	peak	
4		5744.000	66.09	39.97	106.06	122.20	-16.14	peak	

測試頻道: IEEE 802.11ax(HE20) / 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11485.15	45.25	5.51	50.76	74.00	-23.24	peak	

測試頻道: IEEE 802.11ax(HE20) /
 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5645.000	25.06	39.68	64.74	68.20	-3.46	peak	
2		5715.000	30.71	39.88	70.59	109.40	-38.81	peak	
3		5725.000	37.38	39.91	77.29	122.20	-44.91	peak	
4	!	5785.200	78.31	40.09	118.40	122.20	-3.80	peak	
5		5850.000	27.53	40.25	67.78	122.20	-54.42	peak	
6		5860.000	26.09	40.27	66.36	109.40	-43.04	peak	
7	*	5992.600	24.66	40.58	65.24	68.20	-2.96	peak	

測試頻道: IEEE 802.11ax(HE20) / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11565.10	52.53	5.30	57.83	74.00	-16.17	peak	
2	*	11571.33	48.11	5.29	53.40	54.00	-0.60	AVG	

測試頻道: IEEE 802.11ax(HE20) /
 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5638.400	24.13	39.67	63.80	68.20	-4.40	peak	
2		5715.000	22.60	39.88	62.48	109.40	-46.92	peak	
3		5725.000	24.70	39.91	64.61	122.20	-57.59	peak	
4		5782.400	65.45	40.07	105.52	122.20	-16.68	peak	
5		5850.000	21.21	40.25	61.46	122.20	-60.74	peak	
6		5860.000	22.45	40.27	62.72	109.40	-46.68	peak	
7	*	5980.200	25.57	40.55	66.12	68.20	-2.08	peak	

測試頻道: IEEE 802.11ax(HE20) / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11570.95	47.60	5.29	52.89	74.00	-21.11	peak	
2	*	11576.26	41.53	5.27	46.80	54.00	-7.20	AVG	

測試頻道: IEEE 802.11ax(HE20) /
5825 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5823.400	78.17	40.19	118.36	122.20	-3.84	peak	
2		5850.000	57.23	40.25	97.48	122.20	-24.72	peak	
3		5860.000	50.04	40.27	90.31	109.40	-19.09	peak	
4	*	5928.200	27.46	40.43	67.89	68.20	-0.31	peak	
5	!	5959.400	25.69	40.51	66.20	68.20	-2.00	peak	

測試頻道: IEEE 802.11ax(HE20) / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11650.69	48.02	4.91	52.93	54.00	-1.07	AVG	
2		11660.65	53.45	4.85	58.30	74.00	-15.70	peak	

測試頻道: IEEE 802.11ax(HE20) /
 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5828.200	65.34	40.19	105.53	122.20	-16.67	peak	
2		5850.000	43.56	40.25	83.81	122.20	-38.39	peak	
3		5860.000	35.46	40.27	75.73	109.40	-33.67	peak	
4	*	5966.800	24.75	40.52	65.27	68.20	-2.93	peak	

測試頻道: IEEE 802.11ax(HE20) / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11654.80	46.07	4.88	50.95	74.00	-23.05	peak	


測試頻道: IEEE 802.11ax(HE40) /
5755 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5631.200	27.15	39.64	66.79	68.20	-1.41	peak	
2		5715.000	45.05	39.88	84.93	109.40	-24.47	peak	
3		5725.000	50.41	39.91	90.32	122.20	-31.88	peak	
4		5756.400	75.16	40.00	115.16	122.20	-7.04	peak	


測試頻道:	IEEE 802.11ax(HE40) / 5755 MHz	測試模式:	發射
解析頻寬:	1000 kHz / 1000 kHz	視頻頻寬:	1000 kHz / 3kHz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11507.60	42.12	5.50	47.62	54.00	-6.38	AVG	
2		11516.35	47.66	5.47	53.13	74.00	-20.87	peak	

測試頻道: IEEE 802.11ax(HE40) /
 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5605.000	23.80	39.57	63.37	68.20	-4.83	peak	
2		5715.000	32.70	39.88	72.58	109.40	-36.82	peak	
3		5725.000	36.44	39.91	76.35	122.20	-45.85	peak	
4		5750.400	63.60	39.99	103.59	122.20	-18.61	peak	

測試頻道: IEEE 802.11ax(HE40) / 5755 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11502.70	44.67	5.51	50.18	74.00	-23.82	peak	

測試頻道: IEEE 802.11ax(HE40) /
 5795 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5789.800	77.22	40.10	117.32	122.20	-4.88	peak	
2		5850.000	44.86	40.25	85.11	122.20	-37.09	peak	
3		5860.000	39.07	40.27	79.34	109.40	-30.06	peak	
4	*	5927.600	27.06	40.43	67.49	68.20	-0.71	peak	

測試頻道: IEEE 802.11ax(HE40) / 5795 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11589.79	45.59	5.23	50.82	54.00	-3.18	AVG	
2		11598.25	50.07	5.20	55.27	74.00	-18.73	peak	

測試頻道: IEEE 802.11ax(HE40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5796.600	63.80	40.12	103.92	122.20	-18.28	peak	
2		5850.000	30.29	40.25	70.54	122.20	-51.66	peak	
3		5860.000	29.43	40.27	69.70	109.40	-39.70	peak	
4	*	5975.000	24.66	40.54	65.20	68.20	-3.00	peak	

測試頻道: IEEE 802.11ax(HE40) / 5795 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11590.00	43.98	5.22	49.20	74.00	-24.80	peak	

測試頻道: IEEE 802.11ax(HE80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5634.600	25.62	39.66	65.28	68.20	-2.92	peak	
2		5715.000	35.44	39.88	75.32	109.40	-34.08	peak	
3		5725.000	34.35	39.91	74.26	122.20	-47.94	peak	
4		5777.600	68.48	40.07	108.55	122.20	-13.65	peak	

測試頻道: IEEE 802.11ax(HE80) / 5775 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11567.05	44.92	5.30	50.22	74.00	-23.78	peak	

測試頻道: IEEE 802.11ax(HE80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 3kHz
測試距離: 3 米
測試日期: 110/04/23

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5629.200	24.19	39.64	63.83	68.20	-4.37	peak	
2		5715.000	24.25	39.88	64.13	109.40	-45.27	peak	
3		5725.000	25.28	39.91	65.19	122.20	-57.01	peak	
4		5775.200	56.65	40.06	96.71	122.20	-25.49	peak	

測試頻道: IEEE 802.11ax(HE80) / 5775 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/04/23



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11550.00	42.44	5.36	47.80	74.00	-26.20	peak	

測試頻道: IEEE 802.11ax(HE20)/5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 接收
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7493.500	76.74	-31.16	45.58	74.00	-28.42	peak	

測試頻道: IEEE 802.11ax(HE20)/5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 接收
 視頻頻寬: 1000 kHz / 3kHz
 測試距離: 3 米
 測試日期: 110/05/20



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7261.450	78.26	-31.76	46.50	74.00	-27.50	peak	