


Annex A.6 Limit of secondary radiated emissions

1. 802.11a_20M_Band1_L

1.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	197.3	-76.27	0.02	-54	4.0	22.27	Pass
1000	10000	1	Peak	8288	-67.53	0.18	-47	20.0	20.53	Pass
10000	26000	1	Peak	24832	-63.27	0.47	-47	20.0	16.27	Pass



2. 802.11a_20M_Band1_M

2.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	501.1	-75.73	0.03	-54	4.0	21.73	Pass
1000	10000	1	Peak	8352	-65.33	0.29	-47	20.0	18.33	Pass
10000	26000	1	Peak	24713	-63.63	0.43	-47	20.0	16.63	Pass



3. 802.11a_20M_Band1_H

3.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	483.7	-74.34	0.04	-54	4.0	20.34	Pass
1000	10000	1	Peak	8384	-64.06	0.39	-47	20.0	17.06	Pass
10000	26000	1	Peak	24847	-62.39	0.58	-47	20.0	15.39	Pass



4. 802.11n_20M_Band1_L

4.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	320	-76.19	0.02	-54	4.0	22.19	Pass
1000	10000	1	Peak	8288	-67.41	0.18	-47	20.0	20.41	Pass
10000	26000	1	Peak	24865	-63.52	0.44	-47	20.0	16.52	Pass



5. 802.11n_20M_Band1_M

5.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	501.1	-75.37	0.03	-54	4.0	21.37	Pass
1000	10000	1	Peak	8352	-64.84	0.33	-47	20.0	17.84	Pass
10000	26000	1	Peak	24775	-63.43	0.45	-47	20.0	16.43	Pass



6. 802.11n_20M_Band1_H

6.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	483.7	-73.61	0.04	-54	4.0	19.61	Pass
1000	10000	1	Peak	8384	-63.97	0.4	-47	20.0	16.97	Pass
10000	26000	1	Peak	24842	-63.13	0.49	-47	20.0	16.13	Pass



7. 802.11n_40M_Band1_L

7.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	498.2	-75.44	0.03	-54	4.0	21.44	Pass
1000	10000	1	Peak	8304	-67.09	0.2	-47	20.0	20.09	Pass
10000	26000	1	Peak	24746	-63.13	0.49	-47	20.0	16.13	Pass



8. 802.11n_40M_Band1_H

8.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	482.8	-73.38	0.05	-54	4.0	19.38	Pass
1000	10000	1	Peak	8368	-64.65	0.34	-47	20.0	17.65	Pass
10000	26000	1	Peak	24887	-63.27	0.47	-47	20.0	16.27	Pass



9. 802.11ac_20M_Band1_L

9.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	320	-76.23	0.02	-54	4.0	22.23	Pass
1000	10000	1	Peak	8288	-66.85	0.21	-47	20.0	19.85	Pass
10000	26000	1	Peak	24950	-63.05	0.5	-47	20.0	16.05	Pass



10. 802.11ac_20M_Band1_M

10.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	501.1	-75.18	0.03	-54	4.0	21.18	Pass
1000	10000	1	Peak	8352	-65.22	0.3	-47	20.0	18.22	Pass
10000	26000	1	Peak	24805	-62.56	0.55	-47	20.0	15.56	Pass



11. 802.11ac_20M_Band1_H

11.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	483.7	-74.35	0.04	-54	4.0	20.35	Pass
1000	10000	1	Peak	8384	-63.52	0.44	-47	20.0	16.52	Pass
10000	26000	1	Peak	24840	-63.2	0.48	-47	20.0	16.2	Pass



12. 802.11ac_40M_Band1_L

12.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	498.2	-74.91	0.03	-54	4.0	20.91	Pass
1000	10000	1	Peak	8304	-67.01	0.2	-47	20.0	20.01	Pass
10000	26000	1	Peak	24805	-62.64	0.55	-47	20.0	15.64	Pass



13. 802.11ac_40M_Band1_H

13.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	482.8	-74.6	0.04	-54	4.0	20.6	Pass
1000	10000	1	Peak	8368	-64.96	0.32	-47	20.0	17.96	Pass
10000	26000	1	Peak	24789	-63.47	0.45	-47	20.0	16.47	Pass



14. 802.11ac_80M_Band1_M

14.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	500.2	-74.62	0.04	-54	4.0	20.62	Pass
1000	10000	1	Peak	8336	-65.75	0.27	-47	20.0	18.75	Pass
10000	26000	1	Peak	24957	-63.48	0.45	-47	20.0	16.48	Pass



15. 802.11a_20M_Band2_L

15.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	485.5	-74.7	0.03	-54	4.0	20.7	Pass
1000	10000	1	Peak	8416	-62.42	0.57	-47	20.0	15.42	Pass
10000	26000	1	Peak	24810	-63.12	0.49	-47	20.0	16.12	Pass



16. 802.11a_20M_Band2_M

16.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	489.3	-74.61	0.04	-54	4.0	20.61	Pass
1000	10000	1	Peak	8480	-60.11	0.97	-47	20.0	13.11	Pass
10000	26000	1	Peak	24791	-62.71	0.54	-47	20.0	15.71	Pass



17. 802.11a_20M_Band2_H

17.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	491.1	-74.57	0.04	-54	4.0	20.57	Pass
1000	10000	1	Peak	8512	-59.42	1.14	-47	20.0	12.42	Pass
10000	26000	1	Peak	24822	-63.54	0.44	-47	20.0	16.54	Pass



18. 802.11n_20M_Band2_L

18.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	485.5	-73.94	0.04	-54	4.0	19.94	Pass
1000	10000	1	Peak	8416	-62.74	0.53	-47	20.0	15.74	Pass
10000	26000	1	Peak	24811	-62.33	0.58	-47	20.0	15.33	Pass



19. 802.11n_20M_Band2_M

19.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	489.2	-74.32	0.04	-54	4.0	20.32	Pass
1000	10000	1	Peak	8480	-60.06	0.99	-47	20.0	13.06	Pass
10000	26000	1	Peak	24719	-62.85	0.52	-47	20.0	15.85	Pass



20. 802.11n_20M_Band2_H

20.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	491.1	-74.25	0.04	-54	4.0	20.25	Pass
1000	10000	1	Peak	8512	-59.88	1.03	-47	20.0	12.88	Pass
10000	26000	1	Peak	24837	-62.78	0.53	-47	20.0	15.78	Pass



21. 802.11n_40M_Band2_L

21.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	486.5	-74.09	0.04	-54	4.0	20.09	Pass
1000	10000	1	Peak	8432	-62.2	0.6	-47	20.0	15.2	Pass
10000	26000	1	Peak	24885	-63.48	0.45	-47	20.0	16.48	Pass



22. 802.11n_40M_Band2_H

22.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	490.2	-74.56	0.04	-54	4.0	20.56	Pass
1000	10000	1	Peak	8496	-59.98	1.01	-47	20.0	12.98	Pass
10000	26000	1	Peak	24815	-63.21	0.48	-47	20.0	16.21	Pass



23. 802.11ac_20M_Band2_L

23.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	485.5	-73.77	0.04	-54	4.0	19.77	Pass
1000	10000	1	Peak	8416	-62.55	0.56	-47	20.0	15.55	Pass
10000	26000	1	Peak	24738	-63.41	0.46	-47	20.0	16.41	Pass



24. 802.11ac_20M_Band2_M


24.1. A.4-Limit of secondary radiated emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	489.2	-74.44	0.04	-54	4.0	20.44	Pass
1000	10000	1	Peak	8480	-60.21	0.95	-47	20.0	13.21	Pass
10000	26000	1	Peak	24881	-63.39	0.46	-47	20.0	16.39	Pass



24.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496	-75.11	0.03	-54	4.0	21.11	Pass
1000	10000	1	Peak	8928	-66.38	0.23	-47	20.0	19.38	Pass
10000	26000	1	Peak	24766	-62.89	0.51	-47	20.0	15.89	Pass



25. 802.11ac_20M_Band2_H

25.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	491.1	-74.27	0.04	-54	4.0	20.27	Pass
1000	10000	1	Peak	8512	-60	1	-47	20.0	13	Pass
10000	26000	1	Peak	24681	-62.46	0.57	-47	20.0	15.46	Pass



26. 802.11ac_40M_Band2_L

26.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	486.4	-74.94	0.03	-54	4.0	20.94	Pass
1000	10000	1	Peak	8432	-62.49	0.56	-47	20.0	15.49	Pass
10000	26000	1	Peak	24910	-63.16	0.48	-47	20.0	16.16	Pass



27. 802.11ac_40M_Band2_H

27.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	490.1	-74.67	0.03	-54	4.0	20.67	Pass
1000	10000	1	Peak	8496	-60.01	1	-47	20.0	13.01	Pass
10000	26000	1	Peak	24846	-63.68	0.43	-47	20.0	16.68	Pass



28. 802.11ac_80M_Band2_M

28.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.3	-74.47	0.04	-54	4.0	20.47	Pass
1000	10000	1	Peak	8464	-60.31	0.93	-47	20.0	13.31	Pass
10000	26000	1	Peak	24819	-63.19	0.48	-47	20.0	16.19	Pass



29. 802.11a_20M_Band3_L

29.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.9	-73.85	0.04	-54	4.0	19.85	Pass
1000	10000	1	Peak	8800	-63.67	0.43	-47	20.0	16.67	Pass
10000	26000	1	Peak	24787	-63.12	0.49	-47	20.0	16.12	Pass



30. 802.11a_20M_Band3_M

30.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496	-75	0.03	-54	4.0	21	Pass
1000	10000	1	Peak	8928	-66.68	0.22	-47	20.0	19.68	Pass
10000	26000	1	Peak	24874	-63.42	0.46	-47	20.0	16.42	Pass



31. 802.11a_20M_Band3_H

31.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.6	-74.11	0.04	-54	4.0	20.11	Pass
1000	10000	1	Peak	9120	-66.36	0.23	-47	20.0	19.36	Pass
10000	26000	1	Peak	24832	-62.53	0.56	-47	20.0	15.53	Pass



33. 802.11n_20M_Band3_L

33.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.9	-74.79	0.03	-54	4.0	20.79	Pass
1000	10000	1	Peak	8800	-64.03	0.4	-47	20.0	17.03	Pass
10000	26000	1	Peak	24852	-62.34	0.58	-47	20.0	15.34	Pass



34. 802.11n_20M_Band3_M

34.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496	-74.65	0.03	-54	4.0	20.65	Pass
1000	10000	1	Peak	8928	-66.51	0.22	-47	20.0	19.51	Pass
10000	26000	1	Peak	24866	-63.24	0.47	-47	20.0	16.24	Pass



35. 802.11n_20M_Band3_H

35.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.5	-74.46	0.04	-54	4.0	20.46	Pass
1000	10000	1	Peak	9120	-66.64	0.22	-47	20.0	19.64	Pass
10000	26000	1	Peak	24876	-62.73	0.53	-47	20.0	15.73	Pass



37. 802.11n_40M_Band3_L

37.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	489.8	-74.01	0.04	-54	4.0	20.01	Pass
1000	10000	1	Peak	8816	-63.68	0.43	-47	20.0	16.68	Pass
10000	26000	1	Peak	24783	-63.21	0.48	-47	20.0	16.21	Pass



38. 802.11n_40M_Band3_M

38.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496.9	-74.71	0.03	-54	4.0	20.71	Pass
1000	10000	1	Peak	8944	-66.78	0.21	-47	20.0	19.78	Pass
10000	26000	1	Peak	24810	-63.88	0.41	-47	20.0	16.88	Pass



39. 802.11n_40M_Band3_H

39.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	486	-73.99	0.04	-54	4.0	19.99	Pass
1000	10000	1	Peak	9072	-67.22	0.19	-47	20.0	20.22	Pass
10000	26000	1	Peak	24808	-62.13	0.61	-47	20.0	15.13	Pass



41. 802.11ac_20M_Band3_L

41.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.9	-74.2	0.04	-54	4.0	20.2	Pass
1000	10000	1	Peak	8800	-63.37	0.46	-47	20.0	16.37	Pass
10000	26000	1	Peak	24910	-63.88	0.41	-47	20.0	16.88	Pass



42. 802.11ac_20M_Band3_H

42.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	488.6	-74.72	0.03	-54	4.0	20.72	Pass
1000	10000	1	Peak	9120	-66.84	0.21	-47	20.0	19.84	Pass
10000	26000	1	Peak	24733	-62.94	0.51	-47	20.0	15.94	Pass



44. 802.11ac_40M_Band3_L

44.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	489.8	-73.9	0.04	-54	4.0	19.9	Pass
1000	10000	1	Peak	8816	-63.2	0.48	-47	20.0	16.2	Pass
10000	26000	1	Peak	24807	-63.06	0.5	-47	20.0	16.06	Pass



45. 802.11ac_40M_Band3_M

45.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496.9	-75.13	0.03	-54	4.0	21.13	Pass
1000	10000	1	Peak	8944	-67.15	0.19	-47	20.0	20.15	Pass
10000	26000	1	Peak	24780	-62.77	0.53	-47	20.0	15.77	Pass



46. 802.11ac_40M_Band3_H

46.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	486	-74.15	0.04	-54	4.0	20.15	Pass
1000	10000	1	Peak	9072	-66.08	0.25	-47	20.0	19.08	Pass
10000	26000	1	Peak	24799	-62.82	0.52	-47	20.0	15.82	Pass



48. 802.11ac_80M_Band3_L

48.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	491.6	-74.22	0.04	-54	4.0	20.22	Pass
1000	10000	1	Peak	8848	-64.74	0.34	-47	20.0	17.74	Pass
10000	26000	1	Peak	24803	-63.16	0.48	-47	20.0	16.16	Pass



49. 802.11ac_80M_Band3_M

49.1. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	498.7	-75.28	0.03	-54	4.0	21.28	Pass
1000	10000	1	Peak	8976	-66.6	0.22	-47	20.0	19.6	Pass
10000	26000	1	Peak	24989	-63.16	0.48	-47	20.0	16.16	Pass



51. 802.11ac_20M_Band3_M

51.2. A.4-Limit of secondary radiated emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (nW)	Limit (dBm)	Limit (nW)	Margin (dB)	Verdict
30	1000	0.1	Peak	496	-74.59	0.04	-54	4.0	20.59	Pass
1000	10000	1	Peak	8928	-66.34	0.23	-47	20.0	19.34	Pass
10000	26000	1	Peak	24839	-63.05	0.5	-47	20.0	16.05	Pass



--BLANK BELOW--