



IEEE 802.11ax(HE80) - 5530MHz




IEEE 802.11be(EHT160) - 5570MHz




A.4 CHANNEL LOADING


IEEE 802.11a - 5260MHz




IEEE 802.11ac(VHT40) - 5270MHz



IEEE 802.11ax(HE80) - 5290MHz




IEEE 802.11be(EHT160) - 5250MHz




Frequency (MHz)	Marker Delta (ms)	Number	On Time (ms)	Total Time (ms)	Duty cycle (%)	Limit (%)
5260	5.176	6	31.056	101.3	30.66	30.00
5270	5.112	6	30.672	101.3	30.28	30.00
5290	5.13	6	30.78	101.3	30.38	30.00
5250	5.247	6	31.482	101.3	31.08	30.00


IEEE 802.11a - 5700MHz




IEEE 802.11ac(VHT40) - 5670MHz



IEEE 802.11ax(HE80) - 5530MHz



IEEE 802.11be(EHT160) - 5570MHz



Frequency (MHz)	Marker Delta (ms)	Number	On Time (ms)	Total Time (ms)	Duty cycle (%)	Limit (%)
5700	3.167	6	19.002	101.3	18.76	17.00
5670	3.086	6	18.516	101.3	18.28	17.00
5530	3.291	6	19.746	101.3	19.49	17.00
5570	3.359	6	20.154	101.3	19.90	17.00

End of Test Report