








802.11ax (40 MHz) / 5230 MHz




802.11ax (40 MHz) / 5230 MHz



802.11ax (40 MHz) / 5230 MHz





802.11ax (40 MHz) / 5230 MHz




802.11ax (40 MHz) / 5230 MHz


802.11ax (40 MHz) / 5230 MHz




802.11ax (40 MHz) / 5270 MHz




802.11ax (40 MHz) / 5270 MHz



802.11ax (40 MHz) / 5270 MHz





802.11ax (40 MHz) / 5270 MHz




802.11ax (40 MHz) / 5270 MHz

802.11ax (40 MHz) / 5270 MHz







802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5510 MHz





802.11ax (40 MHz) / 5510 MHz




802.11ax (40 MHz) / 5510 MHz









802.11ax (80 MHz) / 5210 MHz




802.11ax (80 MHz) / 5210 MHz



802.11ax (80 MHz) / 5210 MHz





802.11ax (80 MHz) / 5210 MHz




802.11ax (80 MHz) / 5210 MHz


802.11ax (80 MHz) / 5290 MHz




802.11ax (80 MHz) / 5290 MHz




802.11ax (80 MHz) / 5290 MHz



802.11ax (80 MHz) / 5290 MHz





802.11ax (80 MHz) / 5290 MHz




802.11ax (80 MHz) / 5290 MHz

802.11ax (80 MHz) / 5530 MHz







Appendix E. Test Result of Transmitter Spurious Emissions

802.11a (20 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (μW/MHz)	Limit (μW/MHz)
5180	30 - 1000	976.01	0.291743	2.5
	1000 - 5135	5134.42	0.018323	2.5
	5365 - 16000	6907.19	0.014962	2.5
	16000 - 26000	19770.66	0.009057	2.5
5220	30 -1000	902.62	0.020464	2.5
	1000 - 5135	1014.80	0.145211	2.5
	5365 - 16000	5374.47	0.017219	2.5
	16000 - 26000	19335.68	0.012388	2.5
5240	30 -1000	763.80	0.005047	2.5
	1000 - 5135	1034.56	0.191426	2.5
	5365 - 16000	6288.06	0.041020	2.5
	16000 - 26000	25920.78	0.010328	2.5
5260	30 - 1000	785.38	0.005662	2.5
	1000 - 5135	1055.37	0.162181	2.5
	5365 - 16000	5760.31	0.017258	2.5
	16000 - 26000	22900.88	0.011143	2.5
5300	30 -1000	729.09	0.016982	2.5
	1000 - 5135	1093.75	0.124451	2.5
	5365 - 16000	6359.84	0.033189	2.5
	16000 - 26000	20170.03	0.010233	2.5
5320	30 -1000	996.68	0.004797	2.5
	1000 - 5135	1763.34	0.082224	2.5
	5365 - 16000	6883.60	0.018621	2.5
	16000 - 26000	20128.46	0.010447	2.5
5500	30 - 1000	961.13	0.006339	2.5
	1000 - 5455	1293.67	0.026977	2.5
	5770 - 16000	6587.89	0.017179	2.5
	16000 - 26000	22914.63	0.015101	2.5
5600	30 - 1000	980.71	0.009977	2.5
	1000 - 5455	1393.21	0.023335	2.5
	5770 - 16000	6840.44	0.017258	2.5
	16000 - 26000	24779.57	0.014158	2.5

5700	30 - 1000	780.86	0.006950	2.5
	1000 - 5455	1493.86	0.020230	2.5
	5770 - 16000	15281.21	0.015205	2.5
	16000 - 26000	20113.78	0.015346	2.5
5720	30 - 1000	772.89	0.004121	2.5
	1000 - 5455	1515.02	0.018113	2.5
	5770 - 16000	6985.25	0.011376	2.5
	16000 - 26000	22903.69	0.009954	2.5


802.11ax (20 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
5180	30 - 1000	974.61	0.264241	2.5
	1000 - 5135	5133.38	0.029376	2.5
	5365 - 16000	5488.13	0.016255	2.5
	16000 - 26000	16987.63	0.010399	2.5
5220	30 -1000	758.61	0.005689	2.5
	1000 - 5135	1012.34	0.129718	2.5
	5365 - 16000	6960.03	0.016482	2.5
	16000 - 26000	16984.50	0.009550	2.5
5240	30 -1000	630.46	0.005047	2.5
	1000 - 5135	1032.76	0.272898	2.5
	5365 - 16000	6288.39	0.048978	2.5
	16000 - 26000	19466.61	0.011041	2.5
5260	30 - 1000	838.97	0.004898	2.5
	1000 - 5135	1052.27	0.097275	2.5
	5365 - 16000	5760.31	0.016406	2.5
	16000 - 26000	16369.83	0.012190	2.5
5300	30 -1000	797.38	0.004955	2.5
	1000 - 5135	1097.23	0.117220	2.5
	5365 - 16000	6360.50	0.032211	2.5
	16000 - 26000	20104.72	0.011350	2.5
5320	30 -1000	857.10	0.005395	2.5
	1000 - 5135	2433.18	0.238232	2.5
	5365 - 16000	5366.50	0.079068	2.5
	16000 - 26000	19538.80	0.015031	2.5
5500	30 - 1000	485.08	0.006887	2.5
	1000 - 5455	2413.37	0.101391	2.5
	5770 - 16000	15831.37	0.017865	2.5
	16000 - 26000	16371.71	0.013614	2.5
5600	30 - 1000	892.99	0.005957	2.5
	1000 - 5455	2416.16	0.216272	2.5
	5770 - 16000	14943.63	0.020989	2.5
	16000 - 26000	20156.90	0.014723	2.5

5700	30 - 1000	649.04	0.007031	2.5
	1000 - 5455	1495.26	0.028445	2.5
	5770 - 16000	5777.19	0.021184	2.5
	16000 - 26000	16357.96	0.016904	2.5
5720	30 - 1000	829.54	0.006998	2.5
	1000 - 5455	3402.91	0.198609	2.5
	5770 - 16000	5771.12	0.025645	2.5
	16000 - 26000	19598.48	0.014825	2.5


802.11ax (40 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (μW/MHz)	Limit (μW/MHz)
5190	30 - 1000	986.71	0.094624	2.5
	1000 - 5100	3343.14	0.159588	2.5
	5400 - 16000	5411.10	0.019055	2.5
	16000 - 26000	16418.58	0.011695	2.5
5230	30 - 1000	961.19	0.004831	2.5
	1000 - 5100	1762.38	0.062661	2.5
	5400 - 16000	15782.21	0.012474	2.5
	16000 - 26000	16633.57	0.009397	2.5
5270	30 - 1000	691.50	0.005585	2.5
	1000 - 5100	1065.92	0.039264	2.5
	5400 - 16000	6323.99	0.040926	2.5
	16000 - 26000	19900.97	0.011117	2.5
5310	30 - 1000	777.47	0.004710	2.5
	1000 - 5100	1769.69	0.023768	2.5
	5400 - 16000	5405.13	0.027227	2.5
	16000 - 26000	16326.08	0.009977	2.5
5510	30 - 1000	832.12	0.007362	2.5
	1000 - 5420	2430.03	0.094624	2.5
	5800 - 16000	15348.97	0.016827	2.5
	16000 - 26000	19910.35	0.014488	2.5
5590	30 - 1000	770.68	0.006934	2.5
	1000 - 5420	1769.54	0.044668	2.5
	5800 - 16000	6309.19	0.016982	2.5
	16000 - 26000	16900.75	0.014223	2.5
5670	30 - 1000	988.59	0.006668	2.5
	1000 - 5420	2528.51	0.018113	2.5
	5800 - 16000	6895.99	0.017742	2.5
	16000 - 26000	19789.41	0.016711	2.5
5710	30 - 1000	906.72	0.006745	2.5
	1000 - 5420	5401.84	0.016482	2.5
	5800 - 16000	6835.43	0.018664	2.5
	16000 - 26000	19836.91	0.013804	2.5

802.11ax (80 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
5210	30 - 1000	997.11	0.018323	2.5
	1000 - 5020	1009.61	0.016943	2.5
	5480 - 16000	5510.08	0.013740	2.5
	16000 - 26000	16417.02	0.010691	2.5
5290	30 - 1000	873.34	0.005370	2.5
	1000 - 5020	4498.48	0.011561	2.5
	5480 - 16000	5541.64	0.018450	2.5
	16000 - 26000	22910.25	0.015560	2.5
5530	30 - 1000	337.19	0.006855	2.5
	1000 - 5340	5338.58	0.018281	2.5
	5800 - 16000	6986.51	0.018323	2.5
	16000 - 26000	20111.59	0.015136	2.5
5610	30 - 1000	824.12	0.007328	2.5
	1000 - 5340	2454.06	0.018281	2.5
	5800 - 16000	6098.18	0.016218	2.5
	16000 - 26000	16764.19	0.015276	2.5
5690	30 - 1000	758.25	0.006653	2.5
	1000 - 5340	2457.72	0.056364	2.5
	5800 - 16000	5848.61	0.027353	2.5
	16000 - 26000	16668.26	0.015382	2.5


802.11ax (160 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
5250	30 - 1000	997.56	0.006427	2.5
	1000 - 4916	1769.53	0.045499	2.5
	5584 - 16000	15799.66	0.013002	2.5
	16000 - 26000	20131.90	0.011508	2.5
5570	30 - 1000	995.95	0.006998	2.5
	1000 - 5340	5339.80	0.034119	2.5
	5800 - 16000	6872.40	0.017783	2.5
	16000 - 26000	20176.59	0.015417	2.5




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5300 MHz




802.11a (20 MHz) / 5300 MHz




802.11a (20 MHz) / 5300 MHz




802.11a (20 MHz) / 5300 MHz




802.11a (20 MHz) / 5320 MHz





802.11a (20 MHz) / 5320 MHz





802.11a (20 MHz) / 5320 MHz





802.11a (20 MHz) / 5320 MHz



802.11a (20 MHz) / 5500 MHz




802.11a (20 MHz) / 5500 MHz




802.11a (20 MHz) / 5600 MHz


802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5700 MHz




802.11a (20 MHz) / 5700 MHz




802.11a (20 MHz) / 5700 MHz




802.11a (20 MHz) / 5700 MHz




802.11a (20 MHz) / 5720 MHz




802.11a (20 MHz) / 5720 MHz




802.11a (20 MHz) / 5720 MHz









802.11a (20 MHz) / 5720 MHz





802.11ax (20 MHz) / 5180 MHz




802.11ax (20 MHz) / 5180 MHz


**802.11ax (20 MHz) / 5180 MHz****802.11ax (20 MHz) / 5180 MHz****802.11ax (20 MHz) / 5220 MHz****802.11ax (20 MHz) / 5220 MHz****802.11ax (20 MHz) / 5220 MHz****802.11ax (20 MHz) / 5220 MHz**




802.11ax (20 MHz) / 5240 MHz




802.11ax (20 MHz) / 5240 MHz



802.11ax (20 MHz) / 5240 MHz











802.11ax (20 MHz) / 5240 MHz




802.11ax (20 MHz) / 5260 MHz

802.11ax (20 MHz) / 5260 MHz


**802.11ax (20 MHz) / 5260 MHz****802.11ax (20 MHz) / 5260 MHz****802.11ax (20 MHz) / 5300 MHz****802.11ax (20 MHz) / 5300 MHz****802.11ax (20 MHz) / 5300 MHz****802.11ax (20 MHz) / 5300 MHz**




802.11ax (20 MHz) / 5320 MHz




802.11ax (20 MHz) / 5320 MHz



802.11ax (20 MHz) / 5320 MHz





802.11ax (20 MHz) / 5320 MHz




802.11ax (20 MHz) / 5500 MHz


802.11ax (20 MHz) / 5500 MHz




802.11ax (20 MHz) / 5500 MHz




802.11ax (20 MHz) / 5500 MHz



802.11ax (20 MHz) / 5600 MHz





802.11ax (20 MHz) / 5600 MHz




802.11ax (20 MHz) / 5600 MHz


802.11ax (20 MHz) / 5600 MHz




802.11ax (20 MHz) / 5700 MHz




802.11ax (20 MHz) / 5700 MHz



802.11ax (20 MHz) / 5700 MHz




802.11ax (20 MHz) / 5700 MHz




802.11ax (20 MHz) / 5720 MHz


802.11ax (20 MHz) / 5720 MHz




802.11ax (20 MHz) / 5720 MHz




802.11ax (20 MHz) / 5720 MHz




802.11ax (40 MHz) / 5190 MHz










802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz


**802.11ax (40 MHz) / 5230 MHz****802.11ax (40 MHz) / 5230 MHz****802.11ax (40 MHz) / 5230 MHz****802.11ax (40 MHz) / 5230 MHz****802.11ax (40 MHz) / 5270 MHz****802.11ax (40 MHz) / 5270 MHz**




802.11ax (40 MHz) / 5270 MHz




802.11ax (40 MHz) / 5270 MHz




802.11ax (40 MHz) / 5310 MHz





802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5310 MHz




802.11ax (40 MHz) / 5510 MHz




802.11ax (40 MHz) / 5510 MHz




802.11ax (40 MHz) / 5510 MHz




802.11ax (40 MHz) / 5510 MHz





802.11ax (40 MHz) / 5590 MHz




802.11ax (40 MHz) / 5590 MHz







802.11ax (40 MHz) / 5590 MHz




802.11ax (40 MHz) / 5590 MHz



802.11ax (40 MHz) / 5670 MHz











802.11ax (40 MHz) / 5670 MHz




802.11ax (40 MHz) / 5670 MHz

802.11ax (40 MHz) / 5670 MHz


**802.11ax (40 MHz) / 5710 MHz****802.11ax (40 MHz) / 5710 MHz****802.11ax (40 MHz) / 5710 MHz****802.11ax (40 MHz) / 5710 MHz****802.11ax (80 MHz) / 5210 MHz****802.11ax (80 MHz) / 5210 MHz**




802.11ax (80 MHz) / 5210 MHz




802.11ax (80 MHz) / 5210 MHz



802.11ax (80 MHz) / 5290 MHz











802.11ax (80 MHz) / 5290 MHz




802.11ax (80 MHz) / 5290 MHz

802.11ax (80 MHz) / 5290 MHz


**802.11ax (80 MHz) / 5530 MHz****802.11ax (80 MHz) / 5530 MHz****802.11ax (80 MHz) / 5530 MHz****802.11ax (80 MHz) / 5530 MHz****802.11ax (80 MHz) / 5610 MHz****802.11ax (80 MHz) / 5610 MHz**




802.11ax (80 MHz) / 5610 MHz




802.11ax (80 MHz) / 5610 MHz



802.11ax (80 MHz) / 5690 MHz





802.11ax (80 MHz) / 5690 MHz




802.11ax (80 MHz) / 5690 MHz


802.11ax (80 MHz) / 5690 MHz




802.11ax (160 MHz) / 5250 MHz




802.11ax (160 MHz) / 5250 MHz



802.11ax (160 MHz) / 5250 MHz




802.11ax (160 MHz) / 5250 MHz




802.11ax (160 MHz) / 5570 MHz



802.11ax (160 MHz) / 5570 MHz





Appendix F. Test Result of Receiver Spurious Emissions

802.11a (20 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
5180	30 - 1000	999.32	0.019409	4
	1000 - 3000	2661.92	0.023174	20
	3000 - 16000	6183.88	0.047863	20
	16000 - 26000	20116.28	0.043351	20
5220	30 - 1000	735.79	0.020137	4
	1000 - 3000	2636.17	0.020989	20
	3000 - 16000	6993.52	0.072111	20
	16000 - 26000	22423.39	0.044055	20
5240	30 - 1000	861.04	0.021380	4
	1000 - 3000	2760.16	0.022856	20
	3000 - 16000	6710.37	0.043652	20
	16000 - 26000	19725.35	0.039628	20
5260	30 - 1000	807.81	0.018664	4
	1000 - 3000	2632.54	0.023442	20
	3000 - 16000	6811.52	0.046881	20
	16000 - 26000	23529.61	0.048865	20
5300	30 - 1000	865.01	0.021380	4
	1000 - 3000	2944.60	0.020749	20
	3000 - 16000	15345.75	0.047315	20
	16000 - 26000	19919.72	0.050582	20
5320	30 - 1000	899.81	0.020845	4
	1000 - 3000	2668.04	0.021135	20
	3000 - 16000	15902.71	0.051642	20
	16000 - 26000	19847.85	0.039264	20
5500	30 - 1000	959.88	0.019679	4
	1000 - 3000	2710.60	0.022439	20
	3000 - 16000	14850.96	0.054576	20
	16000 - 26000	20014.09	0.046026	20
5600	30 - 1000	869.10	0.019953	4
	1000 - 3000	2807.48	0.021478	20
	3000 - 16000	14885.49	0.049774	20
	16000 - 26000	16032.03	0.045499	20

5700	30 - 1000	805.96	0.019724	4
	1000 - 3000	2750.29	0.022284	20
	3000 - 16000	15312.85	0.047534	20
	16000 - 26000	20105.65	0.046989	20
5720	30 - 1000	825.15	0.021528	4
	1000 - 3000	2453.36	0.026303	20
	3000 - 16000	15316.91	0.044259	20
	16000 - 26000	19168.18	0.045082	20



802.11ax (20 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
5180	30 - 1000	996.83	0.021677	4
	1000 - 3000	2664.17	0.021281	20
	3000 - 16000	14894.02	0.044668	20
	16000 - 26000	19985.97	0.040926	20
5220	30 - 1000	915.48	0.020324	4
	1000 - 3000	2401.80	0.020184	20
	3000 - 16000	6982.95	0.054954	20
	16000 - 26000	20026.91	0.044978	20
5240	30 - 1000	721.79	0.028642	4
	1000 - 3000	2569.30	0.021478	20
	3000 - 16000	15385.16	0.042756	20
	16000 - 26000	25936.72	0.049545	20
5260	30 - 1000	665.74	0.017989	4
	1000 - 3000	2520.36	0.022751	20
	3000 - 16000	6847.68	0.047753	20
	16000 - 26000	20083.15	0.046881	20
5300	30 - 1000	762.25	0.019409	4
	1000 - 3000	2745.10	0.021038	20
	3000 - 16000	6976.45	0.050699	20
	16000 - 26000	25906.72	0.044463	20
5320	30 - 1000	732.94	0.017783	4
	1000 - 3000	2783.48	0.022336	20
	3000 - 16000	15327.88	0.043954	20
	16000 - 26000	20086.90	0.059429	20
5500	30 - 1000	982.19	0.021727	4
	1000 - 3000	2761.98	0.025061	20
	3000 - 16000	6530.00	0.049888	20
	16000 - 26000	19861.91	0.049659	20
5600	30 - 1000	719.18	0.022803	4
	1000 - 3000	2809.85	0.019543	20
	3000 - 16000	6612.06	0.049204	20
	16000 - 26000	16346.40	0.049317	20

5700	30 - 1000	576.08	0.023014	4
	1000 - 3000	2675.29	0.024946	20
	3000 - 16000	15862.89	0.044157	20
	16000 - 26000	20084.40	0.043053	20
5720	30 - 1000	674.08	0.021086	4
	1000 - 3000	2612.92	0.019543	20
	3000 - 16000	6947.61	0.055081	20
	16000 - 26000	16407.96	0.055208	20


802.11ax (40 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
5190	30 - 1000	927.36	0.019861	4
	1000 - 3000	2740.10	0.025527	20
	3000 - 16000	6849.71	0.047424	20
	16000 - 26000	927.36	0.019861	20
5230	30 - 1000	868.65	0.021928	4
	1000 - 3000	2950.10	0.025704	20
	3000 - 16000	14862.74	0.049888	20
	16000 - 26000	20100.65	0.048306	20
5270	30 - 1000	748.79	0.019320	4
	1000 - 3000	2673.29	0.026002	20
	3000 - 16000	15904.74	0.047753	20
	16000 - 26000	19758.79	0.040832	20
5310	30 - 1000	867.98	0.020797	4
	1000 - 3000	2964.41	0.021135	20
	3000 - 16000	6855.80	0.047863	20
	16000 - 26000	20101.90	0.041591	20
5510	30 - 1000	860.25	0.023659	4
	1000 - 3000	2540.61	0.026853	20
	3000 - 16000	6854.99	0.055976	20
	16000 - 26000	20071.90	0.050933	20
5590	30 - 1000	832.94	0.019454	4
	1000 - 3000	2743.10	0.018836	20
	3000 - 16000	15365.25	0.046345	20
	16000 - 26000	19470.36	0.047643	20
5670	30 - 1000	800.08	0.019364	4
	1000 - 3000	2637.79	0.021727	20
	3000 - 16000	15878.74	0.057280	20
	16000 - 26000	19945.66	0.045709	20
5710	30 - 1000	998.50	0.020277	4
	1000 - 3000	2726.85	0.023388	20
	3000 - 16000	14830.65	0.069984	20
	16000 - 26000	22970.25	0.039719	20

802.11ax (80 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
5210	30 - 1000	654.31	0.022029	4
	1000 - 3000	2806.04	0.020606	20
	3000 - 16000	6847.27	0.048529	20
	16000 - 26000	16008.28	0.039628	20
5290	30 - 1000	943.00	0.019409	4
	1000 - 3000	2712.60	0.019454	20
	3000 - 16000	6987.02	0.062661	20
	16000 - 26000	19151.31	0.046774	20
5530	30 - 1000	861.55	0.019143	4
	1000 - 3000	2522.11	0.019679	20
	3000 - 16000	6871.24	0.047753	20
	16000 - 26000	20023.16	0.043954	20
5610	30 - 1000	988.86	0.019815	4
	1000 - 3000	2751.98	0.023878	20
	3000 - 16000	15974.61	0.052000	20
	16000 - 26000	17033.25	0.052360	20
5690	30 - 1000	868.22	0.020893	4
	1000 - 3000	2683.54	0.020941	20
	3000 - 16000	6253.76	0.054828	20
	16000 - 26000	16322.96	0.043053	20


802.11ax (160 MHz)				
Frequency (MHz)	Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
5250	30 - 1000	934.75	0.020370	4
	1000 - 3000	2629.17	0.022961	20
	3000 - 16000	6934.21	0.054200	20
	16000 - 26000	16927.00	0.045290	20
5570	30 - 1000	629.21	0.020701	4
	1000 - 3000	2775.66	0.022131	20
	3000 - 16000	6968.74	0.053827	20
	16000 - 26000	25962.66	0.040179	20




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5180 MHz



802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5220 MHz


802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz



802.11a (20 MHz) / 5260 MHz



802.11a (20 MHz) / 5300 MHz



802.11a (20 MHz) / 5300 MHz