



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

E.U.T:	POWERED LOUDSPEAKER SERIES
Model Number:	THRASH12v2, THRASH15v2
Trade Name:	
Date of Receipt:	Apr. 20, 2026
Date of Test:	Mar. 10 ~ 30, 2026


A.1 FREQUENCY TOLERANCE

Test Result

Condition	Mode	Ch.	Center Frequency (MHz)	Measured Value (MHz)	Result (ppm)	Limit (ppm)	Result
NT/NV	GFSK(CW)	0	2402	2402.0387572	16.14	± 50	PASS
NT/NV	GFSK(CW)	39	2441	2441.0393947	16.14	± 50	PASS
NT/NV	GFSK(CW)	78	2480	2480.0400573	16.15	± 50	PASS

Test Graphs

NT/NV





Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.2 ANTENNA POWER

Operation Mode	Power	Power	Spread Bandwidth	Power	Limit	Rated power	Tolerance (%)	Limit	Result
	(dBm)	(mW)		(mW/MHz)					
GFSK	3.88	2.443	70.914	0.071	3	0.07	0.86	20%	Pass
$\pi/4$ -DQPSK	2.35	1.718	71.031	0.043	3	0.04	7.00		
8DPSK	2.14	1.637	71.011	0.039	3	0.04	-2.54		

Test Mode	Conducted RF output power (mW/MHz)	Conducted RF output power (dBm/MHz)	Antenna Gain	EIRP RF output power (dBm/MHz)	Limit (dBm/MHz)	Result
GFSK	0.071	-11.51	-0.58	-12.09	6.91	Pass
$\pi/4$ -DQPSK	0.043	-13.69	-0.58	-14.27	6.91	Pass
8DPSK	0.039	-14.09	-0.58	-14.67	6.91	Pass




Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.3 OCCUPIED BANDWIDTH (99% BW)

Test Result
Normal Mode

Condition	Modulation	99% BW (MHz)	Limit (MHz)	Result
NT/NV	GFSK_DH1	78.115	83.5	PASS
	GFSK_DH3	78.119		PASS
	GFSK_DH5	78.129		PASS
	$\pi/4$ DQPSK_2-DH1	78.218		PASS
	$\pi/4$ DQPSK_2-DH3	78.211		PASS
	$\pi/4$ DQPSK_2-DH5	78.227		PASS
	8DPSK_3-DH1	78.231		PASS
	8DPSK_3-DH3	78.245		PASS
	8DPSK_3-DH5	78.243		PASS


Test Graphs
Normal Mode




NT/NV_GFSK_DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV_GFSK_DH3




NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV π /4DQPSK 2-DH1




NT/NV π /4DQPSK 2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV π /4QPSK 2-DH5




NT/NV 8DPSK 3-DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China



NT/NV_8DPSK_3-DH3



NT/NV_8DPSK_3-DH5




Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.4 SPREADING BANDWIDTH (90% BW)

Test Result
Normal Mode


Condition	Mode	90% SBW (MHz)	Spreading factor	Result
NT/NV	GFSK_DH1	70.914	70.914	PASS
NT/NV	GFSK_DH3	70.902	70.902	PASS
NT/NV	GFSK_DH5	70.886	70.886	PASS
NT/NV	$\pi/4$ DQPSK_2-DH1	70.932	35.466	PASS
NT/NV	$\pi/4$ DQPSK_2-DH3	71.002	35.501	PASS
NT/NV	$\pi/4$ DQPSK_2-DH5	71.031	35.516	PASS
NT/NV	8DPSK_3-DH1	70.912	23.637	PASS
NT/NV	8DPSK_3-DH3	70.956	23.652	PASS
NT/NV	8DPSK_3-DH5	71.011	23.670	PASS

Test Graphs
Normal Mode






Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV_GFSK_DH3




NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV_π/4DQPSK_2-DH1




NT/NV_π/4DQPSK_2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




NT/NV π /4DQPSK 2-DH5




NT/NV 8DPSK 3-DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China



NT/NV_8DPSK_3-DH3



NT/NV_8DPSK_3-DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.5 DWELL TIME

Test Result
Normal Mode

Condition	Modulation	Packet	Spreading Rate	(Spreading Rate / 79) * 0.4	Burst Ratio	Dwell Time (ms)	Limit (s)	Result
NT/NV	GFSK	DH1	71.9386	0.3642	0.304	110	0.4	PASS
		DH3	71.9386	0.3642	0.656	238	0.4	PASS
		DH5	71.9386	0.3642	0.771	280	0.4	PASS
	π/4DQPSK	2-DH1	71.6336	0.3627	0.312	113	0.4	PASS
		2-DH3	71.6336	0.3627	0.656	237	0.4	PASS
		2-DH5	71.6336	0.3627	0.771	279	0.4	PASS
	8DPSK	3-DH1	71.5658	0.3624	0.312	113	0.4	PASS
		3-DH3	71.5658	0.3624	0.656	237	0.4	PASS
		3-DH5	71.5658	0.3624	0.771	279	0.4	PASS

Note:

- 1) Spreading Rate = Spreading factor;
- 2) Normal mode Dwell time = (Spreading rate/79) x Burst Ratio x 0.4 seconds.
- 3) Burst Ratio = Duty Cycle = On Time / Period.


Test Graphs
Normal Mode




Dwell Time
NT/NV_GFSK_DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China



Dwell Time
NT/NV_GFSK_DH3




Dwell Time
NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




Dwell Time
NT/NV $\pi/4$ QPSK 2-DH1




Dwell Time
NT/NV $\pi/4$ QPSK 2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




Dwell Time
NT/NV π/4QPSK 2-DH5




Dwell Time
NT/NV 8DPSK 3-DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China



Dwell Time
NT/NV 8DPSK 3-DH3



Dwell Time
NT/NV 8DPSK 3-DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.6 SPURIOUS EMISSIONS

Test Result GFSK_DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/MH z)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	
NT/NV	30 to 1000	172.16 1	-52.575	0.006	178.32 0	-52.983	0.005	905.37 2	-41.909	0.064	2.5
NT/NV	1000 to 2387	2210.2 87	-45.074	0.031	2286.8 54	-44.468	0.036	2288.3 10	-42.249	0.06	2.5
NT/NV	2387 to 2400	2399.9 49	-40.567	0.088	2399.3 42	-42.604	0.055	2399.1 58	-52.316	0.006	25
NT/NV	2483.5 to 2496.5	2491.7 17	-51.579	0.007	2492.5 36	-50.098	0.01	2483.7 26	-48.464	0.014	25
NT/NV	2496.5 to 12500	2631.0 54	-42.505	0.056	2595.0 39	-42.829	0.052	2672.0 70	-44.143	0.039	2.5
Result: PASS											

π /4DQPSK_2-DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/MH z)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	
NT/NV	30 to 1000	905.03 2	-36.287	0.235	960.03 4	-51.960	0.006	949.36 3	-52.541	0.006	2.5
NT/NV	1000 to 2387	2210.0 79	-44.994	0.032	2284.3 57	-43.537	0.044	2288.5 18	-43.266	0.047	2.5
NT/NV	2387 to 2400	2399.9 53	-33.393	0.458	2397.7 41	-45.260	0.03	2395.0 94	-52.014	0.006	25
NT/NV	2483.5 to 2496.5	2492.2 54	-51.773	0.007	2486.0 16	-47.908	0.016	2483.7 70	-42.195	0.06	25
NT/NV	2496.5 to 12500	2594.0 39	-43.516	0.045	2612.5 46	-28.160	1.528	2614.0 47	-37.552	0.176	2.5
Result: PASS											

8DPSK_3-DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/MH z)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (μ W/MH z)	
NT/NV	924.724	-51.94 1	0.006	943.446	-52.94 1	0.005	203.881	-52.90 7	0.005	924.724	2.5
NT/NV	2210.079	-45.04 8	0.031	2278.11 5	-44.03 5	0.039	2288.44 9	-43.06 1	0.049	2210.07 9	2.5
NT/NV	2399.999	-35.42 2	0.287	2399.94 0	-37.37 9	0.183	2388.81 0	-51.94 1	0.006	2399.99 9	25
NT/NV	2491.714	-52.32 4	0.006	2490.36 1	-50.88 1	0.008	2483.73 5	-47.15 1	0.019	2491.71 4	25
NT/NV	2594.539	-43.61 9	0.043	2602.04 2	-43.92 0	0.041	2672.07 0	-44.34 3	0.037	2594.53 9	2.5
Result: PASS											

Hopping



Mode	Ch.	Range	Peak (MHz)	Emission (dBm)	Limit	Margin (dBm)	Result
GFSK_DH1	Hopping	30 to 1000	178.320416	-52.983	-36	-16.98	PASS
GFSK_DH1	Hopping	1000 to 2387	2286.853593	-44.468	-26	-18.47	PASS
GFSK_DH1	Hopping	2387 to 2400	2399.342167	-42.604	-16	-26.60	PASS
GFSK_DH1	Hopping	2483.5 to 2496.5	2492.536102	-50.098	-16	-34.10	PASS



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China



GFSK_DH1	Hopping	2496.5 to 12500	2595.039402	-42.829	-26	-16.83	PASS
$\pi/4$ DQPSK_2-DH1	Hopping	30 to 1000	960.034002	-51.96	-36	-15.96	PASS
$\pi/4$ DQPSK_2-DH1	Hopping	1000 to 2387	2284.356868	-43.537	-26	-17.54	PASS
$\pi/4$ DQPSK_2-DH1	Hopping	2387 to 2400	2397.741137	-45.26	-16	-29.26	PASS
$\pi/4$ DQPSK_2-DH1	Hopping	2483.5 to 2496.5	2486.015626	-47.908	-16	-31.91	PASS
$\pi/4$ DQPSK_2-DH1	Hopping	2496.5 to 12500	2612.546402	-28.16	-26	-2.16	PASS
8DPSK_3-DH1	Hopping	30 to 1000	943.446172	-52.941	-36	-16.94	PASS
8DPSK_3-DH1	Hopping	1000 to 2387	2278.115056	-44.035	-26	-18.03	PASS
8DPSK_3-DH1	Hopping	2387 to 2400	2399.940197	-37.379	-16	-21.38	PASS
8DPSK_3-DH1	Hopping	2483.5 to 2496.5	2490.361093	-50.881	-16	-34.88	PASS
8DPSK_3-DH1	Hopping	2496.5 to 12500	2602.042202	-43.92	-26	-17.92	PASS

Test Graphs





30 to 1000MHz
NT/NV_GFSK_DH1_Channel 0

1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 0



2387 to 2400MHz
NT/NV_GFSK_DH1_Channel 0

2483.5 to 2496.5MHz
NT/NV_GFSK_DH1_Channel 0




2496.5 to 12500MHz
NT/NV_GFSK_DH1_Channel 0


30 to 1000MHz
NT/NV_GFSK_DH1_Channel 39



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 39




2387 to 2400MHz
NT/NV_GFSK_DH1_Channel 39




2483.5 to 2496.5MHz
NT/NV_GFSK_DH1_Channel 39




2496.5 to 12500MHz
NT/NV_GFSK_DH1_Channel 39




30 to 1000MHz
NT/NV_GFSK_DH1_Channel 78



1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 78




2387 to 2400MHz
NT/NV_GFSK_DH1_Channel 78



2483.5 to 2496.5MHz
NT/NV_GFSK_DH1_Channel 78




Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China






Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China






Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China







Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




2483.5 to 2496.5MHz
NT/NV_8DPSK_3-DH1_Channel 39




2496.5 to 12500MHz
NT/NV_8DPSK_3-DH1_Channel 39




30 to 1000MHz
NT/NV_8DPSK_3-DH1_Channel 78




1000 to 2387MHz
NT/NV_8DPSK_3-DH1_Channel 78




2387 to 2400MHz
NT/NV_8DPSK_3-DH1_Channel 78



2483.5 to 2496.5MHz
NT/NV_8DPSK_3-DH1_Channel 78




2496.5 to 12500MHz
NT/NV_8DPSK_3-DH1_Channel 78




30 to 1000MHz
NT/NV_GFSK_DH1_Channel 39



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China




1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 39




2387 to 2400MHz
NT/NV_GFSK_DH1_Channel 39




2483.5 to 2496.5MHz
NT/NV_GFSK_DH1_Channel 39




2496.5 to 12500MHz
NT/NV_GFSK_DH1_Channel 39




30 to 1000MHz
NT/NV_pi/4DQPSK_2-DH1_Channel 39



1000 to 2387MHz
NT/NV_pi/4DQPSK_2-DH1_Channel 39




2387 to 2400MHz
NT/NV_pi/4DQPSK_2-DH1_Channel 39



2483.5 to 2496.5MHz
NT/NV_pi/4DQPSK_2-DH1_Channel 39



Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China





Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

A.7 SPURIOUS EMISSIONS OF RECEIVER

Test Result

Normal mode_GFSK_DH1

Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Lim it (nW)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	
NT/NV	30 to 1000	720.03 6	-80.618	0.009	720.08 6	-81.290	0.007	907.24 5	-60.412	0.909	4
NT/NV	1000 to 12500	2457.0 99	-66.126	0.244	2440.6 15	-66.287	0.235	2616.5 71	-60.674	0.856	20

Result: PASS

Normal mode_π/4DQPSK_2-DH1

Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Lim it (nW)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	
NT/NV	30 to 1000	749.98 7	-80.481	0.009	720.08 6	-80.921	0.008	720.086	-80.251	0.009	4
NT/NV	1000 to 12500	2458.2 49	-64.597	0.347	2457.8 65	-66.324	0.233	12243.1 58	-67.909	0.162	20


Result: PASS

Normal mode_8DPSK_3-DH1

Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Lim it (nW)
		Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	Peak (MHz)	Measur ed Value (dBm)	Measur ed Value (nW)	
NT/NV	30 to 1000	720.08 6	-80.580	0.009	720.08 6	-80.910	0.008	720.08 6	-81.018	0.008	4
NT/NV	1000 to 12500	2457.8 65	-61.857	0.652	2457.0 99	-66.612	0.218	2452.4 98	-60.663	0.858	20

Result: PASS

Test Graphs





Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China





Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China





Keyway Testing Technology (Guangdong) Co., Ltd
21/F., Building 6, Dongyi Intelligent Equipment New Energy Vehicle Park, No.30,
Tangxia District, Dongshen Road, Tangxia, Dongguan, Guangdong, China

