



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.46	21.57	21.39 dBm
-20MHz	-44.90	-44.14	-45.63 dB
20MHz	-43.67	-42.77	-44.51 dB
UTRA			
-17.5MHz	-51.27	-50.16	-51.95 dB
-12.5MHz	-48.38	-47.66	-49.18 dB
12.5MHz	-46.87	-45.92	-47.72 dB
17.5MHz	-49.36	-48.42	-50.16 dB


Band1(Others) QPSK BW=20MHz Channel=18257 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.17	21.89 dBm
-20MHz	-56.58	-56.26	-57.02 dB
20MHz	-48.24	-47.95	-48.64 dB
UTRA			
-17.5MHz	-63.25	-62.77	-63.45 dB
-12.5MHz	-52.66	-51.30	-55.49 dB
12.5MHz	-63.59	-63.02	-64.09 dB
17.5MHz	-64.69	-64.18	-65.09 dB


Band1(Others) QPSK BW=20MHz Channel=18379 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.23	22.30	22.15 dBm
-20MHz	-44.40	-44.10	-44.78 dB
20MHz	-56.05	-55.71	-56.44 dB
UTRA			
-17.5MHz	-61.09	-60.81	-61.49 dB
-12.5MHz	-60.35	-60.13	-60.56 dB
12.5MHz	-53.17	-51.56	-55.33 dB
17.5MHz	-61.95	-61.71	-62.28 dB


Band1(Others) QPSK BW=20MHz Channel=18379 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.63	21.72	21.54 dBm
-20MHz	-41.12	-40.03	-41.89 dB
20MHz	-43.68	-42.39	-44.57 dB
UTRA			
-17.5MHz	-46.76	-45.56	-47.59 dB
-12.5MHz	-44.66	-43.57	-45.57 dB
12.5MHz	-47.00	-45.66	-48.05 dB
17.5MHz	-49.50	-48.05	-50.47 dB


Band1(Others) QPSK BW=20MHz Channel=18379 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.41	22.52	22.28 dBm
-5MHz	-46.24	-45.34	-48.07 dB
5MHz	-45.40	-45.13	-45.75 dB
UTRA			
-10MHz	-59.98	-59.50	-60.46 dB
-5MHz	-53.65	-53.05	-54.87 dB
5MHz	-45.50	-45.22	-45.85 dB
10MHz	-70.34	-70.14	-70.53 dB


Band1(Others) QPSK BW=5MHz Channel=18042 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.77	21.86	21.70 dBm
-20MHz	-42.55	-42.18	-43.02 dB
20MHz	-45.70	-45.30	-46.19 dB
UTRA			
-17.5MHz	-48.11	-47.64	-48.54 dB
-12.5MHz	-46.70	-46.36	-47.32 dB
12.5MHz	-49.82	-49.44	-50.45 dB
17.5MHz	-52.17	-51.66	-52.64 dB


Band1(Others) QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.25	22.17 dBm
-20MHz	-55.76	-53.69	-56.17 dB
20MHz	-46.97	-46.78	-47.13 dB
UTRA			
-17.5MHz	-62.11	-61.27	-62.58 dB
-12.5MHz	-53.05	-52.00	-54.90 dB
12.5MHz	-62.02	-61.32	-62.39 dB
17.5MHz	-63.15	-62.77	-63.55 dB


Band1(Others) QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.37	22.51	22.23 dBm
-20MHz	-44.05	-43.78	-44.31 dB
20MHz	-56.07	-55.78	-56.34 dB
UTRA			
-17.5MHz	-61.55	-61.14	-61.81 dB
-12.5MHz	-61.62	-61.38	-61.94 dB
12.5MHz	-53.18	-51.80	-54.57 dB
17.5MHz	-61.73	-61.50	-62.10 dB


Band1(Others) QPSK BW=20MHz Channel=18500 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.41	22.59	22.28 dBm
-5MHz	-44.49	-44.20	-44.81 dB
5MHz	-46.32	-45.36	-48.60 dB
UTRA			
-10MHz	-70.50	-70.30	-70.75 dB
-5MHz	-44.58	-44.30	-44.91 dB
5MHz	-53.67	-52.90	-55.15 dB
10MHz	-59.04	-58.48	-59.72 dB

Band1(Others) QPSK BW=5MHz Channel=18042 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.74	21.81	21.66 dBm
-5MHz	-45.64	-45.48	-45.81 dB
5MHz	-45.83	-45.54	-46.06 dB
UTRA			
-10MHz	-57.96	-57.62	-58.35 dB
-5MHz	-46.50	-46.31	-46.68 dB
5MHz	-46.69	-46.47	-46.90 dB
10MHz	-56.79	-56.49	-57.11 dB


Band1(Others) QPSK BW=5MHz Channel=18042 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.13	22.25	22.06 dBm
-5MHz	-45.76	-44.90	-47.92 dB
5MHz	-46.45	-46.25	-46.76 dB
UTRA			
-10MHz	-59.78	-58.90	-60.71 dB
-5MHz	-53.23	-52.55	-54.69 dB
5MHz	-46.55	-46.35	-46.84 dB
10MHz	-70.16	-69.98	-70.36 dB


Band1(Others) QPSK BW=5MHz Channel=18309 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.21	22.36	22.05 dBm
-5MHz	-45.68	-45.54	-45.84 dB
5MHz	-46.47	-44.54	-48.54 dB
UTRA			
-10MHz	-70.25	-70.03	-70.48 dB
-5MHz	-45.79	-45.65	-45.94 dB
5MHz	-53.68	-52.20	-54.88 dB
10MHz	-59.80	-58.76	-61.35 dB

Band1(Others) QPSK BW=5MHz Channel=18309 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.48	21.56	21.40 dBm
-5MHz	-40.68	-40.09	-41.42 dB
5MHz	-41.18	-40.57	-41.87 dB
UTRA			
-10MHz	-58.13	-57.70	-58.66 dB
-5MHz	-41.57	-41.01	-42.31 dB
5MHz	-42.13	-41.54	-42.82 dB
10MHz	-60.07	-59.57	-60.60 dB

Band1(Others) QPSK BW=5MHz Channel=18309 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.49	22.60	22.32 dBm
-5MHz	-44.38	-44.12	-44.77 dB
5MHz	-46.36	-44.84	-48.11 dB
UTRA			
-10MHz	-70.46	-70.29	-70.60 dB
-5MHz	-44.47	-44.21	-44.88 dB
5MHz	-53.62	-52.49	-54.69 dB
10MHz	-62.47	-61.41	-63.87 dB


Band1(Others) QPSK BW=5MHz Channel=18575 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.48	22.52	22.44 dBm
-5MHz	-45.94	-42.92	-48.89 dB
5MHz	-43.65	-43.46	-43.88 dB
UTRA			
-10MHz	-60.29	-59.75	-60.96 dB
-5MHz	-52.91	-47.16	-55.10 dB
5MHz	-43.73	-43.57	-43.96 dB
10MHz	-70.18	-69.16	-70.49 dB


Band1(Others) QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.76	21.87	21.68 dBm
-5MHz	-45.23	-44.88	-45.43 dB
5MHz	-45.13	-44.86	-45.36 dB
UTRA			
-10MHz	-57.23	-56.91	-57.56 dB
-5MHz	-46.13	-45.78	-46.33 dB
5MHz	-46.03	-45.72	-46.21 dB
10MHz	-56.32	-55.91	-56.66 dB


Band1(Others) QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.93	21.48	20.38 dBm
-10MHz	-51.79	-50.78	-53.28 dB
10MHz	-48.59	-47.61	-49.19 dB
UTRA			
-12.5MHz	-63.26	-62.89	-64.04 dB
-7.5MHz	-51.30	-50.09	-53.10 dB
7.5MHz	-58.65	-58.17	-59.13 dB
12.5MHz	-49.12	-48.02	-49.87 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19250 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.14	21.67	20.65 dBm
-10MHz	-53.80	-52.08	-54.56 dB
10MHz	-51.64	-50.42	-52.43 dB
UTRA			
-12.5MHz	-55.08	-52.84	-56.18 dB
-7.5MHz	-60.45	-60.11	-61.08 dB
7.5MHz	-51.33	-49.82	-52.32 dB
12.5MHz	-61.95	-61.39	-62.39 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19250 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.92	19.99	19.85 dBm
-10MHz	-50.92	-50.37	-51.21 dB
10MHz	-48.48	-48.23	-48.72 dB
UTRA			
-12.5MHz	-58.47	-57.86	-59.19 dB
-7.5MHz	-52.49	-51.97	-52.81 dB
7.5MHz	-50.24	-49.98	-50.48 dB
12.5MHz	-55.53	-55.17	-55.95 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.22	21.85	20.47 dBm
-10MHz	-47.86	-42.17	-52.14 dB
10MHz	-50.01	-47.99	-51.28 dB
UTRA			
-12.5MHz	-59.90	-56.19	-62.48 dB
-7.5MHz	-48.01	-42.58	-52.04 dB
7.5MHz	-58.75	-56.79	-60.32 dB
12.5MHz	-50.77	-48.64	-52.22 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19575 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.35	21.71	20.93 dBm
-10MHz	-50.43	-49.02	-51.37 dB
10MHz	-51.68	-49.80	-53.54 dB
UTRA			
-12.5MHz	-51.11	-49.50	-52.31 dB
-7.5MHz	-59.58	-59.12	-60.08 dB
7.5MHz	-51.34	-49.14	-53.67 dB
12.5MHz	-62.15	-61.55	-62.50 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.13	20.21	20.01 dBm
-10MHz	-50.60	-50.22	-50.85 dB
10MHz	-50.13	-49.81	-50.32 dB
UTRA			
-12.5MHz	-57.77	-57.32	-58.20 dB
-7.5MHz	-52.26	-51.81	-52.48 dB
7.5MHz	-51.70	-51.34	-51.91 dB
12.5MHz	-57.78	-57.40	-58.33 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.28	21.83	20.81 dBm
-10MHz	-51.40	-50.39	-52.33 dB
10MHz	-52.79	-52.28	-53.19 dB
UTRA			
-12.5MHz	-61.89	-61.63	-62.18 dB
-7.5MHz	-51.05	-49.88	-52.18 dB
7.5MHz	-60.53	-60.06	-61.09 dB
12.5MHz	-53.77	-53.06	-54.41 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19900 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.37	21.94	20.91 dBm
-10MHz	-45.97	-45.42	-46.75 dB
10MHz	-52.05	-50.83	-53.35 dB
UTRA			
-12.5MHz	-46.24	-45.64	-47.09 dB
-7.5MHz	-58.80	-58.29	-59.20 dB
7.5MHz	-51.55	-50.22	-53.12 dB
12.5MHz	-64.11	-63.46	-65.03 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19900 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.34	20.42	20.28 dBm
-10MHz	-49.77	-49.20	-50.19 dB
10MHz	-50.93	-50.30	-51.28 dB
UTRA			
-12.5MHz	-57.35	-56.72	-57.77 dB
-7.5MHz	-51.32	-50.71	-51.76 dB
7.5MHz	-52.14	-51.51	-52.51 dB
12.5MHz	-60.05	-59.47	-60.56 dB


Band3(1710-1785) 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.50	20.33 dBm
-15MHz	-53.76	-53.08	-54.27 dB
15MHz	-47.60	-46.88	-48.21 dB
UTRA			
-15MHz	-62.96	-62.41	-63.54 dB
-10MHz	-49.79	-48.48	-50.92 dB
10MHz	-58.73	-58.02	-59.26 dB
15MHz	-58.60	-58.29	-58.99 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.24	21.61	20.92 dBm
-15MHz	-56.39	-56.00	-56.87 dB
15MHz	-53.10	-52.48	-54.09 dB
UTRA			
-15MHz	-62.34	-61.90	-62.66 dB
-10MHz	-60.95	-60.60	-61.60 dB
10MHz	-49.97	-48.97	-51.93 dB
15MHz	-61.15	-60.76	-61.55 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19275 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.25	21.76	20.74 dBm
-15MHz	-53.10	-52.37	-53.48 dB
15MHz	-57.55	-56.95	-58.02 dB
UTRA			
-15MHz	-61.90	-61.43	-62.54 dB
-10MHz	-49.63	-48.28	-50.48 dB
10MHz	-60.54	-59.92	-61.24 dB
15MHz	-63.33	-62.69	-63.89 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19875 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.15	20.24	20.07 dBm
-15MHz	-50.43	-50.16	-50.64 dB
15MHz	-49.91	-49.59	-50.15 dB
UTRA			
-15MHz	-56.34	-56.00	-56.67 dB
-10MHz	-53.15	-52.58	-53.44 dB
10MHz	-52.58	-52.10	-52.96 dB
15MHz	-55.96	-55.72	-56.18 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19575 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.99	20.06	19.92 dBm
-15MHz	-51.58	-51.33	-51.80 dB
15MHz	-48.30	-48.05	-48.61 dB
UTRA			
-15MHz	-57.90	-57.67	-58.30 dB
-10MHz	-53.57	-53.17	-53.81 dB
10MHz	-51.10	-50.79	-51.44 dB
15MHz	-54.22	-54.02	-54.48 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19275 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.21	21.46	20.93 dBm
-15MHz	-46.45	-43.98	-53.46 dB
15MHz	-47.80	-46.91	-50.14 dB
UTRA			
-15MHz	-56.82	-54.91	-61.77 dB
-10MHz	-45.22	-42.54	-50.42 dB
10MHz	-58.67	-57.85	-59.71 dB
15MHz	-58.73	-58.10	-59.49 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.20	21.74	20.78 dBm
-15MHz	-49.38	-45.80	-50.64 dB
15MHz	-48.88	-43.22	-53.85 dB
UTRA			
-15MHz	-59.17	-57.55	-60.14 dB
-10MHz	-59.03	-57.41	-60.35 dB
10MHz	-47.62	-42.25	-51.67 dB
15MHz	-58.20	-54.15	-61.63 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19575 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.50	21.85	21.16 dBm
-15MHz	-45.64	-44.64	-46.22 dB
15MHz	-53.80	-53.38	-54.38 dB
UTRA			
-15MHz	-59.08	-58.78	-59.33 dB
-10MHz	-59.10	-58.79	-59.45 dB
10MHz	-49.96	-49.44	-50.95 dB
15MHz	-62.97	-62.44	-63.49 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19875 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.31	20.38	20.22 dBm
-15MHz	-50.10	-49.75	-50.38 dB
15MHz	-52.12	-51.76	-52.46 dB
UTRA			
-15MHz	-56.24	-55.89	-56.64 dB
-10MHz	-52.68	-52.12	-53.08 dB
10MHz	-53.67	-53.26	-54.13 dB
15MHz	-59.34	-59.11	-59.63 dB


Band3(1710-1785) 16QAM BW=15MHz Channel=19875 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.67	21.25	20.26 dBm
-20MHz	-56.85	-56.48	-57.31 dB
20MHz	-47.26	-46.75	-48.15 dB
UTRA			
-17.5MHz	-63.91	-63.35	-64.48 dB
-12.5MHz	-52.88	-51.96	-54.34 dB
12.5MHz	-59.88	-59.51	-60.36 dB
17.5MHz	-61.69	-61.39	-62.08 dB

Band3(1710-1785) 16QAM BW=20MHz Channel=19300 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.10	21.47	20.80 dBm
-20MHz	-59.03	-58.57	-59.56 dB
20MHz	-55.09	-54.70	-55.31 dB
UTRA			
-17.5MHz	-65.02	-64.34	-65.75 dB
-12.5MHz	-62.27	-61.87	-62.84 dB
12.5MHz	-52.71	-50.17	-54.03 dB
17.5MHz	-61.59	-61.04	-62.15 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19300 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.01	20.11	19.89 dBm
-20MHz	-52.62	-52.32	-52.96 dB
20MHz	-48.56	-48.30	-48.73 dB
UTRA			
-17.5MHz	-58.56	-58.35	-59.10 dB
-12.5MHz	-54.79	-54.43	-55.27 dB
12.5MHz	-52.26	-51.91	-52.59 dB
17.5MHz	-54.61	-54.22	-54.84 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.29	21.65	20.82 dBm
-20MHz	-48.39	-47.76	-49.08 dB
20MHz	-56.47	-56.25	-56.94 dB
UTRA			
-17.5MHz	-61.04	-60.54	-61.47 dB
-12.5MHz	-60.03	-59.62	-60.59 dB
12.5MHz	-52.84	-50.72	-54.04 dB
17.5MHz	-63.44	-63.10	-64.22 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19850 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.12	21.69	20.54 dBm
-20MHz	-55.52	-55.27	-56.10 dB
20MHz	-57.93	-57.30	-58.71 dB
UTRA			
-17.5MHz	-62.56	-62.04	-63.17 dB
-12.5MHz	-52.78	-52.26	-53.48 dB
12.5MHz	-61.56	-60.87	-62.25 dB
17.5MHz	-64.74	-64.25	-65.85 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19850 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.01	21.51	20.44 dBm
-20MHz	-55.67	-55.33	-56.15 dB
20MHz	-49.51	-48.61	-50.51 dB
UTRA			
-17.5MHz	-62.73	-62.24	-63.39 dB
-12.5MHz	-52.66	-52.08	-53.45 dB
12.5MHz	-60.69	-60.15	-61.52 dB
17.5MHz	-62.47	-61.90	-63.03 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19575 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.18	21.52	20.83 dBm
-20MHz	-51.22	-49.93	-51.97 dB
20MHz	-55.19	-54.84	-55.44 dB
UTRA			
-17.5MHz	-63.19	-62.85	-63.81 dB
-12.5MHz	-61.13	-60.80	-61.48 dB
12.5MHz	-52.92	-50.59	-54.35 dB
17.5MHz	-61.70	-61.40	-62.01 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.14	20.24	20.06 dBm
-20MHz	-50.55	-50.34	-50.72 dB
20MHz	-49.96	-49.79	-50.15 dB
UTRA			
-17.5MHz	-56.54	-56.22	-56.96 dB
-12.5MHz	-54.17	-53.82	-54.40 dB
12.5MHz	-53.54	-53.19	-53.88 dB
17.5MHz	-56.01	-55.75	-56.30 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.27	20.34	20.19 dBm
-20MHz	-50.44	-50.13	-50.75 dB
20MHz	-52.89	-52.65	-53.13 dB
UTRA			
-17.5MHz	-56.70	-56.22	-57.28 dB
-12.5MHz	-53.99	-53.70	-54.20 dB
12.5MHz	-54.94	-54.52	-55.35 dB
17.5MHz	-59.54	-58.97	-59.94 dB


Band3(1710-1785) 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.07	21.07	21.07 dBm
-3MHz	-55.85	-55.85	-55.85 dB
3MHz	-50.00	-50.00	-50.00 dB
UTRA			
-4MHz	-58.00	-58.00	-58.00 dB
4MHz	-50.04	-50.04	-50.04 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19215 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.06	21.48	20.62 dBm
-3MHz	-51.36	-49.87	-52.24 dB
3MHz	-52.76	-45.64	-56.49 dB
UTRA			
-4MHz	-51.36	-49.88	-52.24 dB
4MHz	-53.79	-46.15	-57.89 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19215 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.89	20.06	19.73 dBm
-3MHz	-49.91	-49.46	-50.39 dB
3MHz	-49.33	-49.03	-49.80 dB
UTRA			
-4MHz	-50.85	-50.56	-51.29 dB
4MHz	-50.23	-49.93	-50.62 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19215 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.21	21.68	20.71 dBm
-3MHz	-53.60	-47.40	-56.05 dB
3MHz	-47.31	-45.82	-48.17 dB
UTRA			
-4MHz	-54.81	-48.04	-57.65 dB
4MHz	-47.32	-45.83	-48.18 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.36	20.53	20.19 dBm
-3MHz	-48.38	-47.62	-49.19 dB
3MHz	-48.73	-48.19	-49.75 dB
UTRA			
-4MHz	-49.57	-48.93	-50.34 dB
4MHz	-50.10	-49.64	-51.01 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19935 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.92	21.06 dBm
-3MHz	-45.85	-44.90	-46.58 dB
3MHz	-52.16	-44.33	-56.53 dB
UTRA			
-4MHz	-45.84	-44.90	-46.57 dB
4MHz	-53.10	-44.71	-58.49 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19935 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.56	21.87	21.29 dBm
-3MHz	-54.20	-48.68	-56.21 dB
3MHz	-47.64	-47.09	-48.37 dB
UTRA			
-4MHz	-55.81	-49.48	-58.22 dB
4MHz	-47.65	-47.10	-48.38 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19935 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.34	21.72	20.94 dBm
-3MHz	-46.33	-44.97	-47.45 dB
3MHz	-53.10	-45.73	-56.67 dB
UTRA			
-4MHz	-46.33	-44.97	-47.46 dB
4MHz	-54.01	-46.12	-58.42 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.13	20.26	20.01 dBm
-3MHz	-50.58	-50.27	-50.81 dB
3MHz	-50.59	-50.41	-50.95 dB
UTRA			
-4MHz	-51.52	-51.27	-51.82 dB
4MHz	-51.60	-51.40	-51.95 dB


Band3(1710-1785) 16QAM BW=3MHz Channel=19575 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.92	21.50	20.41 dBm
-5MHz	-45.71	-43.51	-47.51 dB
5MHz	-49.57	-48.50	-50.31 dB
UTRA			
-10MHz	-63.58	-62.33	-64.20 dB
-5MHz	-53.23	-51.59	-54.31 dB
5MHz	-49.78	-48.66	-50.56 dB
10MHz	-66.91	-65.79	-67.94 dB

Band3(1710-1785) 16QAM BW=5MHz Channel=19225 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.96	21.39	20.59 dBm
-5MHz	-51.28	-49.90	-51.91 dB
5MHz	-45.80	-44.83	-47.72 dB
UTRA			
-10MHz	-68.75	-67.77	-69.90 dB
-5MHz	-51.51	-50.10	-52.19 dB
5MHz	-53.04	-52.44	-54.13 dB
10MHz	-61.67	-61.10	-62.24 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19225 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.87	19.96	19.74 dBm
-5MHz	-49.80	-49.57	-50.11 dB
5MHz	-48.57	-48.33	-48.91 dB
UTRA			
-10MHz	-62.86	-62.45	-63.52 dB
-5MHz	-51.03	-50.80	-51.26 dB
5MHz	-49.64	-49.42	-49.85 dB
10MHz	-60.98	-60.66	-61.49 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.16	21.99	20.83 dBm
-5MHz	-44.28	-40.53	-47.25 dB
5MHz	-48.22	-46.07	-51.27 dB
UTRA			
-10MHz	-60.93	-58.25	-62.61 dB
-5MHz	-50.13	-44.74	-54.09 dB
5MHz	-48.39	-46.18	-51.56 dB
10MHz	-66.09	-62.56	-68.12 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19575 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.23	21.69	20.64 dBm
-5MHz	-47.48	-45.75	-50.38 dB
5MHz	-42.42	-39.51	-46.57 dB
UTRA			
-10MHz	-62.06	-58.43	-68.53 dB
-5MHz	-47.69	-45.89	-50.60 dB
5MHz	-46.75	-43.13	-53.52 dB
10MHz	-57.36	-53.95	-62.54 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.74	21.84	21.63 dBm
-10MHz	-52.22	-51.12	-53.87 dB
10MHz	-48.55	-48.09	-49.03 dB
UTRA			
-12.5MHz	-63.93	-63.41	-64.41 dB
-7.5MHz	-51.76	-50.49	-53.75 dB
7.5MHz	-59.35	-59.18	-59.51 dB
12.5MHz	-49.00	-48.50	-49.52 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19250 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.29	21.84	20.94 dBm
-5MHz	-45.48	-45.01	-46.03 dB
5MHz	-46.26	-44.97	-47.63 dB
UTRA			
-10MHz	-67.58	-66.30	-68.70 dB
-5MHz	-45.59	-45.11	-46.15 dB
5MHz	-53.55	-52.63	-54.29 dB
10MHz	-63.63	-63.10	-64.18 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.39	20.50	20.20 dBm
-5MHz	-46.84	-41.08	-50.04 dB
5MHz	-48.36	-44.37	-50.96 dB
UTRA			
-10MHz	-58.51	-53.54	-61.60 dB
-5MHz	-48.38	-42.99	-51.23 dB
5MHz	-49.97	-45.96	-52.34 dB
10MHz	-60.60	-56.68	-62.98 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.35	21.78	20.93 dBm
-5MHz	-45.42	-42.83	-47.29 dB
5MHz	-48.99	-48.41	-49.55 dB
UTRA			
-10MHz	-61.61	-59.69	-62.54 dB
-5MHz	-52.86	-50.92	-53.93 dB
5MHz	-49.16	-48.55	-49.76 dB
10MHz	-67.71	-66.50	-68.82 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19925 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.12	20.25	20.00 dBm
-5MHz	-49.86	-49.64	-50.15 dB
5MHz	-49.76	-49.40	-50.15 dB
UTRA			
-10MHz	-62.37	-61.87	-62.72 dB
-5MHz	-51.17	-51.03	-51.33 dB
5MHz	-50.96	-50.80	-51.15 dB
10MHz	-62.20	-61.89	-62.62 dB


Band3(1710-1785) 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.85	21.93	21.75 dBm
-10MHz	-53.97	-53.51	-54.77 dB
10MHz	-51.87	-51.06	-52.98 dB
UTRA			
-12.5MHz	-55.10	-54.53	-56.13 dB
-7.5MHz	-61.05	-60.74	-61.35 dB
7.5MHz	-51.49	-50.50	-52.95 dB
12.5MHz	-62.49	-62.08	-62.82 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19250 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.93	21.00	20.86 dBm
-10MHz	-51.42	-50.89	-51.84 dB
10MHz	-48.94	-48.63	-49.23 dB
UTRA			
-12.5MHz	-57.86	-57.16	-58.48 dB
-7.5MHz	-53.29	-52.80	-53.65 dB
7.5MHz	-51.09	-50.71	-51.45 dB
12.5MHz	-54.81	-54.37	-55.15 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.93	22.11	21.66 dBm
-10MHz	-47.50	-42.57	-52.53 dB
10MHz	-50.16	-47.54	-51.38 dB
UTRA			
-12.5MHz	-59.52	-54.40	-62.66 dB
-7.5MHz	-47.75	-43.22	-52.43 dB
7.5MHz	-59.02	-55.73	-60.73 dB
12.5MHz	-50.89	-48.41	-52.16 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.10	21.89 dBm
-10MHz	-50.51	-50.05	-51.09 dB
10MHz	-51.61	-50.58	-53.12 dB
UTRA			
-12.5MHz	-51.12	-50.60	-51.79 dB
-7.5MHz	-60.09	-59.77	-60.35 dB
7.5MHz	-51.19	-50.01	-53.09 dB
12.5MHz	-62.64	-62.40	-62.94 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19575 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.10	21.18	21.04 dBm
-10MHz	-51.15	-50.76	-51.37 dB
10MHz	-50.47	-50.17	-50.68 dB
UTRA			
-12.5MHz	-57.64	-57.26	-57.93 dB
-7.5MHz	-53.02	-52.73	-53.25 dB
7.5MHz	-52.23	-51.96	-52.52 dB
12.5MHz	-57.37	-56.95	-57.58 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.10	22.24	22.01 dBm
-10MHz	-52.03	-51.35	-52.80 dB
10MHz	-52.88	-52.57	-53.32 dB
UTRA			
-12.5MHz	-62.44	-62.21	-62.79 dB
-7.5MHz	-51.72	-50.91	-52.57 dB
7.5MHz	-61.23	-60.86	-61.42 dB
12.5MHz	-53.70	-53.31	-54.18 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19900 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.31	22.05 dBm
-10MHz	-45.69	-45.22	-46.08 dB
10MHz	-52.29	-51.20	-53.56 dB
UTRA			
-12.5MHz	-45.91	-45.42	-46.31 dB
-7.5MHz	-59.50	-59.29	-59.71 dB
7.5MHz	-51.78	-50.59	-53.31 dB
12.5MHz	-64.71	-64.44	-65.12 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19900 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.33	21.40	21.29 dBm
-10MHz	-49.09	-48.55	-49.85 dB
10MHz	-50.28	-49.75	-50.82 dB
UTRA			
-12.5MHz	-56.66	-56.21	-57.43 dB
-7.5MHz	-50.68	-50.06	-51.42 dB
7.5MHz	-51.51	-50.85	-52.05 dB
12.5MHz	-59.53	-59.16	-59.97 dB


Band3(1710-1785) QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.24	21.58 dBm
-15MHz	-49.74	-48.28	-50.73 dB
15MHz	-48.79	-44.53	-54.76 dB
UTRA			
-15MHz	-59.62	-58.11	-60.33 dB
-10MHz	-59.66	-57.54	-60.78 dB
10MHz	-47.42	-43.63	-52.88 dB
15MHz	-58.34	-54.15	-62.13 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.91	22.06	21.79 dBm
-15MHz	-44.46	-43.09	-47.74 dB
15MHz	-47.66	-46.82	-49.22 dB
UTRA			
-15MHz	-55.23	-53.66	-58.27 dB
-10MHz	-43.79	-42.10	-47.34 dB
10MHz	-58.40	-57.58	-59.47 dB
15MHz	-58.54	-57.97	-59.27 dB

Band3(1710-1785) QPSK BW=15MHz Channel=19575 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.89	22.00	21.80 dBm
-15MHz	-57.07	-56.83	-57.37 dB
15MHz	-53.65	-53.10	-54.46 dB
UTRA			
-15MHz	-62.80	-62.46	-63.19 dB
-10MHz	-61.62	-61.15	-61.89 dB
10MHz	-50.57	-49.42	-52.85 dB
15MHz	-61.61	-61.38	-61.97 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19275 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.67	21.80	21.53 dBm
-15MHz	-54.25	-53.30	-55.25 dB
15MHz	-47.94	-47.40	-48.56 dB
UTRA			
-15MHz	-63.49	-63.02	-64.07 dB
-10MHz	-50.37	-48.75	-52.08 dB
10MHz	-59.29	-59.11	-59.55 dB
15MHz	-58.95	-58.69	-59.17 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.97	21.06	20.89 dBm
-15MHz	-52.50	-52.25	-52.90 dB
15MHz	-49.02	-48.76	-49.34 dB
UTRA			
-15MHz	-58.85	-58.59	-59.35 dB
-10MHz	-54.50	-54.19	-54.93 dB
10MHz	-52.15	-51.76	-52.58 dB
15MHz	-54.94	-54.58	-55.13 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19275 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.12	21.19	21.06 dBm
-15MHz	-51.04	-50.80	-51.20 dB
15MHz	-50.42	-50.09	-50.70 dB
UTRA			
-15MHz	-57.21	-56.94	-57.52 dB
-10MHz	-53.81	-53.42	-54.22 dB
10MHz	-53.26	-52.77	-53.72 dB
15MHz	-56.41	-56.15	-56.73 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19575 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.03	22.20	21.90 dBm
-15MHz	-53.81	-53.01	-54.63 dB
15MHz	-58.23	-57.98	-58.40 dB
UTRA			
-15MHz	-62.42	-61.97	-62.78 dB
-10MHz	-50.60	-49.17	-52.75 dB
10MHz	-61.24	-61.00	-61.46 dB
15MHz	-63.88	-63.32	-64.08 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19875 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.16	22.22	22.06 dBm
-15MHz	-45.73	-45.40	-46.11 dB
15MHz	-54.27	-53.58	-55.13 dB
UTRA			
-15MHz	-59.43	-59.18	-59.64 dB
-10MHz	-59.74	-59.51	-59.93 dB
10MHz	-50.38	-49.20	-52.24 dB
15MHz	-63.43	-63.15	-63.98 dB


Band3(1710-1785) QPSK BW=15MHz Channel=19875 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.29	21.31	21.28 dBm
-15MHz	-49.76	-49.44	-49.94 dB
15MHz	-51.88	-51.58	-52.15 dB
UTRA			
-15MHz	-56.00	-55.81	-56.33 dB
-10MHz	-52.31	-51.95	-52.60 dB
10MHz	-53.37	-52.94	-53.81 dB
15MHz	-59.26	-58.81	-59.73 dB

Band3(1710-1785) QPSK BW=15MHz Channel=19875 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.49	21.60	21.39 dBm
-20MHz	-57.36	-57.12	-57.56 dB
20MHz	-47.10	-46.71	-47.58 dB
UTRA			
-17.5MHz	-64.52	-64.10	-65.08 dB
-12.5MHz	-53.53	-52.32	-54.60 dB
12.5MHz	-60.62	-60.30	-60.87 dB
17.5MHz	-62.34	-62.08	-62.71 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.82	21.91	21.70 dBm
-20MHz	-51.33	-51.01	-51.73 dB
20MHz	-55.67	-55.43	-55.82 dB
UTRA			
-17.5MHz	-63.63	-63.22	-64.04 dB
-12.5MHz	-61.64	-61.44	-61.86 dB
12.5MHz	-53.38	-52.26	-54.74 dB
17.5MHz	-62.14	-61.97	-62.39 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.13	21.18	21.06 dBm
-20MHz	-51.27	-51.07	-51.55 dB
20MHz	-50.45	-50.34	-50.56 dB
UTRA			
-17.5MHz	-57.71	-57.43	-57.96 dB
-12.5MHz	-54.93	-54.61	-55.36 dB
12.5MHz	-54.34	-54.07	-54.59 dB
17.5MHz	-56.71	-56.43	-56.95 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.71	21.78	21.60 dBm
-20MHz	-56.08	-55.92	-56.33 dB
20MHz	-50.03	-49.70	-50.37 dB
UTRA			
-17.5MHz	-63.20	-62.99	-63.68 dB
-12.5MHz	-53.41	-52.36	-55.21 dB
12.5MHz	-61.43	-60.95	-61.98 dB
17.5MHz	-63.20	-62.73	-63.46 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.74	21.88	21.65 dBm
-20MHz	-59.47	-59.19	-59.84 dB
20MHz	-55.54	-55.32	-55.80 dB
UTRA			
-17.5MHz	-65.59	-65.22	-66.23 dB
-12.5MHz	-62.81	-62.52	-63.35 dB
12.5MHz	-53.21	-52.15	-54.87 dB
17.5MHz	-62.02	-61.75	-62.30 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19300 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.99	21.05	20.91 dBm
-20MHz	-53.68	-53.49	-53.97 dB
20MHz	-49.14	-49.00	-49.39 dB
UTRA			
-17.5MHz	-59.90	-59.44	-60.31 dB
-12.5MHz	-55.76	-55.40	-56.13 dB
12.5MHz	-53.31	-53.14	-53.72 dB
17.5MHz	-55.45	-55.06	-55.73 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.86	22.01	21.74 dBm
-20MHz	-55.97	-55.68	-56.29 dB
20MHz	-58.62	-58.37	-58.89 dB
UTRA			
-17.5MHz	-63.18	-62.90	-63.52 dB
-12.5MHz	-53.05	-51.63	-55.25 dB
12.5MHz	-62.20	-61.95	-62.50 dB
17.5MHz	-65.43	-64.85	-65.90 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.13	21.88 dBm
-20MHz	-48.36	-48.09	-48.85 dB
20MHz	-56.92	-56.69	-57.19 dB
UTRA			
-17.5MHz	-61.37	-61.18	-61.72 dB
-12.5MHz	-60.68	-60.52	-60.91 dB
12.5MHz	-53.20	-52.24	-55.32 dB
17.5MHz	-63.79	-63.28	-64.24 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.26	21.34	21.19 dBm
-20MHz	-50.52	-50.30	-50.88 dB
20MHz	-53.10	-52.87	-53.32 dB
UTRA			
-17.5MHz	-56.94	-56.64	-57.26 dB
-12.5MHz	-54.03	-53.76	-54.57 dB
12.5MHz	-55.04	-54.71	-55.39 dB
17.5MHz	-59.72	-59.33	-60.14 dB


Band3(1710-1785) QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.80	21.87	21.69 dBm
-3MHz	-55.94	-55.56	-56.50 dB
3MHz	-50.04	-49.62	-50.58 dB
UTRA			
-4MHz	-58.57	-58.27	-58.78 dB
4MHz	-50.06	-49.65	-50.58 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19215 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.79	21.87	21.68 dBm
-3MHz	-51.14	-50.49	-51.72 dB
3MHz	-55.85	-55.27	-56.59 dB
UTRA			
-4MHz	-51.14	-50.51	-51.73 dB
4MHz	-58.02	-57.70	-58.29 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19215 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.09	21.82 dBm
-3MHz	-46.53	-46.13	-46.96 dB
3MHz	-56.58	-56.12	-57.21 dB
UTRA			
-4MHz	-46.53	-46.13	-46.96 dB
4MHz	-58.76	-58.43	-58.97 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19575 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.90	20.98	20.81 dBm
-3MHz	-50.27	-49.72	-51.45 dB
3MHz	-49.52	-49.07	-50.57 dB
UTRA			
-4MHz	-51.08	-50.51	-52.17 dB
4MHz	-50.34	-49.80	-51.35 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19215 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.09	21.87 dBm
-3MHz	-55.85	-55.36	-56.24 dB
3MHz	-47.12	-46.78	-47.65 dB
UTRA			
-4MHz	-57.64	-57.45	-57.81 dB
4MHz	-47.13	-46.78	-47.68 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19575 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.09	21.16	21.00 dBm
-3MHz	-51.02	-50.63	-51.52 dB
3MHz	-50.83	-50.42	-51.50 dB
UTRA			
-4MHz	-51.90	-51.56	-52.50 dB
4MHz	-51.82	-51.42	-52.41 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19575 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.32	22.08 dBm
-3MHz	-55.69	-55.07	-56.72 dB
3MHz	-47.69	-47.20	-48.26 dB
UTRA			
-4MHz	-58.11	-57.87	-58.36 dB
4MHz	-47.70	-47.20	-48.30 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19935 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.88	20.93	20.79 dBm
-5MHz	-50.00	-49.54	-50.51 dB
5MHz	-48.71	-48.44	-49.30 dB
UTRA			
-10MHz	-62.44	-62.05	-63.04 dB
-5MHz	-51.14	-50.70	-51.48 dB
5MHz	-49.79	-49.50	-50.21 dB
10MHz	-60.45	-59.90	-60.92 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.66	21.81	21.55 dBm
-5MHz	-51.52	-51.14	-52.05 dB
5MHz	-46.42	-44.98	-48.17 dB
UTRA			
-10MHz	-69.44	-68.22	-70.44 dB
-5MHz	-51.75	-51.36	-52.30 dB
5MHz	-53.56	-52.62	-54.57 dB
10MHz	-61.84	-61.49	-62.42 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19225 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.84	22.29	21.58 dBm
-5MHz	-41.65	-38.69	-48.08 dB
5MHz	-47.82	-46.98	-49.54 dB
UTRA			
-10MHz	-58.34	-55.55	-62.52 dB
-5MHz	-45.53	-42.06	-54.54 dB
5MHz	-48.03	-47.11	-49.81 dB
10MHz	-62.87	-59.97	-68.57 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.33	21.40	21.24 dBm
-3MHz	-47.91	-46.77	-48.81 dB
3MHz	-48.21	-47.13	-48.97 dB
UTRA			
-4MHz	-49.12	-48.01	-49.96 dB
4MHz	-49.60	-48.52	-50.29 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19935 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.39	22.15 dBm
-3MHz	-45.64	-45.34	-46.11 dB
3MHz	-55.85	-55.18	-56.64 dB
UTRA			
-4MHz	-45.64	-45.33	-46.11 dB
4MHz	-58.51	-58.30	-58.76 dB


Band3(1710-1785) QPSK BW=3MHz Channel=19935 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.63	21.73	21.51 dBm
-5MHz	-46.67	-45.43	-49.34 dB
5MHz	-49.48	-48.99	-49.91 dB
UTRA			
-10MHz	-63.86	-63.45	-64.23 dB
-5MHz	-54.02	-53.17	-55.54 dB
5MHz	-49.65	-49.18	-50.10 dB
10MHz	-67.63	-66.84	-68.70 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.04	22.12	21.97 dBm
-5MHz	-46.03	-45.38	-47.96 dB
5MHz	-49.08	-48.69	-49.54 dB
UTRA			
-10MHz	-62.07	-61.78	-62.50 dB
-5MHz	-53.38	-52.92	-54.49 dB
5MHz	-49.22	-48.82	-49.67 dB
10MHz	-68.29	-67.82	-69.13 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.24	22.00 dBm
-5MHz	-45.22	-44.95	-45.56 dB
5MHz	-46.27	-44.86	-48.34 dB
UTRA			
-10MHz	-68.57	-67.93	-69.33 dB
-5MHz	-45.32	-45.06	-45.66 dB
5MHz	-53.72	-52.77	-54.92 dB
10MHz	-63.78	-63.19	-64.31 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.89	22.17	21.58 dBm
-5MHz	-47.95	-46.46	-50.10 dB
5MHz	-42.52	-39.58	-47.30 dB
UTRA			
-10MHz	-62.00	-59.62	-69.21 dB
-5MHz	-48.18	-46.75	-50.28 dB
5MHz	-46.64	-42.94	-54.13 dB
10MHz	-57.43	-55.07	-63.11 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19575 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.04	21.11	20.98 dBm
-5MHz	-50.31	-50.12	-50.65 dB
5MHz	-49.98	-49.77	-50.27 dB
UTRA			
-10MHz	-62.23	-61.87	-62.59 dB
-5MHz	-51.61	-51.26	-51.86 dB
5MHz	-51.21	-50.99	-51.40 dB
10MHz	-62.00	-61.38	-62.62 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.34	21.45	21.18 dBm
-5MHz	-46.93	-43.94	-50.16 dB
5MHz	-48.22	-45.81	-51.02 dB
UTRA			
-10MHz	-57.76	-54.80	-60.97 dB
-5MHz	-48.27	-45.66	-51.30 dB
5MHz	-49.70	-47.41	-52.12 dB
10MHz	-60.45	-58.32	-62.53 dB


Band3(1710-1785) QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.35	22.69	22.04 dBm
-10MHz	-54.62	-49.64	-56.60 dB
10MHz	-49.99	-49.16	-51.47 dB
UTRA			
-12.5MHz	-62.67	-61.61	-63.77 dB
-7.5MHz	-55.67	-50.00	-58.16 dB
7.5MHz	-59.24	-58.88	-59.59 dB
12.5MHz	-50.64	-49.65	-52.43 dB


Band5(824-845) 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.53	21.91 dBm
-10MHz	-50.42	-50.01	-50.84 dB
10MHz	-55.68	-52.17	-56.58 dB
UTRA			
-12.5MHz	-51.09	-50.55	-51.62 dB
-7.5MHz	-59.59	-59.30	-60.04 dB
7.5MHz	-56.79	-52.56	-57.99 dB
12.5MHz	-63.16	-62.81	-63.61 dB


Band5(824-845) 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.15	21.24	21.06 dBm
-10MHz	-48.42	-48.15	-48.73 dB
10MHz	-47.26	-46.95	-47.54 dB
UTRA			
-12.5MHz	-55.39	-55.13	-55.70 dB
-7.5MHz	-50.22	-49.91	-50.55 dB
7.5MHz	-49.26	-48.99	-49.59 dB
12.5MHz	-53.76	-53.41	-54.09 dB


Band5(824-845) 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.16	22.73	21.61 dBm
-10MHz	-55.26	-50.85	-56.54 dB
10MHz	-50.74	-49.99	-51.32 dB
UTRA			
-12.5MHz	-62.93	-62.44	-63.42 dB
-7.5MHz	-56.40	-51.24	-58.05 dB
7.5MHz	-59.79	-59.35	-60.26 dB
12.5MHz	-51.43	-50.51	-52.19 dB


Band5(824-845) 16QAM BW=10MHz Channel=20505 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.03	22.51	21.76 dBm
-10MHz	-50.27	-49.94	-50.72 dB
10MHz	-56.52	-55.61	-56.88 dB
UTRA			
-12.5MHz	-51.00	-50.56	-51.58 dB
-7.5MHz	-59.01	-58.75	-59.47 dB
7.5MHz	-57.86	-56.78	-58.26 dB
12.5MHz	-63.34	-62.92	-63.90 dB


Band5(824-845) 16QAM BW=10MHz Channel=20505 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.10	21.23	21.00 dBm
-10MHz	-48.87	-48.50	-49.29 dB
10MHz	-47.22	-46.88	-47.61 dB
UTRA			
-12.5MHz	-55.60	-55.27	-56.13 dB
-7.5MHz	-50.69	-50.32	-51.11 dB
7.5MHz	-49.03	-48.67	-49.51 dB
12.5MHz	-54.25	-54.02	-54.51 dB


Band5(824-845) 16QAM BW=10MHz Channel=20505 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.96	22.38	21.75 dBm
-10MHz	-56.07	-55.83	-56.47 dB
10MHz	-54.89	-54.75	-55.16 dB
UTRA			
-12.5MHz	-62.60	-62.04	-63.16 dB
-7.5MHz	-57.56	-57.31	-57.90 dB
7.5MHz	-60.17	-59.85	-60.57 dB
12.5MHz	-56.75	-56.46	-57.19 dB


Band5(824-845) 16QAM BW=10MHz Channel=20560 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.33	22.85	21.83 dBm
-3MHz	-50.28	-49.68	-50.82 dB
3MHz	-52.23	-45.17	-56.20 dB
UTRA			
-4MHz	-50.26	-49.66	-50.79 dB
4MHz	-53.61	-45.70	-58.20 dB


Band5(824-845) 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.29	22.85	21.71 dBm
-3MHz	-52.90	-46.32	-56.05 dB
3MHz	-49.53	-49.01	-49.93 dB
UTRA			
-4MHz	-54.83	-47.19	-58.37 dB
4MHz	-49.55	-49.02	-49.96 dB


Band5(824-845) 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.14	21.25	21.03 dBm
-3MHz	-48.46	-48.19	-48.65 dB
3MHz	-47.58	-47.32	-47.77 dB
UTRA			
-4MHz	-48.96	-48.81	-49.12 dB
4MHz	-48.29	-48.05	-48.46 dB


Band5(824-845) 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.44	21.89 dBm
-10MHz	-49.48	-49.07	-49.91 dB
10MHz	-55.21	-49.52	-57.10 dB
UTRA			
-12.5MHz	-50.18	-49.68	-50.73 dB
-7.5MHz	-58.40	-58.13	-58.80 dB
7.5MHz	-55.90	-49.68	-58.23 dB
12.5MHz	-64.93	-64.46	-65.28 dB


Band5(824-845) 16QAM BW=10MHz Channel=20560 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.97	21.03	20.88 dBm
-10MHz	-48.40	-47.95	-48.67 dB
10MHz	-46.03	-45.66	-46.43 dB
UTRA			
-12.5MHz	-54.43	-53.98	-54.76 dB
-7.5MHz	-50.50	-50.05	-50.82 dB
7.5MHz	-47.37	-46.95	-47.83 dB
12.5MHz	-55.69	-55.48	-55.96 dB


Band5(824-845) 16QAM BW=10MHz Channel=20560 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.23	22.83	21.74 dBm
-3MHz	-52.74	-46.61	-56.25 dB
3MHz	-49.14	-48.36	-51.16 dB
UTRA			
-4MHz	-54.64	-47.29	-58.47 dB
4MHz	-49.14	-48.24	-51.17 dB


Band5(824-845) 16QAM BW=3MHz Channel=20505 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.59	21.95 dBm
-3MHz	-50.73	-50.25	-51.46 dB
3MHz	-55.05	-53.70	-56.26 dB
UTRA			
-4MHz	-50.71	-50.23	-51.40 dB
4MHz	-57.62	-56.21	-58.18 dB


Band5(824-845) 16QAM BW=3MHz Channel=20505 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.04	21.23	20.87 dBm
-3MHz	-48.14	-47.85	-48.42 dB
3MHz	-48.01	-47.62	-48.26 dB
UTRA			
-4MHz	-48.69	-48.42	-48.99 dB
4MHz	-48.68	-48.38	-48.93 dB


Band5(824-845) 16QAM BW=3MHz Channel=20505 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.61	21.50 dBm
-3MHz	-52.01	-45.13	-55.23 dB
3MHz	-51.31	-50.74	-51.86 dB
UTRA			
-4MHz	-53.84	-46.00	-57.99 dB
4MHz	-51.33	-50.73	-51.89 dB


Band5(824-845) 16QAM BW=3MHz Channel=20595 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.08	22.62	21.63 dBm
-3MHz	-49.11	-48.40	-49.64 dB
3MHz	-51.00	-43.32	-56.17 dB
UTRA			
-4MHz	-49.08	-48.33	-49.61 dB
4MHz	-52.09	-43.66	-58.15 dB

Band5(824-845) 16QAM BW=3MHz Channel=20595 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.14	20.79 dBm
-3MHz	-46.67	-46.15	-47.08 dB
3MHz	-46.87	-46.38	-47.25 dB
UTRA			
-4MHz	-47.44	-46.97	-47.77 dB
4MHz	-47.85	-47.40	-48.12 dB


Band5(824-845) 16QAM BW=3MHz Channel=20595 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.71	21.79 dBm
-5MHz	-55.62	-53.64	-56.24 dB
5MHz	-49.49	-49.05	-49.84 dB
UTRA			
-10MHz	-62.90	-61.70	-63.76 dB
-5MHz	-57.25	-55.62	-57.75 dB
5MHz	-49.67	-49.21	-50.03 dB
10MHz	-67.81	-67.06	-68.84 dB


Band5(824-845) 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.58	21.78 dBm
-5MHz	-49.63	-49.16	-50.05 dB
5MHz	-55.29	-52.85	-56.01 dB
UTRA			
-10MHz	-69.28	-68.49	-70.49 dB
-5MHz	-49.79	-49.30	-50.23 dB
5MHz	-56.72	-54.39	-57.49 dB
10MHz	-63.34	-63.01	-63.63 dB


Band5(824-845) 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.10	21.16	20.99 dBm
-5MHz	-48.38	-48.23	-48.54 dB
5MHz	-47.24	-47.11	-47.45 dB
UTRA			
-10MHz	-56.88	-56.67	-57.30 dB
-5MHz	-49.23	-49.02	-49.44 dB
5MHz	-48.02	-47.93	-48.17 dB
10MHz	-56.60	-56.15	-56.85 dB


Band5(824-845) 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.63	21.73 dBm
-5MHz	-55.47	-53.88	-56.10 dB
5MHz	-50.89	-50.24	-51.47 dB
UTRA			
-10MHz	-63.51	-62.94	-64.01 dB
-5MHz	-57.11	-55.89	-57.44 dB
5MHz	-51.10	-50.40	-51.72 dB
10MHz	-68.12	-66.76	-69.36 dB


Band5(824-845) 16QAM BW=5MHz Channel=20505 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.88	22.36	21.66 dBm
-5MHz	-48.62	-48.18	-49.03 dB
5MHz	-55.86	-55.29	-56.34 dB
UTRA			
-10MHz	-68.88	-67.83	-69.84 dB
-5MHz	-48.79	-48.33	-49.20 dB
5MHz	-57.32	-56.94	-57.57 dB
10MHz	-65.25	-64.90	-65.61 dB


Band5(824-845) 16QAM BW=5MHz Channel=20585 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.86	22.36	21.34 dBm
-5MHz	-55.26	-53.22	-56.04 dB
5MHz	-51.46	-50.83	-51.90 dB
UTRA			
-10MHz	-62.38	-61.16	-62.84 dB
-5MHz	-56.84	-55.03	-57.59 dB
5MHz	-51.68	-51.01	-52.15 dB
10MHz	-68.31	-67.20	-69.44 dB


Band5(824-845) 16QAM BW=5MHz Channel=20585 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.93	21.01	20.80 dBm
-5MHz	-47.47	-47.23	-47.76 dB
5MHz	-46.24	-45.98	-46.38 dB
UTRA			
-10MHz	-55.79	-55.42	-56.12 dB
-5MHz	-48.34	-48.04	-48.65 dB
5MHz	-47.01	-46.83	-47.14 dB
10MHz	-59.83	-59.51	-60.15 dB


Band5(824-845) 16QAM BW=5MHz Channel=20585 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.52	21.67 dBm
-5MHz	-50.13	-49.64	-50.68 dB
5MHz	-55.88	-55.44	-56.18 dB
UTRA			
-10MHz	-68.97	-67.88	-70.56 dB
-5MHz	-50.33	-49.80	-50.88 dB
5MHz	-57.22	-56.92	-57.67 dB
10MHz	-63.45	-63.19	-64.11 dB

Band5(824-845) 16QAM BW=5MHz Channel=20505 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.02	21.09	20.92 dBm
-5MHz	-48.21	-48.01	-48.39 dB
5MHz	-47.48	-47.26	-47.73 dB
UTRA			
-10MHz	-56.76	-56.38	-57.12 dB
-5MHz	-49.06	-48.85	-49.26 dB
5MHz	-48.25	-48.02	-48.47 dB
10MHz	-57.52	-57.21	-57.82 dB


Band5(824-845) 16QAM BW=5MHz Channel=20505 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.98	23.07	22.89 dBm
-10MHz	-56.35	-54.95	-57.05 dB
10MHz	-49.96	-49.48	-50.77 dB
UTRA			
-12.5MHz	-63.32	-62.61	-64.06 dB
-7.5MHz	-57.76	-56.35	-58.70 dB
7.5MHz	-59.72	-59.43	-59.95 dB
12.5MHz	-50.54	-50.00	-51.48 dB


Band5(824-845) QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	22.98	22.76 dBm
-10MHz	-50.41	-50.07	-50.66 dB
10MHz	-56.74	-56.51	-57.00 dB
UTRA			
-12.5MHz	-50.99	-50.60	-51.28 dB
-7.5MHz	-60.12	-59.91	-60.54 dB
7.5MHz	-57.99	-57.62	-58.31 dB
12.5MHz	-63.73	-63.32	-64.21 dB


Band5(824-845) QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.19	22.03 dBm
-10MHz	-49.67	-49.42	-50.04 dB
10MHz	-48.30	-48.05	-48.56 dB
UTRA			
-12.5MHz	-56.87	-56.44	-57.36 dB
-7.5MHz	-51.38	-51.10	-51.76 dB
7.5MHz	-50.60	-50.37	-50.87 dB
12.5MHz	-53.95	-53.65	-54.40 dB


Band5(824-845) QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.94	23.02	22.84 dBm
-10MHz	-56.81	-56.69	-57.08 dB
10MHz	-50.61	-50.26	-51.04 dB
UTRA			
-12.5MHz	-63.61	-63.29	-63.83 dB
-7.5MHz	-58.19	-58.00	-58.53 dB
7.5MHz	-60.46	-60.25	-60.62 dB
12.5MHz	-51.18	-50.80	-51.66 dB


Band5(824-845) QPSK BW=10MHz Channel=20505 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.80	22.91	22.70 dBm
-10MHz	-50.00	-49.64	-50.33 dB
10MHz	-56.97	-56.66	-57.17 dB
UTRA			
-12.5MHz	-50.59	-50.18	-50.97 dB
-7.5MHz	-59.60	-59.30	-59.83 dB
7.5MHz	-58.20	-57.79	-58.56 dB
12.5MHz	-63.94	-63.63	-64.46 dB


Band5(824-845) QPSK BW=10MHz Channel=20505 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.09	21.96 dBm
-10MHz	-50.38	-50.18	-50.72 dB
10MHz	-48.22	-48.05	-48.48 dB
UTRA			
-12.5MHz	-57.37	-56.88	-57.78 dB
-7.5MHz	-52.06	-51.77	-52.40 dB
7.5MHz	-50.22	-49.95	-50.54 dB
12.5MHz	-54.61	-54.22	-55.09 dB


Band5(824-845) QPSK BW=10MHz Channel=20505 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.80	22.89	22.71 dBm
-10MHz	-56.67	-56.40	-56.91 dB
10MHz	-54.99	-54.74	-55.31 dB
UTRA			
-12.5MHz	-63.32	-62.98	-63.69 dB
-7.5MHz	-58.12	-57.84	-58.47 dB
7.5MHz	-60.85	-60.59	-61.15 dB
12.5MHz	-56.56	-56.28	-56.93 dB


Band5(824-845) QPSK BW=10MHz Channel=20560 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.92	22.65 dBm
-10MHz	-49.55	-49.26	-50.04 dB
10MHz	-57.14	-55.93	-57.60 dB
UTRA			
-12.5MHz	-50.19	-49.88	-50.76 dB
-7.5MHz	-58.84	-58.63	-59.09 dB
7.5MHz	-58.08	-56.67	-58.72 dB
12.5MHz	-65.55	-65.07	-65.96 dB


Band5(824-845) QPSK BW=10MHz Channel=20560 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.90	21.97	21.82 dBm
-10MHz	-49.31	-48.86	-49.83 dB
10MHz	-46.61	-46.38	-46.93 dB
UTRA			
-12.5MHz	-55.71	-55.05	-56.47 dB
-7.5MHz	-51.20	-50.77	-51.61 dB
7.5MHz	-48.00	-47.71	-48.43 dB
12.5MHz	-56.12	-55.76	-56.55 dB


Band5(824-845) QPSK BW=10MHz Channel=20560 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.00	23.14	22.88 dBm
-3MHz	-54.95	-53.99	-56.17 dB
3MHz	-49.49	-49.26	-49.86 dB
UTRA			
-4MHz	-58.33	-57.91	-58.74 dB
4MHz	-49.51	-49.28	-49.87 dB


Band5(824-845) QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.00	23.11	22.89 dBm
-3MHz	-50.12	-49.86	-50.64 dB
3MHz	-54.77	-53.50	-57.09 dB
UTRA			
-4MHz	-50.09	-49.83	-50.60 dB
4MHz	-58.04	-57.48	-58.70 dB


Band5(824-845) QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.71	22.79	22.63 dBm
-3MHz	-54.21	-53.28	-55.75 dB
3MHz	-50.88	-50.45	-51.41 dB
UTRA			
-4MHz	-57.78	-57.42	-58.41 dB
4MHz	-50.90	-50.45	-51.43 dB


Band5(824-845) QPSK BW=3MHz Channel=20595 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.97	22.05	21.87 dBm
-3MHz	-49.57	-49.02	-50.22 dB
3MHz	-49.32	-48.81	-49.95 dB
UTRA			
-4MHz	-50.05	-49.45	-50.55 dB
4MHz	-49.92	-49.44	-50.44 dB


Band5(824-845) QPSK BW=3MHz Channel=20505 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.91	23.02	22.78 dBm
-3MHz	-54.36	-51.46	-55.64 dB
3MHz	-48.96	-48.47	-49.93 dB
UTRA			
-4MHz	-57.90	-54.74	-58.72 dB
4MHz	-48.98	-48.49	-49.93 dB


Band5(824-845) QPSK BW=3MHz Channel=20505 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.21	22.03 dBm
-3MHz	-49.26	-48.63	-50.21 dB
3MHz	-48.23	-47.57	-49.43 dB
UTRA			
-4MHz	-49.83	-49.27	-50.84 dB
4MHz	-48.94	-48.43	-49.85 dB


Band5(824-845) QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.90	22.99	22.80 dBm
-3MHz	-50.50	-50.18	-50.82 dB
3MHz	-54.69	-53.54	-56.57 dB
UTRA			
-4MHz	-50.48	-50.16	-50.80 dB
4MHz	-58.04	-57.69	-58.54 dB


Band5(824-845) QPSK BW=3MHz Channel=20505 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.83	22.89	22.75 dBm
-3MHz	-48.97	-48.75	-49.24 dB
3MHz	-54.84	-53.87	-56.85 dB
UTRA			
-4MHz	-48.96	-48.75	-49.24 dB
4MHz	-58.18	-57.79	-58.80 dB


Band5(824-845) QPSK BW=3MHz Channel=20595 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.90	21.98	21.81 dBm
-3MHz	-47.42	-46.61	-48.93 dB
3MHz	-47.63	-47.01	-48.99 dB
UTRA			
-4MHz	-48.20	-47.43	-49.76 dB
4MHz	-48.61	-48.09	-49.77 dB


Band5(824-845) QPSK BW=3MHz Channel=20595 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	22.97	22.71 dBm
-5MHz	-56.19	-55.60	-56.84 dB
5MHz	-49.14	-48.73	-49.43 dB
UTRA			
-10MHz	-63.44	-63.01	-63.80 dB
-5MHz	-57.90	-57.68	-58.26 dB
5MHz	-49.29	-48.86	-49.59 dB
10MHz	-68.63	-68.20	-69.35 dB


Band5(824-845) QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.85	23.01	22.75 dBm
-5MHz	-49.78	-49.60	-50.20 dB
5MHz	-55.80	-55.37	-56.23 dB
UTRA			
-10MHz	-69.74	-68.49	-70.67 dB
-5MHz	-49.93	-49.74	-50.34 dB
5MHz	-57.34	-57.14	-57.63 dB
10MHz	-63.33	-62.95	-63.72 dB


Band5(824-845) QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.16	22.03 dBm
-5MHz	-49.38	-49.03	-49.80 dB
5MHz	-48.07	-47.85	-48.41 dB
UTRA			
-10MHz	-57.08	-56.71	-57.34 dB
-5MHz	-50.25	-49.88	-50.68 dB
5MHz	-48.83	-48.60	-49.12 dB
10MHz	-56.67	-56.42	-57.13 dB


Band5(824-845) QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.67	22.74	22.57 dBm
-5MHz	-48.44	-48.00	-48.91 dB
5MHz	-55.85	-55.26	-56.54 dB
UTRA			
-10MHz	-69.48	-68.47	-70.67 dB
-5MHz	-48.59	-48.13	-49.06 dB
5MHz	-57.46	-57.23	-57.85 dB
10MHz	-65.89	-65.30	-66.64 dB


Band5(824-845) QPSK BW=5MHz Channel=20585 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.82	22.91	22.72 dBm
-5MHz	-56.00	-55.62	-56.67 dB
5MHz	-51.16	-50.78	-51.45 dB
UTRA			
-10MHz	-63.64	-63.21	-63.96 dB
-5MHz	-57.66	-57.47	-58.02 dB
5MHz	-51.35	-50.96	-51.65 dB
10MHz	-68.69	-67.78	-69.56 dB


Band5(824-845) QPSK BW=5MHz Channel=20505 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.91	22.69 dBm
-5MHz	-49.83	-49.41	-50.12 dB
5MHz	-56.05	-55.73	-56.47 dB
UTRA			
-10MHz	-69.52	-68.88	-71.01 dB
-5MHz	-50.00	-49.55	-50.28 dB
5MHz	-57.57	-57.37	-57.79 dB
10MHz	-63.85	-63.53	-64.29 dB


Band5(824-845) QPSK BW=5MHz Channel=20505 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.08	21.90 dBm
-5MHz	-49.65	-49.36	-50.08 dB
5MHz	-48.58	-48.31	-48.94 dB
UTRA			
-10MHz	-56.79	-56.51	-57.12 dB
-5MHz	-50.54	-50.27	-50.97 dB
5MHz	-49.35	-49.13	-49.72 dB
10MHz	-57.65	-57.14	-58.02 dB


Band5(824-845) QPSK BW=5MHz Channel=20505 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.66	22.75	22.57 dBm
-5MHz	-55.91	-55.55	-56.31 dB
5MHz	-51.65	-51.36	-51.95 dB
UTRA			
-10MHz	-62.61	-62.30	-62.82 dB
-5MHz	-57.58	-57.38	-57.89 dB
5MHz	-51.84	-51.55	-52.14 dB
10MHz	-68.94	-67.96	-69.71 dB


Band5(824-845) QPSK BW=5MHz Channel=20585 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.87	21.95	21.81 dBm
-5MHz	-48.02	-47.57	-48.72 dB
5MHz	-46.71	-46.39	-47.01 dB
UTRA			
-10MHz	-55.97	-55.51	-56.37 dB
-5MHz	-48.93	-48.42	-49.69 dB
5MHz	-47.50	-47.18	-47.83 dB
10MHz	-60.16	-59.81	-60.72 dB


Band5(824-845) QPSK BW=5MHz Channel=20585 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.90	21.47	20.29 dBm
-10MHz	-51.40	-50.29	-52.96 dB
10MHz	-52.90	-52.14	-53.44 dB
UTRA			
-12.5MHz	-62.68	-62.16	-63.35 dB
-7.5MHz	-51.01	-49.73	-52.76 dB
7.5MHz	-60.26	-59.70	-60.76 dB
12.5MHz	-53.97	-52.96	-54.74 dB


Band8(900-915) 16QAM BW=10MHz Channel=21700 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.95	21.39	20.46 dBm
-10MHz	-50.92	-50.31	-51.57 dB
10MHz	-51.96	-50.33	-52.74 dB
UTRA			
-12.5MHz	-52.07	-51.19	-53.04 dB
-7.5MHz	-57.95	-57.50	-58.42 dB
7.5MHz	-51.55	-49.63	-52.59 dB
12.5MHz	-63.06	-62.72	-63.50 dB

Band8(900-915) 16QAM BW=10MHz Channel=21700 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.05	21.91 dBm
-10MHz	-46.30	-45.08	-48.32 dB
10MHz	-50.99	-50.78	-51.43 dB
UTRA			
-12.5MHz	-61.77	-61.47	-62.00 dB
-7.5MHz	-46.80	-45.58	-48.87 dB
7.5MHz	-55.88	-55.54	-56.19 dB
12.5MHz	-55.35	-55.00	-55.92 dB


Band8(900-915) 16QAM BW=10MHz Channel=21700 RB Size=12 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.92	22.05	21.78 dBm
-10MHz	-50.96	-50.73	-51.29 dB
10MHz	-47.62	-46.19	-49.31 dB
UTRA			
-12.5MHz	-55.66	-55.35	-56.03 dB
-7.5MHz	-55.06	-54.75	-55.35 dB
7.5MHz	-48.14	-46.76	-49.89 dB
12.5MHz	-61.85	-61.26	-62.26 dB


Band8(900-915) 16QAM BW=10MHz Channel=21700 RB Size=12 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.80	19.88	19.72 dBm
-10MHz	-48.53	-48.27	-48.96 dB
10MHz	-50.39	-50.19	-50.55 dB
UTRA			
-12.5MHz	-54.36	-53.90	-54.89 dB
-7.5MHz	-50.74	-50.41	-51.20 dB
7.5MHz	-52.42	-52.21	-52.60 dB
12.5MHz	-56.82	-56.34	-57.17 dB


Band8(900-915) 16QAM BW=10MHz Channel=21700 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.79	21.37	20.25 dBm
-10MHz	-51.37	-50.35	-52.92 dB
10MHz	-56.35	-55.96	-56.80 dB
UTRA			
-12.5MHz	-62.44	-61.59	-62.99 dB
-7.5MHz	-51.03	-49.82	-52.82 dB
7.5MHz	-60.01	-59.48	-60.77 dB
12.5MHz	-59.40	-58.70	-60.08 dB


Band8(900-915) 16QAM BW=10MHz Channel=21725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.87	21.42	20.45 dBm
-10MHz	-50.44	-49.85	-50.83 dB
10MHz	-51.67	-50.15	-52.32 dB
UTRA			
-12.5MHz	-51.47	-50.70	-52.01 dB
-7.5MHz	-57.91	-57.47	-58.51 dB
7.5MHz	-51.09	-49.33	-51.79 dB
12.5MHz	-64.99	-63.88	-65.66 dB


Band8(900-915) 16QAM BW=10MHz Channel=21725 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.88	21.27	20.51 dBm
-10MHz	-51.39	-50.26	-52.92 dB
10MHz	-59.41	-59.00	-60.07 dB
UTRA			
-12.5MHz	-62.26	-61.88	-63.00 dB
-7.5MHz	-51.04	-49.73	-52.94 dB
7.5MHz	-60.90	-60.44	-61.58 dB
12.5MHz	-66.48	-65.84	-67.70 dB


Band8(900-915) 16QAM BW=10MHz Channel=21750 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.80	19.90	19.72 dBm
-10MHz	-48.22	-47.94	-48.59 dB
10MHz	-50.74	-50.51	-51.09 dB
UTRA			
-12.5MHz	-53.77	-53.30	-54.22 dB
-7.5MHz	-50.57	-50.16	-50.91 dB
7.5MHz	-52.01	-51.77	-52.33 dB
12.5MHz	-60.06	-59.63	-60.75 dB


Band8(900-915) 16QAM BW=10MHz Channel=21725 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.13	21.84 dBm
-10MHz	-50.04	-49.85	-50.32 dB
10MHz	-48.01	-46.47	-49.29 dB
UTRA			
-12.5MHz	-54.60	-54.26	-54.85 dB
-7.5MHz	-54.45	-54.28	-54.63 dB
7.5MHz	-48.45	-46.97	-49.78 dB
12.5MHz	-64.13	-63.45	-64.74 dB


Band8(900-915) 16QAM BW=10MHz Channel=21725 RB Size=12 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.09	21.90 dBm
-10MHz	-45.73	-44.29	-47.48 dB
10MHz	-52.11	-51.77	-52.51 dB
UTRA			
-12.5MHz	-61.30	-60.84	-61.61 dB
-7.5MHz	-46.24	-44.77	-48.04 dB
7.5MHz	-55.85	-55.56	-56.42 dB
12.5MHz	-58.13	-57.71	-58.54 dB


Band8(900-915) 16QAM BW=10MHz Channel=21725 RB Size=12 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.90	21.27	20.59 dBm
-10MHz	-50.87	-50.18	-51.58 dB
10MHz	-52.29	-50.20	-53.59 dB
UTRA			
-12.5MHz	-51.89	-51.04	-52.84 dB
-7.5MHz	-58.38	-58.09	-58.63 dB
7.5MHz	-51.53	-49.22	-52.90 dB
12.5MHz	-66.92	-66.21	-69.23 dB


Band8(900-915) 16QAM BW=10MHz Channel=21750 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.14	21.87 dBm
-10MHz	-46.22	-45.09	-47.75 dB
10MHz	-56.67	-55.65	-57.35 dB
UTRA			
-12.5MHz	-60.39	-59.31	-61.10 dB
-7.5MHz	-46.78	-45.61	-48.35 dB
7.5MHz	-58.29	-57.35	-58.86 dB
12.5MHz	-66.08	-65.11	-66.89 dB


Band8(900-915) 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.08	21.89 dBm
-10MHz	-50.32	-50.10	-50.50 dB
10MHz	-48.05	-46.35	-49.68 dB
UTRA			
-12.5MHz	-54.68	-54.24	-54.96 dB
-7.5MHz	-54.87	-54.68	-55.05 dB
7.5MHz	-48.38	-46.78	-50.01 dB
12.5MHz	-67.50	-66.61	-68.07 dB


Band8(900-915) 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.83	19.91	19.76 dBm
-10MHz	-47.55	-44.69	-48.50 dB
10MHz	-50.52	-47.46	-51.64 dB
UTRA			
-12.5MHz	-52.81	-49.71	-53.83 dB
-7.5MHz	-50.03	-47.22	-50.97 dB
7.5MHz	-51.10	-48.04	-52.22 dB
12.5MHz	-64.39	-63.00	-65.57 dB


Band8(900-915) 16QAM BW=10MHz Channel=21750 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.78	21.31	20.26 dBm
-3MHz	-52.49	-45.83	-55.37 dB
3MHz	-49.92	-49.06	-50.76 dB
UTRA			
-4MHz	-54.34	-46.52	-58.37 dB
4MHz	-49.94	-49.07	-50.79 dB


Band8(900-915) 16QAM BW=3MHz Channel=21665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.87	22.11	21.72 dBm
-3MHz	-50.39	-50.12	-50.57 dB
3MHz	-43.84	-42.01	-45.24 dB
UTRA			
-4MHz	-50.54	-50.29	-50.73 dB
4MHz	-49.98	-48.75	-50.90 dB


Band8(900-915) 16QAM BW=3MHz Channel=21665 RB Size=4 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.88	21.98	21.73 dBm
-3MHz	-45.32	-43.06	-47.21 dB
3MHz	-51.56	-51.27	-51.77 dB
UTRA			
-4MHz	-50.59	-49.29	-51.43 dB
4MHz	-51.75	-51.48	-51.99 dB


Band8(900-915) 16QAM BW=3MHz Channel=21665 RB Size=4 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.95	21.31	20.62 dBm
-3MHz	-52.11	-45.07	-55.38 dB
3MHz	-49.20	-48.47	-49.99 dB
UTRA			
-4MHz	-53.82	-45.71	-58.62 dB
4MHz	-49.20	-48.46	-50.02 dB


Band8(900-915) 16QAM BW=3MHz Channel=21725 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.83	21.30	20.48 dBm
-3MHz	-48.68	-47.87	-49.23 dB
3MHz	-51.22	-43.49	-55.92 dB
UTRA			
-4MHz	-48.66	-47.70	-49.25 dB
4MHz	-52.42	-43.92	-58.44 dB


Band8(900-915) 16QAM BW=3MHz Channel=21665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.64	19.79	19.49 dBm
-3MHz	-49.58	-49.15	-49.95 dB
3MHz	-50.36	-49.97	-50.69 dB
UTRA			
-4MHz	-49.42	-49.10	-49.81 dB
4MHz	-50.34	-50.07	-50.67 dB


Band8(900-915) 16QAM BW=3MHz Channel=21665 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.29	20.69 dBm
-3MHz	-50.42	-49.82	-51.39 dB
3MHz	-53.93	-50.79	-55.93 dB
UTRA			
-4MHz	-50.40	-49.82	-51.38 dB
4MHz	-56.30	-52.64	-58.38 dB


Band8(900-915) 16QAM BW=3MHz Channel=21725 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.70	19.84	19.53 dBm
-3MHz	-49.49	-49.12	-49.94 dB
3MHz	-50.24	-49.88	-50.70 dB
UTRA			
-4MHz	-49.27	-48.98	-49.62 dB
4MHz	-50.25	-49.95	-50.61 dB


Band8(900-915) 16QAM BW=3MHz Channel=21725 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.95	22.03	21.88 dBm
-3MHz	-44.59	-42.41	-47.10 dB
3MHz	-51.23	-50.88	-51.49 dB
UTRA			
-4MHz	-50.13	-48.91	-51.11 dB
4MHz	-51.41	-51.04	-51.66 dB


Band8(900-915) 16QAM BW=3MHz Channel=21725 RB Size=4 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.97	22.10	21.78 dBm
-3MHz	-49.93	-49.59	-50.27 dB
3MHz	-44.97	-42.65	-46.96 dB
UTRA			
-4MHz	-50.08	-49.75	-50.41 dB
4MHz	-50.47	-48.77	-51.72 dB


Band8(900-915) 16QAM BW=3MHz Channel=21725 RB Size=4 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.84	21.46	20.34 dBm
-3MHz	-52.50	-46.24	-55.22 dB
3MHz	-50.80	-50.16	-51.58 dB
UTRA			
-4MHz	-54.40	-46.90	-57.90 dB
4MHz	-50.87	-50.23	-51.66 dB


Band8(900-915) 16QAM BW=3MHz Channel=21785 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.80	21.21	20.52 dBm
-3MHz	-51.15	-50.74	-51.94 dB
3MHz	-54.96	-53.51	-55.99 dB
UTRA			
-4MHz	-51.11	-50.69	-51.91 dB
4MHz	-58.25	-57.43	-58.79 dB


Band8(900-915) 16QAM BW=3MHz Channel=21785 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.67	19.81	19.54 dBm
-3MHz	-49.83	-49.51	-50.25 dB
3MHz	-48.78	-48.53	-49.02 dB
UTRA			
-4MHz	-49.76	-49.49	-50.03 dB
4MHz	-49.74	-49.52	-49.97 dB


Band8(900-915) 16QAM BW=3MHz Channel=21785 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.17	21.88 dBm
-3MHz	-45.91	-43.15	-48.49 dB
3MHz	-51.50	-49.78	-52.46 dB
UTRA			
-4MHz	-50.73	-49.18	-52.14 dB
4MHz	-51.79	-50.02	-52.79 dB

Band8(900-915) 16QAM BW=3MHz Channel=21785 RB Size=4 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.94	22.11	21.78 dBm
-3MHz	-50.57	-50.00	-51.74 dB
3MHz	-44.80	-41.72	-47.73 dB
UTRA			
-4MHz	-50.70	-50.13	-51.86 dB
4MHz	-50.45	-48.29	-52.30 dB


Band8(900-915) 16QAM BW=3MHz Channel=21785 RB Size=4 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.12	21.85 dBm
-5MHz	-49.77	-49.55	-49.96 dB
5MHz	-45.13	-43.77	-46.83 dB
UTRA			
-10MHz	-68.16	-67.24	-69.13 dB
-5MHz	-50.11	-49.87	-50.36 dB
5MHz	-47.70	-46.24	-49.21 dB
10MHz	-65.68	-65.26	-66.42 dB

Band8(900-915) 16QAM BW=5MHz Channel=21675 RB Size=8 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.18	21.83 dBm
-5MHz	-46.09	-44.87	-46.92 dB
5MHz	-50.88	-50.65	-51.26 dB
UTRA			
-10MHz	-65.48	-65.05	-66.12 dB
-5MHz	-48.62	-47.67	-49.36 dB
5MHz	-51.24	-51.00	-51.63 dB
10MHz	-67.44	-66.51	-68.25 dB


Band8(900-915) 16QAM BW=5MHz Channel=21675 RB Size=8 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.82	21.22	20.53 dBm
-5MHz	-45.99	-44.45	-49.01 dB
5MHz	-49.64	-49.10	-50.42 dB
UTRA			
-10MHz	-63.91	-63.46	-64.39 dB
-5MHz	-53.43	-52.41	-55.14 dB
5MHz	-49.83	-49.27	-50.65 dB
10MHz	-67.17	-66.02	-68.72 dB


Band8(900-915) 16QAM BW=5MHz Channel=21675 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.76	21.30	20.37 dBm
-5MHz	-50.51	-50.03	-51.27 dB
5MHz	-46.12	-44.78	-47.50 dB
UTRA			
-10MHz	-67.81	-66.88	-68.46 dB
-5MHz	-50.75	-50.24	-51.55 dB
5MHz	-53.49	-52.53	-54.36 dB
10MHz	-64.36	-63.67	-64.93 dB


Band8(900-915) 16QAM BW=5MHz Channel=21675 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.81	19.92	19.70 dBm
-5MHz	-48.58	-48.34	-48.87 dB
5MHz	-49.74	-49.53	-49.98 dB
UTRA			
-10MHz	-56.42	-56.10	-56.75 dB
-5MHz	-49.71	-49.52	-49.97 dB
5MHz	-50.93	-50.71	-51.08 dB
10MHz	-57.41	-57.03	-57.79 dB

Band8(900-915) 16QAM BW=5MHz Channel=21675 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.81	21.30	20.36 dBm
-5MHz	-45.53	-43.06	-47.65 dB
5MHz	-51.27	-50.58	-51.82 dB
UTRA			
-10MHz	-63.24	-61.42	-63.98 dB
-5MHz	-52.98	-51.20	-54.26 dB
5MHz	-51.50	-50.78	-52.06 dB
10MHz	-66.95	-66.08	-68.06 dB


Band8(900-915) 16QAM BW=5MHz Channel=21725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.85	21.17	20.48 dBm
-5MHz	-49.00	-48.35	-49.98 dB
5MHz	-45.93	-44.75	-47.03 dB
UTRA			
-10MHz	-67.65	-66.46	-68.58 dB
-5MHz	-49.19	-48.53	-50.21 dB
5MHz	-53.32	-52.53	-54.13 dB
10MHz	-64.50	-63.87	-65.55 dB

Band8(900-915) 16QAM BW=5MHz Channel=21725 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.73	19.88	19.60 dBm
-5MHz	-48.36	-48.08	-48.58 dB
5MHz	-49.61	-49.36	-49.87 dB
UTRA			
-10MHz	-55.16	-54.85	-55.55 dB
-5MHz	-49.50	-49.35	-49.62 dB
5MHz	-50.74	-50.47	-50.92 dB
10MHz	-57.28	-56.88	-57.63 dB


Band8(900-915) 16QAM BW=5MHz Channel=21725 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.12	21.90 dBm
-5MHz	-45.03	-43.52	-45.89 dB
5MHz	-50.72	-50.44	-51.04 dB
UTRA			
-10MHz	-64.62	-64.35	-65.18 dB
-5MHz	-47.46	-46.10	-48.35 dB
5MHz	-51.06	-50.79	-51.41 dB
10MHz	-67.63	-66.89	-68.48 dB

Band8(900-915) 16QAM BW=5MHz Channel=21725 RB Size=8 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.95	22.13	21.82 dBm
-5MHz	-50.94	-50.67	-51.17 dB
5MHz	-46.75	-45.13	-47.93 dB
UTRA			
-10MHz	-67.36	-66.44	-68.12 dB
-5MHz	-51.39	-51.11	-51.65 dB
5MHz	-48.98	-47.55	-49.82 dB
10MHz	-65.32	-64.99	-65.94 dB


Band8(900-915) 16QAM BW=5MHz Channel=21725 RB Size=8 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.06	21.79 dBm
-5MHz	-47.04	-45.81	-47.61 dB
5MHz	-52.13	-51.66	-52.44 dB
UTRA			
-10MHz	-64.39	-64.04	-64.87 dB
-5MHz	-49.24	-47.95	-49.78 dB
5MHz	-52.61	-52.12	-52.95 dB
10MHz	-68.91	-68.28	-70.04 dB


Band8(900-915) 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.72	19.82	19.60 dBm
-5MHz	-47.44	-42.56	-48.87 dB
5MHz	-47.49	-44.75	-48.74 dB
UTRA			
-10MHz	-54.16	-51.01	-55.58 dB
-5MHz	-48.69	-44.34	-50.00 dB
5MHz	-48.71	-46.54	-49.87 dB
10MHz	-64.73	-63.77	-66.05 dB


Band8(900-915) 16QAM BW=5MHz Channel=21775 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.97	22.04	21.85 dBm
-5MHz	-51.16	-50.92	-51.39 dB
5MHz	-46.30	-45.44	-47.28 dB
UTRA			
-10MHz	-67.88	-66.69	-69.02 dB
-5MHz	-51.58	-51.34	-51.88 dB
5MHz	-48.94	-47.95	-49.79 dB
10MHz	-67.69	-66.88	-68.66 dB


Band8(900-915) 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.82	21.16	20.48 dBm
-5MHz	-45.23	-43.97	-47.35 dB
5MHz	-52.64	-52.08	-53.17 dB
UTRA			
-10MHz	-62.79	-61.27	-63.43 dB
-5MHz	-52.76	-51.92	-54.08 dB
5MHz	-52.93	-52.34	-53.51 dB
10MHz	-67.54	-66.53	-68.49 dB


Band8(900-915) 16QAM BW=5MHz Channel=21775 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.81	21.20	20.47 dBm
-5MHz	-49.85	-49.26	-50.58 dB
5MHz	-45.96	-44.94	-47.48 dB
UTRA			
-10MHz	-68.01	-66.97	-69.15 dB
-5MHz	-50.04	-49.44	-50.80 dB
5MHz	-53.62	-53.00	-54.60 dB
10MHz	-66.21	-65.50	-67.26 dB


Band8(900-915) 16QAM BW=5MHz Channel=21775 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.61	21.69	21.54 dBm
-10MHz	-51.82	-50.74	-52.74 dB
10MHz	-53.11	-52.82	-53.45 dB
UTRA			
-12.5MHz	-63.24	-62.91	-63.59 dB
-7.5MHz	-51.43	-50.18	-52.61 dB
7.5MHz	-60.83	-60.58	-61.11 dB
12.5MHz	-54.09	-53.71	-54.47 dB


Band8(900-915) QPSK BW=10MHz Channel=21700 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.53	21.60	21.40 dBm
-10MHz	-50.48	-49.55	-51.32 dB
10MHz	-51.60	-50.64	-53.43 dB
UTRA			
-12.5MHz	-51.43	-50.36	-52.43 dB
-7.5MHz	-58.23	-57.87	-58.70 dB
7.5MHz	-51.21	-50.22	-53.39 dB
12.5MHz	-63.10	-62.33	-64.03 dB


Band8(900-915) QPSK BW=10MHz Channel=21700 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.03	23.10	22.95 dBm
-10MHz	-45.42	-44.42	-46.79 dB
10MHz	-50.58	-50.43	-50.76 dB
UTRA			
-12.5MHz	-61.75	-61.23	-62.16 dB
-7.5MHz	-45.92	-44.96	-47.24 dB
7.5MHz	-55.53	-55.23	-55.98 dB
12.5MHz	-54.85	-54.57	-55.15 dB


Band8(900-915) QPSK BW=10MHz Channel=21700 RB Size=12 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.95	23.01	22.89 dBm
-10MHz	-50.76	-50.63	-50.93 dB
10MHz	-47.34	-45.78	-49.07 dB
UTRA			
-12.5MHz	-55.29	-55.04	-55.53 dB
-7.5MHz	-55.07	-54.85	-55.25 dB
7.5MHz	-47.89	-46.27	-49.72 dB
12.5MHz	-61.87	-61.48	-62.29 dB


Band8(900-915) QPSK BW=10MHz Channel=21700 RB Size=12 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.02	23.12	22.95 dBm
-10MHz	-44.82	-43.40	-46.75 dB
10MHz	-52.13	-51.71	-53.91 dB
UTRA			
-12.5MHz	-61.18	-60.30	-61.81 dB
-7.5MHz	-45.32	-43.92	-47.26 dB
7.5MHz	-55.83	-55.37	-57.24 dB
12.5MHz	-58.15	-57.53	-59.94 dB


Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=12 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.53	21.65	21.40 dBm
-10MHz	-50.51	-50.19	-50.82 dB
10MHz	-51.91	-50.63	-53.44 dB
UTRA			
-12.5MHz	-51.44	-51.06	-51.83 dB
-7.5MHz	-58.32	-58.10	-58.54 dB
7.5MHz	-51.27	-49.88	-53.15 dB
12.5MHz	-65.79	-64.98	-66.67 dB


Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.97	23.05	22.90 dBm
-10MHz	-49.83	-49.63	-50.02 dB
10MHz	-47.91	-46.47	-49.32 dB
UTRA			
-12.5MHz	-54.26	-53.84	-54.58 dB
-7.5MHz	-54.37	-54.18	-54.56 dB
7.5MHz	-48.36	-46.85	-49.80 dB
12.5MHz	-64.48	-64.03	-64.86 dB


Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=12 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.80	20.86	20.71 dBm
-10MHz	-49.77	-49.35	-50.09 dB
10MHz	-51.92	-51.44	-52.19 dB
UTRA			
-12.5MHz	-55.53	-54.95	-56.06 dB
-7.5MHz	-51.99	-51.52	-52.30 dB
7.5MHz	-53.69	-53.21	-54.01 dB
12.5MHz	-58.87	-58.52	-59.16 dB


Band8(900-915) QPSK BW=10MHz Channel=21700 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.59	21.70	21.48 dBm
-10MHz	-51.68	-50.57	-52.65 dB
10MHz	-56.65	-56.39	-57.02 dB
UTRA			
-12.5MHz	-63.12	-62.61	-63.57 dB
-7.5MHz	-51.28	-50.03	-52.46 dB
7.5MHz	-60.63	-60.34	-60.83 dB
12.5MHz	-59.36	-58.81	-60.09 dB


Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.57	21.69	21.43 dBm
-10MHz	-51.64	-50.34	-52.91 dB
10MHz	-60.04	-59.78	-60.50 dB
UTRA			
-12.5MHz	-62.88	-62.61	-63.35 dB
-7.5MHz	-51.22	-49.73	-52.68 dB
7.5MHz	-61.46	-61.13	-61.91 dB
12.5MHz	-67.26	-66.80	-68.16 dB


Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.51	21.68	21.35 dBm
-10MHz	-49.96	-48.64	-51.19 dB
10MHz	-52.63	-51.75	-54.18 dB
UTRA			
-12.5MHz	-50.67	-49.14	-52.18 dB
-7.5MHz	-58.89	-58.49	-59.14 dB
7.5MHz	-51.90	-50.89	-53.70 dB
12.5MHz	-67.32	-66.45	-68.95 dB


Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.04	23.08	23.01 dBm
-10MHz	-45.04	-43.94	-45.84 dB
10MHz	-56.82	-56.60	-57.10 dB
UTRA			
-12.5MHz	-60.33	-59.88	-60.78 dB
-7.5MHz	-45.57	-44.36	-46.37 dB
7.5MHz	-58.52	-58.19	-58.95 dB
12.5MHz	-66.23	-65.65	-66.95 dB


Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.00	23.04	22.93 dBm
-10MHz	-50.08	-49.86	-50.26 dB
10MHz	-47.64	-46.51	-48.63 dB
UTRA			
-12.5MHz	-54.30	-54.02	-54.63 dB
-7.5MHz	-54.82	-54.49	-55.05 dB
7.5MHz	-47.98	-46.79	-49.01 dB
12.5MHz	-68.49	-67.82	-70.09 dB


Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.79	20.85	20.69 dBm
-10MHz	-49.72	-49.44	-50.16 dB
10MHz	-52.17	-51.88	-52.65 dB
UTRA			
-12.5MHz	-55.04	-54.41	-55.73 dB
-7.5MHz	-52.14	-51.87	-52.48 dB
7.5MHz	-53.32	-53.04	-53.78 dB
12.5MHz	-61.72	-61.27	-62.30 dB


Band8(900-915) QPSK BW=10MHz Channel=21725 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.83	22.93	22.69 dBm
-3MHz	-45.18	-41.86	-48.60 dB
3MHz	-51.08	-50.75	-51.48 dB
UTRA			
-4MHz	-50.52	-48.29	-52.49 dB
4MHz	-51.27	-50.94	-51.70 dB


Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=4 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.82	20.88	20.73 dBm
-10MHz	-49.01	-45.42	-50.26 dB
10MHz	-51.38	-48.32	-52.48 dB
UTRA			
-12.5MHz	-54.02	-50.41	-55.27 dB
-7.5MHz	-51.60	-48.07	-52.86 dB
7.5MHz	-51.94	-48.88	-53.08 dB
12.5MHz	-65.68	-65.18	-66.28 dB


Band8(900-915) QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.54	21.65	21.41 dBm
-3MHz	-54.56	-53.59	-55.97 dB
3MHz	-49.81	-49.18	-50.41 dB
UTRA			
-4MHz	-58.39	-58.06	-58.98 dB
4MHz	-49.83	-49.19	-50.44 dB


Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.50	21.59	21.38 dBm
-3MHz	-48.67	-48.28	-49.02 dB
3MHz	-55.07	-54.21	-56.70 dB
UTRA			
-4MHz	-48.67	-48.28	-49.00 dB
4MHz	-58.58	-58.32	-58.90 dB


Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.63	20.70	20.54 dBm
-3MHz	-51.17	-50.13	-52.17 dB
3MHz	-52.11	-51.10	-53.21 dB
UTRA			
-4MHz	-50.84	-50.11	-51.60 dB
4MHz	-51.85	-51.08	-52.75 dB


Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.70	20.81	20.64 dBm
-3MHz	-51.49	-50.61	-52.45 dB
3MHz	-52.42	-51.61	-53.38 dB
UTRA			
-4MHz	-50.98	-50.35	-51.83 dB
4MHz	-52.05	-51.51	-52.79 dB


Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.58	21.68	21.48 dBm
-3MHz	-50.37	-50.05	-51.03 dB
3MHz	-54.48	-53.45	-56.48 dB
UTRA			
-4MHz	-50.36	-50.06	-51.02 dB
4MHz	-58.11	-57.66	-58.69 dB


Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.80	22.84	22.75 dBm
-3MHz	-50.00	-49.76	-50.17 dB
3MHz	-42.98	-39.92	-45.48 dB
UTRA			
-4MHz	-50.19	-49.96	-50.36 dB
4MHz	-49.21	-46.95	-51.03 dB


Band8(900-915) QPSK BW=3MHz Channel=21665 RB Size=4 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.60	21.66	21.50 dBm
-3MHz	-54.80	-53.96	-56.07 dB
3MHz	-49.26	-48.87	-49.61 dB
UTRA			
-4MHz	-58.40	-58.00	-58.79 dB
4MHz	-49.28	-48.89	-49.62 dB


Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.93	23.02	22.83 dBm
-3MHz	-43.59	-40.53	-47.33 dB
3MHz	-50.59	-50.23	-51.14 dB
UTRA			
-4MHz	-49.41	-47.26	-51.73 dB
4MHz	-50.79	-50.38	-51.36 dB


Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=4 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.89	22.99	22.77 dBm
-3MHz	-49.50	-49.21	-49.94 dB
3MHz	-44.99	-41.80	-47.47 dB
UTRA			
-4MHz	-49.68	-49.38	-50.14 dB
4MHz	-50.20	-47.89	-51.89 dB


Band8(900-915) QPSK BW=3MHz Channel=21725 RB Size=4 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.55	21.66	21.39 dBm
-3MHz	-54.51	-53.65	-55.33 dB
3MHz	-51.05	-50.59	-51.68 dB
UTRA			
-4MHz	-57.93	-57.47	-58.35 dB
4MHz	-51.12	-50.65	-51.78 dB


Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.52	21.60	21.41 dBm
-3MHz	-51.02	-50.47	-51.63 dB
3MHz	-54.86	-54.07	-55.97 dB
UTRA			
-4MHz	-50.99	-50.47	-51.58 dB
4MHz	-58.48	-58.19	-58.95 dB


Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.64	20.70	20.57 dBm
-3MHz	-51.83	-51.51	-52.42 dB
3MHz	-50.01	-49.67	-50.61 dB
UTRA			
-4MHz	-51.56	-51.14	-52.05 dB
4MHz	-51.05	-50.60	-51.46 dB


Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.90	22.97	22.80 dBm
-3MHz	-46.45	-44.49	-49.39 dB
3MHz	-51.58	-49.98	-52.21 dB
UTRA			
-4MHz	-50.91	-49.59	-52.74 dB
4MHz	-51.90	-50.21	-52.54 dB


Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=4 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.87	22.96	22.74 dBm
-3MHz	-51.14	-49.72	-52.45 dB
3MHz	-44.63	-42.01	-47.28 dB
UTRA			
-4MHz	-51.33	-49.91	-52.56 dB
4MHz	-50.09	-47.96	-52.14 dB


Band8(900-915) QPSK BW=3MHz Channel=21785 RB Size=4 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.52	21.66	21.36 dBm
-5MHz	-46.01	-44.83	-47.28 dB
5MHz	-49.46	-48.96	-49.96 dB
UTRA			
-10MHz	-63.98	-63.54	-64.52 dB
-5MHz	-53.60	-52.81	-54.40 dB
5MHz	-49.61	-49.11	-50.11 dB
10MHz	-67.69	-66.77	-68.67 dB


Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.46	21.52	21.39 dBm
-5MHz	-46.37	-45.39	-47.75 dB
5MHz	-51.26	-50.96	-51.57 dB
UTRA			
-10MHz	-63.73	-63.33	-64.31 dB
-5MHz	-53.70	-53.02	-54.39 dB
5MHz	-51.45	-51.17	-51.78 dB
10MHz	-67.49	-66.57	-68.62 dB

Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.92	23.00	22.84 dBm
-5MHz	-49.44	-49.25	-49.76 dB
5MHz	-43.40	-41.06	-44.57 dB
UTRA			
-10MHz	-68.94	-68.30	-69.82 dB
-5MHz	-49.81	-49.63	-50.12 dB
5MHz	-45.95	-43.78	-47.04 dB
10MHz	-65.71	-65.10	-66.40 dB


Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=8 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.80	20.89	20.71 dBm
-5MHz	-49.60	-49.17	-50.40 dB
5MHz	-50.88	-50.22	-51.59 dB
UTRA			
-10MHz	-56.44	-56.03	-56.64 dB
-5MHz	-50.80	-50.39	-51.40 dB
5MHz	-52.20	-51.77	-52.86 dB
10MHz	-57.56	-57.29	-57.82 dB

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.50	21.66	21.40 dBm
-5MHz	-50.43	-50.02	-50.84 dB
5MHz	-46.77	-45.62	-49.02 dB
UTRA			
-10MHz	-68.74	-68.11	-69.85 dB
-5MHz	-50.65	-50.24	-51.09 dB
5MHz	-54.06	-53.30	-55.40 dB
10MHz	-65.08	-64.30	-65.85 dB


Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.96	23.06	22.88 dBm
-5MHz	-43.93	-42.18	-45.29 dB
5MHz	-50.39	-50.13	-50.54 dB
UTRA			
-10MHz	-65.48	-64.64	-65.99 dB
-5MHz	-46.56	-44.77	-47.83 dB
5MHz	-50.74	-50.51	-50.88 dB
10MHz	-68.40	-67.72	-69.10 dB

Band8(900-915) QPSK BW=5MHz Channel=21675 RB Size=8 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.48	21.65	21.38 dBm
-5MHz	-49.03	-48.53	-49.61 dB
5MHz	-46.46	-45.29	-50.51 dB
UTRA			
-10MHz	-68.20	-67.27	-69.60 dB
-5MHz	-49.21	-48.66	-49.81 dB
5MHz	-53.83	-53.09	-55.90 dB
10MHz	-65.05	-64.54	-65.65 dB


Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.71	20.77	20.63 dBm
-5MHz	-49.90	-49.52	-50.54 dB
5MHz	-51.19	-50.80	-52.06 dB
UTRA			
-10MHz	-55.31	-54.85	-55.63 dB
-5MHz	-51.20	-50.87	-51.74 dB
5MHz	-52.65	-52.24	-53.31 dB
10MHz	-57.43	-57.08	-57.73 dB


Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.93	23.01	22.89 dBm
-5MHz	-43.15	-41.00	-44.57 dB
5MHz	-50.38	-50.11	-51.17 dB
UTRA			
-10MHz	-64.56	-63.08	-65.22 dB
-5MHz	-45.66	-43.78	-46.93 dB
5MHz	-50.72	-50.46	-51.63 dB
10MHz	-68.32	-66.65	-69.73 dB


Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=8 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.88	22.95	22.79 dBm
-5MHz	-50.62	-50.36	-50.81 dB
5MHz	-45.63	-43.66	-47.01 dB
UTRA			
-10MHz	-68.24	-67.60	-68.81 dB
-5MHz	-51.09	-50.79	-51.26 dB
5MHz	-47.89	-46.22	-49.15 dB
10MHz	-65.38	-65.07	-65.93 dB


Band8(900-915) QPSK BW=5MHz Channel=21725 RB Size=8 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.90	22.97	22.83 dBm
-5MHz	-45.93	-44.10	-47.12 dB
5MHz	-51.69	-51.51	-51.86 dB
UTRA			
-10MHz	-64.28	-63.92	-64.74 dB
-5MHz	-48.28	-46.55	-49.34 dB
5MHz	-52.17	-52.00	-52.35 dB
10MHz	-69.52	-68.61	-70.57 dB


Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.45	21.63	21.34 dBm
-5MHz	-46.53	-45.64	-48.43 dB
5MHz	-53.01	-52.71	-53.32 dB
UTRA			
-10MHz	-63.60	-63.33	-64.10 dB
-5MHz	-53.74	-53.06	-54.89 dB
5MHz	-53.28	-52.96	-53.59 dB
10MHz	-68.19	-67.36	-68.92 dB

Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.62	21.35 dBm
-5MHz	-49.95	-49.44	-50.34 dB
5MHz	-46.48	-45.34	-50.45 dB
UTRA			
-10MHz	-68.49	-67.67	-69.89 dB
-5MHz	-50.13	-49.59	-50.54 dB
5MHz	-54.10	-53.27	-56.40 dB
10MHz	-66.81	-66.21	-67.89 dB


Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.73	20.82	20.66 dBm
-5MHz	-49.11	-45.60	-51.09 dB
5MHz	-47.97	-44.37	-49.64 dB
UTRA			
-10MHz	-54.52	-52.66	-55.99 dB
-5MHz	-50.27	-46.80	-52.30 dB
5MHz	-49.39	-46.35	-50.80 dB
10MHz	-65.98	-64.85	-67.09 dB


Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.91	22.97	22.82 dBm
-5MHz	-50.81	-50.54	-51.13 dB
5MHz	-45.21	-43.53	-46.14 dB
UTRA			
-10MHz	-68.51	-67.83	-69.73 dB
-5MHz	-51.23	-50.98	-51.56 dB
5MHz	-47.77	-46.19	-48.75 dB
10MHz	-68.33	-67.90	-68.85 dB


Band8(900-915) QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.71	21.61 dBm
-10MHz	-52.10	-51.24	-53.01 dB
10MHz	-49.80	-49.45	-50.11 dB
UTRA			
-12.5MHz	-67.03	-66.21	-67.89 dB
-7.5MHz	-51.36	-50.43	-52.40 dB
7.5MHz	-59.04	-58.57	-59.59 dB
12.5MHz	-50.46	-50.01	-50.90 dB


Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.30	22.62	22.01 dBm
-10MHz	-57.98	-57.55	-58.31 dB
10MHz	-51.36	-49.53	-52.23 dB
UTRA			
-12.5MHz	-62.18	-61.27	-62.78 dB
-7.5MHz	-60.53	-60.17	-60.92 dB
7.5MHz	-50.87	-48.82	-51.80 dB
12.5MHz	-63.61	-63.18	-64.06 dB


Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.12	21.21	21.05 dBm
-10MHz	-49.76	-48.87	-50.73 dB
10MHz	-44.90	-44.29	-45.63 dB
UTRA			
-12.5MHz	-61.82	-60.98	-62.90 dB
-7.5MHz	-50.48	-49.57	-51.49 dB
7.5MHz	-46.77	-46.12	-47.57 dB
12.5MHz	-51.74	-51.27	-52.21 dB


Band18(815-830) 16QAM BW=10MHz Channel=23900 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.68	21.87 dBm
-10MHz	-51.66	-50.78	-52.99 dB
10MHz	-50.64	-50.21	-51.08 dB
UTRA			
-12.5MHz	-65.71	-65.34	-66.06 dB
-7.5MHz	-51.04	-50.05	-52.50 dB
7.5MHz	-59.30	-58.91	-59.74 dB
12.5MHz	-51.40	-50.86	-51.98 dB

Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.16	22.64	21.75 dBm
-10MHz	-54.98	-54.62	-55.16 dB
10MHz	-51.71	-50.67	-52.96 dB
UTRA			
-12.5MHz	-57.11	-56.39	-57.50 dB
-7.5MHz	-59.71	-59.30	-60.18 dB
7.5MHz	-51.20	-49.89	-52.62 dB
12.5MHz	-63.55	-63.03	-64.25 dB


Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.23	21.29	21.16 dBm
-10MHz	-47.81	-47.04	-48.59 dB
10MHz	-44.59	-44.03	-45.05 dB
UTRA			
-12.5MHz	-57.26	-56.51	-57.87 dB
-7.5MHz	-49.01	-48.19	-49.93 dB
7.5MHz	-46.42	-45.81	-46.99 dB
12.5MHz	-51.60	-51.22	-52.07 dB

Band18(815-830) 16QAM BW=10MHz Channel=23925 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.17	22.71	21.83 dBm
-10MHz	-51.44	-50.27	-52.52 dB
10MHz	-50.87	-50.58	-51.31 dB
UTRA			
-12.5MHz	-64.08	-63.57	-64.81 dB
-7.5MHz	-50.92	-49.64	-52.20 dB
7.5MHz	-59.31	-58.94	-59.91 dB
12.5MHz	-51.68	-51.31	-52.27 dB

Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.17	21.25	21.09 dBm
-15MHz	-52.03	-51.67	-52.55 dB
15MHz	-44.60	-44.26	-44.97 dB
UTRA			
-15MHz	-62.25	-61.97	-62.85 dB
-10MHz	-52.55	-52.17	-53.17 dB
10MHz	-47.68	-47.17	-48.22 dB
15MHz	-50.16	-49.82	-50.60 dB


Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.12	22.69	21.62 dBm
-15MHz	-59.82	-59.34	-60.45 dB
15MHz	-53.65	-53.06	-54.47 dB
UTRA			
-15MHz	-67.76	-66.77	-68.80 dB
-10MHz	-61.21	-60.74	-61.86 dB
10MHz	-50.61	-49.50	-52.41 dB
15MHz	-61.05	-60.72	-61.28 dB


Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.17	22.42	21.88 dBm
-15MHz	-54.57	-53.41	-55.65 dB
15MHz	-49.98	-49.66	-50.39 dB
UTRA			
-15MHz	-66.43	-65.57	-67.05 dB
-10MHz	-49.82	-48.26	-51.73 dB
10MHz	-59.47	-58.97	-59.84 dB
15MHz	-59.29	-59.04	-59.59 dB


Band18(815-830) 16QAM BW=15MHz Channel=23925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.21	21.29	21.14 dBm
-10MHz	-47.75	-47.16	-48.25 dB
10MHz	-45.58	-45.11	-46.03 dB
UTRA			
-12.5MHz	-55.17	-54.40	-55.87 dB
-7.5MHz	-49.35	-48.73	-49.97 dB
7.5MHz	-47.43	-46.95	-47.98 dB
12.5MHz	-52.44	-52.06	-52.80 dB


Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.85	21.68 dBm
-10MHz	-52.27	-51.54	-52.63 dB
10MHz	-51.67	-50.22	-52.36 dB
UTRA			
-12.5MHz	-53.33	-52.37	-53.91 dB
-7.5MHz	-59.56	-59.01	-60.12 dB
7.5MHz	-51.10	-49.45	-51.93 dB
12.5MHz	-63.81	-63.23	-64.33 dB


Band18(815-830) 16QAM BW=10MHz Channel=23950 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.56	21.47 dBm
-5MHz	-45.46	-43.42	-47.32 dB
5MHz	-50.12	-49.71	-50.52 dB
UTRA			
-10MHz	-66.81	-66.28	-67.58 dB
-5MHz	-53.32	-51.37	-54.54 dB
5MHz	-50.34	-49.90	-50.75 dB
10MHz	-67.56	-66.59	-68.29 dB


Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.14	22.73	21.68 dBm
-5MHz	-52.89	-52.42	-53.21 dB
5MHz	-45.60	-44.40	-47.15 dB
UTRA			
-10MHz	-70.33	-69.34	-71.46 dB
-5MHz	-53.19	-52.68	-53.53 dB
5MHz	-53.21	-52.12	-54.33 dB
10MHz	-62.61	-61.46	-63.40 dB


Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.11	21.20	20.99 dBm
-5MHz	-48.28	-48.03	-48.58 dB
5MHz	-46.72	-46.42	-47.24 dB
UTRA			
-10MHz	-63.96	-63.15	-64.58 dB
-5MHz	-49.47	-49.21	-49.82 dB
5MHz	-47.72	-47.33	-48.12 dB
10MHz	-57.12	-56.68	-57.49 dB


Band18(815-830) 16QAM BW=5MHz Channel=23875 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.01	22.52	21.63 dBm
-5MHz	-45.10	-43.52	-46.17 dB
5MHz	-50.94	-50.54	-51.19 dB
UTRA			
-10MHz	-63.56	-62.94	-64.10 dB
-5MHz	-52.91	-51.59	-53.59 dB
5MHz	-51.18	-50.78	-51.46 dB
10MHz	-67.50	-66.81	-68.61 dB


Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.10	22.69	21.68 dBm
-5MHz	-50.51	-50.18	-50.98 dB
5MHz	-46.24	-44.93	-47.78 dB
UTRA			
-10MHz	-69.07	-68.13	-71.00 dB
-5MHz	-50.73	-50.37	-51.22 dB
5MHz	-53.58	-52.70	-54.42 dB
10MHz	-62.02	-61.61	-62.43 dB


Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.19	21.31	21.10 dBm
-5MHz	-45.67	-45.16	-46.29 dB
5MHz	-44.83	-44.35	-45.32 dB
UTRA			
-10MHz	-58.10	-57.77	-58.39 dB
-5MHz	-46.69	-46.21	-47.34 dB
5MHz	-45.75	-45.21	-46.29 dB
10MHz	-56.83	-56.51	-57.04 dB


Band18(815-830) 16QAM BW=5MHz Channel=23925 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.93	23.02	22.84 dBm
-10MHz	-58.43	-58.16	-58.76 dB
10MHz	-52.02	-50.98	-53.49 dB
UTRA			
-12.5MHz	-62.44	-62.10	-62.97 dB
-7.5MHz	-61.09	-60.85	-61.23 dB
7.5MHz	-51.50	-50.30	-53.17 dB
12.5MHz	-64.22	-63.87	-64.57 dB


Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.87	22.97	22.77 dBm
-10MHz	-52.38	-51.24	-53.15 dB
10MHz	-49.77	-49.58	-50.06 dB
UTRA			
-12.5MHz	-67.44	-66.48	-68.23 dB
-7.5MHz	-51.65	-50.37	-52.56 dB
7.5MHz	-59.65	-59.44	-59.78 dB
12.5MHz	-50.33	-50.11	-50.69 dB


Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.16	21.27	21.02 dBm
-5MHz	-47.75	-47.30	-48.02 dB
5MHz	-47.26	-46.99	-47.55 dB
UTRA			
-10MHz	-57.26	-56.86	-57.73 dB
-5MHz	-48.90	-48.56	-49.04 dB
5MHz	-48.26	-47.98	-48.47 dB
10MHz	-57.02	-56.66	-57.29 dB


Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.10	22.56	21.86 dBm
-5MHz	-51.03	-50.53	-51.67 dB
5MHz	-46.15	-44.90	-47.52 dB
UTRA			
-10MHz	-68.62	-67.31	-70.25 dB
-5MHz	-51.27	-50.75	-51.93 dB
5MHz	-53.65	-52.73	-54.62 dB
10MHz	-62.32	-62.02	-62.61 dB


Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.18	22.65	21.76 dBm
-5MHz	-45.51	-42.78	-47.26 dB
5MHz	-51.03	-50.55	-51.46 dB
UTRA			
-10MHz	-62.32	-61.69	-62.85 dB
-5MHz	-53.30	-51.10	-54.46 dB
5MHz	-51.27	-50.76	-51.74 dB
10MHz	-67.71	-66.92	-68.22 dB


Band18(815-830) 16QAM BW=5MHz Channel=23975 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.12	22.20	22.05 dBm
-10MHz	-48.61	-47.68	-49.39 dB
10MHz	-44.30	-43.55	-44.79 dB
UTRA			
-12.5MHz	-61.36	-60.49	-62.14 dB
-7.5MHz	-49.26	-48.30	-50.06 dB
7.5MHz	-46.22	-45.42	-46.80 dB
12.5MHz	-50.85	-50.14	-51.55 dB


Band18(815-830) QPSK BW=10MHz Channel=23900 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.91	22.98	22.81 dBm
-10MHz	-52.16	-51.36	-52.81 dB
10MHz	-50.46	-50.25	-50.68 dB
UTRA			
-12.5MHz	-66.15	-65.50	-66.49 dB
-7.5MHz	-51.53	-50.69	-52.22 dB
7.5MHz	-59.86	-59.54	-60.12 dB
12.5MHz	-51.09	-50.87	-51.35 dB


Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.94	23.06	22.79 dBm
-10MHz	-54.94	-54.68	-55.22 dB
10MHz	-52.19	-51.19	-53.85 dB
UTRA			
-12.5MHz	-56.71	-56.30	-57.14 dB
-7.5MHz	-60.30	-60.14	-60.42 dB
7.5MHz	-51.64	-50.53	-53.74 dB
12.5MHz	-64.36	-63.87	-64.81 dB


Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.35	22.17 dBm
-10MHz	-46.07	-44.89	-47.51 dB
10MHz	-43.68	-42.79	-44.63 dB
UTRA			
-12.5MHz	-56.04	-54.98	-57.57 dB
-7.5MHz	-47.19	-45.99	-48.61 dB
7.5MHz	-45.55	-44.39	-46.47 dB
12.5MHz	-50.52	-50.02	-51.62 dB


Band18(815-830) QPSK BW=10MHz Channel=23925 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.97	23.06	22.88 dBm
-10MHz	-52.13	-50.90	-53.52 dB
10MHz	-50.78	-50.38	-51.26 dB
UTRA			
-12.5MHz	-64.72	-64.35	-65.26 dB
-7.5MHz	-51.60	-50.20	-53.41 dB
7.5MHz	-59.96	-59.66	-60.20 dB
12.5MHz	-51.45	-50.97	-51.99 dB


Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.21	22.30	22.13 dBm
-15MHz	-50.73	-49.77	-51.36 dB
15MHz	-44.44	-43.88	-44.88 dB
UTRA			
-15MHz	-61.28	-60.10	-62.06 dB
-10MHz	-51.21	-50.29	-51.79 dB
10MHz	-47.53	-46.73	-48.14 dB
15MHz	-50.30	-49.99	-50.81 dB


Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.81	22.93	22.73 dBm
-15MHz	-55.45	-54.19	-56.74 dB
15MHz	-50.04	-49.89	-50.25 dB
UTRA			
-15MHz	-66.94	-66.45	-67.73 dB
-10MHz	-50.96	-49.21	-53.23 dB
10MHz	-60.07	-59.81	-60.22 dB
15MHz	-59.60	-59.40	-59.80 dB


Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.84	22.98	22.68 dBm
-15MHz	-60.47	-60.15	-60.67 dB
15MHz	-54.04	-53.52	-55.04 dB
UTRA			
-15MHz	-68.25	-67.44	-68.78 dB
-10MHz	-61.99	-61.71	-62.22 dB
10MHz	-50.71	-49.69	-53.23 dB
15MHz	-61.44	-61.20	-61.65 dB


Band18(815-830) QPSK BW=15MHz Channel=23925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.94	23.03	22.80 dBm
-10MHz	-52.26	-51.87	-52.63 dB
10MHz	-52.31	-51.24	-53.44 dB
UTRA			
-12.5MHz	-53.20	-52.70	-53.68 dB
-7.5MHz	-60.06	-59.88	-60.29 dB
7.5MHz	-51.76	-50.46	-53.16 dB
12.5MHz	-64.36	-63.99	-64.74 dB


Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.27	22.14 dBm
-10MHz	-46.89	-46.36	-47.79 dB
10MHz	-45.25	-44.86	-45.84 dB
UTRA			
-12.5MHz	-54.68	-53.99	-55.75 dB
-7.5MHz	-48.41	-47.88	-49.24 dB
7.5MHz	-47.15	-46.57	-47.82 dB
12.5MHz	-51.78	-51.42	-52.32 dB


Band18(815-830) QPSK BW=10MHz Channel=23950 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.86	22.71 dBm
-5MHz	-46.36	-45.17	-49.29 dB
5MHz	-50.14	-49.86	-50.48 dB
UTRA			
-10MHz	-67.06	-66.52	-67.77 dB
-5MHz	-54.10	-53.18	-55.87 dB
5MHz	-50.32	-50.05	-50.66 dB
10MHz	-68.30	-67.76	-69.54 dB


Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	22.95	22.73 dBm
-5MHz	-52.93	-52.60	-53.21 dB
5MHz	-46.25	-44.97	-48.08 dB
UTRA			
-10MHz	-71.00	-69.57	-71.78 dB
-5MHz	-53.20	-52.86	-53.48 dB
5MHz	-53.87	-52.88	-55.06 dB
10MHz	-63.08	-62.83	-63.38 dB

Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.19	22.02 dBm
-5MHz	-47.26	-46.73	-48.28 dB
5MHz	-45.51	-45.09	-46.54 dB
UTRA			
-10MHz	-64.74	-64.16	-65.06 dB
-5MHz	-48.39	-47.91	-49.41 dB
5MHz	-46.47	-46.02	-47.49 dB
10MHz	-57.47	-57.07	-57.87 dB


Band18(815-830) QPSK BW=5MHz Channel=23875 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.87	23.00	22.69 dBm
-5MHz	-46.21	-45.05	-47.46 dB
5MHz	-50.60	-50.24	-50.91 dB
UTRA			
-10MHz	-63.88	-63.61	-64.19 dB
-5MHz	-53.83	-53.07	-54.59 dB
5MHz	-50.79	-50.44	-51.11 dB
10MHz	-68.42	-67.76	-69.11 dB

Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	23.01	22.70 dBm
-5MHz	-50.26	-50.03	-50.49 dB
5MHz	-46.23	-44.86	-48.36 dB
UTRA			
-10MHz	-69.85	-69.12	-70.82 dB
-5MHz	-50.45	-50.22	-50.69 dB
5MHz	-53.72	-52.69	-54.96 dB
10MHz	-62.31	-62.04	-62.52 dB


Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.81	22.90	22.67 dBm
-5MHz	-50.55	-49.46	-51.24 dB
5MHz	-46.31	-44.96	-48.53 dB
UTRA			
-10MHz	-68.59	-66.04	-70.49 dB
-5MHz	-50.75	-49.65	-51.47 dB
5MHz	-53.49	-52.14	-55.26 dB
10MHz	-62.15	-61.31	-62.77 dB

Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.18	22.25	22.12 dBm
-5MHz	-44.07	-43.34	-44.95 dB
5MHz	-43.44	-42.86	-44.33 dB
UTRA			
-10MHz	-58.57	-58.23	-58.95 dB
-5MHz	-45.00	-44.29	-45.90 dB
5MHz	-44.33	-43.70	-45.16 dB
10MHz	-57.07	-56.72	-57.53 dB


Band18(815-830) QPSK BW=5MHz Channel=23925 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	22.99	22.78 dBm
-5MHz	-46.43	-44.96	-49.68 dB
5MHz	-51.18	-50.78	-51.55 dB
UTRA			
-10MHz	-62.51	-62.13	-62.90 dB
-5MHz	-54.09	-52.98	-56.05 dB
5MHz	-51.40	-50.99	-51.77 dB
10MHz	-68.40	-67.55	-69.44 dB


Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.23	22.09 dBm
-5MHz	-47.95	-47.68	-48.59 dB
5MHz	-47.45	-47.16	-47.95 dB
UTRA			
-10MHz	-57.61	-57.23	-57.94 dB
-5MHz	-49.14	-48.77	-49.78 dB
5MHz	-48.50	-48.15	-48.95 dB
10MHz	-57.16	-56.76	-57.57 dB

Band18(815-830) QPSK BW=5MHz Channel=23975 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.62	21.84 dBm
-10MHz	-51.76	-50.57	-53.26 dB
10MHz	-50.43	-50.10	-50.84 dB
UTRA			
-12.5MHz	-63.35	-62.88	-63.79 dB
-7.5MHz	-51.28	-49.97	-53.09 dB
7.5MHz	-59.80	-59.46	-60.08 dB
12.5MHz	-51.06	-50.65	-51.57 dB


Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.47	21.72 dBm
-10MHz	-49.92	-49.38	-50.19 dB
10MHz	-51.74	-49.77	-52.64 dB
UTRA			
-12.5MHz	-50.55	-49.90	-50.91 dB
-7.5MHz	-59.24	-58.76	-59.61 dB
7.5MHz	-51.24	-49.08	-52.30 dB
12.5MHz	-63.46	-62.92	-63.93 dB


Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.10	21.17	21.02 dBm
-10MHz	-48.93	-48.43	-49.27 dB
10MHz	-47.41	-46.92	-47.74 dB
UTRA			
-12.5MHz	-55.62	-55.00	-55.99 dB
-7.5MHz	-50.74	-50.22	-51.11 dB
7.5MHz	-49.32	-48.82	-49.72 dB
12.5MHz	-54.02	-53.47	-54.29 dB


Band19(830-845) 16QAM BW=10MHz Channel=24050 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.65	21.60 dBm
-10MHz	-51.83	-51.16	-53.26 dB
10MHz	-52.09	-51.71	-52.37 dB
UTRA			
-12.5MHz	-63.01	-62.69	-63.58 dB
-7.5MHz	-51.42	-50.73	-53.01 dB
7.5MHz	-60.09	-59.69	-60.45 dB
12.5MHz	-52.98	-52.53	-53.29 dB


Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.49	21.72 dBm
-10MHz	-49.22	-48.69	-49.66 dB
10MHz	-51.91	-49.56	-54.05 dB
UTRA			
-12.5MHz	-49.80	-49.17	-50.32 dB
-7.5MHz	-58.89	-58.53	-59.28 dB
7.5MHz	-51.43	-48.97	-53.92 dB
12.5MHz	-63.69	-63.06	-64.17 dB


Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.07	21.20	20.95 dBm
-10MHz	-48.41	-47.82	-48.70 dB
10MHz	-46.45	-46.04	-46.79 dB
UTRA			
-12.5MHz	-54.72	-54.17	-55.23 dB
-7.5MHz	-50.37	-49.74	-50.69 dB
7.5MHz	-48.29	-47.85	-48.77 dB
12.5MHz	-53.62	-53.36	-53.83 dB


Band19(830-845) 16QAM BW=10MHz Channel=24075 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.68	21.60 dBm
-10MHz	-51.39	-50.50	-52.52 dB
10MHz	-55.18	-55.02	-55.45 dB
UTRA			
-12.5MHz	-62.86	-62.56	-63.44 dB
-7.5MHz	-50.93	-49.95	-52.05 dB
7.5MHz	-60.07	-59.48	-60.47 dB
12.5MHz	-57.25	-56.87	-57.74 dB


Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.08	22.51	21.75 dBm
-10MHz	-48.37	-47.90	-48.72 dB
10MHz	-52.18	-51.01	-53.38 dB
UTRA			
-12.5MHz	-48.87	-48.33	-49.28 dB
-7.5MHz	-58.65	-58.31	-59.16 dB
7.5MHz	-51.62	-50.31	-53.08 dB
12.5MHz	-65.27	-64.90	-65.84 dB

Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.04	21.15	20.91 dBm
-10MHz	-47.51	-46.77	-48.02 dB
10MHz	-45.76	-45.25	-46.16 dB
UTRA			
-12.5MHz	-53.62	-52.88	-54.23 dB
-7.5MHz	-49.56	-48.76	-50.17 dB
7.5MHz	-47.09	-46.55	-47.56 dB
12.5MHz	-55.29	-55.07	-55.50 dB


Band19(830-845) 16QAM BW=10MHz Channel=24100 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.09	22.55	21.64 dBm
-15MHz	-53.45	-52.52	-54.12 dB
15MHz	-57.91	-57.53	-58.56 dB
UTRA			
-15MHz	-61.82	-61.28	-62.14 dB
-10MHz	-49.84	-48.04	-51.36 dB
10MHz	-60.60	-60.20	-61.31 dB
15MHz	-64.04	-63.51	-64.49 dB


Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.13	21.28	20.97 dBm
-5MHz	-48.11	-47.86	-48.47 dB
5MHz	-48.10	-47.93	-48.46 dB
UTRA			
-10MHz	-57.41	-56.82	-57.77 dB
-5MHz	-49.24	-48.98	-49.50 dB
5MHz	-49.15	-48.89	-49.38 dB
10MHz	-57.49	-57.25	-57.85 dB


Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.01	22.54	21.65 dBm
-5MHz	-49.66	-49.26	-50.15 dB
5MHz	-46.31	-45.03	-47.66 dB
UTRA			
-10MHz	-69.03	-68.26	-70.60 dB
-5MHz	-49.85	-49.43	-50.35 dB
5MHz	-53.59	-52.70	-54.28 dB
10MHz	-63.16	-62.53	-63.75 dB


Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.96	22.45	21.48 dBm
-15MHz	-48.20	-47.72	-48.49 dB
15MHz	-54.05	-52.35	-55.10 dB
UTRA			
-15MHz	-59.10	-58.81	-59.44 dB
-10MHz	-59.33	-58.92	-59.68 dB
10MHz	-50.36	-48.64	-51.90 dB
15MHz	-62.75	-62.37	-63.21 dB

Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.02	21.11	20.95 dBm
-15MHz	-48.43	-48.02	-48.84 dB
15MHz	-47.01	-46.64	-47.34 dB
UTRA			
-15MHz	-54.52	-53.92	-55.00 dB
-10MHz	-51.49	-51.12	-51.92 dB
10MHz	-48.76	-48.34	-49.26 dB
15MHz	-53.89	-53.60	-54.29 dB


Band19(830-845) 16QAM BW=15MHz Channel=24075 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.58	21.95 dBm
-5MHz	-45.30	-43.86	-47.56 dB
5MHz	-50.09	-49.44	-50.90 dB
UTRA			
-10MHz	-62.91	-62.41	-63.30 dB
-5MHz	-53.01	-51.88	-54.43 dB
5MHz	-50.30	-49.62	-51.13 dB
10MHz	-67.97	-67.29	-68.71 dB


Band19(830-845) 16QAM BW=5MHz Channel=24025 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.97	22.49	21.46 dBm
-5MHz	-45.49	-43.67	-47.17 dB
5MHz	-50.87	-50.52	-51.13 dB
UTRA			
-10MHz	-62.80	-61.92	-63.50 dB
-5MHz	-53.06	-51.65	-54.06 dB
5MHz	-51.10	-50.72	-51.36 dB
10MHz	-67.79	-66.60	-68.48 dB


Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.03	22.46	21.58 dBm
-5MHz	-49.33	-48.91	-49.71 dB
5MHz	-46.09	-44.58	-47.77 dB
UTRA			
-10MHz	-69.00	-68.33	-69.72 dB
-5MHz	-49.51	-49.09	-49.92 dB
5MHz	-53.38	-51.80	-54.48 dB
10MHz	-62.57	-60.94	-63.12 dB


Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.96	21.07	20.79 dBm
-5MHz	-47.89	-47.40	-48.31 dB
5MHz	-47.13	-46.86	-47.53 dB
UTRA			
-10MHz	-56.81	-56.22	-57.17 dB
-5MHz	-49.00	-48.58	-49.39 dB
5MHz	-48.08	-47.75	-48.41 dB
10MHz	-58.02	-57.68	-58.51 dB


Band19(830-845) 16QAM BW=5MHz Channel=24075 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.88	22.46	21.34 dBm
-5MHz	-45.25	-43.45	-47.16 dB
5MHz	-51.19	-50.77	-51.71 dB
UTRA			
-10MHz	-61.73	-59.99	-62.35 dB
-5MHz	-52.85	-51.39	-54.15 dB
5MHz	-51.42	-50.98	-51.97 dB
10MHz	-68.44	-67.55	-69.54 dB


Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.41	21.61 dBm
-5MHz	-48.15	-47.81	-48.63 dB
5MHz	-46.15	-44.82	-47.76 dB
UTRA			
-10MHz	-68.60	-66.94	-70.37 dB
-5MHz	-48.31	-47.97	-48.80 dB
5MHz	-53.41	-52.18	-54.41 dB
10MHz	-65.03	-64.37	-65.53 dB


Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.89	23.00	22.76 dBm
-10MHz	-52.03	-51.04	-53.71 dB
10MHz	-52.01	-51.68	-52.37 dB
UTRA			
-12.5MHz	-63.50	-63.11	-64.01 dB
-7.5MHz	-51.56	-50.45	-53.52 dB
7.5MHz	-60.71	-60.51	-60.93 dB
12.5MHz	-52.76	-52.39	-53.19 dB


Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.04	22.11	21.97 dBm
-10MHz	-49.19	-48.59	-50.13 dB
10MHz	-47.60	-47.10	-48.39 dB
UTRA			
-12.5MHz	-56.34	-55.69	-57.45 dB
-7.5MHz	-50.85	-50.27	-51.74 dB
7.5MHz	-49.69	-49.14	-50.63 dB
12.5MHz	-53.67	-53.10	-54.34 dB


Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.02	21.13	20.91 dBm
-5MHz	-46.48	-45.95	-47.09 dB
5MHz	-45.82	-45.46	-46.16 dB
UTRA			
-10MHz	-56.24	-55.89	-56.61 dB
-5MHz	-47.53	-47.08	-48.16 dB
5MHz	-46.74	-46.42	-47.15 dB
10MHz	-60.13	-59.56	-60.59 dB


Band19(830-845) 16QAM BW=5MHz Channel=24125 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.89	23.02	22.74 dBm
-10MHz	-52.25	-51.30	-53.33 dB
10MHz	-50.59	-50.29	-50.85 dB
UTRA			
-12.5MHz	-63.77	-63.37	-64.03 dB
-7.5MHz	-51.81	-50.73	-53.04 dB
7.5MHz	-60.38	-60.08	-60.56 dB
12.5MHz	-51.16	-50.83	-51.44 dB


Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.81	22.92	22.68 dBm
-10MHz	-49.96	-49.70	-50.25 dB
10MHz	-52.61	-51.55	-53.99 dB
UTRA			
-12.5MHz	-50.52	-50.23	-50.88 dB
-7.5MHz	-59.73	-59.48	-59.87 dB
7.5MHz	-52.13	-50.85	-53.83 dB
12.5MHz	-64.09	-63.75	-64.44 dB


Band19(830-845) QPSK BW=10MHz Channel=24050 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.80	22.88	22.70 dBm
-10MHz	-49.15	-48.97	-49.47 dB
10MHz	-52.05	-51.06	-53.68 dB
UTRA			
-12.5MHz	-49.65	-49.45	-50.00 dB
-7.5MHz	-59.39	-59.17	-59.63 dB
7.5MHz	-51.46	-50.37	-53.38 dB
12.5MHz	-64.29	-63.84	-64.72 dB


Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.08	21.94 dBm
-10MHz	-47.97	-47.28	-49.15 dB
10MHz	-46.35	-45.95	-47.08 dB
UTRA			
-12.5MHz	-54.83	-54.09	-56.06 dB
-7.5MHz	-49.72	-49.06	-50.87 dB
7.5MHz	-48.27	-47.64	-49.17 dB
12.5MHz	-53.20	-52.71	-53.71 dB


Band19(830-845) QPSK BW=10MHz Channel=24075 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.85	22.97	22.77 dBm
-10MHz	-52.14	-50.98	-52.92 dB
10MHz	-55.31	-55.08	-55.54 dB
UTRA			
-12.5MHz	-63.36	-63.00	-63.81 dB
-7.5MHz	-51.73	-50.36	-52.71 dB
7.5MHz	-60.71	-60.39	-60.96 dB
12.5MHz	-57.08	-56.76	-57.40 dB


Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.78	22.94	22.66 dBm
-10MHz	-48.11	-47.89	-48.42 dB
10MHz	-52.09	-50.74	-53.73 dB
UTRA			
-12.5MHz	-48.53	-48.30	-48.87 dB
-7.5MHz	-59.11	-58.94	-59.31 dB
7.5MHz	-51.42	-49.94	-53.37 dB
12.5MHz	-65.96	-65.51	-66.75 dB


Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.09	21.89 dBm
-10MHz	-46.98	-45.74	-48.55 dB
10MHz	-45.77	-45.19	-46.57 dB
UTRA			
-12.5MHz	-53.49	-52.38	-55.08 dB
-7.5MHz	-48.85	-47.55	-50.38 dB
7.5MHz	-47.12	-46.50	-48.06 dB
12.5MHz	-55.20	-54.54	-55.90 dB


Band19(830-845) QPSK BW=10MHz Channel=24100 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.85	22.94	22.72 dBm
-5MHz	-49.49	-49.33	-49.80 dB
5MHz	-46.32	-45.13	-48.15 dB
UTRA			
-10MHz	-69.94	-68.87	-71.42 dB
-5MHz	-49.67	-49.48	-49.98 dB
5MHz	-53.78	-52.85	-54.97 dB
10MHz	-63.38	-63.10	-63.84 dB


Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.89	22.98	22.80 dBm
-5MHz	-46.31	-44.91	-48.43 dB
5MHz	-50.07	-49.73	-50.31 dB
UTRA			
-10MHz	-63.28	-62.99	-63.69 dB
-5MHz	-53.84	-52.83	-55.07 dB
5MHz	-50.25	-49.92	-50.48 dB
10MHz	-68.53	-67.66	-69.90 dB


Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.05	21.89 dBm
-15MHz	-48.55	-47.89	-49.10 dB
15MHz	-47.61	-47.20	-48.02 dB
UTRA			
-15MHz	-54.80	-54.10	-55.42 dB
-10MHz	-51.25	-50.59	-51.82 dB
10MHz	-49.33	-48.75	-49.82 dB
15MHz	-54.53	-54.14	-54.89 dB


Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.85	22.96	22.68 dBm
-15MHz	-53.98	-53.14	-54.82 dB
15MHz	-58.56	-58.28	-58.83 dB
UTRA			
-15MHz	-62.35	-62.14	-62.56 dB
-10MHz	-50.28	-48.68	-52.03 dB
10MHz	-61.29	-60.96	-61.61 dB
15MHz	-64.54	-64.19	-64.92 dB


Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.71	22.88	22.58 dBm
-15MHz	-48.24	-47.81	-48.48 dB
15MHz	-54.65	-53.97	-55.85 dB
UTRA			
-15MHz	-59.44	-59.29	-59.61 dB
-10MHz	-60.08	-59.82	-60.29 dB
10MHz	-50.90	-49.73	-53.29 dB
15MHz	-62.91	-62.67	-63.21 dB


Band19(830-845) QPSK BW=15MHz Channel=24075 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.69	22.89	22.52 dBm
-5MHz	-48.07	-47.81	-48.39 dB
5MHz	-46.65	-45.06	-48.60 dB
UTRA			
-10MHz	-69.41	-68.57	-70.39 dB
-5MHz	-48.21	-47.95	-48.53 dB
5MHz	-53.93	-52.83	-55.09 dB
10MHz	-65.67	-64.99	-66.09 dB


Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.10	22.17	22.03 dBm
-5MHz	-48.84	-48.57	-49.32 dB
5MHz	-48.52	-48.00	-49.13 dB
UTRA			
-10MHz	-57.71	-57.41	-58.13 dB
-5MHz	-50.02	-49.56	-50.48 dB
5MHz	-49.64	-49.11	-50.10 dB
10MHz	-57.78	-57.54	-58.13 dB


Band19(830-845) QPSK BW=5MHz Channel=24025 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.74	22.85	22.62 dBm
-5MHz	-46.62	-45.35	-49.63 dB
5MHz	-50.83	-50.61	-51.22 dB
UTRA			
-10MHz	-63.10	-62.89	-63.43 dB
-5MHz	-53.99	-53.14	-55.69 dB
5MHz	-51.03	-50.79	-51.42 dB
10MHz	-68.74	-67.90	-69.69 dB


Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.69	22.87	22.52 dBm
-5MHz	-49.37	-49.22	-49.64 dB
5MHz	-46.47	-44.88	-48.30 dB
UTRA			
-10MHz	-69.20	-68.09	-70.64 dB
-5MHz	-49.54	-49.38	-49.81 dB
5MHz	-53.87	-52.75	-55.09 dB
10MHz	-62.94	-62.64	-63.33 dB

Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.93	22.00	21.87 dBm
-5MHz	-47.51	-46.94	-48.24 dB
5MHz	-46.75	-46.36	-47.44 dB
UTRA			
-10MHz	-57.00	-56.67	-57.44 dB
-5MHz	-48.57	-47.97	-49.36 dB
5MHz	-47.74	-47.26	-48.38 dB
10MHz	-58.14	-57.64	-58.64 dB


Band19(830-845) QPSK BW=5MHz Channel=24075 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.69	22.79	22.55 dBm
-5MHz	-46.23	-44.78	-49.35 dB
5MHz	-51.02	-50.68	-51.59 dB
UTRA			
-10MHz	-62.07	-61.79	-62.49 dB
-5MHz	-53.69	-52.64	-55.45 dB
5MHz	-51.21	-50.85	-51.77 dB
10MHz	-68.99	-68.16	-69.81 dB


Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.95	22.02	21.88 dBm
-5MHz	-45.71	-45.07	-46.63 dB
5MHz	-45.43	-44.99	-46.20 dB
UTRA			
-10MHz	-56.24	-55.92	-56.43 dB
-5MHz	-46.69	-46.08	-47.68 dB
5MHz	-46.38	-45.87	-47.12 dB
10MHz	-60.24	-59.91	-60.58 dB


Band19(830-845) QPSK BW=5MHz Channel=24125 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.49	21.97 dBm
-10MHz	-56.66	-52.21	-57.96 dB
10MHz	-55.71	-55.54	-55.97 dB
UTRA			
-12.5MHz	-66.52	-65.99	-67.14 dB
-7.5MHz	-57.29	-52.48	-58.94 dB
7.5MHz	-58.28	-58.02	-58.58 dB
12.5MHz	-60.19	-59.90	-60.47 dB


Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.74	21.73 dBm
-10MHz	-59.02	-58.69	-59.42 dB
10MHz	-53.37	-46.60	-56.07 dB
UTRA			
-12.5MHz	-67.24	-66.53	-67.88 dB
-7.5MHz	-60.17	-59.83	-60.64 dB
7.5MHz	-54.40	-46.93	-58.06 dB
12.5MHz	-61.07	-58.70	-62.03 dB


Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.13	21.23	21.03 dBm
-10MHz	-48.77	-48.30	-49.45 dB
10MHz	-43.53	-43.08	-44.10 dB
UTRA			
-12.5MHz	-60.56	-60.16	-61.27 dB
-7.5MHz	-49.55	-48.99	-50.28 dB
7.5MHz	-45.43	-44.85	-46.00 dB
12.5MHz	-50.43	-50.12	-51.12 dB


Band26(815-845) 16QAM BW=10MHz Channel=26750 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.27	22.87	21.72 dBm
-10MHz	-54.62	-49.13	-56.41 dB
10MHz	-56.69	-56.29	-57.07 dB
UTRA			
-12.5MHz	-60.91	-58.36	-61.98 dB
-7.5MHz	-56.07	-49.78	-58.30 dB
7.5MHz	-59.25	-58.78	-59.69 dB
12.5MHz	-61.31	-60.84	-61.65 dB

Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.14	22.54	21.78 dBm
-10MHz	-57.23	-56.86	-57.64 dB
10MHz	-54.64	-48.65	-56.53 dB
UTRA			
-12.5MHz	-62.24	-61.68	-62.78 dB
-7.5MHz	-59.61	-59.17	-60.02 dB
7.5MHz	-55.74	-49.00	-58.21 dB
12.5MHz	-62.08	-60.25	-62.99 dB


Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.14	21.22	21.04 dBm
-10MHz	-44.63	-44.27	-45.13 dB
10MHz	-44.75	-44.37	-45.17 dB
UTRA			
-12.5MHz	-53.18	-52.95	-53.57 dB
-7.5MHz	-46.06	-45.65	-46.67 dB
7.5MHz	-46.31	-45.91	-46.80 dB
12.5MHz	-52.59	-52.26	-52.94 dB


Band26(815-845) 16QAM BW=10MHz Channel=26850 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.64	21.84 dBm
-15MHz	-60.11	-59.71	-60.48 dB
15MHz	-55.42	-53.70	-56.02 dB
UTRA			
-15MHz	-67.47	-66.65	-68.57 dB
-10MHz	-61.77	-61.42	-62.24 dB
10MHz	-57.46	-55.35	-58.44 dB
15MHz	-61.33	-59.60	-62.06 dB


Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.05	22.60	21.53 dBm
-15MHz	-57.72	-56.40	-58.36 dB
15MHz	-54.07	-53.83	-54.50 dB
UTRA			
-15MHz	-66.45	-65.63	-67.21 dB
-10MHz	-57.87	-56.10	-58.43 dB
10MHz	-59.48	-58.93	-60.21 dB
15MHz	-57.32	-57.12	-57.63 dB


Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.97	21.04	20.87 dBm
-10MHz	-45.06	-44.66	-45.45 dB
10MHz	-43.18	-42.74	-43.58 dB
UTRA			
-12.5MHz	-52.22	-51.73	-52.48 dB
-7.5MHz	-46.76	-46.35	-47.23 dB
7.5MHz	-44.42	-43.94	-44.88 dB
12.5MHz	-53.33	-53.10	-53.55 dB


Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.52	21.48 dBm
-10MHz	-55.80	-55.42	-56.21 dB
10MHz	-53.85	-46.69	-57.08 dB
UTRA			
-12.5MHz	-61.05	-60.70	-61.58 dB
-7.5MHz	-58.01	-57.55	-58.46 dB
7.5MHz	-54.46	-46.83	-58.34 dB
12.5MHz	-64.12	-62.86	-64.74 dB

Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.41	21.73 dBm
-10MHz	-55.99	-55.75	-56.37 dB
10MHz	-58.02	-57.70	-58.37 dB
UTRA			
-12.5MHz	-61.77	-61.14	-62.94 dB
-7.5MHz	-57.76	-57.39	-58.07 dB
7.5MHz	-60.06	-59.64	-60.49 dB
12.5MHz	-63.74	-63.36	-64.22 dB


Band26(815-845) 16QAM BW=10MHz Channel=26950 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.13	21.23	21.02 dBm
-15MHz	-49.80	-49.41	-50.31 dB
15MHz	-42.88	-42.55	-43.12 dB
UTRA			
-15MHz	-60.31	-59.91	-60.90 dB
-10MHz	-50.37	-49.90	-50.97 dB
10MHz	-45.92	-45.30	-46.42 dB
15MHz	-48.38	-48.01	-48.82 dB


Band26(815-845) 16QAM BW=15MHz Channel=26775 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.23	22.68	21.82 dBm
-15MHz	-55.30	-53.56	-55.87 dB
15MHz	-54.55	-54.35	-54.83 dB
UTRA			
-15MHz	-61.23	-59.40	-61.80 dB
-10MHz	-56.97	-54.61	-57.67 dB
10MHz	-59.78	-59.38	-60.26 dB
15MHz	-58.11	-57.83	-58.31 dB


Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.45	21.61 dBm
-15MHz	-55.67	-55.35	-55.98 dB
15MHz	-55.50	-53.53	-56.15 dB
UTRA			
-15MHz	-58.67	-58.34	-58.99 dB
-10MHz	-60.41	-60.00	-60.93 dB
10MHz	-57.31	-55.09	-58.47 dB
15MHz	-61.67	-59.63	-62.39 dB


Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.08	21.19	21.02 dBm
-15MHz	-45.18	-44.87	-45.56 dB
15MHz	-44.59	-44.26	-44.98 dB
UTRA			
-15MHz	-51.42	-51.14	-51.82 dB
-10MHz	-47.37	-46.92	-47.80 dB
10MHz	-47.20	-46.76	-47.72 dB
15MHz	-50.79	-50.50	-51.23 dB


Band26(815-845) 16QAM BW=15MHz Channel=26850 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.08	22.42	21.74 dBm
-15MHz	-55.51	-54.54	-55.98 dB
15MHz	-57.90	-57.69	-58.23 dB
UTRA			
-15MHz	-61.61	-60.61	-61.94 dB
-10MHz	-57.50	-56.19	-57.98 dB
10MHz	-61.00	-60.61	-61.46 dB
15MHz	-63.31	-62.84	-63.65 dB

Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.04	22.65	21.61 dBm
-3MHz	-52.80	-45.98	-55.86 dB
3MHz	-57.53	-57.18	-58.00 dB
UTRA			
-4MHz	-54.93	-46.94	-59.15 dB
4MHz	-57.62	-57.35	-58.01 dB


Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.03	20.83 dBm
-15MHz	-45.59	-45.39	-45.90 dB
15MHz	-44.18	-44.00	-44.57 dB
UTRA			
-15MHz	-51.96	-51.46	-52.35 dB
-10MHz	-48.15	-47.89	-48.50 dB
10MHz	-45.82	-45.61	-46.33 dB
15MHz	-51.38	-51.07	-51.71 dB


Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.01	22.37	21.71 dBm
-15MHz	-54.36	-54.14	-54.61 dB
15MHz	-56.29	-53.64	-56.91 dB
UTRA			
-15MHz	-57.42	-57.12	-57.71 dB
-10MHz	-59.44	-59.14	-60.05 dB
10MHz	-57.30	-54.40	-58.02 dB
15MHz	-63.31	-61.01	-63.98 dB


Band26(815-845) 16QAM BW=15MHz Channel=26925 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.03	22.62	21.56 dBm
-3MHz	-58.41	-57.95	-58.95 dB
3MHz	-53.04	-46.73	-56.32 dB
UTRA			
-4MHz	-58.63	-58.17	-59.13 dB
4MHz	-54.87	-47.29	-58.45 dB


Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.90	21.08	20.73 dBm
-3MHz	-45.96	-45.74	-46.14 dB
3MHz	-45.77	-45.30	-46.15 dB
UTRA			
-4MHz	-47.25	-46.98	-47.50 dB
4MHz	-46.74	-46.36	-47.15 dB


Band26(815-845) 16QAM BW=3MHz Channel=26715 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.31	22.80	21.85 dBm
-3MHz	-52.44	-46.73	-56.05 dB
3MHz	-57.69	-57.02	-58.18 dB
UTRA			
-4MHz	-54.68	-47.68	-58.77 dB
4MHz	-57.79	-57.19	-58.37 dB


Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.27	22.73	21.85 dBm
-3MHz	-57.78	-55.37	-58.46 dB
3MHz	-52.02	-44.86	-56.21 dB
UTRA			
-4MHz	-57.64	-54.81	-58.38 dB
4MHz	-53.41	-45.36	-58.59 dB


Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.91	22.56	21.45 dBm
-5MHz	-55.92	-55.04	-56.31 dB
5MHz	-56.16	-55.62	-56.55 dB
UTRA			
-10MHz	-67.10	-66.32	-68.63 dB
-5MHz	-57.56	-56.58	-58.06 dB
5MHz	-56.86	-56.38	-57.21 dB
10MHz	-67.53	-66.60	-68.91 dB


Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.05	22.65	21.49 dBm
-3MHz	-57.52	-56.57	-57.88 dB
3MHz	-50.01	-41.97	-56.08 dB
UTRA			
-4MHz	-57.43	-56.18	-57.86 dB
4MHz	-51.14	-42.44	-58.36 dB


Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.95	21.14	20.78 dBm
-3MHz	-42.99	-42.74	-43.34 dB
3MHz	-43.17	-42.90	-43.39 dB
UTRA			
-4MHz	-44.30	-43.97	-44.61 dB
4MHz	-44.71	-44.40	-44.95 dB


Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.08	21.24	20.91 dBm
-3MHz	-44.44	-44.20	-44.75 dB
3MHz	-44.84	-44.38	-45.21 dB
UTRA			
-4MHz	-45.85	-45.62	-46.20 dB
4MHz	-46.22	-45.82	-46.50 dB


Band26(815-845) 16QAM BW=3MHz Channel=26850 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.51	21.46 dBm
-3MHz	-51.48	-44.27	-55.14 dB
3MHz	-58.40	-58.02	-58.80 dB
UTRA			
-4MHz	-53.53	-45.43	-58.00 dB
4MHz	-58.49	-58.18	-58.84 dB


Band26(815-845) 16QAM BW=3MHz Channel=26985 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.02	22.53	21.70 dBm
-5MHz	-57.58	-57.33	-58.01 dB
5MHz	-54.93	-51.84	-56.02 dB
UTRA			
-10MHz	-70.43	-69.71	-71.02 dB
-5MHz	-58.33	-58.07	-58.71 dB
5MHz	-56.32	-53.21	-57.22 dB
10MHz	-66.15	-65.44	-66.73 dB

Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.01	21.13	20.92 dBm
-5MHz	-46.80	-46.66	-46.96 dB
5MHz	-45.50	-45.24	-45.60 dB
UTRA			
-10MHz	-63.81	-63.10	-64.46 dB
-5MHz	-47.67	-47.51	-47.86 dB
5MHz	-46.34	-46.08	-46.46 dB
10MHz	-56.80	-56.42	-57.17 dB


Band26(815-845) 16QAM BW=5MHz Channel=26725 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.66	21.78 dBm
-5MHz	-55.57	-55.15	-56.00 dB
5MHz	-56.29	-55.99	-56.66 dB
UTRA			
-10MHz	-66.04	-65.19	-66.41 dB
-5MHz	-57.12	-56.65	-57.55 dB
5MHz	-56.98	-56.68	-57.37 dB
10MHz	-67.63	-66.65	-68.45 dB


Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.99	22.56	21.58 dBm
-5MHz	-56.44	-56.11	-56.81 dB
5MHz	-55.25	-52.95	-55.89 dB
UTRA			
-10MHz	-68.93	-68.03	-70.19 dB
-5MHz	-57.14	-56.82	-57.53 dB
5MHz	-56.64	-54.34	-57.29 dB
10MHz	-66.18	-65.71	-66.91 dB


Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.09	21.26	20.98 dBm
-5MHz	-44.35	-43.88	-44.71 dB
5MHz	-44.65	-44.28	-45.12 dB
UTRA			
-10MHz	-57.16	-56.73	-57.61 dB
-5MHz	-45.26	-44.82	-45.63 dB
5MHz	-45.54	-45.22	-45.94 dB
10MHz	-56.89	-56.55	-57.25 dB


Band26(815-845) 16QAM BW=5MHz Channel=26850 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.84	22.33	21.29 dBm
-5MHz	-54.85	-52.23	-55.64 dB
5MHz	-56.86	-56.47	-57.28 dB
UTRA			
-10MHz	-65.80	-65.21	-66.41 dB
-5MHz	-56.39	-54.05	-57.13 dB
5MHz	-57.52	-57.09	-57.96 dB
10MHz	-68.02	-67.35	-68.78 dB


Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.10	22.17	22.01 dBm
-10MHz	-50.17	-49.53	-50.69 dB
10MHz	-44.06	-43.57	-44.40 dB
UTRA			
-12.5MHz	-61.55	-60.58	-62.32 dB
-7.5MHz	-50.94	-50.32	-51.54 dB
7.5MHz	-46.28	-45.81	-46.61 dB
12.5MHz	-49.91	-49.09	-50.58 dB


Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.93	23.05	22.82 dBm
-10MHz	-59.56	-59.17	-59.82 dB
10MHz	-56.36	-56.11	-56.57 dB
UTRA			
-12.5MHz	-67.80	-67.07	-68.20 dB
-7.5MHz	-60.73	-60.35	-61.00 dB
7.5MHz	-58.11	-57.94	-58.42 dB
12.5MHz	-61.98	-61.37	-62.67 dB


Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.07	20.78 dBm
-5MHz	-43.68	-43.31	-44.02 dB
5MHz	-42.97	-42.54	-43.27 dB
UTRA			
-10MHz	-55.91	-55.57	-56.29 dB
-5MHz	-44.58	-44.25	-44.92 dB
5MHz	-43.81	-43.59	-44.02 dB
10MHz	-59.81	-59.46	-60.27 dB


Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.89	22.38	21.59 dBm
-5MHz	-55.28	-53.20	-55.87 dB
5MHz	-55.01	-52.68	-55.96 dB
UTRA			
-10MHz	-66.52	-58.09	-69.62 dB
-5MHz	-55.96	-53.86	-56.53 dB
5MHz	-56.37	-53.72	-57.18 dB
10MHz	-66.08	-61.14	-67.49 dB


Band26(815-845) 16QAM BW=5MHz Channel=26975 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.84	22.94	22.71 dBm
-10MHz	-58.13	-57.88	-58.36 dB
10MHz	-56.18	-55.98	-56.43 dB
UTRA			
-12.5MHz	-67.01	-66.47	-67.55 dB
-7.5MHz	-58.97	-58.57	-59.21 dB
7.5MHz	-58.77	-58.65	-58.98 dB
12.5MHz	-60.62	-60.23	-60.96 dB


Band26(815-845) QPSK BW=10MHz Channel=26750 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.96	23.06	22.85 dBm
-10MHz	-56.65	-56.23	-57.05 dB
10MHz	-57.20	-56.96	-57.45 dB
UTRA			
-12.5MHz	-61.95	-61.16	-62.92 dB
-7.5MHz	-58.62	-58.28	-58.82 dB
7.5MHz	-59.79	-59.57	-60.04 dB
12.5MHz	-61.71	-61.31	-62.07 dB


Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.84	22.99	22.74 dBm
-10MHz	-57.74	-57.51	-58.02 dB
10MHz	-56.92	-56.69	-57.38 dB
UTRA			
-12.5MHz	-62.74	-62.26	-63.14 dB
-7.5MHz	-60.11	-59.86	-60.31 dB
7.5MHz	-58.45	-58.16	-58.86 dB
12.5MHz	-63.12	-62.37	-64.24 dB


Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.11	22.17	22.03 dBm
-10MHz	-45.76	-45.45	-46.17 dB
10MHz	-46.11	-45.97	-46.36 dB
UTRA			
-12.5MHz	-54.36	-53.91	-55.00 dB
-7.5MHz	-47.17	-46.84	-47.63 dB
7.5MHz	-47.90	-47.56	-48.20 dB
12.5MHz	-52.86	-52.32	-53.41 dB


Band26(815-845) QPSK BW=10MHz Channel=26850 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.76	22.85	22.65 dBm
-10MHz	-56.51	-56.20	-56.73 dB
10MHz	-58.57	-58.35	-58.74 dB
UTRA			
-12.5MHz	-62.29	-61.63	-63.13 dB
-7.5MHz	-58.30	-58.08	-58.55 dB
7.5MHz	-60.63	-60.43	-60.90 dB
12.5MHz	-64.15	-63.61	-64.77 dB


Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.83	22.94	22.69 dBm
-15MHz	-60.59	-60.38	-60.78 dB
15MHz	-56.16	-56.01	-56.40 dB
UTRA			
-15MHz	-67.83	-66.93	-68.36 dB
-10MHz	-62.32	-62.13	-62.55 dB
10MHz	-58.21	-57.74	-58.82 dB
15MHz	-62.05	-61.81	-62.37 dB


Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.74	22.82	22.60 dBm
-10MHz	-56.31	-56.02	-56.53 dB
10MHz	-57.28	-57.01	-57.71 dB
UTRA			
-12.5MHz	-61.56	-61.08	-61.95 dB
-7.5MHz	-58.52	-58.32	-58.73 dB
7.5MHz	-58.40	-58.13	-58.82 dB
12.5MHz	-64.85	-64.37	-65.55 dB


Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.92	22.00	21.84 dBm
-10MHz	-46.21	-45.68	-47.00 dB
10MHz	-43.79	-43.43	-44.21 dB
UTRA			
-12.5MHz	-52.92	-52.10	-54.05 dB
-7.5MHz	-47.97	-47.58	-48.70 dB
7.5MHz	-45.11	-44.52	-45.70 dB
12.5MHz	-53.56	-53.10	-54.16 dB

Band26(815-845) QPSK BW=10MHz Channel=26950 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.90	22.60 dBm
-15MHz	-56.34	-54.24	-58.57 dB
15MHz	-53.21	-51.77	-54.60 dB
UTRA			
-15MHz	-65.22	-63.35	-67.27 dB
-10MHz	-56.72	-54.92	-59.09 dB
10MHz	-58.37	-56.53	-60.49 dB
15MHz	-57.00	-56.01	-58.26 dB


Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.13	22.19	22.06 dBm
-15MHz	-51.13	-50.91	-51.53 dB
15MHz	-43.60	-43.35	-43.92 dB
UTRA			
-15MHz	-62.22	-61.95	-62.50 dB
-10MHz	-51.60	-51.42	-51.98 dB
10MHz	-46.92	-46.66	-47.45 dB
15MHz	-49.22	-48.98	-49.58 dB


Band26(815-845) QPSK BW=15MHz Channel=26775 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.91	23.04	22.78 dBm
-15MHz	-56.02	-55.78	-56.32 dB
15MHz	-55.01	-54.84	-55.30 dB
UTRA			
-15MHz	-61.92	-61.68	-62.44 dB
-10MHz	-57.66	-57.27	-58.25 dB
10MHz	-60.38	-60.10	-60.60 dB
15MHz	-58.43	-58.02	-58.98 dB


Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.90	21.96	21.84 dBm
-15MHz	-47.22	-47.03	-47.63 dB
15MHz	-45.14	-44.88	-45.60 dB
UTRA			
-15MHz	-54.21	-53.85	-54.57 dB
-10MHz	-49.54	-49.31	-50.01 dB
10MHz	-46.77	-46.53	-47.36 dB
15MHz	-52.19	-51.81	-52.46 dB


Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.76	22.84	22.68 dBm
-15MHz	-56.16	-55.97	-56.43 dB
15MHz	-58.48	-58.27	-58.68 dB
UTRA			
-15MHz	-62.15	-61.97	-62.40 dB
-10MHz	-57.98	-57.54	-58.95 dB
10MHz	-61.65	-61.36	-62.01 dB
15MHz	-63.73	-63.41	-64.01 dB


Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.66	22.81	22.45 dBm
-15MHz	-54.74	-54.56	-54.92 dB
15MHz	-57.11	-56.87	-57.38 dB
UTRA			
-15MHz	-57.49	-57.29	-57.73 dB
-10MHz	-60.06	-59.75	-60.30 dB
10MHz	-58.30	-57.87	-58.97 dB
15MHz	-64.05	-63.59	-64.48 dB


Band26(815-845) QPSK BW=15MHz Channel=26925 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.73	22.87	22.60 dBm
-15MHz	-56.06	-55.87	-56.30 dB
15MHz	-56.32	-56.16	-56.52 dB
UTRA			
-15MHz	-58.78	-58.51	-59.19 dB
-10MHz	-61.12	-60.83	-61.53 dB
10MHz	-58.16	-57.76	-58.77 dB
15MHz	-62.47	-62.14	-62.70 dB


Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.07	22.15	21.98 dBm
-15MHz	-46.13	-45.90	-46.59 dB
15MHz	-45.78	-45.53	-46.12 dB
UTRA			
-15MHz	-52.60	-52.30	-52.97 dB
-10MHz	-48.13	-47.76	-48.65 dB
10MHz	-48.61	-48.34	-49.07 dB
15MHz	-52.19	-51.92	-52.53 dB


Band26(815-845) QPSK BW=15MHz Channel=26850 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.93	23.09	22.82 dBm
-3MHz	-58.52	-58.20	-58.81 dB
3MHz	-55.02	-53.74	-57.03 dB
UTRA			
-4MHz	-58.46	-58.19	-58.73 dB
4MHz	-58.46	-58.08	-59.15 dB


Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.97	23.04	22.91 dBm
-3MHz	-55.32	-54.51	-56.71 dB
3MHz	-58.40	-58.12	-58.86 dB
UTRA			
-4MHz	-58.77	-58.43	-59.20 dB
4MHz	-58.54	-58.23	-58.97 dB


Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.76	22.89	22.67 dBm
-3MHz	-55.25	-53.53	-56.79 dB
3MHz	-58.21	-57.65	-58.61 dB
UTRA			
-4MHz	-58.97	-58.22	-59.63 dB
4MHz	-58.36	-58.01	-58.72 dB


Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.79	22.90	22.68 dBm
-3MHz	-59.03	-58.70	-59.36 dB
3MHz	-55.22	-54.46	-56.83 dB
UTRA			
-4MHz	-59.21	-58.99	-59.46 dB
4MHz	-58.32	-58.02	-58.83 dB


Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.89	21.98	21.81 dBm
-3MHz	-47.55	-47.12	-48.21 dB
3MHz	-47.00	-46.20	-48.20 dB
UTRA			
-4MHz	-48.74	-48.34	-49.47 dB
4MHz	-47.76	-47.11	-48.99 dB


Band26(815-845) QPSK BW=3MHz Channel=26715 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.04	22.12	21.94 dBm
-3MHz	-45.77	-45.49	-46.11 dB
3MHz	-46.27	-45.99	-46.64 dB
UTRA			
-4MHz	-47.28	-46.92	-47.63 dB
4MHz	-47.66	-47.25	-48.08 dB


Band26(815-845) QPSK BW=3MHz Channel=26850 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.72	22.80	22.63 dBm
-3MHz	-54.70	-53.82	-56.03 dB
3MHz	-58.84	-58.59	-59.20 dB
UTRA			
-4MHz	-58.11	-57.65	-58.60 dB
4MHz	-58.92	-58.70	-59.15 dB


Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.74	22.87	22.62 dBm
-3MHz	-58.18	-57.99	-58.52 dB
3MHz	-54.75	-53.57	-56.18 dB
UTRA			
-4MHz	-58.10	-57.89	-58.35 dB
4MHz	-57.99	-57.44	-58.82 dB


Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.86	21.94	21.77 dBm
-3MHz	-43.75	-43.34	-44.83 dB
3MHz	-43.94	-43.49	-45.02 dB
UTRA			
-4MHz	-45.05	-44.53	-46.45 dB
4MHz	-45.43	-44.94	-46.55 dB


Band26(815-845) QPSK BW=3MHz Channel=26985 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.74	22.86	22.64 dBm
-5MHz	-56.24	-55.59	-56.84 dB
5MHz	-56.57	-56.41	-56.82 dB
UTRA			
-10MHz	-67.56	-66.97	-68.37 dB
-5MHz	-58.12	-57.73	-58.56 dB
5MHz	-57.21	-57.02	-57.45 dB
10MHz	-68.23	-67.75	-68.88 dB


Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.91	22.62 dBm
-5MHz	-57.12	-56.93	-57.30 dB
5MHz	-55.92	-55.42	-56.56 dB
UTRA			
-10MHz	-69.63	-68.90	-70.42 dB
-5MHz	-57.81	-57.59	-58.01 dB
5MHz	-57.41	-57.11	-57.81 dB
10MHz	-66.84	-66.41	-67.29 dB

Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.78	22.91	22.63 dBm
-5MHz	-58.08	-57.92	-58.46 dB
5MHz	-55.73	-55.26	-56.25 dB
UTRA			
-10MHz	-71.03	-69.84	-71.81 dB
-5MHz	-58.81	-58.64	-59.21 dB
5MHz	-57.18	-56.81	-57.58 dB
10MHz	-66.79	-66.37	-67.30 dB


Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.00	22.07	21.91 dBm
-5MHz	-48.18	-47.75	-48.68 dB
5MHz	-46.12	-45.72	-46.70 dB
UTRA			
-10MHz	-64.39	-63.81	-64.77 dB
-5MHz	-49.09	-48.63	-49.64 dB
5MHz	-46.94	-46.52	-47.48 dB
10MHz	-56.86	-56.50	-57.29 dB

Band26(815-845) QPSK BW=5MHz Channel=26725 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.89	22.97	22.79 dBm
-5MHz	-55.95	-55.42	-56.39 dB
5MHz	-56.86	-56.66	-57.00 dB
UTRA			
-10MHz	-66.56	-66.24	-67.25 dB
-5MHz	-57.68	-57.34	-58.02 dB
5MHz	-57.50	-57.31	-57.73 dB
10MHz	-68.30	-67.68	-68.96 dB


Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.05	22.14	21.96 dBm
-5MHz	-45.57	-45.23	-45.86 dB
5MHz	-46.01	-45.78	-46.22 dB
UTRA			
-10MHz	-57.29	-56.97	-57.56 dB
-5MHz	-46.60	-46.34	-46.86 dB
5MHz	-46.97	-46.78	-47.17 dB
10MHz	-56.98	-56.71	-57.43 dB

Band26(815-845) QPSK BW=5MHz Channel=26850 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.64	22.78	22.49 dBm
-5MHz	-55.49	-52.22	-56.33 dB
5MHz	-54.67	-51.42	-56.26 dB
UTRA			
-10MHz	-64.49	-56.00	-69.90 dB
-5MHz	-56.15	-52.88	-56.96 dB
5MHz	-56.18	-52.61	-57.50 dB
10MHz	-65.53	-59.19	-68.01 dB

Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.60	22.75	22.47 dBm
-5MHz	-55.62	-55.12	-56.19 dB
5MHz	-57.48	-57.28	-57.68 dB
UTRA			
-10MHz	-66.44	-65.73	-67.04 dB
-5MHz	-57.23	-56.85	-57.59 dB
5MHz	-58.11	-57.95	-58.34 dB
10MHz	-69.04	-68.32	-69.85 dB


Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.87	21.96	21.80 dBm
-5MHz	-44.19	-43.70	-44.75 dB
5MHz	-43.37	-43.05	-43.93 dB
UTRA			
-10MHz	-55.67	-55.37	-55.90 dB
-5MHz	-45.20	-44.60	-45.76 dB
5MHz	-44.23	-43.84	-44.73 dB
10MHz	-59.79	-59.40	-60.17 dB


Band26(815-845) QPSK BW=5MHz Channel=26975 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.68	22.12	21.30 dBm
-3MHz	-53.77	-47.32	-56.14 dB
3MHz	-48.63	-48.29	-49.24 dB
UTRA			
-4MHz	-55.32	-48.05	-58.53 dB
4MHz	-48.63	-48.29	-49.24 dB


Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.58	22.06	21.31 dBm
-3MHz	-48.58	-48.14	-49.12 dB
3MHz	-56.01	-54.89	-56.68 dB
UTRA			
-4MHz	-48.56	-48.13	-49.10 dB
4MHz	-58.00	-56.01	-58.74 dB


Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.49	20.73	20.34 dBm
-3MHz	-42.95	-42.79	-43.36 dB
3MHz	-42.82	-42.60	-43.06 dB
UTRA			
-4MHz	-44.60	-44.37	-44.94 dB
4MHz	-44.64	-44.38	-44.92 dB


Band28(715-748) 16QAM BW=3MHz Channel=27345 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.62	22.12	21.31 dBm
-3MHz	-55.34	-53.48	-56.18 dB
3MHz	-51.77	-51.43	-52.37 dB
UTRA			
-4MHz	-57.39	-54.91	-58.12 dB
4MHz	-51.81	-51.48	-52.41 dB


Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.62	22.05	21.27 dBm
-3MHz	-49.54	-49.21	-50.05 dB
3MHz	-54.56	-48.34	-57.00 dB
UTRA			
-4MHz	-49.56	-49.21	-50.06 dB
4MHz	-55.94	-48.71	-58.87 dB


Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.44	22.54	22.31 dBm
-3MHz	-48.25	-47.89	-48.69 dB
3MHz	-56.36	-55.38	-57.90 dB
UTRA			
-4MHz	-48.23	-47.87	-48.68 dB
4MHz	-58.62	-58.26	-59.15 dB


Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.41	22.53	22.26 dBm
-3MHz	-56.16	-55.61	-57.29 dB
3MHz	-48.44	-48.19	-48.78 dB
UTRA			
-4MHz	-58.38	-57.99	-58.88 dB
4MHz	-48.44	-48.19	-48.77 dB


Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.46	20.63	20.32 dBm
-3MHz	-45.82	-44.81	-46.63 dB
3MHz	-47.54	-46.37	-48.37 dB
UTRA			
-4MHz	-47.09	-46.34	-47.91 dB
4MHz	-49.29	-48.21	-50.07 dB


Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.55	21.94	21.16 dBm
-3MHz	-53.22	-46.35	-56.61 dB
3MHz	-53.42	-52.89	-54.03 dB
UTRA			
-4MHz	-54.98	-47.48	-58.65 dB
4MHz	-53.52	-52.97	-54.10 dB


Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.55	20.73	20.43 dBm
-3MHz	-45.74	-45.47	-46.04 dB
3MHz	-47.75	-47.54	-48.10 dB
UTRA			
-4MHz	-46.96	-46.68	-47.20 dB
4MHz	-49.12	-48.91	-49.41 dB


Band28(715-748) 16QAM BW=3MHz Channel=27495 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.62	21.94	21.26 dBm
-3MHz	-49.81	-49.20	-50.54 dB
3MHz	-53.12	-45.63	-58.03 dB
UTRA			
-4MHz	-49.83	-49.22	-50.56 dB
4MHz	-54.56	-46.30	-60.28 dB


Band28(715-748) 16QAM BW=3MHz Channel=27645 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.49	21.55	21.44 dBm
-3MHz	-43.45	-43.07	-44.08 dB
3MHz	-43.08	-42.54	-43.81 dB
UTRA			
-4MHz	-45.24	-44.82	-45.89 dB
4MHz	-45.01	-44.44	-45.68 dB


Band28(715-748) QPSK BW=3MHz Channel=27345 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.47	22.59	22.35 dBm
-3MHz	-55.85	-55.14	-56.75 dB
3MHz	-51.29	-50.97	-51.85 dB
UTRA			
-4MHz	-58.18	-57.87	-58.48 dB
4MHz	-51.31	-50.99	-51.89 dB


Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.44	22.54	22.34 dBm
-3MHz	-49.14	-48.79	-49.62 dB
3MHz	-56.49	-55.68	-57.39 dB
UTRA			
-4MHz	-49.15	-48.77	-49.63 dB
4MHz	-58.99	-58.67	-59.32 dB


Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.53	21.64	21.44 dBm
-3MHz	-46.73	-46.19	-47.30 dB
3MHz	-48.78	-48.14	-49.51 dB
UTRA			
-4MHz	-48.01	-47.46	-48.71 dB
4MHz	-50.25	-49.60	-50.91 dB


Band28(715-748) QPSK BW=3MHz Channel=27495 RB Size=15 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.34	22.44	22.21 dBm
-3MHz	-49.88	-49.52	-50.31 dB
3MHz	-56.59	-55.48	-57.76 dB
UTRA			
-4MHz	-49.90	-49.54	-50.34 dB
4MHz	-60.19	-59.61	-60.68 dB


Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.34	22.49	22.18 dBm
-3MHz	-56.02	-55.26	-56.93 dB
3MHz	-52.95	-52.50	-53.29 dB
UTRA			
-4MHz	-58.59	-58.27	-58.95 dB
4MHz	-53.02	-52.58	-53.36 dB


Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.51	21.38 dBm
-3MHz	-44.47	-43.81	-46.28 dB
3MHz	-46.09	-45.36	-47.70 dB
UTRA			
-4MHz	-45.88	-45.30	-47.56 dB
4MHz	-48.03	-47.31	-49.48 dB


Band28(715-748) QPSK BW=3MHz Channel=27645 RB Size=15 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.33	20.89	19.86 dBm
-10MHz	-51.56	-50.46	-52.73 dB
10MHz	-47.43	-46.89	-48.02 dB
UTRA			
-12.5MHz	-61.26	-60.66	-61.74 dB
-7.5MHz	-51.32	-50.12	-52.74 dB
7.5MHz	-57.46	-56.93	-57.87 dB
12.5MHz	-47.96	-47.33	-48.61 dB


Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.48	20.72	20.22 dBm
-10MHz	-52.84	-52.27	-53.39 dB
10MHz	-51.89	-49.72	-53.54 dB
UTRA			
-12.5MHz	-54.08	-53.38	-54.86 dB
-7.5MHz	-59.41	-59.11	-59.81 dB
7.5MHz	-51.37	-48.98	-53.41 dB
12.5MHz	-63.42	-62.86	-64.07 dB


Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.39	19.50	19.28 dBm
-10MHz	-44.01	-43.76	-44.34 dB
10MHz	-45.17	-44.77	-45.67 dB
UTRA			
-12.5MHz	-52.43	-52.18	-52.69 dB
-7.5MHz	-45.48	-45.18	-45.93 dB
7.5MHz	-46.34	-45.91	-46.85 dB
12.5MHz	-54.24	-53.83	-54.76 dB


Band28(718-748) 16QAM BW=10MHz Channel=27410 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.40	20.79	20.14 dBm
-10MHz	-51.70	-50.60	-53.23 dB
10MHz	-50.17	-49.83	-50.84 dB
UTRA			
-12.5MHz	-63.46	-62.97	-63.96 dB
-7.5MHz	-51.21	-49.92	-53.05 dB
7.5MHz	-58.92	-58.71	-59.27 dB
12.5MHz	-50.88	-50.50	-51.74 dB


Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.38	20.73	20.00 dBm
-10MHz	-50.25	-49.64	-50.79 dB
10MHz	-51.77	-49.77	-53.59 dB
UTRA			
-12.5MHz	-51.23	-50.42	-51.98 dB
-7.5MHz	-57.83	-57.38	-58.32 dB
7.5MHz	-51.49	-49.22	-53.82 dB
12.5MHz	-61.65	-61.32	-62.25 dB


Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.36	19.46	19.29 dBm
-10MHz	-45.64	-45.44	-45.88 dB
10MHz	-48.84	-48.55	-49.08 dB
UTRA			
-12.5MHz	-54.40	-54.16	-54.68 dB
-7.5MHz	-46.94	-46.68	-47.20 dB
7.5MHz	-50.79	-50.45	-51.00 dB
12.5MHz	-55.19	-54.89	-55.52 dB


Band28(718-748) 16QAM BW=10MHz Channel=27510 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.29	20.95	19.71 dBm
-10MHz	-51.50	-50.73	-52.57 dB
10MHz	-59.91	-59.42	-60.61 dB
UTRA			
-12.5MHz	-60.47	-59.97	-60.87 dB
-7.5MHz	-51.42	-50.58	-52.83 dB
7.5MHz	-61.38	-60.82	-62.29 dB
12.5MHz	-66.87	-65.73	-67.72 dB


Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.22	20.70	19.67 dBm
-10MHz	-49.60	-48.91	-50.29 dB
10MHz	-53.43	-51.91	-54.45 dB
UTRA			
-12.5MHz	-50.25	-49.42	-51.18 dB
-7.5MHz	-58.94	-58.35	-59.41 dB
7.5MHz	-52.67	-51.01	-53.75 dB
12.5MHz	-66.84	-66.00	-67.98 dB


Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.19	19.26	19.09 dBm
-10MHz	-45.37	-44.80	-45.80 dB
10MHz	-51.74	-51.05	-52.10 dB
UTRA			
-12.5MHz	-52.28	-51.90	-52.83 dB
-7.5MHz	-47.30	-46.62	-47.72 dB
7.5MHz	-52.12	-51.42	-52.51 dB
12.5MHz	-65.97	-65.17	-67.11 dB

Band28(718-748) 16QAM BW=10MHz Channel=27610 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.42	20.72	20.07 dBm
-15MHz	-52.83	-51.83	-53.75 dB
15MHz	-46.41	-45.96	-47.21 dB
UTRA			
-15MHz	-60.91	-60.52	-61.58 dB
-10MHz	-49.49	-47.96	-51.56 dB
10MHz	-59.13	-58.76	-59.70 dB
15MHz	-59.22	-58.92	-59.59 dB


Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.27	20.85	19.78 dBm
-15MHz	-51.66	-51.18	-52.15 dB
15MHz	-54.14	-53.66	-55.04 dB
UTRA			
-15MHz	-58.44	-58.23	-58.66 dB
-10MHz	-60.51	-60.07	-60.83 dB
10MHz	-51.17	-50.13	-53.04 dB
15MHz	-61.80	-61.34	-62.32 dB


Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.29	19.38	19.22 dBm
-15MHz	-43.01	-42.64	-43.30 dB
15MHz	-47.45	-47.20	-47.62 dB
UTRA			
-15MHz	-47.88	-47.52	-48.36 dB
-10MHz	-46.31	-45.85	-46.90 dB
10MHz	-50.49	-50.01	-50.81 dB
15MHz	-53.36	-53.11	-53.72 dB

Band28(718-748) 16QAM BW=15MHz Channel=27435 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.27	20.77	19.98 dBm
-15MHz	-52.54	-51.77	-53.43 dB
15MHz	-59.82	-59.39	-60.22 dB
UTRA			
-15MHz	-59.81	-59.37	-60.31 dB
-10MHz	-49.39	-47.98	-51.36 dB
10MHz	-62.63	-62.04	-63.15 dB
15MHz	-67.33	-66.51	-68.51 dB


Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.33	19.42	19.26 dBm
-15MHz	-45.74	-45.41	-46.21 dB
15MHz	-48.84	-48.63	-49.18 dB
UTRA			
-15MHz	-52.18	-51.67	-52.50 dB
-10MHz	-48.00	-47.58	-48.71 dB
10MHz	-51.29	-51.06	-51.73 dB
15MHz	-54.71	-54.37	-55.12 dB


Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.18	20.70	19.68 dBm
-15MHz	-50.40	-50.08	-50.70 dB
15MHz	-55.75	-55.20	-56.50 dB
UTRA			
-15MHz	-58.29	-58.06	-58.54 dB
-10MHz	-58.17	-57.81	-58.69 dB
10MHz	-51.53	-50.92	-52.99 dB
15MHz	-66.61	-65.23	-67.43 dB


Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.35	20.79	20.09 dBm
-15MHz	-53.67	-52.74	-54.61 dB
15MHz	-55.47	-55.25	-55.69 dB
UTRA			
-15MHz	-61.92	-61.49	-62.29 dB
-10MHz	-50.09	-48.63	-52.21 dB
10MHz	-60.67	-60.33	-61.15 dB
15MHz	-58.89	-58.70	-59.17 dB


Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.31	20.64	19.94 dBm
-15MHz	-49.88	-49.48	-50.25 dB
15MHz	-53.07	-52.55	-54.20 dB
UTRA			
-15MHz	-59.19	-58.66	-59.49 dB
-10MHz	-58.57	-58.20	-59.02 dB
10MHz	-49.75	-48.76	-51.75 dB
15MHz	-61.04	-60.73	-61.44 dB

Band28(718-748) 16QAM BW=15MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.31	19.40	19.21 dBm
-15MHz	-44.11	-43.73	-44.74 dB
15MHz	-53.41	-53.08	-54.08 dB
UTRA			
-15MHz	-49.96	-49.67	-50.14 dB
-10MHz	-46.69	-46.13	-47.52 dB
10MHz	-53.65	-53.33	-54.32 dB
15MHz	-66.06	-65.28	-66.85 dB


Band28(718-748) 16QAM BW=15MHz Channel=27585 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.27	20.58	19.98 dBm
-20MHz	-55.33	-54.89	-55.65 dB
20MHz	-55.76	-55.45	-56.15 dB
UTRA			
-17.5MHz	-62.06	-61.64	-62.57 dB
-12.5MHz	-52.65	-51.61	-54.15 dB
12.5MHz	-60.66	-60.25	-61.12 dB
17.5MHz	-61.21	-60.86	-61.82 dB


Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.16	20.59	19.61 dBm
-20MHz	-50.38	-49.96	-50.75 dB
20MHz	-55.25	-53.10	-55.73 dB
UTRA			
-17.5MHz	-61.96	-61.56	-62.47 dB
-12.5MHz	-60.65	-59.94	-61.05 dB
12.5MHz	-52.83	-50.68	-54.07 dB
17.5MHz	-61.31	-60.42	-61.72 dB


Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.15	19.22	19.06 dBm
-20MHz	-42.41	-42.19	-42.66 dB
20MHz	-47.31	-47.11	-47.57 dB
UTRA			
-17.5MHz	-47.51	-47.20	-47.91 dB
-12.5MHz	-47.23	-46.84	-47.73 dB
12.5MHz	-51.52	-50.82	-52.01 dB
17.5MHz	-51.93	-51.41	-52.41 dB


Band28(718-748) 16QAM BW=20MHz Channel=27460 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.28	20.83	19.92 dBm
-20MHz	-56.02	-55.77	-56.51 dB
20MHz	-57.12	-56.67	-57.73 dB
UTRA			
-17.5MHz	-63.33	-62.85	-63.98 dB
-12.5MHz	-53.00	-52.52	-53.38 dB
12.5MHz	-60.59	-59.98	-61.32 dB
17.5MHz	-64.20	-63.67	-64.98 dB


Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.51	19.57	19.46 dBm
-20MHz	-45.06	-44.88	-45.29 dB
20MHz	-54.41	-54.17	-54.63 dB
UTRA			
-17.5MHz	-51.42	-50.89	-51.78 dB
-12.5MHz	-47.95	-47.51	-48.29 dB
12.5MHz	-55.02	-54.71	-55.39 dB
17.5MHz	-65.95	-65.41	-66.54 dB


Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.08	20.47	19.74 dBm
-20MHz	-51.23	-50.72	-51.66 dB
20MHz	-57.57	-57.05	-58.03 dB
UTRA			
-17.5MHz	-62.65	-62.15	-63.12 dB
-12.5MHz	-59.57	-59.32	-59.94 dB
12.5MHz	-54.17	-51.29	-55.64 dB
17.5MHz	-66.40	-65.67	-67.09 dB


Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.24	20.84	19.81 dBm
-20MHz	-56.20	-55.96	-56.64 dB
20MHz	-59.01	-58.33	-59.84 dB
UTRA			
-17.5MHz	-63.00	-62.71	-63.41 dB
-12.5MHz	-53.04	-51.93	-54.12 dB
12.5MHz	-64.00	-63.06	-64.77 dB
17.5MHz	-66.96	-66.26	-67.62 dB


Band28(718-748) 16QAM BW=20MHz Channel=27560 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.01	20.56	19.54 dBm
-20MHz	-51.08	-50.74	-51.38 dB
20MHz	-55.90	-55.52	-56.25 dB
UTRA			
-17.5MHz	-62.70	-62.29	-63.25 dB
-12.5MHz	-60.43	-59.93	-61.15 dB
12.5MHz	-52.43	-51.13	-53.51 dB
17.5MHz	-63.72	-62.76	-64.43 dB


Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.31	19.40	19.22 dBm
-20MHz	-45.03	-44.81	-45.31 dB
20MHz	-49.66	-49.39	-49.91 dB
UTRA			
-17.5MHz	-51.06	-50.52	-51.47 dB
-12.5MHz	-48.87	-48.53	-49.43 dB
12.5MHz	-51.42	-50.94	-51.81 dB
17.5MHz	-56.17	-55.84	-56.38 dB


Band28(718-748) 16QAM BW=20MHz Channel=27510 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.31	19.43	19.19 dBm
-5MHz	-45.37	-45.20	-45.52 dB
5MHz	-48.45	-48.19	-48.73 dB
UTRA			
-10MHz	-58.21	-57.75	-58.58 dB
-5MHz	-46.38	-46.19	-46.54 dB
5MHz	-49.63	-49.52	-49.80 dB
10MHz	-58.07	-57.68	-58.47 dB


Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.31	20.92	19.72 dBm
-5MHz	-45.41	-43.58	-47.28 dB
5MHz	-46.96	-46.32	-47.46 dB
UTRA			
-10MHz	-63.39	-61.97	-64.15 dB
-5MHz	-53.03	-51.56	-54.28 dB
5MHz	-47.12	-46.44	-47.62 dB
10MHz	-66.42	-65.55	-67.05 dB


Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.35	20.86	19.82 dBm
-5MHz	-49.12	-47.51	-50.33 dB
5MHz	-40.35	-36.81	-43.79 dB
UTRA			
-10MHz	-60.74	-56.86	-64.89 dB
-5MHz	-49.50	-48.14	-50.58 dB
5MHz	-44.08	-40.11	-48.38 dB
10MHz	-55.71	-52.09	-59.88 dB


Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.35	19.46	19.23 dBm
-5MHz	-44.03	-43.83	-44.27 dB
5MHz	-43.11	-42.74	-43.64 dB
UTRA			
-10MHz	-58.59	-58.11	-59.07 dB
-5MHz	-44.99	-44.80	-45.25 dB
5MHz	-44.08	-43.83	-44.47 dB
10MHz	-57.20	-56.88	-57.60 dB


Band28(718-748) 16QAM BW=5MHz Channel=27385 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.29	20.89	19.79 dBm
-5MHz	-45.28	-44.02	-46.47 dB
5MHz	-51.42	-50.74	-52.22 dB
UTRA			
-10MHz	-65.36	-64.36	-66.27 dB
-5MHz	-52.79	-51.96	-53.45 dB
5MHz	-51.64	-50.92	-52.49 dB
10MHz	-67.02	-66.03	-68.51 dB

Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.26	20.64	19.72 dBm
-5MHz	-47.55	-45.86	-48.85 dB
5MHz	-41.05	-37.81	-45.14 dB
UTRA			
-10MHz	-60.42	-56.37	-65.04 dB
-5MHz	-47.94	-46.40	-49.09 dB
5MHz	-44.87	-41.00	-51.23 dB
10MHz	-56.58	-52.82	-61.60 dB


Band28(718-748) 16QAM BW=5MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.17	21.31	21.06 dBm
-10MHz	-51.85	-50.86	-52.47 dB
10MHz	-47.37	-47.12	-47.87 dB
UTRA			
-12.5MHz	-62.00	-61.44	-62.35 dB
-7.5MHz	-51.50	-50.29	-52.25 dB
7.5MHz	-58.11	-57.87	-58.30 dB
12.5MHz	-47.82	-47.53	-48.38 dB


Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	19.11	19.18	19.00 dBm
-5MHz	-48.50	-48.11	-48.79 dB
5MHz	-49.88	-49.44	-50.21 dB
UTRA			
-10MHz	-58.71	-58.40	-59.02 dB
-5MHz	-49.58	-49.25	-49.91 dB
5MHz	-50.98	-50.66	-51.24 dB
10MHz	-66.28	-65.43	-66.96 dB


Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.14	20.72	19.66 dBm
-5MHz	-45.59	-43.41	-47.27 dB
5MHz	-54.83	-54.30	-55.43 dB
UTRA			
-10MHz	-64.49	-63.72	-65.27 dB
-5MHz	-53.22	-51.49	-54.22 dB
5MHz	-55.16	-54.60	-55.85 dB
10MHz	-67.70	-66.94	-69.47 dB


Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.14	20.70	19.62 dBm
-5MHz	-50.45	-49.78	-51.11 dB
5MHz	-46.76	-45.49	-48.49 dB
UTRA			
-10MHz	-67.76	-66.03	-69.05 dB
-5MHz	-50.69	-49.98	-51.39 dB
5MHz	-54.62	-53.37	-55.79 dB
10MHz	-66.11	-65.59	-66.97 dB


Band28(718-748) 16QAM BW=5MHz Channel=27635 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.15	21.25	21.07 dBm
-10MHz	-52.85	-52.56	-53.27 dB
10MHz	-52.11	-50.84	-53.42 dB
UTRA			
-12.5MHz	-54.01	-53.67	-54.56 dB
-7.5MHz	-59.71	-59.50	-59.91 dB
7.5MHz	-51.51	-50.07	-53.12 dB
12.5MHz	-64.07	-63.73	-64.81 dB


Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.36	20.44	20.29 dBm
-10MHz	-44.36	-43.83	-44.79 dB
10MHz	-45.28	-44.93	-45.83 dB
UTRA			
-12.5MHz	-52.75	-52.37	-53.35 dB
-7.5MHz	-45.84	-45.32	-46.38 dB
7.5MHz	-46.42	-46.07	-46.97 dB
12.5MHz	-54.38	-53.77	-55.12 dB


Band28(718-748) QPSK BW=10MHz Channel=27410 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.16	21.29	21.04 dBm
-10MHz	-52.09	-51.07	-53.66 dB
10MHz	-50.08	-49.67	-50.66 dB
UTRA			
-12.5MHz	-64.04	-63.75	-64.47 dB
-7.5MHz	-51.56	-50.40	-53.43 dB
7.5MHz	-59.21	-59.03	-59.41 dB
12.5MHz	-50.73	-50.26	-51.40 dB


Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.05	21.20	20.92 dBm
-10MHz	-50.24	-49.92	-50.68 dB
10MHz	-52.01	-51.12	-53.26 dB
UTRA			
-12.5MHz	-51.10	-50.67	-51.66 dB
-7.5MHz	-58.32	-58.04	-58.60 dB
7.5MHz	-51.65	-50.64	-53.30 dB
12.5MHz	-62.32	-62.04	-62.69 dB


Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.31	20.38	20.25 dBm
-10MHz	-47.08	-46.77	-47.39 dB
10MHz	-50.01	-49.74	-50.44 dB
UTRA			
-12.5MHz	-55.47	-54.90	-55.98 dB
-7.5MHz	-48.40	-48.06	-48.72 dB
7.5MHz	-51.82	-51.47	-52.21 dB
12.5MHz	-56.48	-56.02	-57.15 dB


Band28(718-748) QPSK BW=10MHz Channel=27510 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.16	20.23	20.08 dBm
-10MHz	-44.68	-44.05	-45.27 dB
10MHz	-51.42	-50.61	-52.05 dB
UTRA			
-12.5MHz	-51.98	-51.36	-52.61 dB
-7.5MHz	-46.46	-45.90	-47.16 dB
7.5MHz	-51.74	-50.89	-52.41 dB
12.5MHz	-67.00	-65.91	-67.78 dB


Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.08	21.19	20.98 dBm
-10MHz	-51.47	-50.44	-52.02 dB
10MHz	-60.73	-60.39	-61.07 dB
UTRA			
-12.5MHz	-61.06	-60.75	-61.30 dB
-7.5MHz	-51.23	-50.01	-51.90 dB
7.5MHz	-62.17	-61.90	-62.51 dB
12.5MHz	-67.75	-67.05	-68.53 dB

Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.03	20.87 dBm
-10MHz	-49.32	-48.94	-49.77 dB
10MHz	-53.46	-52.49	-54.92 dB
UTRA			
-12.5MHz	-49.86	-49.43	-50.37 dB
-7.5MHz	-59.41	-59.16	-59.67 dB
7.5MHz	-52.62	-51.48	-54.29 dB
12.5MHz	-67.33	-66.58	-68.40 dB


Band28(718-748) QPSK BW=10MHz Channel=27610 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.15	21.25	21.07 dBm
-15MHz	-53.77	-53.07	-54.78 dB
15MHz	-46.31	-45.88	-46.69 dB
UTRA			
-15MHz	-61.52	-61.24	-61.81 dB
-10MHz	-50.62	-49.17	-53.18 dB
10MHz	-59.72	-59.58	-60.03 dB
15MHz	-59.52	-59.30	-59.75 dB


Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.04	21.14	20.88 dBm
-15MHz	-51.79	-51.52	-52.01 dB
15MHz	-54.58	-54.01	-55.11 dB
UTRA			
-15MHz	-58.59	-58.40	-58.83 dB
-10MHz	-61.23	-61.00	-61.65 dB
10MHz	-51.41	-50.15	-52.52 dB
15MHz	-62.30	-61.97	-62.66 dB


Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.26	20.34	20.19 dBm
-15MHz	-43.29	-43.02	-43.65 dB
15MHz	-48.41	-48.17	-48.64 dB
UTRA			
-15MHz	-48.17	-47.81	-48.74 dB
-10MHz	-46.54	-46.12	-47.19 dB
10MHz	-51.46	-50.98	-51.72 dB
15MHz	-54.72	-54.41	-55.04 dB


Band28(718-748) QPSK BW=15MHz Channel=27435 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.95	21.05	20.81 dBm
-15MHz	-50.46	-50.19	-50.88 dB
15MHz	-56.17	-55.14	-57.32 dB
UTRA			
-15MHz	-58.61	-58.37	-58.90 dB
-10MHz	-58.80	-58.61	-58.92 dB
10MHz	-51.70	-50.04	-54.30 dB
15MHz	-67.28	-66.50	-68.34 dB


Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.29	20.37	20.21 dBm
-15MHz	-46.90	-46.59	-47.23 dB
15MHz	-49.80	-49.51	-50.05 dB
UTRA			
-15MHz	-53.60	-53.25	-53.91 dB
-10MHz	-49.17	-48.72	-49.52 dB
10MHz	-52.08	-51.81	-52.30 dB
15MHz	-56.02	-55.56	-56.39 dB

Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.08	21.19	20.98 dBm
-15MHz	-53.09	-52.28	-54.01 dB
15MHz	-60.51	-60.23	-60.80 dB
UTRA			
-15MHz	-60.32	-60.12	-60.51 dB
-10MHz	-49.92	-48.32	-52.14 dB
10MHz	-63.30	-62.90	-63.75 dB
15MHz	-67.85	-66.93	-68.63 dB


Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.16	21.34	21.04 dBm
-15MHz	-54.25	-53.34	-55.35 dB
15MHz	-55.87	-55.68	-56.09 dB
UTRA			
-15MHz	-62.34	-61.98	-62.73 dB
-10MHz	-50.65	-48.99	-53.18 dB
10MHz	-61.37	-61.12	-61.68 dB
15MHz	-59.03	-58.89	-59.26 dB


Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.01	21.12	20.90 dBm
-15MHz	-49.85	-49.50	-50.25 dB
15MHz	-53.56	-52.86	-54.31 dB
UTRA			
-15MHz	-59.51	-59.29	-59.75 dB
-10MHz	-59.15	-58.95	-59.36 dB
10MHz	-50.06	-48.86	-51.98 dB
15MHz	-61.52	-61.11	-62.02 dB


Band28(718-748) QPSK BW=15MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.01	21.13	20.87 dBm
-20MHz	-56.56	-56.39	-56.73 dB
20MHz	-57.78	-57.44	-58.12 dB
UTRA			
-17.5MHz	-63.83	-63.44	-64.43 dB
-12.5MHz	-53.65	-52.55	-55.32 dB
12.5MHz	-61.26	-61.00	-61.80 dB
17.5MHz	-64.81	-64.06	-65.44 dB


Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.11	20.19	20.03 dBm
-20MHz	-42.91	-42.77	-43.17 dB
20MHz	-48.52	-48.35	-48.69 dB
UTRA			
-17.5MHz	-48.12	-47.81	-48.48 dB
-12.5MHz	-47.80	-47.54	-48.20 dB
12.5MHz	-52.75	-52.13	-53.17 dB
17.5MHz	-53.26	-52.95	-53.47 dB


Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.30	20.39	20.25 dBm
-15MHz	-43.71	-43.17	-44.18 dB
15MHz	-53.62	-53.24	-54.08 dB
UTRA			
-15MHz	-49.71	-49.15	-50.18 dB
-10MHz	-46.14	-45.51	-46.84 dB
10MHz	-53.77	-53.34	-54.34 dB
15MHz	-67.09	-66.15	-68.46 dB


Band28(718-748) QPSK BW=15MHz Channel=27585 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.94	21.02	20.85 dBm
-20MHz	-55.78	-55.60	-56.10 dB
20MHz	-56.27	-56.06	-56.53 dB
UTRA			
-17.5MHz	-62.35	-61.98	-62.82 dB
-12.5MHz	-53.17	-51.79	-55.61 dB
12.5MHz	-61.26	-61.02	-61.56 dB
17.5MHz	-61.61	-61.36	-61.93 dB


Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.86	20.95	20.76 dBm
-20MHz	-50.41	-50.12	-50.67 dB
20MHz	-55.81	-53.73	-56.14 dB
UTRA			
-17.5MHz	-62.46	-62.19	-62.81 dB
-12.5MHz	-61.26	-60.89	-61.58 dB
12.5MHz	-53.29	-51.67	-54.72 dB
17.5MHz	-61.84	-61.36	-62.23 dB


Band28(718-748) QPSK BW=20MHz Channel=27460 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.77	20.91	20.60 dBm
-20MHz	-50.91	-50.70	-51.28 dB
20MHz	-56.55	-56.25	-56.73 dB
UTRA			
-17.5MHz	-63.21	-62.73	-63.75 dB
-12.5MHz	-61.10	-60.70	-61.55 dB
12.5MHz	-52.94	-51.93	-54.77 dB
17.5MHz	-64.26	-63.71	-64.92 dB

Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.30	20.35	20.25 dBm
-20MHz	-45.87	-45.56	-46.38 dB
20MHz	-50.44	-50.18	-50.82 dB
UTRA			
-17.5MHz	-52.36	-51.61	-53.00 dB
-12.5MHz	-49.75	-49.21	-50.38 dB
12.5MHz	-52.11	-51.71	-52.47 dB
17.5MHz	-57.16	-56.88	-57.61 dB


Band28(718-748) QPSK BW=20MHz Channel=27510 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.97	21.11	20.84 dBm
-20MHz	-56.68	-56.43	-57.06 dB
20MHz	-59.65	-59.40	-59.98 dB
UTRA			
-17.5MHz	-63.37	-62.91	-63.74 dB
-12.5MHz	-53.33	-52.11	-54.21 dB
12.5MHz	-64.65	-64.25	-65.01 dB
17.5MHz	-67.51	-66.93	-68.26 dB


Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.75	20.84	20.66 dBm
-20MHz	-51.24	-51.02	-51.53 dB
20MHz	-58.06	-57.75	-58.34 dB
UTRA			
-17.5MHz	-63.11	-62.64	-63.66 dB
-12.5MHz	-60.12	-59.94	-60.35 dB
12.5MHz	-54.60	-53.57	-56.99 dB
17.5MHz	-67.10	-66.40	-68.17 dB


Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.53	20.63	20.42 dBm
-20MHz	-45.30	-44.82	-45.86 dB
20MHz	-54.86	-54.21	-55.41 dB
UTRA			
-17.5MHz	-52.10	-51.50	-52.87 dB
-12.5MHz	-48.06	-47.53	-48.71 dB
12.5MHz	-55.27	-54.50	-55.91 dB
17.5MHz	-66.91	-66.11	-67.75 dB

Band28(718-748) QPSK BW=20MHz Channel=27560 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.99	21.09	20.85 dBm
-5MHz	-47.56	-46.41	-48.55 dB
5MHz	-40.48	-37.26	-47.70 dB
UTRA			
-10MHz	-59.93	-57.27	-64.24 dB
-5MHz	-47.96	-46.74	-48.84 dB
5MHz	-44.14	-41.10	-50.29 dB
10MHz	-56.09	-53.51	-60.44 dB


Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.08	21.19	20.96 dBm
-5MHz	-46.69	-45.13	-49.63 dB
5MHz	-46.93	-46.56	-47.40 dB
UTRA			
-10MHz	-64.16	-63.40	-65.11 dB
-5MHz	-54.16	-52.99	-55.87 dB
5MHz	-47.06	-46.70	-47.54 dB
10MHz	-66.95	-66.15	-68.25 dB


Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.07	21.25	20.85 dBm
-5MHz	-49.37	-48.18	-50.44 dB
5MHz	-41.60	-37.74	-47.66 dB
UTRA			
-10MHz	-61.96	-58.50	-70.23 dB
-5MHz	-49.68	-48.52	-50.61 dB
5MHz	-45.51	-41.43	-54.42 dB
10MHz	-56.77	-52.89	-65.11 dB


Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.32	20.41	20.27 dBm
-5MHz	-44.43	-43.93	-44.76 dB
5MHz	-43.10	-42.69	-43.49 dB
UTRA			
-10MHz	-59.52	-59.18	-60.10 dB
-5MHz	-45.48	-45.05	-45.74 dB
5MHz	-44.12	-43.75	-44.47 dB
10MHz	-57.81	-57.44	-58.16 dB

Band28(718-748) QPSK BW=5MHz Channel=27385 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.07	21.21	20.93 dBm
-5MHz	-46.38	-45.22	-47.56 dB
5MHz	-51.55	-51.04	-52.08 dB
UTRA			
-10MHz	-65.89	-65.31	-66.57 dB
-5MHz	-53.69	-52.89	-54.43 dB
5MHz	-51.73	-51.22	-52.27 dB
10MHz	-67.88	-66.94	-69.26 dB


Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.93	21.00	20.82 dBm
-5MHz	-46.90	-45.39	-51.19 dB
5MHz	-54.75	-54.39	-55.35 dB
UTRA			
-10MHz	-65.08	-64.60	-65.54 dB
-5MHz	-54.27	-53.16	-56.54 dB
5MHz	-55.02	-54.65	-55.64 dB
10MHz	-68.35	-67.40	-69.35 dB

Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.86	20.98	20.76 dBm
-5MHz	-50.30	-49.94	-50.78 dB
5MHz	-47.12	-45.60	-48.80 dB
UTRA			
-10MHz	-68.45	-67.18	-69.67 dB
-5MHz	-50.51	-50.14	-50.99 dB
5MHz	-55.02	-53.80	-56.24 dB
10MHz	-66.87	-66.11	-67.56 dB


Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.25	20.27	20.24 dBm
-5MHz	-46.67	-46.30	-47.18 dB
5MHz	-49.58	-49.29	-50.29 dB
UTRA			
-10MHz	-58.59	-58.30	-58.92 dB
-5MHz	-47.83	-47.55	-48.23 dB
5MHz	-50.99	-50.78	-51.44 dB
10MHz	-58.10	-57.84	-58.56 dB


Band28(718-748) QPSK BW=5MHz Channel=27510 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.08	20.09	20.06 dBm
-5MHz	-47.55	-47.12	-48.29 dB
5MHz	-49.16	-48.78	-49.65 dB
UTRA			
-10MHz	-58.75	-58.48	-59.04 dB
-5MHz	-48.58	-48.21	-49.20 dB
5MHz	-50.29	-49.88	-50.74 dB
10MHz	-67.06	-66.32	-68.22 dB


Band28(718-748) QPSK BW=5MHz Channel=27635 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.57	21.63	21.53 dBm
-10MHz	-52.16	-52.04	-52.27 dB
10MHz	-46.87	-46.70	-47.04 dB
UTRA			
-7.4MHz	-64.34	-63.83	-64.91 dB
-5.8MHz	-42.64	-42.57	-42.69 dB
5.8MHz	-62.60	-62.29	-63.15 dB
7.4MHz	-65.39	-64.77	-65.99 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.55	21.60	21.50 dBm
-10MHz	-44.92	-44.79	-45.06 dB
10MHz	-51.82	-51.72	-51.89 dB
UTRA			
-7.4MHz	-65.03	-64.67	-65.64 dB
-5.8MHz	-62.39	-61.98	-62.61 dB
5.8MHz	-42.08	-42.05	-42.13 dB
7.4MHz	-64.27	-63.93	-64.76 dB

Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.55	20.59	20.48 dBm
-10MHz	-43.70	-43.65	-43.74 dB
10MHz	-44.08	-44.03	-44.12 dB
UTRA			
-7.4MHz	-49.77	-49.68	-49.84 dB
-5.8MHz	-48.19	-48.13	-48.27 dB
5.8MHz	-48.64	-48.57	-48.70 dB
7.4MHz	-50.36	-50.28	-50.46 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36250 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.57	21.63	21.53 dBm
-10MHz	-52.20	-52.05	-52.29 dB
10MHz	-46.79	-46.61	-46.97 dB
UTRA			
-7.4MHz	-64.46	-64.09	-64.84 dB
-5.8MHz	-42.66	-42.61	-42.71 dB
5.8MHz	-62.68	-62.09	-63.07 dB
7.4MHz	-65.39	-64.99	-66.15 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.54	21.59	21.47 dBm
-10MHz	-44.89	-44.81	-44.97 dB
10MHz	-51.89	-51.70	-52.08 dB
UTRA			
-7.4MHz	-64.99	-64.58	-65.37 dB
-5.8MHz	-62.36	-62.05	-62.71 dB
5.8MHz	-42.09	-42.03	-42.12 dB
7.4MHz	-64.42	-63.82	-64.92 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.54	20.59	20.47 dBm
-10MHz	-43.63	-43.57	-43.68 dB
10MHz	-44.03	-43.96	-44.09 dB
UTRA			
-7.4MHz	-49.70	-49.62	-49.78 dB
-5.8MHz	-48.09	-48.03	-48.15 dB
5.8MHz	-48.57	-48.48	-48.64 dB
7.4MHz	-50.31	-50.21	-50.38 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36275 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.42	21.48	21.38 dBm
-15MHz	-44.38	-44.27	-44.45 dB
15MHz	-53.40	-53.29	-53.57 dB
UTRA			
-9.9MHz	-65.40	-65.08	-65.96 dB
-8.3MHz	-63.07	-62.79	-63.37 dB
8.3MHz	-42.18	-42.14	-42.23 dB
9.9MHz	-63.65	-63.13	-64.26 dB


Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.45	21.50	21.40 dBm
-15MHz	-53.47	-53.33	-53.63 dB
15MHz	-47.24	-47.07	-47.39 dB
UTRA			
-9.9MHz	-63.61	-62.79	-64.06 dB
-8.3MHz	-42.55	-42.52	-42.59 dB
8.3MHz	-63.57	-63.18	-63.93 dB
9.9MHz	-65.67	-65.21	-66.45 dB


Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.54	20.60	20.46 dBm
-10MHz	-43.56	-43.52	-43.63 dB
10MHz	-44.00	-43.94	-44.05 dB
UTRA			
-7.4MHz	-49.61	-49.51	-49.72 dB
-5.8MHz	-48.03	-47.97	-48.11 dB
5.8MHz	-48.52	-48.47	-48.59 dB
7.4MHz	-50.26	-50.19	-50.35 dB

Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.51	21.56	21.46 dBm
-10MHz	-44.76	-44.61	-44.88 dB
10MHz	-51.89	-51.78	-52.06 dB
UTRA			
-7.4MHz	-64.96	-64.60	-65.58 dB
-5.8MHz	-62.37	-62.06	-62.91 dB
5.8MHz	-42.11	-42.07	-42.16 dB
7.4MHz	-64.36	-63.93	-64.84 dB


Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.59	21.69	21.51 dBm
-10MHz	-52.21	-52.12	-52.31 dB
10MHz	-46.69	-46.59	-46.90 dB
UTRA			
-7.4MHz	-64.52	-63.99	-65.12 dB
-5.8MHz	-42.65	-42.61	-42.69 dB
5.8MHz	-62.75	-62.28	-63.13 dB
7.4MHz	-65.43	-64.85	-66.24 dB

Band34(2010-2025) 16QAM BW=10MHz Channel=36300 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.44	20.51	20.35 dBm
-15MHz	-43.26	-43.14	-43.48 dB
15MHz	-43.98	-43.66	-44.06 dB
UTRA			
-9.9MHz	-50.39	-50.21	-50.68 dB
-8.3MHz	-49.46	-49.17	-49.67 dB
8.3MHz	-50.11	-48.46	-50.39 dB
9.9MHz	-50.80	-50.26	-50.91 dB


Band34(2010-2025) 16QAM BW=15MHz Channel=36275 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.45	21.49	21.40 dBm
-5MHz	-45.01	-44.91	-45.09 dB
5MHz	-46.83	-46.75	-46.93 dB
UTRA			
-4.9MHz	-63.20	-62.86	-63.73 dB
-3.3MHz	-39.79	-39.76	-39.85 dB
3.3MHz	-60.54	-60.19	-60.98 dB
4.9MHz	-63.05	-62.53	-63.40 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.53	21.39 dBm
-5MHz	-45.19	-45.06	-45.34 dB
5MHz	-45.24	-45.15	-45.32 dB
UTRA			
-4.9MHz	-62.78	-62.50	-63.16 dB
-3.3MHz	-60.33	-60.11	-60.54 dB
3.3MHz	-40.17	-40.12	-40.21 dB
4.9MHz	-62.56	-62.21	-62.82 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.43	20.50	20.38 dBm
-5MHz	-43.37	-40.68	-43.93 dB
5MHz	-43.59	-42.48	-43.81 dB
UTRA			
-4.9MHz	-49.06	-47.64	-49.50 dB
-3.3MHz	-45.12	-41.74	-45.81 dB
3.3MHz	-45.92	-44.69	-46.18 dB
4.9MHz	-49.04	-48.22	-49.19 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36225 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.53	21.39 dBm
-5MHz	-45.03	-44.98	-45.10 dB
5MHz	-46.55	-46.36	-46.76 dB
UTRA			
-4.9MHz	-63.29	-62.72	-63.71 dB
-3.3MHz	-39.80	-39.76	-39.85 dB
3.3MHz	-60.58	-60.30	-61.01 dB
4.9MHz	-63.09	-62.70	-63.69 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.41	21.50	21.34 dBm
-5MHz	-44.79	-44.67	-44.97 dB
5MHz	-45.28	-45.20	-45.38 dB
UTRA			
-4.9MHz	-62.70	-62.45	-63.18 dB
-3.3MHz	-60.38	-60.01	-60.75 dB
3.3MHz	-40.18	-40.14	-40.22 dB
4.9MHz	-62.56	-62.14	-63.03 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.45	21.50	21.39 dBm
-5MHz	-45.04	-44.97	-45.12 dB
5MHz	-46.41	-46.24	-46.60 dB
UTRA			
-4.9MHz	-63.25	-62.94	-63.73 dB
-3.3MHz	-39.80	-39.76	-39.84 dB
3.3MHz	-60.69	-60.39	-61.18 dB
4.9MHz	-63.25	-62.83	-63.84 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.46	20.52	20.41 dBm
-5MHz	-43.30	-43.24	-43.36 dB
5MHz	-43.48	-43.42	-43.53 dB
UTRA			
-4.9MHz	-48.71	-48.61	-48.81 dB
-3.3MHz	-45.29	-45.21	-45.38 dB
3.3MHz	-45.82	-45.72	-45.89 dB
4.9MHz	-48.85	-48.74	-48.92 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36325 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.44	21.50	21.40 dBm
-5MHz	-45.02	-44.91	-45.17 dB
5MHz	-45.27	-45.18	-45.35 dB
UTRA			
-4.9MHz	-62.76	-62.06	-63.28 dB
-3.3MHz	-60.43	-60.13	-60.68 dB
3.3MHz	-40.18	-40.15	-40.22 dB
4.9MHz	-62.56	-62.18	-62.93 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	20.47	20.50	20.40 dBm
-5MHz	-43.46	-43.42	-43.53 dB
5MHz	-43.57	-43.51	-43.65 dB
UTRA			
-4.9MHz	-48.88	-48.80	-48.94 dB
-3.3MHz	-45.45	-45.39	-45.52 dB
3.3MHz	-45.93	-45.78	-46.04 dB
4.9MHz	-48.95	-48.84	-49.05 dB


Band34(2010-2025) 16QAM BW=5MHz Channel=36275 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.30	22.35	22.24 dBm
-10MHz	-52.61	-52.49	-52.80 dB
10MHz	-46.52	-46.29	-46.67 dB
UTRA			
-7.4MHz	-64.81	-64.42	-65.10 dB
-5.8MHz	-43.08	-43.02	-43.14 dB
5.8MHz	-63.30	-62.75	-63.72 dB
7.4MHz	-65.80	-65.42	-66.26 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.27	22.31	22.21 dBm
-10MHz	-44.55	-44.43	-44.73 dB
10MHz	-50.97	-50.86	-51.06 dB
UTRA			
-7.4MHz	-65.78	-64.97	-66.47 dB
-5.8MHz	-63.14	-62.82	-63.65 dB
5.8MHz	-40.90	-40.83	-40.94 dB
7.4MHz	-64.85	-64.45	-65.51 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.49	21.55	21.43 dBm
-10MHz	-43.74	-43.69	-43.79 dB
10MHz	-44.21	-44.15	-44.25 dB
UTRA			
-7.4MHz	-50.16	-50.09	-50.29 dB
-5.8MHz	-48.35	-48.28	-48.41 dB
5.8MHz	-48.22	-48.14	-48.34 dB
7.4MHz	-51.06	-50.92	-51.14 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36250 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.32	22.38	22.27 dBm
-10MHz	-52.69	-52.56	-52.84 dB
10MHz	-46.35	-46.19	-46.56 dB
UTRA			
-7.4MHz	-64.96	-64.51	-65.41 dB
-5.8MHz	-43.09	-43.06	-43.12 dB
5.8MHz	-63.30	-62.74	-63.71 dB
7.4MHz	-65.79	-65.04	-66.65 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.27	22.33	22.22 dBm
-10MHz	-44.48	-44.33	-44.66 dB
10MHz	-51.01	-50.90	-51.10 dB
UTRA			
-7.4MHz	-65.74	-65.22	-66.43 dB
-5.8MHz	-63.15	-62.80	-63.55 dB
5.8MHz	-40.92	-40.86	-40.97 dB
7.4MHz	-64.83	-64.59	-65.42 dB

Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.48	21.54	21.42 dBm
-10MHz	-43.69	-43.65	-43.73 dB
10MHz	-44.18	-44.14	-44.24 dB
UTRA			
-7.4MHz	-50.11	-50.02	-50.20 dB
-5.8MHz	-48.29	-48.22	-48.34 dB
5.8MHz	-48.17	-48.10	-48.30 dB
7.4MHz	-51.00	-50.91	-51.13 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36275 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.31	22.38	22.26 dBm
-10MHz	-52.71	-52.60	-52.82 dB
10MHz	-46.37	-46.25	-46.46 dB
UTRA			
-7.4MHz	-64.91	-64.60	-65.27 dB
-5.8MHz	-43.09	-43.05	-43.15 dB
5.8MHz	-63.35	-63.10	-63.77 dB
7.4MHz	-65.82	-65.34	-66.43 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.31	22.20 dBm
-10MHz	-44.39	-44.22	-44.51 dB
10MHz	-51.03	-50.90	-51.12 dB
UTRA			
-7.4MHz	-65.69	-65.12	-66.20 dB
-5.8MHz	-63.04	-62.80	-63.28 dB
5.8MHz	-40.93	-40.88	-40.97 dB
7.4MHz	-64.83	-64.36	-65.46 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.49	21.55	21.40 dBm
-10MHz	-43.63	-43.60	-43.68 dB
10MHz	-44.16	-44.11	-44.20 dB
UTRA			
-7.4MHz	-50.06	-49.97	-50.22 dB
-5.8MHz	-48.23	-48.19	-48.28 dB
5.8MHz	-48.13	-48.07	-48.17 dB
7.4MHz	-50.94	-50.80	-51.01 dB


Band34(2010-2025) QPSK BW=10MHz Channel=36300 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.25	22.14 dBm
-5MHz	-45.42	-45.35	-45.55 dB
5MHz	-46.36	-46.18	-46.53 dB
UTRA			
-4.9MHz	-63.76	-63.38	-63.99 dB
-3.3MHz	-40.23	-40.18	-40.27 dB
3.3MHz	-61.21	-60.95	-61.53 dB
4.9MHz	-63.32	-62.98	-63.74 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.41	21.47	21.31 dBm
-15MHz	-43.30	-42.90	-43.44 dB
15MHz	-44.41	-44.11	-44.55 dB
UTRA			
-9.9MHz	-50.86	-50.60	-51.07 dB
-8.3MHz	-49.02	-47.44	-49.68 dB
8.3MHz	-50.26	-49.59	-50.63 dB
9.9MHz	-51.57	-51.33	-51.76 dB


Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.17	22.22	22.13 dBm
-15MHz	-53.05	-52.93	-53.14 dB
15MHz	-46.74	-46.55	-46.89 dB
UTRA			
-9.9MHz	-64.30	-64.10	-64.96 dB
-8.3MHz	-41.25	-41.22	-41.28 dB
8.3MHz	-63.96	-63.65	-64.37 dB
9.9MHz	-66.20	-65.59	-66.69 dB


Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.30	22.16 dBm
-15MHz	-44.02	-43.87	-44.14 dB
15MHz	-54.47	-54.31	-54.66 dB
UTRA			
-9.9MHz	-65.96	-65.27	-66.48 dB
-8.3MHz	-63.80	-63.37	-64.22 dB
8.3MHz	-44.15	-44.09	-44.20 dB
9.9MHz	-64.55	-64.13	-65.25 dB


Band34(2010-2025) QPSK BW=15MHz Channel=36275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.27	22.17 dBm
-5MHz	-44.81	-44.62	-44.95 dB
5MHz	-47.07	-47.00	-47.14 dB
UTRA			
-4.9MHz	-63.22	-62.97	-63.61 dB
-3.3MHz	-61.10	-60.78	-61.39 dB
3.3MHz	-42.06	-42.01	-42.11 dB
4.9MHz	-63.22	-62.84	-63.71 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.40	21.47	21.33 dBm
-5MHz	-43.50	-43.04	-43.71 dB
5MHz	-43.45	-42.96	-43.61 dB
UTRA			
-4.9MHz	-49.05	-48.73	-49.27 dB
-3.3MHz	-45.73	-45.11	-45.95 dB
3.3MHz	-45.55	-44.79	-45.76 dB
4.9MHz	-49.14	-48.79	-49.32 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36225 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.18	22.22	22.12 dBm
-5MHz	-45.46	-45.40	-45.54 dB
5MHz	-46.14	-46.01	-46.31 dB
UTRA			
-4.9MHz	-63.78	-63.46	-64.09 dB
-3.3MHz	-40.24	-40.20	-40.30 dB
3.3MHz	-61.17	-60.92	-61.41 dB
4.9MHz	-63.40	-63.15	-63.71 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.23	22.29	22.18 dBm
-5MHz	-44.69	-44.55	-44.83 dB
5MHz	-47.08	-47.01	-47.16 dB
UTRA			
-4.9MHz	-63.31	-62.98	-63.64 dB
-3.3MHz	-61.18	-60.88	-61.52 dB
3.3MHz	-42.07	-42.03	-42.12 dB
4.9MHz	-63.14	-62.62	-63.55 dB

Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.43	21.51	21.38 dBm
-5MHz	-43.44	-43.38	-43.53 dB
5MHz	-43.41	-43.35	-43.46 dB
UTRA			
-4.9MHz	-48.95	-48.86	-49.10 dB
-3.3MHz	-45.70	-45.63	-45.79 dB
3.3MHz	-45.51	-45.46	-45.61 dB
4.9MHz	-49.08	-48.95	-49.19 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36275 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.23	22.13 dBm
-5MHz	-45.47	-45.38	-45.53 dB
5MHz	-45.99	-45.89	-46.24 dB
UTRA			
-4.9MHz	-63.66	-63.24	-64.08 dB
-3.3MHz	-40.25	-40.21	-40.28 dB
3.3MHz	-61.27	-60.94	-61.68 dB
4.9MHz	-63.52	-63.18	-64.12 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.18	22.29	22.11 dBm
-5MHz	-44.40	-44.25	-44.56 dB
5MHz	-47.10	-47.02	-47.19 dB
UTRA			
-4.9MHz	-63.32	-62.87	-63.66 dB
-3.3MHz	-60.98	-60.74	-61.20 dB
3.3MHz	-42.08	-42.02	-42.14 dB
4.9MHz	-63.30	-63.04	-63.74 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.41	21.51	21.34 dBm
-5MHz	-43.25	-43.18	-43.31 dB
5MHz	-43.31	-43.27	-43.36 dB
UTRA			
-4.9MHz	-48.76	-48.70	-48.82 dB
-3.3MHz	-45.51	-45.40	-45.57 dB
3.3MHz	-45.40	-45.35	-45.47 dB
4.9MHz	-48.99	-48.89	-49.06 dB


Band34(2010-2025) QPSK BW=5MHz Channel=36325 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.38	22.44	22.31 dBm
-10MHz	-51.88	-51.70	-52.02 dB
10MHz	-46.79	-46.62	-46.91 dB
UTRA			
-7.4MHz	-63.97	-63.56	-64.70 dB
-5.8MHz	-42.53	-42.48	-42.60 dB
5.8MHz	-62.16	-61.78	-62.47 dB
7.4MHz	-64.51	-64.08	-64.97 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.25	22.31	22.19 dBm
-10MHz	-48.15	-47.96	-48.35 dB
10MHz	-51.52	-51.45	-51.70 dB
UTRA			
-7.4MHz	-65.28	-64.81	-65.96 dB
-5.8MHz	-62.79	-62.34	-63.49 dB
5.8MHz	-41.99	-41.96	-42.04 dB
7.4MHz	-63.67	-63.19	-64.13 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.22	21.23	21.21 dBm
-10MHz	-41.69	-41.46	-41.97 dB
10MHz	-41.35	-41.24	-41.43 dB
UTRA			
-7.4MHz	-48.39	-48.14	-48.75 dB
-5.8MHz	-47.06	-46.86	-47.23 dB
5.8MHz	-47.00	-46.69	-47.34 dB
7.4MHz	-48.34	-48.07	-48.52 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39000 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.33	22.39	22.26 dBm
-10MHz	-51.91	-51.79	-52.06 dB
10MHz	-47.00	-46.86	-47.14 dB
UTRA			
-7.4MHz	-63.89	-63.44	-64.38 dB
-5.8MHz	-42.69	-42.65	-42.72 dB
5.8MHz	-62.07	-61.66	-62.59 dB
7.4MHz	-64.80	-64.26	-65.33 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.34	22.41	22.26 dBm
-10MHz	-48.85	-48.61	-49.03 dB
10MHz	-51.74	-51.59	-51.86 dB
UTRA			
-7.4MHz	-65.50	-64.97	-66.31 dB
-5.8MHz	-63.11	-62.53	-63.66 dB
5.8MHz	-42.13	-42.10	-42.17 dB
7.4MHz	-64.17	-63.71	-64.69 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.32	21.34	21.25 dBm
-10MHz	-42.10	-42.06	-42.14 dB
10MHz	-41.08	-41.04	-41.12 dB
UTRA			
-7.4MHz	-48.98	-48.91	-49.04 dB
-5.8MHz	-47.53	-47.42	-47.61 dB
5.8MHz	-46.95	-46.88	-46.99 dB
7.4MHz	-48.35	-48.29	-48.43 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39150 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.51	22.57	22.45 dBm
-10MHz	-52.07	-51.97	-52.21 dB
10MHz	-48.17	-47.98	-48.39 dB
UTRA			
-7.4MHz	-64.29	-63.98	-64.90 dB
-5.8MHz	-42.66	-42.61	-42.72 dB
5.8MHz	-62.46	-61.98	-62.83 dB
7.4MHz	-64.74	-64.28	-65.43 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.35	22.40	22.27 dBm
-10MHz	-48.17	-48.04	-48.34 dB
10MHz	-51.54	-51.35	-51.74 dB
UTRA			
-7.4MHz	-65.33	-64.81	-65.67 dB
-5.8MHz	-62.66	-62.27	-63.25 dB
5.8MHz	-42.01	-41.98	-42.06 dB
7.4MHz	-63.63	-63.26	-64.06 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.46	21.47	21.46 dBm
-10MHz	-41.69	-41.65	-41.72 dB
10MHz	-41.09	-41.04	-41.12 dB
UTRA			
-7.4MHz	-48.84	-48.78	-48.91 dB
-5.8MHz	-47.17	-47.12	-47.24 dB
5.8MHz	-46.87	-46.84	-46.93 dB
7.4MHz	-48.12	-48.04	-48.20 dB


Band40(2330-2370) 16QAM BW=10MHz Channel=39300 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.31	22.37	22.24 dBm
-15MHz	-52.91	-52.66	-53.01 dB
15MHz	-46.21	-46.04	-46.39 dB
UTRA			
-9.9MHz	-62.84	-62.52	-63.38 dB
-8.3MHz	-42.31	-42.27	-42.36 dB
8.3MHz	-62.62	-62.06	-63.00 dB
9.9MHz	-64.24	-63.77	-64.74 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.05	22.14	21.99 dBm
-15MHz	-47.69	-47.51	-47.86 dB
15MHz	-52.56	-52.46	-52.78 dB
UTRA			
-9.9MHz	-65.73	-64.90	-66.76 dB
-8.3MHz	-63.40	-62.92	-63.83 dB
8.3MHz	-41.94	-41.89	-41.99 dB
9.9MHz	-62.93	-62.40	-63.26 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.30	21.49	21.03 dBm
-15MHz	-42.18	-42.11	-42.28 dB
15MHz	-40.73	-40.51	-40.90 dB
UTRA			
-9.9MHz	-50.07	-49.88	-50.25 dB
-8.3MHz	-48.91	-48.59	-49.20 dB
8.3MHz	-48.40	-47.35	-49.29 dB
9.9MHz	-49.11	-48.55	-49.65 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39025 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.26	22.14 dBm
-15MHz	-53.01	-52.88	-53.13 dB
15MHz	-46.71	-46.52	-46.93 dB
UTRA			
-9.9MHz	-62.95	-62.58	-63.73 dB
-8.3MHz	-42.35	-42.30	-42.39 dB
8.3MHz	-62.67	-62.41	-63.06 dB
9.9MHz	-64.25	-63.65	-64.71 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.27	22.15 dBm
-15MHz	-48.02	-47.88	-48.30 dB
15MHz	-52.57	-52.40	-52.77 dB
UTRA			
-9.9MHz	-65.84	-64.96	-66.63 dB
-8.3MHz	-63.40	-63.11	-63.68 dB
8.3MHz	-42.00	-41.96	-42.03 dB
9.9MHz	-62.99	-62.50	-63.37 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.98	22.05	21.91 dBm
-20MHz	-49.60	-49.39	-49.88 dB
20MHz	-55.37	-55.21	-55.56 dB
UTRA			
-12.4MHz	-67.09	-66.11	-68.20 dB
-10.8MHz	-65.30	-64.69	-65.94 dB
10.8MHz	-45.76	-45.71	-45.83 dB
12.4MHz	-63.48	-63.05	-63.87 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.33	21.40	21.26 dBm
-15MHz	-41.44	-41.38	-41.48 dB
15MHz	-40.68	-40.63	-40.72 dB
UTRA			
-9.9MHz	-49.11	-48.98	-49.19 dB
-8.3MHz	-48.20	-48.06	-48.30 dB
8.3MHz	-48.28	-48.17	-48.38 dB
9.9MHz	-48.75	-48.66	-48.84 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.26	22.11 dBm
-20MHz	-55.71	-55.51	-55.91 dB
20MHz	-47.70	-47.51	-47.90 dB
UTRA			
-12.4MHz	-63.34	-63.00	-63.74 dB
-10.8MHz	-45.51	-45.42	-45.55 dB
10.8MHz	-63.37	-63.05	-63.73 dB
12.4MHz	-64.80	-64.24	-65.58 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.37	22.42	22.30 dBm
-15MHz	-53.11	-52.90	-53.29 dB
15MHz	-47.50	-47.30	-47.70 dB
UTRA			
-9.9MHz	-62.77	-62.38	-63.21 dB
-8.3MHz	-42.34	-42.30	-42.40 dB
8.3MHz	-62.61	-62.11	-63.02 dB
9.9MHz	-64.55	-64.32	-64.98 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.23	21.30	21.13 dBm
-15MHz	-42.03	-41.99	-42.07 dB
15MHz	-40.49	-40.43	-40.52 dB
UTRA			
-9.9MHz	-49.95	-49.87	-50.06 dB
-8.3MHz	-48.82	-48.74	-48.89 dB
8.3MHz	-48.46	-48.30	-48.55 dB
9.9MHz	-48.72	-48.58	-48.82 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39150 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.22	22.20 dBm
-15MHz	-48.35	-48.20	-48.49 dB
15MHz	-52.82	-52.62	-52.99 dB
UTRA			
-9.9MHz	-65.42	-65.02	-66.03 dB
-8.3MHz	-63.11	-62.76	-63.49 dB
8.3MHz	-41.97	-41.93	-42.01 dB
9.9MHz	-63.06	-62.69	-63.55 dB


Band40(2330-2370) 16QAM BW=15MHz Channel=39275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.37	21.38	21.36 dBm
-20MHz	-42.55	-42.51	-42.58 dB
20MHz	-40.79	-40.75	-40.83 dB
UTRA			
-12.4MHz	-51.48	-51.35	-51.59 dB
-10.8MHz	-50.06	-49.96	-50.13 dB
10.8MHz	-49.01	-48.93	-49.09 dB
12.4MHz	-50.48	-50.37	-50.54 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39050 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.13	22.20	22.06 dBm
-20MHz	-55.86	-55.71	-56.15 dB
20MHz	-48.74	-48.49	-49.01 dB
UTRA			
-12.4MHz	-63.53	-63.01	-64.23 dB
-10.8MHz	-45.71	-45.66	-45.76 dB
10.8MHz	-63.49	-63.08	-63.99 dB
12.4MHz	-64.75	-64.33	-65.36 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.22	22.08 dBm
-20MHz	-49.23	-49.11	-49.37 dB
20MHz	-55.32	-55.11	-55.65 dB
UTRA			
-12.4MHz	-66.73	-65.80	-67.41 dB
-10.8MHz	-65.14	-64.39	-65.94 dB
10.8MHz	-45.74	-45.66	-45.87 dB
12.4MHz	-63.52	-63.15	-64.00 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.28	21.35	21.20 dBm
-20MHz	-42.42	-42.36	-42.46 dB
20MHz	-40.57	-40.55	-40.59 dB
UTRA			
-12.4MHz	-51.31	-51.22	-51.36 dB
-10.8MHz	-49.81	-49.73	-49.90 dB
10.8MHz	-48.69	-48.59	-48.77 dB
12.4MHz	-50.06	-49.95	-50.22 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39150 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.25	22.11 dBm
-20MHz	-56.26	-56.00	-56.51 dB
20MHz	-47.67	-47.44	-47.89 dB
UTRA			
-12.4MHz	-63.66	-63.05	-64.12 dB
-10.8MHz	-45.75	-45.68	-45.79 dB
10.8MHz	-63.92	-63.49	-64.55 dB
12.4MHz	-65.30	-64.79	-66.27 dB

Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.25	21.45	21.22 dBm
-5MHz	-40.27	-39.67	-41.41 dB
5MHz	-41.30	-40.72	-41.55 dB
UTRA			
-4.9MHz	-46.28	-45.93	-46.88 dB
-3.3MHz	-42.28	-41.44	-44.31 dB
3.3MHz	-44.41	-43.74	-44.81 dB
4.9MHz	-46.74	-46.17	-46.91 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.30	22.17 dBm
-5MHz	-47.71	-47.56	-47.86 dB
5MHz	-45.07	-45.00	-45.16 dB
UTRA			
-4.9MHz	-63.25	-62.81	-63.68 dB
-3.3MHz	-60.59	-60.21	-60.82 dB
3.3MHz	-40.09	-40.05	-40.13 dB
4.9MHz	-62.92	-62.59	-63.31 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.43	21.48	21.40 dBm
-20MHz	-42.19	-42.15	-42.21 dB
20MHz	-40.97	-40.93	-41.01 dB
UTRA			
-12.4MHz	-51.10	-51.02	-51.17 dB
-10.8MHz	-49.39	-49.29	-49.49 dB
10.8MHz	-48.85	-48.77	-48.98 dB
12.4MHz	-50.33	-50.22	-50.45 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.08	22.09	22.07 dBm
-20MHz	-49.18	-48.97	-49.33 dB
20MHz	-55.43	-55.17	-55.62 dB
UTRA			
-12.4MHz	-66.74	-66.25	-67.34 dB
-10.8MHz	-64.77	-64.45	-65.43 dB
10.8MHz	-45.78	-45.72	-45.85 dB
12.4MHz	-63.43	-62.97	-64.04 dB


Band40(2330-2370) 16QAM BW=20MHz Channel=39250 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.30	22.19 dBm
-5MHz	-44.70	-44.62	-44.80 dB
5MHz	-47.50	-47.38	-47.62 dB
UTRA			
-4.9MHz	-62.95	-62.52	-63.26 dB
-3.3MHz	-39.58	-39.52	-39.64 dB
3.3MHz	-60.03	-59.74	-60.43 dB
4.9MHz	-62.85	-62.41	-63.32 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=38975 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.27	22.13 dBm
-5MHz	-44.88	-44.82	-44.96 dB
5MHz	-48.39	-48.15	-48.65 dB
UTRA			
-4.9MHz	-63.37	-62.83	-64.05 dB
-3.3MHz	-39.69	-39.66	-39.72 dB
3.3MHz	-59.84	-59.62	-60.11 dB
4.9MHz	-62.87	-62.28	-63.26 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.22	22.29	22.15 dBm
-5MHz	-48.83	-48.59	-49.00 dB
5MHz	-45.12	-45.04	-45.20 dB
UTRA			
-4.9MHz	-63.62	-63.23	-64.12 dB
-3.3MHz	-60.61	-60.23	-60.88 dB
3.3MHz	-40.12	-40.05	-40.16 dB
4.9MHz	-62.80	-62.50	-63.33 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.27	21.35	21.19 dBm
-5MHz	-41.82	-41.77	-41.88 dB
5MHz	-41.12	-41.07	-41.16 dB
UTRA			
-4.9MHz	-47.46	-47.32	-47.55 dB
-3.3MHz	-44.50	-44.45	-44.57 dB
3.3MHz	-44.14	-44.08	-44.19 dB
4.9MHz	-46.52	-46.44	-46.60 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39150 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.36	22.42	22.29 dBm
-5MHz	-44.77	-44.65	-44.87 dB
5MHz	-48.80	-48.55	-49.09 dB
UTRA			
-4.9MHz	-62.97	-62.37	-63.58 dB
-3.3MHz	-39.62	-39.56	-39.70 dB
3.3MHz	-60.26	-59.99	-60.63 dB
4.9MHz	-62.93	-62.62	-63.42 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.26	22.33	22.19 dBm
-5MHz	-48.45	-48.23	-48.67 dB
5MHz	-45.00	-44.91	-45.14 dB
UTRA			
-4.9MHz	-63.03	-62.33	-63.52 dB
-3.3MHz	-60.22	-59.87	-60.48 dB
3.3MHz	-40.05	-40.00	-40.12 dB
4.9MHz	-62.72	-62.37	-63.29 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.12	23.19	23.07 dBm
-10MHz	-51.97	-51.87	-52.12 dB
10MHz	-46.39	-46.21	-46.55 dB
UTRA			
-7.4MHz	-63.95	-63.42	-64.40 dB
-5.8MHz	-42.88	-42.80	-42.93 dB
5.8MHz	-62.93	-62.37	-63.41 dB
7.4MHz	-65.37	-64.91	-65.73 dB

Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.12	22.22	22.06 dBm
-10MHz	-41.98	-41.57	-42.22 dB
10MHz	-41.53	-41.34	-41.63 dB
UTRA			
-7.4MHz	-49.38	-49.09	-49.52 dB
-5.8MHz	-47.48	-46.11	-48.27 dB
5.8MHz	-47.10	-46.53	-47.43 dB
7.4MHz	-49.46	-49.33	-49.60 dB

Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	21.36	21.44	21.28 dBm
-5MHz	-41.55	-41.50	-41.57 dB
5MHz	-41.25	-41.20	-41.29 dB
UTRA			
-4.9MHz	-47.12	-47.03	-47.24 dB
-3.3MHz	-44.21	-44.15	-44.28 dB
3.3MHz	-44.24	-44.18	-44.30 dB
4.9MHz	-46.74	-46.69	-46.82 dB


Band40(2330-2370) 16QAM BW=5MHz Channel=39325 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.16	23.24	23.11 dBm
-10MHz	-51.77	-51.67	-51.94 dB
10MHz	-46.22	-46.07	-46.44 dB
UTRA			
-7.4MHz	-64.25	-63.78	-64.90 dB
-5.8MHz	-42.59	-42.54	-42.64 dB
5.8MHz	-63.01	-62.79	-63.39 dB
7.4MHz	-65.11	-64.54	-65.54 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.05	23.11	22.98 dBm
-10MHz	-47.65	-47.43	-47.81 dB
10MHz	-50.50	-50.43	-50.59 dB
UTRA			
-7.4MHz	-66.10	-65.50	-67.11 dB
-5.8MHz	-63.62	-63.31	-63.91 dB
5.8MHz	-40.75	-40.70	-40.82 dB
7.4MHz	-63.49	-63.08	-64.01 dB

Band40(2330-2370) QPSK BW=10MHz Channel=39000 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.14	23.20	23.06 dBm
-10MHz	-48.32	-48.10	-48.58 dB
10MHz	-50.77	-50.68	-50.85 dB
UTRA			
-7.4MHz	-65.96	-65.45	-66.40 dB
-5.8MHz	-64.00	-63.58	-64.31 dB
5.8MHz	-40.92	-40.87	-40.95 dB
7.4MHz	-63.92	-63.66	-64.36 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.33	22.17 dBm
-10MHz	-42.22	-42.12	-42.32 dB
10MHz	-41.33	-41.25	-41.42 dB
UTRA			
-7.4MHz	-49.63	-49.52	-49.73 dB
-5.8MHz	-48.62	-48.53	-48.80 dB
5.8MHz	-47.45	-47.36	-47.55 dB
7.4MHz	-49.58	-49.38	-49.72 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.29	23.36	23.22 dBm
-10MHz	-52.18	-52.06	-52.27 dB
10MHz	-47.56	-47.45	-47.78 dB
UTRA			
-7.4MHz	-64.43	-64.08	-65.11 dB
-5.8MHz	-42.87	-42.84	-42.93 dB
5.8MHz	-63.23	-62.88	-63.51 dB
7.4MHz	-65.37	-65.00	-65.95 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.13	23.20	23.07 dBm
-10MHz	-47.70	-47.50	-47.91 dB
10MHz	-50.69	-50.58	-50.80 dB
UTRA			
-7.4MHz	-66.03	-65.53	-66.62 dB
-5.8MHz	-63.40	-62.92	-63.87 dB
5.8MHz	-40.86	-40.79	-40.91 dB
7.4MHz	-63.46	-63.16	-63.90 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.37	22.42	22.29 dBm
-10MHz	-42.02	-41.97	-42.06 dB
10MHz	-41.62	-41.60	-41.67 dB
UTRA			
-7.4MHz	-49.89	-49.82	-49.98 dB
-5.8MHz	-48.49	-48.42	-48.60 dB
5.8MHz	-47.74	-47.68	-47.79 dB
7.4MHz	-49.67	-49.58	-49.77 dB


Band40(2330-2370) QPSK BW=10MHz Channel=39300 RB Size=50 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.06	23.13	22.97 dBm
-15MHz	-52.66	-52.53	-52.79 dB
15MHz	-45.60	-45.42	-45.86 dB
UTRA			
-9.9MHz	-63.67	-63.34	-64.06 dB
-8.3MHz	-41.04	-41.00	-41.07 dB
8.3MHz	-63.07	-62.81	-63.34 dB
9.9MHz	-64.76	-64.48	-65.24 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.91	22.96	22.84 dBm
-15MHz	-47.15	-46.92	-47.35 dB
15MHz	-53.64	-53.49	-53.85 dB
UTRA			
-9.9MHz	-66.39	-65.65	-67.17 dB
-8.3MHz	-64.20	-63.84	-64.72 dB
8.3MHz	-43.87	-43.82	-43.93 dB
9.9MHz	-63.27	-62.96	-63.63 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.15	22.32	22.07 dBm
-15MHz	-42.14	-41.99	-42.22 dB
15MHz	-41.15	-41.03	-41.22 dB
UTRA			
-9.9MHz	-50.71	-50.62	-50.79 dB
-8.3MHz	-48.93	-48.42	-49.20 dB
8.3MHz	-49.21	-48.82	-49.38 dB
9.9MHz	-50.15	-50.01	-50.33 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39025 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.99	23.06	22.94 dBm
-15MHz	-52.65	-52.57	-52.76 dB
15MHz	-46.09	-45.92	-46.22 dB
UTRA			
-9.9MHz	-63.61	-63.03	-64.14 dB
-8.3MHz	-41.06	-41.00	-41.09 dB
8.3MHz	-63.04	-62.67	-63.32 dB
9.9MHz	-64.68	-64.29	-65.22 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.07	23.14	23.01 dBm
-15MHz	-47.53	-47.32	-47.67 dB
15MHz	-53.76	-53.64	-53.88 dB
UTRA			
-9.9MHz	-66.21	-65.66	-66.60 dB
-8.3MHz	-64.15	-63.63	-64.64 dB
8.3MHz	-43.92	-43.89	-43.96 dB
9.9MHz	-63.41	-62.85	-63.74 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.28	22.37	22.23 dBm
-15MHz	-41.94	-41.87	-42.01 dB
15MHz	-41.47	-41.43	-41.50 dB
UTRA			
-9.9MHz	-50.64	-50.53	-50.75 dB
-8.3MHz	-48.91	-48.77	-49.00 dB
8.3MHz	-49.27	-49.20	-49.32 dB
9.9MHz	-50.47	-50.39	-50.54 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=75 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.06	23.13	23.00 dBm
-15MHz	-48.02	-47.87	-48.12 dB
15MHz	-53.91	-53.71	-54.12 dB
UTRA			
-9.9MHz	-66.09	-65.54	-66.97 dB
-8.3MHz	-64.05	-63.73	-64.47 dB
8.3MHz	-44.01	-43.97	-44.05 dB
9.9MHz	-63.63	-63.29	-64.09 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.00	23.07	22.94 dBm
-20MHz	-56.54	-56.31	-56.79 dB
20MHz	-47.28	-47.00	-47.50 dB
UTRA			
-12.4MHz	-63.90	-63.25	-64.29 dB
-10.8MHz	-47.24	-47.20	-47.30 dB
10.8MHz	-64.09	-63.64	-64.54 dB
12.4MHz	-65.45	-64.85	-65.86 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.17	22.26	22.12 dBm
-15MHz	-42.24	-42.14	-42.31 dB
15MHz	-41.07	-41.03	-41.12 dB
UTRA			
-9.9MHz	-51.06	-50.91	-51.22 dB
-8.3MHz	-49.23	-49.08	-49.31 dB
8.3MHz	-49.18	-49.08	-49.27 dB
9.9MHz	-50.10	-50.01	-50.20 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39150 RB Size=75 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.13	23.20	23.07 dBm
-15MHz	-52.69	-52.58	-52.81 dB
15MHz	-47.03	-46.96	-47.15 dB
UTRA			
-9.9MHz	-63.48	-63.14	-63.86 dB
-8.3MHz	-41.04	-41.00	-41.08 dB
8.3MHz	-63.10	-62.73	-63.59 dB
9.9MHz	-64.95	-64.32	-65.40 dB


Band40(2330-2370) QPSK BW=15MHz Channel=39275 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.77	22.84	22.70 dBm
-20MHz	-49.19	-48.93	-49.46 dB
20MHz	-55.48	-55.29	-55.74 dB
UTRA			
-12.4MHz	-67.58	-66.87	-68.37 dB
-10.8MHz	-66.50	-65.82	-67.30 dB
10.8MHz	-44.62	-44.57	-44.68 dB
12.4MHz	-63.03	-62.38	-63.47 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.19	22.32	22.10 dBm
-20MHz	-42.69	-42.52	-42.91 dB
20MHz	-41.34	-41.14	-41.47 dB
UTRA			
-12.4MHz	-52.07	-51.74	-52.46 dB
-10.8MHz	-50.73	-50.40	-51.13 dB
10.8MHz	-50.23	-49.92	-50.61 dB
12.4MHz	-51.59	-50.55	-52.14 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39050 RB Size=100 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.94	22.99	22.87 dBm
-20MHz	-56.68	-56.46	-56.90 dB
20MHz	-48.51	-48.33	-48.63 dB
UTRA			
-12.4MHz	-63.88	-63.55	-64.39 dB
-10.8MHz	-47.51	-47.42	-47.57 dB
10.8MHz	-64.41	-64.08	-64.68 dB
12.4MHz	-65.62	-65.18	-66.22 dB

Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.92	23.02	22.81 dBm
-20MHz	-48.77	-48.52	-48.98 dB
20MHz	-55.48	-55.23	-55.73 dB
UTRA			
-12.4MHz	-67.12	-66.66	-68.13 dB
-10.8MHz	-66.29	-65.77	-66.81 dB
10.8MHz	-44.63	-44.56	-44.69 dB
12.4MHz	-63.11	-62.71	-63.49 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.07	23.14	23.01 dBm
-5MHz	-47.28	-47.11	-47.47 dB
5MHz	-46.82	-46.71	-46.91 dB
UTRA			
-4.9MHz	-63.72	-63.26	-64.33 dB
-3.3MHz	-61.24	-61.07	-61.52 dB
3.3MHz	-41.89	-41.83	-41.97 dB
4.9MHz	-63.51	-63.20	-63.91 dB


Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.03	23.10	22.97 dBm
-5MHz	-45.17	-45.12	-45.23 dB
5MHz	-47.04	-46.90	-47.17 dB
UTRA			
-4.9MHz	-63.65	-63.41	-63.93 dB
-3.3MHz	-40.06	-40.02	-40.11 dB
3.3MHz	-60.79	-60.50	-61.18 dB
4.9MHz	-63.33	-62.90	-63.78 dB


Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.41	22.42	22.41 dBm
-20MHz	-42.57	-42.54	-42.60 dB
20MHz	-41.84	-41.81	-41.87 dB
UTRA			
-12.4MHz	-52.06	-51.97	-52.14 dB
-10.8MHz	-50.51	-50.41	-50.61 dB
10.8MHz	-50.50	-50.42	-50.57 dB
12.4MHz	-52.02	-51.91	-52.14 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.99	23.07	22.92 dBm
-20MHz	-57.13	-56.83	-57.38 dB
20MHz	-47.19	-47.00	-47.42 dB
UTRA			
-12.4MHz	-64.00	-63.51	-64.55 dB
-10.8MHz	-47.52	-47.46	-47.59 dB
10.8MHz	-64.72	-64.36	-65.29 dB
12.4MHz	-66.30	-65.91	-66.78 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.24	22.26	22.20 dBm
-20MHz	-42.68	-42.65	-42.72 dB
20MHz	-41.30	-41.27	-41.34 dB
UTRA			
-12.4MHz	-52.08	-51.96	-52.18 dB
-10.8MHz	-50.80	-50.69	-50.88 dB
10.8MHz	-50.15	-50.09	-50.24 dB
12.4MHz	-51.55	-51.44	-51.64 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.86	22.91	22.79 dBm
-20MHz	-48.76	-48.58	-48.95 dB
20MHz	-55.55	-55.36	-55.76 dB
UTRA			
-12.4MHz	-67.16	-66.37	-68.15 dB
-10.8MHz	-66.02	-65.25	-66.40 dB
10.8MHz	-44.73	-44.68	-44.76 dB
12.4MHz	-63.13	-62.78	-63.49 dB


Band40(2330-2370) QPSK BW=20MHz Channel=39250 RB Size=1 Position=#Max



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.41	22.43	22.39 dBm
-5MHz	-41.40	-41.33	-41.45 dB
5MHz	-41.27	-41.23	-41.30 dB
UTRA			
-4.9MHz	-47.51	-47.43	-47.63 dB
-3.3MHz	-44.94	-44.86	-45.01 dB
3.3MHz	-44.55	-44.46	-44.64 dB
4.9MHz	-47.47	-47.39	-47.52 dB


Band40(2330-2370) QPSK BW=5MHz Channel=38975 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.99	23.05	22.92 dBm
-5MHz	-45.32	-45.20	-45.39 dB
5MHz	-47.85	-47.66	-48.07 dB
UTRA			
-4.9MHz	-63.93	-63.51	-64.38 dB
-3.3MHz	-40.16	-40.10	-40.22 dB
3.3MHz	-60.65	-60.44	-60.94 dB
4.9MHz	-63.20	-62.89	-63.86 dB


Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.05	23.13	22.97 dBm
-5MHz	-48.35	-48.16	-48.59 dB
5MHz	-46.85	-46.76	-47.00 dB
UTRA			
-4.9MHz	-64.19	-63.81	-64.86 dB
-3.3MHz	-61.32	-60.99	-61.60 dB
3.3MHz	-41.91	-41.84	-41.96 dB
4.9MHz	-63.42	-62.95	-63.90 dB

Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.20	22.26	22.15 dBm
-5MHz	-41.87	-41.80	-41.93 dB
5MHz	-41.04	-40.99	-41.10 dB
UTRA			
-4.9MHz	-48.20	-48.12	-48.27 dB
-3.3MHz	-45.28	-45.17	-45.37 dB
3.3MHz	-44.22	-44.14	-44.28 dB
4.9MHz	-47.15	-47.03	-47.26 dB


Band40(2330-2370) QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.15	23.19	23.07 dBm
-5MHz	-45.23	-45.14	-45.32 dB
5MHz	-48.29	-48.15	-48.55 dB
UTRA			
-4.9MHz	-63.52	-63.05	-64.09 dB
-3.3MHz	-40.11	-40.06	-40.16 dB
3.3MHz	-61.01	-60.73	-61.36 dB
4.9MHz	-63.32	-62.79	-63.88 dB


Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	23.10	23.16	23.02 dBm
-5MHz	-47.99	-47.78	-48.19 dB
5MHz	-46.75	-46.65	-46.91 dB
UTRA			
-4.9MHz	-63.41	-63.17	-63.71 dB
-3.3MHz	-60.86	-60.55	-61.44 dB
3.3MHz	-41.86	-41.80	-41.92 dB
4.9MHz	-63.35	-62.89	-63.77 dB


Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=1 Position=#Max




Offset Frequency	Power Avg.	Max.	Min.
E-UTRA			
Carrier	22.30	22.35	22.25 dBm
-5MHz	-41.34	-41.29	-41.40 dB
5MHz	-40.93	-40.85	-40.98 dB
UTRA			
-4.9MHz	-47.49	-47.46	-47.55 dB
-3.3MHz	-44.58	-44.50	-44.70 dB
3.3MHz	-43.98	-43.89	-44.06 dB
4.9MHz	-47.09	-46.99	-47.17 dB

Band40(2330-2370) QPSK BW=5MHz Channel=39325 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40190 RB Size=50 Position=#0




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=10MHz Channel=40665 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=10MHz Channel=41140 RB Size=50 Position=#0




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=20MHz Channel=40240 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=20MHz Channel=40665 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=20MHz Channel=41090 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=1 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40165 RB Size=25 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=1 Position=#Max




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) 16QAM BW=5MHz Channel=40665 RB Size=25 Position=#0




Band41(2545-2650) 16QAM BW=5MHz Channel=41165 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=10MHz Channel=40190 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=40665 RB Size=50 Position=#0




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=10MHz Channel=41140 RB Size=50 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=100 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40240 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=20MHz Channel=40665 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=20MHz Channel=41090 RB Size=100 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=1 Position=#0




Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=40165 RB Size=25 Position=#0




Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=1 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=1 Position=#Max




Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=1 Position=#Max

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Band41(2545-2650) QPSK BW=5MHz Channel=40665 RB Size=25 Position=#0



Band41(2545-2650) QPSK BW=5MHz Channel=41165 RB Size=25 Position=#0

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

05. Unwanted Emission Strength (Spurious Emission)

Band	Bandwidth (MHz)	UL Channel	RB Config	Modulation	Range	RBW	Freq (MHz)	Level (dBm)	Limit (dBm)	Verdict
Band1	5	18042	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.64	-36	PASS
Band1	5	18042	1@#0	QPSK	150 kHz-30 MHz	10 kHz	22.82	-73.40	-36	PASS
Band1	5	18042	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	565.25	-61.93	-36	PASS
Band1	5	18042	1@#0	QPSK	1000 MHz-1911.70 MHz	1 MHz	1910.79	-46.46	-30	PASS
Band1	5	18042	1@#0	QPSK	1936.70 MHz-3000 MHz	1 MHz	2843.16	-44.74	-30	PASS
Band1	5	18042	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12271.44	-37.93	-30	PASS
Band1	5	18042	1@#0	QPSK	470 MHz-710 MHz	100 kHz	623.36	-66.82	-36	PASS
Band1	5	18042	1@#0	QPSK	770 MHz-773 MHz	100 kHz	770.44	-66.74	-36	PASS
Band1	5	18042	1@#0	QPSK	773 MHz-803 MHz	100 kHz	784.07	-66.25	-36	PASS
Band1	5	18042	1@#0	QPSK	860 MHz-890 MHz	1 MHz	875.51	-66.03	-50	PASS
Band1	5	18042	1@#0	QPSK	945 MHz-960 MHz	100 kHz	945.54	-66.34	-36	PASS
Band1	5	18042	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1489.83	-66.66	-50	PASS
Band1	5	18042	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.62	-66.64	-50	PASS
Band1	5	18042	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1826.36	-46.50	-30	PASS
Band1	5	18042	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1876.33	-66.24	-50	PASS
Band1	5	18042	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.37	-46.23	-30	PASS
Band1	5	18042	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1913.37	-37.47	-25	PASS
Band1	5	18042	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.04	-65.85	-50	PASS
Band1	5	18042	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2114.13	-65.34	-50	PASS
Band1	5	18042	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2149.26	-65.66	-50	PASS
Band1	5	18042	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2357.44	-45.60	-30	PASS
Band1	5	18042	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.26	-42.50	-30	PASS
Band1	5	18042	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3487.19	-42.41	-30	PASS
Band1	5	18042	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.97	-41.97	-30	PASS
Band1	5	18042	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.36	-41.77	-30	PASS
Band1	5	18042	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.88	-41.76	-30	PASS
Band1	5	18042	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3844.00	-39.36	-30	PASS
Band1	5	18042	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.40	-42.53	-30	PASS
Band1	5	18042	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-65.87	-36	PASS
Band1	5	18042	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	26.52	-73.46	-36	PASS
Band1	5	18042	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	569.42	-62.09	-36	PASS
Band1	5	18042	1@#Max	QPSK	1000 MHz-1911.70 MHz	1 MHz	1908.96	-46.47	-30	PASS
Band1	5	18042	1@#Max	QPSK	1936.70 MHz-3000 MHz	1 MHz	2833.42	-44.71	-30	PASS
Band1	5	18042	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12328.31	-37.93	-30	PASS
Band1	5	18042	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	650.72	-66.45	-36	PASS
Band1	5	18042	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.32	-66.75	-36	PASS
Band1	5	18042	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	800.18	-66.71	-36	PASS
Band1	5	18042	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	881.54	-66.01	-50	PASS
Band1	5	18042	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	959.76	-66.41	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18042	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.60	-66.64	-50	PASS
Band1	5	18042	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.07	-66.62	-50	PASS
Band1	5	18042	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1811.48	-46.45	-30	PASS
Band1	5	18042	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1879.30	-66.22	-50	PASS
Band1	5	18042	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.18	-46.14	-30	PASS
Band1	5	18042	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.67	-45.29	-25	PASS
Band1	5	18042	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.85	-65.81	-50	PASS
Band1	5	18042	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2112.92	-65.29	-50	PASS
Band1	5	18042	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2165.32	-65.55	-50	PASS
Band1	5	18042	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2363.72	-45.65	-30	PASS
Band1	5	18042	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.15	-42.45	-30	PASS
Band1	5	18042	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3481.41	-42.46	-30	PASS
Band1	5	18042	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3563.60	-41.97	-30	PASS
Band1	5	18042	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.25	-41.78	-30	PASS
Band1	5	18042	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.40	-41.62	-30	PASS
Band1	5	18042	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3852.50	-39.72	-30	PASS
Band1	5	18042	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.47	-30	PASS
Band1	5	18042	8@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.48	-36	PASS
Band1	5	18042	8@#0	QPSK	150 kHz-30 MHz	10 kHz	28.22	-73.36	-36	PASS
Band1	5	18042	8@#0	QPSK	30 MHz-1000 MHz	100 kHz	559.23	-61.99	-36	PASS
Band1	5	18042	8@#0	QPSK	1000 MHz-1911.70 MHz	1 MHz	1908.96	-46.45	-30	PASS
Band1	5	18042	8@#0	QPSK	1936.70 MHz-3000 MHz	1 MHz	2898.10	-44.72	-30	PASS
Band1	5	18042	8@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12308.00	-37.90	-30	PASS
Band1	5	18042	8@#0	QPSK	470 MHz-710 MHz	100 kHz	699.92	-66.50	-36	PASS
Band1	5	18042	8@#0	QPSK	770 MHz-773 MHz	100 kHz	772.16	-66.73	-36	PASS
Band1	5	18042	8@#0	QPSK	773 MHz-803 MHz	100 kHz	782.96	-66.50	-36	PASS
Band1	5	18042	8@#0	QPSK	860 MHz-890 MHz	1 MHz	889.73	-66.01	-50	PASS
Band1	5	18042	8@#0	QPSK	945 MHz-960 MHz	100 kHz	947.88	-66.43	-36	PASS
Band1	5	18042	8@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1485.07	-66.64	-50	PASS
Band1	5	18042	8@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1502.92	-66.60	-50	PASS
Band1	5	18042	8@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1831.80	-46.45	-30	PASS
Band1	5	18042	8@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.06	-66.23	-50	PASS
Band1	5	18042	8@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.90	-46.19	-30	PASS
Band1	5	18042	8@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.66	-41.36	-25	PASS
Band1	5	18042	8@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.62	-65.84	-50	PASS
Band1	5	18042	8@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2112.82	-65.19	-50	PASS
Band1	5	18042	8@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.45	-65.72	-50	PASS
Band1	5	18042	8@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2361.80	-45.65	-30	PASS
Band1	5	18042	8@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.67	-42.45	-30	PASS
Band1	5	18042	8@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3471.40	-42.43	-30	PASS
Band1	5	18042	8@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3566.71	-41.95	-30	PASS
Band1	5	18042	8@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.22	-41.76	-30	PASS
Band1	5	18042	8@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.22	-41.69	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18042	8@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3845.50	-40.52	-30	PASS
Band1	5	18042	8@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.53	-30	PASS
Band1	5	18042	8@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.96	-36	PASS
Band1	5	18042	8@#Max	QPSK	150 kHz-30 MHz	10 kHz	23.24	-72.81	-36	PASS
Band1	5	18042	8@#Max	QPSK	30 MHz-1000 MHz	100 kHz	556.61	-61.86	-36	PASS
Band1	5	18042	8@#Max	QPSK	1000 MHz-1911.70 MHz	1 MHz	1911.70	-46.42	-30	PASS
Band1	5	18042	8@#Max	QPSK	1936.70 MHz-3000 MHz	1 MHz	2906.08	-44.64	-30	PASS
Band1	5	18042	8@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12457.50	-37.90	-30	PASS
Band1	5	18042	8@#Max	QPSK	470 MHz-710 MHz	100 kHz	665.12	-66.69	-36	PASS
Band1	5	18042	8@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.17	-66.84	-36	PASS
Band1	5	18042	8@#Max	QPSK	773 MHz-803 MHz	100 kHz	773.12	-66.74	-36	PASS
Band1	5	18042	8@#Max	QPSK	860 MHz-890 MHz	1 MHz	886.49	-65.99	-50	PASS
Band1	5	18042	8@#Max	QPSK	945 MHz-960 MHz	100 kHz	958.34	-66.44	-36	PASS
Band1	5	18042	8@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1492.15	-66.69	-50	PASS
Band1	5	18042	8@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.50	-66.63	-50	PASS
Band1	5	18042	8@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1839.76	-46.47	-30	PASS
Band1	5	18042	8@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1865.09	-66.26	-50	PASS
Band1	5	18042	8@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.44	-46.23	-30	PASS
Band1	5	18042	8@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.70	-45.04	-25	PASS
Band1	5	18042	8@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2017.74	-65.83	-50	PASS
Band1	5	18042	8@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2113.44	-65.31	-50	PASS
Band1	5	18042	8@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2169.18	-65.64	-50	PASS
Band1	5	18042	8@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2357.60	-45.64	-30	PASS
Band1	5	18042	8@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.40	-42.47	-30	PASS
Band1	5	18042	8@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3495.82	-42.40	-30	PASS
Band1	5	18042	8@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3562.71	-41.99	-30	PASS
Band1	5	18042	8@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.47	-41.77	-30	PASS
Band1	5	18042	8@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.55	-41.68	-30	PASS
Band1	5	18042	8@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3851.50	-40.62	-30	PASS
Band1	5	18042	8@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4900.00	-42.48	-30	PASS
Band1	5	18042	25@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.28	-36	PASS
Band1	5	18042	25@#0	QPSK	150 kHz-30 MHz	10 kHz	28.15	-72.91	-36	PASS
Band1	5	18042	25@#0	QPSK	30 MHz-1000 MHz	100 kHz	558.07	-62.31	-36	PASS
Band1	5	18042	25@#0	QPSK	1000 MHz-1911.70 MHz	1 MHz	1911.70	-45.52	-30	PASS
Band1	5	18042	25@#0	QPSK	1936.70 MHz-3000 MHz	1 MHz	2921.14	-44.71	-30	PASS
Band1	5	18042	25@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12379.50	-37.89	-30	PASS
Band1	5	18042	25@#0	QPSK	470 MHz-710 MHz	100 kHz	513.92	-66.76	-36	PASS
Band1	5	18042	25@#0	QPSK	770 MHz-773 MHz	100 kHz	771.71	-66.86	-36	PASS
Band1	5	18042	25@#0	QPSK	773 MHz-803 MHz	100 kHz	802.43	-66.52	-36	PASS
Band1	5	18042	25@#0	QPSK	860 MHz-890 MHz	1 MHz	878.45	-66.02	-50	PASS
Band1	5	18042	25@#0	QPSK	945 MHz-960 MHz	100 kHz	952.62	-66.43	-36	PASS
Band1	5	18042	25@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.33	-66.66	-50	PASS
Band1	5	18042	25@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.38	-66.69	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18042	25@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1821.96	-46.47	-30	PASS
Band1	5	18042	25@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.95	-66.25	-50	PASS
Band1	5	18042	25@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.82	-45.74	-30	PASS
Band1	5	18042	25@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.02	-38.64	-25	PASS
Band1	5	18042	25@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.99	-65.80	-50	PASS
Band1	5	18042	25@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2113.61	-65.34	-50	PASS
Band1	5	18042	25@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2167.82	-65.76	-50	PASS
Band1	5	18042	25@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2359.32	-45.59	-30	PASS
Band1	5	18042	25@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.28	-42.51	-30	PASS
Band1	5	18042	25@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3488.98	-42.44	-30	PASS
Band1	5	18042	25@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3543.99	-42.01	-30	PASS
Band1	5	18042	25@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.40	-41.79	-30	PASS
Band1	5	18042	25@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3596.30	-41.74	-30	PASS
Band1	5	18042	25@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3848.50	-41.75	-30	PASS
Band1	5	18042	25@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4894.80	-42.48	-30	PASS
Band1	5	18309	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.05	-36	PASS
Band1	5	18309	1@#0	QPSK	150 kHz-30 MHz	10 kHz	0.19	-73.00	-36	PASS
Band1	5	18309	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	560.88	-62.31	-36	PASS
Band1	5	18309	1@#0	QPSK	1000 MHz-1938.40 MHz	1 MHz	1926.20	-46.33	-30	PASS
Band1	5	18309	1@#0	QPSK	1963.40 MHz-3000 MHz	1 MHz	2920.53	-44.68	-30	PASS
Band1	5	18309	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12317.75	-37.86	-30	PASS
Band1	5	18309	1@#0	QPSK	470 MHz-710 MHz	100 kHz	654.08	-66.60	-36	PASS
Band1	5	18309	1@#0	QPSK	770 MHz-773 MHz	100 kHz	772.71	-66.74	-36	PASS
Band1	5	18309	1@#0	QPSK	773 MHz-803 MHz	100 kHz	802.37	-66.55	-36	PASS
Band1	5	18309	1@#0	QPSK	860 MHz-890 MHz	1 MHz	888.32	-65.98	-50	PASS
Band1	5	18309	1@#0	QPSK	945 MHz-960 MHz	100 kHz	953.10	-66.32	-36	PASS
Band1	5	18309	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1485.07	-66.66	-50	PASS
Band1	5	18309	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.44	-66.60	-50	PASS
Band1	5	18309	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1839.72	-46.48	-30	PASS
Band1	5	18309	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1875.87	-66.20	-50	PASS
Band1	5	18309	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.51	-46.25	-30	PASS
Band1	5	18309	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.15	-46.01	-25	PASS
Band1	5	18309	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.08	-65.84	-50	PASS
Band1	5	18309	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.30	-64.96	-50	PASS
Band1	5	18309	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2157.35	-65.64	-50	PASS
Band1	5	18309	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2330.28	-45.57	-30	PASS
Band1	5	18309	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.83	-42.48	-30	PASS
Band1	5	18309	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3466.35	-42.41	-30	PASS
Band1	5	18309	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3559.01	-42.02	-30	PASS
Band1	5	18309	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.34	-41.76	-30	PASS
Band1	5	18309	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.18	-41.75	-30	PASS
Band1	5	18309	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3897.50	-40.51	-30	PASS
Band1	5	18309	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.54	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18309	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.53	-36	PASS
Band1	5	18309	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	26.03	-72.97	-36	PASS
Band1	5	18309	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	550.99	-62.21	-36	PASS
Band1	5	18309	1@#Max	QPSK	1000 MHz-1938.40 MHz	1 MHz	1938.40	-46.27	-30	PASS
Band1	5	18309	1@#Max	QPSK	1963.40 MHz-3000 MHz	1 MHz	2997.41	-44.71	-30	PASS
Band1	5	18309	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12287.69	-37.94	-30	PASS
Band1	5	18309	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	683.36	-66.68	-36	PASS
Band1	5	18309	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.40	-66.55	-36	PASS
Band1	5	18309	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	798.47	-66.67	-36	PASS
Band1	5	18309	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	884.75	-65.92	-50	PASS
Band1	5	18309	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	958.50	-66.33	-36	PASS
Band1	5	18309	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1482.38	-66.62	-50	PASS
Band1	5	18309	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.47	-66.60	-50	PASS
Band1	5	18309	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1822.64	-46.45	-30	PASS
Band1	5	18309	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.11	-66.19	-50	PASS
Band1	5	18309	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.52	-46.30	-30	PASS
Band1	5	18309	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.24	-46.10	-25	PASS
Band1	5	18309	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2017.50	-65.73	-50	PASS
Band1	5	18309	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2142.03	-64.95	-50	PASS
Band1	5	18309	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2152.59	-65.66	-50	PASS
Band1	5	18309	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2364.68	-45.59	-30	PASS
Band1	5	18309	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.64	-42.46	-30	PASS
Band1	5	18309	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.06	-42.44	-30	PASS
Band1	5	18309	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.07	-41.98	-30	PASS
Band1	5	18309	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.39	-41.80	-30	PASS
Band1	5	18309	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.08	-41.71	-30	PASS
Band1	5	18309	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3906.00	-39.39	-30	PASS
Band1	5	18309	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.46	-30	PASS
Band1	5	18309	8@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.51	-36	PASS
Band1	5	18309	8@#0	QPSK	150 kHz-30 MHz	10 kHz	29.36	-72.95	-36	PASS
Band1	5	18309	8@#0	QPSK	30 MHz-1000 MHz	100 kHz	565.73	-62.26	-36	PASS
Band1	5	18309	8@#0	QPSK	1000 MHz-1938.40 MHz	1 MHz	1925.26	-46.36	-30	PASS
Band1	5	18309	8@#0	QPSK	1963.40 MHz-3000 MHz	1 MHz	2850.56	-44.69	-30	PASS
Band1	5	18309	8@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12341.31	-37.98	-30	PASS
Band1	5	18309	8@#0	QPSK	470 MHz-710 MHz	100 kHz	640.40	-66.59	-36	PASS
Band1	5	18309	8@#0	QPSK	770 MHz-773 MHz	100 kHz	771.93	-66.61	-36	PASS
Band1	5	18309	8@#0	QPSK	773 MHz-803 MHz	100 kHz	799.19	-66.58	-36	PASS
Band1	5	18309	8@#0	QPSK	860 MHz-890 MHz	1 MHz	888.32	-65.93	-50	PASS
Band1	5	18309	8@#0	QPSK	945 MHz-960 MHz	100 kHz	957.26	-66.29	-36	PASS
Band1	5	18309	8@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1484.84	-66.62	-50	PASS
Band1	5	18309	8@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.55	-66.63	-50	PASS
Band1	5	18309	8@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1830.16	-46.42	-30	PASS
Band1	5	18309	8@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.25	-66.23	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18309	8@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.49	-46.22	-30	PASS
Band1	5	18309	8@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.47	-46.17	-25	PASS
Band1	5	18309	8@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.67	-65.78	-50	PASS
Band1	5	18309	8@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.92	-64.98	-50	PASS
Band1	5	18309	8@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2154.26	-65.67	-50	PASS
Band1	5	18309	8@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2335.32	-45.63	-30	PASS
Band1	5	18309	8@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.92	-42.50	-30	PASS
Band1	5	18309	8@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3481.49	-42.43	-30	PASS
Band1	5	18309	8@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3568.19	-41.95	-30	PASS
Band1	5	18309	8@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.54	-41.77	-30	PASS
Band1	5	18309	8@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.92	-41.67	-30	PASS
Band1	5	18309	8@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3898.50	-41.18	-30	PASS
Band1	5	18309	8@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.80	-42.53	-30	PASS
Band1	5	18309	8@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.70	-36	PASS
Band1	5	18309	8@#Max	QPSK	150 kHz-30 MHz	10 kHz	17.49	-73.38	-36	PASS
Band1	5	18309	8@#Max	QPSK	30 MHz-1000 MHz	100 kHz	558.75	-61.56	-36	PASS
Band1	5	18309	8@#Max	QPSK	1000 MHz-1938.40 MHz	1 MHz	1929.95	-46.31	-30	PASS
Band1	5	18309	8@#Max	QPSK	1963.40 MHz-3000 MHz	1 MHz	2904.11	-44.68	-30	PASS
Band1	5	18309	8@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12294.19	-37.97	-30	PASS
Band1	5	18309	8@#Max	QPSK	470 MHz-710 MHz	100 kHz	701.12	-66.55	-36	PASS
Band1	5	18309	8@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.69	-66.60	-36	PASS
Band1	5	18309	8@#Max	QPSK	773 MHz-803 MHz	100 kHz	784.94	-66.65	-36	PASS
Band1	5	18309	8@#Max	QPSK	860 MHz-890 MHz	1 MHz	887.60	-65.88	-50	PASS
Band1	5	18309	8@#Max	QPSK	945 MHz-960 MHz	100 kHz	945.03	-66.50	-36	PASS
Band1	5	18309	8@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1477.97	-66.62	-50	PASS
Band1	5	18309	8@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1504.12	-66.64	-50	PASS
Band1	5	18309	8@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1835.36	-46.40	-30	PASS
Band1	5	18309	8@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1864.32	-66.15	-50	PASS
Band1	5	18309	8@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.58	-46.21	-30	PASS
Band1	5	18309	8@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.68	-46.17	-25	PASS
Band1	5	18309	8@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.71	-65.73	-50	PASS
Band1	5	18309	8@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.48	-65.05	-50	PASS
Band1	5	18309	8@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2162.83	-65.64	-50	PASS
Band1	5	18309	8@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2363.56	-45.58	-30	PASS
Band1	5	18309	8@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.15	-42.48	-30	PASS
Band1	5	18309	8@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3492.72	-42.39	-30	PASS
Band1	5	18309	8@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.15	-42.02	-30	PASS
Band1	5	18309	8@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.12	-41.71	-30	PASS
Band1	5	18309	8@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.83	-41.72	-30	PASS
Band1	5	18309	8@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3905.00	-40.54	-30	PASS
Band1	5	18309	8@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.51	-30	PASS
Band1	5	18309	25@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.08	-36	PASS
Band1	5	18309	25@#0	QPSK	150 kHz-30 MHz	10 kHz	0.37	-73.23	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18309	25@#0	QPSK	30 MHz-1000 MHz	100 kHz	607.34	-62.02	-36	PASS
Band1	5	18309	25@#0	QPSK	1000 MHz-1938.40 MHz	1 MHz	1938.40	-45.22	-30	PASS
Band1	5	18309	25@#0	QPSK	1963.40 MHz-3000 MHz	1 MHz	2911.89	-44.67	-30	PASS
Band1	5	18309	25@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12355.94	-37.84	-30	PASS
Band1	5	18309	25@#0	QPSK	470 MHz-710 MHz	100 kHz	699.20	-66.62	-36	PASS
Band1	5	18309	25@#0	QPSK	770 MHz-773 MHz	100 kHz	770.41	-66.70	-36	PASS
Band1	5	18309	25@#0	QPSK	773 MHz-803 MHz	100 kHz	801.38	-66.41	-36	PASS
Band1	5	18309	25@#0	QPSK	860 MHz-890 MHz	1 MHz	887.84	-65.94	-50	PASS
Band1	5	18309	25@#0	QPSK	945 MHz-960 MHz	100 kHz	955.62	-66.34	-36	PASS
Band1	5	18309	25@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1484.99	-66.67	-50	PASS
Band1	5	18309	25@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.74	-66.53	-50	PASS
Band1	5	18309	25@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1828.52	-46.44	-30	PASS
Band1	5	18309	25@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1874.65	-66.26	-50	PASS
Band1	5	18309	25@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.47	-46.25	-30	PASS
Band1	5	18309	25@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.68	-46.05	-25	PASS
Band1	5	18309	25@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.02	-65.85	-50	PASS
Band1	5	18309	25@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2142.13	-65.02	-50	PASS
Band1	5	18309	25@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2162.63	-65.75	-50	PASS
Band1	5	18309	25@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2359.08	-45.54	-30	PASS
Band1	5	18309	25@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.41	-42.44	-30	PASS
Band1	5	18309	25@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3473.76	-42.41	-30	PASS
Band1	5	18309	25@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3574.70	-41.92	-30	PASS
Band1	5	18309	25@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.22	-41.72	-30	PASS
Band1	5	18309	25@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.44	-41.69	-30	PASS
Band1	5	18309	25@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3608.00	-41.86	-30	PASS
Band1	5	18309	25@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4900.00	-42.53	-30	PASS
Band1	5	18575	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.78	-36	PASS
Band1	5	18575	1@#0	QPSK	150 kHz-30 MHz	10 kHz	0.18	-72.92	-36	PASS
Band1	5	18575	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	614.81	-61.69	-36	PASS
Band1	5	18575	1@#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1964.04	-46.23	-30	PASS
Band1	5	18575	1@#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	2835.03	-44.67	-30	PASS
Band1	5	18575	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12355.13	-37.85	-30	PASS
Band1	5	18575	1@#0	QPSK	470 MHz-710 MHz	100 kHz	685.76	-66.68	-36	PASS
Band1	5	18575	1@#0	QPSK	770 MHz-773 MHz	100 kHz	771.64	-66.61	-36	PASS
Band1	5	18575	1@#0	QPSK	773 MHz-803 MHz	100 kHz	798.44	-66.64	-36	PASS
Band1	5	18575	1@#0	QPSK	860 MHz-890 MHz	1 MHz	885.98	-65.91	-50	PASS
Band1	5	18575	1@#0	QPSK	945 MHz-960 MHz	100 kHz	954.57	-66.33	-36	PASS
Band1	5	18575	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.90	-66.60	-50	PASS
Band1	5	18575	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.88	-66.61	-50	PASS
Band1	5	18575	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1832.36	-46.41	-30	PASS
Band1	5	18575	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.74	-66.23	-50	PASS
Band1	5	18575	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.11	-46.21	-30	PASS
Band1	5	18575	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.85	-46.15	-25	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18575	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.39	-65.71	-50	PASS
Band1	5	18575	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2118.63	-65.64	-50	PASS
Band1	5	18575	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2167.47	-65.64	-50	PASS
Band1	5	18575	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2361.36	-45.56	-30	PASS
Band1	5	18575	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.85	-42.46	-30	PASS
Band1	5	18575	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3500.13	-42.43	-30	PASS
Band1	5	18575	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3552.20	-41.96	-30	PASS
Band1	5	18575	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.22	-41.75	-30	PASS
Band1	5	18575	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.79	-41.67	-30	PASS
Band1	5	18575	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3951.00	-37.35	-30	PASS
Band1	5	18575	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4895.20	-42.45	-30	PASS
Band1	5	18575	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.34	-36	PASS
Band1	5	18575	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	29.51	-73.24	-36	PASS
Band1	5	18575	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	563.21	-61.66	-36	PASS
Band1	5	18575	1@#Max	QPSK	1000 MHz-1965.00 MHz	1 MHz	1926.40	-46.29	-30	PASS
Band1	5	18575	1@#Max	QPSK	1990.00 MHz-3000 MHz	1 MHz	2845.13	-44.68	-30	PASS
Band1	5	18575	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12314.50	-37.90	-30	PASS
Band1	5	18575	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	662.24	-66.61	-36	PASS
Band1	5	18575	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.55	-66.68	-36	PASS
Band1	5	18575	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	802.82	-66.47	-36	PASS
Band1	5	18575	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	874.91	-65.97	-50	PASS
Band1	5	18575	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.15	-66.30	-36	PASS
Band1	5	18575	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.49	-66.63	-50	PASS
Band1	5	18575	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.91	-66.59	-50	PASS
Band1	5	18575	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1816.12	-46.46	-30	PASS
Band1	5	18575	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.46	-66.25	-50	PASS
Band1	5	18575	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.46	-46.23	-30	PASS
Band1	5	18575	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.54	-46.20	-25	PASS
Band1	5	18575	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2020.61	-65.66	-50	PASS
Band1	5	18575	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2118.81	-65.72	-50	PASS
Band1	5	18575	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2166.16	-65.64	-50	PASS
Band1	5	18575	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2361.92	-45.56	-30	PASS
Band1	5	18575	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.29	-42.36	-30	PASS
Band1	5	18575	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.79	-42.31	-30	PASS
Band1	5	18575	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3557.24	-41.93	-30	PASS
Band1	5	18575	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.00	-41.76	-30	PASS
Band1	5	18575	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.03	-41.66	-30	PASS
Band1	5	18575	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3959.50	-38.21	-30	PASS
Band1	5	18575	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.45	-30	PASS
Band1	5	18575	8@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.21	-36	PASS
Band1	5	18575	8@#0	QPSK	150 kHz-30 MHz	10 kHz	25.83	-73.23	-36	PASS
Band1	5	18575	8@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.44	-61.97	-36	PASS
Band1	5	18575	8@#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1964.04	-46.30	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18575	8@#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	2911.63	-44.66	-30	PASS
Band1	5	18575	8@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12346.19	-37.79	-30	PASS
Band1	5	18575	8@#0	QPSK	470 MHz-710 MHz	100 kHz	624.56	-66.57	-36	PASS
Band1	5	18575	8@#0	QPSK	770 MHz-773 MHz	100 kHz	770.87	-66.75	-36	PASS
Band1	5	18575	8@#0	QPSK	773 MHz-803 MHz	100 kHz	787.82	-66.46	-36	PASS
Band1	5	18575	8@#0	QPSK	860 MHz-890 MHz	1 MHz	882.68	-65.98	-50	PASS
Band1	5	18575	8@#0	QPSK	945 MHz-960 MHz	100 kHz	956.85	-66.36	-36	PASS
Band1	5	18575	8@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1476.98	-66.60	-50	PASS
Band1	5	18575	8@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.75	-66.57	-50	PASS
Band1	5	18575	8@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1810.20	-46.46	-30	PASS
Band1	5	18575	8@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.64	-66.14	-50	PASS
Band1	5	18575	8@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.88	-46.22	-30	PASS
Band1	5	18575	8@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.36	-46.15	-25	PASS
Band1	5	18575	8@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.04	-65.68	-50	PASS
Band1	5	18575	8@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2125.34	-65.71	-50	PASS
Band1	5	18575	8@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2162.19	-65.63	-50	PASS
Band1	5	18575	8@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2368.72	-45.59	-30	PASS
Band1	5	18575	8@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.05	-42.48	-30	PASS
Band1	5	18575	8@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3486.70	-42.41	-30	PASS
Band1	5	18575	8@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.89	-41.97	-30	PASS
Band1	5	18575	8@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3590.02	-41.67	-30	PASS
Band1	5	18575	8@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.05	-41.66	-30	PASS
Band1	5	18575	8@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3952.00	-39.02	-30	PASS
Band1	5	18575	8@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.00	-42.53	-30	PASS
Band1	5	18575	8@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.28	-36	PASS
Band1	5	18575	8@#Max	QPSK	150 kHz-30 MHz	10 kHz	28.32	-73.99	-36	PASS
Band1	5	18575	8@#Max	QPSK	30 MHz-1000 MHz	100 kHz	553.51	-61.78	-36	PASS
Band1	5	18575	8@#Max	QPSK	1000 MHz-1965.00 MHz	1 MHz	1962.11	-46.28	-30	PASS
Band1	5	18575	8@#Max	QPSK	1990.00 MHz-3000 MHz	1 MHz	2873.75	-44.66	-30	PASS
Band1	5	18575	8@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12380.31	-37.96	-30	PASS
Band1	5	18575	8@#Max	QPSK	470 MHz-710 MHz	100 kHz	653.12	-66.74	-36	PASS
Band1	5	18575	8@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.53	-66.64	-36	PASS
Band1	5	18575	8@#Max	QPSK	773 MHz-803 MHz	100 kHz	785.78	-66.57	-36	PASS
Band1	5	18575	8@#Max	QPSK	860 MHz-890 MHz	1 MHz	888.86	-65.97	-50	PASS
Band1	5	18575	8@#Max	QPSK	945 MHz-960 MHz	100 kHz	955.40	-66.07	-36	PASS
Band1	5	18575	8@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1476.07	-66.61	-50	PASS
Band1	5	18575	8@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.08	-66.55	-50	PASS
Band1	5	18575	8@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1827.04	-46.43	-30	PASS
Band1	5	18575	8@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1877.24	-66.21	-50	PASS
Band1	5	18575	8@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.77	-46.21	-30	PASS
Band1	5	18575	8@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.26	-46.16	-25	PASS
Band1	5	18575	8@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.42	-65.65	-50	PASS
Band1	5	18575	8@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2115.37	-65.74	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	5	18575	8@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2169.41	-65.62	-50	PASS
Band1	5	18575	8@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2356.56	-45.57	-30	PASS
Band1	5	18575	8@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.82	-42.46	-30	PASS
Band1	5	18575	8@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.06	-42.38	-30	PASS
Band1	5	18575	8@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3572.48	-41.96	-30	PASS
Band1	5	18575	8@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.31	-41.77	-30	PASS
Band1	5	18575	8@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.44	-41.69	-30	PASS
Band1	5	18575	8@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3958.00	-39.61	-30	PASS
Band1	5	18575	8@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.00	-42.48	-30	PASS
Band1	5	18575	25@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.33	-36	PASS
Band1	5	18575	25@#0	QPSK	150 kHz-30 MHz	10 kHz	25.57	-73.70	-36	PASS
Band1	5	18575	25@#0	QPSK	30 MHz-1000 MHz	100 kHz	546.04	-61.74	-36	PASS
Band1	5	18575	25@#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-44.95	-30	PASS
Band1	5	18575	25@#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	2914.15	-44.68	-30	PASS
Band1	5	18575	25@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12441.25	-37.93	-30	PASS
Band1	5	18575	25@#0	QPSK	470 MHz-710 MHz	100 kHz	686.72	-66.60	-36	PASS
Band1	5	18575	25@#0	QPSK	770 MHz-773 MHz	100 kHz	771.05	-66.78	-36	PASS
Band1	5	18575	25@#0	QPSK	773 MHz-803 MHz	100 kHz	787.01	-66.52	-36	PASS
Band1	5	18575	25@#0	QPSK	860 MHz-890 MHz	1 MHz	888.89	-65.95	-50	PASS
Band1	5	18575	25@#0	QPSK	945 MHz-960 MHz	100 kHz	959.85	-66.28	-36	PASS
Band1	5	18575	25@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1486.95	-66.66	-50	PASS
Band1	5	18575	25@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.37	-66.54	-50	PASS
Band1	5	18575	25@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1824.36	-46.41	-30	PASS
Band1	5	18575	25@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.13	-66.30	-50	PASS
Band1	5	18575	25@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.87	-46.26	-30	PASS
Band1	5	18575	25@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.16	-46.14	-25	PASS
Band1	5	18575	25@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.38	-65.63	-50	PASS
Band1	5	18575	25@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2123.04	-65.78	-50	PASS
Band1	5	18575	25@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2166.85	-65.68	-50	PASS
Band1	5	18575	25@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2365.96	-45.55	-30	PASS
Band1	5	18575	25@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.71	-42.44	-30	PASS
Band1	5	18575	25@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3470.26	-42.40	-30	PASS
Band1	5	18575	25@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.66	-41.94	-30	PASS
Band1	5	18575	25@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.62	-41.77	-30	PASS
Band1	5	18575	25@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.96	-41.72	-30	PASS
Band1	5	18575	25@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3955.00	-41.43	-30	PASS
Band1	5	18575	25@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.47	-30	PASS
Band1	10	18107	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.06	-36	PASS
Band1	10	18107	1@#0	QPSK	150 kHz-30 MHz	10 kHz	27.77	-73.48	-36	PASS
Band1	10	18107	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.54	-62.26	-36	PASS
Band1	10	18107	1@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1908.88	-39.62	-30	PASS
Band1	10	18107	1@#0	QPSK	1950.70 MHz-3000 MHz	1 MHz	2845.23	-44.72	-30	PASS
Band1	10	18107	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12364.06	-37.85	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18107	1@#0	QPSK	470 MHz-710 MHz	100 kHz	654.32	-66.59	-36	PASS
Band1	10	18107	1@#0	QPSK	770 MHz-773 MHz	100 kHz	771.57	-66.70	-36	PASS
Band1	10	18107	1@#0	QPSK	773 MHz-803 MHz	100 kHz	783.65	-66.54	-36	PASS
Band1	10	18107	1@#0	QPSK	860 MHz-890 MHz	1 MHz	887.45	-65.96	-50	PASS
Band1	10	18107	1@#0	QPSK	945 MHz-960 MHz	100 kHz	956.27	-66.24	-36	PASS
Band1	10	18107	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1477.68	-66.65	-50	PASS
Band1	10	18107	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.60	-66.64	-50	PASS
Band1	10	18107	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1817.68	-46.49	-30	PASS
Band1	10	18107	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.30	-66.17	-50	PASS
Band1	10	18107	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.66	-38.06	-25	PASS
Band1	10	18107	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.66	-45.74	-25	PASS
Band1	10	18107	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.62	-65.81	-50	PASS
Band1	10	18107	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2116.71	-65.50	-50	PASS
Band1	10	18107	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2162.81	-65.70	-50	PASS
Band1	10	18107	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2332.88	-45.59	-30	PASS
Band1	10	18107	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.46	-42.51	-30	PASS
Band1	10	18107	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3500.46	-42.47	-30	PASS
Band1	10	18107	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.00	-41.94	-30	PASS
Band1	10	18107	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.78	-41.80	-30	PASS
Band1	10	18107	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.41	-41.74	-30	PASS
Band1	10	18107	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3852.50	-39.49	-30	PASS
Band1	10	18107	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.55	-30	PASS
Band1	10	18107	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.73	-36	PASS
Band1	10	18107	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	27.97	-73.80	-36	PASS
Band1	10	18107	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	542.35	-61.74	-36	PASS
Band1	10	18107	1@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1897.95	-46.43	-30	PASS
Band1	10	18107	1@#Max	QPSK	1950.70 MHz-3000 MHz	1 MHz	1952.45	-37.88	-30	PASS
Band1	10	18107	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12359.19	-37.85	-30	PASS
Band1	10	18107	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	681.92	-66.43	-36	PASS
Band1	10	18107	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.87	-66.85	-36	PASS
Band1	10	18107	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	783.14	-66.70	-36	PASS
Band1	10	18107	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	889.76	-65.94	-50	PASS
Band1	10	18107	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	956.84	-66.49	-36	PASS
Band1	10	18107	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.73	-66.64	-50	PASS
Band1	10	18107	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.35	-66.61	-50	PASS
Band1	10	18107	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1818.96	-46.48	-30	PASS
Band1	10	18107	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1879.06	-66.23	-50	PASS
Band1	10	18107	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.59	-46.24	-25	PASS
Band1	10	18107	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.67	-45.64	-25	PASS
Band1	10	18107	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.54	-65.72	-50	PASS
Band1	10	18107	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2117.46	-65.39	-50	PASS
Band1	10	18107	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2167.80	-65.59	-50	PASS
Band1	10	18107	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2366.68	-45.62	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18107	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.77	-42.44	-30	PASS
Band1	10	18107	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3492.80	-42.41	-30	PASS
Band1	10	18107	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.30	-41.99	-30	PASS
Band1	10	18107	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.87	-41.77	-30	PASS
Band1	10	18107	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.98	-41.64	-30	PASS
Band1	10	18107	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3870.50	-39.91	-30	PASS
Band1	10	18107	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.44	-30	PASS
Band1	10	18107	12@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.58	-36	PASS
Band1	10	18107	12@#0	QPSK	150 kHz-30 MHz	10 kHz	27.01	-73.61	-36	PASS
Band1	10	18107	12@#0	QPSK	30 MHz-1000 MHz	100 kHz	560.20	-61.96	-36	PASS
Band1	10	18107	12@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-44.97	-30	PASS
Band1	10	18107	12@#0	QPSK	1950.70 MHz-3000 MHz	1 MHz	2916.93	-44.72	-30	PASS
Band1	10	18107	12@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12447.75	-37.85	-30	PASS
Band1	10	18107	12@#0	QPSK	470 MHz-710 MHz	100 kHz	609.20	-66.63	-36	PASS
Band1	10	18107	12@#0	QPSK	770 MHz-773 MHz	100 kHz	772.86	-66.63	-36	PASS
Band1	10	18107	12@#0	QPSK	773 MHz-803 MHz	100 kHz	785.96	-66.54	-36	PASS
Band1	10	18107	12@#0	QPSK	860 MHz-890 MHz	1 MHz	880.82	-66.01	-50	PASS
Band1	10	18107	12@#0	QPSK	945 MHz-960 MHz	100 kHz	952.32	-66.53	-36	PASS
Band1	10	18107	12@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.20	-66.61	-50	PASS
Band1	10	18107	12@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.52	-66.65	-50	PASS
Band1	10	18107	12@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1818.36	-46.49	-30	PASS
Band1	10	18107	12@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1871.29	-66.19	-50	PASS
Band1	10	18107	12@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.99	-45.13	-25	PASS
Band1	10	18107	12@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1913.94	-41.24	-25	PASS
Band1	10	18107	12@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.77	-65.82	-50	PASS
Band1	10	18107	12@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2117.09	-65.50	-50	PASS
Band1	10	18107	12@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2152.08	-65.65	-50	PASS
Band1	10	18107	12@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2362.24	-45.62	-30	PASS
Band1	10	18107	12@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.45	-42.45	-30	PASS
Band1	10	18107	12@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3491.34	-42.45	-30	PASS
Band1	10	18107	12@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3549.24	-41.97	-30	PASS
Band1	10	18107	12@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.81	-41.76	-30	PASS
Band1	10	18107	12@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.74	-41.69	-30	PASS
Band1	10	18107	12@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3854.50	-41.15	-30	PASS
Band1	10	18107	12@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.56	-30	PASS
Band1	10	18107	12@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.47	-36	PASS
Band1	10	18107	12@#Max	QPSK	150 kHz-30 MHz	10 kHz	26.06	-73.10	-36	PASS
Band1	10	18107	12@#Max	QPSK	30 MHz-1000 MHz	100 kHz	588.24	-62.10	-36	PASS
Band1	10	18107	12@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1907.97	-46.45	-30	PASS
Band1	10	18107	12@#Max	QPSK	1950.70 MHz-3000 MHz	1 MHz	2846.98	-44.69	-30	PASS
Band1	10	18107	12@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12431.50	-37.89	-30	PASS
Band1	10	18107	12@#Max	QPSK	470 MHz-710 MHz	100 kHz	666.56	-66.67	-36	PASS
Band1	10	18107	12@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.19	-66.67	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18107	12@#Max	QPSK	773 MHz-803 MHz	100 kHz	801.29	-66.46	-36	PASS
Band1	10	18107	12@#Max	QPSK	860 MHz-890 MHz	1 MHz	889.04	-65.95	-50	PASS
Band1	10	18107	12@#Max	QPSK	945 MHz-960 MHz	100 kHz	953.48	-66.41	-36	PASS
Band1	10	18107	12@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1489.69	-66.62	-50	PASS
Band1	10	18107	12@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.57	-66.63	-50	PASS
Band1	10	18107	12@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1837.20	-46.42	-30	PASS
Band1	10	18107	12@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1874.02	-66.25	-50	PASS
Band1	10	18107	12@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.43	-46.25	-25	PASS
Band1	10	18107	12@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.53	-45.70	-25	PASS
Band1	10	18107	12@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.73	-65.80	-50	PASS
Band1	10	18107	12@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2116.91	-65.43	-50	PASS
Band1	10	18107	12@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2148.52	-65.61	-50	PASS
Band1	10	18107	12@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2351.84	-45.66	-30	PASS
Band1	10	18107	12@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.46	-42.45	-30	PASS
Band1	10	18107	12@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3495.90	-42.35	-30	PASS
Band1	10	18107	12@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3542.81	-42.03	-30	PASS
Band1	10	18107	12@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.48	-41.73	-30	PASS
Band1	10	18107	12@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.49	-41.62	-30	PASS
Band1	10	18107	12@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3868.00	-41.10	-30	PASS
Band1	10	18107	12@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.58	-30	PASS
Band1	10	18107	50@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.00	-36	PASS
Band1	10	18107	50@#0	QPSK	150 kHz-30 MHz	10 kHz	26.01	-73.62	-36	PASS
Band1	10	18107	50@#0	QPSK	30 MHz-1000 MHz	100 kHz	574.66	-61.82	-36	PASS
Band1	10	18107	50@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-43.25	-30	PASS
Band1	10	18107	50@#0	QPSK	1950.70 MHz-3000 MHz	1 MHz	1951.57	-43.22	-30	PASS
Band1	10	18107	50@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12434.75	-37.97	-30	PASS
Band1	10	18107	50@#0	QPSK	470 MHz-710 MHz	100 kHz	651.20	-66.57	-36	PASS
Band1	10	18107	50@#0	QPSK	770 MHz-773 MHz	100 kHz	771.50	-66.69	-36	PASS
Band1	10	18107	50@#0	QPSK	773 MHz-803 MHz	100 kHz	801.11	-66.53	-36	PASS
Band1	10	18107	50@#0	QPSK	860 MHz-890 MHz	1 MHz	887.00	-66.00	-50	PASS
Band1	10	18107	50@#0	QPSK	945 MHz-960 MHz	100 kHz	955.86	-66.42	-36	PASS
Band1	10	18107	50@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.84	-66.69	-50	PASS
Band1	10	18107	50@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.18	-66.58	-50	PASS
Band1	10	18107	50@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1810.96	-46.50	-30	PASS
Band1	10	18107	50@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.72	-66.24	-50	PASS
Band1	10	18107	50@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.97	-42.96	-25	PASS
Band1	10	18107	50@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.58	-40.71	-25	PASS
Band1	10	18107	50@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.09	-65.79	-50	PASS
Band1	10	18107	50@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2117.36	-65.53	-50	PASS
Band1	10	18107	50@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2154.90	-65.66	-50	PASS
Band1	10	18107	50@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2359.84	-45.62	-30	PASS
Band1	10	18107	50@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.09	-42.51	-30	PASS
Band1	10	18107	50@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3476.36	-42.39	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18107	50@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3562.27	-41.99	-30	PASS
Band1	10	18107	50@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.67	-41.73	-30	PASS
Band1	10	18107	50@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.45	-41.72	-30	PASS
Band1	10	18107	50@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3650.50	-41.81	-30	PASS
Band1	10	18107	50@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4900.00	-42.29	-30	PASS
Band1	10	18329	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.27	-36	PASS
Band1	10	18329	1@#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-73.10	-36	PASS
Band1	10	18329	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	559.33	-62.12	-36	PASS
Band1	10	18329	1@#0	QPSK	1000 MHz-1932.90 MHz	1 MHz	1931.03	-39.81	-30	PASS
Band1	10	18329	1@#0	QPSK	1972.90 MHz-3000 MHz	1 MHz	2913.55	-44.73	-30	PASS
Band1	10	18329	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12342.94	-37.96	-30	PASS
Band1	10	18329	1@#0	QPSK	470 MHz-710 MHz	100 kHz	698.96	-66.71	-36	PASS
Band1	10	18329	1@#0	QPSK	770 MHz-773 MHz	100 kHz	771.00	-66.62	-36	PASS
Band1	10	18329	1@#0	QPSK	773 MHz-803 MHz	100 kHz	783.56	-66.45	-36	PASS
Band1	10	18329	1@#0	QPSK	860 MHz-890 MHz	1 MHz	889.70	-65.95	-50	PASS
Band1	10	18329	1@#0	QPSK	945 MHz-960 MHz	100 kHz	953.99	-66.38	-36	PASS
Band1	10	18329	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.06	-66.62	-50	PASS
Band1	10	18329	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.67	-66.67	-50	PASS
Band1	10	18329	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1816.76	-46.41	-30	PASS
Band1	10	18329	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.53	-66.14	-50	PASS
Band1	10	18329	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1907.90	-46.25	-25	PASS
Band1	10	18329	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.38	-46.10	-25	PASS
Band1	10	18329	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.62	-65.78	-50	PASS
Band1	10	18329	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2144.23	-64.98	-50	PASS
Band1	10	18329	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.53	-64.99	-50	PASS
Band1	10	18329	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2368.20	-45.58	-30	PASS
Band1	10	18329	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3407.45	-42.51	-30	PASS
Band1	10	18329	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3490.53	-42.45	-30	PASS
Band1	10	18329	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3572.18	-41.98	-30	PASS
Band1	10	18329	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.23	-41.75	-30	PASS
Band1	10	18329	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.90	-41.73	-30	PASS
Band1	10	18329	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3897.00	-40.73	-30	PASS
Band1	10	18329	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4900.00	-42.51	-30	PASS
Band1	10	18329	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.47	-36	PASS
Band1	10	18329	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.25	-73.06	-36	PASS
Band1	10	18329	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	552.05	-61.84	-36	PASS
Band1	10	18329	1@#Max	QPSK	1000 MHz-1932.90 MHz	1 MHz	1930.10	-46.29	-30	PASS
Band1	10	18329	1@#Max	QPSK	1972.90 MHz-3000 MHz	1 MHz	1974.61	-37.27	-30	PASS
Band1	10	18329	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12365.69	-37.84	-30	PASS
Band1	10	18329	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	655.76	-66.62	-36	PASS
Band1	10	18329	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.96	-66.64	-36	PASS
Band1	10	18329	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	800.60	-66.68	-36	PASS
Band1	10	18329	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	888.29	-65.92	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18329	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	950.63	-66.37	-36	PASS
Band1	10	18329	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.97	-66.64	-50	PASS
Band1	10	18329	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.22	-66.60	-50	PASS
Band1	10	18329	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1832.72	-46.45	-30	PASS
Band1	10	18329	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.99	-66.27	-50	PASS
Band1	10	18329	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.39	-46.25	-25	PASS
Band1	10	18329	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.29	-46.17	-25	PASS
Band1	10	18329	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2020.79	-65.76	-50	PASS
Band1	10	18329	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.71	-64.99	-50	PASS
Band1	10	18329	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.89	-64.99	-50	PASS
Band1	10	18329	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2363.16	-45.62	-30	PASS
Band1	10	18329	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.66	-42.51	-30	PASS
Band1	10	18329	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3500.46	-42.39	-30	PASS
Band1	10	18329	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3564.56	-42.00	-30	PASS
Band1	10	18329	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.57	-41.67	-30	PASS
Band1	10	18329	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.66	-41.69	-30	PASS
Band1	10	18329	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3914.50	-38.12	-30	PASS
Band1	10	18329	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.52	-30	PASS
Band1	10	18329	12@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.56	-36	PASS
Band1	10	18329	12@#0	QPSK	150 kHz-30 MHz	10 kHz	0.19	-72.82	-36	PASS
Band1	10	18329	12@#0	QPSK	30 MHz-1000 MHz	100 kHz	546.23	-61.89	-36	PASS
Band1	10	18329	12@#0	QPSK	1000 MHz-1932.90 MHz	1 MHz	1932.90	-45.35	-30	PASS
Band1	10	18329	12@#0	QPSK	1972.90 MHz-3000 MHz	1 MHz	2848.50	-44.70	-30	PASS
Band1	10	18329	12@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12337.25	-37.77	-30	PASS
Band1	10	18329	12@#0	QPSK	470 MHz-710 MHz	100 kHz	637.04	-66.74	-36	PASS
Band1	10	18329	12@#0	QPSK	770 MHz-773 MHz	100 kHz	772.88	-66.74	-36	PASS
Band1	10	18329	12@#0	QPSK	773 MHz-803 MHz	100 kHz	787.64	-66.56	-36	PASS
Band1	10	18329	12@#0	QPSK	860 MHz-890 MHz	1 MHz	886.88	-65.94	-50	PASS
Band1	10	18329	12@#0	QPSK	945 MHz-960 MHz	100 kHz	958.47	-66.22	-36	PASS
Band1	10	18329	12@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.37	-66.64	-50	PASS
Band1	10	18329	12@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.67	-66.64	-50	PASS
Band1	10	18329	12@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1816.24	-46.43	-30	PASS
Band1	10	18329	12@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.41	-66.20	-50	PASS
Band1	10	18329	12@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.17	-46.24	-25	PASS
Band1	10	18329	12@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.54	-46.18	-25	PASS
Band1	10	18329	12@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.16	-65.75	-50	PASS
Band1	10	18329	12@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.20	-65.04	-50	PASS
Band1	10	18329	12@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.89	-64.98	-50	PASS
Band1	10	18329	12@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2342.96	-45.65	-30	PASS
Band1	10	18329	12@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.09	-42.47	-30	PASS
Band1	10	18329	12@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3487.02	-42.42	-30	PASS
Band1	10	18329	12@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3571.96	-41.95	-30	PASS
Band1	10	18329	12@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.62	-41.74	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18329	12@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.84	-41.65	-30	PASS
Band1	10	18329	12@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3899.50	-41.37	-30	PASS
Band1	10	18329	12@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4894.80	-42.54	-30	PASS
Band1	10	18329	12@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.12	-36	PASS
Band1	10	18329	12@#Max	QPSK	150 kHz-30 MHz	10 kHz	18.36	-73.49	-36	PASS
Band1	10	18329	12@#Max	QPSK	30 MHz-1000 MHz	100 kHz	555.84	-61.65	-36	PASS
Band1	10	18329	12@#Max	QPSK	1000 MHz-1932.90 MHz	1 MHz	1928.24	-46.41	-30	PASS
Band1	10	18329	12@#Max	QPSK	1972.90 MHz-3000 MHz	1 MHz	2850.21	-44.74	-30	PASS
Band1	10	18329	12@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12302.31	-37.87	-30	PASS
Band1	10	18329	12@#Max	QPSK	470 MHz-710 MHz	100 kHz	655.76	-66.41	-36	PASS
Band1	10	18329	12@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.73	-66.65	-36	PASS
Band1	10	18329	12@#Max	QPSK	773 MHz-803 MHz	100 kHz	788.27	-66.64	-36	PASS
Band1	10	18329	12@#Max	QPSK	860 MHz-890 MHz	1 MHz	889.13	-65.90	-50	PASS
Band1	10	18329	12@#Max	QPSK	945 MHz-960 MHz	100 kHz	952.38	-66.26	-36	PASS
Band1	10	18329	12@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1489.50	-66.64	-50	PASS
Band1	10	18329	12@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1510.08	-66.61	-50	PASS
Band1	10	18329	12@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1830.68	-46.38	-30	PASS
Band1	10	18329	12@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1879.34	-66.21	-50	PASS
Band1	10	18329	12@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.10	-46.26	-25	PASS
Band1	10	18329	12@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.59	-46.18	-25	PASS
Band1	10	18329	12@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.45	-65.75	-50	PASS
Band1	10	18329	12@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.96	-64.98	-50	PASS
Band1	10	18329	12@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2145.65	-64.97	-50	PASS
Band1	10	18329	12@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2362.60	-45.63	-30	PASS
Band1	10	18329	12@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.03	-42.42	-30	PASS
Band1	10	18329	12@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3497.61	-42.34	-30	PASS
Band1	10	18329	12@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3565.60	-42.00	-30	PASS
Band1	10	18329	12@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.34	-41.74	-30	PASS
Band1	10	18329	12@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.36	-41.66	-30	PASS
Band1	10	18329	12@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3913.00	-40.36	-30	PASS
Band1	10	18329	12@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.51	-30	PASS
Band1	10	18329	50@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.30	-36	PASS
Band1	10	18329	50@#0	QPSK	150 kHz-30 MHz	10 kHz	18.63	-73.53	-36	PASS
Band1	10	18329	50@#0	QPSK	30 MHz-1000 MHz	100 kHz	553.70	-62.13	-36	PASS
Band1	10	18329	50@#0	QPSK	1000 MHz-1932.90 MHz	1 MHz	1932.90	-43.19	-30	PASS
Band1	10	18329	50@#0	QPSK	1972.90 MHz-3000 MHz	1 MHz	2849.36	-44.70	-30	PASS
Band1	10	18329	50@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12344.56	-37.81	-30	PASS
Band1	10	18329	50@#0	QPSK	470 MHz-710 MHz	100 kHz	665.84	-66.67	-36	PASS
Band1	10	18329	50@#0	QPSK	770 MHz-773 MHz	100 kHz	772.18	-66.67	-36	PASS
Band1	10	18329	50@#0	QPSK	773 MHz-803 MHz	100 kHz	802.04	-66.66	-36	PASS
Band1	10	18329	50@#0	QPSK	860 MHz-890 MHz	1 MHz	887.69	-65.98	-50	PASS
Band1	10	18329	50@#0	QPSK	945 MHz-960 MHz	100 kHz	945.87	-66.37	-36	PASS
Band1	10	18329	50@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1487.74	-66.64	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18329	50@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.94	-66.65	-50	PASS
Band1	10	18329	50@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1825.60	-46.49	-30	PASS
Band1	10	18329	50@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.09	-66.22	-50	PASS
Band1	10	18329	50@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.72	-46.18	-25	PASS
Band1	10	18329	50@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.30	-46.15	-25	PASS
Band1	10	18329	50@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.19	-65.82	-50	PASS
Band1	10	18329	50@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2142.96	-65.05	-50	PASS
Band1	10	18329	50@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2145.22	-64.98	-50	PASS
Band1	10	18329	50@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2332.24	-45.59	-30	PASS
Band1	10	18329	50@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.27	-42.49	-30	PASS
Band1	10	18329	50@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.63	-42.41	-30	PASS
Band1	10	18329	50@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3566.78	-41.87	-30	PASS
Band1	10	18329	50@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.92	-41.77	-30	PASS
Band1	10	18329	50@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.06	-41.70	-30	PASS
Band1	10	18329	50@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3656.00	-41.85	-30	PASS
Band1	10	18329	50@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.00	-42.54	-30	PASS
Band1	10	18550	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.57	-36	PASS
Band1	10	18550	1@#0	QPSK	150 kHz-30 MHz	10 kHz	26.54	-73.27	-36	PASS
Band1	10	18550	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.44	-61.92	-36	PASS
Band1	10	18550	1@#0	QPSK	1000 MHz-1955.00 MHz	1 MHz	1953.09	-36.98	-30	PASS
Band1	10	18550	1@#0	QPSK	1995.00 MHz-3000 MHz	1 MHz	2840.04	-44.67	-30	PASS
Band1	10	18550	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3940.88	-37.74	-30	PASS
Band1	10	18550	1@#0	QPSK	470 MHz-710 MHz	100 kHz	666.56	-66.68	-36	PASS
Band1	10	18550	1@#0	QPSK	770 MHz-773 MHz	100 kHz	772.57	-66.65	-36	PASS
Band1	10	18550	1@#0	QPSK	773 MHz-803 MHz	100 kHz	786.86	-66.56	-36	PASS
Band1	10	18550	1@#0	QPSK	860 MHz-890 MHz	1 MHz	888.29	-65.93	-50	PASS
Band1	10	18550	1@#0	QPSK	945 MHz-960 MHz	100 kHz	959.64	-66.14	-36	PASS
Band1	10	18550	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.36	-66.65	-50	PASS
Band1	10	18550	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.64	-66.63	-50	PASS
Band1	10	18550	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1829.76	-46.44	-30	PASS
Band1	10	18550	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.99	-66.22	-50	PASS
Band1	10	18550	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.16	-46.25	-25	PASS
Band1	10	18550	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.10	-46.09	-25	PASS
Band1	10	18550	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.95	-65.74	-50	PASS
Band1	10	18550	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2116.78	-65.75	-50	PASS
Band1	10	18550	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2160.63	-65.55	-50	PASS
Band1	10	18550	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2360.64	-45.62	-30	PASS
Band1	10	18550	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.71	-42.50	-30	PASS
Band1	10	18550	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3489.87	-42.30	-30	PASS
Band1	10	18550	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3547.69	-41.95	-30	PASS
Band1	10	18550	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.08	-41.76	-30	PASS
Band1	10	18550	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.77	-41.67	-30	PASS
Band1	10	18550	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3941.50	-37.41	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18550	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.40	-42.48	-30	PASS
Band1	10	18550	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.90	-36	PASS
Band1	10	18550	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	29.23	-73.59	-36	PASS
Band1	10	18550	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	594.06	-62.11	-36	PASS
Band1	10	18550	1@#Max	QPSK	1000 MHz-1955.00 MHz	1 MHz	1933.99	-46.32	-30	PASS
Band1	10	18550	1@#Max	QPSK	1995.00 MHz-3000 MHz	1 MHz	1996.68	-40.79	-30	PASS
Band1	10	18550	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12313.69	-37.79	-30	PASS
Band1	10	18550	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	665.36	-66.55	-36	PASS
Band1	10	18550	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.17	-66.67	-36	PASS
Band1	10	18550	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	799.76	-66.43	-36	PASS
Band1	10	18550	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	887.84	-65.93	-50	PASS
Band1	10	18550	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	958.94	-66.55	-36	PASS
Band1	10	18550	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1476.42	-66.67	-50	PASS
Band1	10	18550	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.04	-66.61	-50	PASS
Band1	10	18550	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1834.08	-46.40	-30	PASS
Band1	10	18550	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1876.82	-66.30	-50	PASS
Band1	10	18550	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.98	-46.23	-25	PASS
Band1	10	18550	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.40	-46.16	-25	PASS
Band1	10	18550	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2020.52	-65.70	-50	PASS
Band1	10	18550	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2122.14	-65.75	-50	PASS
Band1	10	18550	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.32	-65.60	-50	PASS
Band1	10	18550	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2357.12	-45.60	-30	PASS
Band1	10	18550	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.03	-42.42	-30	PASS
Band1	10	18550	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3481.49	-42.31	-30	PASS
Band1	10	18550	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3559.90	-41.98	-30	PASS
Band1	10	18550	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.57	-41.69	-30	PASS
Band1	10	18550	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.75	-41.69	-30	PASS
Band1	10	18550	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3959.00	-38.00	-30	PASS
Band1	10	18550	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.45	-30	PASS
Band1	10	18550	12@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.90	-36	PASS
Band1	10	18550	12@#0	QPSK	150 kHz-30 MHz	10 kHz	20.05	-73.40	-36	PASS
Band1	10	18550	12@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.83	-62.20	-36	PASS
Band1	10	18550	12@#0	QPSK	1000 MHz-1955.00 MHz	1 MHz	1955.00	-44.19	-30	PASS
Band1	10	18550	12@#0	QPSK	1995.00 MHz-3000 MHz	1 MHz	2799.84	-44.65	-30	PASS
Band1	10	18550	12@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12325.06	-37.87	-30	PASS
Band1	10	18550	12@#0	QPSK	470 MHz-710 MHz	100 kHz	648.80	-66.70	-36	PASS
Band1	10	18550	12@#0	QPSK	770 MHz-773 MHz	100 kHz	771.51	-66.67	-36	PASS
Band1	10	18550	12@#0	QPSK	773 MHz-803 MHz	100 kHz	781.88	-66.59	-36	PASS
Band1	10	18550	12@#0	QPSK	860 MHz-890 MHz	1 MHz	883.67	-66.00	-50	PASS
Band1	10	18550	12@#0	QPSK	945 MHz-960 MHz	100 kHz	952.82	-66.26	-36	PASS
Band1	10	18550	12@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.84	-66.60	-50	PASS
Band1	10	18550	12@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.70	-66.58	-50	PASS
Band1	10	18550	12@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1828.44	-46.43	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18550	12@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.86	-66.20	-50	PASS
Band1	10	18550	12@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.82	-46.25	-25	PASS
Band1	10	18550	12@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.26	-46.16	-25	PASS
Band1	10	18550	12@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.24	-65.67	-50	PASS
Band1	10	18550	12@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2120.11	-65.66	-50	PASS
Band1	10	18550	12@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.30	-65.54	-50	PASS
Band1	10	18550	12@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2336.00	-45.63	-30	PASS
Band1	10	18550	12@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.24	-42.47	-30	PASS
Band1	10	18550	12@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3493.54	-42.41	-30	PASS
Band1	10	18550	12@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3564.71	-41.98	-30	PASS
Band1	10	18550	12@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.81	-41.72	-30	PASS
Band1	10	18550	12@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.66	-41.70	-30	PASS
Band1	10	18550	12@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3943.50	-39.55	-30	PASS
Band1	10	18550	12@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4897.60	-42.52	-30	PASS
Band1	10	18550	12@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.83	-36	PASS
Band1	10	18550	12@#Max	QPSK	150 kHz-30 MHz	10 kHz	27.39	-72.95	-36	PASS
Band1	10	18550	12@#Max	QPSK	30 MHz-1000 MHz	100 kHz	554.48	-62.18	-36	PASS
Band1	10	18550	12@#Max	QPSK	1000 MHz-1955.00 MHz	1 MHz	1954.05	-46.26	-30	PASS
Band1	10	18550	12@#Max	QPSK	1995.00 MHz-3000 MHz	1 MHz	2840.04	-44.61	-30	PASS
Band1	10	18550	12@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9985.06	-37.94	-30	PASS
Band1	10	18550	12@#Max	QPSK	470 MHz-710 MHz	100 kHz	575.60	-66.56	-36	PASS
Band1	10	18550	12@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.55	-66.74	-36	PASS
Band1	10	18550	12@#Max	QPSK	773 MHz-803 MHz	100 kHz	798.98	-66.54	-36	PASS
Band1	10	18550	12@#Max	QPSK	860 MHz-890 MHz	1 MHz	888.20	-65.98	-50	PASS
Band1	10	18550	12@#Max	QPSK	945 MHz-960 MHz	100 kHz	956.60	-66.30	-36	PASS
Band1	10	18550	12@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1483.43	-66.65	-50	PASS
Band1	10	18550	12@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.17	-66.62	-50	PASS
Band1	10	18550	12@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1833.20	-46.44	-30	PASS
Band1	10	18550	12@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.74	-66.23	-50	PASS
Band1	10	18550	12@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.74	-46.23	-25	PASS
Band1	10	18550	12@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.17	-46.18	-25	PASS
Band1	10	18550	12@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.42	-65.70	-50	PASS
Band1	10	18550	12@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2122.01	-65.65	-50	PASS
Band1	10	18550	12@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.04	-65.56	-50	PASS
Band1	10	18550	12@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2346.64	-45.61	-30	PASS
Band1	10	18550	12@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.04	-42.47	-30	PASS
Band1	10	18550	12@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3498.42	-42.44	-30	PASS
Band1	10	18550	12@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.52	-41.95	-30	PASS
Band1	10	18550	12@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.06	-41.71	-30	PASS
Band1	10	18550	12@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.09	-41.70	-30	PASS
Band1	10	18550	12@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3957.00	-40.18	-30	PASS
Band1	10	18550	12@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4897.20	-42.58	-30	PASS
Band1	10	18550	50@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.81	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	10	18550	50@#0	QPSK	150 kHz-30 MHz	10 kHz	26.78	-73.04	-36	PASS
Band1	10	18550	50@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.83	-62.01	-36	PASS
Band1	10	18550	50@#0	QPSK	1000 MHz-1955.00 MHz	1 MHz	1955.00	-41.61	-30	PASS
Band1	10	18550	50@#0	QPSK	1995.00 MHz-3000 MHz	1 MHz	1995.84	-42.81	-30	PASS
Band1	10	18550	50@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12316.94	-37.87	-30	PASS
Band1	10	18550	50@#0	QPSK	470 MHz-710 MHz	100 kHz	608.96	-66.57	-36	PASS
Band1	10	18550	50@#0	QPSK	770 MHz-773 MHz	100 kHz	771.36	-66.76	-36	PASS
Band1	10	18550	50@#0	QPSK	773 MHz-803 MHz	100 kHz	788.36	-66.67	-36	PASS
Band1	10	18550	50@#0	QPSK	860 MHz-890 MHz	1 MHz	884.66	-65.95	-50	PASS
Band1	10	18550	50@#0	QPSK	945 MHz-960 MHz	100 kHz	956.78	-66.33	-36	PASS
Band1	10	18550	50@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1485.46	-66.63	-50	PASS
Band1	10	18550	50@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.65	-66.61	-50	PASS
Band1	10	18550	50@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1829.88	-46.43	-30	PASS
Band1	10	18550	50@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1877.97	-66.25	-50	PASS
Band1	10	18550	50@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.90	-46.16	-25	PASS
Band1	10	18550	50@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.60	-46.17	-25	PASS
Band1	10	18550	50@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.05	-65.36	-50	PASS
Band1	10	18550	50@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2120.84	-65.77	-50	PASS
Band1	10	18550	50@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2160.55	-65.62	-50	PASS
Band1	10	18550	50@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2340.60	-45.58	-30	PASS
Band1	10	18550	50@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.13	-42.48	-30	PASS
Band1	10	18550	50@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3499.72	-42.39	-30	PASS
Band1	10	18550	50@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.97	-41.99	-30	PASS
Band1	10	18550	50@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.22	-41.67	-30	PASS
Band1	10	18550	50@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.91	-41.67	-30	PASS
Band1	10	18550	50@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3952.00	-41.70	-30	PASS
Band1	10	18550	50@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.45	-30	PASS
Band1	15	18182	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.22	-36	PASS
Band1	15	18182	1@#0	QPSK	150 kHz-30 MHz	10 kHz	27.19	-73.22	-36	PASS
Band1	15	18182	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	555.55	-62.37	-36	PASS
Band1	15	18182	1@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1905.24	-44.10	-30	PASS
Band1	15	18182	1@#0	QPSK	1965.70 MHz-3000 MHz	1 MHz	2906.91	-44.72	-30	PASS
Band1	15	18182	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12343.75	-37.80	-30	PASS
Band1	15	18182	1@#0	QPSK	470 MHz-710 MHz	100 kHz	651.92	-66.77	-36	PASS
Band1	15	18182	1@#0	QPSK	770 MHz-773 MHz	100 kHz	772.39	-66.69	-36	PASS
Band1	15	18182	1@#0	QPSK	773 MHz-803 MHz	100 kHz	801.62	-66.46	-36	PASS
Band1	15	18182	1@#0	QPSK	860 MHz-890 MHz	1 MHz	887.48	-65.98	-50	PASS
Band1	15	18182	1@#0	QPSK	945 MHz-960 MHz	100 kHz	959.91	-66.43	-36	PASS
Band1	15	18182	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1478.38	-66.69	-50	PASS
Band1	15	18182	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.85	-66.66	-50	PASS
Band1	15	18182	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1824.64	-46.49	-30	PASS
Band1	15	18182	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1876.40	-66.23	-50	PASS
Band1	15	18182	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.78	-46.20	-25	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18182	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.43	-45.81	-25	PASS
Band1	15	18182	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.95	-65.78	-50	PASS
Band1	15	18182	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2133.46	-65.59	-50	PASS
Band1	15	18182	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.94	-65.58	-50	PASS
Band1	15	18182	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2331.88	-45.66	-30	PASS
Band1	15	18182	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.07	-42.48	-30	PASS
Band1	15	18182	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3490.77	-42.46	-30	PASS
Band1	15	18182	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.52	-41.96	-30	PASS
Band1	15	18182	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.25	-41.71	-30	PASS
Band1	15	18182	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.06	-41.71	-30	PASS
Band1	15	18182	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3863.00	-39.68	-30	PASS
Band1	15	18182	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.40	-42.56	-30	PASS
Band1	15	18182	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.11	-36	PASS
Band1	15	18182	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.18	-73.23	-36	PASS
Band1	15	18182	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	552.73	-61.95	-36	PASS
Band1	15	18182	1@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1880.65	-46.49	-30	PASS
Band1	15	18182	1@#Max	QPSK	1965.70 MHz-3000 MHz	1 MHz	1970.87	-38.62	-30	PASS
Band1	15	18182	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12349.44	-37.90	-30	PASS
Band1	15	18182	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	668.48	-66.68	-36	PASS
Band1	15	18182	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.53	-66.69	-36	PASS
Band1	15	18182	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	789.08	-66.58	-36	PASS
Band1	15	18182	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	886.25	-65.96	-50	PASS
Band1	15	18182	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.05	-66.44	-36	PASS
Band1	15	18182	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1476.40	-66.68	-50	PASS
Band1	15	18182	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.92	-66.64	-50	PASS
Band1	15	18182	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1812.40	-46.43	-30	PASS
Band1	15	18182	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1877.55	-66.25	-50	PASS
Band1	15	18182	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.92	-46.23	-25	PASS
Band1	15	18182	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.03	-45.90	-25	PASS
Band1	15	18182	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.21	-65.73	-50	PASS
Band1	15	18182	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2133.74	-65.71	-50	PASS
Band1	15	18182	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2159.17	-65.69	-50	PASS
Band1	15	18182	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2332.20	-45.63	-30	PASS
Band1	15	18182	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.60	-42.45	-30	PASS
Band1	15	18182	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3480.27	-42.38	-30	PASS
Band1	15	18182	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.08	-42.01	-30	PASS
Band1	15	18182	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.64	-41.79	-30	PASS
Band1	15	18182	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.68	-41.72	-30	PASS
Band1	15	18182	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3890.00	-41.14	-30	PASS
Band1	15	18182	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4897.60	-42.38	-30	PASS
Band1	15	18182	16@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.01	-36	PASS
Band1	15	18182	16@#0	QPSK	150 kHz-30 MHz	10 kHz	26.13	-72.99	-36	PASS
Band1	15	18182	16@#0	QPSK	30 MHz-1000 MHz	100 kHz	558.26	-62.38	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18182	16@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-44.06	-30	PASS
Band1	15	18182	16@#0	QPSK	1965.70 MHz-3000 MHz	1 MHz	2904.33	-44.71	-30	PASS
Band1	15	18182	16@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12291.75	-38.00	-30	PASS
Band1	15	18182	16@#0	QPSK	470 MHz-710 MHz	100 kHz	680.72	-66.70	-36	PASS
Band1	15	18182	16@#0	QPSK	770 MHz-773 MHz	100 kHz	771.03	-66.58	-36	PASS
Band1	15	18182	16@#0	QPSK	773 MHz-803 MHz	100 kHz	801.32	-66.69	-36	PASS
Band1	15	18182	16@#0	QPSK	860 MHz-890 MHz	1 MHz	888.68	-65.97	-50	PASS
Band1	15	18182	16@#0	QPSK	945 MHz-960 MHz	100 kHz	955.86	-66.29	-36	PASS
Band1	15	18182	16@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1480.99	-66.62	-50	PASS
Band1	15	18182	16@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.57	-66.61	-50	PASS
Band1	15	18182	16@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1838.72	-46.48	-30	PASS
Band1	15	18182	16@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.50	-66.19	-50	PASS
Band1	15	18182	16@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.92	-44.10	-25	PASS
Band1	15	18182	16@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1912.06	-42.65	-25	PASS
Band1	15	18182	16@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.28	-65.83	-50	PASS
Band1	15	18182	16@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2132.98	-65.67	-50	PASS
Band1	15	18182	16@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2160.25	-65.67	-50	PASS
Band1	15	18182	16@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2356.88	-45.55	-30	PASS
Band1	15	18182	16@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.69	-42.48	-30	PASS
Band1	15	18182	16@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3491.83	-42.41	-30	PASS
Band1	15	18182	16@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.60	-41.98	-30	PASS
Band1	15	18182	16@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.53	-41.73	-30	PASS
Band1	15	18182	16@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.49	-41.72	-30	PASS
Band1	15	18182	16@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3865.50	-41.46	-30	PASS
Band1	15	18182	16@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.57	-30	PASS
Band1	15	18182	16@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.92	-36	PASS
Band1	15	18182	16@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.23	-73.72	-36	PASS
Band1	15	18182	16@#Max	QPSK	30 MHz-1000 MHz	100 kHz	550.79	-62.24	-36	PASS
Band1	15	18182	16@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1905.24	-46.44	-30	PASS
Band1	15	18182	16@#Max	QPSK	1965.70 MHz-3000 MHz	1 MHz	1966.56	-44.53	-30	PASS
Band1	15	18182	16@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12285.25	-37.91	-30	PASS
Band1	15	18182	16@#Max	QPSK	470 MHz-710 MHz	100 kHz	683.12	-66.65	-36	PASS
Band1	15	18182	16@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.33	-66.70	-36	PASS
Band1	15	18182	16@#Max	QPSK	773 MHz-803 MHz	100 kHz	783.74	-66.65	-36	PASS
Band1	15	18182	16@#Max	QPSK	860 MHz-890 MHz	1 MHz	887.63	-65.98	-50	PASS
Band1	15	18182	16@#Max	QPSK	945 MHz-960 MHz	100 kHz	945.17	-66.18	-36	PASS
Band1	15	18182	16@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1485.22	-66.61	-50	PASS
Band1	15	18182	16@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.15	-66.62	-50	PASS
Band1	15	18182	16@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1812.72	-46.40	-30	PASS
Band1	15	18182	16@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1877.97	-66.19	-50	PASS
Band1	15	18182	16@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.72	-46.22	-25	PASS
Band1	15	18182	16@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.61	-45.91	-25	PASS
Band1	15	18182	16@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.39	-65.85	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18182	16@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2133.56	-65.67	-50	PASS
Band1	15	18182	16@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2163.01	-65.67	-50	PASS
Band1	15	18182	16@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2356.28	-45.60	-30	PASS
Band1	15	18182	16@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3407.24	-42.54	-30	PASS
Band1	15	18182	16@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3465.05	-42.45	-30	PASS
Band1	15	18182	16@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.22	-41.96	-30	PASS
Band1	15	18182	16@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.28	-41.73	-30	PASS
Band1	15	18182	16@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.74	-41.69	-30	PASS
Band1	15	18182	16@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3671.00	-41.85	-30	PASS
Band1	15	18182	16@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4897.60	-42.49	-30	PASS
Band1	15	18182	75@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.66	-36	PASS
Band1	15	18182	75@#0	QPSK	150 kHz-30 MHz	10 kHz	24.84	-73.79	-36	PASS
Band1	15	18182	75@#0	QPSK	30 MHz-1000 MHz	100 kHz	554.58	-61.93	-36	PASS
Band1	15	18182	75@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-44.44	-30	PASS
Band1	15	18182	75@#0	QPSK	1965.70 MHz-3000 MHz	1 MHz	1966.56	-43.60	-30	PASS
Band1	15	18182	75@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12517.63	-37.86	-30	PASS
Band1	15	18182	75@#0	QPSK	470 MHz-710 MHz	100 kHz	498.56	-66.61	-36	PASS
Band1	15	18182	75@#0	QPSK	770 MHz-773 MHz	100 kHz	772.49	-66.59	-36	PASS
Band1	15	18182	75@#0	QPSK	773 MHz-803 MHz	100 kHz	799.07	-66.60	-36	PASS
Band1	15	18182	75@#0	QPSK	860 MHz-890 MHz	1 MHz	889.28	-66.00	-50	PASS
Band1	15	18182	75@#0	QPSK	945 MHz-960 MHz	100 kHz	951.98	-66.25	-36	PASS
Band1	15	18182	75@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1489.36	-66.61	-50	PASS
Band1	15	18182	75@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.58	-66.68	-50	PASS
Band1	15	18182	75@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1830.12	-46.49	-30	PASS
Band1	15	18182	75@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1874.51	-66.21	-50	PASS
Band1	15	18182	75@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.69	-44.02	-25	PASS
Band1	15	18182	75@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.30	-42.19	-25	PASS
Band1	15	18182	75@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.59	-65.84	-50	PASS
Band1	15	18182	75@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2134.05	-65.69	-50	PASS
Band1	15	18182	75@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2161.81	-65.67	-50	PASS
Band1	15	18182	75@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2354.52	-45.62	-30	PASS
Band1	15	18182	75@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3415.79	-42.54	-30	PASS
Band1	15	18182	75@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3493.46	-42.35	-30	PASS
Band1	15	18182	75@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3555.98	-41.97	-30	PASS
Band1	15	18182	75@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.60	-41.72	-30	PASS
Band1	15	18182	75@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.53	-41.61	-30	PASS
Band1	15	18182	75@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3633.00	-41.78	-30	PASS
Band1	15	18182	75@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.54	-30	PASS
Band1	15	18354	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.53	-36	PASS
Band1	15	18354	1@#0	QPSK	150 kHz-30 MHz	10 kHz	25.26	-73.52	-36	PASS
Band1	15	18354	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	553.51	-62.21	-36	PASS
Band1	15	18354	1@#0	QPSK	1000 MHz-1927.90 MHz	1 MHz	1922.33	-40.64	-30	PASS
Band1	15	18354	1@#0	QPSK	1982.90 MHz-3000 MHz	1 MHz	2410.93	-44.62	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18354	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12331.56	-37.82	-30	PASS
Band1	15	18354	1@#0	QPSK	470 MHz-710 MHz	100 kHz	609.44	-66.74	-36	PASS
Band1	15	18354	1@#0	QPSK	770 MHz-773 MHz	100 kHz	772.78	-66.74	-36	PASS
Band1	15	18354	1@#0	QPSK	773 MHz-803 MHz	100 kHz	781.16	-66.54	-36	PASS
Band1	15	18354	1@#0	QPSK	860 MHz-890 MHz	1 MHz	880.91	-66.00	-50	PASS
Band1	15	18354	1@#0	QPSK	945 MHz-960 MHz	100 kHz	958.28	-66.44	-36	PASS
Band1	15	18354	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1484.55	-66.60	-50	PASS
Band1	15	18354	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.48	-66.62	-50	PASS
Band1	15	18354	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1834.48	-46.40	-30	PASS
Band1	15	18354	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.27	-66.18	-50	PASS
Band1	15	18354	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.30	-46.24	-25	PASS
Band1	15	18354	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.24	-46.18	-25	PASS
Band1	15	18354	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.60	-65.78	-50	PASS
Band1	15	18354	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.82	-65.24	-50	PASS
Band1	15	18354	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2149.49	-65.13	-50	PASS
Band1	15	18354	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2333.32	-45.61	-30	PASS
Band1	15	18354	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.77	-42.49	-30	PASS
Band1	15	18354	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3494.51	-42.41	-30	PASS
Band1	15	18354	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3543.55	-41.97	-30	PASS
Band1	15	18354	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.35	-41.76	-30	PASS
Band1	15	18354	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.73	-41.73	-30	PASS
Band1	15	18354	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3897.50	-40.70	-30	PASS
Band1	15	18354	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4894.40	-42.57	-30	PASS
Band1	15	18354	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.28	-36	PASS
Band1	15	18354	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	23.04	-73.69	-36	PASS
Band1	15	18354	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	555.16	-61.77	-36	PASS
Band1	15	18354	1@#Max	QPSK	1000 MHz-1927.90 MHz	1 MHz	1927.90	-46.37	-30	PASS
Band1	15	18354	1@#Max	QPSK	1982.90 MHz-3000 MHz	1 MHz	1987.99	-37.18	-30	PASS
Band1	15	18354	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	3923.81	-37.80	-30	PASS
Band1	15	18354	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	639.20	-66.64	-36	PASS
Band1	15	18354	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.36	-66.66	-36	PASS
Band1	15	18354	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	794.39	-66.41	-36	PASS
Band1	15	18354	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	889.01	-65.92	-50	PASS
Band1	15	18354	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	956.57	-66.23	-36	PASS
Band1	15	18354	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.14	-66.60	-50	PASS
Band1	15	18354	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.88	-66.54	-50	PASS
Band1	15	18354	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1827.52	-46.42	-30	PASS
Band1	15	18354	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1879.55	-66.18	-50	PASS
Band1	15	18354	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.99	-46.18	-25	PASS
Band1	15	18354	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.61	-46.17	-25	PASS
Band1	15	18354	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.83	-65.74	-50	PASS
Band1	15	18354	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2140.27	-65.17	-50	PASS
Band1	15	18354	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2145.48	-65.08	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18354	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2331.28	-45.58	-30	PASS
Band1	15	18354	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.84	-42.48	-30	PASS
Band1	15	18354	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3492.97	-42.40	-30	PASS
Band1	15	18354	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3558.86	-42.00	-30	PASS
Band1	15	18354	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3590.30	-41.67	-30	PASS
Band1	15	18354	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.68	-41.71	-30	PASS
Band1	15	18354	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3924.00	-38.00	-30	PASS
Band1	15	18354	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4893.60	-42.55	-30	PASS
Band1	15	18354	16@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.52	-36	PASS
Band1	15	18354	16@#0	QPSK	150 kHz-30 MHz	10 kHz	20.44	-73.59	-36	PASS
Band1	15	18354	16@#0	QPSK	30 MHz-1000 MHz	100 kHz	561.46	-62.16	-36	PASS
Band1	15	18354	16@#0	QPSK	1000 MHz-1927.90 MHz	1 MHz	1927.90	-44.30	-30	PASS
Band1	15	18354	16@#0	QPSK	1982.90 MHz-3000 MHz	1 MHz	2842.35	-44.67	-30	PASS
Band1	15	18354	16@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12349.44	-37.91	-30	PASS
Band1	15	18354	16@#0	QPSK	470 MHz-710 MHz	100 kHz	633.92	-66.77	-36	PASS
Band1	15	18354	16@#0	QPSK	770 MHz-773 MHz	100 kHz	772.64	-66.61	-36	PASS
Band1	15	18354	16@#0	QPSK	773 MHz-803 MHz	100 kHz	787.64	-66.42	-36	PASS
Band1	15	18354	16@#0	QPSK	860 MHz-890 MHz	1 MHz	879.86	-65.95	-50	PASS
Band1	15	18354	16@#0	QPSK	945 MHz-960 MHz	100 kHz	957.95	-66.42	-36	PASS
Band1	15	18354	16@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1475.98	-66.68	-50	PASS
Band1	15	18354	16@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.58	-66.58	-50	PASS
Band1	15	18354	16@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1830.20	-46.47	-30	PASS
Band1	15	18354	16@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1876.33	-66.20	-50	PASS
Band1	15	18354	16@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.13	-46.18	-25	PASS
Band1	15	18354	16@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.57	-46.17	-25	PASS
Band1	15	18354	16@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.09	-65.77	-50	PASS
Band1	15	18354	16@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2142.71	-65.24	-50	PASS
Band1	15	18354	16@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2150.90	-65.01	-50	PASS
Band1	15	18354	16@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2365.92	-45.60	-30	PASS
Band1	15	18354	16@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3408.94	-42.49	-30	PASS
Band1	15	18354	16@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3488.49	-42.44	-30	PASS
Band1	15	18354	16@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.67	-41.95	-30	PASS
Band1	15	18354	16@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3589.80	-41.77	-30	PASS
Band1	15	18354	16@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.17	-41.67	-30	PASS
Band1	15	18354	16@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3900.50	-41.59	-30	PASS
Band1	15	18354	16@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.00	-42.41	-30	PASS
Band1	15	18354	16@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.09	-36	PASS
Band1	15	18354	16@#Max	QPSK	150 kHz-30 MHz	10 kHz	24.98	-73.57	-36	PASS
Band1	15	18354	16@#Max	QPSK	30 MHz-1000 MHz	100 kHz	550.02	-62.17	-36	PASS
Band1	15	18354	16@#Max	QPSK	1000 MHz-1927.90 MHz	1 MHz	1926.04	-46.34	-30	PASS
Band1	15	18354	16@#Max	QPSK	1982.90 MHz-3000 MHz	1 MHz	1983.75	-43.32	-30	PASS
Band1	15	18354	16@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12336.44	-37.81	-30	PASS
Band1	15	18354	16@#Max	QPSK	470 MHz-710 MHz	100 kHz	642.32	-66.70	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18354	16@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.79	-66.74	-36	PASS
Band1	15	18354	16@#Max	QPSK	773 MHz-803 MHz	100 kHz	784.04	-66.52	-36	PASS
Band1	15	18354	16@#Max	QPSK	860 MHz-890 MHz	1 MHz	882.44	-65.96	-50	PASS
Band1	15	18354	16@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.51	-66.52	-36	PASS
Band1	15	18354	16@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1492.17	-66.57	-50	PASS
Band1	15	18354	16@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.07	-66.62	-50	PASS
Band1	15	18354	16@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1825.56	-46.47	-30	PASS
Band1	15	18354	16@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.88	-66.24	-50	PASS
Band1	15	18354	16@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.99	-46.21	-25	PASS
Band1	15	18354	16@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.43	-46.12	-25	PASS
Band1	15	18354	16@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.51	-65.75	-50	PASS
Band1	15	18354	16@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2144.09	-65.13	-50	PASS
Band1	15	18354	16@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2149.49	-65.08	-50	PASS
Band1	15	18354	16@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2360.00	-45.63	-30	PASS
Band1	15	18354	16@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.24	-42.45	-30	PASS
Band1	15	18354	16@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3485.64	-42.39	-30	PASS
Band1	15	18354	16@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3564.41	-41.98	-30	PASS
Band1	15	18354	16@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.11	-41.71	-30	PASS
Band1	15	18354	16@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.67	-41.68	-30	PASS
Band1	15	18354	16@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3921.50	-40.50	-30	PASS
Band1	15	18354	16@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.45	-30	PASS
Band1	15	18354	75@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.12	-36	PASS
Band1	15	18354	75@#0	QPSK	150 kHz-30 MHz	10 kHz	29.60	-73.16	-36	PASS
Band1	15	18354	75@#0	QPSK	30 MHz-1000 MHz	100 kHz	536.73	-61.87	-36	PASS
Band1	15	18354	75@#0	QPSK	1000 MHz-1927.90 MHz	1 MHz	1927.90	-42.88	-30	PASS
Band1	15	18354	75@#0	QPSK	1982.90 MHz-3000 MHz	1 MHz	1983.75	-43.02	-30	PASS
Band1	15	18354	75@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12316.13	-37.88	-30	PASS
Band1	15	18354	75@#0	QPSK	470 MHz-710 MHz	100 kHz	657.92	-66.72	-36	PASS
Band1	15	18354	75@#0	QPSK	770 MHz-773 MHz	100 kHz	772.84	-66.68	-36	PASS
Band1	15	18354	75@#0	QPSK	773 MHz-803 MHz	100 kHz	788.42	-66.58	-36	PASS
Band1	15	18354	75@#0	QPSK	860 MHz-890 MHz	1 MHz	881.45	-65.95	-50	PASS
Band1	15	18354	75@#0	QPSK	945 MHz-960 MHz	100 kHz	956.42	-66.38	-36	PASS
Band1	15	18354	75@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1491.43	-66.67	-50	PASS
Band1	15	18354	75@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.72	-66.58	-50	PASS
Band1	15	18354	75@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1819.84	-46.48	-30	PASS
Band1	15	18354	75@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.06	-66.26	-50	PASS
Band1	15	18354	75@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.49	-46.25	-25	PASS
Band1	15	18354	75@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.47	-45.81	-25	PASS
Band1	15	18354	75@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.65	-65.76	-50	PASS
Band1	15	18354	75@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.68	-65.23	-50	PASS
Band1	15	18354	75@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2147.86	-65.14	-50	PASS
Band1	15	18354	75@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2346.32	-45.64	-30	PASS
Band1	15	18354	75@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.33	-42.50	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18354	75@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3498.42	-42.40	-30	PASS
Band1	15	18354	75@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3565.01	-41.96	-30	PASS
Band1	15	18354	75@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.20	-41.76	-30	PASS
Band1	15	18354	75@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.78	-41.72	-30	PASS
Band1	15	18354	75@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3659.00	-41.77	-30	PASS
Band1	15	18354	75@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4891.60	-42.57	-30	PASS
Band1	15	18525	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.87	-36	PASS
Band1	15	18525	1@#0	QPSK	150 kHz-30 MHz	10 kHz	27.22	-73.57	-36	PASS
Band1	15	18525	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.44	-62.07	-36	PASS
Band1	15	18525	1@#0	QPSK	1000 MHz-1945.00 MHz	1 MHz	1939.33	-37.15	-30	PASS
Band1	15	18525	1@#0	QPSK	2000.00 MHz-3000 MHz	1 MHz	2913.33	-44.65	-30	PASS
Band1	15	18525	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12386.00	-37.95	-30	PASS
Band1	15	18525	1@#0	QPSK	470 MHz-710 MHz	100 kHz	688.16	-66.57	-36	PASS
Band1	15	18525	1@#0	QPSK	770 MHz-773 MHz	100 kHz	770.79	-66.58	-36	PASS
Band1	15	18525	1@#0	QPSK	773 MHz-803 MHz	100 kHz	797.69	-66.57	-36	PASS
Band1	15	18525	1@#0	QPSK	860 MHz-890 MHz	1 MHz	882.65	-65.97	-50	PASS
Band1	15	18525	1@#0	QPSK	945 MHz-960 MHz	100 kHz	948.32	-66.33	-36	PASS
Band1	15	18525	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1489.91	-66.63	-50	PASS
Band1	15	18525	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.85	-66.57	-50	PASS
Band1	15	18525	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1836.36	-46.45	-30	PASS
Band1	15	18525	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.74	-66.21	-50	PASS
Band1	15	18525	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.54	-46.20	-25	PASS
Band1	15	18525	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.90	-46.19	-25	PASS
Band1	15	18525	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.64	-65.68	-50	PASS
Band1	15	18525	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2122.28	-65.67	-50	PASS
Band1	15	18525	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2157.23	-65.24	-50	PASS
Band1	15	18525	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2330.96	-45.61	-30	PASS
Band1	15	18525	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.93	-42.49	-30	PASS
Band1	15	18525	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3493.78	-42.39	-30	PASS
Band1	15	18525	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3566.26	-41.97	-30	PASS
Band1	15	18525	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.94	-41.71	-30	PASS
Band1	15	18525	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.90	-41.75	-30	PASS
Band1	15	18525	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3932.00	-37.87	-30	PASS
Band1	15	18525	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.43	-30	PASS
Band1	15	18525	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.43	-36	PASS
Band1	15	18525	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.18	-72.78	-36	PASS
Band1	15	18525	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	552.15	-61.93	-36	PASS
Band1	15	18525	1@#Max	QPSK	1000 MHz-1945.00 MHz	1 MHz	1928.94	-46.38	-30	PASS
Band1	15	18525	1@#Max	QPSK	2000.00 MHz-3000 MHz	1 MHz	2005.83	-42.19	-30	PASS
Band1	15	18525	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9992.38	-37.87	-30	PASS
Band1	15	18525	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	686.96	-66.53	-36	PASS
Band1	15	18525	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.40	-66.58	-36	PASS
Band1	15	18525	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	800.42	-66.63	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18525	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	884.90	-65.91	-50	PASS
Band1	15	18525	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	947.13	-66.53	-36	PASS
Band1	15	18525	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1476.85	-66.62	-50	PASS
Band1	15	18525	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.35	-66.61	-50	PASS
Band1	15	18525	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1828.28	-46.48	-30	PASS
Band1	15	18525	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1875.77	-66.33	-50	PASS
Band1	15	18525	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.51	-46.25	-25	PASS
Band1	15	18525	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.02	-46.20	-25	PASS
Band1	15	18525	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2010.32	-65.63	-50	PASS
Band1	15	18525	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2113.96	-65.72	-50	PASS
Band1	15	18525	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2156.79	-65.31	-50	PASS
Band1	15	18525	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2369.72	-45.59	-30	PASS
Band1	15	18525	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.91	-42.47	-30	PASS
Band1	15	18525	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.63	-42.39	-30	PASS
Band1	15	18525	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.29	-41.96	-30	PASS
Band1	15	18525	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.06	-41.73	-30	PASS
Band1	15	18525	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.84	-41.64	-30	PASS
Band1	15	18525	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3958.50	-38.12	-30	PASS
Band1	15	18525	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4895.20	-42.57	-30	PASS
Band1	15	18525	16@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.78	-36	PASS
Band1	15	18525	16@#0	QPSK	150 kHz-30 MHz	10 kHz	28.65	-73.53	-36	PASS
Band1	15	18525	16@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.64	-61.59	-36	PASS
Band1	15	18525	16@#0	QPSK	1000 MHz-1945.00 MHz	1 MHz	1945.00	-41.42	-30	PASS
Band1	15	18525	16@#0	QPSK	2000.00 MHz-3000 MHz	1 MHz	2840.00	-44.66	-30	PASS
Band1	15	18525	16@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12394.94	-37.88	-30	PASS
Band1	15	18525	16@#0	QPSK	470 MHz-710 MHz	100 kHz	672.80	-66.66	-36	PASS
Band1	15	18525	16@#0	QPSK	770 MHz-773 MHz	100 kHz	772.52	-66.64	-36	PASS
Band1	15	18525	16@#0	QPSK	773 MHz-803 MHz	100 kHz	782.60	-66.66	-36	PASS
Band1	15	18525	16@#0	QPSK	860 MHz-890 MHz	1 MHz	881.90	-65.96	-50	PASS
Band1	15	18525	16@#0	QPSK	945 MHz-960 MHz	100 kHz	958.65	-66.44	-36	PASS
Band1	15	18525	16@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1480.76	-66.61	-50	PASS
Band1	15	18525	16@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1507.14	-66.64	-50	PASS
Band1	15	18525	16@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1828.88	-46.45	-30	PASS
Band1	15	18525	16@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1874.26	-66.20	-50	PASS
Band1	15	18525	16@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1907.97	-46.22	-25	PASS
Band1	15	18525	16@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1914.10	-46.16	-25	PASS
Band1	15	18525	16@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.12	-65.64	-50	PASS
Band1	15	18525	16@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2113.13	-65.69	-50	PASS
Band1	15	18525	16@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2157.43	-65.36	-50	PASS
Band1	15	18525	16@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2366.68	-45.58	-30	PASS
Band1	15	18525	16@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.51	-42.48	-30	PASS
Band1	15	18525	16@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3458.45	-42.44	-30	PASS
Band1	15	18525	16@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.60	-41.98	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18525	16@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.98	-41.77	-30	PASS
Band1	15	18525	16@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.13	-41.69	-30	PASS
Band1	15	18525	16@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3934.50	-40.35	-30	PASS
Band1	15	18525	16@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4900.00	-42.41	-30	PASS
Band1	15	18525	16@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.78	-36	PASS
Band1	15	18525	16@#Max	QPSK	150 kHz-30 MHz	10 kHz	24.26	-72.96	-36	PASS
Band1	15	18525	16@#Max	QPSK	30 MHz-1000 MHz	100 kHz	550.11	-61.98	-36	PASS
Band1	15	18525	16@#Max	QPSK	1000 MHz-1945.00 MHz	1 MHz	1932.72	-46.38	-30	PASS
Band1	15	18525	16@#Max	QPSK	2000.00 MHz-3000 MHz	1 MHz	2840.00	-44.66	-30	PASS
Band1	15	18525	16@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12364.06	-37.87	-30	PASS
Band1	15	18525	16@#Max	QPSK	470 MHz-710 MHz	100 kHz	681.20	-66.57	-36	PASS
Band1	15	18525	16@#Max	QPSK	770 MHz-773 MHz	100 kHz	770.68	-66.67	-36	PASS
Band1	15	18525	16@#Max	QPSK	773 MHz-803 MHz	100 kHz	773.12	-66.42	-36	PASS
Band1	15	18525	16@#Max	QPSK	860 MHz-890 MHz	1 MHz	888.02	-65.93	-50	PASS
Band1	15	18525	16@#Max	QPSK	945 MHz-960 MHz	100 kHz	953.58	-66.44	-36	PASS
Band1	15	18525	16@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1492.05	-66.61	-50	PASS
Band1	15	18525	16@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1504.59	-66.59	-50	PASS
Band1	15	18525	16@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1809.40	-46.44	-30	PASS
Band1	15	18525	16@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1877.76	-66.27	-50	PASS
Band1	15	18525	16@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.54	-46.25	-25	PASS
Band1	15	18525	16@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.59	-46.21	-25	PASS
Band1	15	18525	16@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.08	-65.68	-50	PASS
Band1	15	18525	16@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2114.13	-65.72	-50	PASS
Band1	15	18525	16@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2157.00	-65.24	-50	PASS
Band1	15	18525	16@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2365.64	-45.56	-30	PASS
Band1	15	18525	16@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.15	-42.46	-30	PASS
Band1	15	18525	16@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3493.29	-42.39	-30	PASS
Band1	15	18525	16@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3572.18	-41.97	-30	PASS
Band1	15	18525	16@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.69	-41.74	-30	PASS
Band1	15	18525	16@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.78	-41.70	-30	PASS
Band1	15	18525	16@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3956.00	-40.59	-30	PASS
Band1	15	18525	16@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.50	-30	PASS
Band1	15	18525	75@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.58	-36	PASS
Band1	15	18525	75@#0	QPSK	150 kHz-30 MHz	10 kHz	28.58	-73.27	-36	PASS
Band1	15	18525	75@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.44	-61.86	-36	PASS
Band1	15	18525	75@#0	QPSK	1000 MHz-1945.00 MHz	1 MHz	1944.06	-41.57	-30	PASS
Band1	15	18525	75@#0	QPSK	2000.00 MHz-3000 MHz	1 MHz	2000.83	-42.29	-30	PASS
Band1	15	18525	75@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12334.81	-37.94	-30	PASS
Band1	15	18525	75@#0	QPSK	470 MHz-710 MHz	100 kHz	640.64	-66.70	-36	PASS
Band1	15	18525	75@#0	QPSK	770 MHz-773 MHz	100 kHz	772.48	-66.68	-36	PASS
Band1	15	18525	75@#0	QPSK	773 MHz-803 MHz	100 kHz	801.74	-66.59	-36	PASS
Band1	15	18525	75@#0	QPSK	860 MHz-890 MHz	1 MHz	883.85	-65.96	-50	PASS
Band1	15	18525	75@#0	QPSK	945 MHz-960 MHz	100 kHz	956.70	-66.33	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	15	18525	75@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1479.01	-66.66	-50	PASS
Band1	15	18525	75@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.91	-66.59	-50	PASS
Band1	15	18525	75@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1811.60	-46.48	-30	PASS
Band1	15	18525	75@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.36	-66.25	-50	PASS
Band1	15	18525	75@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.94	-46.23	-25	PASS
Band1	15	18525	75@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.07	-46.13	-25	PASS
Band1	15	18525	75@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.11	-60.56	-50	PASS
Band1	15	18525	75@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2117.60	-65.74	-50	PASS
Band1	15	18525	75@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2157.48	-65.39	-50	PASS
Band1	15	18525	75@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2359.80	-45.57	-30	PASS
Band1	15	18525	75@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.76	-42.44	-30	PASS
Band1	15	18525	75@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3495.00	-42.37	-30	PASS
Band1	15	18525	75@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3572.41	-41.95	-30	PASS
Band1	15	18525	75@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.12	-41.75	-30	PASS
Band1	15	18525	75@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.91	-41.65	-30	PASS
Band1	15	18525	75@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3651.00	-41.84	-30	PASS
Band1	15	18525	75@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.54	-30	PASS
Band1	20	18257	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.99	-36	PASS
Band1	20	18257	1@#0	QPSK	150 kHz-30 MHz	10 kHz	29.93	-73.38	-36	PASS
Band1	20	18257	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	551.08	-62.09	-36	PASS
Band1	20	18257	1@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1904.33	-46.48	-30	PASS
Band1	20	18257	1@#0	QPSK	1980.70 MHz-3000 MHz	1 MHz	2920.15	-44.64	-30	PASS
Band1	20	18257	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12282.00	-37.92	-30	PASS
Band1	20	18257	1@#0	QPSK	470 MHz-710 MHz	100 kHz	697.52	-66.59	-36	PASS
Band1	20	18257	1@#0	QPSK	770 MHz-773 MHz	100 kHz	770.90	-66.72	-36	PASS
Band1	20	18257	1@#0	QPSK	773 MHz-803 MHz	100 kHz	802.97	-66.59	-36	PASS
Band1	20	18257	1@#0	QPSK	860 MHz-890 MHz	1 MHz	884.93	-65.92	-50	PASS
Band1	20	18257	1@#0	QPSK	945 MHz-960 MHz	100 kHz	958.98	-66.42	-36	PASS
Band1	20	18257	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1492.42	-66.67	-50	PASS
Band1	20	18257	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.84	-66.64	-50	PASS
Band1	20	18257	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1827.04	-46.49	-30	PASS
Band1	20	18257	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.20	-66.23	-50	PASS
Band1	20	18257	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.86	-46.23	-25	PASS
Band1	20	18257	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.45	-45.92	-25	PASS
Band1	20	18257	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.27	-65.74	-50	PASS
Band1	20	18257	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.78	-65.12	-50	PASS
Band1	20	18257	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.45	-65.43	-50	PASS
Band1	20	18257	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2369.76	-45.58	-30	PASS
Band1	20	18257	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.51	-42.50	-30	PASS
Band1	20	18257	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3491.18	-42.39	-30	PASS
Band1	20	18257	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3568.85	-41.99	-30	PASS
Band1	20	18257	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3589.64	-41.76	-30	PASS
Band1	20	18257	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.31	-41.68	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18257	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3873.50	-40.00	-30	PASS
Band1	20	18257	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.54	-30	PASS
Band1	20	18257	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-67.07	-36	PASS
Band1	20	18257	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	29.90	-73.46	-36	PASS
Band1	20	18257	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	551.96	-61.72	-36	PASS
Band1	20	18257	1@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1879.74	-46.49	-30	PASS
Band1	20	18257	1@#Max	QPSK	1980.70 MHz-3000 MHz	1 MHz	1990.04	-38.59	-30	PASS
Band1	20	18257	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12356.75	-37.96	-30	PASS
Band1	20	18257	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	655.76	-66.65	-36	PASS
Band1	20	18257	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.58	-66.63	-36	PASS
Band1	20	18257	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	800.57	-66.51	-36	PASS
Band1	20	18257	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	884.57	-65.97	-50	PASS
Band1	20	18257	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.89	-66.46	-36	PASS
Band1	20	18257	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.90	-66.64	-50	PASS
Band1	20	18257	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.28	-66.58	-50	PASS
Band1	20	18257	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1842.68	-46.46	-30	PASS
Band1	20	18257	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1875.80	-66.29	-50	PASS
Band1	20	18257	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.24	-46.24	-25	PASS
Band1	20	18257	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.68	-45.99	-25	PASS
Band1	20	18257	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.99	-65.77	-50	PASS
Band1	20	18257	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.51	-65.15	-50	PASS
Band1	20	18257	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.45	-65.39	-50	PASS
Band1	20	18257	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2359.88	-45.64	-30	PASS
Band1	20	18257	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.42	-42.48	-30	PASS
Band1	20	18257	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3479.54	-42.41	-30	PASS
Band1	20	18257	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3570.33	-41.99	-30	PASS
Band1	20	18257	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.50	-41.66	-30	PASS
Band1	20	18257	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.53	-41.62	-30	PASS
Band1	20	18257	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3909.50	-39.19	-30	PASS
Band1	20	18257	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4893.60	-42.54	-30	PASS
Band1	20	18257	18@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.08	-36	PASS
Band1	20	18257	18@#0	QPSK	150 kHz-30 MHz	10 kHz	29.20	-73.50	-36	PASS
Band1	20	18257	18@#0	QPSK	30 MHz-1000 MHz	100 kHz	565.25	-61.88	-36	PASS
Band1	20	18257	18@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-44.61	-30	PASS
Band1	20	18257	18@#0	QPSK	1980.70 MHz-3000 MHz	1 MHz	2909.96	-44.62	-30	PASS
Band1	20	18257	18@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12347.00	-37.87	-30	PASS
Band1	20	18257	18@#0	QPSK	470 MHz-710 MHz	100 kHz	697.28	-66.57	-36	PASS
Band1	20	18257	18@#0	QPSK	770 MHz-773 MHz	100 kHz	772.95	-66.62	-36	PASS
Band1	20	18257	18@#0	QPSK	773 MHz-803 MHz	100 kHz	788.36	-66.70	-36	PASS
Band1	20	18257	18@#0	QPSK	860 MHz-890 MHz	1 MHz	884.66	-66.01	-50	PASS
Band1	20	18257	18@#0	QPSK	945 MHz-960 MHz	100 kHz	955.70	-66.43	-36	PASS
Band1	20	18257	18@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.60	-66.60	-50	PASS
Band1	20	18257	18@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1504.34	-66.59	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18257	18@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1832.04	-46.48	-30	PASS
Band1	20	18257	18@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1879.79	-66.12	-50	PASS
Band1	20	18257	18@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.89	-44.21	-25	PASS
Band1	20	18257	18@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1910.04	-44.42	-25	PASS
Band1	20	18257	18@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.55	-65.80	-50	PASS
Band1	20	18257	18@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.71	-65.11	-50	PASS
Band1	20	18257	18@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.48	-65.25	-50	PASS
Band1	20	18257	18@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2337.88	-45.55	-30	PASS
Band1	20	18257	18@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3418.76	-42.46	-30	PASS
Band1	20	18257	18@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3490.53	-42.36	-30	PASS
Band1	20	18257	18@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3548.58	-41.93	-30	PASS
Band1	20	18257	18@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.31	-41.81	-30	PASS
Band1	20	18257	18@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3597.79	-41.73	-30	PASS
Band1	20	18257	18@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3877.00	-41.79	-30	PASS
Band1	20	18257	18@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.44	-30	PASS
Band1	20	18257	18@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.92	-36	PASS
Band1	20	18257	18@#Max	QPSK	150 kHz-30 MHz	10 kHz	24.76	-73.52	-36	PASS
Band1	20	18257	18@#Max	QPSK	30 MHz-1000 MHz	100 kHz	547.40	-62.15	-36	PASS
Band1	20	18257	18@#Max	QPSK	1000 MHz-1910.70 MHz	1 MHz	1895.22	-46.42	-30	PASS
Band1	20	18257	18@#Max	QPSK	1980.70 MHz-3000 MHz	1 MHz	1982.40	-43.24	-30	PASS
Band1	20	18257	18@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12360.00	-37.82	-30	PASS
Band1	20	18257	18@#Max	QPSK	470 MHz-710 MHz	100 kHz	613.52	-66.76	-36	PASS
Band1	20	18257	18@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.86	-66.66	-36	PASS
Band1	20	18257	18@#Max	QPSK	773 MHz-803 MHz	100 kHz	799.01	-66.55	-36	PASS
Band1	20	18257	18@#Max	QPSK	860 MHz-890 MHz	1 MHz	888.38	-65.93	-50	PASS
Band1	20	18257	18@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.35	-66.45	-36	PASS
Band1	20	18257	18@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1486.17	-66.69	-50	PASS
Band1	20	18257	18@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.90	-66.60	-50	PASS
Band1	20	18257	18@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1808.24	-46.45	-30	PASS
Band1	20	18257	18@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1876.96	-66.22	-50	PASS
Band1	20	18257	18@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.36	-46.24	-25	PASS
Band1	20	18257	18@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.50	-45.94	-25	PASS
Band1	20	18257	18@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2020.08	-65.83	-50	PASS
Band1	20	18257	18@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.58	-65.20	-50	PASS
Band1	20	18257	18@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.43	-65.44	-50	PASS
Band1	20	18257	18@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2337.24	-45.62	-30	PASS
Band1	20	18257	18@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3419.11	-42.45	-30	PASS
Band1	20	18257	18@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3480.76	-42.35	-30	PASS
Band1	20	18257	18@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3567.60	-41.92	-30	PASS
Band1	20	18257	18@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.67	-41.75	-30	PASS
Band1	20	18257	18@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.29	-41.71	-30	PASS
Band1	20	18257	18@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3906.00	-41.40	-30	PASS
Band1	20	18257	18@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4896.80	-42.56	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18257	100@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.32	-36	PASS
Band1	20	18257	100@#0	QPSK	150 kHz-30 MHz	10 kHz	29.35	-73.20	-36	PASS
Band1	20	18257	100@#0	QPSK	30 MHz-1000 MHz	100 kHz	552.93	-62.14	-36	PASS
Band1	20	18257	100@#0	QPSK	1000 MHz-1910.70 MHz	1 MHz	1910.70	-44.69	-30	PASS
Band1	20	18257	100@#0	QPSK	1980.70 MHz-3000 MHz	1 MHz	2836.06	-44.72	-30	PASS
Band1	20	18257	100@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12331.56	-37.97	-30	PASS
Band1	20	18257	100@#0	QPSK	470 MHz-710 MHz	100 kHz	636.08	-66.57	-36	PASS
Band1	20	18257	100@#0	QPSK	770 MHz-773 MHz	100 kHz	772.20	-66.59	-36	PASS
Band1	20	18257	100@#0	QPSK	773 MHz-803 MHz	100 kHz	796.79	-66.66	-36	PASS
Band1	20	18257	100@#0	QPSK	860 MHz-890 MHz	1 MHz	889.67	-66.00	-50	PASS
Band1	20	18257	100@#0	QPSK	945 MHz-960 MHz	100 kHz	958.34	-66.34	-36	PASS
Band1	20	18257	100@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1481.18	-66.70	-50	PASS
Band1	20	18257	100@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.82	-66.65	-50	PASS
Band1	20	18257	100@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1842.80	-46.46	-30	PASS
Band1	20	18257	100@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1872.30	-66.26	-50	PASS
Band1	20	18257	100@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.85	-44.52	-25	PASS
Band1	20	18257	100@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.47	-42.45	-25	PASS
Band1	20	18257	100@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.41	-65.77	-50	PASS
Band1	20	18257	100@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2141.68	-65.20	-50	PASS
Band1	20	18257	100@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2144.53	-65.53	-50	PASS
Band1	20	18257	100@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2360.80	-45.65	-30	PASS
Band1	20	18257	100@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3408.03	-42.43	-30	PASS
Band1	20	18257	100@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3489.47	-42.41	-30	PASS
Band1	20	18257	100@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3557.24	-41.94	-30	PASS
Band1	20	18257	100@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3589.29	-41.72	-30	PASS
Band1	20	18257	100@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.15	-41.64	-30	PASS
Band1	20	18257	100@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3676.50	-41.82	-30	PASS
Band1	20	18257	100@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.52	-30	PASS
Band1	20	18379	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.40	-36	PASS
Band1	20	18379	1@#0	QPSK	150 kHz-30 MHz	10 kHz	0.47	-73.12	-36	PASS
Band1	20	18379	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	559.52	-62.16	-36	PASS
Band1	20	18379	1@#0	QPSK	1000 MHz-1922.90 MHz	1 MHz	1913.67	-41.76	-30	PASS
Band1	20	18379	1@#0	QPSK	1992.90 MHz-3000 MHz	1 MHz	2905.16	-44.66	-30	PASS
Band1	20	18379	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12336.44	-37.88	-30	PASS
Band1	20	18379	1@#0	QPSK	470 MHz-710 MHz	100 kHz	679.28	-66.69	-36	PASS
Band1	20	18379	1@#0	QPSK	770 MHz-773 MHz	100 kHz	771.02	-66.74	-36	PASS
Band1	20	18379	1@#0	QPSK	773 MHz-803 MHz	100 kHz	785.18	-66.58	-36	PASS
Band1	20	18379	1@#0	QPSK	860 MHz-890 MHz	1 MHz	887.90	-65.94	-50	PASS
Band1	20	18379	1@#0	QPSK	945 MHz-960 MHz	100 kHz	954.00	-66.28	-36	PASS
Band1	20	18379	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1478.34	-66.66	-50	PASS
Band1	20	18379	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1510.54	-66.58	-50	PASS
Band1	20	18379	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1840.60	-46.40	-30	PASS
Band1	20	18379	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1878.22	-66.20	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18379	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.32	-46.25	-25	PASS
Band1	20	18379	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1913.43	-40.08	-25	PASS
Band1	20	18379	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.31	-65.79	-50	PASS
Band1	20	18379	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2144.40	-65.22	-50	PASS
Band1	20	18379	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2146.96	-65.14	-50	PASS
Band1	20	18379	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2360.44	-45.57	-30	PASS
Band1	20	18379	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.79	-42.45	-30	PASS
Band1	20	18379	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3488.00	-42.44	-30	PASS
Band1	20	18379	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3548.58	-41.99	-30	PASS
Band1	20	18379	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.37	-41.66	-30	PASS
Band1	20	18379	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.55	-41.73	-30	PASS
Band1	20	18379	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3898.00	-40.48	-30	PASS
Band1	20	18379	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.40	-42.49	-30	PASS
Band1	20	18379	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.08	-36	PASS
Band1	20	18379	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	24.96	-73.79	-36	PASS
Band1	20	18379	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	535.18	-62.14	-36	PASS
Band1	20	18379	1@#Max	QPSK	1000 MHz-1922.90 MHz	1 MHz	1914.59	-46.41	-30	PASS
Band1	20	18379	1@#Max	QPSK	1992.90 MHz-3000 MHz	1 MHz	2002.13	-38.44	-30	PASS
Band1	20	18379	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12307.19	-37.85	-30	PASS
Band1	20	18379	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	654.08	-66.62	-36	PASS
Band1	20	18379	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	771.43	-66.76	-36	PASS
Band1	20	18379	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	788.30	-66.50	-36	PASS
Band1	20	18379	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	885.29	-65.92	-50	PASS
Band1	20	18379	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	956.30	-66.34	-36	PASS
Band1	20	18379	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1486.25	-66.65	-50	PASS
Band1	20	18379	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1504.32	-66.65	-50	PASS
Band1	20	18379	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1828.28	-46.40	-30	PASS
Band1	20	18379	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1878.71	-66.26	-50	PASS
Band1	20	18379	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.97	-46.28	-25	PASS
Band1	20	18379	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.14	-46.20	-25	PASS
Band1	20	18379	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.88	-65.70	-50	PASS
Band1	20	18379	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.88	-65.17	-50	PASS
Band1	20	18379	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2145.91	-65.06	-50	PASS
Band1	20	18379	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2360.36	-45.59	-30	PASS
Band1	20	18379	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3416.31	-42.46	-30	PASS
Band1	20	18379	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3500.05	-42.38	-30	PASS
Band1	20	18379	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3571.15	-41.97	-30	PASS
Band1	20	18379	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.89	-41.70	-30	PASS
Band1	20	18379	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.82	-41.69	-30	PASS
Band1	20	18379	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3933.50	-37.83	-30	PASS
Band1	20	18379	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.60	-42.46	-30	PASS
Band1	20	18379	18@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.64	-36	PASS
Band1	20	18379	18@#0	QPSK	150 kHz-30 MHz	10 kHz	22.55	-73.46	-36	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18379	18@#0	QPSK	30 MHz-1000 MHz	100 kHz	560.88	-61.91	-36	PASS
Band1	20	18379	18@#0	QPSK	1000 MHz-1922.90 MHz	1 MHz	1921.05	-44.35	-30	PASS
Band1	20	18379	18@#0	QPSK	1992.90 MHz-3000 MHz	1 MHz	2874.11	-44.61	-30	PASS
Band1	20	18379	18@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12349.44	-37.91	-30	PASS
Band1	20	18379	18@#0	QPSK	470 MHz-710 MHz	100 kHz	634.40	-66.75	-36	PASS
Band1	20	18379	18@#0	QPSK	770 MHz-773 MHz	100 kHz	772.56	-66.71	-36	PASS
Band1	20	18379	18@#0	QPSK	773 MHz-803 MHz	100 kHz	800.42	-66.31	-36	PASS
Band1	20	18379	18@#0	QPSK	860 MHz-890 MHz	1 MHz	889.37	-65.97	-50	PASS
Band1	20	18379	18@#0	QPSK	945 MHz-960 MHz	100 kHz	958.98	-66.36	-36	PASS
Band1	20	18379	18@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.06	-66.62	-50	PASS
Band1	20	18379	18@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.82	-66.64	-50	PASS
Band1	20	18379	18@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1821.08	-46.40	-30	PASS
Band1	20	18379	18@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1876.68	-66.21	-50	PASS
Band1	20	18379	18@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.95	-46.26	-25	PASS
Band1	20	18379	18@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.49	-45.90	-25	PASS
Band1	20	18379	18@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.08	-65.82	-50	PASS
Band1	20	18379	18@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.85	-65.19	-50	PASS
Band1	20	18379	18@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2152.18	-65.06	-50	PASS
Band1	20	18379	18@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2361.00	-45.60	-30	PASS
Band1	20	18379	18@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.85	-42.43	-30	PASS
Band1	20	18379	18@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3477.91	-42.35	-30	PASS
Band1	20	18379	18@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3570.56	-41.99	-30	PASS
Band1	20	18379	18@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.32	-41.75	-30	PASS
Band1	20	18379	18@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.64	-41.71	-30	PASS
Band1	20	18379	18@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3901.50	-41.47	-30	PASS
Band1	20	18379	18@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.00	-42.41	-30	PASS
Band1	20	18379	18@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.25	-36	PASS
Band1	20	18379	18@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.18	-73.52	-36	PASS
Band1	20	18379	18@#Max	QPSK	30 MHz-1000 MHz	100 kHz	554.38	-61.67	-36	PASS
Band1	20	18379	18@#Max	QPSK	1000 MHz-1922.90 MHz	1 MHz	1921.05	-46.30	-30	PASS
Band1	20	18379	18@#Max	QPSK	1992.90 MHz-3000 MHz	1 MHz	1993.74	-42.07	-30	PASS
Band1	20	18379	18@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12347.00	-37.92	-30	PASS
Band1	20	18379	18@#Max	QPSK	470 MHz-710 MHz	100 kHz	654.32	-66.59	-36	PASS
Band1	20	18379	18@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.03	-66.78	-36	PASS
Band1	20	18379	18@#Max	QPSK	773 MHz-803 MHz	100 kHz	797.78	-66.60	-36	PASS
Band1	20	18379	18@#Max	QPSK	860 MHz-890 MHz	1 MHz	883.67	-66.02	-50	PASS
Band1	20	18379	18@#Max	QPSK	945 MHz-960 MHz	100 kHz	957.60	-66.42	-36	PASS
Band1	20	18379	18@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.53	-66.57	-50	PASS
Band1	20	18379	18@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1505.41	-66.60	-50	PASS
Band1	20	18379	18@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1832.68	-46.47	-30	PASS
Band1	20	18379	18@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1877.31	-66.28	-50	PASS
Band1	20	18379	18@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.28	-46.25	-25	PASS
Band1	20	18379	18@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.26	-46.13	-25	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18379	18@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.81	-65.69	-50	PASS
Band1	20	18379	18@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2143.09	-65.16	-50	PASS
Band1	20	18379	18@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2149.67	-65.09	-50	PASS
Band1	20	18379	18@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2338.48	-45.61	-30	PASS
Band1	20	18379	18@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.42	-42.47	-30	PASS
Band1	20	18379	18@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3500.21	-42.43	-30	PASS
Band1	20	18379	18@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3571.07	-41.98	-30	PASS
Band1	20	18379	18@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.42	-41.75	-30	PASS
Band1	20	18379	18@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.92	-41.65	-30	PASS
Band1	20	18379	18@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3930.00	-40.72	-30	PASS
Band1	20	18379	18@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.50	-30	PASS
Band1	20	18379	100@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.46	-36	PASS
Band1	20	18379	100@#0	QPSK	150 kHz-30 MHz	10 kHz	0.18	-73.02	-36	PASS
Band1	20	18379	100@#0	QPSK	30 MHz-1000 MHz	100 kHz	554.29	-62.16	-36	PASS
Band1	20	18379	100@#0	QPSK	1000 MHz-1922.90 MHz	1 MHz	1922.90	-42.99	-30	PASS
Band1	20	18379	100@#0	QPSK	1992.90 MHz-3000 MHz	1 MHz	1993.74	-42.54	-30	PASS
Band1	20	18379	100@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12337.25	-37.81	-30	PASS
Band1	20	18379	100@#0	QPSK	470 MHz-710 MHz	100 kHz	667.28	-66.62	-36	PASS
Band1	20	18379	100@#0	QPSK	770 MHz-773 MHz	100 kHz	772.56	-66.71	-36	PASS
Band1	20	18379	100@#0	QPSK	773 MHz-803 MHz	100 kHz	799.31	-66.60	-36	PASS
Band1	20	18379	100@#0	QPSK	860 MHz-890 MHz	1 MHz	885.11	-65.94	-50	PASS
Band1	20	18379	100@#0	QPSK	945 MHz-960 MHz	100 kHz	955.19	-66.25	-36	PASS
Band1	20	18379	100@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1490.45	-66.66	-50	PASS
Band1	20	18379	100@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.18	-66.63	-50	PASS
Band1	20	18379	100@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1823.56	-46.42	-30	PASS
Band1	20	18379	100@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1875.24	-66.28	-50	PASS
Band1	20	18379	100@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1908.75	-46.04	-25	PASS
Band1	20	18379	100@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.60	-44.84	-25	PASS
Band1	20	18379	100@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.05	-62.18	-50	PASS
Band1	20	18379	100@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2142.51	-65.23	-50	PASS
Band1	20	18379	100@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2153.16	-65.10	-50	PASS
Band1	20	18379	100@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2331.52	-45.57	-30	PASS
Band1	20	18379	100@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3410.15	-42.50	-30	PASS
Band1	20	18379	100@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3494.92	-42.36	-30	PASS
Band1	20	18379	100@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3569.59	-41.94	-30	PASS
Band1	20	18379	100@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3583.78	-41.72	-30	PASS
Band1	20	18379	100@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.76	-41.67	-30	PASS
Band1	20	18379	100@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3658.00	-41.79	-30	PASS
Band1	20	18379	100@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4898.80	-42.53	-30	PASS
Band1	20	18500	1@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.75	-36	PASS
Band1	20	18500	1@#0	QPSK	150 kHz-30 MHz	10 kHz	0.18	-72.92	-36	PASS
Band1	20	18500	1@#0	QPSK	30 MHz-1000 MHz	100 kHz	625.39	-62.25	-36	PASS
Band1	20	18500	1@#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-37.70	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18500	1@#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2868.99	-44.70	-30	PASS
Band1	20	18500	1@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12411.19	-37.91	-30	PASS
Band1	20	18500	1@#0	QPSK	470 MHz-710 MHz	100 kHz	667.76	-66.64	-36	PASS
Band1	20	18500	1@#0	QPSK	770 MHz-773 MHz	100 kHz	770.36	-66.62	-36	PASS
Band1	20	18500	1@#0	QPSK	773 MHz-803 MHz	100 kHz	785.75	-66.55	-36	PASS
Band1	20	18500	1@#0	QPSK	860 MHz-890 MHz	1 MHz	878.15	-66.00	-50	PASS
Band1	20	18500	1@#0	QPSK	945 MHz-960 MHz	100 kHz	956.81	-66.30	-36	PASS
Band1	20	18500	1@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1480.72	-66.59	-50	PASS
Band1	20	18500	1@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.01	-66.56	-50	PASS
Band1	20	18500	1@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1805.84	-46.45	-30	PASS
Band1	20	18500	1@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1864.60	-66.27	-50	PASS
Band1	20	18500	1@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.93	-46.19	-25	PASS
Band1	20	18500	1@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.62	-46.17	-25	PASS
Band1	20	18500	1@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.29	-65.67	-50	PASS
Band1	20	18500	1@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2121.59	-65.69	-50	PASS
Band1	20	18500	1@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2152.85	-65.10	-50	PASS
Band1	20	18500	1@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2360.48	-45.60	-30	PASS
Band1	20	18500	1@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3417.91	-42.51	-30	PASS
Band1	20	18500	1@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3497.61	-42.41	-30	PASS
Band1	20	18500	1@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3541.55	-41.94	-30	PASS
Band1	20	18500	1@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.20	-41.74	-30	PASS
Band1	20	18500	1@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.66	-41.64	-30	PASS
Band1	20	18500	1@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3922.50	-38.12	-30	PASS
Band1	20	18500	1@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4899.20	-42.49	-30	PASS
Band1	20	18500	1@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.92	-36	PASS
Band1	20	18500	1@#Max	QPSK	150 kHz-30 MHz	10 kHz	23.42	-73.67	-36	PASS
Band1	20	18500	1@#Max	QPSK	30 MHz-1000 MHz	100 kHz	558.17	-62.02	-36	PASS
Band1	20	18500	1@#Max	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-46.37	-30	PASS
Band1	20	18500	1@#Max	QPSK	2005.00 MHz-3000 MHz	1 MHz	2839.14	-44.62	-30	PASS
Band1	20	18500	1@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	12349.44	-37.88	-30	PASS
Band1	20	18500	1@#Max	QPSK	470 MHz-710 MHz	100 kHz	621.92	-66.61	-36	PASS
Band1	20	18500	1@#Max	QPSK	770 MHz-773 MHz	100 kHz	772.89	-66.74	-36	PASS
Band1	20	18500	1@#Max	QPSK	773 MHz-803 MHz	100 kHz	799.76	-66.54	-36	PASS
Band1	20	18500	1@#Max	QPSK	860 MHz-890 MHz	1 MHz	889.13	-65.93	-50	PASS
Band1	20	18500	1@#Max	QPSK	945 MHz-960 MHz	100 kHz	953.30	-66.51	-36	PASS
Band1	20	18500	1@#Max	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1491.40	-66.56	-50	PASS
Band1	20	18500	1@#Max	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1506.24	-66.62	-50	PASS
Band1	20	18500	1@#Max	QPSK	1805 MHz-1845 MHz	1 MHz	1810.12	-46.42	-30	PASS
Band1	20	18500	1@#Max	QPSK	1845 MHz-1880 MHz	1 MHz	1879.02	-66.26	-50	PASS
Band1	20	18500	1@#Max	QPSK	1906.6 MHz-1910 MHz	1 MHz	1910.00	-46.22	-25	PASS
Band1	20	18500	1@#Max	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.23	-46.14	-25	PASS
Band1	20	18500	1@#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2014.56	-53.82	-50	PASS
Band1	20	18500	1@#Max	QPSK	2110 MHz-2144.4 MHz	1 MHz	2114.40	-65.72	-50	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band1	20	18500	1@#Max	QPSK	2144.4 MHz-2170 MHz	1 MHz	2152.80	-65.15	-50	PASS
Band1	20	18500	1@#Max	QPSK	2330 MHz-2370 MHz	1 MHz	2359.28	-45.63	-30	PASS
Band1	20	18500	1@#Max	QPSK	3400 MHz-3419.3 MHz	1 MHz	3409.34	-42.48	-30	PASS
Band1	20	18500	1@#Max	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3496.47	-42.37	-30	PASS
Band1	20	18500	1@#Max	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3574.03	-41.93	-30	PASS
Band1	20	18500	1@#Max	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3585.60	-41.78	-30	PASS
Band1	20	18500	1@#Max	QPSK	3590.3 MHz-3600 MHz	1 MHz	3598.58	-41.72	-30	PASS
Band1	20	18500	1@#Max	QPSK	3600 MHz-4100 MHz	1 MHz	3958.00	-38.12	-30	PASS
Band1	20	18500	1@#Max	QPSK	4500 MHz-4900 MHz	1 MHz	4895.20	-42.55	-30	PASS
Band1	20	18500	18@#0	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.63	-36	PASS
Band1	20	18500	18@#0	QPSK	150 kHz-30 MHz	10 kHz	21.49	-72.89	-36	PASS
Band1	20	18500	18@#0	QPSK	30 MHz-1000 MHz	100 kHz	561.56	-61.93	-36	PASS
Band1	20	18500	18@#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1933.13	-41.78	-30	PASS
Band1	20	18500	18@#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2903.82	-44.66	-30	PASS
Band1	20	18500	18@#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12337.25	-37.93	-30	PASS
Band1	20	18500	18@#0	QPSK	470 MHz-710 MHz	100 kHz	660.32	-66.57	-36	PASS
Band1	20	18500	18@#0	QPSK	770 MHz-773 MHz	100 kHz	771.35	-66.71	-36	PASS
Band1	20	18500	18@#0	QPSK	773 MHz-803 MHz	100 kHz	798.38	-66.66	-36	PASS
Band1	20	18500	18@#0	QPSK	860 MHz-890 MHz	1 MHz	889.64	-65.91	-50	PASS
Band1	20	18500	18@#0	QPSK	945 MHz-960 MHz	100 kHz	955.67	-66.37	-36	PASS
Band1	20	18500	18@#0	QPSK	1475.9 MHz-1496.6 MHz	1 MHz	1488.57	-66.61	-50	PASS
Band1	20	18500	18@#0	QPSK	1496.6 MHz-1510.9 MHz	1 MHz	1510.83	-66.58	-50	PASS
Band1	20	18500	18@#0	QPSK	1805 MHz-1845 MHz	1 MHz	1825.56	-46.43	-30	PASS
Band1	20	18500	18@#0	QPSK	1845 MHz-1880 MHz	1 MHz	1877.66	-66.17	-50	PASS
Band1	20	18500	18@#0	QPSK	1906.6 MHz-1910 MHz	1 MHz	1909.30	-46.24	-25	PASS
Band1	20	18500	18@#0	QPSK	1910 MHz-1915.7 MHz	1 MHz	1915.31	-46.15	-25	PASS
Band1	20	18500	18@#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.24	-65.68	-50	PASS
Band1	20	18500	18@#0	QPSK	2110 MHz-2144.4 MHz	1 MHz	2119.56	-65.71	-50	PASS
Band1	20	18500	18@#0	QPSK	2144.4 MHz-2170 MHz	1 MHz	2154.10	-65.08	-50	PASS
Band1	20	18500	18@#0	QPSK	2330 MHz-2370 MHz	1 MHz	2355.12	-45.64	-30	PASS
Band1	20	18500	18@#0	QPSK	3400 MHz-3419.3 MHz	1 MHz	3408.94	-42.39	-30	PASS
Band1	20	18500	18@#0	QPSK	3419.3 MHz-3500.7 MHz	1 MHz	3490.85	-42.41	-30	PASS
Band1	20	18500	18@#0	QPSK	3500.7 MHz-3574.7 MHz	1 MHz	3573.44	-41.98	-30	PASS
Band1	20	18500	18@#0	QPSK	3574.7 MHz-3590.3 MHz	1 MHz	3584.40	-41.77	-30	PASS
Band1	20	18500	18@#0	QPSK	3590.3 MHz-3600 MHz	1 MHz	3599.30	-41.62	-30	PASS
Band1	20	18500	18@#0	QPSK	3600 MHz-4100 MHz	1 MHz	3925.50	-40.53	-30	PASS
Band1	20	18500	18@#0	QPSK	4500 MHz-4900 MHz	1 MHz	4896.00	-42.45	-30	PASS
Band1	20	18500	18@#Max	QPSK	9 kHz-150 kHz	1 kHz	0.06	-66.63	-36	PASS
Band1	20	18500	18@#Max	QPSK	150 kHz-30 MHz	10 kHz	0.21	-73.60	-36	PASS
Band1	20	18500	18@#Max	QPSK	30 MHz-1000 MHz	100 kHz	560.98	-61.97	-36	PASS
Band1	20	18500	18@#Max	QPSK	1000 MHz-1935.00 MHz	1 MHz	1934.07	-46.35	-30	PASS
Band1	20	18500	18@#Max	QPSK	2005.00 MHz-3000 MHz	1 MHz	2911.28	-44.66	-30	PASS
Band1	20	18500	18@#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	10007.00	-37.89	-30	PASS

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.