


TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1

6.16 Appendix F: Spurious Emission of RX

6.16.1 Test Result

TestCondition	TestMode	Antenna	Freq(M Hz)	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	-82.73	≤-54	0.00533	≤4	PASS
				1000~26000	-53.79	≤-47	4.17830	≤20	See table below
			5200	30~1000	-82.30	≤-54	0.00589	≤4	PASS
				1000~26000	-55.88	≤-47	2.58226	≤20	See table below
			5240	30~1000	-78.08	≤-54	0.01556	≤4	PASS
				1000~26000	-54.91	≤-47	3.22849	≤20	See table below
	11N20SI SO	Ant1	5180	30~1000	-80.47	≤-54	0.00897	≤4	PASS
				1000~26000	-55.29	≤-47	2.95801	≤20	See table below
			5200	30~1000	-79.42	≤-54	0.01143	≤4	PASS
				1000~26000	-55.59	≤-47	2.76058	≤20	See table below
			5240	30~1000	-82.24	≤-54	0.00597	≤4	PASS
				1000~26000	-55.48	≤-47	2.83139	≤20	See table below
	11N40SI SO	Ant1	5190	30~1000	-82.85	≤-54	0.00519	≤4	PASS
				1000~26000	-55.23	≤-47	2.99916	≤20	See table below
			5230	30~1000	-82.96	≤-54	0.00506	≤4	PASS
				1000~26000	-53.94	≤-47	4.03645	≤20	See table below
	11AC20S ISO	Ant1	5180	30~1000	-82.12	≤-54	0.00614	≤4	PASS
				1000~26000	-55.21	≤-47	3.01301	≤20	See table below
			5200	30~1000	-80.35	≤-54	0.00923	≤4	PASS
				1000~26000	-55.81	≤-47	2.62422	≤20	See table below
			5240	30~1000	-82.35	≤-54	0.00582	≤4	PASS
				1000~26000	-55.53	≤-47	2.79898	≤20	See table below
	11AC40S ISO	Ant1	5190	30~1000	-80.92	≤-54	0.00809	≤4	PASS
				1000~26000	-55.39	≤-47	2.89068	≤20	See table

TEST REPORT

Report No.: MTi260706005-0104E1

		5230						below
			30~1000	-80.04	≤-54	0.0099 1	≤4	PASS
			1000~26000	-54.00	≤-47	3.9810 7	≤20	See table below
	11AC80S ISO	Ant1	5210	30~1000	-80.04	≤-54	0.0099 1	≤4
			1000~26000	-54.49	≤-47	3.5563 1	≤20	See table below

TEST REPORT

Report No.: MTi260706005-0104E1

6.16.2 Test Result_Step2

TestCondition	TestMode	Antenna	Freq(M Hz)	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
-66.57	11A	Ant1	5180	24037.50	-65.81	≤-47	0.26242	≤20	PASS
				24062.50	-65.74	≤-47	0.26669	≤20	PASS
				24075.00	-65.69	≤-47	0.26977	≤20	PASS
				24100.00	-65.88	≤-47	0.25823	≤20	PASS
				24137.50	-66.77	≤-47	0.21038	≤20	PASS
			5200	23950.00	-67.14	≤-47	0.19320	≤20	PASS
				24012.50	-66.32	≤-47	0.23335	≤20	PASS
				24025.00	-66.25	≤-47	0.23714	≤20	PASS
				24062.50	-65.77	≤-47	0.26485	≤20	PASS
				24075.00	-65.76	≤-47	0.26546	≤20	PASS
				24087.50	-65.74	≤-47	0.26669	≤20	PASS
				24100.00	-65.81	≤-47	0.26242	≤20	PASS
				24112.50	-66.31	≤-47	0.23388	≤20	PASS
				24137.50	-66.77	≤-47	0.21038	≤20	PASS
				24337.50	-68.13	≤-47	0.15382	≤20	PASS
				25800.00	-67.05	≤-47	0.19724	≤20	PASS
			5240	24037.50	-65.80	≤-47	0.26303	≤20	PASS
				24050.00	-65.59	≤-47	0.27606	≤20	PASS
				24075.00	-65.50	≤-47	0.28184	≤20	PASS
				24087.50	-65.48	≤-47	0.28314	≤20	PASS
				24125.00	-66.18	≤-47	0.24099	≤20	PASS
				24162.50	-67.05	≤-47	0.19724	≤20	PASS
				25412.50	-68.02	≤-47	0.15776	≤20	PASS
				25775.00	-66.77	≤-47	0.21038	≤20	PASS
				25825.00	-67.28	≤-47	0.18707	≤20	PASS
	11N20SI SO	Ant1	5180	23962.50	-67.00	≤-47	0.19953	≤20	PASS
				24025.00	-66.10	≤-47	0.24547	≤20	PASS
				24037.50	-65.72	≤-47	0.26792	≤20	PASS
				24050.00	-65.69	≤-47	0.26977	≤20	PASS

TEST REPORT

Report No.: MTi260706005-0104E1

			5200	24062.50	-65.65	≤-47	0.2722 7	≤20	PASS
				24075.00	-65.62	≤-47	0.2741 6	≤20	PASS
				24087.50	-65.62	≤-47	0.2741 6	≤20	PASS
				24162.50	-67.16	≤-47	0.1923 1	≤20	PASS
				25650.00	-67.68	≤-47	0.1706 1	≤20	PASS
				24012.50	-66.39	≤-47	0.2296 1	≤20	PASS
				24037.50	-65.89	≤-47	0.2576 3	≤20	PASS
				24050.00	-65.72	≤-47	0.2679 2	≤20	PASS
				24087.50	-65.63	≤-47	0.2735 3	≤20	PASS
				24112.50	-66.15	≤-47	0.2426 6	≤20	PASS
				24175.00	-67.45	≤-47	0.1798 9	≤20	PASS
				25212.50	-68.31	≤-47	0.1475 7	≤20	PASS
				25775.00	-66.89	≤-47	0.2046 4	≤20	PASS
			5240	23962.50	-66.90	≤-47	0.2041 7	≤20	PASS
				23987.50	-66.61	≤-47	0.2182 7	≤20	PASS
				24012.50	-66.16	≤-47	0.2421 0	≤20	PASS
				24037.50	-65.65	≤-47	0.2722 7	≤20	PASS
				24050.00	-65.57	≤-47	0.2773 3	≤20	PASS
				24075.00	-65.54	≤-47	0.2792 5	≤20	PASS
				24087.50	-65.49	≤-47	0.2824 9	≤20	PASS
				24100.00	-65.67	≤-47	0.2710 2	≤20	PASS
				24375.00	-67.51	≤-47	0.1774 2	≤20	PASS
				25812.50	-67.05	≤-47	0.1972 4	≤20	PASS
	11N40SI SO	Ant1	5190	24050.00	-65.86	≤-47	0.2594 2	≤20	PASS
				24087.50	-65.75	≤-47	0.2660 7	≤20	PASS
				25812.50	-67.37	≤-47	0.1832 3	≤20	PASS
			5230	20762.50	-68.26	≤-47	0.1492 8	≤20	PASS
				23925.00	-66.87	≤-47	0.2055 9	≤20	PASS
				24000.00	-66.28	≤-47	0.2355 0	≤20	PASS
				24050.00	-65.32	≤-47	0.2937 6	≤20	PASS
				24062.50	-65.32	≤-47	0.2937 6	≤20	PASS
				24075.00	-65.31	≤-47	0.2944 4	≤20	PASS

Tel: 0755-88850135-1439 Mobile: 131-4343-1439 (Wechat same number)

Web: <http://www.mtitest.cn>

E-mail: mti@51mti.com

Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Q/MTI-QP-12-FE040

Ver./Rev.: A1

Page 106 of 216

TEST REPORT

Report No.: MTi260706005-0104E1

11AC20S ISO	Ant1	5180	24112.50	-65.65	≤-47	0.2722 7	≤20	PASS
			24150.00	-66.50	≤-47	0.2238 7	≤20	PASS
			24675.00	-67.38	≤-47	0.1828 1	≤20	PASS
			25625.00	-67.31	≤-47	0.1857 8	≤20	PASS
			25775.00	-66.54	≤-47	0.2218 2	≤20	PASS
			23250.00	-68.49	≤-47	0.1415 8	≤20	PASS
			23325.00	-67.80	≤-47	0.1659 6	≤20	PASS
			24037.50	-65.89	≤-47	0.2576 3	≤20	PASS
			24050.00	-65.67	≤-47	0.2710 2	≤20	PASS
			24062.50	-65.63	≤-47	0.2735 3	≤20	PASS
			24075.00	-65.61	≤-47	0.2747 9	≤20	PASS
			24087.50	-65.57	≤-47	0.2773 3	≤20	PASS
		5200	24100.00	-65.83	≤-47	0.2612 2	≤20	PASS
			24125.00	-66.36	≤-47	0.2312 1	≤20	PASS
			24425.00	-67.78	≤-47	0.1667 2	≤20	PASS
			24037.50	-65.94	≤-47	0.2546 8	≤20	PASS
			24050.00	-65.70	≤-47	0.2691 5	≤20	PASS
		5240	24062.50	-65.68	≤-47	0.2704 0	≤20	PASS
			24075.00	-65.67	≤-47	0.2710 2	≤20	PASS
			24087.50	-65.62	≤-47	0.2741 6	≤20	PASS
			23987.50	-66.68	≤-47	0.2147 8	≤20	PASS
			24000.00	-66.50	≤-47	0.2238 7	≤20	PASS
			24012.50	-66.24	≤-47	0.2376 8	≤20	PASS
			24037.50	-65.70	≤-47	0.2691 5	≤20	PASS
			24050.00	-65.56	≤-47	0.2779 7	≤20	PASS
			24062.50	-65.55	≤-47	0.2786 1	≤20	PASS
			24075.00	-65.51	≤-47	0.28119	≤20	PASS
11AC40S ISO	Ant1	5190	24100.00	-65.65	≤-47	0.2722 7	≤20	PASS
			24112.50	-66.02	≤-47	0.2500 3	≤20	PASS
			24037.50	-66.00	≤-47	0.25119	≤20	PASS
			24062.50	-65.87	≤-47	0.2588 2	≤20	PASS
			24100.00	-65.90	≤-47	0.2570 4	≤20	PASS
			24150.00	-67.07	≤-47	0.1963 4	≤20	PASS

Tel: 0755-88850135-1439 Mobile: 131-4343-1439 (Wechat same number)

Web: <http://www.mtitest.cn>

E-mail: mti@51mti.com

Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Q/MTI-QP-12-FE040

Ver./Rev.: A1

Page 107 of 216

TEST REPORT


Report No.: MTi260706005-0104E1

			5230	24162.50	-67.36	≤-47	0.1836 5	≤20	PASS
				25812.50	-67.38	≤-47	0.1828 1	≤20	PASS
				5225.00	-65.11	≤-47	0.3083 2	≤20	PASS
				21487.50	-68.04	≤-47	0.1570 4	≤20	PASS
				23937.50	-66.79	≤-47	0.2094 1	≤20	PASS
				23950.00	-66.70	≤-47	0.2138 0	≤20	PASS
				24025.00	-65.81	≤-47	0.2624 2	≤20	PASS
				24050.00	-65.35	≤-47	0.2917 4	≤20	PASS
				24062.50	-65.34	≤-47	0.2924 2	≤20	PASS
				24075.00	-65.30	≤-47	0.2951 2	≤20	PASS
				24087.50	-65.25	≤-47	0.2985 4	≤20	PASS
				24100.00	-65.42	≤-47	0.2870 8	≤20	PASS
				24125.00	-65.98	≤-47	0.2523 5	≤20	PASS
				24137.50	-66.43	≤-47	0.2275 1	≤20	PASS
				25800.00	-66.69	≤-47	0.2142 9	≤20	PASS
	11AC80S ISO	Ant1	5210	24012.50	-65.97	≤-47	0.2529 3	≤20	PASS
				24037.50	-65.54	≤-47	0.2792 5	≤20	PASS
				24050.00	-65.34	≤-47	0.2924 2	≤20	PASS
				24062.50	-65.35	≤-47	0.2917 4	≤20	PASS
				24075.00	-65.27	≤-47	0.2971 7	≤20	PASS
				24100.00	-65.51	≤-47	0.28119	≤20	PASS
				24362.50	-67.36	≤-47	0.1836 5	≤20	PASS
				24937.50	-67.70	≤-47	0.1698 2	≤20	PASS
				25550.00	-67.44	≤-47	0.1803 0	≤20	PASS
				25775.00	-66.53	≤-47	0.2223 3	≤20	PASS
				25887.50	-67.69	≤-47	0.1702 2	≤20	PASS

TEST REPORT


Report No.: MTi260706005-0104E1

6.16.3 Test Graphs



TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1




TEST REPORT

Report No.: MTi260706005-0104E1





Report No.: MTi260706005-0104E1



Mobile: 131-4343-1439 (Wechat same number)

Web: <http://www.mtitest.cn>

E-mail: mti@51mti.com

Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinhé Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Q/MTI-QP-12-FE040


Ver./Rev.: A1

Page 120 of 216

TEST REPORT


Report No.: MTi260706005-0104E1

6.16.4 Test Graphs_Step2




TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1



TEST REPORT

Report No.: MTi260706005-0104E1

