

Appendix A: Test Results of 5.2/5.3/5.6GHz Band Wi-Fi

APPENDIX A.1: TEST RESULTS OF FREQUENCY TOLERANCE	2
Test Result for 5.2/5.3GHz band	2
Test Result for 5.6GHz band	2
APPENDIX A.2: TEST RESULTS OF ANTENNA POWER	3
Test Result for 5.2/5.3GHz band	3
Test Result for 5.6GHz band	4
APPENDIX A.3: TEST RESULTS OF OCCUPIED CHANNEL BANDWIDTH (99%)	5
Test Result for 5.2/5.3GHz band	5
Test Graphs for 5.2/5.3GHz band	6
Test Result for 5.6GHz band	11
Test Graphs for 5.6GHz band	12
APPENDIX A.4: TEST RESULTS OF SPURIOUS EMISSIONS FOR TRANSMITTER	16
Test Result for 5.2/5.3GHz band	16
Test Result for 5.2/5.3GHz band_Step2	19
Test Graphs for 5.2/5.3GHz band	20
Test Graphs for 5.2/5.3GHz band_Step2	48
Test Result for 5.6GHz band	55
Test Graphs for 5.6GHz band	56
APPENDIX A.5: TEST RESULTS OF SPURIOUS EMISSIONS FOR RECEIVER	70
Test Result for 5.2/5.3GHz band	70
Test Graphs for 5.2/5.3GHz band	72
Test Result for 5.6GHz band	86
Test Graphs for 5.6GHz band	87
APPENDIX A.6: TEST RESULTS OF BURST LENGTH	91
Test Result for 5.2/5.3GHz band	91
Test Result for 5.6GHz band	91
APPENDIX A.7: TEST RESULTS OF ADJACENT CHANNEL POWER	92
Test Result for 5.2/5.3GHz band	92
Test Graphs for 5.2/5.3GHz band	94
Test Result for 5.6GHz band	99
Test Graphs for 5.6GHz band	100
APPENDIX A.8: TEST RESULTS OF OUT-BAND LEAKAGE POWER	102
Test Result for 5.2/5.3GHz band	102
Test Graphs for 5.2/5.3GHz band	104
Test Result for 5.6GHz band	109
Test Graphs for 5.6GHz band	110
APPENDIX A.9: TEST RESULTS OF CARRIER SENSING	112
Test Result for 5.GHz band	112

Appendix A.1: Test Results of Frequency Tolerance

Test Result for 5.2/5.3GHz band

TestCondition	TestMode	Antenna	Frequency[MHz]	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	11N20SISO	Ant1	5180	5179.996	-0.77220	±20	PASS
			5240	5239.996	-0.76336	±20	PASS
			5320	5319.996	-0.75188	±20	PASS
	11N40SISO	Ant1	5190	5189.996	-0.77071	±20	PASS
			5230	5229.996	-0.76482	±20	PASS
	11AC20SISO	Ant1	5180	5179.996	-0.77220	±20	PASS
			5240	5239.996	-0.76336	±20	PASS
			5320	5319.996	-0.75188	±20	PASS
	11AC40SISO	Ant1	5190	5189.996	-0.77071	±20	PASS
			5230	5229.996	-0.76482	±20	PASS
	11AC80SISO	Ant1	5210	5209.996	-0.76775	±20	PASS
	11A	Ant1	5180	5179.996	-0.77220	±20	PASS
			5240	5239.996	-0.76336	±20	PASS
			5320	5319.996	-0.75188	±20	PASS

Test Result for 5.6GHz band

TestCondition	TestMode	Antenna	Frequency[MHz]	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	11N20SISO	Ant1	5500	5499.996	-0.72727	±20	PASS
	11AC20SISO	Ant1	5500	5499.996	-0.72727	±20	PASS
	11AC80SISO	Ant1	5530	5529.996	-0.72333	±20	PASS
	11A	Ant1	5500	5499.996	-0.72727	±20	PASS

Appendix A.2: Test Results of Antenna Power

Test Result for 5.2/5.3GHz band

Antenna Power							
TestCondition	TestMode	Antenna	Frequency [MHz]	Result (dBm/MHz)	Result (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11N20SISO	Ant1	5180	-4.23	0.3776	≤10	PASS
			5240	-0.83	0.8260	≤10	PASS
			5320	-3.83	0.4140	≤10	PASS
	11A	Ant1	5180	-0.90	0.8128	≤10	PASS
			5240	0.07	1.0162	≤10	PASS
			5320	-3.08	0.4920	≤10	PASS
	11N40SISO	Ant1	5190	-6.28	0.2355	≤5	PASS
			5230	-5.60	0.2754	≤5	PASS
	11AC20SISO	Ant1	5180	-2.75	0.5309	≤10	PASS
			5240	-0.43	0.9057	≤10	PASS
			5320	-3.45	0.4519	≤10	PASS
	11AC40SISO	Ant1	5190	-6.72	0.2128	≤5	PASS
			5230	-6.39	0.2296	≤5	PASS
	11AC80SISO	Ant1	5210	-6.64	0.2168	≤2.5	PASS

Tolerance								
TestCondition	TestMode	Antenna	Frequency [MHz]	Power (mW/MHz)	RatedPower (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11N20SISO	Ant1	5180	0.3776	1.5	-74.83	-80 to +20	PASS
			5240	0.8260	1.5	-44.93	-80 to +20	PASS
			5320	0.4140	1.5	-72.40	-80 to +20	PASS
	11A	Ant1	5180	0.8128	1.5	-45.81	-80 to +20	PASS
			5240	1.0162	1.5	-32.25	-80 to +20	PASS
			5320	0.4920	1.5	-67.20	-80 to +20	PASS
	11N40SISO	Ant1	5190	0.2355	1	-76.45	-80 to +20	PASS
			5230	0.2754	1	-72.46	-80 to +20	PASS
	11AC20SISO	Ant1	5180	0.5309	1.5	-64.61	-80 to +20	PASS
			5240	0.9057	1.5	-39.62	-80 to +20	PASS
			5320	0.4519	1.5	-69.87	-80 to +20	PASS
	11AC40SISO	Ant1	5190	0.2128	1	-78.72	-80 to +20	PASS
			5230	0.2296	1	-77.04	-80 to +20	PASS
	11AC80SISO	Ant1	5210	0.2168	1	-78.32	-80 to +20	PASS

EIRP							
TestCondition	TestMode	Antenna	Frequency [MHz]	Result (mW/MHz)	EIRP (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11A	Ant1	5180	0.8128	2.1380	≤10	PASS
			5240	1.0162	2.6730	≤10	PASS
			5320	0.4920	1.2942	≤5	PASS
	11N20SISO	Ant1	5180	0.3776	0.9931	≤10	PASS
			5240	0.8260	2.1727	≤10	PASS
			5320	0.4140	1.0889	≤5	PASS
	11N40SISO	Ant1	5190	0.2355	0.6194	≤5	PASS
			5230	0.2754	0.7244	≤5	PASS
	11AC20SISO	Ant1	5180	0.5309	1.3964	≤10	PASS
			5240	0.9057	2.3823	≤10	PASS
			5320	0.4519	1.1885	≤5	PASS
	11AC40SISO	Ant1	5190	0.2128	0.5598	≤5	PASS
			5230	0.2296	0.6039	≤5	PASS
	11AC80SISO	Ant1	5210	0.2168	0.5702	≤2.5	PASS

Test Result for 5.6GHz band

Antenna Power								
TestCondition	TestMode	Antenna	Frequenc y[MHz]	Result (dBm/MHz)	Result (Mw/MHz)	Limit (mW/MHz)	Verdict	
NTNV	11A	Ant1	5500	-5.81	0.2624	≤10		
	11N20SISO	Ant1	5500	-4.79	0.3319	≤10	PASS	
	11AC20SISO	Ant1	5500	-4.80	0.3311	≤10	PASS	
	11AC80SISO	Ant1	5530	-12.07	0.0621	≤2.5	PASS	
Tolerance								
TestCondition	TestMode	Antenna	Frequency [MHz]	Power (mW/MHz)	RatedPower (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11A	Ant1	5500	0.2624	0.5	-47.52	-50 to +50	PASS
	11N20SISO	Ant1	5500	0.3319	0.5	-33.62	-50 to +50	PASS
	11AC20SISO	Ant1	5500	0.3311	0.5	-33.78	-50 to +50	PASS
	11AC80SISO	Ant1	5530	0.0621	0.1	-37.90	-50 to +50	PASS

EIRP							
TestCondition	TestMode	Antenna	Frequency [MHz]	Result (mW/MHz)	EIRP (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11A	Ant1	5500	0.2624	0.7568	≤25	PASS
	11N20SISO	Ant1	5500	0.3319	0.9795	≤25	PASS
	11AC20SISO	Ant1	5500	0.3311	0.9772	≤25	PASS
	11AC80SISO	Ant1	5530	0.0621	0.1832	≤6.25	PASS


Appendix A.3: Test Results of Occupied Channel Bandwidth (99%)

Test Result for 5.2/5.3GHz band


TestCondition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5180	17.021	≤20	PASS
			5240	16.828	≤20	PASS
			5320	16.770	≤20	PASS
	11N20SISO	Ant1	5180	17.717	≤20	PASS
			5240	17.860	≤20	PASS
			5320	17.725	≤20	PASS
	11N40SISO	Ant1	5190	36.034	≤40	PASS
			5230	36.077	≤40	PASS
	11AC20SISO	Ant1	5180	17.810	≤20	PASS
			5240	17.897	≤20	PASS
			5320	17.701	≤20	PASS
	11AC40SISO	Ant1	5190	36.068	≤40	PASS
			5230	36.067	≤40	PASS
	11AC80SISO	Ant1	5210	77.737	≤80	PASS

Test Graphs for 5.2/5.3GHz band


NTNV 11N20SISO Ant1 5180




NTNV 11N20SISO Ant1 5240



NTNV 11N20SISO Ant1 5320















Test Result for 5.6GHz band

TestCondition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5500	16.765	≤20	PASS
	11N20SISO	Ant1	5500	17.782	≤20	PASS
	11AC20SISO	Ant1	5500	17.749	≤20	PASS
	11AC80SISO	Ant1	5530	75.473	≤80	PASS


Test Graphs for 5.6GHz band




NTNV_11AC80SISO_Ant1_5530




NTLV 11N20SISO Ant1 5500




NTLV 11AC20SISO Ant1 5500




NTLV 11AC80SISO Ant1 5530





NTHV 11N20SISO Ant1 5500



NTHV 11AC20SISO Ant1 5500



NTHV 11AC80SISO Ant1 5530



Appendix A.4: Test Results of Spurious Emissions for Transmitter

Test Result for 5.2/5.3GHz band

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11N20 SISO	Ant1	5180	30~5142	3797.03	-36.71	≤-26.02	0.56105	≤2.5	PASS
				5142~5150	5149.94	-29.53	≤-18.24	2.93089	≤15	PASS
				5250~5251	5250.99	-40.29	≤-9.9	0.24604	≤102.3	PASS
				5251~5260	5259.96	-40.16	≤-17.96	0.25351	≤16.0	PASS
				5260~5266.7	5266.60	-39.63	≤-18.04	0.28642	≤15.7	PASS
				5266.7~26000	25929.51	-35.12	≤-26.02	0.80910	≤2.5	PASS
			5240	30~5142	3879.34	-37.24	≤-26.02	0.49659	≤2.5	PASS
				5142~5150	5143.02	-37.70	≤-18.24	0.44668	≤15	PASS
				5250~5251	5251	-10.48	≤-10	235.50493	≤100.0	See table below
				5251~5260	5257.83	-19.12	≤-16.07	32.21069	≤24.7	See table below
				5260~5266.7	5260.19	-23.32	≤-18	12.24616	≤15.8	See table below
				5266.7~26000	5266.70	-33.41	≤-26.02	1.19950	≤2.5	PASS
			5320	30~5233.3	3790.95	-36.10	≤-26.02	0.64565	≤2.5	PASS
				5233.3~5240	5233.34	-40.01	≤-25.99	0.26242	≤2.5	PASS
				5240~5249	5240.26	-39.20	≤-17.77	0.31623	≤16.7	PASS
				5249~5250	5249.00	-39.87	≤-10	0.27102	≤100.0	PASS
				5350~26000	25829.98	-34.59	≤-26.02	0.91411	≤2.5	PASS
	11N40 SISO	Ant1	5190	30~5141.6	3874.95	-35.66	≤-26.02	0.71450	≤2.5	PASS
				5141.6~5150	5149.26	-30.33	≤-18.24	2.43781	≤15	PASS
				5250~5251	5251.00	-37.89	≤-13.01	0.42756	≤50	PASS
				5251~5270	5269.72	-38.26	≤-20.89	0.39264	≤8.1	PASS
				5270~5278.4	5278.40	-38.74	≤-26.05	0.35156	≤2.5	PASS
				5278.4~26000	25748.58	-33.30	≤-26.02	1.23027	≤2.5	PASS
			5230	30~5141.6	3806.96	-34.73	≤-26.02	0.88512	≤2.5	PASS
				5141.6~5150	5146.93	-35.77	≤-18.24	0.69663	≤15	PASS
				5250~5251	5250.99	-19.51	≤-12.91	29.44422	≤51.2	See table below
				5251~5270	5255.20	-26.53	≤-14.78	5.84790	≤33.3	PASS
	11AC20 SISO	Ant1	5180	5270~5278.4	5278.08	-38.04	≤-25.86	0.41305	≤2.6	PASS
				5278.4~26000	25817.65	-33.28	≤-26.02	1.23595	≤2.5	PASS
			5240	30~5142	5140.98	-35.70	≤-26.02	0.70795	≤2.5	PASS
				5142~5150	5149.74	-26.90	≤-18.24	5.37032	≤15	PASS
				5250~5251	5250.97	-40.04	≤-9.7	0.26062	≤107.2	PASS
				5251~5260	5259.80	-40.46	≤-17.82	0.23659	≤16.5	PASS
				5260~5266.7	5260.43	-39.21	≤-18	0.31550	≤15.8	PASS
				5266.7~26000	25780.23	-34.23	≤-26.02	0.99312	≤2.5	PASS
			5240	30~5142	3725.46	-36.92	≤-26.02	0.53456	≤2.5	PASS
				5142~5150	5144.97	-37.87	≤-18.24	0.42954	≤15	PASS
				5250~5251	5250.97	-10.83	≤-9.7	217.27012	≤107.2	See table below
				5251~5260	5257.83	-22.66	≤-16.07	14.25608	≤24.7	See

									table below	
				5260~5266.7	5260.44	-24.82	≤-18	8.66962	≤15.8	See table below
				5266.7~26000	25823.77	-34.26	≤-26.02	0.98628	≤2.5	PASS
			5320	30~5233.3	3842.98	-36.67	≤-26.02	0.56624	≤2.5	PASS
				5233.3~5240	5234.00	-38.91	≤-25.2	0.33806	≤3.0	PASS
				5240~5249	5240.26	-39.32	≤-17.77	0.30761	≤16.7	PASS
				5249~5250	5249.00	-39.73	≤-10	0.27990	≤100.0	PASS
				5350~26000	25478.24	-35.17	≤-26.02	0.79983	≤2.5	PASS
				11AC4 0SISO	Ant1	5190	30~5141.6	5060.33	-35.64	≤-26.02
	5141.6~5150	5148.84	-31.42				≤-18.24	1.89671	≤15	PASS
	5250~5251	5250.99	-39.14				≤-12.91	0.32063	≤51.2	PASS
	5251~5270	5269.13	-38.61				≤-20.64	0.36224	≤8.6	PASS
	5270~5278.4	5277.71	-39.00				≤-25.64	0.33113	≤2.7	PASS
	5278.4~26000	25942.67	-33.76				≤-26.02	1.10662	≤2.5	PASS
	5230	30~5141.6	3890.79			-35.96	≤-26.02	0.66681	≤2.5	PASS
		5141.6~5150	5144.63			-36.64	≤-18.24	0.57016	≤15	PASS
		5250~5251	5250.78			-15.92	≤-10.81	67.29767	≤83.0	See table below
		5251~5270	5251.15			-25.71	≤-13.07	7.06318	≤49.3	PASS
		5270~5278.4	5277.58			-38.69	≤-25.56	0.35563	≤2.8	PASS
	5278.4~26000	25780.35	-33.95	≤-26.02	1.05925	≤2.5	PASS			
	11AC8 0SISO	Ant1	5210	30~5123.2	5121.16	-32.61	≤-26.02	1.44212	≤2.5	See table below
				5132.5~5150	5149.72	-33.13	≤-18.24	1.27938	≤15	PASS
				5250~5251	5250.87	-26.76	≤-14.72	5.54626	≤33.7	PASS
				5251~5290	5287.97	-34.64	≤-23.6	0.90365	≤4.4	PASS
				5290~5296.7	5296.43	-36.28	≤-25.95	0.61944	≤2.5	PASS
				5296.7~26000	25786.07	-35.31	≤-26.02	0.77446	≤2.5	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5180	30~5142	5140.47	-36.66	≤-26.02	0.56754	≤2.5	PASS
				5142~5150	5149.23	-27.23	≤-18.24	4.97737	≤15	PASS
				5250~5251	5250.98	-47.62	≤-9.8	0.04550	≤104.7	PASS
				5251~5260	5259.69	-48.98	≤-17.72	0.03327	≤16.9	PASS
				5260~5266.7	5260.60	-48.61	≤-18	0.03622	≤15.8	PASS
				5266.7~26000	25852.10	-45.65	≤-26.02	0.07161	≤2.5	PASS
			5240	30~5142	3725.46	-47.29	≤-26.02	0.04909	≤2.5	PASS
				5142~5150	5149.04	-47.52	≤-18.24	0.04656	≤15	PASS
				5250~5251	5250.99	-11.22	≤-9.9	198.60949	≤102.3	See table below
				5251~5260	5251.75	-17.90	≤-10.67	42.65795	≤85.8	PASS
				5260~5266.7	5260.27	-24.93	≤-18	8.45279	≤15.8	See table below
				5266.7~26000	5268.77	-37.35	≤-26.02	0.48417	≤2.5	PASS
			5320	30~5233.3	3761.29	-46.94	≤-26.02	0.05321	≤2.5	PASS
				5233.3~5240	5233.42	-48.66	≤-25.9	0.03581	≤2.6	PASS
				5240~5249	5240.12	-49.03	≤-17.89	0.03289	≤16.2	PASS
				5249~5250	5249.03	-49.06	≤-9.7	0.03266	≤107.2	PASS
				5350~26000	5352.75	-40.55	≤-26.02	0.23174	≤2.5	PASS




Test Result for 5.2/5.3GHz band_Step2


Test Condition	TestMode	Antenna	Frequency [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11N20SISO	Ant1	5240	5250.30	-29.70	≤-10	2.81838	≤100	PASS
				5251.88	-31.80	≤-13.79	1.73780	≤42	PASS
				5260.19	-35.44	≤-18	0.75162	≤16	PASS
	11N40SISO	Ant1	5230	5250.92	-36.60	≤-12.11	0.57544	≤62	PASS
	11AC20SISO	Ant1	5240	5250.54	-31.16	≤-9.4	2.01372	≤115	PASS
				5254.82	-34.02	≤-14.28	1.04232	≤37	PASS
				5260.44	-37.19	≤-18	0.50234	≤16	PASS
	11AC40SISO	Ant1	5230	5250.78	-36.32	≤-11.51	0.61376	≤71	PASS
	11AC80SISO	Ant1	5210	5121.16	-47.06	≤-26.02	0.05176	≤2.5	PASS

TestCondition	TestMode	Antenna	Frequency [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5240	5250.61	-30.02	≤-10	2.61818	≤100	PASS


Test Graphs for 5.2/5.3GHz band





















NTNV 11AC20SISO Ant1 5180 5142~5150



NTNV 11AC20SISO Ant1 5180 5250~5251



NTNV 11AC20SISO Ant1 5180 5251~5260











NTNV 11AC20SISO Ant1 5240 5260~5266.7



NTNV 11AC20SISO Ant1 5240 5266.7~26000



NTNV 11AC20SISO Ant1 5320 30~5233.3








NTNV 11AC40SISO Ant1 5190 5250~5251




NTNV 11AC40SISO Ant1 5190 5251~5270



NTNV 11AC40SISO Ant1 5190 5270~5278.4





NTNV 11AC40SISO Ant1 5230 5250~5251



NTNV 11AC40SISO Ant1 5230 5251~5270




NTNV 11AC40SISO Ant1 5230 5270~5278.4







NTNV 11AC80SISO Ant1 5210 5250~5251





NTNV 11AC80SISO Ant1 5210 5251~5290




NTNV 11AC80SISO Ant1 5210 5290~5296.7





















Test Graphs for 5.2/5.3GHz band_Step2

















Test Result for 5.6GHz band


Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11N20SI SO	Ant1	5500	30~5460	3765.84	-36.60	≤-26.02	0.64565	≤2.5	PASS
				5460~5470	5469.94	-32.26	≤-19.03	1.75388	≤12.5	PASS
				5745~5765	5745.24	-38.13	≤-19.03	0.45394	≤12.5	PASS
				5765~26000	25640.49	-34.64	≤-26.02	1.01391	≤2.5	PASS
	11AC20S ISO	Ant1	5500	30~5460	3784.85	-36.56	≤-26.02	0.65163	≤2.5	PASS
				5460~5470	5469.87	-32.21	≤-19.03	1.77419	≤12.5	PASS
				5745~5765	5749.46	-38.02	≤-19.03	0.46559	≤12.5	PASS
				5765~26000	24820.97	-34.46	≤-26.02	1.05682	≤2.5	PASS
	11AC80S ISO	Ant1	5530	30~5460	3793.53	-38.05	≤-19.03	0.46238	≤12.5	PASS
				5460~5469.5	5468.81	-37.60	≤-13.01	0.51286	≤50	PASS
				5469.5~5470	5469.69	-35.73	≤-12.91	0.78886	≤51.2	PASS
				5770~26000	25840.18	-36.30	≤-19.03	0.69183	≤12.5	PASS
NTLV	11N20SI SO	Ant1	5500	30~5460	3793.53	-36.89	≤-26.02	0.60395	≤2.5	PASS
				5460~5470	5469.19	-32.39	≤-19.03	1.70216	≤12.5	PASS
				5745~5765	5761.60	-37.97	≤-19.03	0.47098	≤12.5	PASS
				5765~26000	25848.91	-34.26	≤-26.02	1.10662	≤2.5	PASS
	11AC20S ISO	Ant1	5500	30~5460	3737.60	-36.26	≤-26.02	0.69823	≤2.5	PASS
				5460~5470	5469.65	-32.81	≤-19.03	1.54525	≤12.5	PASS
				5745~5765	5757.68	-38.35	≤-19.03	0.43152	≤12.5	PASS
				5765~26000	25730.87	-34.72	≤-26.02	0.99541	≤2.5	PASS
	11AC80S ISO	Ant1	5530	30~5460	3852.18	-38.48	≤-19.03	0.41879	≤12.5	PASS
				5460~5469.5	5469.29	-36.95	≤-13.01	0.59566	≤50	PASS
				5469.5~5470	5469.63	-36.20	≤-12.91	0.70795	≤51.2	PASS
				5770~26000	25877.95	-35.90	≤-19.03	0.75858	≤12.5	PASS
NTHV	11N20SI SO	Ant1	5500	30~5460	3808.19	-36.25	≤-26.02	0.69984	≤2.5	PASS
				5460~5470	5468.40	-32.24	≤-19.03	1.76198	≤12.5	PASS
				5745~5765	5746.22	-38.52	≤-19.03	0.41495	≤12.5	PASS
				5765~26000	25818.56	-34.43	≤-26.02	1.06414	≤2.5	PASS
	11AC20S ISO	Ant1	5500	30~5460	3851.63	-36.67	≤-26.02	0.63533	≤2.5	PASS
				5460~5470	5462.56	-30.18	≤-19.03	2.83139	≤12.5	PASS
				5745~5765	5763.06	-37.62	≤-19.03	0.51050	≤12.5	PASS
				5765~26000	25809.79	-34.86	≤-26.02	0.96383	≤2.5	PASS
	11AC80S ISO	Ant1	5530	30~5460	3790.28	-38.15	≤-19.03	0.45186	≤12.5	PASS
				5460~5469.5	5465.81	-37.18	≤-13.01	0.56494	≤50	PASS
				5469.5~5470	5469.68	-36.58	≤-12.91	0.64863	≤51.2	PASS
				5770~26000	25644.63	-35.63	≤-19.03	0.80724	≤12.5	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5500	30~5460	3840.23	-47.82	≤-26.02	0.04764	≤2.5	PASS
				5460~5470	5469.87	-35.33	≤-19.03	0.84528	≤12.5	PASS
				5745~5765	5754.42	-48.52	≤-19.03	0.04055	≤12.5	PASS
				5765~26000	25647.91	-44.66	≤-26.02	0.09863	≤2.5	PASS






NTNV 11N20SISO Ant1 5500 5765~26000




NTNV 11AC20SISO Ant1 5500 30~5460




NTNV 11AC20SISO Ant1 5500 5460~5470







NTNV 11AC80SISO Ant1 5530 5460~5469.5



NTNV 11AC80SISO Ant1 5530 5469.5~5470




NTNV 11AC80SISO Ant1 5530 5770~26000



NTLV 11N20SISO Ant1 5500 30~5460



NTLV 11N20SISO Ant1 5500 5460~5470



NTLV 11N20SISO Ant1 5500 5745~5765