

ANNEX D TEST DATA

For

Project No.:	8329EU120902W
Client:	Shenzhen Moldull Acoustic Technology Co.,Ltd.
Product Name:	True Wireless Earbuds
Model No.:	MD072
Technology:	Bluetooth (BDR&EDR)
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2025-04-15

Test Summary

Item	Result
Frequency Error	Pass
Occupied Bandwidth	Pass
Antenna Power	Pass
Dwell Time	Pass
Spurious Emission Intensity	Pass
Secondary Radiated Emission	Pass

Left Ear

1. Frequency Error

1.1 Test Result

1.1.1 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
						Result	Limit	
NTNV	Carrier Wave	SISO	2402	DH5	2402.009	3.75	-50 to 50	Pass
			2480	DH5	2480.009	3.63	-50 to 50	Pass

Right Ear

1. Frequency Error


1.1 Test Result

1.1.1 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
						Result	Limit	
NTNV	Carrier Wave	SISO	2402	DH5	2402.003	1.25	-50 to 50	Pass
			2480	DH5	2480.003	1.21	-50 to 50	Pass


1.2 Test Graph(Left Ear)

1.2.1 Ant1



1.2 Test Graph(Right Ear)

1.2.1 Ant1



Left Ear

2. Occupied Bandwidth

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	99% Occupied Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	78.803	<=83.5	Pass
	$\pi/4$ DQPSK	SISO	HOPP	2DH5	78.908	<=83.5	Pass
	8DPSK	SISO	HOPP	3DH5	78.781	<=83.5	Pass

Right Ear

2. Occupied Bandwidth


2.1 Test Result


2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	99% Occupied Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	78.593	<=83.5	Pass
	$\pi/4$ DQPSK	SISO	HOPP	2DH5	78.600	<=83.5	Pass
	8DPSK	SISO	HOPP	3DH5	78.791	<=83.5	Pass

2.2 Test Graph(Left Ear)


2.2.1 OBW






2.2 Test Graph(Right Ear)

2.2.1 OBW





Left Ear

3. Spread Bandwidth

3.1 Test Result

3.1.1 SPBW

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spread Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	71.815	/	Only For Report
	π /4DQPSK	SISO	HOPP	2DH5	71.813	/	Only For Report
	8DPSK	SISO	HOPP	3DH5	70.919	/	Only For Report

Right Ear

3. Spread Bandwidth


3.1 Test Result


3.1.1 SPBW

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spread Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	69.875	/	Only For Report
	π /4DQPSK	SISO	HOPP	2DH5	69.698	/	Only For Report
	8DPSK	SISO	HOPP	3DH5	70.942	/	Only For Report

3.2 Test Graph(Left Ear)


3.2.1 SPBW






3.2 Test Graph(Right Ear)

3.2.1 SPBW





Left Ear
4. Antenna Power
4.1 Test Result
4.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Antenna Power (mW/MHz)			Antenna Power Density PD (mW / MHz)	Nominal Power (mW/MHz)	Tolerance (%)		Verdict
					dBm	mW	Spread Bandwidth (MHz)			Measured	Limit	
NTNV	GFSK	SISO	HOPP	DH5	-2.52	0.560	71.815	0.008	0.02	-60.00	20	Pass
	π/4DQPSK	SISO	HOPP	2DH5	-4.53	0.353	71.813	0.005	0.02	-75.00	20	Pass
	8DPSK	SISO	HOPP	3DH5	-4.77	0.334	70.919	0.005	0.02	-75.00	20	Pass
Note: 1. Antenna Power Density PD = Antenna Power mW / Spread Spectrum Bandwidth MHz												

Right Ear
4. Antenna Power
4.1 Test Result
4.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Antenna Power (mW/MHz)			Antenna Power Density PD (mW / MHz)	Nominal Power (mW/MHz)	Tolerance (%)		Verdict
					dBm	mW	Spread Bandwidth (MHz)			Measured	Limit	
NTNV	GFSK	SISO	HOPP	DH5	-20.61	0.009	69.875	0.000	0.02	-100.00	20	Pass
	π/4DQPSK	SISO	HOPP	2DH5	-21.79	0.007	69.698	0.000	0.02	-100.00	20	Pass
	8DPSK	SISO	HOPP	3DH5	-4.58	0.348	70.942	0.005	0.02	-75.00	20	Pass
Note: 1. Antenna Power Density PD = Antenna Power mW / Spread Spectrum Bandwidth MHz												

Left Ear

5. Dwell Time

5.1 Test Result

5.1.1 Ant1

Ant1											
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spreading Rate	T_on (ms)	Period (ms)	Hopp Number	Dwell Time (ms)		Verdict
									Result	Limit	
NTNV	GFSK	SISO	2402	DH1	71.815	0.384	1.250	79	111.704	<=400	Pass
				DH3	71.815	1.640	2.500	79	238.535	<=400	Pass
				DH5	71.815	2.888	3.750	79	280.036	<=400	Pass
			2480	DH1	71.815	0.384	1.250	79	111.704	<=400	Pass
				DH3	71.815	1.639	2.500	79	238.389	<=400	Pass
				DH5	71.815	2.888	3.750	79	280.036	<=400	Pass
	π /4QPSK	SISO	2402	2DH1	71.813	0.394	1.250	79	114.610	<=400	Pass
				2DH3	71.813	1.646	2.500	79	239.401	<=400	Pass
				2DH5	71.813	2.894	3.750	79	280.610	<=400	Pass
			2480	2DH1	71.813	0.394	1.250	79	114.610	<=400	Pass
				2DH3	71.813	1.645	2.500	79	239.255	<=400	Pass
				2DH5	71.813	2.893	3.750	79	280.513	<=400	Pass
	8DPSK	SISO	2402	3DH1	70.919	0.386	1.249	79	110.974	<=400	Pass
				3DH3	70.919	1.631	2.500	79	234.266	<=400	Pass
				3DH5	70.919	2.888	3.750	79	276.542	<=400	Pass
			2480	3DH1	70.919	0.386	1.250	79	110.885	<=400	Pass
				3DH3	70.919	1.635	2.500	79	234.841	<=400	Pass
				3DH5	70.919	2.882	3.749	79	276.041	<=400	Pass

Right Ear

5. Dwell Time


5.1 Test Result



5.1.1 Ant1



Ant1											
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spreading Rate	T_on (ms)	Period (ms)	Hopp Number	Dwell Time (ms)		Verdict
									Result	Limit	
NTNV	GFSK	SISO	2402	DH1	69.875	0.383	1.250	79	108.404	<=400	Pass
				DH3	69.875	1.639	2.500	79	231.950	<=400	Pass
				DH5	69.875	2.887	3.750	79	272.377	<=400	Pass
			2480	DH1	69.875	0.383	1.250	79	108.404	<=400	Pass
				DH3	69.875	1.639	2.500	79	231.950	<=400	Pass
				DH5	69.875	2.887	3.750	79	272.377	<=400	Pass
	π /4DQPSK	SISO	2402	2DH1	69.698	0.393	1.250	79	110.952	<=400	Pass
				2DH3	69.698	1.645	2.500	79	232.209	<=400	Pass
				2DH5	69.698	2.892	3.750	79	272.157	<=400	Pass
			2480	2DH1	69.698	0.394	1.250	79	111.234	<=400	Pass
				2DH3	69.698	1.644	2.500	79	232.068	<=400	Pass
				2DH5	69.698	2.892	3.750	79	272.157	<=400	Pass
	8DPSK	SISO	2402	3DH1	70.942	0.387	1.250	79	111.208	<=400	Pass
				3DH3	70.942	1.631	2.500	79	234.342	<=400	Pass
				3DH5	70.942	2.882	3.750	79	276.057	<=400	Pass
			2480	3DH1	70.942	0.387	1.250	79	111.208	<=400	Pass
				3DH3	70.942	1.632	2.501	79	234.392	<=400	Pass
				3DH5	70.942	2.888	3.750	79	276.632	<=400	Pass



5.2 Test Grap(Left Ear)



5.2.1 Ant1
























8DPSK_3DH3_2480MHz_Ant1_NTNV






8DPSK_3DH5_2480MHz_Ant1_NTNV






5.2 Test Grap(Right Ear)



5.2.1 Ant1



























Left Ear

6. Spurious Emission Intensity

6.1 Test Result

6.1.1 TxSe_NTNV


NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
GFSK	SISO	2402	1	30	2387	2380	-50.13	0.010	/	/	2.5	Pass
				2387	2400	2399.987	-32.43	0.571	/	/	25	Pass
				2483.5	2496.5	2493.276	-64.54	0.000	/	/	25	Pass
				2496.5	12500	7200.5	-50.64	0.009	/	/	2.5	Pass
		2480	1	30	2387	991	-63.35	0.000	/	/	2.5	Pass
				2387	2400	2394.319	-65.09	0.000	/	/	25	Pass
				2483.5	2496.5	2495.577	-46.96	0.020	/	/	25	Pass
				2496.5	12500	2498	-48.28	0.015	/	/	2.5	Pass
π / 4DQPSK	SISO	2402	1	30	2387	2382.5	-48.47	0.014	/	/	2.5	Pass
				2387	2400	2399.948	-32.53	0.558	/	/	25	Pass
				2483.5	2496.5	2495.902	-64.35	0.000	/	/	25	Pass
				2496.5	12500	7200.5	-50.75	0.008	/	/	2.5	Pass
		2480	1	30	2387	991	-62.96	0.001	/	/	2.5	Pass
				2387	2400	2393.786	-64.89	0.000	/	/	25	Pass
				2483.5	2496.5	2496.214	-46.13	0.024	/	/	25	Pass
				2496.5	12500	2500	-48.10	0.015	/	/	2.5	Pass
8DPSK	SISO	2402	1	30	2387	110.5	-54.63	0.003	/	/	2.5	Pass
				2387	2400	2399.987	-37.82	0.165	/	/	25	Pass
				2483.5	2496.5	2485.892	-58.44	0.001	/	/	25	Pass
				2496.5	12500	3203.5	-35.81	0.262	/	/	2.5	Pass
		2480	1	30	2387	110.5	-56.04	0.002	/	/	2.5	Pass
				2387	2400	2398.492	-50.01	0.010	/	/	25	Pass
				2483.5	2496.5	2483.539	-59.06	0.001	/	/	25	Pass
				2496.5	12500	3307.5	-36.96	0.201	/	/	2.5	Pass

Right Ear
6. Spurious Emission Intensity
6.1 Test Result
6.1.1 TxSe_NTNV


NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
GFSK	SISO	2402	1	30	2387	111	-58.64	0.001	/	/	2.5	Pass
				2387	2400	2399.844	-51.13	0.008	/	/	25	Pass
				2483.5	2496.5	2495.174	-64.80	0.000	/	/	25	Pass
				2496.5	12500	9602.5	-53.69	0.004	/	/	2.5	Pass
		2480	1	30	2387	110.5	-58.06	0.002	/	/	2.5	Pass
				2387	2400	2398.05	-66.01	0.000	/	/	25	Pass
				2483.5	2496.5	2484.475	-60.39	0.001	/	/	25	Pass
				2496.5	12500	9914.5	-58.99	0.001	/	/	2.5	Pass
π /4DQPSK	SISO	2402	1	30	2387	111	-58.61	0.001	/	/	2.5	Pass
				2387	2400	2399.948	-51.25	0.007	/	/	25	Pass
				2483.5	2496.5	2490.247	-65.58	0.000	/	/	25	Pass
				2496.5	12500	9602.5	-53.85	0.004	/	/	2.5	Pass
		2480	1	30	2387	111	-58.57	0.001	/	/	2.5	Pass
				2387	2400	2399.038	-65.72	0.000	/	/	25	Pass
				2483.5	2496.5	2484.462	-60.70	0.001	/	/	25	Pass
				2496.5	12500	9915	-57.31	0.002	/	/	2.5	Pass
8DPSK	SISO	2402	1	30	2387	111	-56.01	0.003	/	/	2.5	Pass
				2387	2400	2399.987	-38.45	0.143	/	/	25	Pass
				2483.5	2496.5	2486.36	-62.07	0.001	/	/	25	Pass
				2496.5	12500	3203.5	-36.59	0.219	/	/	2.5	Pass
		2480	1	30	2387	111	-55.86	0.003	/	/	2.5	Pass
				2387	2400	2399.155	-54.54	0.004	/	/	25	Pass
				2483.5	2496.5	2483.825	-58.14	0.002	/	/	25	Pass
				2496.5	12500	3307.5	-37.03	0.198	/	/	2.5	Pass

6.2 Test Graph(Left Ear)


6.2.1 TxSe_NTNV




GFSK_DH5_2480MHz_Ant1_NTNV




GFSK_DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	991.000	-63.35	/	-26	Pass
2387	2400	1	1	2394.319	-65.09	/	-16	Pass
2483.5	2496.5	1	1	2495.577	-46.96	/	-16	Pass
2496.5	12500	1	1	2498.000	-48.28	/	-26	Pass




π /4DQPSK_2DH5_2480MHz_Ant1_NTNV




π /4DQPSK_2DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	991.000	-62.96	/	-26	Pass
2387	2400	1	1	2393.786	-64.89	/	-16	Pass
2483.5	2496.5	1	1	2496.214	-46.13	/	-16	Pass
2496.5	12500	1	1	2500.000	-48.10	/	-26	Pass






6.2 Test Graph(Right Ear)


6.2.1 TxSe_NTNV



GFSK_DH5_2480MHz_Ant1_NTNV




GFSK_DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	110.500	-58.06	/	-26	Pass
2387	2400	1	1	2398.050	-66.01	/	-16	Pass
2483.5	2496.5	1	1	2484.475	-60.39	/	-16	Pass
2496.5	12500	1	1	9914.500	-58.99	/	-26	Pass


π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	111.000	-58.61	/	-26	Pass
2387	2400	1	1	2399.948	-51.25	/	-16	Pass
2483.5	2496.5	1	1	2490.247	-65.58	/	-16	Pass
2496.5	12500	1	1	9602.500	-53.85	/	-26	Pass



8DPSK_3DH5_2402MHz_Ant1_NTNV




8DPSK_3DH5_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	111.000	-56.01	/	-26	Pass
2387	2400	1	1	2399.987	-38.45	/	-16	Pass
2483.5	2496.5	1	1	2486.360	-62.07	/	-16	Pass
2496.5	12500	1	1	3203.500	-36.59	/	-26	Pass

8DPSK_3DH5_2480MHz_Ant1_NTNV



8DPSK_3DH5_2480MHz_Ant1_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	111.000	-55.86	/	-26	Pass
2387	2400	1	1	2399.155	-54.54	/	-16	Pass
2483.5	2496.5	1	1	2483.825	-58.14	/	-16	Pass
2496.5	12500	1	1	3307.500	-37.03	/	-26	Pass

Left Ear

7. Secondary Radiated Emission

7.1 Test Result

7.1.1 RxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
GFSK	SISO	2402	1	30	1000	770	-68.85	0.130	/	/	4	Pass
				1000	12500	2440.5	-51.87	6.501	-76.77	0.021	20	Pass
		2480	1	30	1000	3419.5	-48.39	14.488	-76.63	0.022	20	Pass
				1000	12500	550	-68.50	0.141	/	/	4	Pass
π /4DQPSK	SISO	2402	1	30	1000	3145	-63.00	0.501	/	/	20	Pass
				1000	12500	550	-68.95	0.127	/	/	4	Pass
		2480	1	30	1000	2438.5	-62.96	0.506	/	/	20	Pass
				1000	12500	550	-69.03	0.125	/	/	4	Pass
8DPSK	SISO	2402	1	30	1000	12140.5	-63.62	0.435	/	/	20	Pass
				1000	12500	550	-69.11	0.123	/	/	4	Pass
		2480	1	30	1000	2601	-57.73	1.687	/	/	20	Pass
				1000	12500	550	-69.35	0.116	/	/	4	Pass
				1000	12500	2436	-56.78	2.099	/	/	20	Pass

Right Ear

7. Secondary Radiated Emission


7.1 Test Result



7.1.1 RxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
GFSK	SISO	2402	1	30	1000	550	-67.75	0.168	/	/	4	Pass
				1000	12500	11624.5	-63.77	0.420	/	/	20	Pass
		2480	1	30	1000	550	-67.68	0.171	/	/	4	Pass
				1000	12500	2435	-56.24	2.377	/	/	20	Pass
π /4DQPSK	SISO	2402	1	30	1000	550	-67.74	0.168	/	/	4	Pass
				1000	12500	2435	-53.25	4.732	/	/	20	Pass
		2480	1	30	1000	990	-68.28	0.149	/	/	4	Pass
				1000	12500	2426.5	-58.61	1.377	/	/	20	Pass
8DPSK	SISO	2402	1	30	1000	550	-69.50	0.112	/	/	4	Pass
				1000	12500	2416	-61.80	0.661	/	/	20	Pass
		2480	1	30	1000	550	-69.26	0.119	/	/	4	Pass
				1000	12500	2435.5	-55.77	2.649	/	/	20	Pass


7.2 Test Graph(Left Ear)

7.2.1 RxSe_NTNV






GFSK_DH5_2480MHz_Ant1_NTNV




GFSK_DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-68.50	/	-54	Pass
1000	12500	1	1	3145.000	-63.00	/	-47	Pass


π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-68.95	/	-54	Pass
1000	12500	1	1	2438.500	-62.96	/	-47	Pass



8DPSK_3DH5_2402MHz_Ant1_NTNV




8DPSK_3DH5_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-69.11	/	-54	Pass
1000	12500	1	1	2601.000	-57.73	/	-47	Pass

8DPSK_3DH5_2480MHz_Ant1_NTNV




8DPSK_3DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-69.35	/	-54	Pass
1000	12500	1	1	2436.000	-56.78	/	-47	Pass

7.2 Test Graph(Right Ear)


7.2.1 RxSe_NTNV



GFSK_DH5_2480MHz_Ant1_NTNV




GFSK_DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-67.68	/	-54	Pass
1000	12500	1	1	2435.000	-56.24	/	-47	Pass

π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




π /4DQPSK_2DH5_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-67.74	/	-54	Pass
1000	12500	1	1	2435.000	-53.25	/	-47	Pass

π /4DQPSK_2DH5_2480MHz_Ant1_NTNV




π /4DQPSK_2DH5_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	990.000	-68.28	/	-54	Pass
1000	12500	1	1	2426.500	-58.61	/	-47	Pass


8DPSK_3DH5_2402MHz_Ant1_NTNV



8DPSK_3DH5_2402MHz_Ant1_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	550.000	-69.50	/	-54	Pass
1000	12500	1	1	2416.000	-61.80	/	-47	Pass



----- End of Report -----