





Project No.: TM-2604000061P
Report No.: TMWK2604001574KR

Ref. No: TMWK2601000340KR

Page 32 / 144
Rev. 00




W53 802.11a 20MHz Chain0 5260MHz




W53 802.11a 20MHz Chain0 5300MHz




W53 802.11a 20MHz Chain0 5320MHz







W53 802.11a 20MHz Chain1 5260MHz















W53 802.11a 20MHz Chain1 5300MHz





W53 802.11a 20MHz Chain1 5320MHz






























W56 802.11n 20MHz Chain2 5500MHz




W56 802.11n 20MHz Chain2 5600MHz




W56 802.11n 20MHz Chain2 5720MHz








W56 802.11n 20MHz Chain3 5500MHz




W56 802.11n 20MHz Chain3 5600MHz




W56 802.11n 20MHz Chain3 5720MHz





W52 802.11ax 20MHz Chain2 5180MHz




W52 802.11ax 20MHz Chain2 5220MHz




W52 802.11ax 20MHz Chain2 5240MHz



W52 802.11ax 20MHz Chain3 5180MHz




W52 802.11ax 20MHz Chain3 5220MHz



W52 802.11ax 20MHz Chain3 5240MHz




W53 802.11ax 20MHz Chain0 5260MHz



W53 802.11ax 20MHz Chain0 5300MHz



W53 802.11ax 20MHz Chain0 5320MHz



W53 802.11ax 20MHz Chain1 5260MHz




W53 802.11ax 20MHz Chain1 5300MHz



W53 802.11ax 20MHz Chain1 5320MHz




W53 802.11ax 20MHz Chain2 5260MHz




W53 802.11ax 20MHz Chain2 5300MHz




W53 802.11ax 20MHz Chain2 5320MHz








W53 802.11ax 20MHz Chain3 5260MHz








W53 802.11ax 20MHz Chain3 5300MHz



W53 802.11ax 20MHz Chain3 5320MHz





6.2 OUT-BAND LEAKAGE POWER & UNWANTED EMISSION STRENGTH

Temperature: 25.5~26.1°C

Test date: April 09 ~ 10, 2026

Humidity: 57~58% RH

Tested by: Marco Chan

TEST RESULT

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 0)	μW/MHz	0.0527	0.0897	0.1000	≤ 0.630	PASS
	MHz	3603.30	3801.50	3795.20	---	---
5142 ~ 5150MHz(Chain 0)	μW/MHz	0.0617	0.0598	0.0606	≤ 3.750	PASS
	MHz	5146.43	5142.75	5142.87	---	---
5250 ~ 5251MHz(Chain 0)	μW/MHz	0.0859	0.0717	1.5066	≤ 25 ~ 250	PASS
	MHz	5251.00	5251.00	5250.90	---	---
	Limit	25.17	25.17	31.47	---	---
5251 ~ 5260MHz(Chain 0)	μW/MHz	0.0678	0.0638	1.6634	≤ 3.96 ~ 25	PASS
	MHz	5259.17	5259.54	5251.02	---	---
	Limit	4.70	4.35	24.91	---	---
5260 ~ 5266.7MHz(Chain 0)	μW/MHz	0.0582	0.0575	0.0636	≤ 0.62 ~ 3.96	PASS
	MHz	5266.12	5266.54	5266.51	---	---
	Limit	0.73	0.65	0.66	---	---
5266.7 ~ 26000MHz(Chain 0)	μW/MHz	0.2096	0.2108	0.2117	≤ 0.630	PASS
	MHz	25879.00	25814.00	25656.00	---	---

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 1)	μW/MHz	0.0724	0.0975	0.0789	≤ 0.630	PASS
	MHz	3794.60	4082.50	3803.60	---	---
5142 ~ 5150MHz(Chain 1)	μW/MHz	0.0585	0.0611	0.0593	≤ 3.750	PASS
	MHz	5146.15	5147.76	5147.65	---	---
5250 ~ 5251MHz(Chain 1)	μW/MHz	0.0839	0.0907	1.6144	≤ 25 ~ 250	PASS
	MHz	5250.93	5250.97	5250.69	---	---
	Limit	29.58	26.60	50.58	---	---
5251 ~ 5260MHz(Chain 1)	μW/MHz	0.0744	0.0639	0.5333	≤ 3.96 ~ 25	PASS
	MHz	5259.52	5259.72	5251.08	---	---
	Limit	4.37	4.20	24.61	---	---
5260 ~ 5266.7MHz(Chain 1)	μW/MHz	0.0532	0.0542	0.0637	≤ 0.62 ~ 3.96	PASS
	MHz	5266.56	5266.55	5266.67	---	---
	Limit	0.65	0.65	0.63	---	---
5266.7 ~ 26000MHz(Chain 1)	μW/MHz	0.2099	0.2122	0.2058	≤ 0.630	PASS
	MHz	25750.00	24324.98	25947.00	---	---

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 2)	μW/MHz	0.0740	0.0753	0.0802	≤ 0.630	PASS
	MHz	4097.30	4058.40	4948.10	---	---
5142 ~ 5150MHz(Chain 2)	μW/MHz	0.0529	0.0518	0.0542	≤ 3.750	PASS
	MHz	5148.50	5146.02	5147.26	---	---
5250 ~ 5251MHz(Chain 2)	μW/MHz	0.0688	0.0900	0.8072	≤ 25 ~ 250	PASS
	MHz	5250.99	5250.97	5250.97	---	---
	Limit	25.46	26.85	26.97	---	---
5251 ~ 5260MHz(Chain 2)	μW/MHz	0.0626	0.0702	0.5546	≤ 3.96 ~ 25	PASS
	MHz	5259.41	5259.55	5251.19	---	---
	Limit	4.47	4.34	24.04	---	---
5260 ~ 5266.7MHz(Chain 2)	μW/MHz	0.0687	0.0638	0.0591	≤ 0.62 ~ 3.96	PASS
	MHz	5265.97	5266.14	5266.47	---	---
	Limit	0.76	0.73	0.66	---	---
5266.7 ~ 26000MHz(Chain 2)	μW/MHz	0.2253	0.2013	0.2089	≤ 0.630	PASS
	MHz	25935.00	25703.00	25926.00	---	---

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 3)	μW/MHz	0.0764	0.0855	0.0736	≤ 0.630	PASS
	MHz	3816.50	4036.50	4044.40	---	---
5142 ~ 5150MHz(Chain 3)	μW/MHz	0.0572	0.0643	0.0550	≤ 3.750	PASS
	MHz	5146.18	5148.10	5145.17	---	---
5250 ~ 5251MHz(Chain 3)	μW/MHz	0.0752	0.0698	0.9397	≤ 25 ~ 250	PASS
	MHz	5250.98	5250.98	5250.97	---	---
	Limit	25.94	26.06	27.04	---	---
5251 ~ 5260MHz(Chain 3)	μW/MHz	0.0610	0.0585	0.9419	≤ 3.96 ~ 25	PASS
	MHz	5259.71	5259.68	5251.02	---	---
	Limit	4.20	4.23	24.89	---	---
5260 ~ 5266.7MHz(Chain 3)	μW/MHz	0.0567	0.0551	0.0614	≤ 0.62 ~ 3.96	PASS
	MHz	5266.62	5266.65	5266.37	---	---
	Limit	0.64	0.63	0.68	---	---
5266.7 ~ 26000MHz(Chain 3)	μW/MHz	0.2205	0.2369	0.2043	≤ 0.630	PASS
	MHz	23834.97	25709.00	25758.00	---	---

Unwanted Emission Strength (Total)						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz	μW/MHz	0.2755	0.3481	0.3327	≤ 2.500	PASS
	MHz	3816.50	4082.50	3795.20	---	---
5142 ~ 5150MHz	μW/MHz	0.2303	0.2371	0.2291	≤ 15.000	PASS
	MHz	5146.43	5148.10	5142.87	---	---
5250 ~ 5251MHz	μW/MHz	0.3137	0.3222	4.8679	≤ 100 ~ 1000	PASS
	MHz	5251.00	5250.97	5250.69	---	---
	Limit	100.69	106.41	202.30	---	---
5251 ~ 5260MHz	μW/MHz	0.2658	0.2564	3.6933	≤ 15.85 ~ 100	PASS
	MHz	5259.52	5259.55	5251.02	---	---
	Limit	17.49	17.38	99.65	---	---
5260 ~ 5266.7MHz	μW/MHz	0.2368	0.2305	0.2478	≤ 2.49 ~ 15.85	PASS
	MHz	5265.97	5266.14	5266.67	---	---
	Limit	3.05	2.91	2.51	---	---
5266.7 ~ 26000MHz	μW/MHz	0.8652	0.8612	0.8307	≤ 2.500	PASS
	MHz	25935.00	25709.00	25656.00	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 0)	μW/MHz	0.0782	0.0923	0.0796	≤ 0.630	PASS
	MHz	3810.20	5009.50	3791.60	---	---
5233.3 ~ 5240MHz(Chain 0)	μW/MHz	0.0975	0.0738	0.0530	≤ 0.62 ~ 3.96	PASS
	MHz	5233.36	5233.60	5233.37	---	---
	Limit	0.63	0.68	0.63	---	---
5240 ~ 5249MHz(Chain 0)	μW/MHz	0.7834	0.0849	0.0580	≤ 3.96 ~ 25	PASS
	MHz	5248.98	5241.01	5240.38	---	---
	Limit	24.89	4.87	4.28	---	---
5249 ~ 5250MHz(Chain 0)	μW/MHz	0.4966	0.0714	0.0802	≤ 25 ~ 250	PASS
	MHz	5249.05	5249.05	5249.06	---	---
	Limit	27.86	28.12	28.57	---	---
5350 ~ 26000MHz(Chain 0)	μW/MHz	0.2324	0.2801	0.3347	≤ 0.630	PASS
	MHz	25857.00	25645.00	25982.00	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 1)	μW/MHz	0.0798	0.0836	0.0771	≤ 0.630	PASS
	MHz	3809.40	4085.20	3845.50	---	---
5233.3 ~ 5240MHz(Chain 1)	μW/MHz	0.0761	0.0850	0.0747	≤ 0.62 ~ 3.96	PASS
	MHz	5233.31	5235.36	5233.50	---	---
	Limit	0.62	1.10	0.66	---	---
5240 ~ 5249MHz(Chain 1)	μW/MHz	0.5534	0.0752	0.0649	≤ 3.96 ~ 25	PASS
	MHz	5248.98	5241.19	5240.31	---	---
	Limit	24.88	5.05	4.22	---	---
5249 ~ 5250MHz(Chain 1)	μW/MHz	1.2972	0.0681	0.0703	≤ 25 ~ 250	PASS
	MHz	5249.16	5249.00	5249.01	---	---
	Limit	36.22	25.00	25.82	---	---
5350 ~ 26000MHz(Chain 1)	μW/MHz	0.2315	0.2332	0.2276	≤ 0.630	PASS
	MHz	25746.00	25887.00	25787.00	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 2)	μW/MHz	0.0867	0.0811	0.0726	≤ 0.630	PASS
	MHz	3799.70	3785.40	4059.70	---	---
5233.3 ~ 5240MHz(Chain 2)	μW/MHz	0.0776	0.0691	0.0550	≤ 0.62 ~ 3.96	PASS
	MHz	5233.34	5233.46	5233.35	---	---
	Limit	0.63	0.65	0.63	---	---
5240 ~ 5249MHz(Chain 2)	μW/MHz	1.0965	0.0743	0.0654	≤ 3.96 ~ 25	PASS
	MHz	5248.90	5241.48	5240.11	---	---
	Limit	24.49	5.36	4.05	---	---
5249 ~ 5250MHz(Chain 2)	μW/MHz	1.4093	0.0814	0.0722	≤ 25 ~ 250	PASS
	MHz	5249.00	5249.06	5249.02	---	---
	Limit	25.00	28.90	26.30	---	---
5350 ~ 26000MHz(Chain 2)	μW/MHz	0.2572	0.2085	0.2467	≤ 0.630	PASS
	MHz	25781.00	23945.00	24525.00	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 3)	μW/MHz	0.0646	0.0678	0.0687	≤ 0.630	PASS
	MHz	3762.40	4072.80	3788.80	---	---
5233.3 ~ 5240MHz(Chain 3)	μW/MHz	0.0735	0.0629	0.0582	≤ 0.62 ~ 3.96	PASS
	MHz	5233.31	5233.35	5233.81	---	---
	Limit	0.62	0.63	0.72	---	---
5240 ~ 5249MHz(Chain 3)	μW/MHz	0.5794	0.0704	0.0678	≤ 3.96 ~ 25	PASS
	MHz	5248.98	5240.22	5240.75	---	---
	Limit	24.88	4.14	4.62	---	---
5249 ~ 5250MHz(Chain 3)	μW/MHz	0.4102	0.0794	0.0709	≤ 25 ~ 250	PASS
	MHz	5249.01	5249.08	5249.01	---	---
	Limit	25.52	29.78	25.29	---	---
5350 ~ 26000MHz(Chain 3)	μW/MHz	0.2193	0.2331	0.2285	≤ 0.630	PASS
	MHz	25601.00	25697.00	25841.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	0.0834	0.0728	0.0728	≤ 0.625	PASS
	MHz	4039.00	3774.00	3782.00	---	---
5460 ~ 5470MHz(Chain 0)	μW/MHz	0.1001	0.0692	0.0859	≤ 3.125	PASS
	MHz	5469.04	5466.98	5465.83	---	---
5745 ~ 5765MHz(Chain 0)	μW/MHz	0.0627	0.0811	0.2215	≤ 3.125	PASS
	MHz	5756.31	5754.06	5747.41	---	---
5765 ~ 26000MHz(Chain 0)	μW/MHz	0.2256	0.2249	0.2294	≤ 0.625	PASS
	MHz	25779.00	24010.00	23973.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	0.0841	0.0923	0.0843	≤ 0.625	PASS
	MHz	3800.00	3799.00	3787.00	---	---
5460 ~ 5470MHz(Chain 1)	μW/MHz	0.1328	0.0740	0.0715	≤ 3.125	PASS
	MHz	5469.94	5469.21	5466.35	---	---
5745 ~ 5765MHz(Chain 1)	μW/MHz	0.0666	0.0749	0.3311	≤ 3.125	PASS
	MHz	5754.04	5751.35	5746.92	---	---
5765 ~ 26000MHz(Chain 1)	μW/MHz	0.2385	0.2224	0.1950	≤ 0.625	PASS
	MHz	25874.00	25347.00	22828.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 2)	μW/MHz	0.0966	0.0891	0.0847	≤ 0.625	PASS
	MHz	3800.00	3809.00	4058.00	---	---
5460 ~ 5470MHz(Chain 2)	μW/MHz	0.1213	0.0697	0.0896	≤ 3.125	PASS
	MHz	5467.59	5467.99	5463.14	---	---
5745 ~ 5765MHz(Chain 2)	μW/MHz	0.0613	0.0783	0.3243	≤ 3.125	PASS
	MHz	5749.50	5760.56	5747.91	---	---
5765 ~ 26000MHz(Chain 2)	μW/MHz	0.2110	0.2281	0.2305	≤ 0.625	PASS
	MHz	22761.00	25837.00	25918.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 3)	μW/MHz	0.0838	0.0851	0.0895	≤ 0.625	PASS
	MHz	5275.00	3809.00	4087.00	---	---
5460 ~ 5470MHz(Chain 3)	μW/MHz	0.1256	0.0611	0.0845	≤ 3.125	PASS
	MHz	5469.64	5466.66	5460.36	---	---
5745 ~ 5765MHz(Chain 3)	μW/MHz	0.0618	0.0649	0.2563	≤ 3.125	PASS
	MHz	5752.73	5748.19	5745.20	---	---
5765 ~ 26000MHz(Chain 3)	μW/MHz	0.2318	0.2824	0.2419	≤ 0.625	PASS
	MHz	25820.00	25666.00	25773.00	---	---

Unwanted Emission Strength (Total)						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz	μW/MHz	0.3479	0.3393	0.3314	≤ 2.500	PASS
	MHz	3800.00	3799.00	4087.00	---	---
5460 ~ 5470MHz	μW/MHz	0.4798	0.2739	0.3315	≤ 12.500	PASS
	MHz	5469.94	5469.21	5463.14	---	---
5745 ~ 5765MHz	μW/MHz	0.2523	0.2992	1.1332	≤ 12.500	PASS
	MHz	5754.04	5754.06	5746.92	---	---
5765 ~ 26000MHz	μW/MHz	0.9068	0.9577	0.8968	≤ 2.500	PASS
	MHz	25874.00	25666.00	25773.00	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 0)	μW/MHz	0.0984	0.0658	0.0719	≤ 0.630	PASS
	MHz	3790.00	3781.70	4049.60	---	---
5142 ~ 5150MHz(Chain 0)	μW/MHz	0.0602	0.0618	0.0669	≤ 3.750	PASS
	MHz	5143.52	5147.71	5142.49	---	---
5250 ~ 5250.2MHz(Chain 0)	μW/MHz	0.0731	0.0815	150.6607	≤ 157.74 ~ 538.61	PASS
	MHz	5250.19	5250.19	5250.19	---	---
	Limit	167.21	169.80	166.70	---	---
5250.2 ~ 5251MHz(Chain 0)	μW/MHz	0.0733	0.0791	26.2422	≤ 25 ~ 157.74	PASS
	MHz	5250.99	5251.00	5250.53	---	---
	Limit	25.88	25.29	74.63	---	---
5251 ~ 5260MHz(Chain 0)	μW/MHz	0.0600	0.0578	1.9770	≤ 3.96 ~ 25	PASS
	MHz	5259.55	5259.93	5251.06	---	---
	Limit	4.34	4.02	24.71	---	---
5260 ~ 5266.7MHz(Chain 0)	μW/MHz	0.0608	0.0731	0.0981	≤ 0.62 ~ 3.96	PASS
	MHz	5266.00	5266.48	5265.70	---	---
5266.7 ~ 26000MHz(Chain 0)	μW/MHz	0.2218	0.2339	0.2218	≤ 0.630	PASS
	MHz	25978.00	25534.99	25952.00	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 1)	μW/MHz	0.0731	0.0940	0.0780	≤ 0.630	PASS
	MHz	4078.40	3806.80	3803.50	---	---
5142 ~ 5150MHz(Chain 1)	μW/MHz	0.0625	0.0649	0.0579	≤ 3.750	PASS
	MHz	5149.17	5145.51	5146.59	---	---
5250 ~ 5250.2MHz(Chain 1)	μW/MHz	0.0801	0.0796	181.9701	≤ 157.74 ~ 538.61	PASS
	MHz	5250.19	5250.19	5250.17	---	---
	Limit	163.16	163.66	194.96	---	---
5250.2 ~ 5251MHz(Chain 1)	μW/MHz	0.1104	0.0944	2.7040	≤ 25 ~ 157.74	PASS
	MHz	5250.94	5250.91	5250.95	---	---
	Limit	29.04	30.83	27.92	---	---
5251 ~ 5260MHz(Chain 1)	μW/MHz	0.0633	0.0775	2.5235	≤ 3.96 ~ 25	PASS
	MHz	5259.61	5258.97	5251.01	---	---
	Limit	4.29	4.89	24.94	---	---
5260 ~ 5266.7MHz(Chain 1)	μW/MHz	0.0627	0.0650	0.1026	≤ 0.62 ~ 3.96	PASS
	MHz	5266.58	5265.83	5266.49	---	---
5266.7 ~ 26000MHz(Chain 1)	μW/MHz	0.2028	0.2698	0.2495	≤ 0.630	PASS
	MHz	23760.97	25767.00	25833.00	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 2)	μW/MHz	0.0847	0.0705	0.0713	≤ 0.630	PASS
	MHz	3822.90	4023.20	4043.80	---	---
5142 ~ 5150MHz(Chain 2)	μW/MHz	0.0618	0.0684	0.0555	≤ 3.750	PASS
	MHz	5145.43	5143.13	5148.92	---	---
5250 ~ 5250.2MHz(Chain 2)	μW/MHz	0.0823	0.0791	157.0363	≤ 157.74 ~ 538.61	PASS
	MHz	5250.20	5250.19	5250.17	---	---
	Limit	162.16	171.37	186.18	---	---
5250.2 ~ 5251MHz(Chain 2)	μW/MHz	0.0704	0.1205	26.4850	≤ 25 ~ 157.74	PASS
	MHz	5250.97	5250.91	5250.52	---	---
	Limit	26.85	30.76	75.15	---	---
5251 ~ 5260MHz(Chain 2)	μW/MHz	0.0644	0.0673	1.3122	≤ 3.96 ~ 25	PASS
	MHz	5259.72	5259.82	5251.13	---	---
	Limit	4.20	4.11	24.32	---	---
5260 ~ 5266.7MHz(Chain 2)	μW/MHz	0.0697	0.0498	0.0819	≤ 0.62 ~ 3.96	PASS
	MHz	5266.40	5266.61	5265.99	---	---
5266.7 ~ 26000MHz(Chain 2)	μW/MHz	0.2143	0.2312	0.2344	≤ 0.630	PASS
	MHz	24520.98	25778.00	25505.99	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 3)	μW/MHz	0.0845	0.0863	0.0826	≤ 0.630	PASS
	MHz	3814.40	3779.90	3601.80	---	---
5142 ~ 5150MHz(Chain 3)	μW/MHz	0.0576	0.0486	0.0511	≤ 3.750	PASS
	MHz	5146.69	5149.49	5146.85	---	---
5250 ~ 5250.2MHz(Chain 3)	μW/MHz	0.0730	0.0930	154.5254	≤ 157.74 ~ 538.61	PASS
	MHz	5250.19	5250.17	5250.18	---	---
	Limit	165.17	184.48	179.45	---	---
5250.2 ~ 5251MHz(Chain 3)	μW/MHz	0.0454	0.0808	66.5273	≤ 25 ~ 157.74	PASS
	MHz	5250.98	5250.98	5250.36	---	---
	Limit	26.24	26.30	109.38	---	---
5251 ~ 5260MHz(Chain 3)	μW/MHz	0.0670	0.0754	2.3714	≤ 3.96 ~ 25	PASS
	MHz	5259.73	5259.29	5251.00	---	---
	Limit	4.19	4.58	25.00	---	---
5260 ~ 5266.7MHz(Chain 3)	μW/MHz	0.0688	0.0682	0.0945	≤ 0.62 ~ 3.96	PASS
	MHz	5266.10	5266.08	5266.66	---	---
5266.7 ~ 26000MHz(Chain 3)	μW/MHz	0.2198	0.2449	0.2223	≤ 0.630	PASS
	MHz	25454.99	25860.00	25819.00	---	---

Unwanted Emission Strength (Total)						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz	μW/MHz	0.3408	0.3165	0.3038	≤ 2.500	PASS
	MHz	3790.00	3806.80	3601.80	---	---
5142 ~ 5150MHz	μW/MHz	0.2422	0.2436	0.2315	≤ 15.000	PASS
	MHz	5149.17	5143.13	5142.49	---	---
5250 ~ 5250.2MHz	μW/MHz	0.3084	0.3331	644.1925	≤ 630.96 ~ 2154.43	PASS
	MHz	5250.20	5250.17	5250.17	---	---
	Limit	648.63	737.90	779.83	---	---
5250.2 ~ 5251MHz	μW/MHz	0.2995	0.3747	121.9585	≤ 100 ~ 630.96	PASS
	MHz	5250.94	5250.91	5250.36	---	---
	Limit	116.14	123.03	437.52	---	---
5251 ~ 5260MHz	μW/MHz	0.2548	0.2779	8.1840	≤ 15.85 ~ 100	PASS
	MHz	5259.73	5258.97	5251.01	---	---
	Limit	16.75	19.57	99.77	---	---
5260 ~ 5266.7MHz	μW/MHz	0.2620	0.2562	0.3771	≤ 2.49 ~ 15.85	PASS
	MHz	5266.40	5266.48	5266.49	---	---
5266.7 ~ 26000MHz	μW/MHz	0.8587	0.9798	0.9280	≤ 2.500	PASS
	MHz	25978.00	25860.00	25952.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 0)	μW/MHz	0.0718	0.0649	0.0855	≤ 0.630	PASS
	MHz	3810.00	3881.40	3799.80	---	---
5233.3 ~ 5240MHz(Chain 0)	μW/MHz	0.0829	0.0727	0.0886	≤ 0.62 ~ 3.96	PASS
	MHz	5233.66	5233.59	5234.01	---	---
	Limit	0.69	0.67	0.76	---	---
5240 ~ 5249MHz(Chain 0)	μW/MHz	0.8318	0.0632	0.0667	≤ 3.96 ~ 25	PASS
	MHz	5248.95	5240.75	5240.27	---	---
	Limit	24.74	4.62	4.19	---	---
5249 ~ 5249.8MHz(Chain 0)	μW/MHz	100.4616	0.0778	0.0808	≤ 25 ~ 157.74	PASS
	MHz	5249.75	5249.00	5249.06	---	---
	Limit	141.56	25.17	28.38	---	---
5249.8 ~ 5250MHz(Chain 0)	μW/MHz	82.4138	0.0902	0.0787	≤ 157.74 ~ 538.61	PASS
	MHz	5249.83	5249.83	5249.81	---	---
5350 ~ 26000MHz(Chain 0)	μW/MHz	0.2436	0.2368	0.2337	≤ 0.630	PASS
	MHz	25938.00	25740.00	24520.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 1)	μW/MHz	0.0822	0.0746	0.0753	≤ 0.630	PASS
	MHz	5223.20	3835.30	3830.50	---	---
5233.3 ~ 5240MHz(Chain 1)	μW/MHz	0.1597	0.0731	0.0671	≤ 0.62 ~ 3.96	PASS
	MHz	5234.57	5233.69	5233.35	---	---
	Limit	0.88	0.69	0.63	---	---
5240 ~ 5249MHz(Chain 1)	μW/MHz	2.1135	0.0643	0.0646	≤ 3.96 ~ 25	PASS
	MHz	5248.97	5240.24	5240.23	---	---
	Limit	24.86	4.16	4.15	---	---
5249 ~ 5249.8MHz(Chain 1)	μW/MHz	146.2177	0.0673	0.0719	≤ 25 ~ 157.74	PASS
	MHz	5249.84	5249.14	5249.02	---	---
	Limit	172.96	34.19	26.12	---	---
5249.8 ~ 5250MHz(Chain 1)	μW/MHz	92.4698	0.0789	0.0742	≤ 157.74 ~ 538.61	PASS
	MHz	5249.83	5249.81	5249.81	---	---
5350 ~ 26000MHz(Chain 1)	μW/MHz	0.2409	0.2325	0.3028	≤ 0.630	PASS
	MHz	25805.00	25762.00	25750.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 2)	μW/MHz	0.0745	0.0820	0.0791	≤ 0.630	PASS
	MHz	3850.90	4085.10	4075.00	---	---
5233.3 ~ 5240MHz(Chain 2)	μW/MHz	0.1040	0.0783	0.0614	≤ 0.62 ~ 3.96	PASS
	MHz	5234.27	5233.89	5233.33	---	---
	Limit	0.81	0.73	0.63	---	---
5240 ~ 5249MHz(Chain 2)	μW/MHz	1.8323	0.0912	0.0729	≤ 3.96 ~ 25	PASS
	MHz	5248.95	5240.78	5240.22	---	---
	Limit	24.74	4.65	4.14	---	---
5249 ~ 5249.8MHz(Chain 2)	μW/MHz	42.0727	0.0951	0.0695	≤ 25 ~ 157.74	PASS
	MHz	5249.70	5249.12	5249.00	---	---
	Limit	125.59	33.03	25.23	---	---
5249.8 ~ 5250MHz(Chain 2)	μW/MHz	125.3141	0.0788	0.0726	≤ 157.74 ~ 538.61	PASS
	MHz	5249.81	5249.81	5249.80	---	---
5350 ~ 26000MHz(Chain 2)	μW/MHz	0.2666	0.2276	0.2669	≤ 0.630	PASS
	MHz	25877.00	23754.00	25745.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 3)	μW/MHz	0.0817	0.0692	0.0820	≤ 0.630	PASS
	MHz	3768.30	3769.70	4070.70	---	---
5233.3 ~ 5240MHz(Chain 3)	μW/MHz	0.1098	0.0745	0.0836	≤ 0.62 ~ 3.96	PASS
	MHz	5233.40	5233.43	5234.41	---	---
	Limit	0.64	0.64	0.85	---	---
5240 ~ 5249MHz(Chain 3)	μW/MHz	0.7998	0.0599	0.0537	≤ 3.96 ~ 25	PASS
	MHz	5248.98	5240.46	5240.06	---	---
	Limit	24.89	4.35	4.01	---	---
5249 ~ 5249.8MHz(Chain 3)	μW/MHz	127.6439	0.0882	0.0837	≤ 25 ~ 157.74	PASS
	MHz	5249.97	5249.07	5249.04	---	---
	Limit	235.47	29.30	27.60	---	---
5249.8 ~ 5250MHz(Chain 3)	μW/MHz	64.4169	0.0739	0.0882	≤ 157.74 ~ 538.61	PASS
	MHz	5249.82	5249.81	5249.83	---	---
5350 ~ 26000MHz(Chain 3)	μW/MHz	0.2173	0.2376	0.2579	≤ 0.630	PASS
	MHz	23561.00	25738.00	23672.00	---	---

Unwanted Emission Strength (Total)						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz	μW/MHz	0.3101	0.2907	0.3220	≤ 2.500	PASS
	MHz	5223.20	4085.10	3799.80	---	---
5233.3 ~ 5240MHz	μW/MHz	0.4563	0.2986	0.3007	≤ 2.49 ~ 15.85	PASS
	MHz	5234.57	5233.89	5234.01	---	---
	Limit	3.54	2.93	3.03	---	---
5240 ~ 5249MHz	μW/MHz	5.5774	0.2786	0.2579	≤ 15.85 ~ 100	PASS
	MHz	5248.97	5240.78	5240.22	---	---
	Limit	99.43	18.59	16.58	---	---
5249 ~ 5249.8MHz	μW/MHz	416.3958	0.3284	0.3059	≤ 100 ~ 630.96	PASS
	MHz	5249.84	5249.12	5249.04	---	---
	Limit	691.83	132.13	110.41	---	---
5249.8 ~ 5250MHz	μW/MHz	364.6147	0.3218	0.3137	≤ 630.96 ~ 2154.43	PASS
	MHz	5249.81	5249.83	5249.83	---	---
5350 ~ 26000MHz	μW/MHz	0.9684	0.9344	1.0612	≤ 2.500	PASS
	MHz	25938.00	25762.00	25750.00	---	---

Unwanted Emission Strength						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	0.0849	0.0745	0.0769	≤ 0.625	PASS
	MHz	3768.00	4919.00	5259.00	---	---
5460 ~ 5470MHz(Chain 0)	μW/MHz	0.1487	0.0680	0.0607	≤ 3.125	PASS
	MHz	5468.67	5467.32	5466.18	---	---
5745 ~ 5765MHz(Chain 0)	μW/MHz	0.0607	0.0688	0.5129	≤ 3.125	PASS
	MHz	5757.85	5754.16	5747.23	---	---
5765 ~ 26000MHz(Chain 0)	μW/MHz	0.2535	0.2495	0.2552	≤ 0.625	PASS
	MHz	25706.00	25868.00	24272.00	---	---

Unwanted Emission Strength						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	0.0914	0.0971	0.0853	≤ 0.625	PASS
	MHz	3825.00	5219.00	3765.00	---	---
5460 ~ 5470MHz(Chain 1)	μW/MHz	0.2631	0.0703	0.0745	≤ 3.125	PASS
	MHz	5468.42	5462.41	5468.33	---	---
5745 ~ 5765MHz(Chain 1)	μW/MHz	0.0609	0.0718	1.0156	≤ 3.125	PASS
	MHz	5759.52	5759.65	5746.99	---	---
5765 ~ 26000MHz(Chain 1)	μW/MHz	0.2207	0.2244	0.2419	≤ 0.625	PASS
	MHz	25989.00	25650.00	25745.00	---	---

Unwanted Emission Strength						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 2)	μW/MHz	0.0920	0.0819	0.0951	≤ 0.625	PASS
	MHz	3822.00	5237.00	3613.00	---	---
5460 ~ 5470MHz(Chain 2)	μW/MHz	0.1743	0.0715	0.0731	≤ 3.125	PASS
	MHz	5469.84	5467.01	5469.93	---	---
5745 ~ 5765MHz(Chain 2)	μW/MHz	0.0739	0.0822	0.6353	≤ 3.125	PASS
	MHz	5760.16	5752.49	5745.27	---	---
5765 ~ 26000MHz(Chain 2)	μW/MHz	0.2233	0.2681	0.2569	≤ 0.625	PASS
	MHz	25835.00	25779.00	25890.00	---	---