



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:06:04

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2545.000	-48.96	4.48	-44.48	-30.00	-14.48	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:06:23

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2615.000	-50.46	4.50	-45.96	-30.00	-15.96	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:06:42

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH516000(2580 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11552.000	-68.82	6.60	-62.22	-30.00	-32.22	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:28:20

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.45	3.52	-60.93	-36.00	-24.93	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:28:39

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-74.37	3.46	-70.91	-36.00	-34.91	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:28:58

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	910.2750	-78.46	3.87	-74.59	-36.00	-38.59	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#3

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:29:17



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-59.85	4.49	-55.36	-30.00	-25.36	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#4

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:29:36

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2630.000	-62.25	4.51	-57.74	-30.00	-27.74	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:29:55



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-69.26	6.59	-62.67	-30.00	-32.67	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:37:34

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.76	3.52	-61.24	-36.00	-25.24	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:37:53

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.6724	-74.96	3.47	-71.49	-36.00	-35.49	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#2

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:38:11

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	42.1250	-71.92	3.71	-68.21	-36.00	-32.21	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#3

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:38:30

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-59.16	4.49	-54.67	-30.00	-24.67	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:38:49

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2635.925	-63.44	4.51	-58.93	-30.00	-28.93	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:39:07

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11454.500	-67.46	6.58	-60.88	-30.00	-30.88	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:49:34

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.0273	-64.54	3.52	-61.02	-36.00	-25.02			peak	

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:49:53

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-75.20	3.46	-71.74	-36.00	-35.74	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:50:12

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	32.4250	-76.65	3.68	-72.97	-36.00	-36.97	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#3

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:50:31

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-48.88	4.49	-44.39	-30.00	-14.39	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:50:49



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2630.000	-50.33	4.51	-45.82	-30.00	-15.82	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:51:08

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.94	6.59	-62.35	-30.00	-32.35	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/28

Time: 下午 11:58:17

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.45	3.52	-60.93	-36.00	-24.93	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/28

Time: 下午 11:58:35

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-73.38	3.46	-69.92	-36.00	-33.92	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/28

Time: 下午 11:58:54

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	39.7000	-73.00	3.70	-69.30	-36.00	-33.30	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/28

Time: 下午 11:59:13

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-60.65	4.49	-56.16	-30.00	-26.16	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/28

Time: 下午 11:59:31

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2650.887	-64.84	4.52	-60.32	-30.00	-30.32	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/28

Time: 下午 11:59:50



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1000 VBW: 3000

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	8081.000	-68.03	5.88	-62.15	-30.00	-32.15	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/29

Time: 上午 12:01:40

-10.0 dBm



Site: site #1

Limit: PLMN12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	0.0270	-64.77	3.52	-61.25	-36.00	-25.25	peak		Comment

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/29

Time: 上午 12:01:58

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.6724	-73.38	3.47	-69.91	-36.00	-33.91	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/29

Time: 上午 12:02:17

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	56.6750	-74.28	3.78	-70.50	-36.00	-34.50	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/29

Time: 上午 12:02:36

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-59.99	4.49	-55.50	-30.00	-25.50	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/29

Time: 上午 12:02:55



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2645.000	-62.95	4.51	-58.44	-30.00	-28.44	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/29

Time: 上午 12:03:13

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	5000.000	-67.87	5.17	-62.70	-30.00	-32.70	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#1

Date: 2020/7/29

Time: 上午 12:10:03

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.42	3.52	-60.90	-36.00	-24.90	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#2

Date: 2020/7/29

Time: 上午 12:10:22

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.6724	-74.30	3.47	-70.83	-36.00	-34.83	peak		



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#3

Date: 2020/7/29

Time: 上午 12:10:41

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	949.0750	-78.52	3.88	-74.64	-36.00	-38.64	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#4

Date: 2020/7/29

Time: 上午 12:11:00



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2575.000	-49.68	4.49	-45.19	-30.00	-15.19	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n38_2\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n38_2

Data :#5

Date: 2020/7/29

Time: 上午 12:11:18

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2645.000	-50.77	4.51	-46.26	-30.00	-16.26	peak		




Conducted Spurious Emissions

File :Conducted Emission_n38_2

Data :#6

Date: 2020/7/29

Time: 上午 12:11:37



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n38

Note: n38_20 MHz_SCS=30 kHz_CH522000(2610 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-68.73	6.59	-62.14	-30.00	-32.14	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:28:00

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.98	3.52	-61.46	-36.00	-25.46	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:28:19

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.6724	-78.05	3.47	-74.58	-36.00	-38.58	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:28:38

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	772.0500	-78.47	3.80	-74.67	-36.00	-38.67	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:28:57



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2467.635	-72.77	4.46	-68.31	-25.00	-43.31	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:29:15

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2545.010	-60.16	4.48	-55.68	-25.00	-30.68	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:29:34

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-69.18	6.58	-62.60	-25.00	-37.60	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:31:48

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.86	3.52	-61.34	-36.00	-25.34	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:32:06

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-75.97	3.46	-72.51	-36.00	-36.51	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:32:25

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	769.6250	-77.62	3.80	-73.82	-36.00	-37.82	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:32:44



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2390.197	-72.79	4.43	-68.36	-25.00	-43.36	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:33:02

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2545.010	-60.76	4.48	-56.28	-25.00	-31.28	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:33:21



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-68.75	6.59	-62.16	-25.00	-37.16	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:34:26

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0273	-64.40	3.52	-60.88	-36.00	-24.88	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:34:45

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-75.48	3.46	-72.02	-36.00	-36.02	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:35:04

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	910.2750	-79.26	3.87	-75.39	-36.00	-39.39	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:35:23



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2475.010	-72.42	4.46	-67.96	-25.00	-42.96	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:35:41



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2545.010	-48.34	4.48	-43.86	-25.00	-18.86	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:36:00



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0667

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH502002(2510.01 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-69.09	6.58	-62.51	-25.00	-37.51	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:40:00

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-63.96	3.52	-60.44	-36.00	-24.44	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:40:19

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.6722	-74.79	3.47	-71.32	-36.00	-35.32	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:40:37

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	742.9500	-76.37	3.78	-72.59	-36.00	-36.59	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:40:56

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-60.48	4.49	-55.99	-25.00	-30.99	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:41:15



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2630.000	-61.83	4.51	-57.32	-25.00	-32.32	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:41:33

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11532.500	-68.98	6.59	-62.39	-25.00	-37.39	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:46:04

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-63.95	3.52	-60.43	-36.00	-24.43	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:46:23

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-75.80	3.46	-72.34	-36.00	-36.34	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:46:42

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	42.1250	-72.88	3.71	-69.17	-36.00	-33.17	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:47:00

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-60.45	4.49	-55.96	-25.00	-30.96	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:47:19

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2630.000	-61.63	4.51	-57.12	-25.00	-32.12	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:47:38

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-69.23	6.59	-62.64	-25.00	-37.64	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:49:45

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.15	3.52	-60.63	-36.00	-24.63	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:50:04

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.5977	-75.97	3.46	-72.51	-36.00	-36.51	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:50:23

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	224.0000	-77.61	3.69	-73.92	-36.00	-37.92	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:50:42

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2560.000	-49.30	4.49	-44.81	-25.00	-19.81	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:51:00



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2630.000	-51.27	4.51	-46.76	-25.00	-21.76	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:51:19

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.81	6.58	-62.23	-25.00	-37.23	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:55:54

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.70	3.52	-60.18	-36.00	-24.18	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:56:13

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-73.37	3.46	-69.91	-36.00	-33.91	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:56:32

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	939.3750	-78.63	3.88	-74.75	-36.00	-38.75	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:56:51



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2644.990	-58.96	4.51	-54.45	-25.00	-29.45	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:57:09

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2714.990	-62.21	4.53	-57.68	-25.00	-32.68	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 12:57:28



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	5039.000	-67.36	5.18	-62.18	-25.00	-37.18	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 12:58:43

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.86	3.52	-60.34	-36.00	-24.34	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 12:59:01

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-75.37	3.46	-71.91	-36.00	-35.91	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 12:59:20

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	127.0000	-77.71	3.68	-74.03	-36.00	-38.03	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 12:59:39



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2644.990	-58.24	4.51	-53.73	-25.00	-28.73	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 12:59:58

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2714.990	-61.13	4.53	-56.60	-25.00	-31.60	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 01:00:16



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@50)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11532.500	-69.00	6.59	-62.41	-25.00	-37.41	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#6

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#1

Date: 2020/7/29

Time: 上午 01:01:40

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.60	3.52	-60.08	-36.00	-24.08	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_2\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#2

Date: 2020/7/29

Time: 上午 01:01:59

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-74.67	3.46	-71.21	-36.00	-35.21	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#3

Date: 2020/7/29

Time: 上午 01:02:18

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	483.4750	-78.46	3.71	-74.75	-36.00	-38.75	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#4

Date: 2020/7/29

Time: 上午 01:02:36



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2644.990	-53.62	4.51	-49.11	-25.00	-24.11	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_2

Data :#5

Date: 2020/7/29

Time: 上午 01:02:55

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2714.990	-55.10	4.53	-50.57	-25.00	-25.57	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_2

Data :#6

Date: 2020/7/29

Time: 上午 01:03:14



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_20 MHz_SCS=30 kHz_CH535998(2679.99 MHz)_CP-OFDM_QPSK_Outer_Full(51@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.90	6.59	-62.31	-25.00	-37.31	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:29:32

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-66.54	3.52	-63.02	-36.00	-27.02	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:29:51

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-74.12	3.46	-70.66	-36.00	-34.66	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:30:09

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	886.0250	-78.55	3.86	-74.69	-36.00	-38.69	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:30:28



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2434.172	-72.45	4.45	-68.00	-25.00	-43.00	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#4

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:30:47



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2605.010	-56.84	4.50	-52.34	-25.00	-27.34	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:31:06



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.99	6.59	-62.40	-25.00	-37.40	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:32:09

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-65.97	3.52	-62.45	-36.00	-26.45	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:32:28

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-73.77	3.46	-70.31	-36.00	-34.31	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:32:46

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	968.4750	-78.46	3.88	-74.58	-36.00	-38.58	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:33:05



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2416.110	-72.99	4.44	-68.55	-25.00	-43.55	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:33:24



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3814.480	-67.85	4.88	-62.97	-25.00	-37.97	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:33:43



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11532.500	-68.31	6.59	-61.72	-25.00	-36.72	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:36:03

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-65.28	3.52	-61.76	-36.00	-25.76	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:36:22

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-72.86	3.46	-69.40	-36.00	-33.40	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:36:40

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	767.2000	-78.29	3.80	-74.49	-36.00	-38.49	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:36:59



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2405.272	-72.65	4.44	-68.21	-25.00	-43.21	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:37:18

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2605.010	-52.15	4.50	-47.65	-25.00	-22.65	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:37:37

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH505002(2525.01 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.79	6.59	-62.20	-25.00	-37.20	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:38:27

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-65.94	3.52	-62.42	-36.00	-26.42	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:38:46

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-72.57	3.46	-69.11	-36.00	-33.11	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:39:05

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	835.1000	-79.01	3.84	-75.17	-36.00	-39.17	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:39:24



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2515.000	-71.03	4.47	-66.56	-25.00	-41.56	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:39:42

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3866.563	-68.07	4.89	-63.18	-25.00	-38.18	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:40:01



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11571.500	-67.95	6.60	-61.35	-25.00	-36.35	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:41:13

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-63.22	3.52	-59.70	-36.00	-23.70	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:41:31

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.21	3.46	-67.75	-36.00	-31.75	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:41:50

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	56.6750	-76.10	3.78	-72.32	-36.00	-36.32	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:42:09



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2515.000	-57.64	4.47	-53.17	-25.00	-28.17	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:42:28



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1000 VBW: 3000

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3756.125	-67.97	4.86	-63.11	-25.00	-38.11	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:42:47

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11552.000	-68.64	6.60	-62.04	-25.00	-37.04	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:44:10

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.0270	-63.36	3.52	-59.84	-36.00	-23.84			peak	



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:44:29

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.5977	-70.73	3.46	-67.27	-36.00	-31.27			peak	



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:44:48

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	772.0500	-79.23	3.80	-75.43	-36.00	-39.43	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:45:07



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2515.000	-50.97	4.47	-46.50	-25.00	-21.50	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:45:26

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2675.000	-56.12	4.52	-51.60	-25.00	-26.60	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:45:44



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	11474.000	-68.61	6.58	-62.03	-25.00	-37.03	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:46:41

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-63.50	3.52	-59.98	-36.00	-23.98	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:47:00

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-70.64	3.46	-67.18	-36.00	-31.18	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:47:18

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	80.9250	-76.03	3.74	-72.29	-36.00	-36.29			peak	




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:47:37



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2584.990	-71.10	4.50	-66.60	-25.00	-41.60	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:47:56



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	3810.482	-67.97	4.88	-63.09	-25.00	-38.09			peak	



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:48:15

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-69.05	6.59	-62.46	-25.00	-37.46	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:49:00

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-63.94	3.52	-60.42	-36.00	-24.42	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:49:18

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	0.5977	-71.00	3.46	-67.54	-36.00	-31.54	peak		Comment



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:49:37

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	127.0000	-77.07	3.68	-73.39	-36.00	-37.39	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:49:56

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2584.990	-70.96	4.50	-66.46	-25.00	-41.46	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#4

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:50:15

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3804.845	-68.10	4.88	-63.22	-25.00	-38.22	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:50:34



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@132)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.83	6.58	-62.25	-25.00	-37.25	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#1

Date: 2020/7/29

Time: 上午 09:51:30

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.10	3.52	-60.58	-36.00	-24.58	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#2

Date: 2020/7/29

Time: 上午 09:51:49

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.5977	-71.53	3.46	-68.07	-36.00	-32.07	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#3

Date: 2020/7/29

Time: 上午 09:52:07

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	910.2750	-78.11	3.87	-74.24	-36.00	-38.24	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_5\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#4

Date: 2020/7/29

Time: 上午 09:52:26



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2584.990	-53.04	4.50	-48.54	-25.00	-23.54	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_5

Data :#5

Date: 2020/7/29

Time: 上午 09:52:45



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3804.845	-68.18	4.88	-63.30	-25.00	-38.30	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_5

Data :#6

Date: 2020/7/29

Time: 上午 09:53:04

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_50 MHz_SCS=30 kHz_CH532998(2664.99 MHz)_CP-OFDM_QPSK_Outer_Full(133@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11454.500	-67.29	6.58	-60.71	-25.00	-35.71	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 09:54:26

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-63.95	3.52	-60.43	-36.00	-24.43	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 09:54:45

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.13	3.46	-67.67	-36.00	-31.67	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 09:55:04

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	830.2500	-79.15	3.84	-75.31	-36.00	-39.31	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 09:55:23



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2349.662	-73.10	4.42	-68.68	-25.00	-43.68	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 09:55:41

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3875.450	-67.79	4.90	-62.89	-25.00	-37.89	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 09:56:00

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-67.96	6.59	-61.37	-25.00	-36.37	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#6

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 09:58:00

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.18	3.52	-60.66	-36.00	-24.66	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 09:58:19

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	0.5977	-72.97	3.46	-69.51	-36.00	-33.51	peak		Comment



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 09:58:38

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	37.2750	-73.78	3.69	-70.09	-36.00	-34.09	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 09:58:57



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2391.512	-73.11	4.44	-68.67	-25.00	-43.67	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 09:59:16

20.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1000 VBW: 3000

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3841.025	-68.22	4.89	-63.33	-25.00	-38.33	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 09:59:34

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-68.98	6.59	-62.39	-25.00	-37.39	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:00:22

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.20	3.52	-60.68	-36.00	-24.68	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:00:41

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	0.6724	-75.44	3.47	-71.97	-36.00	-35.97	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:01:00

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	864.2000	-78.69	3.85	-74.84	-36.00	-38.84	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:01:19

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2325.250	-71.74	4.41	-67.33	-25.00	-42.33	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:01:38

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2705.000	-54.34	4.53	-49.81	-25.00	-24.81	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:01:56



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH510000(2550 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.07	6.58	-61.49	-25.00	-36.49	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:02:44

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.25	3.52	-60.73	-36.00	-24.73	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:03:03

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-72.44	3.46	-68.98	-36.00	-32.98	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#2

Page: 1



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:03:22

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	675.0500	-78.26	3.74	-74.52	-36.00	-38.52	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#3

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:03:41

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2418.400	-73.15	4.44	-68.71	-25.00	-43.71	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:03:59



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3790.625	-68.05	4.87	-63.18	-25.00	-38.18	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:04:18



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.99	6.58	-62.41	-25.00	-37.41	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:06:16

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	0.0273	-64.35	3.52	-60.83	-36.00	-24.83			peak	

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:06:35

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-72.52	3.46	-69.06	-36.00	-33.06	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:06:53

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	83.3500	-75.80	3.73	-72.07	-36.00	-36.07	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:07:12



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2436.400	-72.88	4.45	-68.43	-25.00	-43.43	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:07:31



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3801.875	-68.18	4.87	-63.31	-25.00	-38.31	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#5

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:07:50



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.87	6.58	-62.29	-25.00	-37.29	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:08:16

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0273	-63.28	3.52	-59.76	-36.00	-23.76	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:08:35

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-71.59	3.46	-68.13	-36.00	-32.13	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:08:54

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	876.3250	-78.37	3.86	-74.51	-36.00	-38.51	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,


Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:09:13



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2314.000	-72.31	4.41	-67.90	-25.00	-42.90	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#4

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:09:31



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3773.750	-68.16	4.87	-63.29	-25.00	-38.29	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:09:50

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH519000(2595 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-66.79	6.59	-60.20	-25.00	-35.20	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:32:16

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.61	3.52	-61.09	-36.00	-25.09	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:32:34

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-76.02	3.46	-72.56	-36.00	-36.56	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#2

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:32:53

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	30.0000	-72.68	3.68	-69.00	-36.00	-33.00	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:33:12



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2485.000	-72.17	4.47	-67.70	-25.00	-42.70	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:33:31

20.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1000 VBW: 3000

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3770.713	-68.15	4.87	-63.28	-25.00	-38.28	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#5

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:33:50

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Left(1@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11513.000	-69.27	6.59	-62.68	-25.00	-37.68	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:34:58

-10.0 dBm



Site: site #1

Limit: PLMN 12

EUT: 手持式行動電話機

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

Polarization:

Power:

Distance:

Temperature: 22.5 °C

Humidity: 58.3 %

RBW: 1 KHz VBW: 3 KHz

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.0270	-64.94	3.52	-61.42	-36.00	-25.42	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#1

Page: 1



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:35:17

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-74.23	3.46	-70.77	-36.00	-34.77	peak		



A Test Lab Techno Corp.

Tel: +886-3-271-0188 Fax: +886-3-271-0190

NO.140-1,Changan Street,Bade City,Taoyuan Country 344,Taiwan,

Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:35:36

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	888.4500	-78.78	3.86	-74.92	-36.00	-38.92	peak		

*:Maximum data x:Over limit !:over margin

File :Conducted Emission_n41_1\Data :#3

Page: 1




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:35:54



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2485.000	-71.13	4.47	-66.66	-25.00	-41.66	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:36:13

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3809.300	-68.43	4.88	-63.55	-25.00	-38.55	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:36:32

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Edge_1RB_Right(1@272)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11474.000	-68.91	6.58	-62.33	-25.00	-37.33	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#1

Date: 2020/7/29

Time: 上午 10:37:19

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1 KHz VBW: 3 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	0.0270	-64.07	3.52	-60.55	-36.00	-24.55	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#2

Date: 2020/7/29

Time: 上午 10:37:38

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 10 KHz VBW: 30 KHz

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	0.5977	-73.67	3.46	-70.21	-36.00	-34.21	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#3

Date: 2020/7/29

Time: 上午 10:37:57

-10.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 100 KHz VBW: 300

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	953.9250	-78.71	3.88	-74.83	-36.00	-38.83	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#4

Date: 2020/7/29

Time: 上午 10:38:16

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2485.000	-51.96	4.47	-47.49	-25.00	-22.49	peak		




Conducted Spurious Emissions

File :Conducted Emission_n41_1

Data :#5

Date: 2020/7/29

Time: 上午 10:38:35



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	3847.887	-67.97	4.89	-63.08	-25.00	-38.08	peak		



Conducted Spurious Emissions


File :Conducted Emission_n41_1

Data :#6

Date: 2020/7/29

Time: 上午 10:38:54

20.0 dBm



Site: site #1

Polarization:

Temperature: 22.5 °C

Limit: PLMN 12

Power:

Humidity: 58.3 %

EUT: 手持式行動電話機

Distance:

RBW: 1000 VBW: 3000

M/N: 20-0724

Mode: 5G NR_n41

Note: n41_100 MHz_SCS=30 kHz_CH528000(2640 MHz)_CP-OFDM_QPSK_Outer_Full(273@0)

No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	11493.500	-68.45	6.59	-61.86	-25.00	-36.86	peak		