


802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40252G	40.85	54.00	-13.15	12.73	3	Vertical	85	2.21	-
PK	10.39956G	53.71	74.00	-20.29	12.73	3	Vertical	85	2.21	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40182G	40.94	54.00	-13.06	12.73	3	Horizontal	301	1.32	-
PK	10.4048G	53.47	74.00	-20.53	12.74	3	Horizontal	301	1.32	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1092G	43.17	54.00	-10.83	2.70	3	Vertical	214	1.24	-
AV	5.2334G	90.30	Inf	-Inf	2.83	3	Vertical	214	1.24	-
AV	5.381G	42.40	54.00	-11.60	3.01	3	Vertical	214	1.24	-
PK	5.1164G	55.63	74.00	-18.37	2.70	3	Vertical	214	1.24	-
PK	5.2382G	99.22	Inf	-Inf	2.84	3	Vertical	214	1.24	-
PK	5.3678G	54.51	74.00	-19.49	2.99	3	Vertical	214	1.24	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1278G	43.49	54.00	-10.51	2.72	3	Horizontal	148	1.93	-
AV	5.2424G	99.87	Inf	-Inf	2.85	3	Horizontal	148	1.93	-
AV	5.3516G	42.90	54.00	-11.10	2.97	3	Horizontal	148	1.93	-
PK	5.1236G	56.57	74.00	-17.43	2.71	3	Horizontal	148	1.93	-
PK	5.2466G	110.16	Inf	-Inf	2.85	3	Horizontal	148	1.93	-
PK	5.3708G	55.42	74.00	-18.58	2.99	3	Horizontal	148	1.93	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.47734G	41.11	54.00	-12.89	12.90	3	Vertical	31	2.08	-
PK	10.47988G	53.58	74.00	-20.42	12.90	3	Vertical	31	2.08	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.47676G	41.16	54.00	-12.84	12.90	3	Horizontal	138	2.11	-
PK	10.48032G	54.01	74.00	-19.99	12.90	3	Horizontal	138	2.11	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.119G	42.97	54.00	-11.03	2.70	3	Vertical	215	1.49	-
AV	5.2594G	91.79	Inf	-Inf	2.87	3	Vertical	215	1.49	-
AV	5.41G	42.37	54.00	-11.63	3.05	3	Vertical	215	1.49	-
PK	5.149G	54.85	74.00	-19.15	2.74	3	Vertical	215	1.49	-
PK	5.2582G	101.06	Inf	-Inf	2.86	3	Vertical	215	1.49	-
PK	5.386G	54.97	74.00	-19.03	3.01	3	Vertical	215	1.49	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1124G	43.19	54.00	-10.81	2.70	3	Horizontal	161	2.17	-
AV	5.2642G	101.61	Inf	-Inf	2.87	3	Horizontal	161	2.17	-
AV	5.3506G	43.60	54.00	-10.40	2.97	3	Horizontal	161	2.17	-
PK	5.1262G	55.25	74.00	-18.75	2.72	3	Horizontal	161	2.17	-
PK	5.2672G	110.95	Inf	-Inf	2.88	3	Horizontal	161	2.17	-
PK	5.3524G	56.75	74.00	-17.25	2.97	3	Horizontal	161	2.17	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.51982G	41.13	54.00	-12.87	12.98	3	Vertical	59	2.30	-
PK	10.5228G	53.98	74.00	-20.02	12.98	3	Vertical	59	2.30	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52052G	41.09	54.00	-12.91	12.98	3	Horizontal	154	2.14	-
PK	10.51744G	54.35	74.00	-19.65	12.97	3	Horizontal	154	2.14	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2936G	91.79	Inf	-Inf	2.91	3	Vertical	207	1.21	-
AV	5.352G	43.32	54.00	-10.68	2.97	3	Vertical	207	1.21	-
PK	5.298G	100.56	Inf	-Inf	2.91	3	Vertical	207	1.21	-
PK	5.352G	57.33	74.00	-16.67	2.97	3	Vertical	207	1.21	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2972G	102.40	Inf	-Inf	2.91	3	Horizontal	160	2.16	-
AV	5.35G	50.48	54.00	-3.52	2.97	3	Horizontal	160	2.16	-
PK	5.2984G	111.67	Inf	-Inf	2.91	3	Horizontal	160	2.16	-
PK	5.3528G	65.50	74.00	-8.50	2.97	3	Horizontal	160	2.16	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59658G	41.13	54.00	-12.87	13.15	3	Vertical	293	2.46	-
PK	10.59756G	54.72	74.00	-19.28	13.15	3	Vertical	293	2.46	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5951G	41.22	54.00	-12.78	13.14	3	Horizontal	297	1.91	-
PK	10.59532G	54.01	74.00	-19.99	13.14	3	Horizontal	297	1.91	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3256G	89.87	Inf	-Inf	2.95	3	Vertical	206	1.48	-
AV	5.35G	45.39	54.00	-8.61	2.97	3	Vertical	206	1.48	-
PK	5.3268G	100.31	Inf	-Inf	2.95	3	Vertical	206	1.48	-
PK	5.35G	59.47	74.00	-14.53	2.97	3	Vertical	206	1.48	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3192G	101.09	Inf	-Inf	2.93	3	Horizontal	161	2.14	-
AV	5.35G	53.79	54.00	-0.21	2.97	3	Horizontal	161	2.14	-
PK	5.3266G	110.77	Inf	-Inf	2.95	3	Horizontal	161	2.14	-
PK	5.35G	70.68	74.00	-3.32	2.97	3	Horizontal	161	2.14	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	10.63686G	40.97	54.00	-13.03	13.24	3	Vertical	36	1.86	-								
PK	10.63976G	53.71	74.00	-20.29	13.25	3	Vertical	36	1.86	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.63682G	40.80	54.00	-13.20	13.24	3	Horizontal	27	2.22	-
PK	10.6424G	53.51	74.00	-20.49	13.25	3	Horizontal	27	2.22	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	42.91	54.00	-11.09	3.10	3	Vertical	206	1.40	-
AV	5.4972G	87.27	Inf	-Inf	3.14	3	Vertical	206	1.40	-
PK	5.4556G	55.19	74.00	-18.81	3.09	3	Vertical	206	1.40	-
PK	5.4672G	58.09	68.20	-10.11	3.11	3	Vertical	206	1.40	-
PK	5.5066G	96.73	Inf	-Inf	3.15	3	Vertical	206	1.40	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4598G	47.18	54.00	-6.82	3.10	3	Horizontal	160	1.94	-
AV	5.4972G	98.16	Inf	-Inf	3.14	3	Horizontal	160	1.94	-
PK	5.4598G	61.91	74.00	-12.09	3.10	3	Horizontal	160	1.94	-
PK	5.4672G	67.82	68.20	-0.38	3.11	3	Horizontal	160	1.94	-
PK	5.5066G	108.39	Inf	-Inf	3.15	3	Horizontal	160	1.94	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.00034G	41.89	54.00	-12.11	14.03	3	Vertical	327	2.49	-
PK	10.99622G	54.09	74.00	-19.91	14.02	3	Vertical	327	2.49	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0044G	42.00	54.00	-12.00	14.02	3	Horizontal	30	1.66	-
PK	11.00304G	54.72	74.00	-19.28	14.03	3	Horizontal	30	1.66	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4528G	42.53	54.00	-11.47	3.09	3	Vertical	195	1.92	-
AV	5.574G	92.54	Inf	-Inf	3.28	3	Vertical	195	1.92	-
PK	5.4402G	54.37	74.00	-19.63	3.07	3	Vertical	195	1.92	-
PK	5.4672G	55.00	68.20	-13.20	3.11	3	Vertical	195	1.92	-
PK	5.577G	101.76	Inf	-Inf	3.29	3	Vertical	195	1.92	-
PK	5.7282G	55.98	68.20	-12.22	3.59	3	Vertical	195	1.92	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4582G	43.30	54.00	-10.70	3.09	3	Horizontal	154	2.20	-
AV	5.577G	102.76	Inf	-Inf	3.29	3	Horizontal	154	2.20	-
PK	5.4534G	55.66	74.00	-18.34	3.09	3	Horizontal	154	2.20	-
PK	5.4696G	55.79	68.20	-12.41	3.11	3	Horizontal	154	2.20	-
PK	5.5836G	112.24	Inf	-Inf	3.31	3	Horizontal	154	2.20	-
PK	5.7264G	55.55	68.20	-12.65	3.59	3	Horizontal	154	2.20	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15886G	41.72	54.00	-12.28	13.89	3	Vertical	312	1.13	-
PK	11.162G	54.35	74.00	-19.65	13.88	3	Vertical	312	1.13	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16398G	41.73	54.00	-12.27	13.88	3	Horizontal	326	2.21	-
PK	11.16108G	54.75	74.00	-19.25	13.88	3	Horizontal	326	2.21	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.694G	85.39	Inf	-Inf	3.53	3	Vertical	228	1.31	-
PK	5.696G	94.69	Inf	-Inf	3.53	3	Vertical	228	1.31	-
PK	5.7256G	59.64	68.20	-8.56	3.59	3	Vertical	228	1.31	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.6972G	94.64	Inf	-Inf	3.54	3	Horizontal	172	1.25	-								
PK	5.7064G	104.32	Inf	-Inf	3.55	3	Horizontal	172	1.25	-								
PK	5.726G	67.57	68.20	-0.63	3.59	3	Horizontal	172	1.25	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.39832G	40.98	54.00	-13.02	13.66	3	Vertical	310	1.82	-								
PK	11.39986G	53.77	74.00	-20.23	13.66	3	Vertical	310	1.82	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40372G	41.07	54.00	-12.93	13.65	3	Horizontal	149	1.75	-
PK	11.4034G	54.46	74.00	-19.54	13.66	3	Horizontal	149	1.75	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7438G	93.81	Inf	-Inf	3.62	3	Vertical	190	1.85	-
PK	5.6262G	55.51	68.20	-12.69	3.40	3	Vertical	190	1.85	-
PK	5.7462G	103.37	Inf	-Inf	3.62	3	Vertical	190	1.85	-
PK	5.931G	55.81	68.20	-12.39	3.99	3	Vertical	190	1.85	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7498G	101.09	Inf	-Inf	3.63	3	Horizontal	168	1.04	-
PK	5.6502G	57.12	68.35	-11.23	3.44	3	Horizontal	168	1.04	-
PK	5.7498G	111.04	Inf	-Inf	3.63	3	Horizontal	168	1.04	-
PK	5.967G	55.69	68.20	-12.51	4.06	3	Horizontal	168	1.04	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.49086G	41.24	54.00	-12.76	13.58	3	Vertical	83	2.41	-								
PK	11.48506G	53.76	74.00	-20.24	13.59	3	Vertical	83	2.41	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.48866G	41.32	54.00	-12.68	13.59	3	Horizontal	263	1.81	-								
PK	11.48836G	54.43	74.00	-19.57	13.59	3	Horizontal	263	1.81	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5785MHz_TX




Lim.PK	☒
PK	☒
Lim.AV	☒
AV	☒

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.7778G	92.08	Inf	-Inf	3.68	3	Vertical	190	1.79	-								
PK	5.6398G	56.25	68.20	-11.95	3.43	3	Vertical	190	1.79	-								
PK	5.7886G	102.29	Inf	-Inf	3.70	3	Vertical	190	1.79	-								
PK	5.9602G	55.92	68.20	-12.28	4.04	3	Vertical	190	1.79	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7826G	101.00	Inf	-Inf	3.70	3	Horizontal	172	1.04	-
PK	5.6002G	56.20	68.20	-12.00	3.34	3	Horizontal	172	1.04	-
PK	5.7886G	110.98	Inf	-Inf	3.70	3	Horizontal	172	1.04	-
PK	5.9398G	56.71	68.20	-11.49	4.02	3	Horizontal	172	1.04	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.57314G	41.18	54.00	-12.82	13.51	3	Vertical	12	1.54	-
PK	11.56952G	54.08	74.00	-19.92	13.50	3	Vertical	12	1.54	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.56668G	41.15	54.00	-12.85	13.51	3	Horizontal	200	1.23	-								
PK	11.57116G	54.13	74.00	-19.87	13.51	3	Horizontal	200	1.23	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5825MHz_TX




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.8238G	92.86	Inf	-Inf	3.78	3	Vertical	192	1.79	-								
PK	5.6006G	55.30	68.20	-12.90	3.34	3	Vertical	192	1.79	-								
PK	5.8286G	103.18	Inf	-Inf	3.79	3	Vertical	192	1.79	-								
PK	5.9258G	56.14	68.20	-12.06	3.99	3	Vertical	192	1.79	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8226G	101.17	Inf	-Inf	3.78	3	Horizontal	172	1.01	-
PK	5.862G	55.77	68.20	-12.43	3.31	3	Horizontal	172	1.01	-
PK	5.8298G	110.58	Inf	-Inf	3.79	3	Horizontal	172	1.01	-
PK	5.933G	57.16	68.20	-11.04	4.00	3	Horizontal	172	1.01	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6536G	41.26	54.00	-12.74	13.42	3	Vertical	84	1.06	-
PK	11.6511G	53.73	74.00	-20.27	13.43	3	Vertical	84	1.06	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.6461G	41.37	54.00	-12.63	13.44	3	Horizontal	170	2.16	-								
PK	11.64712G	54.92	74.00	-19.08	13.43	3	Horizontal	170	2.16	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	44.79	54.00	-9.21	2.74	3	Vertical	209	2.03	-
AV	5.1822G	91.02	Inf	-Inf	2.78	3	Vertical	209	2.03	-
PK	5.1492G	60.27	74.00	-13.73	2.74	3	Vertical	209	2.03	-
PK	5.1844G	101.01	Inf	-Inf	2.78	3	Vertical	209	2.03	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1486G	53.85	54.00	-0.15	2.74	3	Horizontal	129	2.33	-
AV	5.1808G	102.43	Inf	-Inf	2.78	3	Horizontal	129	2.33	-
PK	5.1496G	72.71	74.00	-1.29	2.74	3	Horizontal	129	2.33	-
PK	5.183G	111.75	Inf	-Inf	2.78	3	Horizontal	129	2.33	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.5434G	46.09	54.00	-7.91	14.06	3	Vertical	300	1.73	-
PK	15.5457G	59.24	74.00	-14.76	14.05	3	Vertical	300	1.73	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.5408G	48.09	54.00	-5.91	14.08	3	Horizontal	339	2.61	-								
PK	15.5329G	61.06	74.00	-12.94	14.11	3	Horizontal	339	2.61	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	44.00	54.00	-10.00	2.74	3	Vertical	234	1.23	-
AV	5.2024G	92.07	Inf	-Inf	2.80	3	Vertical	234	1.23	-
PK	5.1144G	55.72	74.00	-18.28	2.70	3	Vertical	234	1.23	-
PK	5.1952G	100.83	Inf	-Inf	2.80	3	Vertical	234	1.23	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	53.15	54.00	-0.85	2.74	3	Horizontal	160	2.35	-
AV	5.1972G	105.21	Inf	-Inf	2.80	3	Horizontal	160	2.35	-
PK	5.148G	69.88	74.00	-4.12	2.74	3	Horizontal	160	2.35	-
PK	5.2024G	114.52	Inf	-Inf	2.80	3	Horizontal	160	2.35	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.6007G	50.16	54.00	-3.84	13.79	3	Vertical	301	1.79	-								
PK	15.6059G	63.42	74.00	-10.58	13.77	3	Vertical	301	1.79	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.5983G	49.51	54.00	-4.49	13.80	3	Horizontal	347	2.99	-								
PK	15.5936G	61.69	74.00	-12.31	13.82	3	Horizontal	347	2.99	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1026G	43.18	54.00	-10.82	2.68	3	Vertical	246	2.39	-
AV	5.2346G	95.47	Inf	-Inf	2.83	3	Vertical	246	2.39	-
AV	5.3882G	42.54	54.00	-11.46	3.01	3	Vertical	246	2.39	-
PK	5.0966G	55.57	74.00	-18.43	2.68	3	Vertical	246	2.39	-
PK	5.2346G	104.89	Inf	-Inf	2.83	3	Vertical	246	2.39	-
PK	5.3756G	55.29	74.00	-18.71	3.00	3	Vertical	246	2.39	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1488G	45.81	54.00	-8.19	2.74	3	Horizontal	157	2.24	-
AV	5.2376G	105.79	Inf	-Inf	2.84	3	Horizontal	157	2.24	-
AV	5.3534G	43.93	54.00	-10.07	2.97	3	Horizontal	157	2.24	-
PK	5.1374G	57.94	74.00	-16.06	2.73	3	Horizontal	157	2.24	-
PK	5.2376G	115.36	Inf	-Inf	2.84	3	Horizontal	157	2.24	-
PK	5.351G	56.09	74.00	-17.91	2.97	3	Horizontal	157	2.24	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7184G	48.89	54.00	-5.11	13.22	3	Vertical	339	2.75	-
PK	15.7207G	62.27	74.00	-11.73	13.21	3	Vertical	339	2.75	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7202G	53.43	54.00	-0.57	13.22	3	Horizontal	354	2.15	-
PK	15.7229G	66.81	74.00	-7.19	13.21	3	Horizontal	354	2.15	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.113G	43.39	54.00	-10.61	2.70	3	Vertical	233	1.18	-
AV	5.257G	93.82	Inf	-Inf	2.86	3	Vertical	233	1.18	-
AV	5.392G	42.61	54.00	-11.39	3.02	3	Vertical	233	1.18	-
PK	5.1334G	56.36	74.00	-17.64	2.72	3	Vertical	233	1.18	-
PK	5.2672G	102.87	Inf	-Inf	2.88	3	Vertical	233	1.18	-
PK	5.4088G	55.14	74.00	-18.86	3.05	3	Vertical	233	1.18	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1466G	44.86	54.00	-9.14	2.74	3	Horizontal	159	2.31	-
AV	5.2576G	106.17	Inf	-Inf	2.86	3	Horizontal	159	2.31	-
AV	5.3518G	44.55	54.00	-9.45	2.97	3	Horizontal	159	2.31	-
PK	5.1454G	57.92	74.00	-16.08	2.74	3	Horizontal	159	2.31	-
PK	5.2552G	115.63	Inf	-Inf	2.86	3	Horizontal	159	2.31	-
PK	5.3518G	57.09	74.00	-16.91	2.97	3	Horizontal	159	2.31	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7837G	48.80	54.00	-5.20	12.91	3	Vertical	337	2.76	-
PK	15.7859G	61.10	74.00	-12.90	12.90	3	Vertical	337	2.76	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.776G	50.71	54.00	-3.29	12.95	3	Horizontal	323	2.86	-
PK	15.7736G	63.98	74.00	-10.02	12.96	3	Horizontal	323	2.86	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3024G	93.49	Inf	-Inf	2.91	3	Vertical	240	2.97	-
AV	5.35G	43.66	54.00	-10.34	2.97	3	Vertical	240	2.97	-
PK	5.3024G	102.90	Inf	-Inf	2.91	3	Vertical	240	2.97	-
PK	5.3536G	56.72	74.00	-17.28	2.97	3	Vertical	240	2.97	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3056G	105.08	Inf	-Inf	2.91	3	Horizontal	153	2.29	-
AV	5.35G	52.79	54.00	-1.21	2.97	3	Horizontal	153	2.29	-
PK	5.2952G	114.34	Inf	-Inf	2.91	3	Horizontal	153	2.29	-
PK	5.3508G	69.52	74.00	-4.48	2.97	3	Horizontal	153	2.29	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.9031G	44.73	54.00	-9.27	12.34	3	Vertical	336	2.58	-
PK	15.9088G	56.86	74.00	-17.14	12.31	3	Vertical	336	2.58	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.8947G	44.01	54.00	-9.99	12.38	3	Horizontal	159	1.63	-
PK	15.895G	55.58	74.00	-18.42	12.38	3	Horizontal	159	1.63	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3192G	91.85	Inf	-Inf	2.93	3	Vertical	247	2.99	-
AV	5.3518G	43.16	54.00	-10.84	2.97	3	Vertical	247	2.99	-
PK	5.317G	101.13	Inf	-Inf	2.93	3	Vertical	247	2.99	-
PK	5.3512G	56.14	74.00	-17.86	2.97	3	Vertical	247	2.99	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3234G	101.30	Inf	-Inf	2.94	3	Horizontal	170	2.26	-
AV	5.3508G	50.89	54.00	-3.11	2.97	3	Horizontal	170	2.26	-
PK	5.3186G	111.01	Inf	-Inf	2.93	3	Horizontal	170	2.26	-
PK	5.351G	72.27	74.00	-1.73	2.97	3	Horizontal	170	2.26	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.9838G	43.55	54.00	-10.45	11.95	3	Vertical	106	1.85	-
PK	15.9838G	56.57	74.00	-17.43	11.95	3	Vertical	106	1.85	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.9725G	42.49	54.00	-11.51	12.00	3	Horizontal	6	2.10	-
PK	15.9818G	54.68	74.00	-19.32	11.96	3	Horizontal	6	2.10	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4556G	42.98	54.00	-11.02	3.09	3	Vertical	240	1.50	-
AV	5.4952G	86.68	Inf	-Inf	3.14	3	Vertical	240	1.50	-
PK	5.45G	55.25	74.00	-18.75	3.08	3	Vertical	240	1.50	-
PK	5.4644G	56.44	68.20	-11.76	3.11	3	Vertical	240	1.50	-
PK	5.495G	95.92	Inf	-Inf	3.14	3	Vertical	240	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4598G	45.61	54.00	-8.39	3.10	3	Horizontal	175	2.18	-
AV	5.5022G	99.83	Inf	-Inf	3.14	3	Horizontal	175	2.18	-
PK	5.4584G	61.42	74.00	-12.58	3.10	3	Horizontal	175	2.18	-
PK	5.4678G	67.22	68.20	-0.98	3.11	3	Horizontal	175	2.18	-
PK	5.5024G	109.26	Inf	-Inf	3.14	3	Horizontal	175	2.18	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.00226G	41.82	54.00	-12.18	14.03	3	Vertical	298	2.23	-								
PK	11.00298G	54.57	74.00	-19.43	14.03	3	Vertical	298	2.23	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.00096G	41.81	54.00	-12.19	14.03	3	Horizontal	100	2.28	-								
PK	10.99822G	54.84	74.00	-19.16	14.03	3	Horizontal	100	2.28	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4594G	42.78	54.00	-11.22	3.10	3	Vertical	270	1.59	-
AV	5.5824G	94.29	Inf	-Inf	3.31	3	Vertical	270	1.59	-
AV	5.7288G	43.30	Inf	-Inf	3.59	3	Vertical	270	1.59	-
PK	5.4504G	54.46	74.00	-19.54	3.09	3	Vertical	270	1.59	-
PK	5.4618G	55.06	68.20	-13.14	3.10	3	Vertical	270	1.59	-
PK	5.5776G	104.27	Inf	-Inf	3.29	3	Vertical	270	1.59	-
PK	5.7282G	55.27	68.20	-12.93	3.59	3	Vertical	270	1.59	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46 G	44.23	54.00	-9.77	3.10	3	Horizontal	175	2.09	-
AV	5.577 G	106.99	Inf	-Inf	3.29	3	Horizontal	175	2.09	-
AV	5.7252 G	44.53	Inf	-Inf	3.59	3	Horizontal	175	2.09	-
PK	5.4528 G	57.05	74.00	-16.95	3.09	3	Horizontal	175	2.09	-
PK	5.4678 G	56.77	68.20	-11.43	3.11	3	Horizontal	175	2.09	-
PK	5.5842 G	116.66	Inf	-Inf	3.31	3	Horizontal	175	2.09	-
PK	5.73 G	55.95	68.20	-12.25	3.59	3	Horizontal	175	2.09	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	16.7387G	47.06	54.00	-6.94	14.41	3	Vertical	291	2.48	-								
PK	16.7435G	59.46	74.00	-14.54	14.42	3	Vertical	291	2.48	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	16.7396G	46.66	54.00	-7.34	14.41	3	Horizontal	151	1.68	-								
PK	16.7373G	58.89	74.00	-15.11	14.40	3	Horizontal	151	1.68	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7068G	84.25	Inf	-Inf	3.55	3	Vertical	210	2.09	-
PK	5.6968G	93.99	Inf	-Inf	3.54	3	Vertical	210	2.09	-
PK	5.7268G	57.29	68.20	-10.91	3.59	3	Vertical	210	2.09	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments							
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)								
AV	5.6956G	95.19	Inf	-Inf	3.53	3	Horizontal	158	1.95	-							
PK	5.7032G	104.97	Inf	-Inf	3.54	3	Horizontal	158	1.95	-							
PK	5.7284G	67.16	68.20	-1.04	3.59	3	Horizontal	158	1.95	-							

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39602G	41.27	54.00	-12.73	13.67	3	Vertical	315	1.29	-
PK	11.40266G	53.90	74.00	-20.10	13.66	3	Vertical	315	1.29	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.40338G	41.30	54.00	-12.70	13.66	3	Horizontal	196	1.16	-								
PK	11.40472G	53.92	74.00	-20.08	13.65	3	Horizontal	196	1.16	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	5.7414G	96.13	Inf	-Inf	3.62	3	Vertical	209	1.96	-							
PK	5.6466G	56.33	68.20	-11.87	3.44	3	Vertical	209	1.96	-							
PK	5.7414G	106.45	Inf	-Inf	3.62	3	Vertical	209	1.96	-							
PK	5.979G	56.11	68.20	-12.09	4.09	3	Vertical	209	1.96	-							

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7402G	107.59	Inf	-Inf	3.62	3	Horizontal	159	2.13	-
PK	5.649G	60.56	68.20	-7.64	3.44	3	Horizontal	159	2.13	-
PK	5.7462G	117.20	Inf	-Inf	3.62	3	Horizontal	159	2.13	-
PK	5.9658G	58.71	68.20	-9.49	4.06	3	Horizontal	159	2.13	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	17.23924G	48.52	54.00	-5.48	16.92	3	Vertical	145	2.25	-								
PK	17.23372G	61.26	74.00	-12.74	16.89	3	Vertical	145	2.25	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	17.23886G	48.78	54.00	-5.22	16.92	3	Horizontal	237	2.39	-
PK	17.23116G	61.37	74.00	-12.63	16.87	3	Horizontal	237	2.39	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7802G	93.95	Inf	-Inf	3.69	3	Vertical	247	1.66	-
PK	5.6314G	57.29	68.20	-10.91	3.40	3	Vertical	247	1.66	-
PK	5.7826G	104.04	Inf	-Inf	3.70	3	Vertical	247	1.66	-
PK	5.9518G	56.34	68.20	-11.86	4.03	3	Vertical	247	1.66	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7826G	106.59	Inf	-Inf	3.70	3	Horizontal	166	1.03	-
PK	5.6314G	56.98	68.20	-11.22	3.40	3	Horizontal	166	1.03	-
PK	5.7766G	116.12	Inf	-Inf	3.68	3	Horizontal	166	1.03	-
PK	5.9266G	56.62	68.20	-11.58	3.99	3	Horizontal	166	1.03	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments										
	[Hz]	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)											
AV	17.3584G	48.84	54.00	-5.16	17.75	3	Vertical	294	2.47	-										
PK	17.3515G	61.10	74.00	-12.90	17.70	3	Vertical	294	2.47	-										

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	17.35958G	49.10	54.00	-4.90	17.76	3	Horizontal	224	1.78	-								
PK	17.35842G	62.09	74.00	-11.91	17.75	3	Horizontal	224	1.78	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8214G	96.02	Inf	-Inf	3.77	3	Vertical	257	2.13	-
PK	5.825G	55.95	68.20	-12.25	3.31	3	Vertical	257	2.13	-
PK	5.8238G	105.93	Inf	-Inf	3.78	3	Vertical	257	2.13	-
PK	5.939G	57.38	68.20	-10.82	4.01	3	Vertical	257	2.13	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8226G	106.87	Inf	-Inf	3.78	3	Horizontal	158	1.98	-
PK	5.609G	56.25	68.20	-11.95	3.36	3	Horizontal	158	1.98	-
PK	5.8202G	117.11	Inf	-Inf	3.77	3	Horizontal	158	1.98	-
PK	5.9318G	61.31	68.20	-6.89	3.99	3	Horizontal	158	1.98	-

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	17.47736G	50.11	54.00	-3.89	18.55	3	Vertical	169	2.03	-								
PK	17.4787G	63.10	74.00	-10.90	18.56	3	Vertical	169	2.03	-								

802.11n HT20_Nss1,(MCS0)_2TX

19/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	17.47166G	50.41	54.00	-3.59	18.52	3	Horizontal	204	2.23	-
PK	17.47532G	62.96	74.00	-11.04	18.53	3	Horizontal	204	2.23	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	44.69	54.00	-9.31	2.74	3	Vertical	227	1.27	-
AV	5.1972G	82.94	Inf	-Inf	2.80	3	Vertical	227	1.27	-
PK	5.15G	58.24	74.00	-15.76	2.74	3	Vertical	227	1.27	-
PK	5.1928G	91.96	Inf	-Inf	2.79	3	Vertical	227	1.27	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1484G	52.33	54.00	-1.67	2.74	3	Horizontal	148	2.29	-
AV	5.198G	94.65	Inf	-Inf	2.80	3	Horizontal	148	2.29	-
PK	5.146G	69.62	74.00	-4.38	2.74	3	Horizontal	148	2.29	-
PK	5.188G	103.48	Inf	-Inf	2.78	3	Horizontal	148	2.29	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.37958G	41.93	54.00	-12.07	12.67	3	Vertical	56	1.71	-
PK	10.37822G	53.79	74.00	-20.21	12.67	3	Vertical	56	1.71	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	10.37828G	41.30	54.00	-12.70	12.67	3	Horizontal	98	1.23	-								
PK	10.37612G	53.97	74.00	-20.03	12.67	3	Horizontal	98	1.23	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	45.63	54.00	-8.37	2.74	3	Vertical	225	1.25	-
AV	5.2148G	89.57	Inf	-Inf	2.82	3	Vertical	225	1.25	-
PK	5.1472G	59.15	74.00	-14.85	2.74	3	Vertical	225	1.25	-
PK	5.22G	97.77	Inf	-Inf	2.82	3	Vertical	225	1.25	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	52.57	54.00	-1.43	2.74	3	Horizontal	147	2.28	-
AV	5.2204G	100.58	Inf	-Inf	2.82	3	Horizontal	147	2.28	-
PK	5.1464G	68.69	74.00	-5.31	2.74	3	Horizontal	147	2.28	-
PK	5.218G	109.63	Inf	-Inf	2.82	3	Horizontal	147	2.28	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.46274G	41.94	54.00	-12.06	12.86	3	Vertical	331	1.99	-
PK	10.46156G	54.14	74.00	-19.86	12.86	3	Vertical	331	1.99	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.457G	41.88	54.00	-12.12	12.84	3	Horizontal	174	1.05	-
PK	10.46326G	54.27	74.00	-19.73	12.86	3	Horizontal	174	1.05	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2612G	92.40	Inf	-Inf	2.87	3	Vertical	255	2.48	-
AV	5.3508G	46.52	54.00	-7.48	2.97	3	Vertical	255	2.48	-
PK	5.2688G	101.30	Inf	-Inf	2.88	3	Vertical	255	2.48	-
PK	5.3564G	61.64	74.00	-12.36	2.97	3	Vertical	255	2.48	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2632G	101.09	Inf	-Inf	2.87	3	Horizontal	140	2.95	-
AV	5.3504G	53.18	54.00	-0.82	2.97	3	Horizontal	140	2.95	-
PK	5.258G	109.90	Inf	-Inf	2.86	3	Horizontal	140	2.95	-
PK	5.3568G	69.30	74.00	-4.70	2.97	3	Horizontal	140	2.95	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.8108G	45.86	54.00	-8.14	12.78	3	Vertical	204	2.14	-
PK	15.7974G	57.98	74.00	-16.02	12.84	3	Vertical	204	2.14	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.8134G	43.34	54.00	-10.66	12.76	3	Horizontal	282	1.03	-								
PK	15.804G	54.73	74.00	-19.27	12.81	3	Horizontal	282	1.03	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3224G	83.09	Inf	-Inf	2.94	3	Vertical	214	1.20	-
AV	5.3524G	44.78	54.00	-9.22	2.97	3	Vertical	214	1.20	-
PK	5.3204G	92.58	Inf	-Inf	2.93	3	Vertical	214	1.20	-
PK	5.3504G	60.33	74.00	-13.67	2.97	3	Vertical	214	1.20	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3248G	95.02	Inf	-Inf	2.94	3	Horizontal	169	2.14	-
AV	5.3504G	52.65	54.00	-1.35	2.97	3	Horizontal	169	2.14	-
PK	5.3176G	103.80	Inf	-Inf	2.93	3	Horizontal	169	2.14	-
PK	5.35G	71.11	74.00	-2.89	2.97	3	Horizontal	169	2.14	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61678G	39.31	54.00	-14.69	13.19	3	Vertical	349	2.02	-
PK	10.62202G	51.01	74.00	-22.99	13.21	3	Vertical	349	2.02	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62474G	39.28	54.00	-14.72	13.21	3	Horizontal	100	1.74	-
PK	10.61682G	51.15	74.00	-22.85	13.19	3	Horizontal	100	1.74	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	43.90	54.00	-10.10	3.10	3	Vertical	239	1.29	-
AV	5.5268G	81.57	Inf	-Inf	3.20	3	Vertical	239	1.29	-
PK	5.4364G	55.60	74.00	-18.40	3.07	3	Vertical	239	1.29	-
PK	5.4636G	56.54	68.20	-11.66	3.10	3	Vertical	239	1.29	-
PK	5.5196G	89.99	Inf	-Inf	3.18	3	Vertical	239	1.29	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46 G	47.24	54.00	-6.76	3.10	3	Horizontal	164	2.24	-
AV	5.5196G	94.69	Inf	-Inf	3.18	3	Horizontal	164	2.24	-
PK	5.46 G	62.30	74.00	-11.70	3.10	3	Horizontal	164	2.24	-
PK	5.4644 G	67.12	68.20	-1.08	3.11	3	Horizontal	164	2.24	-
PK	5.5248 G	103.28	Inf	-Inf	3.19	3	Horizontal	164	2.24	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.0187G	40.32	54.00	-13.68	14.01	3	Vertical	50	1.05	-								
PK	11.01564G	52.36	74.00	-21.64	14.02	3	Vertical	50	1.05	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5510MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	11.01914G	40.09	54.00	-13.91	14.01	3	Horizontal	186	1.29	-								
PK	11.02152G	52.46	74.00	-21.54	14.01	3	Horizontal	186	1.29	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	44.36	54.00	-9.64	3.09	3	Vertical	214	1.49	-
AV	5.5412G	88.72	Inf	-Inf	3.23	3	Vertical	214	1.49	-
PK	5.4592G	55.55	74.00	-18.45	3.10	3	Vertical	214	1.49	-
PK	5.4692G	58.50	68.20	-9.70	3.11	3	Vertical	214	1.49	-
PK	5.5436G	97.07	Inf	-Inf	3.23	3	Vertical	214	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4584G	50.00	54.00	-4.00	3.10	3	Horizontal	158	2.22	-
AV	5.5552G	101.82	Inf	-Inf	3.25	3	Horizontal	158	2.22	-
PK	5.4564G	63.92	74.00	-10.08	3.09	3	Horizontal	158	2.22	-
PK	5.4688G	67.24	68.20	-0.96	3.11	3	Horizontal	158	2.22	-
PK	5.5432G	110.65	Inf	-Inf	3.23	3	Horizontal	158	2.22	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09516G	42.96	54.00	-11.04	13.94	3	Vertical	299	1.77	-
PK	11.10464G	55.83	74.00	-18.17	13.93	3	Vertical	299	1.77	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09582G	42.93	54.00	-11.07	13.94	3	Horizontal	111	1.66	-
PK	11.10416G	54.65	74.00	-19.35	13.93	3	Horizontal	111	1.66	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6772G	86.16	Inf	-Inf	3.49	3	Vertical	251	2.08	-
PK	5.6844G	95.35	Inf	-Inf	3.51	3	Vertical	251	2.08	-
PK	5.727G	56.92	68.20	-11.28	3.59	3	Vertical	251	2.08	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6748G	98.48	Inf	-Inf	3.48	3	Horizontal	160	2.04	-
PK	5.6796G	107.60	Inf	-Inf	3.50	3	Horizontal	160	2.04	-
PK	5.7288G	68.13	68.20	-0.07	3.59	3	Horizontal	160	2.04	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.34268G	41.98	54.00	-12.02	13.72	3	Vertical	30	1.37	-								
PK	11.33948G	53.97	74.00	-20.03	13.71	3	Vertical	30	1.37	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.34482G	42.23	54.00	-11.77	13.72	3	Horizontal	106	1.60	-								
PK	11.33794G	54.43	74.00	-19.57	13.72	3	Horizontal	106	1.60	-								

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7622G	89.88	Inf	-Inf	3.66	3	Vertical	221	1.49	-
PK	5.6446G	56.15	68.20	-12.05	3.43	3	Vertical	221	1.49	-
PK	5.7574G	98.12	Inf	-Inf	3.65	3	Vertical	221	1.49	-
PK	5.935G	56.46	68.20	-11.74	4.00	3	Vertical	221	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7586G	103.05	Inf	-Inf	3.65	3	Horizontal	150	2.24	-
PK	5.653G	68.63	70.42	-1.79	3.44	3	Horizontal	150	2.24	-
PK	5.7502G	111.99	Inf	-Inf	3.64	3	Horizontal	150	2.24	-
PK	5.9314G	58.56	68.20	-9.64	3.99	3	Horizontal	150	2.24	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.50652G	40.56	54.00	-13.44	13.56	3	Vertical	263	1.12	-
PK	11.5052G	52.39	74.00	-21.61	13.56	3	Vertical	263	1.12	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5755MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.50918G	42.32	54.00	-11.68	13.56	3	Horizontal	29	1.30	-
PK	11.50962G	54.01	74.00	-19.99	13.56	3	Horizontal	29	1.30	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.789G	90.64	Inf	-Inf	3.70	3	Vertical	260	1.56	-
PK	5.651G	57.53	68.94	-11.41	3.44	3	Vertical	260	1.56	-
PK	5.7914G	99.82	Inf	-Inf	3.71	3	Vertical	260	1.56	-
PK	5.9294G	56.56	68.20	-11.64	3.99	3	Vertical	260	1.56	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.801G	103.70	Inf	-Inf	3.73	3	Horizontal	150	2.20	-
PK	5.639G	60.41	68.20	-7.79	3.42	3	Horizontal	150	2.20	-
PK	5.8082G	112.88	Inf	-Inf	3.75	3	Horizontal	150	2.20	-
PK	5.9234G	68.10	69.38	-1.28	3.98	3	Horizontal	150	2.20	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.59398G	42.57	54.00	-11.43	13.49	3	Vertical	185	2.43	-
PK	11.58674G	54.50	74.00	-19.50	13.49	3	Vertical	185	2.43	-

802.11n HT40_Nss1,(MCS0)_2TX

19/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.58694G	42.09	54.00	-11.91	13.49	3	Horizontal	289	2.32	-								
PK	11.58786G	54.60	74.00	-19.40	13.50	3	Horizontal	289	2.32	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.147G	46.35	54.00	-7.65	2.74	3	Vertical	219	1.29	-
AV	5.198G	79.89	Inf	-Inf	2.80	3	Vertical	219	1.29	-
AV	5.437G	45.10	54.00	-8.90	3.07	3	Vertical	219	1.29	-
PK	5.107G	56.27	74.00	-17.73	2.68	3	Vertical	219	1.29	-
PK	5.2G	89.58	Inf	-Inf	2.80	3	Vertical	219	1.29	-
PK	5.46G	55.36	74.00	-18.64	3.10	3	Vertical	219	1.29	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.147G	53.08	54.00	-0.92	2.74	3	Horizontal	144	2.23	-
AV	5.198G	90.83	Inf	-Inf	2.80	3	Horizontal	144	2.23	-
AV	5.431G	45.17	54.00	-8.83	3.06	3	Horizontal	144	2.23	-
PK	5.15G	64.47	74.00	-9.53	2.74	3	Horizontal	144	2.23	-
PK	5.191G	100.35	Inf	-Inf	2.78	3	Horizontal	144	2.23	-
PK	5.434G	55.00	74.00	-19.00	3.06	3	Horizontal	144	2.23	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	10.41834G	41.23	54.00	-12.77	12.77	3	Vertical	195	1.91	-							
PK	10.41566G	52.17	74.00	-21.83	12.76	3	Vertical	195	1.91	-							

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41636G	41.23	54.00	-12.77	12.76	3	Horizontal	299	1.78	-
PK	10.42122G	52.15	74.00	-21.85	12.77	3	Horizontal	299	1.78	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.08G	45.57	54.00	-8.43	2.66	3	Vertical	210	1.19	-
AV	5.283G	81.74	Inf	-Inf	2.89	3	Vertical	210	1.19	-
AV	5.353G	47.32	54.00	-6.68	2.97	3	Vertical	210	1.19	-
PK	5.057G	55.67	74.00	-18.33	2.63	3	Vertical	210	1.19	-
PK	5.277G	89.56	Inf	-Inf	2.88	3	Vertical	210	1.19	-
PK	5.531G	55.14	68.20	-13.06	3.20	3	Vertical	210	1.19	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.141G	49.31	54.00	-4.69	2.73	3	Horizontal	139	2.30	-
AV	5.278G	92.50	Inf	-Inf	2.88	3	Horizontal	139	2.30	-
AV	5.35G	53.95	54.00	-0.05	2.97	3	Horizontal	139	2.30	-
PK	5.146G	59.42	74.00	-14.58	2.74	3	Horizontal	139	2.30	-
PK	5.276G	100.82	Inf	-Inf	2.88	3	Horizontal	139	2.30	-
PK	5.35G	66.66	74.00	-7.34	2.97	3	Horizontal	139	2.30	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58016G	43.36	54.00	-10.64	13.11	3	Vertical	196	2.19	-
PK	10.57732G	54.67	74.00	-19.33	13.11	3	Vertical	196	2.19	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5838G	43.26	54.00	-10.74	13.12	3	Horizontal	289	1.87	-
PK	10.58348G	54.16	74.00	-19.84	13.12	3	Horizontal	289	1.87	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	44.99	54.00	-9.01	3.10	3	Vertical	237	1.09	-
AV	5.541G	79.80	Inf	-Inf	3.23	3	Vertical	237	1.09	-
PK	5.341G	53.73	68.20	-14.47	2.96	3	Vertical	237	1.09	-
PK	5.459G	56.38	74.00	-17.62	3.10	3	Vertical	237	1.09	-
PK	5.467G	57.24	68.20	-10.96	3.11	3	Vertical	237	1.09	-
PK	5.539G	87.97	Inf	-Inf	3.22	3	Vertical	237	1.09	-
PK	5.771G	54.85	68.20	-13.35	3.68	3	Vertical	237	1.09	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.445G	53.28	54.00	-0.72	3.08	3	Horizontal	164	2.10	-
AV	5.542G	94.23	Inf	-Inf	3.23	3	Horizontal	164	2.10	-
PK	5.32G	55.73	68.20	-12.47	2.93	3	Horizontal	164	2.10	-
PK	5.445G	64.96	74.00	-9.04	3.08	3	Horizontal	164	2.10	-
PK	5.467G	67.74	68.20	-0.46	3.11	3	Horizontal	164	2.10	-
PK	5.54G	103.25	Inf	-Inf	3.23	3	Horizontal	164	2.10	-
PK	5.74G	56.57	68.20	-11.63	3.62	3	Horizontal	164	2.10	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05862G	44.32	54.00	-9.68	13.97	3	Vertical	128	2.01	-
PK	11.05906G	55.25	74.00	-18.75	13.97	3	Vertical	128	2.01	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.06174G	43.89	54.00	-10.11	13.97	3	Horizontal	131	2.21	-								
PK	11.05926G	55.87	74.00	-18.13	13.97	3	Horizontal	131	2.21	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.757G	84.17	Inf	-Inf	3.65	3	Vertical	240	1.32	-
PK	5.6334G	56.77	68.20	-11.43	3.41	3	Vertical	240	1.32	-
PK	5.7606G	93.36	Inf	-Inf	3.65	3	Vertical	240	1.32	-
PK	5.9262G	56.76	68.20	-11.44	3.99	3	Vertical	240	1.32	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.763G	98.81	Inf	-Inf	3.66	3	Horizontal	152	2.10	-
PK	5.6502G	66.77	68.35	-1.58	3.44	3	Horizontal	152	2.10	-
PK	5.769G	107.50	Inf	-Inf	3.68	3	Horizontal	152	2.10	-
PK	5.9298G	66.24	68.20	-1.96	3.99	3	Horizontal	152	2.10	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5775MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.54528G	43.08	54.00	-10.92	13.53	3	Vertical	199	1.64	-
PK	11.5544G	53.96	74.00	-20.04	13.52	3	Vertical	199	1.64	-

802.11ac VHT80_Nss1,(MCS0)_2TX

19/09/2018

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.55978G	44.20	54.00	-9.80	13.52	3	Horizontal	252	1.74	-
PK	11.53866G	54.45	74.00	-19.55	13.54	3	Horizontal	252	1.74	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	326.82M	42.34	46.00	-3.66	-16.18	3	Horizontal	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	66.86M	21.69	40.00	-18.31	-25.38	3	Vertical	0	1.00	-
5775MHz	Pass	PK	159.98M	20.54	43.50	-22.96	-19.97	3	Vertical	0	1.00	-
5775MHz	Pass	PK	245.34M	24.36	46.00	-21.64	-17.84	3	Vertical	0	1.00	-
5775MHz	Pass	PK	332.64M	36.34	46.00	-9.66	-15.99	3	Vertical	0	1.00	-
5775MHz	Pass	PK	650.8M	37.33	46.00	-8.67	-9.96	3	Vertical	0	1.00	-
5775MHz	Pass	PK	749.74M	37.35	46.00	-8.65	-8.38	3	Vertical	0	1.00	-
5775MHz	Pass	PK	117.3M	23.87	43.50	-19.63	-19.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	163.86M	22.21	43.50	-21.29	-20.25	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	231.76M	30.38	46.00	-15.62	-19.58	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	326.82M	42.34	46.00	-3.66	-16.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	650.8M	40.09	46.00	-5.91	-9.96	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	749.74M	42.11	46.00	-3.89	-8.38	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

20/09/2018

5775MHz_Switching Power Supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	66.86M	21.69	40.00	-18.31	-25.38	3	Vertical	0	1.00	-
PK	159.98M	20.54	43.50	-22.96	-19.97	3	Vertical	0	1.00	-
PK	245.34M	24.36	46.00	-21.64	-17.84	3	Vertical	0	1.00	-
PK	332.64M	36.34	46.00	-9.66	-15.99	3	Vertical	0	1.00	-
PK	650.8M	37.33	46.00	-8.67	-9.96	3	Vertical	0	1.00	-
PK	749.74M	37.35	46.00	-8.65	-8.38	3	Vertical	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

20/09/2018

5775MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	117.3M	23.87	43.50	-19.63	-19.47	3	Horizontal	360	1.00	-
PK	163.86M	22.21	43.50	-21.29	-20.25	3	Horizontal	360	1.00	-
PK	231.76M	30.38	46.00	-15.62	-19.58	3	Horizontal	360	1.00	-
PK	326.82M	42.34	46.00	-3.66	-16.18	3	Horizontal	360	1.00	-
PK	650.8M	40.09	46.00	-5.91	-9.96	3	Horizontal	360	1.00	-
PK	749.74M	42.11	46.00	-3.89	-8.38	3	Horizontal	360	1.00	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.1496G	53.59	54.00	-0.41	4.01	3	Vertical	14	2.91	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.84	54.00	-0.16	4.01	3	Vertical	198	2.24	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.23	54.00	-0.77	4.01	3	Vertical	187	2.20	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.67	54.00	-0.33	4.01	3	Vertical	194	2.32	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.3504G	53.76	54.00	-0.24	4.26	3	Vertical	180	1.13	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.89	54.00	-0.11	14.05	3	Vertical	272	2.97	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.40	54.00	-0.60	4.26	3	Vertical	198	1.18	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.361G	53.65	54.00	-0.35	4.28	3	Vertical	198	1.05	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.7268G	68.07	68.20	-0.13	4.93	3	Vertical	208	2.99	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	PK	5.7306G	67.60	68.20	-0.60	4.94	3	Vertical	217	2.94	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	5.4688G	68.10	68.20	-0.10	4.41	3	Vertical	13	1.50	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.437G	53.52	54.00	-0.48	4.37	3	Vertical	223	2.94	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	11.4852G	45.48	54.00	-8.52	14.85	3	Horizontal	318	1.50	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	PK	5.9402G	62.23	68.20	-5.97	5.25	3	Vertical	219	2.96	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	PK	5.9282G	68.03	68.20	-0.17	5.23	3	Vertical	218	2.99	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.925G	67.95	68.20	-0.25	5.23	3	Vertical	219	2.99	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.41	54.00	-0.59	4.01	3	Vertical	11	2.63	-
5180MHz	Pass	AV	5.1768G	100.14	Inf	-Inf	4.05	3	Vertical	11	2.63	-
5180MHz	Pass	PK	5.1472G	68.55	74.00	-5.45	4.01	3	Vertical	11	2.63	-
5180MHz	Pass	PK	5.1782G	108.48	Inf	-Inf	4.05	3	Vertical	11	2.63	-
5180MHz	Pass	AV	10.3631G	45.30	54.00	-8.70	13.92	3	Vertical	232	1.92	-
5180MHz	Pass	PK	10.3641G	56.81	74.00	-17.19	13.92	3	Vertical	233	1.92	-
5180MHz	Pass	AV	10.3562G	45.29	54.00	-8.71	13.90	3	Horizontal	45	1.11	-
5180MHz	Pass	PK	10.35708G	57.13	74.00	-16.87	13.91	3	Horizontal	45	1.11	-
5200MHz	Pass	AV	5.1496G	53.59	54.00	-0.41	4.01	3	Vertical	14	2.91	-
5200MHz	Pass	AV	5.1968G	102.57	Inf	-Inf	4.08	3	Vertical	14	2.91	-
5200MHz	Pass	PK	5.1496G	65.61	74.00	-8.39	4.01	3	Vertical	14	2.91	-
5200MHz	Pass	PK	5.1984G	110.91	Inf	-Inf	4.08	3	Vertical	14	2.91	-
5200MHz	Pass	AV	15.60498G	49.14	54.00	-4.86	14.93	3	Vertical	21	1.50	-
5200MHz	Pass	PK	15.60318G	61.88	74.00	-12.12	14.94	3	Vertical	21	1.50	-
5200MHz	Pass	AV	15.6048G	49.33	54.00	-4.67	14.93	3	Horizontal	349	1.50	-
5200MHz	Pass	PK	15.60318G	61.69	74.00	-12.31	14.94	3	Horizontal	349	1.50	-
5240MHz	Pass	AV	5.1494G	47.39	54.00	-6.61	4.01	3	Vertical	14	2.82	-
5240MHz	Pass	AV	5.2442G	103.45	Inf	-Inf	4.13	3	Vertical	14	2.82	-
5240MHz	Pass	AV	5.3558G	46.98	54.00	-7.02	4.27	3	Vertical	14	2.82	-
5240MHz	Pass	PK	5.1368G	57.95	74.00	-16.05	3.99	3	Vertical	14	2.82	-
5240MHz	Pass	PK	5.2472G	111.59	Inf	-Inf	4.14	3	Vertical	14	2.82	-
5240MHz	Pass	PK	5.3798G	57.46	74.00	-16.54	4.30	3	Vertical	14	2.82	-
5240MHz	Pass	AV	15.72162G	48.58	54.00	-5.42	14.35	3	Vertical	350	1.53	-
5240MHz	Pass	PK	15.72066G	60.24	74.00	-13.76	14.35	3	Vertical	350	1.53	-
5240MHz	Pass	AV	15.71742G	51.37	54.00	-2.63	14.37	3	Horizontal	335	1.99	-
5240MHz	Pass	PK	15.71712G	63.86	74.00	-10.14	14.37	3	Horizontal	335	1.99	-
5260MHz	Pass	AV	5.1466G	46.83	54.00	-7.17	4.01	3	Vertical	181	1.25	-
5260MHz	Pass	AV	5.2582G	101.89	Inf	-Inf	4.15	3	Vertical	181	1.25	-
5260MHz	Pass	AV	5.3512G	47.31	54.00	-6.69	4.26	3	Vertical	181	1.25	-
5260MHz	Pass	PK	5.1412G	56.70	74.00	-17.30	4.00	3	Vertical	181	1.25	-
5260MHz	Pass	PK	5.2672G	110.51	Inf	-Inf	4.17	3	Vertical	181	1.25	-
5260MHz	Pass	PK	5.3782G	58.60	74.00	-15.40	4.30	3	Vertical	181	1.25	-
5260MHz	Pass	AV	15.77694G	49.12	54.00	-4.88	14.08	3	Vertical	351	1.50	-
5260MHz	Pass	PK	15.77394G	61.01	74.00	-12.99	14.09	3	Vertical	351	1.50	-
5260MHz	Pass	AV	15.77736G	48.57	54.00	-5.43	14.07	3	Horizontal	351	1.31	-
5260MHz	Pass	PK	15.77592G	61.33	74.00	-12.67	14.08	3	Horizontal	351	1.31	-
5300MHz	Pass	AV	5.2968G	102.97	Inf	-Inf	4.20	3	Vertical	177	1.02	-
5300MHz	Pass	AV	5.35G	53.67	54.00	-0.33	4.26	3	Vertical	177	1.02	-
5300MHz	Pass	PK	5.3068G	112.61	Inf	-Inf	4.21	3	Vertical	177	1.02	-
5300MHz	Pass	PK	5.3516G	66.80	74.00	-7.20	4.26	3	Vertical	177	1.02	-
5300MHz	Pass	AV	15.89752G	49.33	54.00	-4.67	13.47	3	Vertical	336	1.26	-
5300MHz	Pass	PK	15.90402G	61.32	74.00	-12.68	13.43	3	Vertical	336	1.26	-
5300MHz	Pass	AV	15.89764G	49.25	54.00	-4.75	13.47	3	Horizontal	292	2.03	-
5300MHz	Pass	PK	15.90348G	60.61	74.00	-13.39	13.44	3	Horizontal	292	2.03	-
5320MHz	Pass	AV	5.3244G	100.64	Inf	-Inf	4.23	3	Vertical	180	1.13	-
5320MHz	Pass	AV	5.3504G	53.76	54.00	-0.24	4.26	3	Vertical	180	1.13	-
5320MHz	Pass	PK	5.3266G	108.74	Inf	-Inf	4.24	3	Vertical	180	1.13	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3524G	70.23	74.00	-3.77	4.26	3	Vertical	180	1.13	-
5320MHz	Pass	AV	10.64444G	45.23	54.00	-8.77	14.57	3	Vertical	98	2.40	-
5320MHz	Pass	PK	10.6368G	56.66	74.00	-17.34	14.55	3	Vertical	98	2.40	-
5320MHz	Pass	AV	10.6421G	45.31	54.00	-8.69	14.56	3	Horizontal	187	1.60	-
5320MHz	Pass	PK	10.64432G	56.92	74.00	-17.08	14.57	3	Horizontal	187	1.60	-
5500MHz	Pass	AV	5.4598G	49.90	54.00	-4.10	4.40	3	Vertical	178	1.01	-
5500MHz	Pass	AV	5.4698G	51.99	Inf	-Inf	4.41	3	Vertical	178	1.01	-
5500MHz	Pass	AV	5.5044G	98.78	Inf	-Inf	4.46	3	Vertical	178	1.01	-
5500MHz	Pass	PK	5.453G	64.63	74.00	-9.37	4.39	3	Vertical	178	1.01	-
5500MHz	Pass	PK	5.4664G	67.84	68.20	-0.36	4.41	3	Vertical	178	1.01	-
5500MHz	Pass	PK	5.5064G	107.16	Inf	-Inf	4.46	3	Vertical	178	1.01	-
5500MHz	Pass	AV	11.00108G	46.23	54.00	-7.77	15.39	3	Vertical	358	1.08	-
5500MHz	Pass	PK	10.9959G	57.79	74.00	-16.21	15.39	3	Vertical	358	1.08	-
5500MHz	Pass	AV	10.99846G	46.31	54.00	-7.69	15.39	3	Horizontal	161	1.25	-
5500MHz	Pass	PK	10.99678G	57.97	74.00	-16.03	15.39	3	Horizontal	161	1.25	-
5580MHz	Pass	AV	5.46G	46.88	54.00	-7.12	4.40	3	Vertical	184	1.01	-
5580MHz	Pass	AV	5.577G	103.77	Inf	-Inf	4.59	3	Vertical	184	1.01	-
5580MHz	Pass	PK	5.4546G	58.14	74.00	-15.86	4.39	3	Vertical	184	1.01	-
5580MHz	Pass	PK	5.4678G	57.23	68.20	-10.97	4.41	3	Vertical	184	1.01	-
5580MHz	Pass	PK	5.5788G	111.90	Inf	-Inf	4.60	3	Vertical	184	1.01	-
5580MHz	Pass	PK	5.7258G	57.75	68.20	-10.45	4.93	3	Vertical	184	1.01	-
5580MHz	Pass	AV	16.73694G	51.56	54.00	-2.44	16.77	3	Vertical	348	1.60	-
5580MHz	Pass	PK	16.74312G	63.25	74.00	-10.75	16.80	3	Vertical	348	1.60	-
5580MHz	Pass	AV	16.73976G	50.87	54.00	-3.13	16.79	3	Horizontal	347	1.50	-
5580MHz	Pass	PK	16.73394G	62.67	74.00	-11.33	16.76	3	Horizontal	347	1.50	-
5700MHz	Pass	AV	5.7044G	96.21	Inf	-Inf	4.89	3	Vertical	208	2.99	-
5700MHz	Pass	PK	5.7068G	104.69	Inf	-Inf	4.89	3	Vertical	208	2.99	-
5700MHz	Pass	PK	5.7268G	68.07	68.20	-0.13	4.93	3	Vertical	208	2.99	-
5700MHz	Pass	AV	11.40102G	45.90	54.00	-8.10	14.94	3	Vertical	84	2.04	-
5700MHz	Pass	PK	11.40332G	56.92	74.00	-17.08	14.95	3	Vertical	84	2.04	-
5700MHz	Pass	AV	11.40004G	45.83	54.00	-8.17	14.94	3	Horizontal	293	1.76	-
5700MHz	Pass	PK	11.4012G	57.07	74.00	-16.93	14.94	3	Horizontal	293	1.76	-
5745MHz	Pass	AV	5.751G	103.88	Inf	-Inf	5.00	3	Vertical	15	2.10	-
5745MHz	Pass	PK	5.6478G	57.83	68.20	-10.37	4.75	3	Vertical	15	2.10	-
5745MHz	Pass	PK	5.7522G	112.84	Inf	-Inf	5.00	3	Vertical	15	2.10	-
5745MHz	Pass	PK	5.9862G	58.62	68.20	-9.58	5.28	3	Vertical	15	2.10	-
5745MHz	Pass	AV	11.4945G	45.41	54.00	-8.59	14.84	3	Vertical	322	2.35	-
5745MHz	Pass	PK	11.48598G	57.39	74.00	-16.61	14.85	3	Vertical	322	2.35	-
5745MHz	Pass	AV	11.4852G	45.48	54.00	-8.52	14.85	3	Horizontal	318	1.50	-
5745MHz	Pass	PK	11.4843G	57.29	74.00	-16.71	14.85	3	Horizontal	318	1.50	-
5785MHz	Pass	AV	5.7838G	104.69	Inf	-Inf	5.08	3	Vertical	216	2.93	-
5785MHz	Pass	PK	5.6074G	57.57	68.20	-10.63	4.65	3	Vertical	216	2.93	-
5785MHz	Pass	PK	5.7886G	113.57	Inf	-Inf	5.09	3	Vertical	216	2.93	-
5785MHz	Pass	PK	5.9374G	58.48	68.20	-9.72	5.24	3	Vertical	216	2.93	-
5785MHz	Pass	AV	11.57162G	44.76	54.00	-9.24	14.75	3	Vertical	85	2.46	-
5785MHz	Pass	PK	11.5748G	56.28	74.00	-17.72	14.75	3	Vertical	85	2.46	-
5785MHz	Pass	AV	11.56532G	44.74	54.00	-9.26	14.76	3	Horizontal	345	2.28	-
5785MHz	Pass	PK	11.5689G	55.81	74.00	-18.19	14.76	3	Horizontal	345	2.28	-
5825MHz	Pass	AV	5.8214G	104.63	Inf	-Inf	5.14	3	Vertical	214	2.90	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.6222G	57.75	68.20	-10.45	4.68	3	Vertical	214	2.90	-
5825MHz	Pass	PK	5.8226G	112.82	Inf	-Inf	5.14	3	Vertical	214	2.90	-
5825MHz	Pass	PK	5.9258G	59.38	68.20	-8.82	5.23	3	Vertical	214	2.90	-
5825MHz	Pass	AV	11.65236G	44.91	54.00	-9.09	14.66	3	Vertical	264	1.08	-
5825MHz	Pass	PK	11.65388G	56.75	74.00	-17.25	14.66	3	Vertical	264	1.08	-
5825MHz	Pass	AV	11.64768G	45.05	54.00	-8.95	14.66	3	Horizontal	240	1.63	-
5825MHz	Pass	PK	11.65388G	56.42	74.00	-17.58	14.66	3	Horizontal	240	1.63	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.84	54.00	-0.16	4.01	3	Vertical	198	2.24	-
5180MHz	Pass	AV	5.1762G	102.60	Inf	-Inf	4.05	3	Vertical	198	2.24	-
5180MHz	Pass	PK	5.1482G	69.32	74.00	-4.68	4.01	3	Vertical	198	2.24	-
5180MHz	Pass	PK	5.1762G	110.70	Inf	-Inf	4.05	3	Vertical	198	2.24	-
5180MHz	Pass	AV	15.5397G	51.17	54.00	-2.83	15.25	3	Vertical	322	2.85	-
5180MHz	Pass	PK	15.5474G	63.60	74.00	-10.40	15.21	3	Vertical	322	2.85	-
5180MHz	Pass	AV	15.54G	50.81	54.00	-3.19	15.25	3	Horizontal	320	2.64	-
5180MHz	Pass	PK	15.5379G	61.92	74.00	-12.08	15.26	3	Horizontal	320	2.64	-
5200MHz	Pass	AV	5.1492G	53.23	54.00	-0.77	4.01	3	Vertical	195	1.01	-
5200MHz	Pass	AV	5.1932G	104.74	Inf	-Inf	4.07	3	Vertical	195	1.01	-
5200MHz	Pass	PK	5.1456G	66.72	74.00	-7.28	4.01	3	Vertical	195	1.01	-
5200MHz	Pass	PK	5.2064G	112.72	Inf	-Inf	4.08	3	Vertical	195	1.01	-
5200MHz	Pass	AV	15.604G	51.28	54.00	-2.72	14.93	3	Vertical	327	1.50	-
5200MHz	Pass	PK	15.599G	63.15	74.00	-10.85	14.96	3	Vertical	327	1.50	-
5200MHz	Pass	AV	15.5984G	53.81	54.00	-0.19	14.97	3	Horizontal	282	2.67	-
5200MHz	Pass	PK	15.6057G	65.99	74.00	-8.01	14.93	3	Horizontal	282	2.67	-
5240MHz	Pass	AV	5.15G	47.57	54.00	-6.43	4.01	3	Vertical	198	1.02	-
5240MHz	Pass	AV	5.2436G	105.66	Inf	-Inf	4.13	3	Vertical	198	1.02	-
5240MHz	Pass	AV	5.3558G	47.52	54.00	-6.48	4.27	3	Vertical	198	1.02	-
5240MHz	Pass	PK	5.1398G	58.54	74.00	-15.46	3.99	3	Vertical	198	1.02	-
5240MHz	Pass	PK	5.2424G	113.53	Inf	-Inf	4.13	3	Vertical	198	1.02	-
5240MHz	Pass	PK	5.3792G	58.32	74.00	-15.68	4.30	3	Vertical	198	1.02	-
5240MHz	Pass	AV	15.718G	51.05	54.00	-2.95	14.36	3	Vertical	328	1.64	-
5240MHz	Pass	PK	15.713G	62.36	74.00	-11.64	14.39	3	Vertical	328	1.64	-
5240MHz	Pass	AV	15.7213G	53.71	54.00	-0.29	14.35	3	Horizontal	287	2.56	-
5240MHz	Pass	PK	15.7261G	65.44	74.00	-8.56	14.33	3	Horizontal	287	2.56	-
5260MHz	Pass	AV	5.15G	47.40	54.00	-6.60	4.01	3	Vertical	198	1.08	-
5260MHz	Pass	AV	5.2612G	106.63	Inf	-Inf	4.16	3	Vertical	198	1.08	-
5260MHz	Pass	AV	5.3584G	47.88	54.00	-6.12	4.28	3	Vertical	198	1.08	-
5260MHz	Pass	PK	5.1442G	58.00	74.00	-16.00	4.01	3	Vertical	198	1.08	-
5260MHz	Pass	PK	5.2624G	114.30	Inf	-Inf	4.16	3	Vertical	198	1.08	-
5260MHz	Pass	PK	5.3506G	58.75	74.00	-15.25	4.26	3	Vertical	198	1.08	-
5260MHz	Pass	AV	15.781G	53.89	54.00	-0.11	14.05	3	Vertical	272	2.97	-
5260MHz	Pass	PK	15.7763G	65.40	74.00	-8.60	14.08	3	Vertical	272	2.97	-
5260MHz	Pass	AV	15.7763G	53.74	54.00	-0.26	14.08	3	Horizontal	297	2.67	-
5260MHz	Pass	PK	15.781G	65.05	74.00	-8.95	14.05	3	Horizontal	297	2.67	-
5300MHz	Pass	AV	5.296G	106.83	Inf	-Inf	4.20	3	Vertical	198	1.02	-
5300MHz	Pass	AV	5.3504G	53.84	54.00	-0.16	4.26	3	Vertical	198	1.02	-
5300MHz	Pass	PK	5.3024G	114.58	Inf	-Inf	4.21	3	Vertical	198	1.02	-
5300MHz	Pass	PK	5.3552G	69.40	74.00	-4.60	4.27	3	Vertical	198	1.02	-
5300MHz	Pass	AV	15.901G	51.92	54.00	-2.08	13.46	3	Vertical	330	2.03	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	15.8912G	63.09	74.00	-10.91	13.51	3	Vertical	330	2.03	-
5300MHz	Pass	AV	15.9012G	53.22	54.00	-0.78	13.45	3	Horizontal	285	2.52	-
5300MHz	Pass	PK	15.8985G	64.42	74.00	-9.58	13.47	3	Horizontal	285	2.52	-
5320MHz	Pass	AV	5.324G	104.32	Inf	-Inf	4.23	3	Vertical	200	1.02	-
5320MHz	Pass	AV	5.35G	53.41	54.00	-0.59	4.26	3	Vertical	200	1.02	-
5320MHz	Pass	PK	5.3242G	112.25	Inf	-Inf	4.23	3	Vertical	200	1.02	-
5320MHz	Pass	PK	5.3508G	70.11	74.00	-3.89	4.26	3	Vertical	200	1.02	-
5320MHz	Pass	AV	15.95922G	46.27	54.00	-7.73	13.16	3	Vertical	22	1.74	-
5320MHz	Pass	PK	15.95526G	58.04	74.00	-15.96	13.18	3	Vertical	22	1.74	-
5320MHz	Pass	AV	15.9606G	48.49	54.00	-5.51	13.16	3	Horizontal	341	2.75	-
5320MHz	Pass	PK	15.9654G	60.31	74.00	-13.69	13.14	3	Horizontal	341	2.75	-
5500MHz	Pass	AV	5.459G	48.96	54.00	-5.04	4.40	3	Vertical	191	1.01	-
5500MHz	Pass	AV	5.499G	100.87	Inf	-Inf	4.45	3	Vertical	191	1.01	-
5500MHz	Pass	PK	5.459G	62.26	74.00	-11.74	4.40	3	Vertical	191	1.01	-
5500MHz	Pass	PK	5.464G	67.38	68.20	-0.82	4.40	3	Vertical	191	1.01	-
5500MHz	Pass	PK	5.5044G	108.96	Inf	-Inf	4.46	3	Vertical	191	1.01	-
5500MHz	Pass	AV	10.99662G	46.46	54.00	-7.54	15.39	3	Vertical	9	1.53	-
5500MHz	Pass	PK	11.00432G	56.96	74.00	-17.04	15.38	3	Vertical	9	1.53	-
5500MHz	Pass	AV	10.99686G	46.31	54.00	-7.69	15.39	3	Horizontal	316	1.60	-
5500MHz	Pass	PK	10.9979G	57.70	74.00	-16.30	15.39	3	Horizontal	316	1.60	-
5580MHz	Pass	AV	5.4408G	47.14	54.00	-6.86	4.37	3	Vertical	221	2.90	-
5580MHz	Pass	AV	5.5848G	107.09	Inf	-Inf	4.60	3	Vertical	221	2.90	-
5580MHz	Pass	PK	5.46G	59.40	74.00	-14.60	4.40	3	Vertical	221	2.90	-
5580MHz	Pass	PK	5.4606G	59.07	68.20	-9.13	4.40	3	Vertical	221	2.90	-
5580MHz	Pass	PK	5.5866G	115.43	Inf	-Inf	4.60	3	Vertical	221	2.90	-
5580MHz	Pass	PK	5.7276G	58.36	68.20	-9.84	4.94	3	Vertical	221	2.90	-
5580MHz	Pass	AV	16.7496G	49.07	54.00	-4.93	16.83	3	Vertical	347	2.74	-
5580MHz	Pass	PK	16.7341G	60.74	74.00	-13.26	16.76	3	Vertical	347	2.74	-
5580MHz	Pass	AV	16.7388G	51.68	54.00	-2.32	16.78	3	Horizontal	299	2.04	-
5580MHz	Pass	PK	16.7404G	62.68	74.00	-11.32	16.79	3	Horizontal	299	2.04	-
5700MHz	Pass	AV	5.6964G	97.74	Inf	-Inf	4.86	3	Vertical	217	2.94	-
5700MHz	Pass	PK	5.6964G	106.74	Inf	-Inf	4.86	3	Vertical	217	2.94	-
5700MHz	Pass	PK	5.7306G	67.60	68.20	-0.60	4.94	3	Vertical	217	2.94	-
5700MHz	Pass	AV	11.40146G	45.82	54.00	-8.18	14.94	3	Vertical	332	2.19	-
5700MHz	Pass	PK	11.39978G	57.42	74.00	-16.58	14.94	3	Vertical	332	2.19	-
5700MHz	Pass	AV	11.40136G	45.90	54.00	-8.10	14.94	3	Horizontal	9	2.34	-
5700MHz	Pass	PK	11.40296G	57.79	74.00	-16.21	14.94	3	Horizontal	9	2.34	-
5745MHz	Pass	AV	5.7438G	109.09	Inf	-Inf	4.98	3	Vertical	218	2.90	-
5745MHz	Pass	PK	5.6202G	60.13	68.20	-8.07	4.68	3	Vertical	218	2.90	-
5745MHz	Pass	PK	5.7414G	117.35	Inf	-Inf	4.97	3	Vertical	218	2.90	-
5745MHz	Pass	PK	5.9562G	59.20	68.20	-9.00	5.26	3	Vertical	218	2.90	-
5745MHz	Pass	AV	11.4664G	45.39	54.00	-8.61	14.86	3	Vertical	87	1.41	-
5745MHz	Pass	PK	11.467G	56.90	74.00	-17.10	14.86	3	Vertical	87	1.41	-
5745MHz	Pass	AV	11.48956G	45.63	54.00	-8.37	14.84	3	Horizontal	21	1.40	-
5745MHz	Pass	PK	11.48824G	57.33	74.00	-16.67	14.84	3	Horizontal	21	1.40	-
5785MHz	Pass	AV	5.7838G	110.27	Inf	-Inf	5.08	3	Vertical	219	2.99	-
5785MHz	Pass	PK	5.647G	60.22	68.20	-7.98	4.75	3	Vertical	219	2.99	-
5785MHz	Pass	PK	5.7814G	119.02	Inf	-Inf	5.07	3	Vertical	219	2.99	-
5785MHz	Pass	PK	5.9254G	59.72	68.20	-8.48	5.23	3	Vertical	219	2.99	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.57412G	44.75	54.00	-9.25	14.75	3	Vertical	225	1.15	-
5785MHz	Pass	PK	11.56986G	56.96	74.00	-17.04	14.76	3	Vertical	225	1.15	-
5785MHz	Pass	AV	11.57334G	44.83	54.00	-9.17	14.75	3	Horizontal	2	2.43	-
5785MHz	Pass	PK	11.57162G	56.34	74.00	-17.66	14.75	3	Horizontal	2	2.43	-
5825MHz	Pass	AV	5.8214G	109.30	Inf	-Inf	5.14	3	Vertical	219	2.96	-
5825MHz	Pass	PK	5.5934G	58.97	68.20	-9.23	4.62	3	Vertical	219	2.96	-
5825MHz	Pass	PK	5.8238G	117.85	Inf	-Inf	5.14	3	Vertical	219	2.96	-
5825MHz	Pass	PK	5.9402G	62.23	68.20	-5.97	5.25	3	Vertical	219	2.96	-
5825MHz	Pass	AV	11.6535G	45.12	54.00	-8.88	14.66	3	Vertical	310	1.75	-
5825MHz	Pass	PK	11.65172G	56.66	74.00	-17.34	14.66	3	Vertical	310	1.75	-
5825MHz	Pass	AV	11.6484G	44.98	54.00	-9.02	14.66	3	Horizontal	198	1.31	-
5825MHz	Pass	PK	11.65252G	56.92	74.00	-17.08	14.66	3	Horizontal	198	1.31	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	53.13	54.00	-0.87	4.01	3	Vertical	195	1.03	-
5190MHz	Pass	AV	5.1856G	94.58	Inf	-Inf	4.06	3	Vertical	195	1.03	-
5190MHz	Pass	PK	5.1464G	68.93	74.00	-5.07	4.01	3	Vertical	195	1.03	-
5190MHz	Pass	PK	5.1824G	102.39	Inf	-Inf	4.06	3	Vertical	195	1.03	-
5190MHz	Pass	AV	10.37908G	46.38	54.00	-7.62	13.95	3	Vertical	63	1.20	-
5190MHz	Pass	PK	10.38102G	56.94	74.00	-17.06	13.96	3	Vertical	63	1.20	-
5190MHz	Pass	AV	10.38484G	46.27	54.00	-7.73	13.97	3	Horizontal	340	2.28	-
5190MHz	Pass	PK	10.37604G	56.69	74.00	-17.31	13.95	3	Horizontal	340	2.28	-
5230MHz	Pass	AV	5.1492G	53.23	54.00	-0.77	4.01	3	Vertical	187	2.20	-
5230MHz	Pass	AV	5.224G	102.03	Inf	-Inf	4.10	3	Vertical	187	2.20	-
5230MHz	Pass	PK	5.15G	67.15	74.00	-6.85	4.01	3	Vertical	187	2.20	-
5230MHz	Pass	PK	5.2344G	110.10	Inf	-Inf	4.12	3	Vertical	187	2.20	-
5230MHz	Pass	AV	15.6884G	50.24	54.00	-3.76	14.51	3	Vertical	339	2.40	-
5230MHz	Pass	PK	15.6824G	62.20	74.00	-11.80	14.54	3	Vertical	339	2.40	-
5230MHz	Pass	AV	15.6782G	51.22	54.00	-2.78	14.56	3	Horizontal	270	2.52	-
5230MHz	Pass	PK	15.6812G	61.56	74.00	-12.44	14.55	3	Horizontal	270	2.52	-
5270MHz	Pass	AV	5.2764G	102.12	Inf	-Inf	4.18	3	Vertical	198	1.18	-
5270MHz	Pass	AV	5.35G	53.40	54.00	-0.60	4.26	3	Vertical	198	1.18	-
5270MHz	Pass	PK	5.2788G	110.26	Inf	-Inf	4.18	3	Vertical	198	1.18	-
5270MHz	Pass	PK	5.358G	68.01	74.00	-5.99	4.27	3	Vertical	198	1.18	-
5270MHz	Pass	AV	15.8072G	50.16	54.00	-3.84	13.92	3	Vertical	322	2.99	-
5270MHz	Pass	PK	15.8268G	60.28	74.00	-13.72	13.83	3	Vertical	322	2.99	-
5270MHz	Pass	AV	15.809G	50.36	54.00	-3.64	13.91	3	Horizontal	359	2.10	-
5270MHz	Pass	PK	15.802G	61.21	74.00	-12.79	13.95	3	Horizontal	359	2.10	-
5310MHz	Pass	AV	5.3208G	95.99	Inf	-Inf	4.23	3	Vertical	199	1.02	-
5310MHz	Pass	AV	5.3512G	53.32	54.00	-0.68	4.26	3	Vertical	199	1.02	-
5310MHz	Pass	PK	5.3228G	103.41	Inf	-Inf	4.23	3	Vertical	199	1.02	-
5310MHz	Pass	PK	5.3512G	69.42	74.00	-4.58	4.26	3	Vertical	199	1.02	-
5310MHz	Pass	AV	10.62458G	46.10	54.00	-7.90	14.52	3	Vertical	244	1.22	-
5310MHz	Pass	PK	10.61614G	56.53	74.00	-17.47	14.50	3	Vertical	244	1.22	-
5310MHz	Pass	AV	10.61796G	45.86	54.00	-8.14	14.50	3	Horizontal	186	1.57	-
5310MHz	Pass	PK	10.61782G	56.77	74.00	-17.23	14.50	3	Horizontal	186	1.57	-
5510MHz	Pass	AV	5.458G	49.50	54.00	-4.50	4.39	3	Vertical	13	1.50	-
5510MHz	Pass	AV	5.516G	92.26	Inf	-Inf	4.48	3	Vertical	13	1.50	-
5510MHz	Pass	PK	5.4584G	60.76	74.00	-13.24	4.40	3	Vertical	13	1.50	-
5510MHz	Pass	PK	5.4688G	68.10	68.20	-0.10	4.41	3	Vertical	13	1.50	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.518G	100.69	Inf	-Inf	4.48	3	Vertical	13	1.50	-
5510MHz	Pass	AV	11.01766G	47.20	54.00	-6.80	15.38	3	Vertical	178	2.45	-
5510MHz	Pass	PK	11.0232G	57.94	74.00	-16.06	15.36	3	Vertical	178	2.45	-
5510MHz	Pass	AV	11.0206G	47.07	54.00	-6.93	15.38	3	Horizontal	129	2.02	-
5510MHz	Pass	PK	11.02466G	57.68	74.00	-16.32	15.36	3	Horizontal	129	2.02	-
5550MHz	Pass	AV	5.4596G	52.33	54.00	-1.67	4.40	3	Vertical	220	2.92	-
5550MHz	Pass	AV	5.5644G	103.16	Inf	-Inf	4.57	3	Vertical	220	2.92	-
5550MHz	Pass	PK	5.4572G	63.49	74.00	-10.51	4.39	3	Vertical	220	2.92	-
5550MHz	Pass	PK	5.4692G	67.46	68.20	-0.74	4.41	3	Vertical	220	2.92	-
5550MHz	Pass	PK	5.5644G	110.93	Inf	-Inf	4.57	3	Vertical	220	2.92	-
5550MHz	Pass	AV	16.6444G	50.05	54.00	-3.95	16.29	3	Vertical	346	1.50	-
5550MHz	Pass	PK	16.6508G	60.90	74.00	-13.10	16.32	3	Vertical	346	1.50	-
5550MHz	Pass	AV	16.6576G	50.03	54.00	-3.97	16.35	3	Horizontal	347	1.50	-
5550MHz	Pass	PK	16.6504G	60.59	74.00	-13.41	16.32	3	Horizontal	347	1.50	-
5670MHz	Pass	AV	5.676G	96.14	Inf	-Inf	4.82	3	Vertical	21	1.78	-
5670MHz	Pass	PK	5.676G	104.16	Inf	-Inf	4.82	3	Vertical	21	1.78	-
5670MHz	Pass	PK	5.727G	67.78	68.20	-0.42	4.94	3	Vertical	21	1.78	-
5670MHz	Pass	AV	11.34262G	46.67	54.00	-7.33	15.01	3	Vertical	172	2.06	-
5670MHz	Pass	PK	11.34216G	57.25	74.00	-16.75	15.01	3	Vertical	172	2.06	-
5670MHz	Pass	AV	11.34418G	46.66	54.00	-7.34	15.01	3	Horizontal	155	1.86	-
5670MHz	Pass	PK	11.34028G	57.73	74.00	-16.27	15.01	3	Horizontal	155	1.86	-
5755MHz	Pass	AV	5.7574G	105.76	Inf	-Inf	5.01	3	Vertical	229	2.99	-
5755MHz	Pass	PK	5.653G	69.93	70.42	-0.49	4.75	3	Vertical	229	2.99	-
5755MHz	Pass	PK	5.7622G	113.79	Inf	-Inf	5.03	3	Vertical	229	2.99	-
5755MHz	Pass	PK	5.9302G	63.01	68.20	-5.19	5.23	3	Vertical	229	2.99	-
5755MHz	Pass	AV	11.50736G	45.91	54.00	-8.09	14.82	3	Vertical	184	2.14	-
5755MHz	Pass	PK	11.5147G	56.98	74.00	-17.02	14.81	3	Vertical	184	2.14	-
5755MHz	Pass	AV	11.51148G	45.99	54.00	-8.01	14.82	3	Horizontal	79	2.41	-
5755MHz	Pass	PK	11.5089G	56.75	74.00	-17.25	14.82	3	Horizontal	79	2.41	-
5795MHz	Pass	AV	5.7806G	105.35	Inf	-Inf	5.06	3	Vertical	218	2.99	-
5795MHz	Pass	PK	5.645G	62.49	68.20	-5.71	4.74	3	Vertical	218	2.99	-
5795MHz	Pass	PK	5.7782G	113.61	Inf	-Inf	5.06	3	Vertical	218	2.99	-
5795MHz	Pass	PK	5.9282G	68.03	68.20	-0.17	5.23	3	Vertical	218	2.99	-
5795MHz	Pass	AV	11.5938G	45.80	54.00	-8.20	14.72	3	Vertical	14	2.02	-
5795MHz	Pass	PK	11.58672G	56.68	74.00	-17.32	14.74	3	Vertical	14	2.02	-
5795MHz	Pass	AV	11.59354G	45.86	54.00	-8.14	14.72	3	Horizontal	131	1.48	-
5795MHz	Pass	PK	11.58626G	56.25	74.00	-17.75	14.74	3	Horizontal	131	1.48	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.67	54.00	-0.33	4.01	3	Vertical	194	2.32	-
5210MHz	Pass	AV	5.195G	92.60	Inf	-Inf	4.08	3	Vertical	194	2.32	-
5210MHz	Pass	AV	5.375G	49.31	54.00	-4.69	4.29	3	Vertical	194	2.32	-
5210MHz	Pass	PK	5.143G	65.00	74.00	-9.00	4.01	3	Vertical	194	2.32	-
5210MHz	Pass	PK	5.197G	100.38	Inf	-Inf	4.08	3	Vertical	194	2.32	-
5210MHz	Pass	PK	5.373G	58.00	74.00	-16.00	4.29	3	Vertical	194	2.32	-
5210MHz	Pass	AV	10.41686G	47.35	54.00	-6.65	14.04	3	Vertical	231	2.28	-
5210MHz	Pass	PK	10.41688G	56.91	74.00	-17.09	14.04	3	Vertical	231	2.28	-
5210MHz	Pass	AV	10.4202G	47.88	54.00	-6.12	14.05	3	Horizontal	323	2.34	-
5210MHz	Pass	PK	10.4163G	56.99	74.00	-17.01	14.04	3	Horizontal	323	2.34	-
5290MHz	Pass	AV	5.15G	49.14	54.00	-4.86	4.01	3	Vertical	198	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.287G	92.48	Inf	-Inf	4.19	3	Vertical	198	1.05	-
5290MHz	Pass	AV	5.361G	53.65	54.00	-0.35	4.28	3	Vertical	198	1.05	-
5290MHz	Pass	PK	5.122G	58.75	74.00	-15.25	3.97	3	Vertical	198	1.05	-
5290MHz	Pass	PK	5.295G	100.00	Inf	-Inf	4.20	3	Vertical	198	1.05	-
5290MHz	Pass	PK	5.519G	58.97	68.20	-9.23	4.48	3	Vertical	198	1.05	-
5290MHz	Pass	AV	10.57658G	47.72	54.00	-6.28	14.41	3	Vertical	6	1.13	-
5290MHz	Pass	PK	10.58292G	56.84	74.00	-17.16	14.43	3	Vertical	6	1.13	-
5290MHz	Pass	AV	10.57654G	47.55	54.00	-6.45	14.41	3	Horizontal	311	1.29	-
5290MHz	Pass	PK	10.5761G	56.84	74.00	-17.16	14.41	3	Horizontal	311	1.29	-
5530MHz	Pass	AV	5.437G	53.52	54.00	-0.48	4.37	3	Vertical	223	2.94	-
5530MHz	Pass	AV	5.555G	94.43	Inf	-Inf	4.55	3	Vertical	223	2.94	-
5530MHz	Pass	PK	5.302G	57.90	68.20	-10.30	4.21	3	Vertical	223	2.94	-
5530MHz	Pass	PK	5.44G	61.67	74.00	-12.33	4.37	3	Vertical	223	2.94	-
5530MHz	Pass	PK	5.468G	59.64	68.20	-8.56	4.41	3	Vertical	223	2.94	-
5530MHz	Pass	PK	5.559G	100.94	Inf	-Inf	4.55	3	Vertical	223	2.94	-
5530MHz	Pass	PK	5.757G	58.62	68.20	-9.58	5.01	3	Vertical	223	2.94	-
5530MHz	Pass	AV	11.0627G	48.60	54.00	-5.40	15.32	3	Vertical	308	1.51	-
5530MHz	Pass	PK	11.06114G	58.10	74.00	-15.90	15.33	3	Vertical	308	1.51	-
5530MHz	Pass	AV	11.06066G	48.53	54.00	-5.47	15.33	3	Horizontal	119	2.00	-
5530MHz	Pass	PK	11.06408G	57.70	74.00	-16.30	15.32	3	Horizontal	119	2.00	-
5775MHz	Pass	AV	5.7726G	100.90	Inf	-Inf	5.05	3	Vertical	219	2.99	-
5775MHz	Pass	PK	5.6502G	67.13	68.35	-1.22	4.75	3	Vertical	219	2.99	-
5775MHz	Pass	PK	5.7882G	109.00	Inf	-Inf	5.08	3	Vertical	219	2.99	-
5775MHz	Pass	PK	5.925G	67.95	68.20	-0.25	5.23	3	Vertical	219	2.99	-
5775MHz	Pass	AV	11.55446G	47.10	54.00	-6.90	14.76	3	Vertical	248	1.50	-
5775MHz	Pass	PK	11.55232G	56.55	74.00	-17.45	14.77	3	Vertical	248	1.50	-
5775MHz	Pass	AV	11.5451G	47.08	54.00	-6.92	14.78	3	Horizontal	24	1.01	-
5775MHz	Pass	PK	11.55418G	57.17	74.00	-16.83	14.76	3	Horizontal	24	1.01	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.1498G	53.41	54.00	-0.59	4.01	3	Vertical	11	2.63	-								
AV	5.1768G	100.14	Inf	-Inf	4.05	3	Vertical	11	2.63	-								
PK	5.1472G	68.55	74.00	-5.45	4.01	3	Vertical	11	2.63	-								
PK	5.1782G	108.48	Inf	-Inf	4.05	3	Vertical	11	2.63	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.3631 G	45.30	54.00	-8.70	13.92	3	Vertical	232	1.92	-
PK	10.3641 G	56.81	74.00	-17.19	13.92	3	Vertical	233	1.92	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.3562G	45.29	54.00	-8.71	13.90	3	Horizontal	45	1.11	-
PK	10.35708G	57.13	74.00	-16.87	13.91	3	Horizontal	45	1.11	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	53.59	54.00	-0.41	4.01	3	Vertical	14	2.91	-
AV	5.1968G	102.57	Inf	-Inf	4.08	3	Vertical	14	2.91	-
PK	5.1496G	65.61	74.00	-8.39	4.01	3	Vertical	14	2.91	-
PK	5.1984G	110.91	Inf	-Inf	4.08	3	Vertical	14	2.91	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.60498G	49.14	54.00	-4.86	14.93	3	Vertical	21	1.50	-
PK	15.60318G	61.88	74.00	-12.12	14.94	3	Vertical	21	1.50	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.6048G	49.33	54.00	-4.67	14.93	3	Horizontal	349	1.50	-								
PK	15.60318G	61.69	74.00	-12.31	14.94	3	Horizontal	349	1.50	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1494G	47.39	54.00	-6.61	4.01	3	Vertical	14	2.82	-
AV	5.2442G	103.45	Inf	-Inf	4.13	3	Vertical	14	2.82	-
AV	5.3558G	46.98	54.00	-7.02	4.27	3	Vertical	14	2.82	-
PK	5.1368G	57.95	74.00	-16.05	3.99	3	Vertical	14	2.82	-
PK	5.2472G	111.59	Inf	-Inf	4.14	3	Vertical	14	2.82	-
PK	5.3798G	57.46	74.00	-16.54	4.30	3	Vertical	14	2.82	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.72162G	48.58	54.00	-5.42	14.35	3	Vertical	350	1.53	-
PK	15.72066G	60.24	74.00	-13.76	14.35	3	Vertical	350	1.53	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.71742G	51.37	54.00	-2.63	14.37	3	Horizontal	335	1.99	-
PK	15.71712G	63.86	74.00	-10.14	14.37	3	Horizontal	335	1.99	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1466G	46.83	54.00	-7.17	4.01	3	Vertical	181	1.25	-
AV	5.2582G	101.89	Inf	-Inf	4.15	3	Vertical	181	1.25	-
AV	5.3512G	47.31	54.00	-6.69	4.26	3	Vertical	181	1.25	-
PK	5.1412G	56.70	74.00	-17.30	4.00	3	Vertical	181	1.25	-
PK	5.2672G	110.51	Inf	-Inf	4.17	3	Vertical	181	1.25	-
PK	5.3782G	58.60	74.00	-15.40	4.30	3	Vertical	181	1.25	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.77694G	49.12	54.00	-4.88	14.08	3	Vertical	351	1.50	-
PK	15.77394G	61.01	74.00	-12.99	14.09	3	Vertical	351	1.50	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.77736G	48.57	54.00	-5.43	14.07	3	Horizontal	351	1.31	-
PK	15.77592G	61.33	74.00	-12.67	14.08	3	Horizontal	351	1.31	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2968G	102.97	Inf	-Inf	4.20	3	Vertical	177	1.02	-
AV	5.35G	53.67	54.00	-0.33	4.26	3	Vertical	177	1.02	-
PK	5.3068G	112.61	Inf	-Inf	4.21	3	Vertical	177	1.02	-
PK	5.3516G	66.80	74.00	-7.20	4.26	3	Vertical	177	1.02	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	15.89752G	49.33	54.00	-4.67	13.47	3	Vertical	336	1.26	-								
PK	15.90402G	61.32	74.00	-12.68	13.43	3	Vertical	336	1.26	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	15.89764G	49.25	54.00	-4.75	13.47	3	Horizontal	292	2.03	-
PK	15.90348G	60.61	74.00	-13.39	13.44	3	Horizontal	292	2.03	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3244G	100.64	Inf	-Inf	4.23	3	Vertical	180	1.13	-
AV	5.3504G	53.76	54.00	-0.24	4.26	3	Vertical	180	1.13	-
PK	5.3266G	108.74	Inf	-Inf	4.24	3	Vertical	180	1.13	-
PK	5.3524G	70.23	74.00	-3.77	4.26	3	Vertical	180	1.13	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64444G	45.23	54.00	-8.77	14.57	3	Vertical	98	2.40	-
PK	10.6368G	56.66	74.00	-17.34	14.55	3	Vertical	98	2.40	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6421G	45.31	54.00	-8.69	14.56	3	Horizontal	187	1.60	-
PK	10.64432G	56.92	74.00	-17.08	14.57	3	Horizontal	187	1.60	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4598G	49.90	54.00	-4.10	4.40	3	Vertical	178	1.01	-
AV	5.4698G	51.99	Inf	-Inf	4.41	3	Vertical	178	1.01	-
AV	5.5044G	98.78	Inf	-Inf	4.46	3	Vertical	178	1.01	-
PK	5.453G	64.63	74.00	-9.37	4.39	3	Vertical	178	1.01	-
PK	5.4664G	67.84	68.20	-0.36	4.41	3	Vertical	178	1.01	-
PK	5.5064G	107.16	Inf	-Inf	4.46	3	Vertical	178	1.01	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.00108G	46.23	54.00	-7.77	15.39	3	Vertical	358	1.08	-								
PK	10.9959G	57.79	74.00	-16.21	15.39	3	Vertical	358	1.08	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99846G	46.31	54.00	-7.69	15.39	3	Horizontal	161	1.25	-
PK	10.99678G	57.97	74.00	-16.03	15.39	3	Horizontal	161	1.25	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	46.88	54.00	-7.12	4.40	3	Vertical	184	1.01	-
AV	5.577G	103.77	Inf	-Inf	4.59	3	Vertical	184	1.01	-
PK	5.4546G	58.14	74.00	-15.86	4.39	3	Vertical	184	1.01	-
PK	5.4678G	57.23	68.20	-10.97	4.41	3	Vertical	184	1.01	-
PK	5.5788G	111.90	Inf	-Inf	4.60	3	Vertical	184	1.01	-
PK	5.7258G	57.75	68.20	-10.45	4.93	3	Vertical	184	1.01	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	16.73694G	51.56	54.00	-2.44	16.77	3	Vertical	348	1.60	-
PK	16.74312G	63.25	74.00	-10.75	16.80	3	Vertical	348	1.60	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	16.73976G	50.87	54.00	-3.13	16.79	3	Horizontal	347	1.50	-								
PK	16.73394G	62.67	74.00	-11.33	16.76	3	Horizontal	347	1.50	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7044G	96.21	Inf	-Inf	4.89	3	Vertical	208	2.99	-
PK	5.7068G	104.69	Inf	-Inf	4.89	3	Vertical	208	2.99	-
PK	5.7268G	68.07	68.20	-0.13	4.93	3	Vertical	208	2.99	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.40102G	45.90	54.00	-8.10	14.94	3	Vertical	84	2.04	-								
PK	11.40332G	56.92	74.00	-17.08	14.95	3	Vertical	84	2.04	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.40004G	45.83	54.00	-8.17	14.94	3	Horizontal	293	1.76	-								
PK	11.4012G	57.07	74.00	-16.93	14.94	3	Horizontal	293	1.76	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.751G	103.88	Inf	-Inf	5.00	3	Vertical	15	2.10	-
PK	5.6478G	57.83	68.20	-10.37	4.75	3	Vertical	15	2.10	-
PK	5.7522G	112.84	Inf	-Inf	5.00	3	Vertical	15	2.10	-
PK	5.9862G	58.62	68.20	-9.58	5.28	3	Vertical	15	2.10	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4945G	45.41	54.00	-8.59	14.84	3	Vertical	322	2.35	-
PK	11.48598G	57.39	74.00	-16.61	14.85	3	Vertical	322	2.35	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.4852G	45.48	54.00	-8.52	14.85	3	Horizontal	318	1.50	-								
PK	11.4843G	57.29	74.00	-16.71	14.85	3	Horizontal	318	1.50	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5785MHz_TX




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7838G	104.69	Inf	-Inf	5.08	3	Vertical	216	2.93	-
PK	5.6074G	57.57	68.20	-10.63	4.65	3	Vertical	216	2.93	-
PK	5.7886G	113.57	Inf	-Inf	5.09	3	Vertical	216	2.93	-
PK	5.9374G	58.48	68.20	-9.72	5.24	3	Vertical	216	2.93	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.57162G	44.76	54.00	-9.24	14.75	3	Vertical	85	2.46	-
PK	11.5748G	56.28	74.00	-17.72	14.75	3	Vertical	85	2.46	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.56532G	44.74	54.00	-9.26	14.76	3	Horizontal	345	2.28	-								
PK	11.5689G	55.81	74.00	-18.19	14.76	3	Horizontal	345	2.28	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5825MHz_TX




Lim.PK	☒
PK	☒
Lim.AV	☒
AV	☒

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8214G	104.63	Inf	-Inf	5.14	3	Vertical	214	2.90	-
PK	5.6222G	57.75	68.20	-10.45	4.68	3	Vertical	214	2.90	-
PK	5.8226G	112.82	Inf	-Inf	5.14	3	Vertical	214	2.90	-
PK	5.9258G	59.38	68.20	-8.82	5.23	3	Vertical	214	2.90	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.65236G	44.91	54.00	-9.09	14.66	3	Vertical	264	1.08	-								
PK	11.65388G	56.75	74.00	-17.25	14.66	3	Vertical	264	1.08	-								

802.11a_Nss1,(6Mbps)_1TX(Port1)

15/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.64768G	45.05	54.00	-8.95	14.66	3	Horizontal	240	1.63	-								
PK	11.65388G	56.42	74.00	-17.58	14.66	3	Horizontal	240	1.63	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1492G	53.84	54.00	-0.16	4.01	3	Vertical	198	2.24	-
AV	5.1762G	102.60	Inf	-Inf	4.05	3	Vertical	198	2.24	-
PK	5.1482G	69.32	74.00	-4.68	4.01	3	Vertical	198	2.24	-
PK	5.1762G	110.70	Inf	-Inf	4.05	3	Vertical	198	2.24	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.5397G	51.17	54.00	-2.83	15.25	3	Vertical	322	2.85	-
PK	15.5474G	63.60	74.00	-10.40	15.21	3	Vertical	322	2.85	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.54G	50.81	54.00	-3.19	15.25	3	Horizontal	320	2.64	-
PK	15.5379G	61.92	74.00	-12.08	15.26	3	Horizontal	320	2.64	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1492G	53.23	54.00	-0.77	4.01	3	Vertical	195	1.01	-
AV	5.1932G	104.74	Inf	-Inf	4.07	3	Vertical	195	1.01	-
PK	5.1456G	66.72	74.00	-7.28	4.01	3	Vertical	195	1.01	-
PK	5.2064G	112.72	Inf	-Inf	4.08	3	Vertical	195	1.01	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.604G	51.28	54.00	-2.72	14.93	3	Vertical	327	1.50	-
PK	15.599G	63.15	74.00	-10.85	14.96	3	Vertical	327	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5200MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments									
	[Hz]	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)										
AV	15.5984G	53.81	54.00	-0.19	14.97	3	Horizontal	282	2.67	-									
PK	15.6057G	65.99	74.00	-8.01	14.93	3	Horizontal	282	2.67	-									

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	47.57	54.00	-6.43	4.01	3	Vertical	198	1.02	-
AV	5.2436G	105.66	Inf	-Inf	4.13	3	Vertical	198	1.02	-
AV	5.3558G	47.52	54.00	-6.48	4.27	3	Vertical	198	1.02	-
PK	5.1398G	58.54	74.00	-15.46	3.99	3	Vertical	198	1.02	-
PK	5.2424G	113.53	Inf	-Inf	4.13	3	Vertical	198	1.02	-
PK	5.3792G	58.32	74.00	-15.68	4.30	3	Vertical	198	1.02	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.718G	51.05	54.00	-2.95	14.36	3	Vertical	328	1.64	-
PK	15.713G	62.36	74.00	-11.64	14.39	3	Vertical	328	1.64	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.7213G	53.71	54.00	-0.29	14.35	3	Horizontal	287	2.56	-								
PK	15.7261G	65.44	74.00	-8.56	14.33	3	Horizontal	287	2.56	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	47.40	54.00	-6.60	4.01	3	Vertical	198	1.08	-
AV	5.2612G	106.63	Inf	-Inf	4.16	3	Vertical	198	1.08	-
AV	5.3584G	47.88	54.00	-6.12	4.28	3	Vertical	198	1.08	-
PK	5.1442G	58.00	74.00	-16.00	4.01	3	Vertical	198	1.08	-
PK	5.2624G	114.30	Inf	-Inf	4.16	3	Vertical	198	1.08	-
PK	5.3506G	58.75	74.00	-15.25	4.26	3	Vertical	198	1.08	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.781G	53.89	54.00	-0.11	14.05	3	Vertical	272	2.97	-
PK	15.7763G	65.40	74.00	-8.60	14.08	3	Vertical	272	2.97	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7763G	53.74	54.00	-0.26	14.08	3	Horizontal	297	2.67	-
PK	15.781G	65.05	74.00	-8.95	14.05	3	Horizontal	297	2.67	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.296G	106.83	Inf	-Inf	4.20	3	Vertical	198	1.02	-
AV	5.3504G	53.84	54.00	-0.16	4.26	3	Vertical	198	1.02	-
PK	5.3024G	114.58	Inf	-Inf	4.21	3	Vertical	198	1.02	-
PK	5.3552G	69.40	74.00	-4.60	4.27	3	Vertical	198	1.02	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.901G	51.92	54.00	-2.08	13.46	3	Vertical	330	2.03	-
PK	15.8912G	63.09	74.00	-10.91	13.51	3	Vertical	330	2.03	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	15.9012G	53.22	54.00	-0.78	13.45	3	Horizontal	285	2.52	-								
PK	15.8985G	64.42	74.00	-9.58	13.47	3	Horizontal	285	2.52	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.324G	104.32	Inf	-Inf	4.23	3	Vertical	200	1.02	-
AV	5.35G	53.41	54.00	-0.59	4.26	3	Vertical	200	1.02	-
PK	5.3242G	112.25	Inf	-Inf	4.23	3	Vertical	200	1.02	-
PK	5.3508G	70.11	74.00	-3.89	4.26	3	Vertical	200	1.02	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.95922G	46.27	54.00	-7.73	13.16	3	Vertical	22	1.74	-								
PK	15.95526G	58.04	74.00	-15.96	13.18	3	Vertical	22	1.74	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.9606G	48.49	54.00	-5.51	13.16	3	Horizontal	341	2.75	-								
PK	15.9654G	60.31	74.00	-13.69	13.14	3	Horizontal	341	2.75	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	48.96	54.00	-5.04	4.40	3	Vertical	191	1.01	-
AV	5.499G	100.87	Inf	-Inf	4.45	3	Vertical	191	1.01	-
PK	5.459G	62.26	74.00	-11.74	4.40	3	Vertical	191	1.01	-
PK	5.464G	67.38	68.20	-0.82	4.40	3	Vertical	191	1.01	-
PK	5.5044G	108.96	Inf	-Inf	4.46	3	Vertical	191	1.01	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	10.99662G	46.46	54.00	-7.54	15.39	3	Vertical	9	1.53	-								
PK	11.00432G	56.96	74.00	-17.04	15.38	3	Vertical	9	1.53	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	10.99686G	46.31	54.00	-7.69	15.39	3	Horizontal	316	1.60	-								
PK	10.9979G	57.70	74.00	-16.30	15.39	3	Horizontal	316	1.60	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4408G	47.14	54.00	-6.86	4.37	3	Vertical	221	2.90	-
AV	5.5848G	107.09	Inf	-Inf	4.60	3	Vertical	221	2.90	-
PK	5.46G	59.40	74.00	-14.60	4.40	3	Vertical	221	2.90	-
PK	5.4606G	59.07	68.20	-9.13	4.40	3	Vertical	221	2.90	-
PK	5.5866G	115.43	Inf	-Inf	4.60	3	Vertical	221	2.90	-
PK	5.7276G	58.36	68.20	-9.84	4.94	3	Vertical	221	2.90	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	16.7496G	49.07	54.00	-4.93	16.83	3	Vertical	347	2.74	-
PK	16.7341G	60.74	74.00	-13.26	16.76	3	Vertical	347	2.74	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	16.7388G	51.68	54.00	-2.32	16.78	3	Horizontal	299	2.04	-								
PK	16.7404G	62.68	74.00	-11.32	16.79	3	Horizontal	299	2.04	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6964G	97.74	Inf	-Inf	4.86	3	Vertical	217	2.94	-
PK	5.6964G	106.74	Inf	-Inf	4.86	3	Vertical	217	2.94	-
PK	5.7306G	67.60	68.20	-0.60	4.94	3	Vertical	217	2.94	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40146G	45.82	54.00	-8.18	14.94	3	Vertical	332	2.19	-
PK	11.39978G	57.42	74.00	-16.58	14.94	3	Vertical	332	2.19	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.40136G	45.90	54.00	-8.10	14.94	3	Horizontal	9	2.34	-								
PK	11.40296G	57.79	74.00	-16.21	14.94	3	Horizontal	9	2.34	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5745MHz_TX




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	5.7438G	109.09	Inf	-Inf	4.98	3	Vertical	218	2.90	-							
PK	5.6202G	60.13	68.20	-8.07	4.68	3	Vertical	218	2.90	-							
PK	5.7414G	117.35	Inf	-Inf	4.97	3	Vertical	218	2.90	-							
PK	5.9562G	59.20	68.20	-9.00	5.26	3	Vertical	218	2.90	-							

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	11.4664G	45.39	54.00	-8.61	14.86	3	Vertical	87	1.41	-								
PK	11.467G	56.90	74.00	-17.10	14.86	3	Vertical	87	1.41	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.48956G	45.63	54.00	-8.37	14.84	3	Horizontal	21	1.40	-								
PK	11.48824G	57.33	74.00	-16.67	14.84	3	Horizontal	21	1.40	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7838G	110.27	Inf	-Inf	5.08	3	Vertical	219	2.99	-
PK	5.647G	60.22	68.20	-7.98	4.75	3	Vertical	219	2.99	-
PK	5.7814G	119.02	Inf	-Inf	5.07	3	Vertical	219	2.99	-
PK	5.9254G	59.72	68.20	-8.48	5.23	3	Vertical	219	2.99	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.57412G	44.75	54.00	-9.25	14.75	3	Vertical	225	1.15	-								
PK	11.56986G	56.96	74.00	-17.04	14.76	3	Vertical	225	1.15	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.57334G	44.83	54.00	-9.17	14.75	3	Horizontal	2	2.43	-								
PK	11.57162G	56.34	74.00	-17.66	14.75	3	Horizontal	2	2.43	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8214G	109.30	Inf	-Inf	5.14	3	Vertical	219	2.96	-
PK	5.5934G	58.97	68.20	-9.23	4.62	3	Vertical	219	2.96	-
PK	5.8238G	117.85	Inf	-Inf	5.14	3	Vertical	219	2.96	-
PK	5.9402G	62.23	68.20	-5.97	5.25	3	Vertical	219	2.96	-

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.6535G	45.12	54.00	-8.88	14.66	3	Vertical	310	1.75	-								
PK	11.65172G	56.66	74.00	-17.34	14.66	3	Vertical	310	1.75	-								

802.11n HT20_Nss1,(MCS0)_2TX

15/09/2018

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6484G	44.98	54.00	-9.02	14.66	3	Horizontal	198	1.31	-
PK	11.65252G	56.92	74.00	-17.08	14.66	3	Horizontal	198	1.31	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.1484G	53.13	54.00	-0.87	4.01	3	Vertical	195	1.03	-								
AV	5.1856G	94.58	Inf	-Inf	4.06	3	Vertical	195	1.03	-								
PK	5.1464G	68.93	74.00	-5.07	4.01	3	Vertical	195	1.03	-								
PK	5.1824G	102.39	Inf	-Inf	4.06	3	Vertical	195	1.03	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.37908G	46.38	54.00	-7.62	13.95	3	Vertical	63	1.20	-
PK	10.38102G	56.94	74.00	-17.06	13.96	3	Vertical	63	1.20	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.38484G	46.27	54.00	-7.73	13.97	3	Horizontal	340	2.28	-
PK	10.37604G	56.69	74.00	-17.31	13.95	3	Horizontal	340	2.28	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1492G	53.23	54.00	-0.77	4.01	3	Vertical	187	2.20	-
AV	5.224G	102.03	Inf	-Inf	4.10	3	Vertical	187	2.20	-
PK	5.15G	67.15	74.00	-6.85	4.01	3	Vertical	187	2.20	-
PK	5.2344G	110.10	Inf	-Inf	4.12	3	Vertical	187	2.20	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	15.6884G	50.24	54.00	-3.76	14.51	3	Vertical	339	2.40	-								
PK	15.6824G	62.20	74.00	-11.80	14.54	3	Vertical	339	2.40	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.6782G	51.22	54.00	-2.78	14.56	3	Horizontal	270	2.52	-
PK	15.6812G	61.56	74.00	-12.44	14.55	3	Horizontal	270	2.52	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2764G	102.12	Inf	-Inf	4.18	3	Vertical	198	1.18	-
AV	5.35G	53.40	54.00	-0.60	4.26	3	Vertical	198	1.18	-
PK	5.2788G	110.26	Inf	-Inf	4.18	3	Vertical	198	1.18	-
PK	5.358G	68.01	74.00	-5.99	4.27	3	Vertical	198	1.18	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.8072G	50.16	54.00	-3.84	13.92	3	Vertical	322	2.99	-
PK	15.8268G	60.28	74.00	-13.72	13.83	3	Vertical	322	2.99	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	15.809G	50.36	54.00	-3.64	13.91	3	Horizontal	359	2.10	-
PK	15.802G	61.21	74.00	-12.79	13.95	3	Horizontal	359	2.10	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3208G	95.99	Inf	-Inf	4.23	3	Vertical	199	1.02	-
AV	5.3512G	53.32	54.00	-0.68	4.26	3	Vertical	199	1.02	-
PK	5.3228G	103.41	Inf	-Inf	4.23	3	Vertical	199	1.02	-
PK	5.3512G	69.42	74.00	-4.58	4.26	3	Vertical	199	1.02	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62458G	46.10	54.00	-7.90	14.52	3	Vertical	244	1.22	-
PK	10.61614G	56.53	74.00	-17.47	14.50	3	Vertical	244	1.22	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5310MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.61796G	45.86	54.00	-8.14	14.50	3	Horizontal	186	1.57	-
PK	10.61782G	56.77	74.00	-17.23	14.50	3	Horizontal	186	1.57	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	49.50	54.00	-4.50	4.39	3	Vertical	13	1.50	-
AV	5.516G	92.26	Inf	-Inf	4.48	3	Vertical	13	1.50	-
PK	5.4584G	60.76	74.00	-13.24	4.40	3	Vertical	13	1.50	-
PK	5.4688G	68.10	68.20	-0.10	4.41	3	Vertical	13	1.50	-
PK	5.518G	100.69	Inf	-Inf	4.48	3	Vertical	13	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.01766G	47.20	54.00	-6.80	15.38	3	Vertical	178	2.45	-								
PK	11.0232G	57.94	74.00	-16.06	15.36	3	Vertical	178	2.45	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.0206G	47.07	54.00	-6.93	15.38	3	Horizontal	129	2.02	-								
PK	11.02466G	57.68	74.00	-16.32	15.36	3	Horizontal	129	2.02	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	52.33	54.00	-1.67	4.40	3	Vertical	220	2.92	-
AV	5.5644G	103.16	Inf	-Inf	4.57	3	Vertical	220	2.92	-
PK	5.4572G	63.49	74.00	-10.51	4.39	3	Vertical	220	2.92	-
PK	5.4692G	67.46	68.20	-0.74	4.41	3	Vertical	220	2.92	-
PK	5.5644G	110.93	Inf	-Inf	4.57	3	Vertical	220	2.92	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	16.6444G	50.05	54.00	-3.95	16.29	3	Vertical	346	1.50	-								
PK	16.6508G	60.90	74.00	-13.10	16.32	3	Vertical	346	1.50	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5550MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	16.6576G	50.03	54.00	-3.97	16.35	3	Horizontal	347	1.50	-								
PK	16.6504G	60.59	74.00	-13.41	16.32	3	Horizontal	347	1.50	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	5.676G	96.14	Inf	-Inf	4.82	3	Vertical	21	1.78	-								
PK	5.676G	104.16	Inf	-Inf	4.82	3	Vertical	21	1.78	-								
PK	5.727G	67.78	68.20	-0.42	4.94	3	Vertical	21	1.78	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.34262G	46.67	54.00	-7.33	15.01	3	Vertical	172	2.06	-								
PK	11.34216G	57.25	74.00	-16.75	15.01	3	Vertical	172	2.06	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.34418G	46.66	54.00	-7.34	15.01	3	Horizontal	155	1.86	-
PK	11.34028G	57.73	74.00	-16.27	15.01	3	Horizontal	155	1.86	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	5.7574G	105.76	Inf	-Inf	5.01	3	Vertical	229	2.99	-							
PK	5.653G	69.93	70.42	-0.49	4.75	3	Vertical	229	2.99	-							
PK	5.7622G	113.79	Inf	-Inf	5.03	3	Vertical	229	2.99	-							
PK	5.9302G	63.01	68.20	-5.19	5.23	3	Vertical	229	2.99	-							

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5755MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	11.50736G	45.91	54.00	-8.09	14.82	3	Vertical	184	2.14	-								
PK	11.5147G	56.98	74.00	-17.02	14.81	3	Vertical	184	2.14	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5755MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments								
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)									
AV	11.51148G	45.99	54.00	-8.01	14.82	3	Horizontal	79	2.41	-								
PK	11.5089G	56.75	74.00	-17.25	14.82	3	Horizontal	79	2.41	-								

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7806G	105.35	Inf	-Inf	5.06	3	Vertical	218	2.99	-
PK	5.645G	62.49	68.20	-5.71	4.74	3	Vertical	218	2.99	-
PK	5.7782G	113.61	Inf	-Inf	5.06	3	Vertical	218	2.99	-
PK	5.9282G	68.03	68.20	-0.17	5.23	3	Vertical	218	2.99	-

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	11.5938G	45.80	54.00	-8.20	14.72	3	Vertical	14	2.02	-							
PK	11.58672G	56.68	74.00	-17.32	14.74	3	Vertical	14	2.02	-							

802.11n HT40_Nss1,(MCS0)_2TX

15/09/2018

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.59354G	45.86	54.00	-8.14	14.72	3	Horizontal	131	1.48	-								
PK	11.58626G	56.25	74.00	-17.75	14.74	3	Horizontal	131	1.48	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	53.67	54.00	-0.33	4.01	3	Vertical	194	2.32	-
AV	5.195G	92.60	Inf	-Inf	4.08	3	Vertical	194	2.32	-
AV	5.375G	49.31	54.00	-4.69	4.29	3	Vertical	194	2.32	-
PK	5.143G	65.00	74.00	-9.00	4.01	3	Vertical	194	2.32	-
PK	5.197G	100.38	Inf	-Inf	4.08	3	Vertical	194	2.32	-
PK	5.373G	58.00	74.00	-16.00	4.29	3	Vertical	194	2.32	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	10.41686G	47.35	54.00	-6.65	14.04	3	Vertical	231	2.28	-								
PK	10.41688G	56.91	74.00	-17.09	14.04	3	Vertical	231	2.28	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.4202G	47.88	54.00	-6.12	14.05	3	Horizontal	323	2.34	-
PK	10.4163G	56.99	74.00	-17.01	14.04	3	Horizontal	323	2.34	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	49.14	54.00	-4.86	4.01	3	Vertical	198	1.05	-
AV	5.287G	92.48	Inf	-Inf	4.19	3	Vertical	198	1.05	-
AV	5.361G	53.65	54.00	-0.35	4.28	3	Vertical	198	1.05	-
PK	5.122G	58.75	74.00	-15.25	3.97	3	Vertical	198	1.05	-
PK	5.295G	100.00	Inf	-Inf	4.20	3	Vertical	198	1.05	-
PK	5.519G	58.97	68.20	-9.23	4.48	3	Vertical	198	1.05	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57658G	47.72	54.00	-6.28	14.41	3	Vertical	6	1.13	-
PK	10.58292G	56.84	74.00	-17.16	14.43	3	Vertical	6	1.13	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments							
AV	10.57654G	47.55	54.00	-6.45	14.41	3	Horizontal	311	1.29	-							
PK	10.5761G	56.84	74.00	-17.16	14.41	3	Horizontal	311	1.29	-							

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.437G	53.52	54.00	-0.48	4.37	3	Vertical	223	2.94	-
AV	5.555G	94.43	Inf	-Inf	4.55	3	Vertical	223	2.94	-
PK	5.302G	57.90	68.20	-10.30	4.21	3	Vertical	223	2.94	-
PK	5.44G	61.67	74.00	-12.33	4.37	3	Vertical	223	2.94	-
PK	5.468G	59.64	68.20	-8.56	4.41	3	Vertical	223	2.94	-
PK	5.559G	100.94	Inf	-Inf	4.55	3	Vertical	223	2.94	-
PK	5.757G	58.62	68.20	-9.58	5.01	3	Vertical	223	2.94	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0627G	48.60	54.00	-5.40	15.32	3	Vertical	308	1.51	-
PK	11.06114G	58.10	74.00	-15.90	15.33	3	Vertical	308	1.51	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.06066G	48.53	54.00	-5.47	15.33	3	Horizontal	119	2.00	-								
PK	11.06408G	57.70	74.00	-16.30	15.32	3	Horizontal	119	2.00	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5775MHz_TX




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7726G	100.90	Inf	-Inf	5.05	3	Vertical	219	2.99	-
PK	5.6502G	67.13	68.35	-1.22	4.75	3	Vertical	219	2.99	-
PK	5.7882G	109.00	Inf	-Inf	5.08	3	Vertical	219	2.99	-
PK	5.925G	67.95	68.20	-0.25	5.23	3	Vertical	219	2.99	-

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.55446G	47.10	54.00	-6.90	14.76	3	Vertical	248	1.50	-								
PK	11.55232G	56.55	74.00	-17.45	14.77	3	Vertical	248	1.50	-								

802.11ac VHT80_Nss1,(MCS0)_2TX

15/09/2018

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
AV	11.5451G	47.08	54.00	-6.92	14.78	3	Horizontal	24	1.01	-								
PK	11.55418G	57.17	74.00	-16.83	14.76	3	Horizontal	24	1.01	-								



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	650.8M	42.21	46.00	-3.79	-9.96	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	62.98M	29.21	40.00	-10.79	-25.58	3	Vertical	360	1.00	-
5775MHz	Pass	PK	192.96M	21.50	43.50	-22.00	-21.29	3	Vertical	360	1.00	-
5775MHz	Pass	PK	262.8M	28.28	46.00	-17.72	-15.85	3	Vertical	360	1.00	-
5775MHz	Pass	PK	650.8M	42.21	46.00	-3.79	-9.96	3	Vertical	360	1.00	-
5775MHz	Pass	PK	749.74M	39.60	46.00	-6.40	-8.38	3	Vertical	360	1.00	-
5775MHz	Pass	PK	939.86M	38.56	46.00	-7.44	-5.13	3	Vertical	360	1.00	-
5775MHz	Pass	PK	62.98M	28.71	40.00	-11.29	-25.58	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	191.02M	26.90	43.50	-16.60	-21.36	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	274.44M	28.58	46.00	-17.42	-16.69	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	332.64M	41.15	46.00	-4.85	-15.99	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	650.8M	41.65	46.00	-4.35	-9.96	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	749.74M	40.68	46.00	-5.32	-8.38	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_Switching Power Supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	29.21	40.00	-10.79	-25.58	3	Vertical	360	1.00	-
PK	192.96M	21.50	43.50	-22.00	-21.29	3	Vertical	360	1.00	-
PK	262.8M	28.28	46.00	-17.72	-15.85	3	Vertical	360	1.00	-
PK	650.8M	42.21	46.00	-3.79	-9.96	3	Vertical	360	1.00	-
PK	749.74M	39.60	46.00	-6.40	-8.38	3	Vertical	360	1.00	-
PK	939.86M	38.56	46.00	-7.44	-5.13	3	Vertical	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	28.71	40.00	-11.29	-25.58	3	Horizontal	0	1.00	-
PK	191.02M	26.90	43.50	-16.60	-21.36	3	Horizontal	0	1.00	-
PK	274.44M	28.58	46.00	-17.42	-16.69	3	Horizontal	0	1.00	-
PK	332.64M	41.15	46.00	-4.85	-15.99	3	Horizontal	0	1.00	-
PK	650.8M	41.65	46.00	-4.35	-9.96	3	Horizontal	0	1.00	-
PK	749.74M	40.68	46.00	-5.32	-8.38	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	1.325G	29.93	54.00	-24.07	-6.79	3	Vertical	342	2.48	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.325G	29.93	54.00	-24.07	-6.79	3	Vertical	342	2.48	-
5775MHz	Pass	AV	2.293G	21.79	54.00	-32.21	-3.95	3	Vertical	187	2.04	-
5775MHz	Pass	AV	3.474G	24.19	54.00	-29.81	-1.43	3	Vertical	57	1.90	-
5775MHz	Pass	PK	1.325G	41.36	74.00	-32.64	-6.79	3	Vertical	342	2.48	-
5775MHz	Pass	PK	2.293G	37.15	74.00	-36.85	-3.95	3	Vertical	187	2.04	-
5775MHz	Pass	PK	3.474G	35.49	74.00	-38.51	-1.43	3	Vertical	57	1.90	-
5775MHz	Pass	AV	1.52G	19.86	54.00	-34.14	-5.81	3	Horizontal	338	1.17	-
5775MHz	Pass	AV	2.412G	24.01	54.00	-29.99	-3.57	3	Horizontal	48	2.16	-
5775MHz	Pass	AV	3.045G	23.18	54.00	-30.82	-1.99	3	Horizontal	97	1.13	-
5775MHz	Pass	PK	1.52G	33.84	74.00	-40.16	-5.81	3	Horizontal	338	1.17	-
5775MHz	Pass	PK	2.412G	32.67	74.00	-41.33	-3.57	3	Horizontal	48	2.16	-
5775MHz	Pass	PK	3.045G	33.56	74.00	-40.44	-1.99	3	Horizontal	97	1.13	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.325G	29.93	54.00	-24.07	-6.79	3	Vertical	342	2.48	-
AV	2.293G	21.79	54.00	-32.21	-3.95	3	Vertical	187	2.04	-
AV	3.474G	24.19	54.00	-29.81	-1.43	3	Vertical	57	1.90	-
PK	1.325G	41.36	74.00	-32.64	-6.79	3	Vertical	342	2.48	-
PK	2.293G	37.15	74.00	-36.85	-3.95	3	Vertical	187	2.04	-
PK	3.474G	35.49	74.00	-38.51	-1.43	3	Vertical	57	1.90	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.52G	19.86	54.00	-34.14	-5.81	3	Horizontal	338	1.17	-
AV	2.412G	24.01	54.00	-29.99	-3.57	3	Horizontal	48	2.16	-
AV	3.045G	23.18	54.00	-30.82	-1.99	3	Horizontal	97	1.13	-
PK	1.52G	33.84	74.00	-40.16	-5.81	3	Horizontal	338	1.17	-
PK	2.412G	32.67	74.00	-41.33	-3.57	3	Horizontal	48	2.16	-
PK	3.045G	33.56	74.00	-40.44	-1.99	3	Horizontal	97	1.13	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	749.74M	41.06	46.00	-4.94	-8.38	3	Horizontal	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	64.92M	25.24	40.00	-14.76	-25.54	3	Vertical	360	1.00	-
5775MHz	Pass	PK	167.74M	20.11	43.50	-23.39	-20.54	3	Vertical	360	1.00	-
5775MHz	Pass	PK	258.92M	25.82	46.00	-20.18	-15.81	3	Vertical	360	1.00	-
5775MHz	Pass	PK	332.64M	39.59	46.00	-6.41	-15.99	3	Vertical	360	1.00	-
5775MHz	Pass	PK	650.8M	37.52	46.00	-8.48	-9.96	3	Vertical	360	1.00	-
5775MHz	Pass	PK	749.74M	39.25	46.00	-6.75	-8.38	3	Vertical	360	1.00	-
5775MHz	Pass	PK	57.16M	24.41	40.00	-15.59	-25.37	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	154.16M	19.39	43.50	-24.11	-19.67	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	222.06M	29.34	46.00	-16.66	-20.68	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	322.94M	37.82	46.00	-8.18	-16.32	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	650.8M	39.94	46.00	-6.06	-9.96	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	749.74M	41.06	46.00	-4.94	-8.38	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_Switching Power Supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	64.92M	25.24	40.00	-14.76	-25.54	3	Vertical	360	1.00	-
PK	167.74M	20.11	43.50	-23.39	-20.54	3	Vertical	360	1.00	-
PK	258.92M	25.82	46.00	-20.18	-15.81	3	Vertical	360	1.00	-
PK	332.64M	39.59	46.00	-6.41	-15.99	3	Vertical	360	1.00	-
PK	650.8M	37.52	46.00	-8.48	-9.96	3	Vertical	360	1.00	-
PK	749.74M	39.25	46.00	-6.75	-8.38	3	Vertical	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	57.16M	24.41	40.00	-15.59	-25.37	3	Horizontal	0	1.00	-
PK	154.16M	19.39	43.50	-24.11	-19.67	3	Horizontal	0	1.00	-
PK	222.06M	29.34	46.00	-16.66	-20.68	3	Horizontal	0	1.00	-
PK	322.94M	37.82	46.00	-8.18	-16.32	3	Horizontal	0	1.00	-
PK	650.8M	39.94	46.00	-6.06	-9.96	3	Horizontal	0	1.00	-
PK	749.74M	41.06	46.00	-4.94	-8.38	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	3.37G	24.69	54.00	-29.31	-1.56	3	Vertical	186	2.05	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.602G	24.25	54.00	-29.75	-5.66	3	Vertical	313	1.91	-
5775MHz	Pass	AV	2.313G	22.57	54.00	-31.43	-3.88	3	Vertical	139	1.26	-
5775MHz	Pass	AV	3.37G	24.69	54.00	-29.31	-1.56	3	Vertical	186	2.05	-
5775MHz	Pass	PK	1.602G	44.57	74.00	-29.43	-5.66	3	Vertical	313	1.91	-
5775MHz	Pass	PK	2.313G	35.02	74.00	-38.98	-3.88	3	Vertical	139	1.26	-
5775MHz	Pass	PK	3.37G	35.93	74.00	-38.07	-1.56	3	Vertical	186	2.05	-
5775MHz	Pass	AV	1.527G	21.43	54.00	-32.57	-5.80	3	Horizontal	243	1.79	-
5775MHz	Pass	AV	1.757G	21.09	54.00	-32.91	-5.37	3	Horizontal	339	1.52	-
5775MHz	Pass	AV	2.921G	23.69	54.00	-30.31	-2.25	3	Horizontal	248	2.19	-
5775MHz	Pass	PK	1.527G	35.32	74.00	-38.68	-5.80	3	Horizontal	243	1.79	-
5775MHz	Pass	PK	1.757G	34.68	74.00	-39.32	-5.37	3	Horizontal	339	1.52	-
5775MHz	Pass	PK	2.921G	35.30	74.00	-38.70	-2.25	3	Horizontal	248	2.19	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.602G	24.25	54.00	-29.75	-5.66	3	Vertical	313	1.91	-
AV	2.313G	22.57	54.00	-31.43	-3.88	3	Vertical	139	1.26	-
AV	3.37G	24.69	54.00	-29.31	-1.56	3	Vertical	186	2.05	-
PK	1.602G	44.57	74.00	-29.43	-5.66	3	Vertical	313	1.91	-
PK	2.313G	35.02	74.00	-38.98	-3.88	3	Vertical	139	1.26	-
PK	3.37G	35.93	74.00	-38.07	-1.56	3	Vertical	186	2.05	-

802.11ac VHT80_Nss1,(MCS0)_2RX

20/09/2018

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.527G	21.43	54.00	-32.57	-5.80	3	Horizontal	243	1.79	-
AV	1.757G	21.09	54.00	-32.91	-5.37	3	Horizontal	339	1.52	-
AV	2.921G	23.69	54.00	-30.31	-2.25	3	Horizontal	248	2.19	-
PK	1.527G	35.32	74.00	-38.68	-5.80	3	Horizontal	243	1.79	-
PK	1.757G	34.68	74.00	-39.32	-5.37	3	Horizontal	339	1.52	-
PK	2.921G	35.30	74.00	-38.70	-2.25	3	Horizontal	248	2.19	-