

Annex A.5 Adjacent channel leakage power and out-band leakage power

Adjacent channel leakage power

2. 802.11a_20M_Band1_L

2.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.97	-24.12	Pass
-10	20	Off	Relative	-25	0	-26.65	-5.8	Pass
10	20	Off	Relative	-25	0	-25.17	-4.32	Pass
30	20	Off	Relative	-40	0	-43.84	-23	Pass



3. 802.11a_20M_Band1_M

3.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.97	-23.88	Pass
-10	20	Off	Relative	-25	0	-25.71	-4.62	Pass
10	20	Off	Relative	-25	0	-25.01	-3.91	Pass
30	20	Off	Relative	-40	0	-44.17	-23.07	Pass



4. 802.11a_20M_Band1_H

4.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.62	-24.43	Pass
-10	20	Off	Relative	-25	0	-27.1	-6.91	Pass
10	20	Off	Relative	-25	0	-26.21	-6.03	Pass
30	20	Off	Relative	-40	0	-44.1	-23.91	Pass



5. 802.11n_20M_Band1_L

5.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.26	-24.29	Pass
-10	20	Off	Relative	-25	0	-28.3	-8.34	Pass
10	20	Off	Relative	-25	0	-26.07	-6.11	Pass
30	20	Off	Relative	-40	0	-43.4	-23.43	Pass



6. 802.11n_20M_Band1_M

6.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.54	-24.11	Pass
-10	20	Off	Relative	-25	0	-27.9	-7.47	Pass
10	20	Off	Relative	-25	0	-26.2	-5.78	Pass
30	20	Off	Relative	-40	0	-43.51	-23.08	Pass



7. 802.11n_20M_Band1_H

7.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.74	-24.32	Pass
-10	20	Off	Relative	-25	0	-26.63	-6.22	Pass
10	20	Off	Relative	-25	0	-25.49	-5.08	Pass
30	20	Off	Relative	-40	0	-44.24	-23.83	Pass



8. 802.11a_20M_Band2_L

8.4. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.6	-23.87	Pass
-10	20	Off	Relative	-25	0	-26.63	-5.9	Pass
10	20	Off	Relative	-25	0	-26.38	-5.65	Pass
30	20	Off	Relative	-40	0	-43.88	-23.15	Pass



9. 802.11a_20M_Band2_M

9.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.26	-23.72	Pass
-10	20	Off	Relative	-25	0	-28.11	-7.56	Pass
10	20	Off	Relative	-25	0	-27.12	-6.58	Pass
30	20	Off	Relative	-40	0	-43.39	-22.85	Pass



10. 802.11a_20M_Band2_H

10.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-43.98	-23.47	Pass
-10	20	Off	Relative	-25	0	-27.86	-7.34	Pass
10	20	Off	Relative	-25	0	-27.02	-6.51	Pass
30	20	Off	Relative	-40	0	-43.31	-22.8	Pass



11. 802.11n_20M_Band2_L

11.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.32	-23.7	Pass
-10	20	Off	Relative	-25	0	-26.4	-5.78	Pass
10	20	Off	Relative	-25	0	-25.47	-4.85	Pass
30	20	Off	Relative	-40	0	-43.87	-23.25	Pass



12. 802.11n_20M_Band2_M

12.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.1	-23.56	Pass
-10	20	Off	Relative	-25	0	-27.14	-6.6	Pass
10	20	Off	Relative	-25	0	-26.23	-5.7	Pass
30	20	Off	Relative	-40	0	-43.4	-22.86	Pass



13. 802.11n_20M_Band2_H

13.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.06	-23.44	Pass
-10	20	Off	Relative	-25	0	-27.6	-6.98	Pass
10	20	Off	Relative	-25	0	-26.27	-5.65	Pass
30	20	Off	Relative	-40	0	-43.42	-22.8	Pass



14. 802.11a_20M_Band3_L

14.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.46	-23.21	Pass
-10	20	Off	Relative	-25	0	-28.29	-7.04	Pass
10	20	Off	Relative	-25	0	-27.58	-6.33	Pass
30	20	Off	Relative	-40	0	-45.12	-23.87	Pass



15. 802.11a_20M_Band3_M

15.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.42	-23.82	Pass
-10	20	Off	Relative	-25	0	-28.55	-7.95	Pass
10	20	Off	Relative	-25	0	-28.56	-7.97	Pass
30	20	Off	Relative	-40	0	-44.87	-24.28	Pass



1. 802.11a_20M_Band3_H

1.6. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.11	-23.65	Pass
-10	20	Off	Relative	-25	0	-28.69	-7.24	Pass
10	20	Off	Relative	-25	0	-28.55	-7.1	Pass
30	20	Off	Relative	-40	0	-44.7	-23.24	Pass



16. 802.11n_20M_Band3_L

16.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.36	-23.22	Pass
-10	20	Off	Relative	-25	0	-27.84	-6.7	Pass
10	20	Off	Relative	-25	0	-27.27	-6.13	Pass
30	20	Off	Relative	-40	0	-44.96	-23.83	Pass



17. 802.11n_20M_Band3_M

17.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.58	-23.83	Pass
-10	20	Off	Relative	-25	0	-28.24	-7.5	Pass
10	20	Off	Relative	-25	0	-27.58	-6.84	Pass
30	20	Off	Relative	-40	0	-44.79	-24.05	Pass



18. 802.11n_20M_Band3_H

18.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)

Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.14	-23.6	Pass
-10	20	Off	Relative	-25	0	-27.86	-6.32	Pass
10	20	Off	Relative	-25	0	-27.78	-6.24	Pass
30	20	Off	Relative	-40	0	-44.54	-23	Pass




Out-band leakage power

1. 802.11a_20M_Band1_L

1.2. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141.7	-37.38	0.183	2.5	Pass
5142	5150	1	Peak	5149.84	-34.6	0.346	15	Pass
5250	5251	1	Peak	5250.99	-45.5	0.028	101	Pass
5251	5260	1	Peak	5259.933	-45.35	0.029	16	Pass
5260	5266.7	1	Peak	5266.499	-48.38	0.015	2.6	Pass
5266.7	5277	1	Peak	5275.455	-47.29	0.019	2.5	Pass



2. 802.11a_20M_Band1_M

2.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141.225	-47.21	0.019	2.5	Pass
5142	5150	1	Peak	5146.78	-46.88	0.021	15	Pass
5250	5251	1	Peak	5250.978	-34.8	0.331	104	Pass
5251	5260	1	Peak	5259.235	-40.26	0.094	18	Pass
5260	5266.7	1	Peak	5266.482	-44.54	0.035	2.6	Pass
5266.7	5277	1	Peak	5267.344	-44.71	0.034	2.5	Pass



3. 802.11a_20M_Band1_H

3.2. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5138.375	-47.36	0.018	2.5	Pass
5142	5150	1	Peak	5142.62	-47.56	0.018	15	Pass
5250	5251	1	Peak	5250.98	-7.83	164.887	103	N/A
			Sample		-22.55	5.559		Pass
5251	5260	1	Peak	5259.078	-13.61	43.556	19	N/A
			Sample		-28.735	1.337		Pass
5260	5266.7	1	Peak	5261.055	-15.18	30.305	11.8	N/A
			Sample		-32.525	0.558		Pass
5266.7	5277	1	Peak	5266.958	-32.6	0.550	2.5	Pass



4. 802.11n_20M_Band1_L

4.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141.425	-40.22	0.095	2.5	Pass
5142	5150	1	Peak	5148.48	-35.46	0.284	15	Pass
5250	5251	1	Peak	5250.973	-44.96	0.032	105	Pass
5251	5260	1	Peak	5259.843	-44.83	0.033	16	Pass
5260	5266.7	1	Peak	5266.6	-48.93	0.013	2.5	Pass
5266.7	5277	1	Peak	5274.296	-47.72	0.017	2.5	Pass



5. 802.11n_20M_Band1_M

5.2. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5139.525	-46.12	0.024	2.5	Pass
5142	5150	1	Peak	5148.44	-47.75	0.017	15	Pass
5250	5251	1	Peak	5250.943	-37.07	0.197	111	Pass
5251	5260	1	Peak	5258.2	-39.73	0.106	22	Pass
5260	5266.7	1	Peak	5266.147	-44.84	0.033	2.9	Pass
5266.7	5277	1	Peak	5266.958	-45.65	0.027	2.5	Pass



6. 802.11n_20M_Band1_H

6.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5140.8	-47.11	0.019	2.5	Pass
5142	5150	1	Peak	5146.88	-47.11	0.019	15	Pass
5250	5251	1	Peak	5250.96	-5.82	261.666	106	N/A
			Sample	8	-21.44	7.178		Pass
5251	5260	1	Peak	5260	-14.03	39.499	15	N/A
			Sample		-28.879	1.294		Pass
5260	5266.7	1	Peak	5263.36	-17	19.946	6.2	N/A
			Sample	7	-35.067	0.311		Pass
5266.7	5277	1	Peak	5266.752	-29.66	1.082	2.5	Pass



7. 802.11a_20M_Band2_L

7.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5233.3	-34.93	0.322	2.5	Pass
5233.3	5240	1	Peak	5239.04	-19.08	12.368	12.1	N/A
			Sample	5	-36.683	0.215		Pass
5240	5249	1	Peak	5249	-8.32	147.084	100	N/A
			Sample		-21.652	6.839		Pass
5249	5250	1	Peak	5249.06	-6.83	207.542	113	N/A
			Sample	8	-20.962	8.017		Pass
5350	5360	1	Peak	5351.825	-46.06	0.025	2.5	Pass



8. 802.11a_20M_Band2_M

8.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5229.644	-46.54	0.022	2.5	Pass
5233.3	5240	1	Peak	5233.752	-47.54	0.018	2.8	Pass
5240	5249	1	Peak	5240.9	-44.61	0.035	19	Pass
5249	5250	1	Peak	5249.003	-44.94	0.032	100	Pass
5350	5360	1	Peak	5351.75	-46.21	0.024	2.5	Pass



9. 802.11a_20M_Band2_H

9.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5224.236	-47.26	0.019	2.5	Pass
5233.3	5240	1	Peak	5233.501	-47.78	0.017	2.6	Pass
5240	5249	1	Peak	5240.81	-44.58	0.035	18	Pass
5249	5250	1	Peak	5249	-45.29	0.030	100	Pass
5350	5360	1	Peak	5350.2	-38.17	0.153	2.5	Pass



10. 802.11n_20M_Band2_L

10.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5232.991	-35.28	0.296	2.5	Pass
5233.3	5240	1	Peak	5237.32	-19.82	10.421	7.5	N/A
			Sample		-37.102	0.195		Pass
5240	5249	1	Peak	5248.865	-7.19	190.770	97	N/A
			Sample		-20.251	9.441		Pass
5249	5250	1	Peak	5249.03	-4.41	362.320	105	N/A
			Sample		-20.012	9.977		Pass
5350	5360	1	Peak	5355.95	-46.84	0.021	2.5	Pass



11. 802.11n_20M_Band2_M

11.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5225.24	-46.84	0.021	2.5	Pass
5233.3	5240	1	Peak	5233.3	-48.06	0.016	2.5	Pass
5240	5249	1	Peak	5240.113	-44.97	0.032	16	Pass
5249	5250	1	Peak	5249.033	-44.79	0.033	106	Pass
5350	5360	1	Peak	5351	-46.09	0.025	2.5	Pass



12. 802.11n_20M_Band2_H

12.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5227.481	-47.32	0.019	2.5	Pass
5233.3	5240	1	Peak	5233.702	-47.37	0.018	2.8	Pass
5240	5249	1	Peak	5240.045	-44.88	0.033	15	Pass
5249	5250	1	Peak	5249.048	-44.67	0.034	109	Pass
5350	5360	1	Peak	5350.55	-37.75	0.168	2.5	Pass



1. 802.11a_20M_Band3_H

1.3. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5457.625	-46.58	0.022	2.5	Pass
5460	5470	1	Peak	5463.225	-46.75	0.021	12.5	Pass
5745	5765	1	Peak	5746.1	-44.2	0.038	12.5	Pass
5765	5775	1	Peak	5774.725	-46.86	0.021	2.5	Pass



2. 802.11a_20M_Band3_L

2.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.8	-44.22	0.038	2.5	Pass
5460	5470	1	Peak	5469.55	-38.57	0.139	12.5	Pass
5745	5765	1	Peak	5747.1	-43.14	0.049	12.5	Pass
5765	5775	1	Peak	5766.5	-48.87	0.013	2.5	Pass



3. 802.11a_20M_Band3_M

3.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5454.1	-46.45	0.023	2.5	Pass
5460	5470	1	Peak	5467.375	-46.34	0.023	12.5	Pass
5745	5765	1	Peak	5748.95	-46.97	0.020	12.5	Pass
5765	5775	1	Peak	5766.35	-48.74	0.013	2.5	Pass



4. 802.11n_20M_Band3_L

4.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5459.1	-43.34	0.046	2.5	Pass
5460	5470	1	Peak	5469.55	-38.07	0.156	12.5	Pass
5745	5765	1	Peak	5748.45	-45.41	0.029	12.5	Pass
5765	5775	1	Peak	5774.1	-48.72	0.013	2.5	Pass



5. 802.11n_20M_Band3_M

5.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5453.55	-46.06	0.025	2.5	Pass
5460	5470	1	Peak	5469	-46.32	0.023	12.5	Pass
5745	5765	1	Peak	5748.35	-46.98	0.020	12.5	Pass
5765	5775	1	Peak	5766.475	-48.52	0.014	2.5	Pass



6. 802.11n_20M_Band3_H

6.2. Out-band leakage power(Band Width 20MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.025	-46.43	0.023	2.5	Pass
5460	5470	1	Peak	5466.775	-46.17	0.024	12.5	Pass
5745	5765	1	Peak	5747.3	-41.7	0.068	12.5	Pass
5765	5775	1	Peak	5774.8	-47.14	0.019	2.5	Pass



--BLANK BELOW--