



Report No.: TWN2604325-01E

Applicant: PA BOACAT MAJU SDN. BHD.

Product: TV BOX

Model No.: D6 MAX, D6 Ultra, D8 MAX, D8 Ultra, D9 MAX, D9 Ultra, D10 MAX, D10 Ultra, D11 MAX, D11 Ultra, D12 MAX, D12 Ultra, D15MAX, D15Ultra, D16MAX, D16Ultra

Trade Mark: DIGIBOX

Test Standards: Article 2 paragraph 1 item (19)
ARIB STD T-66 Ver.3.7. MIC Notice No.88 Appendix No.43

Test result: It is herewith confirmed and found to comply with the requirements set up by ARIB STD T-66 Ver.3.7 regulations for the evaluation of electromagnetic compatibility

Approved By

Terry Tang



Terry Tang

Manager

Dated: May 19, 2026

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West,
Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

ISED —Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of ISED for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

FCC Designation Number: CN1251

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion

Content

1.0	General Details	4
2.0	List of Measurement Equipment.....	5
3.0	Summary of Test.....	6
4.0	Test Facility.....	7
5.0	General Information.....	8
6.0	RF Shielding Method.....	13
7.0	Frequency Error.....	14
8.0	Antenna Power.....	18
9.0	Occupied Bandwidth (99%) and Spreading Bandwidth (90%).....	23
10.0	Unwanted Emission Intensity Measurement.....	38
11.0	Carrier Sense Capability.....	136
12.0	Interference prevention function.....	137
13.0	Secondary Radiated Emission Strength.....	138
	Test Setup Photos.....	149

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.
Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road
West, Tong Le Village, Nanshan District, Shenzhen, China
Telephone: (755) 83448688
Fax: (755) 83442996

1.2 Applicant Details

Applicant: PA BOACAT MAJU SDN. BHD.
Address: NO. 49, MEDAN LIM CHENG TEIK 10250 GEORGE TOWN PULAU
PINANG MALAYSIA

1.3 Description of EUT

Product: TV BOX
Manufacturer: AMEDIA TECHNOLOGY LIMITED
Address: 2/F, Building A, Building B, Minsheng Industrial Park, Longhua Road,
Longhua District, Shenzhen
Factory: AMEDIA TECHNOLOGY LIMITED
Address: 2/F, Building A, Building B, Minsheng Industrial Park, Longhua Road,
Longhua District, Shenzhen
Trademark: DIGIBOX
Model Number: D6 MAX
Additional Model Number: D6 Ultra, D8 MAX, D8 Ultra, D9 MAX, D9 Ultra, D10 MAX, D10 Ultra,
D11 MAX, D11 Ultra, D12 MAX, D12 Ultra, D15MAX, D15Ultra, D16MAX, D16Ultra
Hardware version: V1.0
Software version: D6MAX_20250926-1913
Input: DC5V, 2A

1.4 Submitted Sample: 2 Samples

1.5 Test Duration: 2026-04-01 to 2026-05-19

1.6 Test Engineer

The sample tested by

Print Name: Andy Xing



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2. List of Measurement Equipment

Name	Model No.	Serial No.	Manufacturer	Calibration Date	Calibration Cycle
EMI Test Receiver	ESVD	100008	RS	2025-07-11	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Amplifier	8447D	2727A05017	HP	2025-07-11	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2025-07-11	1Year
Horn Antenna	BBHA 9120D	9120D-631	Schwarebeck	2025-07-11	1Year
Horn Antenna	BBHA 9170	BBHA9170265	Schwarebeck	2025-07-11	1Year
Test Receiver	FSP	100836	RS	2025-07-11	1Year
Spectrum	FSIQ26	100292	RS	2025-07-11	1Year
Amplifier	EM-30180	060268	EM	2025-07-11	1Year
Power Meter	ML2487A	6K00003613	Anritsu	2025-07-11	1Year
Power Sensor	MA2491A	32263	Anritsu	2025-07-11	1Year
Signal Generator	N5182A	MY47431282	Agilent	2025-07-11	1Year
DC Power Supply	QJ3005T	--	Harrison	2025-07-11	1Year

Remark: 1. Calibration conducted in countries except Japan, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).

2. Calibration provided: Guangzhou Lisai Calibration and Testing Co.,Ltd

3. Calibration by: Hui Xiao

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



3. Summary of Test

Test procedures according to the technical standards:

ARIB STD T-66 Ver.3.7			
Article 2, Paragraph 1, Item (19) Rules Section	Test Item	Judgment	Remark
1	Frequency Error	Pass	
2	Antenna Power	Pass	
3	Occupied Bandwidth (99%) and Spreading Bandwidth (90%)	Pass	
4	Unwanted Emission Strength	Pass	
5	Hopping Frequency Dwell Time (FH employed)	N/A ^{Note 2}	
6	Carrier Sense	Pass	
7	Interference prevention function	Pass	
8	Secondary Radiated Emission Strength	Pass	
9	Transmitting Antenna Absolute Gain	N/A ^{Note 1}	
10	Half Power Beam Angle (Radiation angle of antenna)	N/A ^{Note 1}	

NOTE:

N/A^{Note 1}: It is unnecessary to testing, when a E.I.R.P. is less than the variable E.I.R.P. limit of minimum (DSSS: 12.14dBm/MHz or less, FHSS (2427 - 2470.75 MHz) :6.91dBm/MHz or less, etc.)"

N/A^{Note 2}: Testing is only required for FHSS system devices

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4 Test Facility

4.1 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95 %.

No.	Item	Uncertainty
1	Conducted Emission Test	$\pm 3.6\text{dB}$
2	RF power, conducted	$\pm 0.16\text{dB}$
3	Spurious emissions, conducted	$\pm 0.21\text{dB}$
4	All emissions, radiated(<1G)	$\pm 4.7\text{dB}$
5	All emissions, radiated(>1G)	$\pm 5.2\text{dB}$

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5. General Information

5.1 General Description of EUT

Equipment	TV BOX	
Model Name	D6 MAX, D6 Ultra, D8 MAX, D8 Ultra, D9 MAX, D9 Ultra, D10 MAX, D10 Ultra, D11 MAX, D11 Ultra, D12 MAX, D12 Ultra, D15MAX, D15Ultra, D16MAX, D16Ultra	
Product Description	The EUT is TV BOX	
	Operation Frequency:	2412~2472 MHz
	Modulation Type:	802.11b: DSSS (CCK, QPSK, DBPSK) IEEE 802.11g/n (HT20, HT40): OFDM (64QAM, 16QAM, QPSK, BPSK) IEEE 802.11ax (HEW20, HEW40): OFDM (1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK)
	Number Of Channel	13ch for 802.11b/g/n HT20/ax HEW20; 9ch for 802.11n HT40/ax HEW40
	Antenna Designation:	Two FPC antenna used
	Antenna Gain (Peak)	3.36dBi for each one
Channel List	Please refer to the Note 2.	
Input Voltage:	DC5V, 2A	
Adapter	N/A	
Battery	N/A	
Hardware Version	V1.0	
Software Version	D6MAX_20250926-1913	

Note:

1. For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2.

Channel List					
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
01	2412	07	2442	13	2472
02	2417	08	2447	--	--
03	2422	09	2452	--	--
04	2427	10	2457	--	--
05	2432	11	2462	--	--
06	2437	12	2467	--	--

3.

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	NOTE
1	N/A	EWFF001.D2B01B.S MAMF	FPC Antenna	N/A	3.36 (Max.)	N/A

5.2 Description of Test Modes

To investigate the maximum EMI emission characteristics generates from EUT, the test system was pre-scanning tested base on the consideration of following EUT operation mode or test configuration mode which possible have effect on EMI emission level. Each of these EUT operation mode(s) or test configuration mode(s) mentioned above was evaluated respectively.

Test Items	Mode	Data Tate	Channel
Frequency Error	Un-nodulation	--	1/7/13
Occupied Bandwidth and Spread-spectrum Bandwidth/Factor	11b/11g/11n HT20/11ax	11/6/6.5Mbps	1/7/13
Unwanted Emission Intensity	HEW20	11/6/6.5Mbps	1/7/13
Antenna Power Error		11/6/6.5Mbps	1/7/13
Limitation of Collateral Emission of Receiver		11/6/6.5Mbps	1/7/13
Transmission Antenna Gain		11/6/6.5Mbps	1/7/13
Transmission Radiation Angle Width		11/6/6.5Mbps	1/7/13
Radio Interference Prevention Capability		11/6/6.5Mbps	1/7/13
Carrier Sense Capability	11n HT40/11ax HEW40	6.5Mbps	1/7/13

Note: for 802.11n HT40/11ax HEW40, Channel 3/7/11 were tested.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.3 Test Conditions

Power supply:

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.



Test below:

1: The fluctuation of C point is under $\pm 1\%$, when input voltage from A point to the test equipment is fluctuated by $\pm 10\%$.

The measurement result of the voltage fluctuation at RF circuit when DC5.0V +/- 10%

DC5.0V	DC3.33V
DC4.5V	DC3.33V
DC5.5V	DC3.33V

Pre-test the EUT in all voltage mode at the DC5.0V, DC4.5V and DC5.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

Temperature:

25.0°C

Humidity:

56 % RH

Atmospheric Pressure:

101kPa

Test frequencies:

If the EUT can be set to 3 or more different (carrier) frequencies in 1 allocated band, testing shall be performed using the Lowest, Middle and the Highest frequency (L, M and H). If there are 2 or fewer frequencies, testing shall be performed with the available frequencies.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, the SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Voltage Fluctuation Test	Normal Voltage	High Voltage	Low Voltage
DC Power	DC5.0V	DC5.5V	DC4.5V

Note: 1. During the test, the input supply voltage to the EUT from the external power source is varied.

5.4 Table of Parameters of Text Software Setting

During testing channel & power controlling software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product power parameters of FHSS

For 802.11b/g/n HT20/ax HEW20


Test software Version	Test program: N/A		
Frequency	2412 MHz	2442 MHz	2472 MHz
Parameters	DEF	DEF	DEF

For 802.11n H40/ax HEW40

Test software Version	Test program: N/A		
Frequency	2422 MHz	2442 MHz	2462 MHz
Parameters	DEF	DEF	DEF

5.5 Block Diagram Showing the Configuration of System Tested

Mode:



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.6 Description of Support Units (Conducted Mode)

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Brand	Model/Type No.	Series No.	Note

Item	Shielded Type	Ferrite Core	Length	Note

Note:

- (1) The support equipment was authorized by Declaration of Confirmation.
- (2) For detachable type I/O cable should be specified the length in cm in 『Length』 column.
- (3) “YES” is means “shielded” “with core”; “NO” is means “unshielded” “without core”.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6. RF Shielding Method

We apply the product for Japan RF certification. RF and Modulation components are located inside the enclosure and are shielded by a cover that is soldered in the PCB. It is not easily removed. Please refer to following for photo for details.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7. Frequency Error

7.1 Limit

Item	Limits
Frequency Error	$\pm 50\text{ppm}$

7.2 Measuring Instrument and Setting

The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB / VB	10kHz/30kHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto
Span	200kHz

7.3 TEST PROCEDURES

- (1) In the case of unmodulated signal (continuous or continuous burst), measure the frequency directly by a frequency meter.
 - (2) In the case of burst waves, the measurement shall be done for enough time in order to obtain the enough measuring accuracy, and the average of the measured values becomes the final value.
 - (3) In the case of a test mode with a specific frequency spectrum, measure the frequency of the specific spectrum by a spectrum analyzer.
 - (4) In the cases above, if the frequency equivalent to the test frequency is not directly measured in principle, it shall be obtained by necessary calculation.
- In the case of modulated signal, if there is no specific spectrum measurable by a spectrum analyzer but a specific dip is observed, it is allowed to measure the frequency with the signal generator (synthesized). That is, observe a signal of the signal generator concurrently (or alternately) with the tested signal using the

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



spectrum analyzer while setting the frequency of the signal generator to the position of the dip on the screen of the spectrum analyzer, and determine the frequency of the signal generator at the time as a measured value.

7.4 Test Setup Layout



7.5 Environment Condition

Temperature: 25°C

Humidity: 56% RH

Note: Pre-test the EUT in all voltage mode at the DC5.0V, DC5.5V and DC4.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




7.6 Test Result


Frequency	Reading	Tolerance	Limit	Remark
MHz	MHz	ppm	(ppm)	
2412	2412.0212	8.789	±50	
2422	2422.0212	8.753	±50	
2442	2442.0212	8.681	±50	
2462	2462.022	8.936	±50	
2472	2472.022	8.900	±50	Normal Voltage: DC5.0V




Date: 21.APR.2026 01:22:47



Date: 21.APR.2026 01:23:42




Date: 21.APR.2026 01:24:09



Date: 21.APR.2026 01:24:34

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Date: 21.APR.2026 01:25:04

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8. Antenna Power

8.1 Limit

Item	Limits
Antenna Power Density	$\leq 3\text{mW/MHz}$ (FH form 2427 - 2470.75 MHz) $\leq 10\text{mW/MHz}$ (OFDM,DS from 2400~2483.5MHz) $\leq 10\text{mW}$ (Other from 2400~2483.5MHz)
Antenna Power Error	+20% (Base on manufacturer declare antenna power density)

8.2 Test Procedures

1. Step 1:

Connect the UUT to the spectrum analyzer as TEST CONFIGURATION and use the following settings:

- Centre Frequency: The centre frequency of the channel under test.
- RBW: 1 MHz
- VBW: 1 MHz
- Span: Wide enough to cover the complete power envelope of the signal of the UUT.
- Detector: Peak
- Trace Mode: Max Hold

Step 2:

When the trace is complete, find the peak value of the power envelope and record the frequency. Center frequency:

Step 3: Make the following changes to the settings of the spectrum analyser:

- Centre Frequency: Equal to the frequency recorded in step 2.
- Span: 3 MHz • RBW: 1 MHz • VBW: 1 MHz
- Detector: PK
- Trace Mode: Max Hold


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.3 Test Setup Layout



8.4 Test Deviation

There is no deviation with the original standard.

Note: Pre-test the EUT in all voltage mode at the DC5.0V, DC5.5V and DC4.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.5 Test Result

802.11b Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 1Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2412	3.19	2.08	3.15	2.07	--	--	-58.6
2442	2.85	1.93	2.80	1.91	--	--	-61.8
2472	2.63	1.83	2.57	1.81	--	--	-63.8

802.11g Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 6Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2412	3.27	2.12	3.21	2.09	--	--	-58.2
2442	3.43	2.20	3.37	2.17	--	--	-56.6
2472	3.26	2.12	3.19	2.08	--	--	-58.4

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



802.11n HT20 Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 6.5Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2412	2.75	1.88	2.70	1.86	5.74	3.75	-25.0
2442	2.95	1.97	2.91	1.95	5.94	3.93	-21.4
2472	2.77	1.89	2.72	1.87	5.76	3.77	-24.6

802.11ax HEW20 Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 6.5Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2412	4.42	2.77	4.36	2.73	7.40	5.50	10.0
2442	4.61	2.89	4.57	2.86	7.60	5.75	15.0
2472	4.36	2.73	4.31	2.70	7.35	5.43	8.60

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



802.11n HT40 Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 6.5Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2422	0.08	1.02	0.03	1.01	3.07	2.03	-59.4
2442	0.37	1.09	0.31	1.07	3.35	2.16	-56.8
2462	0.19	1.04	0.12	1.03	3.17	2.07	-58.6

802.11ax HEW40 Mode

EUT:	TV BOX	Test Date:	April 20, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	CH 01/CH 07/CH13, 6.5Mbps		

Manufacturer declared the conducted power density=5.0mW/MHz

Frequency (MHz)	Ant 0 Power		Ant 1 Power		Total Max. Power Output-MIMO		Antenna Power Error
	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(%)
2422	2.28	1.69	2.23	1.67	5.27	3.37	-32.6
2442	2.70	1.86	2.65	1.84	5.69	3.71	-25.8
2462	2.49	1.77	2.42	1.75	5.47	3.52	-29.6

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




9. Occupied Bandwidth (99%) and Spreading Bandwidth (90%)

Limit:

- Occupied bandwidth: FH $\leq$ 83.5 MHz; OFDM: 26-40MHz, DS $\leq$ 26MHz;
Other method (Except SS & OFDM) $\leq$ 26MHz
- Spread Bandwidth: $\geq$ 500kHz, Spread factor $\geq$ 5

Test Configure



Test Procedure:

1. Setting of SA is following as fellow:
RBW: 100 kHz or 1MHz
VBW: 300 kHz or 3MHz
Sweep time: Auto
Sweep Mode: Continuous sweep
Detect mode: Positive peak
Trace mode: Max hold
2. EUT have transmitted the maximum modulation signal and fixed channelize. SA set to 99% of occupied bandwidth to measure occupied bandwidth.
3. EUT have transmitted the maximum modulation signal and fixed channelize. SA set to 90% of occupied bandwidth to measure spread bandwidth.
4. Spread Factor=Spread Bandwidth/modulation rate. The modulation rate: MR=1.375 for 802.11b, MR=1.5 for 802.11g/n20, MR=3 for 802.11n40.

9.1 Test Result

Environment Condition:

Temperature: 25°C
Humidity: 56% RH

Note: Pre-test the EUT in all voltage mode at the DC5.0V, DC5.5V and DC4.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test voltage(V)	Type	Channel (MHz)	Occupy Bandwidth (MHz)	Limit (MHz)	Result
DC5.0V	802.11b	2412	14.94	<26	Pass
		2442	14.94		
		2472	14.94		
	802.11g	2412	16.38		
		2442	16.38		
		2472	16.38		
	802.11n HT20	2412	17.58		
		2442	17.58		
		2472	17.58		
	802.11ax HEW20	2412	18.90		
		2442	18.90		
		2472	18.90		
	802.11n HT40	2422	36.40	26-40	
		2442	36.40		
		2462	36.40		
	802.11ax HEW40	2422	38.30		
		2442	38.20		
		2462	38.30		


Note: ANT 0 (7J18 Port) and Ant 1 (7J17 Port) were tested. In the test report, only the worst cases were recorded. And ANT 0 (7J18 Port) was the worst case.

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


802.11b Mode, Normal Voltage



Date: 20.APR.2026 20:34:34



Date: 20.APR.2026 20:56:11



Date: 20.APR.2026 21:12:11


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11g Mode, Normal Voltage



Date: 20.APR.2026 20:38:00



Date: 20.APR.2026 20:48:25



Date: 20.APR.2026 21:16:16

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


802.11n HT20 Mode, Normal Voltage



Date: 20.APR.2026 20:40:49



Date: 20.APR.2026 20:46:26



Date: 20.APR.2026 21:19:04


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11ax HEW20 Mode, Normal Voltage



Date: 20.APR.2026 20:42:11



Date: 20.APR.2026 20:44:24



Date: 20.APR.2026 21:22:04

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


802.11n HT40 Mode, Normal Voltage



Date: 20.APR.2026 21:28:53



Date: 20.APR.2026 21:30:28



Date: 20.APR.2026 21:58:55


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11ax HEW40 Mode, Normal Voltage



Date: 20.APR.2026 21:25:53



Date: 20.APR.2026 21:39:31



Date: 20.APR.2026 21:42:17

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test voltage(V)	Type	Channel (MHz)	Spreading Bandwidth (MHz)	Spread Factor	Spread Bandwidth Limit (MHz)	Spread Factor Limit	Result
DC5.0V	802.11b	2412	10.56	7.680	>0.5	>5	Pass
		2442	10.62	7.724			
		2472	10.56	7.680			
	802.11g	2412	14.70	9.800	>0.5	>5	
		2442	14.64	9.760			
		2472	14.70	9.800			
	802.11n HT20	2412	15.30	10.20	>0.5	>5	
		2442	16.44	10.96			
		2472	15.24	10.16			
	802.11ax HEW20	2412	16.62	11.08			
		2442	16.62	11.08			
		2472	16.62	11.08			
	802.11n HT40	2422	32.00	10.68			
		2442	32.10	10.70			
		2462	32.00	10.68			
802.11ax HEW40	2422	33.80	11.27				
	2442	33.80	11.27				
	2462	33.80	11.27				


Note 1: Spread Factor= Spreading Bandwidth/modulation rate. The modulation rate: MR=1.375 for 802.11b, MR=1.5 for 802.11g/n HT20/ax HEW20, MR=3 for 802.11n40/ ax HEW40

Note 2: ANT 0 (7J18 Port) and Ant 1 (7J17 Port) were tested. In the test report, only the worst cases were recorded. And ANT 0 (7J18 Port) was the worst case.


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:****802.11b Mode, Normal Voltage**

Date: 20.APR.2026 22:47:10



Date: 20.APR.2026 23:13:11



Date: 20.APR.2026 23:15:12


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11g Mode, Normal Voltage



Date: 20.APR.2026 22:49:34



Date: 20.APR.2026 23:09:17



Date: 20.APR.2026 23:20:46

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


802.11n HT20 Mode, Normal Voltage



Date: 20.APR.2026 22:53:24



Date: 20.APR.2026 23:06:00



Date: 20.APR.2026 23:23:02

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


802.11ax HEW20 Mode, Normal Voltage



Date: 20.APR.2026 22:58:06



Date: 20.APR.2026 23:04:54



Date: 20.APR.2026 23:24:21


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11n HT40 Mode, Normal Voltage



Date: 20.APR.2026 22:38:10



Date: 20.APR.2026 22:32:06



Date: 20.APR.2026 22:12:44


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

**Test Figure:**


802.11ax HEW40 Mode, Normal Voltage



Date: 20.APR.2026 22:41:46



Date: 20.APR.2026 22:29:00



Date: 20.APR.2026 22:22:41

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



10. Unwanted Emission Strength

10.1 Limit

Item	Limits
TX Spurious Emission	$\leq 2.5 \mu\text{W}$ (-26dBm) ($30\text{MHz} \leq f \leq 1000\text{MHz}$)
	$\leq 2.5 \mu\text{W}$ (-26dBm) ($1000\text{MHz} < f \leq 2387\text{MHz}$)
	$\leq 25 \mu\text{W}$ (-16dBm) ($2387\text{MHz} < f \leq 2400\text{MHz}$)
	$\leq 25 \mu\text{W}$ (-16dBm) ($2483.5\text{MHz} \leq f < 2496.5\text{MHz}$)
	$\leq 2.5 \mu\text{W}$ (-26dBm) ($2496.5\text{MHz} \leq f < 12500\text{MHz}$)

10.2. Measuring Instrument and Setting

Please refer to section 5 in this report. The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB / VB	1 MHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

10.3. Test Procedures

- EUT have transmitted the maximum modulation signal and fixed channelize.
- Setting of SA is following as: Below 1GHz RB:1MHz / VB:1MHz
Above 1GHz RB:1MHz / VB:1MHz / AT: 20dB Ref: 10dBm / Sweep time: Auto
Sweep Mode: Continuous sweep / Detect mode: Positive peak
Trace mode: Max hold
- Setting of SA is following as 30MHz and stop frequency 2387MHz Then to mark peak reading value + cable loss shall be less than 2.5μW.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4. SA adjusted to start frequency 2387MHz and stop frequency 2400MHz. Then to mark peak reading value + cable loss shall be less than 25 μ W.
5. SA adjusted to start frequency 2483.5MHz and stop frequency 2496.5MHz Then to mark peak reading value + cable loss shall be less than 25 μ W
6. SA adjusted to start frequency 2496.5MHz and stop frequency 12500MHz Then to mark peak reading value + cable loss shall be less than 2.5 μ W
7. If the Result_Value is over the requirement, take total sum of 1MHz band centered at the spur frequency like ACLP measurement as Result_Value.

10.4. Test Setup Layout



10.5. Test Deviation

There is no deviation with the original standard.

Note 1: Pre-test the EUT in all voltage mode at the DC5.0V, DC5.5V and DC4.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



10.6. Test Result

EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2412MHz		

Test data for 11b ANT 0 (7J18 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit (μ W/MHz)	P/F
NV	802.11b	2412	30-2387	1882.60200	-54.20	0.00380	2.5	Pass
NV	802.11b	2412	30-2387	675.818000	-34.48	0.35645	2.5	Pass
NV	802.11b	2412	2387-2400	2398.98600	-44.03	0.03954	25	Pass
NV	802.11b	2412	2483.5-2496.5	2484.38400	-51.46	0.00714	25	Pass
NV	802.11b	2412	2496.5-12500	5597.58500	-49.43	0.01140	2.5	Pass
NV	802.11b	2412	2496.5-12500	4817.31200	-47.03	0.01982	2.5	Pass
NV	802.11b	2412	2496.5-12500	5157.43100	-49.60	0.01096	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:26:19

2412MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 03:01:17

2412MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 20:47:49

2412MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 23:23:28

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11b	2442	30-2387	1929.74200	-52.58	0.00552	2.5	Pass
NV	802.11b	2442	30-2387	704.102000	-35.86	0.25942	2.5	Pass
NV	802.11b	2442	2387-2400	2396.69800	-51.11	0.00774	25	Pass
NV	802.11b	2442	2483.5-2496.5	2483.86400	-51.16	0.00766	25	Pass
NV	802.11b	2442	2496.5-12500	5837.66900	-48.99	0.01262	2.5	Pass
NV	802.11b	2442	2496.5-12500	2776.59800	-53.98	0.00400	2.5	Pass
NV	802.11b	2442	2496.5-12500	4877.33300	-48.77	0.01327	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 21.APR.2026 01:43:25

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 21.APR.2026 03:27:52

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 21.APR.2026 21:05:36

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 21.APR.2026 23:41:05

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced neither in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2472MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11b	2472	30-2387	1972.16800	-51.94	0.00640	2.5	Pass
NV	802.11b	2472	30-2387	732.386000	-39.84	0.10375	2.5	Pass
NV	802.11b	2472	2387-2400	2392.87600	-52.37	0.00579	25	Pass
NV	802.11b	2472	2483.5-2496.5	2483.50000	-43.33	0.04645	25	Pass
NV	802.11b	2472	2496.5-12500	5397.51500	-52.19	0.00604	2.5	Pass
NV	802.11b	2472	2496.5-12500	2776.59800	-53.33	0.00465	2.5	Pass
NV	802.11b	2472	2496.5-12500	4937.35400	-51.95	0.00638	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:56:23

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 21.APR.2026 03:33:48

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 21.APR.2026 21:15:25

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 21.APR.2026 23:46:02

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2412MHz		

Test data for 11b ANT 1 (7J17 Port)

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit (μ W/MHz)	P/F
NV	802.11b	2412	30-2387	1882.60200	-54.78	0.00333	2.5	Pass
NV	802.11b	2412	30-2387	675.818000	-36.66	0.21577	2.5	Pass
NV	802.11b	2412	2387-2400	2398.77800	-47.32	0.01854	25	Pass
NV	802.11b	2412	2483.5-2496.5	2490.65000	-53.23	0.00475	25	Pass
NV	802.11b	2412	2496.5-12500	4817.31200	-49.33	0.01167	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:00:38

2412MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:47:20

2412MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:10:19

2412MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:31:10

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11b	2442	30-2387	939.802000	-60.39	0.00091	2.5	Pass
NV	802.11b	2442	30-2387	704.102000	-38.93	0.12794	2.5	Pass
NV	802.11b	2442	30-2387	1929.74200	-54.88	0.00325	2.5	Pass
NV	802.11b	2442	2387-2400	2397.29600	-53.56	0.00441	25	Pass
NV	802.11b	2442	2483.5-2496.5	2488.02400	-53.19	0.00480	25	Pass
NV	802.11b	2442	2496.5-12500	4877.33300	-51.63	0.00687	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:12:43

2442MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:48:37

2442MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:09:01

2442MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:32:33

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11b 2472MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11b	2472	30-2387	906.804000	-61.05	0.00079	2.5	Pass
NV	802.11b	2472	30-2387	732.386000	-43.60	0.04365	2.5	Pass
NV	802.11b	2472	30-2387	1972.16800	-55.66	0.00272	2.5	Pass
NV	802.11b	2472	2387-2400	2392.27800	-54.36	0.00366	25	Pass
NV	802.11b	2472	2483.5-2496.5	2483.50000	-45.89	0.02576	25	Pass
NV	802.11b	2472	2496.5-12500	3196.74500	-53.54	0.00443	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:16:36

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:58:13

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 20:59:39

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:38:08

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2412MHz		

Test data for 11g ANT 0 (7J18 Port)

Test Data:

Test Data of Unwanted Emissions Strength								
Voltage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11g	2412	30-2387	1877.88800	-43.75	0.04217	2.5	Pass
NV	802.11g	2412	30-2387	675.818000	-34.97	0.31842	2.5	Pass
NV	802.11g	2412	2387-2400	2399.87000	-39.03	0.12503	25	Pass
NV	802.11g	2412	2483.5-2496.5	2485.52800	-52.55	0.00556	25	Pass
NV	802.11g	2412	2496.5-12500	4817.31200	-43.55	0.04416	2.5	Pass
NV	802.11g	2412	2496.5-12500	5477.54300	-50.67	0.00857	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:31:13

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 21.APR.2026 03:08:46

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 21.APR.2026 20:50:25

2412MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 21.APR.2026 23:26:10

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11g	2442	30-2387	704.102000	-31.12	0.77268	2.5	Pass
NV	802.11g	2442	30-2387	1929.74200	-39.55	0.11092	2.5	Pass
NV	802.11g	2442	2387-2400	2391.29000	-49.73	0.01064	25	Pass
NV	802.11g	2442	2483.5-2496.5	2484.04600	-50.92	0.00809	25	Pass
NV	802.11g	2442	2496.5-12500	2776.59800	-53.95	0.00403	2.5	Pass
NV	802.11g	2442	2496.5-12500	4877.33300	-47.67	0.01710	2.5	Pass
NV	802.11g	2442	2496.5-12500	5777.64800	-49.47	0.01130	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertng. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:41:50

2442MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 21.APR.2026 03:23:41

2442MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 21.APR.2026 21:01:42

2442MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 21.APR.2026 23:39:45

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit	P/F
NV	802.11g	2472	30-2387	1972.16800	-40.00	0.10000	2.5	Pass
NV	802.11g	2472	30-2387	732.386000	-34.75	0.33497	2.5	Pass
NV	802.11g	2472	2387-2400	2398.80400	-52.93	0.00509	25	Pass
NV	802.11g	2472	2483.5-2496.5	2483.50000	-34.72	0.33729	25	Pass
NV	802.11g	2472	2496.5-12500	5157.43100	-52.20	0.00603	2.5	Pass
NV	802.11g	2472	2496.5-12500	3196.74500	-52.69	0.00538	2.5	Pass
NV	802.11g	2472	2496.5-12500	4937.35400	-50.63	0.00865	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:59:49

2472MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 03:34:19

2472MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:18:57

2472MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 23:47:24

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2412MHz		

Test data for 11g ANT 1 (7J17 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11g	2412	30-2387	1882.60200	-46.84	0.02070	2.5	Pass
NV	802.11g	2412	30-2387	675.818000	-37.67	0.17100	2.5	Pass
NV	802.11g	2412	2387-2400	2399.94800	-41.06	0.07834	25	Pass
NV	802.11g	2412	2483.5-2496.5	2492.93800	-53.79	0.00418	25	Pass
NV	802.11g	2412	2496.5-12500	4817.31200	-51.21	0.00757	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:00:38

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:47:20

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:10:19

2412MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:31:10

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11g	2442	30-2387	935.088000	-57.36	0.00184	2.5	Pass
NV	802.11g	2442	30-2387	699.388000	-37.49	0.17824	2.5	Pass
NV	802.11g	2442	30-2387	1929.74200	-46.26	0.02366	2.5	Pass
NV	802.11g	2442	2387-2400	2394.67000	-53.25	0.00473	25	Pass
NV	802.11g	2442	2483.5-2496.5	2483.78600	-53.26	0.00472	25	Pass
NV	802.11g	2442	2496.5-12500	4877.33300	-51.68	0.00679	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertng. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:12:07

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:48:59

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:08:37

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:33:53

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11g 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit	P/F
NV	802.11g	2472	30-2387	982.228000	-56.92	0.00203	2.5	Pass
NV	802.11g	2472	30-2387	732.386000	-40.11	0.09750	2.5	Pass
NV	802.11g	2472	30-2387	1976.88200	-45.72	0.02679	2.5	Pass
NV	802.11g	2472	2387-2400	2398.51800	-54.51	0.00354	25	Pass
NV	802.11g	2472	2483.5-2496.5	2483.50000	-37.07	0.19634	25	Pass
NV	802.11g	2472	2496.5-12500	2636.54900	-54.56	0.00350	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:17:24

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:57:47

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:00:08

2472MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:37:39

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2412MHz		

Test data for 11n HT20 ANT 0 (7J18 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2412	30-2387	1887.31600	-42.55	0.05559	2.5	Pass
NV	802.11n HT20	2412	30-2387	675.818000	-32.77	0.52845	2.5	Pass
NV	802.11n HT20	2412	2387-2400	2399.89600	-34.87	0.32584	25	Pass
NV	802.11n HT20	2412	2483.5-2496.5	2486.25600	-52.57	0.00553	25	Pass
NV	802.11n HT20	2412	2496.5-12500	5497.55000	-50.06	0.00986	2.5	Pass
NV	802.11n HT20	2412	2496.5-12500	4817.31200	-46.27	0.02360	2.5	Pass
NV	802.11n HT20	2412	2496.5-12500	5237.45900	-47.91	0.01618	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 21.APR.2026 01:32:12

2412MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 21.APR.2026 03:14:40

2412MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 21.APR.2026 20:51:43

2412MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 21.APR.2026 23:30:12

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2442	30-2387	1929.74200	-41.80	0.06607	2.5	Pass
NV	802.11n HT20	2442	30-2387	704.102000	-33.17	0.48195	2.5	Pass
NV	802.11n HT20	2442	2387-2400	2395.24200	-49.56	0.01107	25	Pass
NV	802.11n HT20	2442	2483.5-2496.5	2489.06400	-51.53	0.00703	25	Pass
NV	802.11n HT20	2442	2496.5-12500	5497.55000	-49.37	0.01156	2.5	Pass
NV	802.11n HT20	2442	2496.5-12500	2796.60500	-52.68	0.00540	2.5	Pass
NV	802.11n HT20	2442	2496.5-12500	4877.33300	-49.58	0.01102	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 21.APR.2026 01:36:25

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 21.APR.2026 03:21:29

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 21.APR.2026 20:58:17

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 21.APR.2026 23:37:53

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2472MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2472	30-2387	1976.88200	-40.69	0.08531	2.5	Pass
NV	802.11n HT20	2472	30-2387	732.386000	-34.90	0.32359	2.5	Pass
NV	802.11n HT20	2472	2387-2400	2387.18200	-52.32	0.00586	25	Pass
NV	802.11n HT20	2472	2483.5-2496.5	2483.50000	-31.83	0.65615	25	Pass
NV	802.11n HT20	2472	2496.5-12500	5097.41000	-49.99	0.01002	2.5	Pass
NV	802.11n HT20	2472	2496.5-12500	4937.35400	-50.48	0.00895	2.5	Pass
NV	802.11n HT20	2472	2496.5-12500	2496.50000	-49.33	0.01167	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:03:49

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 21.APR.2026 03:37:40

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 21.APR.2026 21:21:14

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 21.APR.2026 23:49:17

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2412MHz		

Test data for 11n HT20 ANT 1 (7J17 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Voltage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2412	30-2387	897.376000	-54.04	0.00394	2.5	Pass
NV	802.11n HT20	2412	30-2387	675.818000	-36.37	0.23067	2.5	Pass
NV	802.11n HT20	2412	30-2387	1882.60200	-45.59	0.02761	2.5	Pass
NV	802.11n HT20	2412	2387-2400	2399.92200	-35.76	0.26546	25	Pass
NV	802.11n HT20	2412	2483.5-2496.5	2484.64400	-53.73	0.00424	25	Pass
NV	802.11n HT20	2412	2496.5-12500	4817.31200	-51.01	0.00793	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:06:34

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:46:16

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:11:07

2412MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:30:23

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2442	30-2387	935.088000	-58.67	0.00136	2.5	Pass
NV	802.11n HT20	2442	30-2387	704.102000	-36.24	0.23768	2.5	NV
NV	802.11n HT20	2442	30-2387	1925.02800	-45.39	0.02891	2.5	NV
NV	802.11n HT20	2442	2387-2400	2390.38000	-51.74	0.00670	25	Pass
NV	802.11n HT20	2442	2483.5-2496.5	2486.88000	-52.91	0.00512	25	Pass
NV	802.11n HT20	2442	2496.5-12500	4877.33300	-52.43	0.00571	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:10:03

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:49:23

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:08:14

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:35:35

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2472	30-2387	982.228000	-59.01	0.00126	2.5	Pass
NV	802.11n HT20	2472	30-2387	732.386000	-40.00	0.10000	2.5	Pass
NV	802.11n HT20	2472	30-2387	1976.88200	-46.67	0.02153	2.5	Pass
NV	802.11n HT20	2472	2387-2400	2392.53800	-54.04	0.00394	25	Pass
NV	802.11n HT20	2472	2483.5-2496.5	2483.50000	-32.43	0.57148	25	Pass
NV	802.11n HT20	2472	2496.5-12500	2496.50000	-53.65	0.00432	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:19:20

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:57:24

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:00:39

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:37:14

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2412MHz		

Test data for 11n HT20 ANT 0+11n HT20 ANT 1—MIMO Mode

Test Data:


Test Data of Unwanted Emissions Strength								
Voltage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2412	30-2387	1882.60200	-52.82	0.00522	2.5	Pass
NV	802.11n HT20	2412	30-2387	675.818000	-33.62	0.43451	2.5	Pass
NV	802.11n HT20	2412	2387-2400	2398.75200	-44.36	0.03664	25	Pass
NV	802.11n HT20	2412	2483.5-2496.5	2490.54600	-52.22	0.00600	25	Pass
NV	802.11n HT20	2412	2496.5-12500	4817.31200	-47.53	0.01766	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:01:41

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:39:40

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:13:40

2412MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:27:49

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2442	30-2387	935.088000	-53.82	0.00415	2.5	Pass
NV	802.11n HT20	2442	30-2387	704.102000	-31.08	0.77983	2.5	Pass
NV	802.11n HT20	2442	30-2387	1925.02800	-39.48	0.11272	2.5	Pass
NV	802.11n HT20	2442	2387-2400	2395.34600	-50.50	0.00891	25	Pass
NV	802.11n HT20	2442	2483.5-2496.5	2484.25400	-52.11	0.00615	25	Pass
NV	802.11n HT20	2442	2496.5-12500	4877.33300	-49.28	0.01180	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:10:48

2442MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:50:49

2442MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:06:40

2442MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:42:33

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT20 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT20	2472	30-2387	977.51400	-55.67	0.00271	2.5	Pass
NV	802.11n HT20	2472	30-2387	732.386000	-36.60	0.21878	2.5	Pass
NV	802.11n HT20	2472	30-2387	1972.16800	-40.07	0.09840	2.5	Pass
NV	802.11n HT20	2472	2387-2400	2394.67000	-52.74	0.00532	25	Pass
NV	802.11n HT20	2472	2483.5-2496.5	2483.50000	-31.73	0.67143	25	Pass
NV	802.11n HT20	2472	2496.5-12500	4937.35400	-52.70	0.00537	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:18:44

2472MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:55:28

2472MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:02:56

2472MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:41:10

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2412MHz		

Test data for 11ax HEW20 ANT 0 (7J18 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2412	30-2387	1882.60200	-42.43	0.05715	2.5	Pass
NV	802.11ax HEW20	2412	30-2387	675.818000	-32.01	0.62951	2.5	Pass
NV	802.11ax HEW20	2412	2387-2400	2400.00000	-37.69	0.17022	25	Pass
NV	802.11ax HEW20	2412	2483.5-2496.5	2485.65800	-52.38	0.00578	25	Pass
NV	802.11ax HEW20	2412	2496.5-12500	4817.31200	-45.83	0.02612	2.5	Pass
NV	802.11ax HEW20	2412	2496.5-12500	2756.59100	-52.32	0.00586	2.5	Pass
NV	802.11ax HEW20	2412	2496.5-12500	5497.55000	-45.39	0.02891	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 21.APR.2026 01:33:43

2412MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 21.APR.2026 03:16:44

2412MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 21.APR.2026 20:53:37

2412MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 21.APR.2026 23:32:19

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2442	30-2387	1925.02800	-40.88	0.08166	2.5	Pass
NV	802.11ax HEW20	2442	30-2387	704.102000	-32.51	0.56105	2.5	Pass
NV	802.11ax HEW20	2442	2387-2400	2398.59600	-50.23	0.00948	25	Pass
NV	802.11ax HEW20	2442	2483.5-2496.5	2487.89400	-50.72	0.00847	25	Pass
NV	802.11ax HEW20	2442	2496.5-12500	5237.45900	-50.10	0.00977	2.5	Pass
NV	802.11ax HEW20	2442	2496.5-12500	2756.59100	-54.27	0.00374	2.5	Pass
NV	802.11ax HEW20	2442	2496.5-12500	4877.33300	-47.60	0.01738	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 01:35:23

2442MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 03:17:41

2442MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 20:57:01

2442MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 23:34:52

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2026-05-19



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2472	30-2387	1972.16800	-40.50	0.08913	2.5	Pass
NV	802.11ax HEW20	2472	30-2387	732.386000	-35.81	0.26242	2.5	Pass
NV	802.11ax HEW20	2472	2387-2400	2399.48000	-52.02	0.00628	25	Pass
NV	802.11ax HEW20	2472	2483.5-2496.5	2483.50000	-26.12	2.44343	25	Pass
NV	802.11ax HEW20	2472	2496.5-12500	5817.66200	-47.34	0.01845	2.5	Pass
NV	802.11ax HEW20	2472	2496.5-12500	5397.51500	-46.73	0.02123	2.5	Pass
NV	802.11ax HEW20	2472	2496.5-12500	4937.35400	-52.08	0.00619	2.5	Pass
NV	802.11ax HEW20	2472	2496.5-12500	2496.50000	-50.54	0.00883	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:09:09

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 21.APR.2026 03:40:56

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 21.APR.2026 21:23:47

2472MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 21.APR.2026 23:50:50

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2412MHz		

Test data for 11ax HEW20 ANT1 (7J17 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2412	30-2387	897.376000	-51.13	0.00771	2.5	Pass
NV	802.11ax HEW20	2412	30-2387	671.104000	-33.07	0.49317	2.5	Pass
NV	802.11ax HEW20	2412	30-2387	1877.88800	-44.09	0.03899	2.5	Pass
NV	802.11ax HEW20	2412	2387-2400	2399.97400	-39.44	0.11376	25	Pass
NV	802.11ax HEW20	2412	2483.5-2496.5	2484.69600	-54.20	0.00380	25	Pass
NV	802.11ax HEW20	2412	2496.5-12500	4817.31200	-49.05	0.01245	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:07:21

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:44:42

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:11:30

2412MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:30:00

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2026-05-19



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2442	30-2387	935.08800	-56.51	0.00223	2.5	Pass
NV	802.11ax HEW20	2442	30-2387	704.102000	-38.49	0.14158	2.5	Pass
NV	802.11ax HEW20	2442	30-2387	1925.02800	-42.55	0.05559	2.5	Pass
NV	802.11ax HEW20	2442	2387-2400	2397.97200	-53.74	0.00423	25	Pass
NV	802.11ax HEW20	2442	2483.5-2496.5	2490.10400	-53.46	0.00451	25	Pass
NV	802.11ax HEW20	2442	2496.5-12500	4877.33300	-52.42	0.00573	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:09:32

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:49:47

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:07:39

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:36:02

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2472MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2472	30-2387	977.51400	-56.90	0.00204	2.5	Pass
NV	802.11ax HEW20	2472	30-2387	727.672000	-40.46	0.08995	2.5	Pass
NV	802.11ax HEW20	2472	30-2387	1972.16800	-42.22	0.05998	2.5	Pass
NV	802.11ax HEW20	2472	2387-2400	2397.73800	-54.17	0.00383	25	Pass
NV	802.11ax HEW20	2472	2483.5-2496.5	2483.55200	-28.52	1.40605	25	Pass
NV	802.11ax HEW20	2472	2496.5-12500	2736.58400	-53.87	0.00410	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:19:56

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:56:38

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:01:08

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:36:44

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2412MHz		

Test data for 11ax HEW20 ANT 0 + 11ax HEW20 ANT1—MIMO Mode**Test Data:**

Test Data of Unwanted Emissions Strength								
Voltage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2412	30-2387	897.376000	-51.14	0.00769	2.5	Pass
NV	802.11ax HEW20	2412	30-2387	680.532000	-29.67	1.07895	2.5	Pass
NV	802.11ax HEW20	2412	30-2387	1882.60200	-38.29	0.14825	2.5	Pass
NV	802.11ax HEW20	2412	2387-2400	2400.00000	-38.24	0.14997	25	Pass
NV	802.11ax HEW20	2412	2483.5-2496.5	2490.78000	-51.52	0.00705	25	Pass
NV	802.11ax HEW20	2412	2496.5-12500	4817.31200	-47.08	0.01959	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2412MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:08:30

2412MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:44:04

2412MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:11:58

2412MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:29:35

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2442	30-2387	935.08800	-53.11	0.00489	2.5	Pass
NV	802.11ax HEW20	2442	30-2387	704.102000	-30.44	0.90365	2.5	Pass
NV	802.11ax HEW20	2442	30-2387	1925.02800	-37.53	0.17660	2.5	Pass
NV	802.11ax HEW20	2442	2387-2400	2390.95200	-51.74	0.00670	25	Pass
NV	802.11ax HEW20	2442	2483.5-2496.5	2492.70400	-51.09	0.00778	25	Pass
NV	802.11ax HEW20	2442	2496.5-12500	4877.33300	-48.86	0.01300	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:09:04

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:50:15

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:07:10

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:42:09

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW20 2472MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW20	2472	30-2387	963.372000	-51.36	0.00731	2.5	Pass
NV	802.11ax HEW20	2472	30-2387	732.386000	-36.27	0.23605	2.5	Pass
NV	802.11ax HEW20	2472	30-2387	1972.16800	-39.87	0.10304	2.5	Pass
NV	802.11ax HEW20	2472	2387-2400	2391.86200	-53.29	0.00469	25	Pass
NV	802.11ax HEW20	2472	2483.5-2496.5	2483.50000	-25.98	2.52348	25	Pass
NV	802.11ax HEW20	2472	2496.5-12500	2496.50000	-51.04	0.00787	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2472MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:20:47

2472MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:55:57

2472MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:01:39

2472MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:41:41

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2422MHz		

Test data for 11n HT40 ANT 0 (7J18 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2422	30-2387	1901.45800	-42.72	0.05346	2.5	Pass
NV	802.11n HT40	2422	30-2387	680.532000	-35.98	0.25235	2.5	Pass
NV	802.11n HT40	2422	2387-2400	2392.22600	-43.66	0.04305	25	Pass
NV	802.11n HT40	2422	2483.5-2496.5	2488.36200	-50.98	0.00798	25	Pass
NV	802.11n HT40	2422	2496.5-12500	5817.66200	-47.99	0.01589	2.5	Pass
NV	802.11n HT40	2422	2496.5-12500	4837.31900	-48.60	0.01380	2.5	Pass
NV	802.11n HT40	2422	2496.5-12500	5397.51500	-45.19	0.03027	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:10:47

2422MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 02:59:50

2422MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:25:24

2422MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 23:22:20

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2026-05-19



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2442	30-2387	1920.31400	-43.87	0.04102	2.5	Pass
NV	802.11n HT40	2442	30-2387	704.102000	-33.29	0.46881	2.5	Pass
NV	802.11n HT40	2442	2387-2400	2388.97600	-50.31	0.00931	25	Pass
NV	802.11n HT40	2442	2483.5-2496.5	2487.32200	-45.60	0.02754	25	Pass
NV	802.11n HT40	2442	2496.5-12500	4877.33300	-50.46	0.00899	2.5	Pass
NV	802.11n HT40	2442	2496.5-12500	5737.63400	-45.63	0.02735	2.5	Pass
NV	802.11n HT40	2442	2496.5-12500	5177.43800	-47.19	0.01910	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 21.APR.2026 02:30:13

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 21.APR.2026 02:52:54

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 21.APR.2026 21:30:48

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 21.APR.2026 21:39:23

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2462	30-2387	1958.02600	-43.33	0.04645	2.5	Pass
NV	802.11n HT40	2462	30-2387	718.244000	-37.27	0.18750	2.5	Pass
NV	802.11n HT40	2462	2387-2400	2398.38800	-51.32	0.00738	25	Pass
NV	802.11n HT40	2462	2483.5-2496.5	2483.50000	-39.43	0.11402	25	Pass
NV	802.11n HT40	2462	2496.5-12500	5397.51500	-50.94	0.00805	2.5	Pass
NV	802.11n HT40	2462	2496.5-12500	2496.50000	-41.03	0.07889	2.5	Pass
NV	802.11n HT40	2462	2496.5-12500	5817.66200	-50.61	0.00869	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:33:13

2462MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 02:50:50

2462MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:31:40

2462MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 21:37:07

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced neither in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2422MHz		

Test data for 11n HT40 ANT 1 (7J17 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2422	30-2387	1892.03000	-49.01	0.01256	2.5	Pass
NV	802.11n HT40	2422	30-2387	685.246000	-38.99	0.12618	2.5	Pass
NV	802.11n HT40	2422	30-2387	897.376000	-58.95	0.00127	2.5	Pass
NV	802.11n HT40	2422	2387-2400	2398.70000	-42.24	0.05970	25	Pass
NV	802.11n HT40	2422	2483.5-2496.5	2488.12800	-52.38	0.00578	25	Pass
NV	802.11n HT40	2422	2496.5-12500	4837.31900	-52.46	0.00568	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:22:34

2422MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:37:19

2422MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:21:27

2422MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:21:54

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2442MHz		

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2442	30-2387	939.802000	-59.49	0.00112	2.5	Pass
NV	802.11n HT40	2442	30-2387	699.388000	-39.58	0.11015	2.5	Pass
NV	802.11n HT40	2442	30-2387	1920.31400	-45.68	0.02704	2.5	Pass
NV	802.11n HT40	2442	2387-2400	2398.44000	-49.91	0.01021	25	Pass
NV	802.11n HT40	2442	2483.5-2496.5	2484.90400	-48.12	0.01542	25	Pass
NV	802.11n HT40	2442	2496.5-12500	2496.50000	-53.40	0.00457	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:26:32

2442MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:36:46

2442MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:20:07

2442MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:23:32

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2462	30-2387	958.65800	-60.49	0.00089	2.5	Pass
NV	802.11n HT40	2462	30-2387	722.95800	-41.51	0.07063	2.5	Pass
NV	802.11n HT40	2462	30-2387	1953.31200	-45.96	0.02535	2.5	Pass
NV	802.11n HT40	2462	2387-2400	2398.98600	-52.77	0.00528	25	Pass
NV	802.11n HT40	2462	2483.5-2496.5	2483.57800	-39.74	0.10617	25	Pass
NV	802.11n HT40	2462	2496.5-12500	2496.50000	-48.71	0.01346	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:31:07

2462MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:32:18

2462MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:19:32

2462MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:23:58

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2422MHz		

Test data for 11n HT40 ANT 0+11n HT40 ANT 1—MIMO Mode

Test Data:


Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2422	30-2387	911.51800	-55.44	0.00286	2.5	Pass
NV	802.11n HT40	2422	30-2387	685.246000	-35.74	0.26669	2.5	Pass
NV	802.11n HT40	2422	30-2387	1896.74400	-46.07	0.02472	2.5	Pass
NV	802.11n HT40	2422	2387-2400	2391.91400	-46.61	0.02183	25	Pass
NV	802.11n HT40	2422	2483.5-2496.5	2488.46600	-52.02	0.00628	25	Pass
NV	802.11n HT40	2422	2496.5-12500	4837.31900	-50.37	0.00918	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:21:43

2422MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:39:09

2422MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:14:31

2422MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:27:03

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2442	30-2387	939.80200	-55.07	0.00311	2.5	Pass
NV	802.11n HT40	2442	30-2387	704.102000	-32.43	0.57148	2.5	Pass
NV	802.11n HT40	2442	30-2387	1920.31400	-41.68	0.06792	2.5	Pass
NV	802.11n HT40	2442	2387-2400	2398.90800	-49.89	0.01026	25	Pass
NV	802.11n HT40	2442	2483.5-2496.5	2485.32000	-46.92	0.02032	25	Pass
NV	802.11n HT40	2442	2496.5-12500	4877.33300	-50.35	0.00923	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30\text{ MHz} \leq f \leq 2387\text{ MHz}$)




Date: 18.MAY.2026 20:27:19

2442MHz ($2387\text{ MHz} < f \leq 2400\text{ MHz}$)




Date: 18.MAY.2026 20:34:34

2442MHz ($2483.5\text{ MHz} < f \leq 2496.5\text{ MHz}$)



Date: 18.MAY.2026 21:16:11

2442MHz ($2496.5\text{ MHz} \leq f < 12.5\text{ GHz}$)



Date: 18.MAY.2026 21:25:38

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11n HT40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11n HT40	2462	30-2387	968.086000	-57.83	0.00165	2.5	Pass
NV	802.11n HT40	2462	30-2387	722.958000	-37.54	0.17620	2.5	Pass
NV	802.11n HT40	2462	30-2387	1962.74000	-44.06	0.03926	2.5	Pass
NV	802.11n HT40	2462	2387-2400	2399.66200	-51.72	0.00673	25	Pass
NV	802.11n HT40	2462	2483.5-2496.5	2483.50000	-39.00	0.12589	25	Pass
NV	802.11n HT40	2462	2496.5-12500	2496.50000	-48.20	0.01514	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:28:21

2462MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:33:53

2462MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:16:45

2462MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:25:12

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2422MHz		

Test data for 11ax HEW40 ANT 0 (7J18 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volag e	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2422	30-2387	1901.458000	-44.56	0.03499	2.5	Pass
NV	802.11ax HEW40	2422	30-2387	685.246000	-33.78	0.41879	2.5	Pass
NV	802.11ax HEW40	2422	2387-2400	2400.00000	-44.72	0.03373	25	Pass
NV	802.11ax HEW40	2422	2483.5-2496.5	2492.21000	-51.25	0.00750	25	Pass
NV	802.11ax HEW40	2422	2496.5-12500	5777.64800	-49.66	0.01081	2.5	Pass
NV	802.11ax HEW40	2422	2496.5-12500	2596.53500	-46.36	0.02312	2.5	Pass
NV	802.11ax HEW40	2422	2496.5-12500	4817.31200	-47.65	0.01718	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:13:23

2422MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 02:56:35

2422MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:26:59

2422MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 23:20:15

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2442	30-2387	1920.31400	-42.06	0.06223	2.5	Pass
NV	802.11ax HEW40	2442	30-2387	704.102000	-33.49	0.44771	2.5	Pass
NV	802.11ax HEW40	2442	2387-2400	2393.94200	-49.21	0.01199	25	Pass
NV	802.11ax HEW40	2442	2483.5-2496.5	2485.71000	-46.35	0.02317	25	Pass
NV	802.11ax HEW40	2442	2496.5-12500	4877.33300	-51.36	0.00731	2.5	Pass
NV	802.11ax HEW40	2442	2496.5-12500	5737.63400	-46.89	0.02046	2.5	Pass
NV	802.11ax HEW40	2442	2496.5-12500	5177.43800	-44.45	0.03589	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:18:55

2442MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 02:55:00

2442MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:27:54

2442MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 21:42:28

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 21, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2462	30-2387	1953.31200	-41.97	0.06353	2.5	Pass
NV	802.11ax HEW40	2462	30-2387	713.530000	-36.30	0.23442	2.5	Pass
NV	802.11ax HEW40	2462	2387-2400	2398.5700	-51.35	0.00733	25	Pass
NV	802.11ax HEW40	2462	2483.5-2496.5	2483.50000	-32.12	0.61376	25	Pass
NV	802.11ax HEW40	2462	2496.5-12500	5817.66200	-49.35	0.01161	2.5	Pass
NV	802.11ax HEW40	2462	2496.5-12500	2496.50000	-44.92	0.03221	2.5	Pass
NV	802.11ax HEW40	2462	2496.5-12500	5377.50800	-46.72	0.02128	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 21.APR.2026 02:36:55

2462MHz (2387 MHz < f ≤ 2400 MHz)




Date: 21.APR.2026 02:49:31

2462MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 21.APR.2026 21:33:31

2462MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 21.APR.2026 21:34:50

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2422MHz		

Test data for 11ax HEW40 ANT 1 (7J17 Port)

Test Data:


Test Data of Unwanted Emissions Strength								
Volag e	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2422	30-2387	911.518000	-58.66	0.00136	2.5	Pass
NV	802.11ax HEW40	2422	30-2387	680.532000	-39.64	0.10864	2.5	Pass
NV	802.11ax HEW40	2422	30-2387	1892.03000	-47.73	0.01687	2.5	Pass
NV	802.11ax HEW40	2422	2387-2400	2399.45400	-40.65	0.08610	25	Pass
NV	802.11ax HEW40	2422	2483.5-2496.5	2485.39800	-53.30	0.00468	25	Pass
NV	802.11ax HEW40	2422	2496.5-12500	4857.32600	-53.42	0.00455	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:23:20

2422MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:37:53

2422MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:21:03

2422MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:22:44

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2026-05-19



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2442	30-2387	704.102000	-38.91	0.12853	2.5	Pass
NV	802.11ax HEW40	2442	30-2387	1929.74200	-47.27	0.01875	2.5	Pass
NV	802.11ax HEW40	2442	30-2387	939.802000	-59.88	0.00103	2.5	Pass
NV	802.11ax HEW40	2442	2387-2400	2399.55800	-47.20	0.01905	25	Pass
NV	802.11ax HEW40	2442	2483.5-2496.5	2485.76200	-47.80	0.01660	25	Pass
NV	802.11ax HEW40	2442	2496.5-12500	4877.33300	-54.63	0.00344	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz ($30 \text{ MHz} \leq f \leq 2387 \text{ MHz}$)




Date: 18.MAY.2026 20:25:40

2442MHz ($2387 \text{ MHz} < f \leq 2400 \text{ MHz}$)




Date: 18.MAY.2026 20:35:52

2442MHz ($2483.5 \text{ MHz} < f \leq 2496.5 \text{ MHz}$)



Date: 18.MAY.2026 21:20:38

2442MHz ($2496.5 \text{ MHz} \leq f < 12.5 \text{ GHz}$)



Date: 18.MAY.2026 21:23:09

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2462	30-2387	968.08600	-59.93	0.00102	2.5	Pass
NV	802.11ax HEW40	2462	30-2387	713.530000	-41.55	0.06998	2.5	Pass
NV	802.11ax HEW40	2462	30-2387	1967.45400	-47.52	0.01770	2.5	Pass
NV	802.11ax HEW40	2462	2387-2400	2387.31200	-53.40	0.00457	25	Pass
NV	802.11ax HEW40	2462	2483.5-2496.5	2483.50000	-33.49	0.44771	25	Pass
NV	802.11ax HEW40	2462	2496.5-12500	2796.60500	-54.06	0.00393	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:30:16

2462MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:32:56

2462MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:18:10

2462MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 18.MAY.2026 21:24:21

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2422MHz		

Test data for 11ax HEW40 ANT 0+11ax HEW40 ANT 1—MIMO Mode

Test Data:


Test Data of Unwanted Emissions Strength								
Volag e	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2422	30-2387	911.51800	-55.10	0.00309	2.5	Pass
NV	802.11ax HEW40	2422	30-2387	685.246000	-37.58	0.17458	2.5	Pass
NV	802.11ax HEW40	2422	30-2387	1896.74400	-44.21	0.03793	2.5	Pass
NV	802.11ax HEW40	2422	2387-2400	2400.00000	-45.73	0.02673	25	Pass
NV	802.11ax HEW40	2422	2483.5-2496.5	2486.07400	-51.71	0.00675	25	Pass
NV	802.11ax HEW40	2422	2496.5-12500	4837.31900	-51.24	0.00752	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2422MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:24:04

2422MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:38:35

2422MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:15:11

2422MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:26:34

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2442MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2442	30-2387	939.80200	-58.53	0.00140	2.5	Pass
NV	802.11ax HEW40	2442	30-2387	708.816000	-36.05	0.24831	2.5	Pass
NV	802.11ax HEW40	2442	30-2387	1925.02800	-45.76	0.02655	2.5	Pass
NV	802.11ax HEW40	2442	2387-2400	2399.92200	-48.66	0.01361	25	Pass
NV	802.11ax HEW40	2442	2483.5-2496.5	2485.81400	-45.69	0.02698	25	Pass
NV	802.11ax HEW40	2442	2496.5-12500	4877.33300	-53.00	0.00501	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2442MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:24:39

2442MHz (2387 MHz < f ≤ 2400 MHz)




Date: 18.MAY.2026 20:34:59

2442MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 18.MAY.2026 21:15:43

2442MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 18.MAY.2026 21:26:06

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Keep Transmitting at 802.11ax HEW40 2462MHz		

Test Data:

Test Data of Unwanted Emissions Strength								
Volage	Mode	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	802.11ax HEW40	2462	30-2387	963.37200	-58.72	0.00134	2.5	Pass
NV	802.11ax HEW40	2462	30-2387	722.95800	-38.08	0.15560	2.5	Pass
NV	802.11ax HEW40	2462	30-2387	1953.31200	-42.51	0.05610	2.5	Pass
NV	802.11ax HEW40	2462	2387-2400	2396.51600	-51.57	0.00697	25	Pass
NV	802.11ax HEW40	2462	2483.5-2496.5	2483.50000	-31.86	0.65163	25	Pass
NV	802.11ax HEW40	2462	2496.5-12500	2496.50000	-45.58	0.02767	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:

2462MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 18.MAY.2026 20:29:30

2462MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 18.MAY.2026 20:33:25

2462MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 18.MAY.2026 21:17:15

2462MHz (2496.5 MHz $\leq f$ < 12.5GHz)



Date: 18.MAY.2026 21:24:47

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




11. Carrier Sense Capability

Limit

EUT stop RF transmission signal after carrier inject to EUT and continue to transmit when inference signal turned off for the OFDM system with occupied frequency bandwidth below 38MHz and exceed 26MHz.

Test Configuration



Test Procedure

1. Set The EUT state in “normal mode link with wireless router”.
2. SG adjusted the frequency as same as the EUT transmitted signal and emitted the absence of modulation from SG and power level is (on $22.79 + G - 20 \cdot \log(f)$ dBm)(G is the antenna gain is the test frequency).
3. Turn off the RF signal of the SG.
4. EUT have transmitted the maximum modulation signal and fixed channelize.
5. Setting the spectrum as follow:
RBW/VBW=1MHz/1MHz
Span=50MHz
Sweep time=auto
Sweep mode=continuous
Detect mode=positive peak
6. SG RF signal on.
7. EUT shall be stop the transmitted any signal and SG RF signal off, the EUT will be continuous transmitted signal.

Test Result

Compliant

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



12. Interference prevention function

Radio interface prevention function

	Normal voltage	Low voltage	High voltage
Result	Good	Good	Good

12.1 Limit

Item	Limits
identification Code	≥ 48 bits

Measuring ID code Software

MAC IP List: MAC Scan

12.2 Test Procedure

1. In the case that the EUT has the function of automatically transmitting the identification code: a. Transmit the predetermined identification codes from EUT. b. Check the transmitted identification codes with the demodulator.
2. In the case of receiving the identification code: a. Transmit the predetermined identification codes from the counterpart. b. Check if communication is normal. c. Transmit the signals other than predetermined ID codes from the counterpart. d. check if the EUT stops the transmission, or if it displays that identification codes are different from the predetermined ones.

12.3 Conditions of Equipment under Test

Required normal mode of the applicable equipment (EUT)

12.4 Test Results

The radio equipment has an identification code. A verification of this code is done before a communication channel is established

Mac address: EF: AC: EB:C5: A1: DF

Result: OK

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



13. Secondary Radiated Emission Strength

13.1 Limit

Item	Limits
RX Spurious Emission:	$\leq 4\text{nW}$ (-54dBm) ($f < 1\text{GHz}$)
	$\leq 20\text{nW}$ (-47dBm) ($1\text{GHz} \leq f$)

13.2 Measuring Instrument and Setting

Please refer to section 5 in this report. The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB	100 kHz (below 1GHz emissions) 1 MHz (above 1GHz emissions)
VB	100 kHz (below 1GHz emissions) 1 MHz (above 1GHz emissions)
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

14.3 Test Procedures

- EUT have the continuous reception mode and fixed only one channelize.
- Setting of SA is following as RB / VB: 100 kHz (below 1GHz emissions) / 1 MHz (above 1GHz emissions) /
AT: 20dB / Ref: 10dBm / Sweep time: Auto / Sweep Mode: Continuous sweep / Detect mode: Positive peak / Trace mode: Max hold
- SA set RB: 100kHz and VB: 100kHz. Then adjust to start frequency 30MHz and stop frequency 1000MHz. Search to mark peak reading value + cable loss shall be less than 4nW
- SA set RB: 1MHz and VB: 1MHz. Then adjust to start frequency 1000MHz and

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



stop frequency 12500MHz. Search to mark peak reading value + cable loss shall be less than 20nW

5. If power level of lower emissions are more than 1/10 of limit (0.4nW for $f < 1\text{GHz}$, 2nW for $f \geq 1\text{GHz}$), all those are to be indicated in the 2nd and 3rd lines. If others are 1/10 or less more of the limit, no necessary to be indicated.

Note 1: Pre-test the EUT in all voltage mode at the DC5.0V, DC5.5V and DC4.5V and conducted to determine the worst-case mode, only the worst-case results (DC5.0V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC5.0V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



13.4 TEST RESULT

EUT:	TV BOX	Test Date:	April 22, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2412MHz		


Test data for ANT 0 (7J18 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2412	30-1000	582.900000	-57.48	1.7865	4nW	Pass
NV	2412	1000-12500	11097.0000	-52.24	5.9704	20nW	Pass


Test Figure:

2412MHz (30 MHz ≤ f < 1000 MHz)



Date: 22.APR.2026 00:20:34

2412MHz (1000 MHz ≤ f < 12500 MHz)



Date: 22.APR.2026 00:01:49

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2412MHz		


Test data for ANT 1 (7J17 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2412	30-1000	528.580000	-58.12	1.5417	4nW	Pass
NV	2412	1000-12500	2771.00000	-54.03	3.9537	20nW	Pass


Test Figure:

2412MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:55:33

2412MHz (1000 MHz ≤ f < 12500 MHz)



Date: 18.MAY.2026 19:59:53

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2412MHz		


Test data for ANT 0+ ANT 1—MIMO Mode

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2412	30-1000	873.900000	-58.39	1.4488	4nW	Pass
NV	2412	1000-12500	2794.00000	-54.15	3.8459	20nW	Pass


Test Figure:

2412MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:57:53

2412MHz (1000 MHz ≤ f < 12500 MHz)



Date: 18.MAY.2026 19:58:28

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 22, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2442MHz		


Test data for ANT 0 (7J18 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2442	30-1000	396.660000	-57.24	1.8880	4nW	Pass
NV	2442	1000-12500	9395.00000	-53.58	4.3853	20nW	Pass


Test Figure:

2442MHz (30 MHz ≤ f < 1000 MHz)



Date: 22.APR.2026 00:13:43

2442MHz (1000 MHz ≤ f < 12500 MHz)



Date: 22.APR.2026 00:04:08

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2442MHz		


Test data for ANT 1 (7J17 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2442	30-1000	421.880000	-58.26	1.4928	4nW	Pass
NV	2442	1000-12500	5255.00000	-54.74	3.3574	20nW	Pass


Test Figure:

2442MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:56:34

2442MHz (1000 MHz ≤ f < 12500 MHz)



Date: 18.MAY.2026 19:59:39

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2442MHz		


Test data for ANT 0+ ANT 1—MIMO Mode

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2442	30-1000	786.600000	-58.58	1.3868	4nW	Pass
NV	2442	1000-12500	3139.00000	-54.60	3.4674	20nW	Pass


Test Figure:

2442MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:57:37

2442MHz (1000 MHz ≤ f < 12500 MHz)



Date: 18.MAY.2026 19:58:49

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	April 22, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2472MHz		


Test data for ANT 0 (7J18 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2472	30-1000	689.600000	-57.75	1.6788	4nW	Pass
NV	2472	1000-12500	11097.0000	-50.74	8.4333	20nW	Pass


Test Figure:

2472MHz (30 MHz ≤ f < 1000 MHz)



Date: 22.APR.2026 00:07:52

2472MHz (1000 MHz ≤ f < 12500 MHz)



Date: 22.APR.2026 00:05:16

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2472MHz		


Test data for ANT 1 (7J17 Port)

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2472	30-1000	307.420000	-58.83	1.3092	4nW	Pass
NV	2472	1000-12500	2771.00000	-54.14	3.8548	20nW	Pass


Test Figure:

2472MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:56:53

2472MHz (1000 MHz ≤ f < 12500 MHz)



Date: 18.MAY.2026 19:59:21

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	TV BOX	Test Date:	May 18, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC5.0V(Normal)
Operation Mode:	Receiving Mode at 2472MHz		


Test data for ANT 0+ ANT 1—MIMO Mode

Test Data:

Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2472	30-1000	222.060000	-58.92	1.2823	4nW	Pass
NV	2472	1000-12500	2817.00000	-54.45	3.5892	20nW	Pass


Test Figure:

2472MHz (30 MHz ≤ f < 1000 MHz)



Date: 18.MAY.2026 19:57:09

2472MHz (1000 MHz ≤ f < 12500 MHz)




Date: 18.MAY.2026 19:59:08

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Setup Photos



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT



--End of the report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, the SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.