Testing Laboratory 3785

NCC Radio Test Report

Equipment	:	**Secured Wireless Access Point**
Brand Name	:	**FORTINET**
Model Name	:	**FAP-831F**
Applicant	:	英屬蓋曼群島商防特網股份有限公司台灣分公司 台北市內湖區行愛路 **176** 號 **2** 樓
Manufacturer	:	**Fortinet, Inc.** **899 Kifer Road, Sunnyvale, CA 94086, USA**
Standard	:	**LP0002 Section 5.7 (2020-07-01)**

The product was received on Jan. 26, 2021, and testing was started from Feb. 05, 2021 and completed on Aug. 20, 2021. We, SPORTON INTERNATIONAL INC. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Hsinhua Laboratory, the test report shall not be reproduced except in full.

Approved by: Allen Lin

SPORTON INTERNATIONAL INC. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)

Table of Contents

HISTORY OF THIS TEST REPORT 3

SUMMARY OF TEST RESULT 4

1 GENERAL DESCRIPTION 5

1.1 Information 5
1.2 Testing Applied Standards 16
1.3 Testing Location Information 16
1.4 Measurement Uncertainty 16

2 TEST CONFIGURATION OF EUT 17

2.1 Test Channel Mode 17
2.2 The Worst Case Measurement Configuration 29
2.3 Accessories 31
2.4 Support Equipment 31
2.5 Test Setup Diagram 32

3 TRANSMITTER TEST RESULT 36

3.1 AC Power-line Conducted Emissions 36
3.2 Emission Bandwidth 38
3.3 Maximum Conducted Output Power 39
3.4 Peak Power Spectral Density 41
3.5 Unwanted Emissions 43
3.6 Receiver Radiated Spurious Emissions 47

4 TEST EQUIPMENT AND CALIBRATION DATA 50

APPENDIX A. TEST RESULTS OF AC POWER-LINE CONDUCTED EMISSIONS

APPENDIX B. TEST RESULTS OF EMISSION BANDWIDTH

APPENDIX C. TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER

APPENDIX D. TEST RESULTS OF PEAK POWER SPECTRAL DENSITY

APPENDIX E. TEST RESULTS OF UNWANTED EMISSIONS

APPENDIX F. TEST RESULTS OF RECEIVER RADIATED UNWANTED EMISSIONS

APPENDIX G. TEST PHOTOS

PHOTOGRAPHS OF EUT V01

History of this test report

Report No.	Version	Description	Issued Date
TR111206-04AN	01	Initial issue of report	Sep. 08, 2021

Summary of Test Result

Report Clause	Ref. Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	5.7.8	Antenna Requirement	PASS	-
3.1	3.3	AC Power-line Conducted Emissions	PASS	-
3.2	5.7.3	Emission Bandwidth	PASS	-
3.3	5.7.3	Maximum Conducted Output Power	PASS	-
3.4	5.7.3	Peak Power Spectral Density	PASS	-
3.5	5.7.4	Unwanted Emissions	PASS	-
3.6	3.9	Receiver Radiated Unwanted Emissions	PASS	-

Declaration of Conformity:
The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.
Comments and explanations:
The EUT supports beamforming and CDD modes, and the CDD mode is the worse case. Therefore, all test items are evaluated in the report. The beamforming mode only evaluateds the output power.

Reviewed by: Sam Tsai

Report Producer: Debby Hung

1 General Description

1.1 Information

1.1.1 RF General Information

Radio 1

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	a, n (HT20), ac (VHT20), ax(HEW20)	5180-5240	36-48 [4]
5250-5350		5260-5320	52-64 [4]
5470-5725		5500-5700	100-140 [11]
Straddle 5720		5720	144 [1]
5725-5850		5745-5825	149-165 [5]
5150-5250	n (HT40), ac (VHT40), ax(HEW40)	5190-5230	38-46 [2]
5250-5350		5270-5310	54-62 [2]
5470-5725		5510-5670	102-134 [5]
Straddle 5710		5710	142 [1]
5725-5850		5755-5795	151-159 [2]
5150-5250	ac (VHT80), ax(HEW80)	5210	42 [1]
5250-5350		5290	58 [1]
5470-5725		5530-5610	106-122 [2]
Straddle 5690		5690	138 [1]
5725-5850		5775	155 [1]

Radio 3

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	a, n (HT20), ac (VHT20)	5180-5240	36-48 [4]
5250-5350		5260-5320	52-64 [4]
5470-5725		5500-5700	100-140 [11]
Straddle 5720		5720	144 [1]
5725-5850		5745-5825	149-165 [5]
5150-5250	n (HT40), ac (VHT40)	5190-5230	38-46 [2]
5250-5350		5270-5310	54-62 [2]
5470-5725		5510-5670	102-134 [5]
Straddle 5710		5710	142 [1]
5725-5850		5755-5795	151-159 [2]
5150-5250	ac (VHT80)	5210	42 [1]
5250-5350		5290	58 [1]
5470-5725		5530-5610	106-122 [2]
Straddle 5690		5690	138 [1]
5725-5850		5775	155 [1]

Radio 1 4TX_Non-Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	4TX
5.25-5.35GHz	802.11a	20	4TX
5.47-5.725GHz	802.11a	20	4TX
5.725-5.85GHz	802.11a	20	4TX
5.15-5.25GHz	802.11n HT20	20	4TX
5.25-5.35GHz	802.11n HT20	20	4TX
5.47-5.725GHz	802.11n HT20	20	4TX
5.725-5.85GHz	802.11n HT20	20	4TX
5.15-5.25GHz	802.11n HT40	40	4TX
5.25-5.35GHz	802.11n HT40	40	4TX
5.47-5.725GHz	802.11n HT40	40	4TX
5.725-5.85GHz	802.11n HT40	40	4TX
5.15-5.25GHz	802.11ac VHT20	20	4TX
5.25-5.35GHz	802.11ac VHT20	20	4TX
5.47-5.725GHz	802.11ac VHT20	20	4TX
5.725-5.85GHz	802.11ac VHT20	20	4TX
5.15-5.25GHz	802.11ac VHT40	40	4TX
5.25-5.35GHz	802.11ac VHT40	40	4TX
5.47-5.725GHz	802.11ac VHT40	40	4TX
5.725-5.85GHz	802.11ac VHT40	40	4TX
5.15-5.25GHz	802.11ac VHT80	80	4TX
5.25-5.35GHz	802.11ac VHT80	80	4TX
5.47-5.725GHz	802.11ac VHT80	80	4TX
5.725-5.85GHz	802.11ac VHT80	80	4TX
5.15-5.25GHz	802.11ax HEW20	20	4TX
5.25-5.35GHz	802.11ax HEW20	20	4TX
5.47-5.725GHz	802.11ax HEW20	20	4TX
5.725-5.85GHz	802.11ax HEW20	20	4TX
5.15-5.25GHz	802.11ax HEW40	40	4TX
5.25-5.35GHz	802.11ax HEW40	40	4TX
5.47-5.725GHz	802.11ax HEW40	40	4TX
5.725-5.85GHz	802.11ax HEW40	40	4TX
5.15-5.25GHz	802.11ax HEW80	80	4TX
5.25-5.35GHz	802.11ax HEW80	80	4TX
5.47-5.725GHz	802.11ax HEW80	80	4TX

Band	Mode	BWch (MHz)	Nant
5.725-5.85GHz	802.11ax HEW80	80	4TX

Radio 1 8TX_Non-Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	8TX
5.25-5.35GHz	802.11a	20	8TX
5.47-5.725GHz	802.11a	20	8TX
5.725-5.85GHz	802.11a	20	8TX
5.15-5.25GHz	802.11n HT20	20	8TX
5.25-5.35GHz	802.11n HT20	20	8TX
5.47-5.725GHz	802.11n HT20	20	8TX
5.725-5.85GHz	802.11n HT20	20	8TX
5.15-5.25GHz	802.11n HT40	40	8TX
5.25-5.35GHz	802.11n HT40	40	8TX
5.47-5.725GHz	802.11n HT40	40	8TX
5.725-5.85GHz	802.11n HT40	40	8TX
5.15-5.25GHz	802.11ac VHT20	20	8TX
5.25-5.35GHz	802.11ac VHT20	20	8TX
5.47-5.725GHz	802.11ac VHT20	20	8TX
5.725-5.85GHz	802.11ac VHT20	20	8TX
5.15-5.25GHz	802.11ac VHT40	40	8TX
5.25-5.35GHz	802.11ac VHT40	40	8TX
5.47-5.725GHz	802.11ac VHT40	40	8TX
5.725-5.85GHz	802.11ac VHT40	40	8TX
5.15-5.25GHz	802.11ac VHT80	80	8TX
5.25-5.35GHz	802.11ac VHT80	80	8TX
5.47-5.725GHz	802.11ac VHT80	80	8TX
5.725-5.85GHz	802.11ac VHT80	80	8TX
5.15-5.25GHz	802.11ac VHT80+80	80	4TX(Port 1/2/3/4)
5.25-5.35GHz	802.11ac VHT80+80	80	4TX(Port 5/6/7/8)
5.47-5.725GHz	802.11ac VHT80+80	160	8TX
5.15-5.25GHz	802.11ax HEW20	20	8TX
5.25-5.35GHz	802.11ax HEW20	20	8TX
5.47-5.725GHz	802.11ax HEW20	20	8TX
5.725-5.85GHz	802.11ax HEW20	20	8TX
5.15-5.25GHz	802.11ax HEW40	40	8TX

Band	Mode	BWch (MHz)	Nant
5.25-5.35GHz	802.11ax HEW40	40	8TX
5.47-5.725GHz	802.11ax HEW40	40	8TX
5.725-5.85GHz	802.11ax HEW40	40	8TX
5.15-5.25GHz	802.11ax HEW80	80	8TX
5.25-5.35GHz	802.11ax HEW80	80	8TX
5.47-5.725GHz	802.11ax HEW80	80	8TX
5.725-5.85GHz	802.11ax HEW80	80	8TX
5.15-5.25GHz	802.11ax HEW80+80	80	4TX(Port 1/2/3/4)
5.25-5.35GHz	802.11ax HEW80+80	80	4TX(Port 5/6/7/8)
5.47-5.725GHz	802.11ax HEW80+80	160	8TX

Radio 3_Non-Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	1TX
5.25-5.35GHz	802.11a	20	1TX
5.47-5.725GHz	802.11a	20	1TX
5.725-5.85GHz	802.11a	20	1TX
5.15-5.25GHz	802.11n HT20	20	1TX
5.25-5.35GHz	802.11n HT20	20	1TX
5.47-5.725GHz	802.11n HT20	20	1TX
5.725-5.85GHz	802.11n HT20	20	1TX
5.15-5.25GHz	802.11n HT40	40	1TX
5.25-5.35GHz	802.11n HT40	40	1TX
5.47-5.725GHz	802.11n HT40	40	1TX
5.725-5.85GHz	802.11n HT40	40	1TX
5.15-5.25GHz	802.11ac VHT20	20	1TX
5.25-5.35GHz	802.11ac VHT20	20	1TX
5.47-5.725GHz	802.11ac VHT20	20	1TX
5.725-5.85GHz	802.11ac VHT20	20	1TX
5.15-5.25GHz	802.11ac VHT40	40	1TX
5.25-5.35GHz	802.11ac VHT40	40	1TX
5.47-5.725GHz	802.11ac VHT40	40	1TX
5.725-5.85GHz	802.11ac VHT40	40	1TX
5.15-5.25GHz	802.11ac VHT80	80	1TX
5.25-5.35GHz	802.11ac VHT80	80	1TX
5.47-5.725GHz	802.11ac VHT80	80	1TX

Radio 1 4TX_Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11ax HEW20-BF	20	4TX
5.25-5.35GHz	802.11ax HEW20-BF	20	4TX
5.47-5.725GHz	802.11ax HEW20-BF	20	4TX
5.725-5.85GHz	802.11ax HEW20-BF	20	4TX
5.15-5.25GHz	802.11ax HEW40-BF	40	4TX
5.25-5.35GHz	802.11ax HEW40-BF	40	4TX
5.47-5.725GHz	802.11ax HEW40-BF	40	4TX
5.725-5.85GHz	802.11ax HEW40-BF	40	4TX
5.15-5.25GHz	802.11ax HEW80-BF	80	4TX
5.25-5.35GHz	802.11ax HEW80-BF	80	4TX
5.47-5.725GHz	802.11ax HEW80-BF	80	4TX
5.725-5.85GHz	802.11ax HEW80-BF	80	4TX

Radio 1 8TX_Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11ax HEW20-BF	20	8TX
5.25-5.35GHz	802.11ax HEW20-BF	20	8TX
5.47-5.725GHz	802.11ax HEW20-BF	20	8TX
5.725-5.85GHz	802.11ax HEW20-BF	20	8TX
5.15-5.25GHz	802.11ax HEW40-BF	40	8TX
5.25-5.35GHz	802.11ax HEW40-BF	40	8TX
5.47-5.725GHz	802.11ax HEW40-BF	40	8TX
5.725-5.85GHz	802.11ax HEW40-BF	40	8TX
5.15-5.25GHz	802.11ax HEW80-BF	80	8TX
5.25-5.35GHz	802.11ax HEW80-BF	80	8TX
5.47-5.725GHz	802.11ax HEW80-BF	80	8TX
5.725-5.85GHz	802.11ax HEW80-BF	80	8TX
5.15-5.25GHz	802.11ax HEW80+80-BF	80	4TX(Port 1/2/3/4)
5.25-5.35GHz	802.11ax HEW80+80-BF	80	4TX(Port 5/6/7/8)
5.47-5.725GHz	802.11ax HEW80+80-BF	160	8TX

Note:
- 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- VHT20, VHT40, VHT80 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- HEW20, HEW40, HEW80 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- BWch is the nominal channel bandwidth.

1.1.2 Table for 80+80 MHz Mode

Type	Channel No.	Frequency
13	42+58	5210+5290 MHz
14	106+122	5530+5610 MHz

1.1.3 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector
1	Senao	5718A0607300	PIFA	I-Pex
2	Senao	5718A0608300	PIFA	I-Pex
3	Senao	5718A0609300	PIFA	I-Pex
4	Senao	5718A0610300	PIFA	I-Pex
5	Senao	5718A0611300	PIFA	I-Pex
6	Senao	5718A0612300	PIFA	I-Pex
7	Senao	5718A0613300	PIFA	I-Pex
8	Senao	5718A0614300	PIFA	I-Pex
9	Senao	5718A0611300	PIFA	I-Pex
10	Senao	5718A0612300	PIFA	I-Pex
11	Senao	5718A0613300	PIFA	I-Pex
12	Senao	5718A0614300	PIFA	I-Pex
13	Senao	5718A0615300	PIFA	I-Pex
14	Senao	5718A0616300	Dipole	I-Pex

Ant.	2.4GHz		5GHz			BT LE Zigbee	Remark	
	Max. Peak Gain(dBi)	Correlated Gain(dBi)	Max. Peak Gain(dBi)	Correlated Gain(dBi)		Antenna Gain(dBi)		
1	4.4	6.7	-	-		-	Radio 2, 4*4	
2	4.49	6.7					Radio 2, 4*4	
3	4.32	6.7					Radio 2, 4*4	
4	4.14	6.7					Radio 2, 4*4	
5	-	-	6.10	Band1:9.52 Band2:9.01 Band3:7.95 Band4:7.84	Band1:7.23 Band2:7.18	-	Radio 1 8*8 mode	Radio 1 4*4 mode Low Band Mode
6			6.21					
7			6.11					
8			6.12					
9			6.24		Band3:6.09 Band4:7.44			Radio 1 4*4 mode Hi Band mode
10			6.20					
11			6.27					
12			6.13					
13	4.69	-	4.60	-		-	Radio 3	
14	-	-	-			5.20	BT+ Zigbee	

For 2.4 GHz function:

Radio 2

For IEEE 802.11b/g/n/VHT/ax mode (4TX/4RX)

Ant.1, Ant.2, Ant.3, and Ant.4 could transmit/receive simultaneously.

Radio 3(Scan radio)

For IEEE 802.11b/g/n mode (1TX/1RX)

Only Ant.13 can be used as transmitting/receiving.

For 5 GHz function:

Radio 1

For IEEE 802.11a/n/ac/ax mode (8TX/8RX)

Ant.5, Ant.6, Ant.7, Ant.8, Ant.9, Ant.10, Ant.11 and Ant.12 could transmit/receive simultaneously.

For IEEE 802.11a/n/ac/ax mode (4TX/4RX) (Low Band mode)

Ant.5, Ant.6, Ant.7, and Ant.8 could transmit/receive simultaneously.

For IEEE 802.11a/n/ac/ax mode (4TX/4RX) (Hi Band mode)

Ant.9, Ant.10, Ant.11 and Ant.12 could transmit/receive simultaneously.

Radio 3(Scan radio)

For IEEE 802.11a/n/ac mode (1TX/1RX)

Only Ant.13 can be used as transmitting/receiving.

For Bluetooth function:

For Bluetooth mode (1TX/1RX)

Only Ant.14 can be used as transmitting/receiving.

For Zigbee function:

For Zigbee mode (1TX/1RX)

Only Ant.14 can be used as transmitting/receiving.

1.1.4 EUT Information

Operational Condition				
EUT Power Type	From AC Adapter / PoE			
EUT Function	☐	Outdoor AP	☒	Indoor AP
	☐	Fixed P2P AP	☐	Outdoor/Indoor Client
Beamforming Function	☒	With beamforming	☐	Without beamforming
TPC Function	☒	With TPC Function	☐	Without TPC Function
Weather Band	☒	With 5600~5650MHz	☐	Without 5600~5650MHz
Resource Unit (802.11ax)	☒	Full RU	☐	Partial RU

Type of EUT		
☒	Stand-alone	
☐	Combined (EUT where the radio part is fully integrated within another device)	
	Combined Equipment - Brand Name / Model No.:	…
☐	Plug-in radio (EUT intended for a variety of host systems)	
	Host System - Brand Name / Model No.:	
☐	Other:	

1.1.5 Mode Test Duty Cycle

Radio 1 4TX_Non-Beamforming

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11a_Nss1,(6Mbps)_4TX	0.59	2.29	268.438u	10k
802.11n HT20_Nss1,(MCS0)_4TX	0.601	2.21	269.063u	10k
802.11n HT40_Nss1,(MCS0)_4TX	0.943	0.25	5.428m	300
802.11ac VHT20_Nss1,(MCS0)_4TX	0.945	0.25	5.428m	300
802.11ac VHT40_Nss1,(MCS0)_4TX	0.935	0.29	5.428m	300
802.11ac VHT80_Nss1,(MCS0)_4TX	0.957	0.19	5.428m	300
802.11ax HEW20_Nss1,(MCS0)_4TX	0.948	0.23	5.452m	300
802.11ax HEW40_Nss1,(MCS0)_4TX	0.958	0.19	5.451m	300
802.11ax HEW80_Nss1,(MCS0)_4TX	0.94	0.27	5.451m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Radio 1 8TX_Non-Beamforming

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11a_Nss1,(6Mbps)_8TX	0.95	0.22	1.977m	1k
802.11n HT20_Nss1,(MCS0)_8TX	0.95	0.22	5.428m	300
802.11n HT40_Nss1,(MCS0)_8TX	0.943	0.25	5.428m	300
802.11ac VHT20_Nss1,(MCS0)_8TX	0.949	0.23	5.428m	300
802.11ac VHT40_Nss1,(MCS0)_8TX	0.973	0.12	5.052m	300
802.11ac VHT80_Nss1,(MCS0)_8TX	0.844	0.74	5.428m	300
802.11ac VHT80+80_Nss1,(MCS0)_8TX	0.901	0.45	5.428m	300
802.11ax HEW20_Nss1,(MCS0)_8TX	0.943	0.25	5.451m	300
802.11ax HEW40_Nss1,(MCS0)_8TX	0.939	0.27	5.452m	300
802.11ax HEW80_Nss1,(MCS0)_8TX	0.96	0.18	4.815m	300
802.11ax HEW80+80_Nss1,(MCS0)_8TX	0.933	0.3	5.451m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Radio 3_Non-Beamforming

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11a_Nss1,(6Mbps)_1TX	0.967	0.15	2.028m	1k
802.11n HT20_Nss1,(MCS0)_1TX	0.968	0.14	1.888m	1k
802.11n HT40_Nss1,(MCS0)_1TX	0.924	0.34	928.438u	3k
802.11ac VHT20_Nss1,(MCS0)_1TX	0.968	0.14	1.897m	1k
802.11ac VHT40_Nss1,(MCS0)_1TX	0.923	0.35	936.563u	3k
802.11ac VHT80_Nss1,(MCS0)_1TX	0.858	0.67	456.563u	3k

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Radio 1 4TX_Beamforming

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	0.948	0.23	5.452m	300
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	0.958	0.19	5.451m	300
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	0.94	0.27	5.451m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Radio 1 8TX_Beamforming

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	0.943	0.25	5.451m	300
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	0.939	0.27	5.452m	300
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	0.96	0.18	4.815m	300
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	0.933	0.3	5.451m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

1.2 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- LP0002 (2020-07-01)
- ANSI C63.10-2013
- ANSI C63.4-2014
- KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF:

- KDB 662911 D01 v02r01
- KDB 662911 D03 v01
- KDB 414788 D01 v01r01

1.3 Testing Location Information

Test Lab.：Sporton International Inc. Hsinhua Laboratory				
☒ Hsinhua **(TAF:** 3785**)**	**ADD:** No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)			
	TEL: 886-3-327-3456		**FAX:** 886-3-327-0973	
Test Condition	**Test Site No.**	**Test Engineer**	**Test Environment**	**Test Date**
AC Conduction	CO04-HY	Edward Wang	23.5~24.6°C / 65~68%	20/Aug/2021
RF Conducted <Band1,4>	TH06-HY	Vivi Jiang	20.1~26.9°C / 50~65%	05/Feb/2021~14/Apr/2021
RF Conducted <Band2,3>	TH01-HY	Barry Hsiao	24.4~25.9°C / 53~65%	04/Jun/2021~01/Jul/2021
Radiated	03CH02-HY	Tony Chang	21.7~25.8°C / 51~61%	12/Feb/2021~12/Aug/2021
☐ Wen 33rd.St. **(TAF:** 3785**)**	**ADD:** No.14-1, Ln. 19, Wen 33rd St., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)			
	TEL: 886-3-318-0787		**FAX:** 886-3-318-0287	

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2)

Test Items	**Uncertainty**	**Remark**
Conducted Emission (150kHz ~ 30MHz)	0.9 dB	Confidence levels of 95%
Radiated Emission (9kHz ~ 30MHz)	2.4 dB	Confidence levels of 95%
Radiated Emission (30MHz ~ 1,000MHz)	3.7 dB	Confidence levels of 95%
Radiated Emission (1GHz ~ 18GHz)	3.6 dB	Confidence levels of 95%
Radiated Emission (18GHz ~ 40GHz)	3.5 dB	Confidence levels of 95%
Conducted Emission	1.0 dB	Confidence levels of 95%
Temperature	0.41 °C	Confidence levels of 95%
Humidity	3.4 %	Confidence levels of 95%

2 Test Configuration of EUT

2.1 Test Channel Mode

Test Software Version	qdart_conn.win.1.0_installer_00076.1

Radio 1 4TX_Non-Beamforming

Mode	Power Setting
802.11a_Nss1,(6Mbps)_4TX	-
5180MHz	15.5
5200MHz	17.5
5240MHz	20.5
5260MHz	14
5300MHz	14
5320MHz	14
5500MHz	14
5580MHz	14
5700MHz	13
5720MHz Straddle 5.47-5.725GHz	14
5720MHz Straddle 5.725-5.85GHz	14
5745MHz	20
5785MHz	17
5825MHz	17.5
802.11n HT20_Nss1,(MCS0)_4TX	-
5180MHz	15
5200MHz	17.5
5240MHz	20
5260MHz	14
5300MHz	14
5320MHz	14
5500MHz	12.5
5580MHz	15
5700MHz	13.5
5720MHz Straddle 5.47-5.725GHz	14.5
5720MHz Straddle 5.725-5.85GHz	14.5
5745MHz	17.5
5785MHz	21

Mode	Power Setting
5825MHz	20
802.11n HT40_Nss1,(MCS0)_4TX	-
5190MHz	14
5230MHz	16.5
5270MHz	15.5
5310MHz	13.5
5510MHz	12
5550MHz	15.5
5670MHz	13
5710MHz Straddle 5.47-5.725GHz	17
5710MHz Straddle 5.725-5.85GHz	17
5755MHz	17.5
5795MHz	18.5
802.11ac VHT20_Nss1,(MCS0)_4TX	-
5180MHz	15
5200MHz	17.5
5240MHz	20
5260MHz	16
5300MHz	16
5320MHz	16
5500MHz	12.5
5580MHz	16
5700MHz	13.5
5720MHz Straddle 5.47-5.725GHz	17.5
5720MHz Straddle 5.725-5.85GHz	17.5
5745MHz	17.5
5785MHz	21
5825MHz	20
802.11ac VHT40_Nss1,(MCS0)_4TX	-
5190MHz	14
5230MHz	16.5
5270MHz	15.5
5310MHz	13.5
5510MHz	12
5550MHz	15.5

Mode	Power Setting
5670MHz	13
5710MHz Straddle 5.47-5.725GHz	17
5710MHz Straddle 5.725-5.85GHz	17
5755MHz	17.5
5795MHz	18.5
802.11ac VHT80_Nss1,(MCS0)_4TX	-
5210MHz	12.5
5290MHz	12.5
5530MHz	12
5610MHz	13.5
5690MHz Straddle 5.47-5.725GHz	16.5
5690MHz Straddle 5.725-5.85GHz	16.5
5775MHz	14.5
802.11ax HEW20_Nss1,(MCS0)_4TX	-
5180MHz	15
5200MHz	17.5
5240MHz	20
5260MHz	16
5300MHz	16
5320MHz	16
5500MHz	12.5
5580MHz	16
5700MHz	13.5
5720MHz Straddle 5.47-5.725GHz	17.5
5720MHz Straddle 5.725-5.85GHz	17.5
5745MHz	17.5
5785MHz	21
5825MHz	20
802.11ax HEW40_Nss1,(MCS0)_4TX	-
5190MHz	14
5230MHz	16.5
5270MHz	15.5
5310MHz	13.5
5510MHz	12
5550MHz	15.5

Mode	Power Setting
5670MHz	13
5710MHz Straddle 5.47-5.725GHz	17
5710MHz Straddle 5.725-5.85GHz	17
5755MHz	17.5
5795MHz	18.5
802.11ax HEW80_Nss1,(MCS0)_4TX	-
5210MHz	12.5
5290MHz	12.5
5530MHz	12
5610MHz	13.5
5690MHz Straddle 5.47-5.725GHz	16.5
5690MHz Straddle 5.725-5.85GHz	16.5
5775MHz	14.5

Radio 1 8TX_Non-Beamforming

Mode	Power Setting
802.11a_Nss1,(6Mbps)_8TX	-
5180MHz	16.5
5200MHz	17
5240MHz	17
5260MHz	9.5
5300MHz	9.5
5320MHz	9.5
5500MHz	9.5
5580MHz	9.5
5700MHz	10
5720MHz Straddle 5.47-5.725GHz	9
5720MHz Straddle 5.725-5.85GHz	9
5745MHz	17
5785MHz	17.5
5825MHz	16.5
802.11n HT20_Nss1,(MCS0)_8TX	-
5180MHz	15
5200MHz	16.5
5240MHz	16.5

Mode	Power Setting
5260MHz	9.5
5300MHz	9.5
5320MHz	9.5
5500MHz	9.5
5580MHz	9.5
5700MHz	10
5720MHz Straddle 5.47-5.725GHz	9.5
5720MHz Straddle 5.725-5.85GHz	9.5
5745MHz	16.5
5785MHz	15
5825MHz	17
802.11n HT40_Nss1,(MCS0)_8TX	-
5190MHz	14
5230MHz	16.5
5270MHz	12.5
5310MHz	12.5
5510MHz	11.5
5550MHz	12.5
5670MHz	12.5
5710MHz Straddle 5.47-5.725GHz	13.5
5710MHz Straddle 5.725-5.85GHz	13.5
5755MHz	16
5795MHz	17
802.11ac VHT20_Nss1,(MCS0)_8TX	-
5180MHz	15
5200MHz	16.5
5240MHz	16.5
5260MHz	9.5
5300MHz	9.5
5320MHz	9.5
5500MHz	9.5
5580MHz	9.5
5700MHz	10
5720MHz Straddle 5.47-5.725GHz	9.5
5720MHz Straddle 5.725-5.85GHz	9.5

Mode	Power Setting
5745MHz	16.5
5785MHz	15
5825MHz	17
802.11ac VHT40_Nss1,(MCS0)_8TX	-
5190MHz	14
5230MHz	16.5
5270MHz	12.5
5310MHz	12.5
5510MHz	11.5
5550MHz	12.5
5670MHz	12.5
5710MHz Straddle 5.47-5.725GHz	13.5
5710MHz Straddle 5.725-5.85GHz	13.5
5755MHz	16
5795MHz	17
802.11ac VHT80_Nss1,(MCS0)_8TX	-
5210MHz	12
5290MHz	11.5
5530MHz	9.5
5610MHz	12.5
5690MHz Straddle 5.47-5.725GHz	13.5
5690MHz Straddle 5.725-5.85GHz	13.5
802.11ac VHT80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-
#5210MHz,5290MHz	12
802.11ac VHT80+80_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-
5210MHz,#5290MHz	12
802.11ac VHT80+80_Nss1,(MCS0)_8TX	-
#5530MHz,#5610MHz	12
5775MHz	15
802.11ax HEW20_Nss1,(MCS0)_8TX	-
5180MHz	15
5200MHz	16.5
5240MHz	16.5

Mode	Power Setting
5260MHz	9.5
5300MHz	9.5
5320MHz	9.5
5500MHz	9.5
5580MHz	9.5
5700MHz	10
5720MHz Straddle 5.47-5.725GHz	9.5
5720MHz Straddle 5.725-5.85GHz	9.5
5745MHz	16.5
5785MHz	15
5825MHz	17
802.11ax HEW40_Nss1,(MCS0)_8TX	-
5190MHz	14
5230MHz	16.5
5270MHz	12.5
5310MHz	12.5
5510MHz	11.5
5550MHz	12.5
5670MHz	12.5
5710MHz Straddle 5.47-5.725GHz	13.5
5710MHz Straddle 5.725-5.85GHz	13.5
5755MHz	16
5795MHz	17
802.11ax HEW80_Nss1,(MCS0)_8TX	-
5210MHz	12
5290MHz	11.5
5530MHz	9.5
5610MHz	12.5
5690MHz Straddle 5.47-5.725GHz	13.5
5690MHz Straddle 5.725-5.85GHz	13.5
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-
#5210MHz,5290MHz	12
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-

Mode	Power Setting
5210MHz,#5290MHz	12
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-
#5530MHz,#5610MHz	12
5775MHz	15

Radio 3_Non-Beamforming

Mode	Power Setting
802.11a_Nss1,(6Mbps)_1TX	-
5180MHz	19
5200MHz	19.5
5240MHz	20.5
5260MHz	19.5
5300MHz	19.5
5320MHz	17
5500MHz	17
5580MHz	20.5
5700MHz	17
5720MHz Straddle 5.47-5.725GHz	19.5
5720MHz Straddle 5.725-5.85GHz	19.5
5745MHz	21
5785MHz	21
5825MHz	21
802.11n HT20_Nss1,(MCS0)_1TX	-
5180MHz	19
5200MHz	19.5
5240MHz	20.5
5260MHz	19.5
5300MHz	19.5
5320MHz	16.5
5500MHz	17
5580MHz	20
5700MHz	17
5720MHz Straddle 5.47-5.725GHz	18.5
5720MHz Straddle 5.725-5.85GHz	18.5
5745MHz	21

Mode	Power Setting
5785MHz	21
5825MHz	21
802.11n HT40_Nss1,(MCS0)_1TX	-
5190MHz	16
5230MHz	17
5270MHz	12.5
5310MHz	13
5510MHz	16.5
5550MHz	20
5670MHz	18.5
5710MHz Straddle 5.47-5.725GHz	18.5
5710MHz Straddle 5.725-5.85GHz	18.5
5755MHz	21
5795MHz	21
802.11ac VHT20_Nss1,(MCS0)_1TX	-
5180MHz	19
5200MHz	19.5
5240MHz	20.5
5260MHz	19.5
5300MHz	19.5
5320MHz	16.5
5500MHz	17
5580MHz	20
5700MHz	17
5720MHz Straddle 5.47-5.725GHz	18.5
5720MHz Straddle 5.725-5.85GHz	18.5
5745MHz	21
5785MHz	21
5825MHz	21
802.11ac VHT40_Nss1,(MCS0)_1TX	-
5190MHz	16
5230MHz	17
5270MHz	12.5
5310MHz	13
5510MHz	16.5

Mode	Power Setting
5550MHz	20
5670MHz	18.5
5710MHz Straddle 5.47-5.725GHz	18.5
5710MHz Straddle 5.725-5.85GHz	18.5
5755MHz	21
5795MHz	21
802.11ac VHT80_Nss1,(MCS0)_1TX	-
5210MHz	12.5
5290MHz	5
5530MHz	12.5
5610MHz	18.5
5690MHz Straddle 5.47-5.725GHz	19
5690MHz Straddle 5.725-5.85GHz	19
5775MHz	17.5

Radio 1 4TX_Beamforming

Mode	Power Setting
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-
5180MHz	9.5
5200MHz	12
5240MHz	12
5260MHz	15
5300MHz	15
5320MHz	15
5500MHz	12.5
5580MHz	16
5700MHz	13.5
5720MHz Straddle 5.47-5.725GHz	17.5
5720MHz Straddle 5.725-5.85GHz	17.5
5745MHz	11.5
5785MHz	15
5825MHz	14
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-
5190MHz	8.5
5230MHz	11

Mode	Power Setting
5270MHz	14.5
5310MHz	12.5
5510MHz	12
5550MHz	15.5
5670MHz	13
5710MHz Straddle 5.47-5.725GHz	17
5710MHz Straddle 5.725-5.85GHz	17
5755MHz	11.5
5795MHz	12.5
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-
5210MHz	7
5290MHz	11.5
5530MHz	12
5610MHz	13.5
5690MHz Straddle 5.47-5.725GHz	16.5
5690MHz Straddle 5.725-5.85GHz	16.5
5775MHz	8.5

Radio 1 8TX_Beamforming

Mode	Power Setting
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	-
5180MHz	6.5
5200MHz	6.5
5240MHz	6.5
5260MHz	10
5300MHz	10
5320MHz	10
5500MHz	11
5580MHz	11
5700MHz	11.5
5720MHz Straddle 5.47-5.725GHz	11
5720MHz Straddle 5.725-5.85GHz	11
5745MHz	11
5785MHz	9.5
5825MHz	11.5

Mode	Power Setting
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	-
5190MHz	5.5
5230MHz	6.5
5270MHz	10
5310MHz	10
5510MHz	10
5550MHz	11
5670MHz	11
5710MHz Straddle 5.47-5.725GHz	12
5710MHz Straddle 5.725-5.85GHz	12
5755MHz	7.5
5795MHz	8.5
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-
5210MHz	3.5
5290MHz	9
5530MHz	8
5610MHz	11
5690MHz Straddle 5.47-5.725GHz	12
5690MHz Straddle 5.725-5.85GHz	12
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-
#5210MHz,5290MHz	9.5
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-
5210MHz,#5290MHz	9.5
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	-
#5530MHz,#5610MHz	10.5
5775MHz	6.5

2.2 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral Test Voltage: 110Vac / 60Hz
Operating Mode	CTX/CRX
1	Adapter mode; TX
2	Adapter mode; RX
3	PoE mode ; TX
4	PoE mode ; RX

The Worst Case Mode for Following Conformance Tests	
Tests Item	Emission Bandwidth Maximum Conducted Output Power Peak Power Spectral Density
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests			
Tests Item	Unwanted Emissions Receiver Radiated Spurious Emissions		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX/CRX		
1	Adapter mode; WIFI 5G TX, Radio 1 4TX		
2	PoE mode; WIFI 5G TX, Radio 1 4TX		
3	Adapter mode; WIFI 5G TX, Radio 1 8TX		
4	PoE mode; WIFI 5G TX, Radio 1 8TX		
5	Adapter mode;WIFI 5G TX, Radio 3		
6	PoE mode;WIFI 5G TX, Radio 3		
Operating Mode > 1GHz	CTX/CRX		
1	Adapter mode; WIFI 5G TX, Radio 1 4TX		
2	Adapter mode; WIFI 5G TX, Radio 1 8TX		
3	Adapter mode;WIFI 5G TX, Radio 3		
Orthogonal Planes of EUT	**X Plane**	**Y Plane**	**Z Plane**
			
Worst Planes of EUT	V(Radio 3)	V(Radio 1)	

2.3 Accessories

Accessories				
Bracket ceiling mount 1	Brand Name	Senao Networks, Inc.	Model Name	CLIP CEILING 9/16 LFP
Bracket ceiling mount 2	Brand Name	Senao Networks, Inc.	Model Name	CLIP CEILING 15/16 LFP

Reminder: Regarding to more detail and other information, please refer to user manual.

2.4 Support Equipment


Support Equipment – AC Conduction					
No.	**Equipment**	**Brand Name**	**Model Name**	**FCC ID**	**Remark**
1	PoE	SENAO	EPA5006GPR	-	Provided by Customer
2	AC Power Cable	EnGenius	7003A0051000	-	Provided by Customer
3	Adapter	ASIAN POWER DEVICES INC.	WA-48A12R	-	Provided by Customer
4	RJ45 Cable	Power Sync	CAT-6E-10	-	-
5	RJ45 Cable	Power Sync	CAT-6E-01	-	-
6	RJ45 Cable	Power Sync	CAT-6E-01	-	-
7	USB Dongle	Transcend	D24425 2101	-	-
8	Load	Sporton	Sporton	-	-

Support Equipment – Conducted					
No.	**Equipment**	**Brand Name**	**Model Name**	**FCC ID**	**Remark**
1	Notebook	DELL	E5410	-	-
2	Adapter for NB	DELL	HA65NM130	-	-
3	Notebook	DELL	PP13S	-	-
4	Adapter for NB	DELL	AA90PM111	-	-

Support Equipment – Radiated					
No.	**Equipment**	**Brand Name**	**Model Name**	**FCC ID**	**Remark**
1	PoE	SENAO	EPA5006GPR	-	Provided by Customer
2	AC Power Cable	EnGenius	7003A0051000	-	Provided by Customer
3	Adapter	ASIAN POWER DEVICES INC.	WA-48A12R	-	Provided by Customer
4	RJ45 Cable	Power Sync	CAT-6E-10	-	-
5	RJ45 Cable	Power Sync	CAT-6E-01	-	-
6	RJ45 Cable	Power Sync	CAT-6E-01	-	-
7	RJ45 Cable	Power Sync	CAT-6E-01	-	-
8	USB Dongle	Transcend	D24425 2101	-	-
9	Load	Sporton	Sporton	-	-


2.5 Test Setup Diagram

Test Setup Diagram – AC Line Conducted Emission Test_Adapter mode (TX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.2	-
2	DC Power cable	No	1.5	-

Test Setup Diagram – AC Line Conducted Emission Test_Adapter mode (RX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.2	-
2	DC Power cable	No	1.5	-
3	RJ45 cable	No	1.0	-
4	RJ45 cable	No	1.0	-
5	RJ45 cable	No	1.0	-

Test Setup Diagram – AC Line Conducted Emission Test_PoE mode (TX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.2	-
2	AC Power cable	No	0.5	-
3	RJ45 cable	No	10.0	-

Test Setup Diagram – AC Line Conducted Emission Test_PoE mode (RX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.2	-
2	AC Power cable	No	0.5	-
3	RJ45 cable	No	10.0	-
4	RJ45 cable	No	1.0	-
5	RJ45 cable	No	1.0	-

Test Setup Diagram –Radiated Test_Adapter mode (TX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.8	-
2	DC Power cable	No	1.5	-

Test Setup Diagram –Radiated Test_Adapter mode (RX)




Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	1.2	-
2	DC Power cable	No	1.5	-
3	RJ45 cable	No	1.0	-
4	RJ45 cable	No	1.0	-
5	RJ45 cable	No	1.0	-

Test Setup Diagram –Radiated Test_PoE mode (TX)



Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	0.5	-
2	RJ45 cable	No	10.0	-

Test Setup Diagram –Radiated Test_PoE mode (RX)



Item	Connection	Shielded	Length(m)	Remark
1	AC Power cable	No	0.5	-
2	RJ45 cable	No	10.0	-
3	RJ45 cable	No	1.0	-
4	RJ45 cable	No	1.0	-

3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	**Quasi-Peak**	**Average**
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50
Note 1: * Decreases with the logarithm of the frequency.		

3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures

Test Method
☒ Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions.


3.1.4 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Raw(Read Level) +LISN(LISN Factor) + CL(Cable Loss) + AT(Attenuator).

3.1.5 Test Setup

AC Power-line Conducted Emissions



1—Interconnecting cables that hang closer than 40 cm to the ground plane shall be folded back and forth in the center forming a bundle 30 cm to 40 cm long.
2—The I/O cables that are not connected to an accessory shall be bundled in the center. The end of the cable may be terminated, if required, using the correct terminating impedance. The overall length shall not exceed 1 m.
3—EUT connected to one LISN. Unused LISN measuring port connectors shall be terminated in 50Ω loads. LISN may be placed on top of, or immediately beneath, reference ground plane.
3.1—All other equipment powered from additional LISN(s).
3.2—A multiple-outlet strip may be used for multiple power cords of non-EUT equipment.
3.3—LISN at least 80 cm from nearest part of EUT chassis.
4—Non-EUT components of EUT system being tested.
5—Rear of EUT, including peripherals, shall all be aligned and flush with edge of tabletop.
6—Edge of tabletop shall be 40 cm removed from a vertical conducting plane that is bonded to the ground plane.
7—Antenna can be integral or detachable. If detachable, then the antenna shall be attached for this test.

3.1.6 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 Emission Bandwidth

3.2.1 Emission Bandwidth Limit

Emission Bandwidth Limit
UNII Devices
☒ For the 5.15-5.25 GHz band, N/A
☒ For the 5.25-5.35 GHz band, N/A
☒ For the 5.47-5.725 GHz band, N/A
☒ For the 5.725-5.85 GHz band, 6 dB emission bandwidth ≥ 500kHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
▪ For the emission bandwidth shall be measured using one of the options below:	
	☒ Refer as KDB 789033, clause C for EBW and clause D for OBW measurement.
	☐ Refer as ANSI C63.10, clause 6.9.3 for occupied bandwidth testing.
	☐ Refer as IC RSS-Gen, clause 6.7 for bandwidth testing.

3.2.4 Test Setup

Emission Bandwidth


3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

3.3 Maximum Conducted Output Power

3.3.1 Maximum Conducted Output Power Limit

Maximum Conducted Output Power Limit	
UNII Devices	
☒ For the 5.15-5.25 GHz band:	
	▪ Outdoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If G_{TX} > 6 dBi, then P_{Out} = 30 – (G_{TX} – 6). e.i.r.p. at any elevation angle above 30 degrees ≤ 125mW [21dBm]
	▪ Indoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If G_{TX} > 6 dBi, then P_{Out} = 30 – (G_{TX} – 6)
	▪ Point-to-point AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W If G_{TX} > 23 dBi, then P_{Out} = 30 – (G_{TX} – 23).
	▪ Mobile or Portable Client: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW. If G_{TX} > 6 dBi, then P_{Out} = 24 – (G_{TX} – 6).
☒ For the 5.25-5.35 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If G_{TX} > 6 dBi, then P_{Out} = 24 – (G_{TX} – 6).	
☒ For the 5.47-5.725 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If G_{TX} > 6 dBi, then P_{Out} = 24 – (G_{TX} – 6).	
☒ For the 5.725-5.85 GHz band:	
	▪ Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If G_{TX} > 6 dBi, then P_{Out} = 30 – (G_{TX} – 6).
	▪ Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W.
P_{Out} = maximum conducted output power in dBm, **G_{TX}** = the maximum transmitting antenna directional gain in dBi.	


3.3.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures

Test Method	
▪ Maximum Conducted Output Power	
	Duty cycle ≥ 98%
	☐ Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).
	Duty cycle < 98%
	☒ Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
	Wideband RF power meter and average over on/off periods with duty factor
	☒ Refer as KDB 789033, clause E Method PM (using an RF average power meter).
▪ For conducted measurement.	
	▪ If the EUT supports multiple transmit chains using options given below: Refer as KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.
	▪ If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \ldots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$

3.3.4 Test Setup

RF Output Power (Spectrum Analyzer)


RF Output Power (Power Meter)


3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C

3.4 Peak Power Spectral Density

3.4.1 Peak Power Spectral Density Limit

Peak Power Spectral Density Limit	
UNII Devices	
☒ For the 5.15-5.25 GHz band:	
	▪ Outdoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If G_{TX} > 6 dBi, then P_{Out} = 17 – (G_{TX} – 6).
	▪ Indoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If G_{TX} > 6 dBi, then P_{Out} = 17 – (G_{TX} – 6).
	▪ Point-to-point AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If G_{TX} > 23 dBi, then P_{Out} = 17 – (G_{TX} – 23).
	▪ Mobile or Portable Client: the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If G_{TX} > 6 dBi, then PPSD= 11 – (G_{TX} – 6)..
☒ For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If G_{TX} > 6 dBi, then PPSD= 11 – (G_{TX} – 6).	
☒ For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If G_{TX} > 6 dBi, then PPSD= 11 – (G_{TX} – 6).	
☒ For the 5.725-5.85 GHz band:	
	▪ Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If G_{TX} > 6 dBi, then PPSD= 30 – (G_{TX} – 6).
	▪ Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
PPSD = peak power spectral density that he same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz **G_{TX}** = the maximum transmitting antenna directional gain in dBi.	


3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.4.3 Test Procedures

Test Method		
▪ Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options:		
	☐ Refer as KDB 789033, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth	
	Duty cycle ≥ 98%	
	☐ Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).	
	Duty cycle < 98%	
	☒ Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)	
▪ For conducted measurement.		
	▪ If the EUT supports multiple transmit chains using options given below:	
		▪ Measure and sum the spectra across the outputs. Refer as KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace.
	▪	If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \ldots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$

3.4.4 Test Setup

Power Spectral Density
 Spectrum Analyzer

3.4.5 Test Result of Peak Power Spectral Density

Refer as Appendix D

3.5 Unwanted Emissions

3.5.1 Transmitter Radiated Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	**Field Strength (uV/m)**	**Field Strength (dBuV/m)**	**Measure Distance (m)**
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3
Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements). Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT. Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.			

Un-restricted band emissions above 1GHz Limit	
Operating Band	**Limit**
5.15 - 5.25 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.25 - 5.35 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.47 - 5.725 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.725 - 5.85 GHz	5.650-5700 GHz: e.i.r.p. -27 ~ 10 dBm [68.2 ~ 105.2 dBuV/m@3m] 5.700-5720 GHz: e.i.r.p. 10 ~ 15.6 dBm [105.2 ~ 110.8 dBuV/m@3m] 5.720-5725 GHz: e.i.r.p. 15.6 ~ 27 dBm [110.8 ~ 122.2 dBuV/m@3m] 5.850-5.855 GHz: e.i.r.p. 27 ~ 15.6 dBm [122.2 ~ 110.8 dBuV/m@3m] 5.855-5.875 GHz: e.i.r.p. 15.6 ~ 10 dBm [110.8 ~ 105.2 dBuV/m@3m] 5.875-5.925 GHz: e.i.r.p. 10 ~ -27 dBm [105.2 ~ 68.2dBuV/m@3m] Other un-restricted band: e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).	

3.5.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures



Test Method		
▪ Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).		
▪ The average emission levels shall be measured in [duty cycle ≥ 98 or duty factor].		
▪ For the transmitter unwanted emissions shall be measured using following options below:		
	▪ Refer as KDB 789033, clause G)2) for unwanted emissions into non-restricted bands.	
	▪ Refer as KDB 789033, clause G)1) for unwanted emissions into restricted bands.	
		☒ Refer as KDB 789033, G)6) Method VB (ANSI C63.10, clause 4.1.4.2.3), Reduced VBW.
		☒ Refer as KDB 789033, clause G)5) (ANSI C63.10, clause 4.1.4.2.2), measurement procedure peak limit.
▪ For radiated measurement.		
	▪ Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.	
	▪ Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.	
	▪ Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.	
▪ The any unwanted emissions level shall not exceed the fundamental emission level.		
▪ All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.		
▪ Use the following spectrum analyzer settings:		
	▪ Set RBW=100 kHz for f < 1 GHz; VBW=3 * RBW; Sweep = auto; Detector function = peak; Trace = max hold.	
	▪ Set RBW = 1 MHz, VBW= 3MHz for f ≥ 1 GHz for peak measurement. For average measurement, refer as 1.1.4.	
▪ KDB 414788 Open-Field Test Sites and Chamber Correlation Justification.		
	▪ Based on LP0002 6.5.2: measurements may be performed at a distance closer than that specified in regulations; however, an attempt should be made to avoid making measurements in the near field.	
	▪ Open-field site and chamber correlation testing had been performed and chamber measured test result is the worst case test result.	

3.5.4 Measurement Results Calculation


The measured Level is calculated using:

Corrected Reading: Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

3.5.5 Test Setup

Transmitter Radiated Unwanted Emissions
9kHz ~30MHz

30MHz~1GHz


Above 1GHz



3.5.6 Transmitter Unwanted Emissions (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.5.7 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E

3.6 Receiver Radiated Spurious Emissions

3.6.1 Receiver in Radiated Spurious Emissions Limit

Restricted Spurious Emissions Limit			
Frequency Range (MHz)	**Field Strength (uV/m)**	**Field Strength (dBuV/m)**	**Measure Distance (m)**
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

3.6.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.6.3 Test Procedures

Test Method	
☒	The search for spurious emissions shall be from the lowest frequency internally generated or used in the receiver (e.g. local oscillator, intermediate or carrier frequency), or 30 MHz, whichever is higher, to at least 3 times the highest tuneable or local oscillator frequency, whichever is higher, without exceeding 40 GHz.
☒	Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).
☒	For radiated measurement, refer as ANSI C63.4, clause 8.3.
☒	Refer as ANSI C63.4, clause 8.3.1.1 and 8.3.2.1 for radiated emissions from below 30 MHz.
☒	Refer as ANSI C63.4, clause 8.3.1.1 and 8.3.2.1 for radiated emissions from 30 MHz-1 GHz. For the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the QP-Limit so that the QP level does not need to be reported in addition.
☒	Refer as ANSI C63.4, clause 8.3.1.2 and 8.3.2.2 for radiated emissions from above 1 GHz. For the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.
☒	All amplitude of spurious emissions that are attenuated by more than 30 dB below the permissible value has no need to be reported.


3.6.4 Measurement Results Calculation

The measured Level is calculated using:


Corrected Reading: Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

3.6.5 Test Setup


Receiver Spurious and Out of Band Emissions (9 kHz - 30 MHz)



Receiver Radiated Unwanted Emissions (below 1GHz)



Receiver Radiated Unwanted Emissions (above 1GHz)



3.6.6 Receiver Radiated Unwanted Emissions (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.6.7 Test Result of Receiver Radiated Unwanted Emissions

Refer as Appendix F

4 Test Equipment and Calibration Data

Instrument for AC Conduction

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
EMI Test Receiver	R&S	ESR	102052	9kHz ~ 3.6GHz	19/Apr/2021	18/Apr/2022
LISN	R&S	ENV216	101295	9kHz ~ 30MHz	11/Nov/2020	10/Nov/2021
RF Cable 5m	TITAN	TITAN	CO04-cable-01	0.1MHz~200MHz	03/Mar/2021	02/Mar/2022
Impuls Begrenzer Puls e Limiter	SCHWARZBECK	VTSD 9561-F	9561-F041	9kHz ~ 30MHz	21/Sep/2020	20/Sep/2021

Instrument for Conducted Test (TH06-HY)

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Signal Analyzer	R&S	FSV 40	101029	10Hz~40GHz	19/Oct/2020	18/Oct/2021
SMB100A Signal Generator	R&S	SMB100A03	181147	100kHz~40GHz	20/Oct/2020	19/Oct/2021
Pulse Sensor	Anritsu	MA2411B	1027452	300MHz~40GHz	18/Mar/2020	17/Mar/2021
Power Meter	Anritsu	ML2495A	1124009	300MHz~40GHz	18/Mar/2020	17/Mar/2021
Pulse Sensor	Anritsu	MA2411B	0917017	300MHz~40GHz	23/Feb/2021	22/Feb/2022
Power Meter	Anritsu	ML2495A	0949003	300MHz~40GHz	23/Feb/2021	22/Feb/2022

Instrument for Conducted Test (TH01-HY)

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Signal Analyzer	R&S	FSV 40	101013	10Hz~40GHz	30/Mar/2021	29/Mar/2022
SMB100A Signal Generator	R&S	SMB100A03	181147	100kHz~40GHz	20/Oct/2020	19/Oct/2021
Pulse Sensor	Anritsu	MA2411B	0917017	300MHz~40GHz	23/Feb/2021	22/Feb/2022
Power Meter	Anritsu	ML2495A	0949003	300MHz~40GHz	23/Feb/2021	22/Feb/2022

Instrument for Radiated Test

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	30MHz~1GHz 3m	02/Aug/2021	01/Aug/2022
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	1GHz~18GHz 3m	01/Aug/2021	31/Jul/2022
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	1GHz~18GHz 3m	02/Aug/2020	01/Aug/2021
Signal Analyzer	R&S	FSV40	101500	10Hz~40GHz	19/Aug/2020	18/Aug/2021
Signal Analyzer	R&S	FSP40	100593	9kHz~40GHz	12/Mar/2021	11/Mar/2022
Amplifier	Agilent	8447D	2944A11149	100kHz~1.3GHz	29/Jun/2021	28/Jun/2022
Microwave Preamplifier	Agilent	8449B	3008A02373	1GHz~26.5GHz	23/Oct/2020	22/Oct/2021
Bilog Antenna & 5dB Attenuator	SCHAFFNER / MTJ	CBL 6112B / MTJ6102-05	2723 / 2	30MHz~1GHz	06/Sep/2020	05/Sep/2021
Double Ridged Guide Horn Antenna	SCHWARZBEC	BBHA 9120 D	BBHA 9120 D 01543	1GHz~18GHz	09/Jun/2020	08/Jun/2021
Double Ridged Guide Horn Antenna	SCHWARZBEC	BBHA 9120 D	BBHA 9120 D 01543	1GHz~18GHz	04/Jun/2021	03/Jun/2022
RF Cable	MVE	400LL	MVE-1-0802	9kHz~30MHz	05/May/2021	04/May/2022
RF Cable	MVE	400LL	MVE-1-0802	30MHz~1GHz	05/May/2021	04/May/2022
RF Cable-R03m	HUBER+SUHNER	SUCOFLEX104	805193/4+80 5192/4	1GHz~40GHz	08/Apr/2020	07/Apr/2021
RF Cable-R03m	HUBER+SUHNER	SUCOFLEX104	805193/4+80 5192/4	1GHz~40GHz	06/Apr/2021	05/Apr/2022
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA 9170221	18GHz~40GHz	13/Mar/2020	12/Mar/2021
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA 9170221	15GHz~40GHz	11/Mar/2021	10/Mar/2022
Preamplifier	MITEQ	TTA1840-35-HG	1864481	18GHz~40GHz	10/Mar/2020	09/Mar/2021
Microwave Premplifier	EMC INSTRUMENTS	EM18G40G	060604	18GHz~40GHz	09/Mar/2021	08/Mar/2022
Loop Antenna	TESEQ	HLA 6120	31244	9kHz~30MHz	16/Mar/2021	15/Mar/2022
EMI Test Receiver	R&S	ESR3	102052	9kHz~3.6GHz	19/Apr/2021	18/Apr/2022

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	152.414k	46.26	65.87	-19.61	Line
Mode 2	Pass	QP	155.487k	45.40	65.69	-20.29	Line
Mode 3	Pass	AV	473.588k	42.30	46.46	-4.16	Line
Mode 4	Pass	AV	479.294k	41.49	46.34	-4.85	Line

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition	Comments
Mode 1	Pass	QP	152.414k	46.26	65.87	-19.61	Line	-
Mode 1	Pass	AV	152.414k	30.62	55.87	-25.25	Line	-
Mode 1	Pass	QP	226.289k	36.18	62.58	-26.40	Line	-
Mode 1	Pass	AV	226.289k	23.94	52.58	-28.64	Line	-
Mode 1	Pass	QP	651.775k	27.24	56.00	-28.76	Line	-
Mode 1	Pass	AV	651.775k	23.35	46.00	-22.65	Line	-
Mode 1	Pass	QP	2.385M	23.15	56.00	-32.85	Line	-
Mode 1	Pass	AV	2.385M	20.21	46.00	-25.79	Line	-
Mode 1	Pass	QP	12.306M	18.60	60.00	-41.40	Line	-
Mode 1	Pass	AV	12.306M	16.50	50.00	-33.50	Line	-
Mode 1	Pass	QP	18.27M	21.51	60.00	-38.49	Line	-
Mode 1	Pass	AV	18.27M	18.76	50.00	-31.24	Line	-
Mode 1	Pass	QP	171.121k	43.41	64.91	-21.50	Neutral	-
Mode 1	Pass	AV	171.121k	27.07	54.91	-27.84	Neutral	-
Mode 1	Pass	QP	656.999k	25.10	56.00	-30.90	Neutral	-
Mode 1	Pass	AV	656.999k	21.64	46.00	-24.36	Neutral	-
Mode 1	Pass	QP	861.901k	21.80	56.00	-34.20	Neutral	-
Mode 1	Pass	AV	861.901k	19.78	46.00	-26.22	Neutral	-
Mode 1	Pass	QP	1.726M	22.74	56.00	-33.26	Neutral	-
Mode 1	Pass	AV	1.726M	20.05	46.00	-25.95	Neutral	-
Mode 1	Pass	QP	8.977M	20.15	60.00	-39.85	Neutral	-
Mode 1	Pass	AV	8.977M	17.76	50.00	-32.24	Neutral	-
Mode 1	Pass	QP	18.343M	24.65	60.00	-35.35	Neutral	-
Mode 1	Pass	AV	18.343M	21.40	50.00	-28.60	Neutral	-
Mode 2	Pass	QP	155.487k	45.40	65.69	-20.29	Line	-
Mode 2	Pass	AV	155.487k	29.42	55.69	-26.27	Line	-
Mode 2	Pass	QP	173.183k	43.14	64.80	-21.66	Line	-
Mode 2	Pass	AV	173.183k	28.74	54.80	-26.06	Line	-
Mode 2	Pass	QP	651.775k	27.16	56.00	-28.84	Line	-
Mode 2	Pass	AV	651.775k	23.35	46.00	-22.65	Line	-
Mode 2	Pass	QP	2.414M	23.21	56.00	-32.79	Line	-
Mode 2	Pass	AV	2.414M	20.24	46.00	-25.76	Line	-
Mode 2	Pass	QP	11.683M	19.16	60.00	-40.84	Line	-
Mode 2	Pass	AV	11.683M	17.02	50.00	-32.98	Line	-
Mode 2	Pass	QP	18.788M	21.99	60.00	-38.01	Line	-
Mode 2	Pass	AV	18.788M	19.23	50.00	-30.77	Line	-
Mode 2	Pass	QP	157.361k	44.49	65.60	-21.11	Neutral	-
Mode 2	Pass	AV	157.361k	27.85	55.60	-27.75	Neutral	-
Mode 2	Pass	QP	649.178k	25.30	56.00	-30.70	Neutral	-
Mode 2	Pass	AV	649.178k	21.52	46.00	-24.48	Neutral	-
Mode 2	Pass	QP	861.901k	21.71	56.00	-34.29	Neutral	-
Mode 2	Pass	AV	861.901k	19.72	46.00	-26.28	Neutral	-
Mode 2	Pass	QP	1.726M	22.66	56.00	-33.34	Neutral	-
Mode 2	Pass	AV	1.726M	20.12	46.00	-25.88	Neutral	-
Mode 2	Pass	QP	2.889M	20.24	56.00	-35.76	Neutral	-
Mode 2	Pass	AV	2.889M	17.76	46.00	-28.24	Neutral	-
Mode 2	Pass	QP	18.713M	24.76	60.00	-35.24	Neutral	-
Mode 2	Pass	AV	18.713M	21.50	50.00	-28.50	Neutral	-
Mode 3	Pass	QP	167.739k	46.76	65.06	-18.30	Line	-
Mode 3	Pass	AV	167.739k	33.01	55.06	-22.05	Line	-


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition	Comments
Mode 3	Pass	QP	473.588k	47.36	56.46	-9.10	Line	-
Mode 3	Pass	AV	473.588k	42.30	46.46	-4.16	Line	-
Mode 3	Pass	QP	633.814k	35.05	56.00	-20.95	Line	-
Mode 3	Pass	AV	633.814k	30.07	46.00	-15.93	Line	-
Mode 3	Pass	QP	1.706M	36.43	56.00	-19.57	Line	-
Mode 3	Pass	AV	1.706M	32.49	46.00	-13.51	Line	-
Mode 3	Pass	QP	4.482M	31.94	56.00	-24.06	Line	-
Mode 3	Pass	AV	4.482M	27.11	46.00	-18.89	Line	-
Mode 3	Pass	QP	12.257M	30.88	60.00	-29.12	Line	-
Mode 3	Pass	AV	12.257M	26.18	50.00	-23.82	Line	-
Mode 3	Pass	QP	157.361k	48.89	65.60	-16.71	Neutral	-
Mode 3	Pass	AV	157.361k	33.19	55.60	-22.41	Neutral	-
Mode 3	Pass	QP	477.384k	47.07	56.38	-9.31	Neutral	-
Mode 3	Pass	AV	477.384k	41.36	46.38	-5.02	Neutral	-
Mode 3	Pass	QP	641.45k	33.64	56.00	-22.36	Neutral	-
Mode 3	Pass	AV	641.45k	29.30	46.00	-16.70	Neutral	-
Mode 3	Pass	QP	944.785k	34.80	56.00	-21.20	Neutral	-
Mode 3	Pass	AV	944.785k	31.16	46.00	-14.84	Neutral	-
Mode 3	Pass	QP	1.713M	32.37	56.00	-23.63	Neutral	-
Mode 3	Pass	AV	1.713M	28.31	46.00	-17.69	Neutral	-
Mode 3	Pass	QP	11.872M	28.89	60.00	-31.11	Neutral	-
Mode 3	Pass	AV	11.872M	24.45	50.00	-25.55	Neutral	-
Mode 4	Pass	QP	173.183k	46.27	64.80	-18.53	Line	-
Mode 4	Pass	AV	173.183k	31.42	54.80	-23.38	Line	-
Mode 4	Pass	QP	479.294k	47.20	56.34	-9.14	Line	-
Mode 4	Pass	AV	479.294k	41.49	46.34	-4.85	Line	-
Mode 4	Pass	QP	631.288k	35.06	56.00	-20.94	Line	-
Mode 4	Pass	AV	631.288k	30.14	46.00	-15.86	Line	-
Mode 4	Pass	QP	1.692M	36.70	56.00	-19.30	Line	-
Mode 4	Pass	AV	1.692M	32.35	46.00	-13.65	Line	-
Mode 4	Pass	QP	4.272M	32.25	56.00	-23.75	Line	-
Mode 4	Pass	AV	4.272M	27.23	46.00	-18.77	Line	-
Mode 4	Pass	QP	11.967M	30.97	60.00	-29.03	Line	-
Mode 4	Pass	AV	11.967M	26.33	50.00	-23.67	Line	-
Mode 4	Pass	QP	180.236k	44.50	64.47	-19.97	Neutral	-
Mode 4	Pass	AV	180.236k	29.06	54.47	-25.41	Neutral	-
Mode 4	Pass	QP	483.136k	46.90	56.29	-9.39	Neutral	-
Mode 4	Pass	AV	483.136k	40.73	46.29	-5.56	Neutral	-
Mode 4	Pass	QP	662.266k	34.26	56.00	-21.74	Neutral	-
Mode 4	Pass	AV	662.266k	29.95	46.00	-16.05	Neutral	-
Mode 4	Pass	QP	952.358k	35.07	56.00	-20.93	Neutral	-
Mode 4	Pass	AV	952.358k	30.67	46.00	-15.33	Neutral	-
Mode 4	Pass	QP	1.692M	32.00	56.00	-24.00	Neutral	-
Mode 4	Pass	AV	1.692M	27.84	46.00	-18.16	Neutral	-
Mode 4	Pass	QP	11.407M	29.05	60.00	-30.95	Neutral	-
Mode 4	Pass	AV	11.407M	24.86	50.00	-25.14	Neutral	-

Conducted Emissions at Powerline_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	152.414k	46.26	65.87	-19.61	19.63	Line	-	26.63	9.69	0.04	9.90
AV	152.414k	30.62	55.87	-25.25	19.63	Line	-	10.99	9.69	0.04	9.90
QP	226.289k	36.18	62.58	-26.40	19.62	Line	-	16.56	9.68	0.04	9.90
AV	226.289k	23.94	52.58	-28.64	19.62	Line	-	4.32	9.68	0.04	9.90
QP	651.775k	27.24	56.00	-28.76	19.59	Line	-	7.65	9.67	0.07	9.85
AV	651.775k	23.35	46.00	-22.65	19.59	Line	-	3.76	9.67	0.07	9.85
QP	2.385M	23.15	56.00	-32.85	19.62	Line	-	3.53	9.68	0.11	9.83
AV	2.385M	20.21	46.00	-25.79	19.62	Line	-	0.59	9.68	0.11	9.83
QP	12.306M	18.60	60.00	-41.40	19.84	Line	-	-1.24	9.71	0.23	9.90
AV	12.306M	16.50	50.00	-33.50	19.84	Line	-	-3.34	9.71	0.23	9.90
QP	18.27M	21.51	60.00	-38.49	19.86	Line	-	1.65	9.68	0.28	9.90
AV	18.27M	18.76	50.00	-31.24	19.86	Line	-	-1.10	9.68	0.28	9.90

Conducted Emissions at Powerline_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	171.121k	43.41	64.91	-21.50	19.63	Neutral	-	23.78	9.69	0.04	9.90
AV	171.121k	27.07	54.91	-27.84	19.63	Neutral	-	7.44	9.69	0.04	9.90
QP	656.999k	25.10	56.00	-30.90	19.59	Neutral	-	5.51	9.67	0.07	9.85
AV	656.999k	21.64	46.00	-24.36	19.59	Neutral	-	2.05	9.67	0.07	9.85
QP	861.901k	21.80	56.00	-34.20	19.57	Neutral	-	2.23	9.67	0.08	9.82
AV	861.901k	19.78	46.00	-26.22	19.57	Neutral	-	0.21	9.67	0.08	9.82
QP	1.726M	22.74	56.00	-33.26	19.58	Neutral	-	3.16	9.68	0.10	9.80
AV	1.726M	20.05	46.00	-25.95	19.58	Neutral	-	0.47	9.68	0.10	9.80
QP	8.977M	20.15	60.00	-39.85	19.82	Neutral	-	0.33	9.73	0.19	9.90
AV	8.977M	17.76	50.00	-32.24	19.82	Neutral	-	-2.06	9.73	0.19	9.90
QP	18.343M	24.65	60.00	-35.35	19.93	Neutral	-	4.72	9.75	0.28	9.90
AV	18.343M	21.40	50.00	-28.60	19.93	Neutral	-	1.47	9.75	0.28	9.90

Conducted Emissions at Powerline_Mode 2




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	155.487k	45.40	65.69	-20.29	19.63	Line	-	25.77	9.69	0.04	9.90
AV	155.487k	29.42	55.69	-26.27	19.63	Line	-	9.79	9.69	0.04	9.90
QP	173.183k	43.14	64.80	-21.66	19.62	Line	-	23.52	9.68	0.04	9.90
AV	173.183k	28.74	54.80	-26.06	19.62	Line	-	9.12	9.68	0.04	9.90
QP	651.775k	27.16	56.00	-28.84	19.59	Line	-	7.57	9.67	0.07	9.85
AV	651.775k	23.35	46.00	-22.65	19.59	Line	-	3.76	9.67	0.07	9.85
QP	2.414M	23.21	56.00	-32.79	19.62	Line	-	3.59	9.68	0.11	9.83
AV	2.414M	20.24	46.00	-25.76	19.62	Line	-	0.62	9.68	0.11	9.83
QP	11.683M	19.16	60.00	-40.84	19.83	Line	-	-0.67	9.71	0.22	9.90
AV	11.683M	17.02	50.00	-32.98	19.83	Line	-	-2.81	9.71	0.22	9.90
QP	18.788M	21.99	60.00	-38.01	19.86	Line	-	2.13	9.67	0.29	9.90
AV	18.788M	19.23	50.00	-30.77	19.86	Line	-	-0.63	9.67	0.29	9.90

Conducted Emissions at Powerline_Mode 2




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	157.361k	44.49	65.60	-21.11	19.63	Neutral	-	24.86	9.69	0.04	9.90
AV	157.361k	27.85	55.60	-27.75	19.63	Neutral	-	8.22	9.69	0.04	9.90
QP	649.178k	25.30	56.00	-30.70	19.59	Neutral	-	5.71	9.67	0.07	9.85
AV	649.178k	21.52	46.00	-24.48	19.59	Neutral	-	1.93	9.67	0.07	9.85
QP	861.901k	21.71	56.00	-34.29	19.57	Neutral	-	2.14	9.67	0.08	9.82
AV	861.901k	19.72	46.00	-26.28	19.57	Neutral	-	0.15	9.67	0.08	9.82
QP	1.726M	22.66	56.00	-33.34	19.58	Neutral	-	3.08	9.68	0.10	9.80
AV	1.726M	20.12	46.00	-25.88	19.58	Neutral	-	0.54	9.68	0.10	9.80
QP	2.889M	20.24	56.00	-35.76	19.66	Neutral	-	0.58	9.69	0.12	9.85
AV	2.889M	17.76	46.00	-28.24	19.66	Neutral	-	-1.90	9.69	0.12	9.85
QP	18.713M	24.76	60.00	-35.24	19.94	Neutral	-	4.82	9.75	0.29	9.90
AV	18.713M	21.50	50.00	-28.50	19.94	Neutral	-	1.56	9.75	0.29	9.90

Conducted Emissions at Powerline_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	167.739k	46.76	65.06	-18.30	19.63	Line	-	27.13	9.69	0.04	9.90
AV	167.739k	33.01	55.06	-22.05	19.63	Line	-	13.38	9.69	0.04	9.90
QP	473.588k	47.36	56.46	-9.10	19.61	Line	-	27.75	9.67	0.06	9.88
AV	473.588k	42.30	46.46	-4.16	19.61	Line	-	22.69	9.67	0.06	9.88
QP	633.814k	35.05	56.00	-20.95	19.59	Line	-	15.46	9.67	0.07	9.85
AV	633.814k	30.07	46.00	-15.93	19.59	Line	-	10.48	9.67	0.07	9.85
QP	1.706M	36.43	56.00	-19.57	19.58	Line	-	16.85	9.68	0.10	9.80
AV	1.706M	32.49	46.00	-13.51	19.58	Line	-	12.91	9.68	0.10	9.80
QP	4.482M	31.94	56.00	-24.06	19.74	Line	-	12.20	9.69	0.15	9.90
AV	4.482M	27.11	46.00	-18.89	19.74	Line	-	7.37	9.69	0.15	9.90
QP	12.257M	30.88	60.00	-29.12	19.83	Line	-	11.05	9.71	0.22	9.90
AV	12.257M	26.18	50.00	-23.82	19.83	Line	-	6.35	9.71	0.22	9.90

Conducted Emissions at Powerline_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	157.361k	48.89	65.60	-16.71	19.63	Neutral	-	29.26	9.69	0.04	9.90
AV	157.361k	33.19	55.60	-22.41	19.63	Neutral	-	13.56	9.69	0.04	9.90
QP	477.384k	47.07	56.38	-9.31	19.61	Neutral	-	27.46	9.67	0.06	9.88
AV	477.384k	41.36	46.38	-5.02	19.61	Neutral	-	21.75	9.67	0.06	9.88
QP	641.45k	33.64	56.00	-22.36	19.59	Neutral	-	14.05	9.67	0.07	9.85
AV	641.45k	29.30	46.00	-16.70	19.59	Neutral	-	9.71	9.67	0.07	9.85
QP	944.785k	34.80	56.00	-21.20	19.56	Neutral	-	15.24	9.67	0.08	9.81
AV	944.785k	31.16	46.00	-14.84	19.56	Neutral	-	11.60	9.67	0.08	9.81
QP	1.713M	32.37	56.00	-23.63	19.58	Neutral	-	12.79	9.68	0.10	9.80
AV	1.713M	28.31	46.00	-17.69	19.58	Neutral	-	8.73	9.68	0.10	9.80
QP	11.872M	28.89	60.00	-31.11	19.85	Neutral	-	9.04	9.73	0.22	9.90
AV	11.872M	24.45	50.00	-25.55	19.85	Neutral	-	4.60	9.73	0.22	9.90

Conducted Emissions at Powerline_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	173.183k	46.27	64.80	-18.53	19.62	Line	-	26.65	9.68	0.04	9.90
AV	173.183k	31.42	54.80	-23.38	19.62	Line	-	11.80	9.68	0.04	9.90
QP	479.294k	47.20	56.34	-9.14	19.61	Line	-	27.59	9.67	0.06	9.88
AV	479.294k	41.49	46.34	-4.85	19.61	Line	-	21.88	9.67	0.06	9.88
QP	631.288k	35.06	56.00	-20.94	19.59	Line	-	15.47	9.67	0.07	9.85
AV	631.288k	30.14	46.00	-15.86	19.59	Line	-	10.55	9.67	0.07	9.85
QP	1.692M	36.70	56.00	-19.30	19.58	Line	-	17.12	9.68	0.10	9.80
AV	1.692M	32.35	46.00	-13.65	19.58	Line	-	12.77	9.68	0.10	9.80
QP	4.272M	32.25	56.00	-23.75	19.73	Line	-	12.52	9.69	0.14	9.90
AV	4.272M	27.23	46.00	-18.77	19.73	Line	-	7.50	9.69	0.14	9.90
QP	11.967M	30.97	60.00	-29.03	19.83	Line	-	11.14	9.71	0.22	9.90
AV	11.967M	26.33	50.00	-23.67	19.83	Line	-	6.50	9.71	0.22	9.90

Conducted Emissions at Powerline_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	180.236k	44.50	64.47	-19.97	19.62	Neutral	-	24.88	9.68	0.04	9.90
AV	180.236k	29.06	54.47	-25.41	19.62	Neutral	-	9.44	9.68	0.04	9.90
QP	483.136k	46.90	56.29	-9.39	19.61	Neutral	-	27.29	9.67	0.06	9.88
AV	483.136k	40.73	46.29	-5.56	19.61	Neutral	-	21.12	9.67	0.06	9.88
QP	662.266k	34.26	56.00	-21.74	19.58	Neutral	-	14.68	9.67	0.07	9.84
AV	662.266k	29.95	46.00	-16.05	19.58	Neutral	-	10.37	9.67	0.07	9.84
QP	952.358k	35.07	56.00	-20.93	19.56	Neutral	-	15.51	9.67	0.08	9.81
AV	952.358k	30.67	46.00	-15.33	19.56	Neutral	-	11.11	9.67	0.08	9.81
QP	1.692M	32.00	56.00	-24.00	19.58	Neutral	-	12.42	9.68	0.10	9.80
AV	1.692M	27.84	46.00	-18.16	19.58	Neutral	-	8.26	9.68	0.10	9.80
QP	11.407M	29.05	60.00	-30.95	19.85	Neutral	-	9.20	9.73	0.22	9.90
AV	11.407M	24.86	50.00	-25.14	19.85	Neutral	-	5.01	9.73	0.22	9.90

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	151.202k	46.25	65.92	-19.67	Line
Mode 2	Pass	QP	152.414k	46.14	65.87	-19.73	Line
Mode 3	Pass	AV	467.95k	41.52	46.55	-5.03	Line
Mode 4	Pass	AV	479.294k	40.23	46.34	-6.11	Neutral

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition	Comments
Mode 1	Pass	QP	151.202k	46.25	65.92	-19.67	Line	-
Mode 1	Pass	AV	151.202k	30.81	55.92	-25.11	Line	-
Mode 1	Pass	QP	654.382k	27.37	56.00	-28.63	Line	-
Mode 1	Pass	AV	654.382k	23.67	46.00	-22.33	Line	-
Mode 1	Pass	QP	865.349k	22.67	56.00	-33.33	Line	-
Mode 1	Pass	AV	865.349k	19.94	46.00	-26.06	Line	-
Mode 1	Pass	QP	1.726M	24.59	56.00	-31.41	Line	-
Mode 1	Pass	AV	1.726M	21.35	46.00	-24.65	Line	-
Mode 1	Pass	QP	2.329M	23.22	56.00	-32.78	Line	-
Mode 1	Pass	AV	2.329M	20.29	46.00	-25.71	Line	-
Mode 1	Pass	QP	18.639M	21.91	60.00	-38.09	Line	-
Mode 1	Pass	AV	18.639M	19.15	50.00	-30.85	Line	-
Mode 1	Pass	QP	152.414k	46.06	65.87	-19.81	Neutral	-
Mode 1	Pass	AV	152.414k	29.53	55.87	-26.34	Neutral	-
Mode 1	Pass	QP	641.45k	24.41	56.00	-31.59	Neutral	-
Mode 1	Pass	AV	641.45k	21.08	46.00	-24.92	Neutral	-
Mode 1	Pass	QP	861.901k	21.73	56.00	-34.27	Neutral	-
Mode 1	Pass	AV	861.901k	19.76	46.00	-26.24	Neutral	-
Mode 1	Pass	QP	2.7M	20.31	56.00	-35.69	Neutral	-
Mode 1	Pass	AV	2.7M	17.75	46.00	-28.25	Neutral	-
Mode 1	Pass	QP	12.306M	21.29	60.00	-38.71	Neutral	-
Mode 1	Pass	AV	12.306M	18.67	50.00	-31.33	Neutral	-
Mode 1	Pass	QP	18.125M	24.63	60.00	-35.37	Neutral	-
Mode 1	Pass	AV	18.125M	21.47	50.00	-28.53	Neutral	-
Mode 2	Pass	QP	152.414k	46.14	65.87	-19.73	Line	-
Mode 2	Pass	AV	152.414k	30.57	55.87	-25.30	Line	-
Mode 2	Pass	QP	213.989k	37.63	63.06	-25.43	Line	-
Mode 2	Pass	AV	213.989k	25.56	53.06	-27.50	Line	-
Mode 2	Pass	QP	656.999k	27.35	56.00	-28.65	Line	-
Mode 2	Pass	AV	656.999k	23.86	46.00	-22.14	Line	-
Mode 2	Pass	QP	770.75k	19.57	56.00	-36.43	Line	-
Mode 2	Pass	AV	770.75k	16.84	46.00	-29.16	Line	-
Mode 2	Pass	QP	2.594M	23.54	56.00	-32.46	Line	-
Mode 2	Pass	AV	2.594M	20.33	46.00	-25.67	Line	-
Mode 2	Pass	QP	19.71M	21.56	60.00	-38.44	Line	-
Mode 2	Pass	AV	19.71M	18.96	50.00	-31.04	Line	-
Mode 2	Pass	QP	173.183k	42.86	64.80	-21.94	Neutral	-
Mode 2	Pass	AV	173.183k	26.84	54.80	-27.96	Neutral	-
Mode 2	Pass	QP	659.627k	24.82	56.00	-31.18	Neutral	-
Mode 2	Pass	AV	659.627k	21.40	46.00	-24.60	Neutral	-
Mode 2	Pass	QP	861.901k	21.56	56.00	-34.44	Neutral	-
Mode 2	Pass	AV	861.901k	19.67	46.00	-26.33	Neutral	-
Mode 2	Pass	QP	1.726M	22.44	56.00	-33.56	Neutral	-
Mode 2	Pass	AV	1.726M	20.01	46.00	-25.99	Neutral	-
Mode 2	Pass	QP	11.362M	21.21	60.00	-38.79	Neutral	-
Mode 2	Pass	AV	11.362M	18.78	50.00	-31.22	Neutral	-
Mode 2	Pass	QP	19.789M	24.42	60.00	-35.58	Neutral	-
Mode 2	Pass	AV	19.789M	21.32	50.00	-28.68	Neutral	-
Mode 3	Pass	QP	167.071k	46.92	65.10	-18.18	Line	-
Mode 3	Pass	AV	167.071k	33.13	55.10	-21.97	Line	-


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition	Comments
Mode 3	Pass	QP	467.95k	46.72	56.55	-9.83	Line	-
Mode 3	Pass	AV	467.95k	41.52	46.55	-5.03	Line	-
Mode 3	Pass	QP	941.021k	35.99	56.00	-20.01	Line	-
Mode 3	Pass	AV	941.021k	32.60	46.00	-13.40	Line	-
Mode 3	Pass	QP	1.804M	36.01	56.00	-19.99	Line	-
Mode 3	Pass	AV	1.804M	31.12	46.00	-14.88	Line	-
Mode 3	Pass	QP	4.29M	32.48	56.00	-23.52	Line	-
Mode 3	Pass	AV	4.29M	27.41	46.00	-18.59	Line	-
Mode 3	Pass	QP	10.365M	30.16	60.00	-29.84	Line	-
Mode 3	Pass	AV	10.365M	25.97	50.00	-24.03	Line	-
Mode 3	Pass	QP	155.487k	47.58	65.69	-18.11	Neutral	-
Mode 3	Pass	AV	155.487k	32.13	55.69	-23.56	Neutral	-
Mode 3	Pass	QP	473.588k	45.67	56.46	-10.79	Neutral	-
Mode 3	Pass	AV	473.588k	41.13	46.46	-5.33	Neutral	-
Mode 3	Pass	QP	956.168k	30.13	56.00	-25.87	Neutral	-
Mode 3	Pass	AV	956.168k	24.66	46.00	-21.34	Neutral	-
Mode 3	Pass	QP	1.466M	30.41	56.00	-25.59	Neutral	-
Mode 3	Pass	AV	1.466M	25.80	46.00	-20.20	Neutral	-
Mode 3	Pass	QP	5.093M	28.44	60.00	-31.56	Neutral	-
Mode 3	Pass	AV	5.093M	23.36	50.00	-26.64	Neutral	-
Mode 3	Pass	QP	11.637M	28.46	60.00	-31.54	Neutral	-
Mode 3	Pass	AV	11.637M	24.03	50.00	-25.97	Neutral	-
Mode 4	Pass	QP	157.361k	49.47	65.60	-16.13	Line	-
Mode 4	Pass	AV	157.361k	32.89	55.60	-22.71	Line	-
Mode 4	Pass	QP	485.068k	44.44	56.25	-11.81	Line	-
Mode 4	Pass	AV	485.068k	37.89	46.25	-8.36	Line	-
Mode 4	Pass	QP	566.784k	36.25	56.00	-19.75	Line	-
Mode 4	Pass	AV	566.784k	31.38	46.00	-14.62	Line	-
Mode 4	Pass	QP	1.726M	36.21	56.00	-19.79	Line	-
Mode 4	Pass	AV	1.726M	31.95	46.00	-14.05	Line	-
Mode 4	Pass	QP	4.665M	32.24	56.00	-23.76	Line	-
Mode 4	Pass	AV	4.665M	27.14	46.00	-18.86	Line	-
Mode 4	Pass	QP	10.659M	30.76	60.00	-29.24	Line	-
Mode 4	Pass	AV	10.659M	26.54	50.00	-23.46	Line	-
Mode 4	Pass	QP	156.734k	49.59	65.64	-16.05	Neutral	-
Mode 4	Pass	AV	156.734k	32.06	55.64	-23.58	Neutral	-
Mode 4	Pass	QP	479.294k	46.20	56.34	-10.14	Neutral	-
Mode 4	Pass	AV	479.294k	40.23	46.34	-6.11	Neutral	-
Mode 4	Pass	QP	560.037k	33.59	56.00	-22.41	Neutral	-
Mode 4	Pass	AV	560.037k	28.14	46.00	-17.86	Neutral	-
Mode 4	Pass	QP	1.55M	32.86	56.00	-23.14	Neutral	-
Mode 4	Pass	AV	1.55M	29.10	46.00	-16.90	Neutral	-
Mode 4	Pass	QP	4.874M	27.97	56.00	-28.03	Neutral	-
Mode 4	Pass	AV	4.874M	22.87	46.00	-23.13	Neutral	-
Mode 4	Pass	QP	9.456M	28.36	60.00	-31.64	Neutral	-
Mode 4	Pass	AV	9.456M	24.24	50.00	-25.76	Neutral	-

Conducted Emissions at Powerline_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	151.202k	46.25	65.92	-19.67	19.63	Line	-	26.62	9.69	0.04	9.90
AV	151.202k	30.81	55.92	-25.11	19.63	Line	-	11.18	9.69	0.04	9.90
QP	654.382k	27.37	56.00	-28.63	19.59	Line	-	7.78	9.67	0.07	9.85
AV	654.382k	23.67	46.00	-22.33	19.59	Line	-	4.08	9.67	0.07	9.85
QP	865.349k	22.67	56.00	-33.33	19.57	Line	-	3.10	9.67	0.08	9.82
AV	865.349k	19.94	46.00	-26.06	19.57	Line	-	0.37	9.67	0.08	9.82
QP	1.726M	24.59	56.00	-31.41	19.58	Line	-	5.01	9.68	0.10	9.80
AV	1.726M	21.35	46.00	-24.65	19.58	Line	-	1.77	9.68	0.10	9.80
QP	2.329M	23.22	56.00	-32.78	19.61	Line	-	3.61	9.68	0.11	9.82
AV	2.329M	20.29	46.00	-25.71	19.61	Line	-	0.68	9.68	0.11	9.82
QP	18.639M	21.91	60.00	-38.09	19.87	Line	-	2.04	9.68	0.29	9.90
AV	18.639M	19.15	50.00	-30.85	19.87	Line	-	-0.72	9.68	0.29	9.90

Conducted Emissions at Powerline_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	152.414k	46.06	65.87	-19.81	19.63	Neutral	-	26.43	9.69	0.04	9.90
AV	152.414k	29.53	55.87	-26.34	19.63	Neutral	-	9.90	9.69	0.04	9.90
QP	641.45k	24.41	56.00	-31.59	19.59	Neutral	-	4.82	9.67	0.07	9.85
AV	641.45k	21.08	46.00	-24.92	19.59	Neutral	-	1.49	9.67	0.07	9.85
QP	861.901k	21.73	56.00	-34.27	19.57	Neutral	-	2.16	9.67	0.08	9.82
AV	861.901k	19.76	46.00	-26.24	19.57	Neutral	-	0.19	9.67	0.08	9.82
QP	2.7M	20.31	56.00	-35.69	19.64	Neutral	-	0.67	9.68	0.12	9.84
AV	2.7M	17.75	46.00	-28.25	19.64	Neutral	-	-1.89	9.68	0.12	9.84
QP	12.306M	21.29	60.00	-38.71	19.87	Neutral	-	1.42	9.74	0.23	9.90
AV	12.306M	18.67	50.00	-31.33	19.87	Neutral	-	-1.20	9.74	0.23	9.90
QP	18.125M	24.63	60.00	-35.37	19.93	Neutral	-	4.70	9.75	0.28	9.90
AV	18.125M	21.47	50.00	-28.53	19.93	Neutral	-	1.54	9.75	0.28	9.90

Conducted Emissions at Powerline_Mode 2




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	152.414k	46.14	65.87	-19.73	19.63	Line	-	26.51	9.69	0.04	9.90
AV	152.414k	30.57	55.87	-25.30	19.63	Line	-	10.94	9.69	0.04	9.90
QP	213.989k	37.63	63.06	-25.43	19.62	Line	-	18.01	9.68	0.04	9.90
AV	213.989k	25.56	53.06	-27.50	19.62	Line	-	5.94	9.68	0.04	9.90
QP	656.999k	27.35	56.00	-28.65	19.59	Line	-	7.76	9.67	0.07	9.85
AV	656.999k	23.86	46.00	-22.14	19.59	Line	-	4.27	9.67	0.07	9.85
QP	770.75k	19.57	56.00	-36.43	19.57	Line	-	-0.00	9.67	0.07	9.83
AV	770.75k	16.84	46.00	-29.16	19.57	Line	-	-2.73	9.67	0.07	9.83
QP	2.594M	23.54	56.00	-32.46	19.64	Line	-	3.90	9.68	0.12	9.84
AV	2.594M	20.33	46.00	-25.67	19.64	Line	-	0.69	9.68	0.12	9.84
QP	19.71M	21.56	60.00	-38.44	19.87	Line	-	1.69	9.67	0.30	9.90
AV	19.71M	18.96	50.00	-31.04	19.87	Line	-	-0.91	9.67	0.30	9.90

Conducted Emissions at Powerline_Mode 2




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	173.183k	42.86	64.80	-21.94	19.62	Neutral	-	23.24	9.68	0.04	9.90
AV	173.183k	26.84	54.80	-27.96	19.62	Neutral	-	7.22	9.68	0.04	9.90
QP	659.627k	24.82	56.00	-31.18	19.59	Neutral	-	5.23	9.67	0.07	9.85
AV	659.627k	21.40	46.00	-24.60	19.59	Neutral	-	1.81	9.67	0.07	9.85
QP	861.901k	21.56	56.00	-34.44	19.57	Neutral	-	1.99	9.67	0.08	9.82
AV	861.901k	19.67	46.00	-26.33	19.57	Neutral	-	0.10	9.67	0.08	9.82
QP	1.726M	22.44	56.00	-33.56	19.58	Neutral	-	2.86	9.68	0.10	9.80
AV	1.726M	20.01	46.00	-25.99	19.58	Neutral	-	0.43	9.68	0.10	9.80
QP	11.362M	21.21	60.00	-38.79	19.85	Neutral	-	1.36	9.73	0.22	9.90
AV	11.362M	18.78	50.00	-31.22	19.85	Neutral	-	-1.07	9.73	0.22	9.90
QP	19.789M	24.42	60.00	-35.58	19.95	Neutral	-	4.47	9.75	0.30	9.90
AV	19.789M	21.32	50.00	-28.68	19.95	Neutral	-	1.37	9.75	0.30	9.90

Conducted Emissions at Powerline_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	167.071k	46.92	65.10	-18.18	19.63	Line	-	27.29	9.69	0.04	9.90
AV	167.071k	33.13	55.10	-21.97	19.63	Line	-	13.50	9.69	0.04	9.90
QP	467.95k	46.72	56.55	-9.83	19.61	Line	-	27.11	9.67	0.06	9.88
AV	467.95k	41.52	46.55	-5.03	19.61	Line	-	21.91	9.67	0.06	9.88
QP	941.021k	35.99	56.00	-20.01	19.56	Line	-	16.43	9.67	0.08	9.81
AV	941.021k	32.60	46.00	-13.40	19.56	Line	-	13.04	9.67	0.08	9.81
QP	1.804M	36.01	56.00	-19.99	19.58	Line	-	16.43	9.68	0.10	9.80
AV	1.804M	31.12	46.00	-14.88	19.58	Line	-	11.54	9.68	0.10	9.80
QP	4.29M	32.48	56.00	-23.52	19.73	Line	-	12.75	9.69	0.14	9.90
AV	4.29M	27.41	46.00	-18.59	19.73	Line	-	7.68	9.69	0.14	9.90
QP	10.365M	30.16	60.00	-29.84	19.82	Line	-	10.34	9.72	0.20	9.90
AV	10.365M	25.97	50.00	-24.03	19.82	Line	-	6.15	9.72	0.20	9.90

Conducted Emissions at Powerline_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	155.487k	47.58	65.69	-18.11	19.63	Neutral	-	27.95	9.69	0.04	9.90
AV	155.487k	32.13	55.69	-23.56	19.63	Neutral	-	12.50	9.69	0.04	9.90
QP	473.588k	45.67	56.46	-10.79	19.61	Neutral	-	26.06	9.67	0.06	9.88
AV	473.588k	41.13	46.46	-5.33	19.61	Neutral	-	21.52	9.67	0.06	9.88
QP	956.168k	30.13	56.00	-25.87	19.55	Neutral	-	10.58	9.67	0.08	9.80
AV	956.168k	24.66	46.00	-21.34	19.55	Neutral	-	5.11	9.67	0.08	9.80
QP	1.466M	30.41	56.00	-25.59	19.57	Neutral	-	10.84	9.68	0.09	9.80
AV	1.466M	25.80	46.00	-20.20	19.57	Neutral	-	6.23	9.68	0.09	9.80
QP	5.093M	28.44	60.00	-31.56	19.76	Neutral	-	8.68	9.70	0.16	9.90
AV	5.093M	23.36	50.00	-26.64	19.76	Neutral	-	3.60	9.70	0.16	9.90
QP	11.637M	28.46	60.00	-31.54	19.85	Neutral	-	8.61	9.73	0.22	9.90
AV	11.637M	24.03	50.00	-25.97	19.85	Neutral	-	4.18	9.73	0.22	9.90

Conducted Emissions at Powerline_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	157.361k	49.47	65.60	-16.13	19.63	Line	-	29.84	9.69	0.04	9.90
AV	157.361k	32.89	55.60	-22.71	19.63	Line	-	13.26	9.69	0.04	9.90
QP	485.068k	44.44	56.25	-11.81	19.61	Line	-	24.83	9.67	0.06	9.88
AV	485.068k	37.89	46.25	-8.36	19.61	Line	-	18.28	9.67	0.06	9.88
QP	566.784k	36.25	56.00	-19.75	19.60	Line	-	16.65	9.67	0.07	9.86
AV	566.784k	31.38	46.00	-14.62	19.60	Line	-	11.78	9.67	0.07	9.86
QP	1.726M	36.21	56.00	-19.79	19.58	Line	-	16.63	9.68	0.10	9.80
AV	1.726M	31.95	46.00	-14.05	19.58	Line	-	12.37	9.68	0.10	9.80
QP	4.665M	32.24	56.00	-23.76	19.75	Line	-	12.49	9.70	0.15	9.90
AV	4.665M	27.14	46.00	-18.86	19.75	Line	-	7.39	9.70	0.15	9.90
QP	10.659M	30.76	60.00	-29.24	19.83	Line	-	10.93	9.72	0.21	9.90
AV	10.659M	26.54	50.00	-23.46	19.83	Line	-	6.71	9.72	0.21	9.90

Conducted Emissions at Powerline_Mode 4



Type	Freq	Level	Limit	Margin	Factor	Condition	Comment	Raw	LISN	CL	AT
	(Hz)	(dBuV)	(dBuV)	(dB)	(dB)			(dBuV)	(dB)	(dB)	(dB)
QP	156.734k	49.59	65.64	-16.05	19.63	Neutral	-	29.96	9.69	0.04	9.90
AV	156.734k	32.06	55.64	-23.58	19.63	Neutral	-	12.43	9.69	0.04	9.90
QP	479.294k	46.20	56.34	-10.14	19.61	Neutral	-	26.59	9.67	0.06	9.88
AV	479.294k	40.23	46.34	-6.11	19.61	Neutral	-	20.62	9.67	0.06	9.88
QP	560.037k	33.59	56.00	-22.41	19.60	Neutral	-	13.99	9.67	0.07	9.86
AV	560.037k	28.14	46.00	-17.86	19.60	Neutral	-	8.54	9.67	0.07	9.86
QP	1.55M	32.86	56.00	-23.14	19.57	Neutral	-	13.29	9.68	0.09	9.80
AV	1.55M	29.10	46.00	-16.90	19.57	Neutral	-	9.53	9.68	0.09	9.80
QP	4.874M	27.97	56.00	-28.03	19.75	Neutral	-	8.22	9.70	0.15	9.90
AV	4.874M	22.87	46.00	-23.13	19.75	Neutral	-	3.12	9.70	0.15	9.90
QP	9.456M	28.36	60.00	-31.64	19.83	Neutral	-	8.53	9.73	0.20	9.90
AV	9.456M	24.24	50.00	-25.76	19.83	Neutral	-	4.41	9.73	0.20	9.90

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	36.84M	18.021M	18M0D1D	19.32M	16.402M
802.11n HT20_Nss1,(MCS0)_4TX	38.49M	18.171M	18M2D1D	20.37M	17.571M
802.11n HT40_Nss1,(MCS0)_4TX	41.28M	36.462M	36M5D1D	39.9M	36.222M
802.11ac VHT20_Nss1,(MCS0)_4TX	38.58M	18.111M	18M1D1D	20.49M	17.601M
802.11ac VHT40_Nss1,(MCS0)_4TX	41.58M	36.402M	36M4D1D	40.38M	36.282M
802.11ac VHT80_Nss1,(MCS0)_4TX	82.44M	75.922M	75M9D1D	81.36M	75.562M
802.11ax HEW20_Nss1,(MCS0)_4TX	37.8M	19.28M	19M3D1D	21.15M	18.891M
802.11ax HEW40_Nss1,(MCS0)_4TX	41.34M	38.021M	38M0D1D	40.68M	37.721M
802.11ax HEW80_Nss1,(MCS0)_4TX	82.56M	77.481M	77M5D1D	82.08M	77.241M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.44M	24.108M	24M1D1D	16.32M	16.732M
802.11n HT20_Nss1,(MCS0)_4TX	16.41M	31.424M	31M4D1D	16.32M	16.642M
802.11n HT40_Nss1,(MCS0)_4TX	36.36M	43.178M	43M2D1D	35.04M	36.462M
802.11ac VHT20_Nss1,(MCS0)_4TX	17.58M	34.363M	34M4D1D	15.06M	17.601M
802.11ac VHT40_Nss1,(MCS0)_4TX	36.36M	41.619M	41M6D1D	35.04M	36.462M
802.11ac VHT80_Nss1,(MCS0)_4TX	73.32M	75.802M	75M8D1D	71.4M	75.322M
802.11ax HEW20_Nss1,(MCS0)_4TX	19.05M	36.222M	36M2D1D	16.68M	19.01M
802.11ax HEW40_Nss1,(MCS0)_4TX	37.98M	46.897M	46M9D1D	36.06M	38.141M
802.11ax HEW80_Nss1,(MCS0)_4TX	77.88M	77.601M	77M6D1D	72M	76.882M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	19.38M	16.432M	19.32M	16.402M	19.44M	16.402M	19.53M	16.432M
5200MHz	Pass	Inf	19.35M	16.432M	19.47M	16.522M	19.92M	16.432M	20.61M	16.492M
5240MHz	Pass	Inf	36.69M	17.031M	33.3M	16.882M	35.04M	16.972M	36.84M	18.021M
5745MHz	Pass	500k	16.35M	20.66M	16.44M	22.339M	16.32M	19.67M	16.41M	24.108M
5785MHz	Pass	500k	16.38M	16.822M	16.41M	16.732M	16.41M	16.882M	16.44M	16.882M
5825MHz	Pass	500k	16.41M	17.031M	16.38M	17.061M	16.35M	17.001M	16.38M	16.852M
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	20.37M	17.631M	20.76M	17.631M	20.91M	17.631M	20.73M	17.631M
5200MHz	Pass	Inf	20.46M	17.571M	20.73M	17.631M	20.4M	17.631M	20.7M	17.631M
5240MHz	Pass	Inf	35.19M	17.961M	34.44M	17.901M	35.16M	17.931M	38.49M	18.171M
5745MHz	Pass	500k	16.41M	16.762M	16.41M	16.732M	16.32M	16.642M	16.41M	16.822M
5785MHz	Pass	500k	16.35M	22.309M	16.35M	21.649M	16.35M	22.999M	16.41M	31.424M
5825MHz	Pass	500k	16.32M	18.921M	16.35M	19.04M	16.41M	18.981M	16.35M	28.096M
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	40.38M	36.222M	40.32M	36.222M	39.9M	36.282M	40.68M	36.222M
5230MHz	Pass	Inf	40.2M	36.462M	40.56M	36.282M	41.28M	36.342M	40.8M	36.282M
5755MHz	Pass	500k	35.4M	36.462M	35.7M	36.642M	35.04M	36.582M	35.28M	36.582M
5795MHz	Pass	500k	35.88M	37.361M	36.36M	38.681M	35.64M	39.04M	35.64M	43.178M
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	20.61M	17.631M	20.67M	17.691M	20.49M	17.601M	20.88M	17.631M
5200MHz	Pass	Inf	20.82M	17.661M	20.76M	17.661M	21.06M	17.661M	21.21M	17.661M
5240MHz	Pass	Inf	32.07M	17.931M	33.72M	17.931M	34.92M	17.901M	38.58M	18.111M
5745MHz	Pass	500k	16.89M	17.721M	17.16M	17.721M	15.06M	17.601M	17.25M	17.721M
5785MHz	Pass	500k	16.29M	21.409M	15.96M	22.069M	17.55M	25.877M	17.58M	34.363M
5825MHz	Pass	500k	16.26M	18.861M	16.89M	19.22M	16.89M	19.37M	17.13M	29.925M
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	40.56M	36.342M	40.68M	36.402M	40.44M	36.282M	41.16M	36.282M
5230MHz	Pass	Inf	41.4M	36.282M	40.86M	36.282M	40.38M	36.342M	41.58M	36.282M
5755MHz	Pass	500k	36.36M	36.582M	35.46M	36.642M	35.04M	36.462M	35.64M	36.642M
5795MHz	Pass	500k	36.3M	37.301M	35.04M	38.921M	35.64M	38.741M	35.88M	41.619M
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	81.36M	75.682M	82.44M	75.802M	81.96M	75.922M	81.84M	75.562M
5775MHz	Pass	500k	72.6M	75.802M	72.24M	75.562M	71.4M	75.322M	73.32M	75.802M
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.24M	18.921M	21.33M	18.981M	21.15M	18.921M	21.78M	18.951M
5200MHz	Pass	Inf	21.48M	19.01M	21.21M	18.891M	23.7M	18.951M	21.72M	18.981M
5240MHz	Pass	Inf	35.55M	19.19M	35.76M	19.13M	33.84M	19.1M	37.8M	19.28M
5745MHz	Pass	500k	18.06M	19.01M	18.87M	19.07M	19.05M	19.13M	18.6M	19.1M
5785MHz	Pass	500k	16.89M	23.478M	18.69M	21.259M	18.63M	26.177M	18.87M	36.222M
5825MHz	Pass	500k	17.01M	19.7M	18.84M	19.49M	16.68M	19.88M	18.99M	30.975M
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	41.1M	37.841M	40.68M	37.781M	40.98M	37.901M	41.22M	38.021M
5230MHz	Pass	Inf	40.86M	37.721M	40.74M	38.021M	41.16M	37.961M	41.34M	38.021M
5755MHz	Pass	500k	37.86M	38.141M	37.56M	38.261M	37.74M	38.501M	37.98M	38.501M
5795MHz	Pass	500k	37.8M	39.04M	36.06M	41.079M	37.92M	42.039M	37.98M	46.897M
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	82.56M	77.481M	82.08M	77.481M	82.44M	77.481M	82.32M	77.241M
5775MHz	Pass	500k	77.76M	77.601M	76.44M	77.241M	72M	76.882M	77.88M	77.601M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_4TX EBW

5180MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.38M	5.17022G	5.1896G	16.432M	5.171784G	5.188216G	Inf	1
19.32M	5.17031G	5.18963G	16.402M	5.171814G	5.188216G	Inf	2
19.44M	5.17022G	5.18966G	16.402M	5.171784G	5.188186G	Inf	3
19.53M	5.17016G	5.18969G	16.432M	5.171784G	5.188216G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5200MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.35M	5.19019G	5.20954G	16.432M	5.191784G	5.208216G	Inf	1
19.47M	5.19028G	5.20975G	16.522M	5.191724G	5.208246G	Inf	2
19.92M	5.18983G	5.20975G	16.432M	5.191814G	5.208246G	Inf	3
20.61M	5.18968G	5.21029G	16.492M	5.191784G	5.208276G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5240MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.69M	5.22128G	5.25797G	17.031M	5.231454G	5.248486G	Inf	1
33.3M	5.2232G	5.2565G	16.882M	5.231514G	5.248396G	Inf	2
35.04M	5.22278G	5.25782G	16.972M	5.231484G	5.248456G	Inf	3
36.84M	5.22122G	5.25806G	18.021M	5.230945G	5.248966G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5745MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.35M	5.73684G	5.75319G	20.66M	5.734895G	5.755555G	500k	1
16.44M	5.73678G	5.75322G	22.339M	5.734145G	5.756484G	500k	2
16.32M	5.73687G	5.75319G	19.67M	5.735375G	5.755045G	500k	3
16.41M	5.73681G	5.75322G	24.108M	5.733246G	5.757354G	500k	4

802.11a_Nss1,(6Mbps)_4TX EBW

5785MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.38M	5.77681G	5.79319G	16.822M	5.776664G	5.793486G	500k	1
16.41M	5.77681G	5.79322G	16.732M	5.776694G	5.793426G	500k	2
16.41M	5.77681G	5.79322G	16.882M	5.776514G	5.793396G	500k	3
16.44M	5.77681G	5.79325G	16.882M	5.776574G	5.793456G	500k	4

802.11a_Nss1,(6Mbps)_4TX EBW

5825MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.41M	5.81681G	5.83322G	17.031M	5.816544G	5.833576G	500k	1
16.38M	5.81684G	5.83322G	17.061M	5.816604G	5.833666G	500k	2
16.35M	5.81684G	5.83319G	17.001M	5.816544G	5.833546G	500k	3
16.38M	5.81684G	5.83322G	16.852M	5.816544G	5.833396G	500k	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5180MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.37M	5.16986G	5.19023G	17.631M	5.171184G	5.188816G	Inf	1
20.76M	5.1698G	5.19056G	17.631M	5.171184G	5.188816G	Inf	2
20.91M	5.16974G	5.19065G	17.631M	5.171184G	5.188816G	Inf	3
20.73M	5.16959G	5.19032G	17.631M	5.171184G	5.188816G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5200MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.46M	5.18983G	5.21029G	17.571M	5.191214G	5.208786G	Inf	1
20.73M	5.18971G	5.21044G	17.631M	5.191184G	5.208816G	Inf	2
20.4M	5.1898G	5.2102G	17.631M	5.191184G	5.208816G	Inf	3
20.7M	5.18956G	5.21026G	17.631M	5.191184G	5.208816G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5240MHz

10/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.19M	5.22314G	5.25833G	17.961M	5.231004G	5.248966G	Inf	1
34.44M	5.22299G	5.25743G	17.901M	5.231064G	5.248966G	Inf	2
35.16M	5.22188G	5.25704G	17.931M	5.231004G	5.248936G	Inf	3
38.49M	5.22041G	5.2589G	18.171M	5.230915G	5.249085G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5745MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.41M	5.73684G	5.75325G	16.762M	5.736634G	5.753396G	500k	1
16.41M	5.73681G	5.75322G	16.732M	5.736664G	5.753396G	500k	2
16.32M	5.73684G	5.75316G	16.642M	5.736724G	5.753366G	500k	3
16.41M	5.73681G	5.75322G	16.822M	5.736604G	5.753426G	500k	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5785MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.35M	5.77681G	5.79316G	22.309M	5.773696G	5.796004G	500k	1
16.35M	5.77687G	5.79322G	21.649M	5.774445G	5.796094G	500k	2
16.35M	5.77684G	5.79319G	22.999M	5.773396G	5.796394G	500k	3
16.41M	5.77681G	5.79322G	31.424M	5.769228G	5.800652G	500k	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5825MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.32M	5.81681G	5.83313G	18.921M	5.814535G	5.834355G	500k	1
16.35M	5.81687G	5.83322G	19.04M	5.815885G	5.834925G	500k	2
16.41M	5.81681G	5.83322G	18.981M	5.815705G	5.834685G	500k	3
16.35M	5.81678G	5.83313G	28.096M	5.810667G	5.838763G	500k	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5190MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.38M	5.16978G	5.21016G	36.222M	5.171889G	5.208111G	Inf	1
40.32M	5.17002G	5.21034G	36.222M	5.171889G	5.208111G	Inf	2
39.9M	5.17002G	5.20992G	36.282M	5.171829G	5.208111G	Inf	3
40.68M	5.16972G	5.2104G	36.222M	5.171829G	5.208051G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5230MHz


23/02/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.2M	5.21002G	5.25022G	36.462M	5.211769G	5.248231G	Inf	1
40.56M	5.20972G	5.25028G	36.282M	5.211829G	5.248111G	Inf	2
41.28M	5.20978G	5.25106G	36.342M	5.211829G	5.248171G	Inf	3
40.8M	5.2096G	5.2504G	36.282M	5.211829G	5.248111G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW


5755MHz



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.4M	5.73748G	5.77288G	36.462M	5.736829G	5.773291G	500k	1
35.7M	5.73748G	5.77318G	36.642M	5.736709G	5.773351G	500k	2
35.04M	5.73748G	5.77252G	36.582M	5.736709G	5.773291G	500k	3
35.28M	5.73724G	5.77252G	36.582M	5.736649G	5.773231G	500k	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5795MHz




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.88M	5.77688G	5.81276G	37.361M	5.776169G	5.813531G	500k	1
36.36M	5.77682G	5.81318G	38.681M	5.77539G	5.81407G	500k	2
35.64M	5.77688G	5.81252G	39.04M	5.77497G	5.81401G	500k	3
35.64M	5.77688G	5.81252G	43.178M	5.772511G	5.81569G	500k	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5180MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.61M	5.16965G	5.19026G	17.631M	5.171184G	5.188816G	Inf	1
20.67M	5.16971G	5.19038G	17.691M	5.171154G	5.188846G	Inf	2
20.49M	5.16971G	5.1902G	17.601M	5.1712l4G	5.188816G	Inf	3
20.88M	5.16962G	5.1905G	17.631M	5.171184G	5.188816G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5200MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.82M	5.18965G	5.21047G	17.661M	5.191184G	5.208846G	Inf	1
20.76M	5.18962G	5.21038G	17.661M	5.191154G	5.208816G	Inf	2
21.06M	5.18944G	5.2105G	17.661M	5.191184G	5.208846G	Inf	3
21.21M	5.18938G	5.21059G	17.661M	5.191184G	5.208846G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5240MHz

10/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
32.07M	5.22314G	5.25521G	17.931M	5.231064G	5.248996G	Inf	1
33.72M	5.22302G	5.25674G	17.931M	5.231034G	5.248966G	Inf	2
34.92M	5.22299G	5.25791G	17.901M	5.231064G	5.248966G	Inf	3
38.58M	5.22092G	5.2595G	18.111M	5.230975G	5.249085G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5745MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.89M	5.73687G	5.75376G	17.721M	5.736154G	5.753876G	500k	1
17.16M	5.73663G	5.75379G	17.721M	5.736154G	5.753876G	500k	2
15.06M	5.73747G	5.75253G	17.601M	5.736214G	5.753816G	500k	3
17.25M	5.73624G	5.75349G	17.721M	5.736154G	5.753876G	500k	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5785MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.29M	5.77624G	5.79253G	21.409M	5.774355G	5.795765G	500k	1
15.96M	5.77756G	5.79352G	22.069M	5.773966G	5.796034G	500k	2
17.55M	5.77624G	5.79379G	25.877M	5.772256G	5.798133G	500k	3
17.58M	5.77621G	5.79379G	34.363M	5.767609G	5.801972G	500k	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5825MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.26M	5.81624G	5.8325G	18.861M	5.814535G	5.834295G	500k	1
16.89M	5.81624G	5.83313G	19.22M	5.815465G	5.834685G	500k	2
16.89M	5.81624G	5.83313G	19.37M	5.815405G	5.834775G	500k	3
17.13M	5.81663G	5.83376G	29.925M	5.810037G	5.839963G	500k	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5190MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.56M	5.16978G	5.21034G	36.342M	5.171829G	5.208171G	Inf	1
40.68M	5.1699G	5.21058G	36.402M	5.171829G	5.208231G	Inf	2
40.44M	5.16984G	5.21028G	36.282M	5.171889G	5.208171G	Inf	3
41.16M	5.16948G	5.21064G	36.282M	5.171889G	5.208171G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5230MHz


23/02/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.4M	5.20918G	5.25058G	36.282M	5.211829G	5.248111G	Inf	1
40.86M	5.20972G	5.25058G	36.282M	5.211829G	5.248111G	Inf	2
40.38M	5.21002G	5.2504G	36.342M	5.211889G	5.248231G	Inf	3
41.58M	5.20918G	5.25076G	36.282M	5.211889G	5.248171G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW


5755MHz



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.36M	5.73682G	5.77318G	36.582M	5.736649G	5.773231G	500k	1
35.46M	5.73682G	5.77228G	36.642M	5.736649G	5.773291G	500k	2
35.04M	5.73754G	5.77258G	36.462M	5.736769G	5.773231G	500k	3
35.64M	5.73712G	5.77276G	36.642M	5.736649G	5.773291G	500k	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5795MHz




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.3M	5.77688G	5.81318G	37.301M	5.776289G	5.813591G	500k	1
35.04M	5.77688G	5.81192G	38.921M	5.77551G	5.81443G	500k	2
35.64M	5.77688G	5.81252G	38.741M	5.77539G	5.81413G	500k	3
35.88M	5.77688G	5.81276G	41.619M	5.773231G	5.81485G	500k	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5210MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.36M	5.16944G	5.2508G	75.682M	5.172219G	5.247901G	Inf	1
82.44M	5.16872G	5.25116G	75.802M	5.172099G	5.247901G	Inf	2
81.96M	5.16932G	5.25128G	75.922M	5.172099G	5.248021G	Inf	3
81.84M	5.1692G	5.25104G	75.562M	5.172219G	5.247781G	Inf	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5775MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
72.6M	5.73744G	5.81004G	75.802M	5.736859G	5.812661G	500k	1
72.24M	5.7372G	5.80944G	75.562M	5.736979G	5.812541G	500k	2
71.4M	5.73744G	5.80884G	75.322M	5.737099G	5.812421G	500k	3
73.32M	5.73768G	5.811G	75.802M	5.736979G	5.812781G	500k	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5180MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.24M	5.16938G	5.19062G	18.921M	5.170555G	5.189475G	Inf	1
21.33M	5.16938G	5.19071G	18.981M	5.170525G	5.189505G	Inf	2
21.15M	5.16947G	5.19062G	18.921M	5.170555G	5.189475G	Inf	3
21.78M	5.16902G	5.1908G	18.951M	5.170525G	5.189475G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5200MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.48M	5.18938G	5.21086G	19.01M	5.190525G	5.209535G	Inf	1
21.21M	5.18935G	5.21056G	18.891M	5.190555G	5.209445G	Inf	2
23.7M	5.18812G	5.21182G	18.951M	5.190525G	5.209475G	Inf	3
21.72M	5.18917G	5.21089G	18.981M	5.190525G	5.209505G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5240MHz

10/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.55M	5.22221G	5.25776G	19.19M	5.230405G	5.249595G	Inf	1
35.76M	5.22056G	5.25632G	19.13M	5.230435G	5.249565G	Inf	2
33.84M	5.22422G	5.25806G	19.1M	5.230465G	5.249565G	Inf	3
37.8M	5.22038G	5.25818G	19.28M	5.230375G	5.249655G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5745MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.06M	5.7357G	5.75376G	19.01M	5.735495G	5.754505G	500k	1
18.87M	5.73561G	5.75448G	19.07M	5.735465G	5.754535G	500k	2
19.05M	5.73549G	5.75454G	19.13M	5.735435G	5.754565G	500k	3
18.6M	5.73585G	5.75445G	19.1M	5.735465G	5.754565G	500k	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5785MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.89M	5.77741G	5.7943G	23.478M	5.773066G	5.796544G	500k	1
18.69M	5.77576G	5.79445G	21.259M	5.774235G	5.795495G	500k	2
18.63M	5.77564G	5.79427G	26.177M	5.771777G	5.797954G	500k	3
18.87M	5.77552G	5.79439G	36.222M	5.766919G	5.803141G	500k	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5825MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.01M	5.81711G	5.83412G	19.7M	5.815045G	5.834745G	500k	1
18.84M	5.81558G	5.83442G	19.49M	5.815285G	5.834775G	500k	2
16.68M	5.81711G	5.83379G	19.88M	5.815015G	5.834895G	500k	3
18.99M	5.81549G	5.83448G	30.975M	5.809198G	5.840172G	500k	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5190MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.1M	5.16954G	5.21064G	37.841M	5.171169G	5.20901G	Inf	1
40.68M	5.16972G	5.2104G	37.781M	5.171109G	5.208891G	Inf	2
40.98M	5.16954G	5.21052G	37.901M	5.171049G	5.208951G	Inf	3
41.22M	5.16966G	5.21088G	38.021M	5.171049G	5.20907G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5230MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.86M	5.2096G	5.25046G	37.721M	5.211169G	5.248891G	Inf	1
40.74M	5.20972G	5.25046G	38.021M	5.21099G	5.24901G	Inf	2
41.16M	5.20948G	5.25064G	37.961M	5.21099G	5.248951G	Inf	3
41.34M	5.2093G	5.25064G	38.021M	5.21099G	5.24901G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5755MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.86M	5.73604G	5.7739G	38.141M	5.73587G	5.77401G	500k	1
37.56M	5.73622G	5.77378G	38.261M	5.73581G	5.77407G	500k	2
37.74M	5.73604G	5.77378G	38.501M	5.73575G	5.77425G	500k	3
37.98M	5.73604G	5.77402G	38.501M	5.73575G	5.77425G	500k	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5795MHz

23/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.8M	5.77622G	5.81402G	39.04M	5.77539G	5.81443G	500k	1
36.06M	5.77604G	5.8121G	41.079M	5.77431G	5.81539G	500k	2
37.92M	5.77622G	5.81414G	42.039M	5.773651G	5.81569G	500k	3
37.98M	5.77604G	5.81402G	46.897M	5.770532G	5.817429G	500k	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5210MHz

23/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.56M	5.16872G	5.25128G	77.481M	5.171259G	5.248741G	Inf	1
82.08M	5.1692G	5.25128G	77.481M	5.171259G	5.248741G	Inf	2
82.44M	5.16896G	5.2514G	77.481M	5.171379G	5.248861G	Inf	3
82.32M	5.16908G	5.2514G	77.241M	5.171499G	5.248741G	Inf	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5775MHz

23/02/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.76M	5.73624G	5.814G	77.601M	5.736259G	5.813861G	500k	1
76.44M	5.73612G	5.81256G	77.241M	5.736139G	5.813381G	500k	2
72M	5.73732G	5.80932G	76.882M	5.736379G	5.813261G	500k	3
77.88M	5.736G	5.81388G	77.601M	5.736019G	5.813621G	500k	4

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	19.86M	16.492M	16M5D1D	19.29M	16.402M
802.11n HT20_Nss1,(MCS0)_4TX	20.85M	17.661M	17M7D1D	20.28M	17.571M
802.11n HT40_Nss1,(MCS0)_4TX	41.28M	36.462M	36M5D1D	40.14M	36.222M
802.11ac VHT20_Nss1,(MCS0)_4TX	22.38M	17.661M	17M7D1D	20.55M	17.601M
802.11ac VHT40_Nss1,(MCS0)_4TX	41.64M	36.402M	36M4D1D	39.9M	36.222M
802.11ac VHT80_Nss1,(MCS0)_4TX	82.68M	75.922M	75M9D1D	81.48M	75.802M
802.11ax HEW20_Nss1,(MCS0)_4TX	22.17M	19.04M	19M0D1D	21.18M	18.891M
802.11ax HEW40_Nss1,(MCS0)_4TX	42.12M	38.201M	38M2D1D	40.92M	37.841M
802.11ax HEW80_Nss1,(MCS0)_4TX	82.68M	77.601M	77M6D1D	82.32M	77.121M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	20.37M	16.522M	16M5D1D	14.31M	13.178M
802.11n HT20_Nss1,(MCS0)_4TX	22.11M	17.661M	17M7D1D	15.225M	13.793M
802.11n HT40_Nss1,(MCS0)_4TX	60.48M	36.522M	36M5D1D	36.54M	33.058M
802.11ac VHT20_Nss1,(MCS0)_4TX	24.69M	17.721M	17M7D1D	19.08M	13.913M
802.11ac VHT40_Nss1,(MCS0)_4TX	62.7M	36.462M	36M5D1D	36.33M	33.128M
802.11ac VHT80_Nss1,(MCS0)_4TX	87.75M	75.802M	75M8D1D	76.125M	72.489M
802.11ax HEW20_Nss1,(MCS0)_4TX	27.09M	19.07M	19M1D1D	19.365M	14.498M
802.11ax HEW40_Nss1,(MCS0)_4TX	52.68M	38.141M	38M1D1D	40.44M	33.863M
802.11ax HEW80_Nss1,(MCS0)_4TX	82.8M	77.721M	77M7D1D	76.65M	73.388M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	3.14M	3.498M	3M50D1D	3.12M	3.418M
802.11n HT20_Nss1,(MCS0)_4TX	3.78M	4.058M	4M06D1D	3.76M	3.938M
802.11n HT40_Nss1,(MCS0)_4TX	3.14M	22.009M	22M0D1D	3.12M	16.012M
802.11ac VHT20_Nss1,(MCS0)_4TX	3.76M	9.355M	9M36D1D	3.72M	7.596M
802.11ac VHT40_Nss1,(MCS0)_4TX	3.14M	18.831M	18M8D1D	3.12M	12.374M
802.11ac VHT80_Nss1,(MCS0)_4TX	3.14M	33.023M	33M0D1D	3.04M	27.366M
802.11ax HEW20_Nss1,(MCS0)_4TX	4.5M	11.034M	11M0D1D	4.36M	6.157M
802.11ax HEW40_Nss1,(MCS0)_4TX	4.1M	23.548M	23M5D1D	3.9M	17.671M
802.11ax HEW80_Nss1,(MCS0)_4TX	4.12M	33.243M	33M2D1D	3.98M	28.746M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	19.86M	16.492M	19.5M	16.432M	19.47M	16.432M	19.32M	16.432M
5300MHz	Pass	Inf	19.56M	16.462M	19.59M	16.492M	19.35M	16.432M	19.32M	16.432M
5320MHz	Pass	Inf	19.44M	16.462M	19.29M	16.402M	19.56M	16.432M	19.32M	16.402M
5500MHz	Pass	Inf	19.95M	16.492M	20.01M	16.432M	19.5M	16.432M	20.37M	16.462M
5580MHz	Pass	Inf	19.71M	16.432M	19.56M	16.432M	19.2M	16.432M	19.68M	16.462M
5700MHz	Pass	Inf	19.59M	16.492M	19.08M	16.342M	19.59M	16.522M	19.38M	16.462M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.685M	13.208M	15.135M	13.298M	14.31M	13.178M	14.685M	13.253M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	3.498M	3.14M	3.478M	3.12M	3.418M	3.12M	3.418M
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	20.73M	17.631M	20.4M	17.601M	20.76M	17.631M	20.85M	17.661M
5300MHz	Pass	Inf	20.64M	17.601M	20.85M	17.631M	20.28M	17.571M	20.67M	17.661M
5320MHz	Pass	Inf	20.76M	17.631M	20.58M	17.601M	20.52M	17.601M	20.46M	17.631M
5500MHz	Pass	Inf	20.52M	17.661M	20.91M	17.661M	20.61M	17.661M	20.85M	17.601M
5580MHz	Pass	Inf	20.85M	17.661M	21.63M	17.631M	21.06M	17.631M	22.11M	17.631M
5700MHz	Pass	Inf	20.73M	17.661M	20.28M	17.541M	20.55M	17.661M	20.55M	17.661M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.405M	13.883M	15.75M	13.868M	15.24M	13.793M	15.225M	13.868M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.78M	4.018M	3.76M	4.058M	3.78M	3.938M	3.76M	3.978M
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	41.28M	36.342M	41.16M	36.402M	40.74M	36.282M	40.26M	36.342M
5310MHz	Pass	Inf	40.38M	36.342M	40.26M	36.222M	40.56M	36.282M	40.14M	36.462M
5510MHz	Pass	Inf	40.2M	36.222M	40.5M	36.342M	40.62M	36.342M	40.08M	36.282M
5550MHz	Pass	Inf	42.84M	36.402M	60.48M	36.462M	41.76M	36.282M	46.98M	36.522M
5670MHz	Pass	Inf	40.86M	36.342M	40.32M	36.222M	40.44M	36.402M	40.08M	36.342M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	49.175M	33.198M	48.3M	33.128M	36.54M	33.058M	39.48M	33.198M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	20.73M	3.12M	22.009M	3.12M	16.012M	3.14M	19.75M
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	21.36M	17.631M	22.38M	17.661M	20.85M	17.631M	22.11M	17.661M
5300MHz	Pass	Inf	21.33M	17.601M	21.3M	17.661M	20.79M	17.601M	20.55M	17.631M
5320MHz	Pass	Inf	21.33M	17.661M	21.21M	17.631M	21M	17.631M	20.85M	17.601M
5500MHz	Pass	Inf	20.76M	17.601M	20.55M	17.661M	20.67M	17.601M	20.64M	17.661M
5580MHz	Pass	Inf	23.04M	17.661M	24.69M	17.721M	21.96M	17.661M	24.27M	17.721M
5700MHz	Pass	Inf	20.52M	17.661M	20.43M	17.541M	20.76M	17.691M	20.76M	17.661M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	19.08M	14.018M	19.2M	13.913M	20.265M	13.958M	20.01M	14.018M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.76M	8.356M	3.76M	9.355M	3.74M	7.596M	3.72M	8.656M
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	40.74M	36.222M	41.64M	36.402M	40.62M	36.282M	40.38M	36.402M
5310MHz	Pass	Inf	40.44M	36.222M	40.2M	36.342M	40.68M	36.282M	39.9M	36.282M
5510MHz	Pass	Inf	40.56M	36.222M	40.5M	36.282M	40.2M	36.222M	39.84M	36.282M
5550MHz	Pass	Inf	43.56M	36.402M	62.7M	36.462M	40.98M	36.342M	45.66M	36.342M
5670MHz	Pass	Inf	40.5M	36.162M	40.02M	36.162M	40.56M	36.342M	40.14M	36.342M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	48.02M	33.268M	48.09M	33.128M	36.33M	33.163M	43.68M	33.198M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	18.231M	3.12M	18.831M	3.12M	12.374M	3.12M	15.952M
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	81.96M	75.802M	81.6M	75.802M	82.68M	75.922M	81.48M	75.802M
5530MHz	Pass	Inf	81.72M	75.442M	80.88M	75.682M	81.72M	75.802M	81.72M	75.562M
5610MHz	Pass	Inf	82.44M	75.802M	82.32M	75.802M	81.96M	75.682M	81.24M	75.682M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	79.2M	72.864M	87.75M	72.489M	76.125M	72.639M	84.9M	72.789M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	30.225M	3.12M	33.023M	3.04M	27.366M	3.1M	29.205M
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	21.9M	19.04M	22.17M	18.981M	21.93M	18.981M	21.72M	18.981M
5300MHz	Pass	Inf	21.9M	19.01M	21.3M	18.891M	21.51M	18.951M	21.66M	18.981M
5320MHz	Pass	Inf	21.81M	18.951M	22.02M	18.921M	21.63M	18.951M	21.18M	18.951M
5500MHz	Pass	Inf	21.36M	18.921M	21.24M	18.921M	21.18M	18.921M	20.94M	18.861M
5580MHz	Pass	Inf	27.09M	19.01M	26.64M	19.07M	21.42M	18.891M	26.19M	18.951M


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5700MHz	Pass	Inf	21.39M	18.981M	20.61M	18.861M	21.27M	18.951M	21.3M	18.951M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	20.1M	14.573M	20.955M	14.558M	19.365M	14.498M	21.09M	14.573M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.48M	11.034M	4.44M	10.875M	4.5M	6.157M	4.36M	10.715M
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	42.12M	37.961M	41.04M	37.961M	41.28M	38.201M	41.52M	38.081M
5310MHz	Pass	Inf	41.1M	37.841M	40.98M	37.901M	40.92M	38.021M	41.04M	37.901M
5510MHz	Pass	Inf	40.92M	37.901M	40.98M	37.961M	40.8M	37.841M	40.92M	38.021M
5550MHz	Pass	Inf	46.02M	38.081M	52.68M	38.081M	43.74M	38.081M	50.04M	38.141M
5670MHz	Pass	Inf	40.98M	37.781M	40.44M	37.781M	41.28M	37.961M	40.98M	37.961M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	45.815M	34.038M	47.81M	33.933M	42.84M	33.863M	47.11M	34.003M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.9M	17.671M	4M	23.548M	4.1M	19.23M	4.04M	21.569M
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	82.32M	77.361M	82.32M	77.601M	82.68M	77.121M	82.44M	77.481M
5530MHz	Pass	Inf	82.08M	77.601M	82.2M	77.361M	82.2M	77.121M	82.8M	77.601M
5610MHz	Pass	Inf	82.2M	77.721M	82.2M	77.361M	81.96M	77.481M	82.08M	77.481M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	76.65M	73.688M	79.05M	73.388M	76.875M	73.388M	76.875M	73.763M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.06M	30.205M	4.12M	33.243M	4.06M	28.746M	3.98M	30.485M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_4TX EBW

5260MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.86M	5.25001G	5.26987G	16.492M	5.251724G	5.268216G	Inf	1
19.5M	5.25001G	5.26951G	16.432M	5.251754G	5.268186G	Inf	2
19.47M	5.25022G	5.26969G	16.432M	5.251754G	5.268186G	Inf	3
19.32M	5.25022G	5.26954G	16.432M	5.251754G	5.268186G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5300MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.56M	5.29007G	5.30963G	16.462M	5.291724G	5.308186G	Inf	1
19.59M	5.29013G	5.30972G	16.492M	5.291724G	5.308216G	Inf	2
19.35M	5.29025G	5.3096G	16.432M	5.291754G	5.308186G	Inf	3
19.32M	5.29019G	5.30951G	16.432M	5.291754G	5.308186G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5320MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.44M	5.31013G	5.32957G	16.462M	5.311724G	5.328186G	Inf	1
19.29M	5.31022G	5.32951G	16.402M	5.311754G	5.328156G	Inf	2
19.56M	5.31022G	5.32978G	16.432M	5.311754G	5.328186G	Inf	3
19.32M	5.31022G	5.32954G	16.402M	5.311754G	5.328156G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5500MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.95M	5.48977G	5.50972G	16.492M	5.491724G	5.508216G	Inf	1
20.01M	5.48983G	5.50984G	16.432M	5.491754G	5.508186G	Inf	2
19.5M	5.49022G	5.50972G	16.432M	5.491754G	5.508186G	Inf	3
20.37M	5.48992G	5.51029G	16.462M	5.491754G	5.508216G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5580MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.71M	5.56998G	5.58969G	16.432M	5.571724G	5.588156G	Inf	1
19.56M	5.56983G	5.58939G	16.432M	5.571754G	5.588186G	Inf	2
19.2M	5.57031G	5.58951G	16.432M	5.571754G	5.588186G	Inf	3
19.68M	5.5701G	5.58978G	16.462M	5.571724G	5.588186G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5700MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.59M	5.6901G	5.70969G	16.492M	5.691754G	5.708246G	Inf	1
19.08M	5.69028G	5.70936G	16.342M	5.691784G	5.708126G	Inf	2
19.59M	5.69022G	5.70981G	16.522M	5.691724G	5.708246G	Inf	3
19.38M	5.69025G	5.70963G	16.462M	5.691784G	5.708246G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5720MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.685M	5.710315G	5.725G	13.208M	5.711724G	5.724933G	Inf	1
15.135M	5.709865G	5.725G	13.298M	5.711649G	5.724948G	Inf	2
14.31M	5.71069G	5.725G	13.178M	5.711769G	5.724948G	Inf	3
14.685M	5.710315G	5.725G	13.253M	5.711679G	5.724933G	Inf	4

802.11a_Nss1,(6Mbps)_4TX EBW

5720MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	3.498M	5.72501G	5.728508G	500k	1
3.14M	5.725G	5.72814G	3.478M	5.72501G	5.728488G	500k	2
3.12M	5.725G	5.72812G	3.418M	5.72501G	5.728428G	500k	3
3.12M	5.725G	5.72812G	3.418M	5.72501G	5.728428G	500k	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5260MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.73M	5.24959G	5.27032G	17.631M	5.251154G	5.268786G	Inf	1
20.4M	5.24971G	5.27011G	17.601M	5.251154G	5.268756G	Inf	2
20.76M	5.24962G	5.27038G	17.631M	5.251124G	5.268756G	Inf	3
20.85M	5.24941G	5.27026G	17.661M	5.251124G	5.268786G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5300MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.64M	5.28965G	5.31029G	17.601M	5.291154G	5.308756G	Inf	1
20.85M	5.28959G	5.31044G	17.631M	5.291124G	5.308756G	Inf	2
20.28M	5.2898G	5.31008G	17.571M	5.291184G	5.308756G	Inf	3
20.67M	5.28959G	5.31026G	17.661M	5.291124G	5.308786G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5320MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.76M	5.30956G	5.33032G	17.631M	5.311124G	5.328756G	Inf	1
20.58M	5.30971G	5.33029G	17.601M	5.311184G	5.328786G	Inf	2
20.52M	5.30971G	5.33023G	17.601M	5.311154G	5.328756G	Inf	3
20.46M	5.3098G	5.33026G	17.631M	5.311124G	5.328756G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5500MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.52M	5.48971G	5.51023G	17.661M	5.491124G	5.508786G	Inf	1
20.91M	5.48956G	5.51047G	17.661M	5.491154G	5.508816G	Inf	2
20.61M	5.48977G	5.51038G	17.661M	5.491154G	5.508816G	Inf	3
20.85M	5.48983G	5.51068G	17.601M	5.491184G	5.508786G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5580MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.85M	5.56959G	5.59044G	17.661M	5.571154G	5.588816G	Inf	1
21.63M	5.56938G	5.59101G	17.631M	5.571154G	5.588786G	Inf	2
21.06M	5.5695G	5.59056G	17.631M	5.571154G	5.588786G	Inf	3
22.11M	5.56866G	5.59077G	17.631M	5.571154G	5.588786G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5700MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.73M	5.68965G	5.71038G	17.661M	5.691154G	5.708816G	Inf	1
20.28M	5.68986G	5.71014G	17.541M	5.691184G	5.708726G	Inf	2
20.55M	5.68965G	5.7102G	17.661M	5.691124G	5.708786G	Inf	3
20.55M	5.68971G	5.71026G	17.661M	5.691154G	5.708816G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.405M	5.709595G	5.725G	13.883M	5.711064G	5.724948G	Inf	1
15.75M	5.70925G	5.725G	13.868M	5.711049G	5.724918G	Inf	2
15.24M	5.709976G	5.725G	13.793M	5.711154G	5.724948G	Inf	3
15.225M	5.709775G	5.725G	13.868M	5.711079G	5.724948G	Inf	4

802.11n HT20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.78M	5.725G	5.72878G	4.018M	5.72501G	5.729028G	500k	1
3.76M	5.725G	5.72876G	4.058M	5.72501G	5.729068G	500k	2
3.78M	5.725G	5.72878G	3.938M	5.72501G	5.728948G	500k	3
3.76M	5.725G	5.72876G	3.978M	5.72501G	5.728988G	500k	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5270MHz

05/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.28M	5.249G	5.29028G	36.342M	5.251769G	5.288111G	Inf	1
41.16M	5.24966G	5.29082G	36.402M	5.251769G	5.288171G	Inf	2
40.74M	5.24954G	5.29028G	36.282M	5.251829G	5.288111G	Inf	3
40.26M	5.24978G	5.29004G	36.342M	5.251769G	5.288111G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5310MHz

05/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.38M	5.28966G	5.33004G	36.342M	5.291769G	5.328111G	Inf	1
40.26M	5.29002G	5.33028G	36.222M	5.291889G	5.328111G	Inf	2
40.56M	5.28966G	5.33022G	36.282M	5.291769G	5.328051G	Inf	3
40.14M	5.28984G	5.32998G	36.462M	5.291709G	5.328171G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5510MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.2M	5.4899G	5.5301G	36.222M	5.491829G	5.528051G	Inf	1
40.5M	5.49014G	5.53064G	36.342M	5.491889G	5.528231G	Inf	2
40.62M	5.48984G	5.53046G	36.342M	5.491889G	5.528231G	Inf	3
40.08M	5.49002G	5.5301G	36.282M	5.491889G	5.528171G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5550MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.84M	5.52906G	5.5719G	36.402M	5.531709G	5.568111G	Inf	1
60.48M	5.52144G	5.58192G	36.462M	5.531829G	5.568291G	Inf	2
41.76M	5.52924G	5.571G	36.282M	5.531829G	5.568111G	Inf	3
46.98M	5.52948G	5.57646G	36.522M	5.531709G	5.568231G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5670MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.86M	5.64948G	5.69034G	36.342M	5.651709G	5.688051G	Inf	1
40.32M	5.6499G	5.69022G	36.222M	5.651829G	5.688051G	Inf	2
40.44M	5.64978G	5.69022G	36.402M	5.651709G	5.688111G	Inf	3
40.08M	5.64984G	5.68992G	36.342M	5.651769G	5.688111G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.175M	5.675825G	5.725G	33.198M	5.691609G	5.724808G	Inf	1
48.3M	5.6767G	5.725G	33.128M	5.691714G	5.724843G	Inf	2
36.54M	5.68846G	5.725G	33.058M	5.691679G	5.724738G	Inf	3
39.48M	5.68552G	5.725G	33.198M	5.691644G	5.724843G	Inf	4

802.11n HT40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	20.73M	5.72501G	5.74574G	500k	1
3.12M	5.725G	5.72812G	22.009M	5.72501G	5.747019G	500k	2
3.12M	5.725G	5.72812G	16.012M	5.72501G	5.741022G	500k	3
3.14M	5.725G	5.72814G	19.75M	5.72501G	5.74476G	500k	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5260MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.36M	5.24902G	5.27038G	17.631M	5.251124G	5.268756G	Inf	1
22.38M	5.24893G	5.27131G	17.661M	5.251124G	5.268786G	Inf	2
20.85M	5.24959G	5.27044G	17.631M	5.251154G	5.268786G	Inf	3
22.11M	5.24926G	5.27137G	17.661M	5.251124G	5.268786G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5300MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.33M	5.28902G	5.31035G	17.601M	5.291154G	5.308756G	Inf	1
21.3M	5.28938G	5.31068G	17.661M	5.291124G	5.308786G	Inf	2
20.79M	5.2895G	5.31029G	17.601M	5.291154G	5.308756G	Inf	3
20.55M	5.28974G	5.31029G	17.631M	5.291124G	5.308756G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5320MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.33M	5.30917G	5.3305G	17.661M	5.311124G	5.328786G	Inf	1
21.21M	5.30941G	5.33062G	17.631M	5.311154G	5.328786G	Inf	2
21M	5.30956G	5.33056G	17.631M	5.311124G	5.328756G	Inf	3
20.85M	5.30947G	5.33032G	17.601M	5.311154G	5.328756G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5500MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.76M	5.48971G	5.51047G	17.601M	5.491184G	5.508786G	Inf	1
20.55M	5.4898G	5.51035G	17.661M	5.491154G	5.508816G	Inf	2
20.67M	5.48968G	5.51035G	17.601M	5.491184G	5.508786G	Inf	3
20.64M	5.48971G	5.51035G	17.661M	5.491124G	5.508786G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5580MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.04M	5.56908G	5.59212G	17.661M	5.571094G	5.588756G	Inf	1
24.69M	5.56809G	5.59278G	17.721M	5.571124G	5.588846G	Inf	2
21.96M	5.56881G	5.59077G	17.661M	5.571124G	5.588786G	Inf	3
24.27M	5.56833G	5.5926G	17.721M	5.571124G	5.588846G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5700MHz

04/06/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.52M	5.6898G	5.71032G	17.661M	5.691154G	5.708816G	Inf	1
20.43M	5.68968G	5.71011G	17.541M	5.691214G	5.708756G	Inf	2
20.76M	5.68971G	5.71047G	17.691M	5.691124G	5.708816G	Inf	3
20.76M	5.6898G	5.71056G	17.661M	5.691154G	5.708816G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.08M	5.70592G	5.725G	14.018M	5.710915G	5.724933G	Inf	1
19.2M	5.7058G	5.725G	13.913M	5.711034G	5.724948G	Inf	2
20.265M	5.704735G	5.725G	13.958M	5.71099G	5.724948G	Inf	3
20.01M	5.70499G	5.725G	14.018M	5.71093G	5.724948G	Inf	4

802.11ac VHT20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.76M	5.725G	5.72876G	8.356M	5.72503G	5.733386G	500k	1
3.76M	5.725G	5.72876G	9.355M	5.72501G	5.734365G	500k	2
3.74M	5.725G	5.72874G	7.596M	5.72501G	5.732606G	500k	3
3.72M	5.725G	5.72872G	8.656M	5.72501G	5.733666G	500k	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5270MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.74M	5.24972G	5.29046G	36.222M	5.251769G	5.287991G	Inf	1
41.64M	5.24948G	5.29112G	36.402M	5.251709G	5.288111G	Inf	2
40.62M	5.24972G	5.29034G	36.282M	5.251769G	5.288051G	Inf	3
40.38M	5.2496G	5.28998G	36.402M	5.251709G	5.288111G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5310MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.44M	5.2896G	5.33004G	36.222M	5.291889G	5.328111G	Inf	1
40.2M	5.2899G	5.3301G	36.342M	5.291769G	5.328111G	Inf	2
40.68M	5.289448G	5.330160G	36.282M	5.291769G	5.328051G	Inf	3
39.9M	5.29002G	5.32992G	36.282M	5.291769G	5.328051G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5510MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.56M	5.48984G	5.5304G	36.222M	5.491889G	5.528111G	Inf	1
40.5M	5.48984G	5.53034G	36.282M	5.491889G	5.528171G	Inf	2
40.2M	5.49002G	5.53022G	36.222M	5.491949G	5.528171G	Inf	3
39.84M	5.490026G	5.5301G	36.282M	5.491889G	5.528171G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5550MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
43.56M	5.52936G	5.57292G	36.402M	5.531709G	5.568111G	Inf	1
62.7M	5.5215G	5.5842G	36.462M	5.531829G	5.568291G	Inf	2
40.98M	5.52954G	5.57052G	36.342M	5.531769G	5.568111G	Inf	3
45.66M	5.52936G	5.57502G	36.342M	5.531769G	5.568111G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5670MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.5M	5.64954G	5.69004G	36.162M	5.651769G	5.687931G	Inf	1
40.02M	5.64996G	5.68998G	36.162M	5.651889G	5.688051G	Inf	2
40.56M	5.64984G	5.6904G	36.342M	5.651769G	5.688111G	Inf	3
40.14M	5.64996G	5.6901G	36.342M	5.651769G	5.688111G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
48.02M	5.67698G	5.725G	33.268M	5.691574G	5.724843G	Inf	1
48.09M	5.67691G	5.725G	33.128M	5.691679G	5.724808G	Inf	2
36.33M	5.68867G	5.725G	33.163M	5.691679G	5.724843G	Inf	3
43.68M	5.68132G	5.725G	33.198M	5.691644G	5.724843G	Inf	4

802.11ac VHT40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	18.231M	5.72503G	5.743261G	500k	1
3.12M	5.725G	5.72812G	18.831M	5.72501G	5.743841G	500k	2
3.12M	5.725G	5.72812G	12.374M	5.72501G	5.737384G	500k	3
3.12M	5.725G	5.72812G	15.952M	5.72501G	5.740962G	500k	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5290MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.96M	5.24884G	5.3308G	75.802M	5.251979G	5.327781G	Inf	1
81.6M	5.2492G	5.3308G	75.802M	5.251979G	5.327781G	Inf	2
82.68M	5.24824G	5.33092G	75.922M	5.251859G	5.327781G	Inf	3
81.48M	5.24908G	5.33056G	75.802M	5.251859G	5.327661G	Inf	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5530MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.72M	5.4892G	5.57092G	75.442M	5.492219G	5.567661G	Inf	1
80.88M	5.48992G	5.5708G	75.682M	5.492339G	5.568021G	Inf	2
81.72M	5.4892G	5.57092G	75.802M	5.492099G	5.567901G	Inf	3
81.72M	5.48932G	5.57104G	75.562M	5.492219G	5.567781G	Inf	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5610MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.44M	5.56836G	5.6508G	75.802M	5.571859G	5.647661G	Inf	1
82.32M	5.56848G	5.6508G	75.802M	5.571979G	5.647781G	Inf	2
81.96M	5.56884G	5.6508G	75.682M	5.572099G	5.647781G	Inf	3
81.24M	5.56932G	5.65056G	75.682M	5.571979G	5.647661G	Inf	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5690MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.2M	5.6458G	5.725G	72.864M	5.651724G	5.724588G	Inf	1
87.75M	5.63725G	5.725G	72.489M	5.652024G	5.724513G	Inf	2
76.125M	5.648875G	5.725G	72.639M	5.651874G	5.724513G	Inf	3
84.9M	5.6401G	5.725G	72.789M	5.651724G	5.724513G	Inf	4

802.11ac VHT80_Nss1,(MCS0)_4TX EBW

5690MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	30.225M	5.72501G	5.755235G	500k	1
3.12M	5.725G	5.72812G	33.023M	5.72501G	5.758033G	500k	2
3.04M	5.72508G	5.72812G	27.366M	5.72501G	5.752376G	500k	3
3.1M	5.725G	5.7281G	29.205M	5.72501G	5.754215G	500k	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5260MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.9M	5.24893G	5.27083G	19.04M	5.250465G	5.269505G	Inf	1
22.17M	5.24908G	5.27125G	18.981M	5.250465G	5.269445G	Inf	2
21.93M	5.2489G	5.27083G	18.981M	5.250495G	5.269475G	Inf	3
21.72M	5.24896G	5.27068G	18.981M	5.250465G	5.269445G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5300MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.9M	5.28905G	5.31095G	19.01M	5.290465G	5.309475G	Inf	1
21.3M	5.28935G	5.31065G	18.891M	5.290525G	5.309415G	Inf	2
21.51M	5.28935G	5.31086G	18.951M	5.290495G	5.309445G	Inf	3
21.66M	5.28905G	5.31071G	18.981M	5.290465G	5.309445G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5320MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.81M	5.30902G	5.33083G	18.951M	5.310495G	5.329445G	Inf	1
22.02M	5.30896G	5.33098G	18.921M	5.310525G	5.329445G	Inf	2
21.63M	5.3092G	5.33083G	18.951M	5.310495G	5.329445G	Inf	3
21.18M	5.30932G	5.3305G	18.951M	5.310495G	5.329445G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5500MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.36M	5.48926G	5.51062G	18.921M	5.490525G	5.509445G	Inf	1
21.24M	5.48938G	5.51062G	18.921M	5.490525G	5.509445G	Inf	2
21.18M	5.48932G	5.5105G	18.921M	5.490525G	5.509445G	Inf	3
20.94M	5.4895G	5.51044G	18.861M	5.490585G	5.509445G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5580MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
27.09M	5.56815G	5.59524G	19.01M	5.570465G	5.589475G	Inf	1
26.64M	5.56662G	5.59326G	19.07M	5.570435G	5.589505G	Inf	2
21.42M	5.5692G	5.59062G	18.891M	5.570525G	5.589415G	Inf	3
26.19M	5.56746G	5.59365G	18.951M	5.570495G	5.589445G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5700MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.39M	5.68929G	5.71068G	18.981M	5.690465G	5.709445G	Inf	1
20.61M	5.68965G	5.71026G	18.861M	5.690555G	5.709415G	Inf	2
21.27M	5.68929G	5.71056G	18.951M	5.690495G	5.709445G	Inf	3
21.3M	5.68932G	5.71062G	18.951M	5.690525G	5.709475G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.1M	5.7049G	5.725G	14.573M	5.710375G	5.724948G	Inf	1
20.955M	5.704045G	5.725G	14.558M	5.710375G	5.724933G	Inf	2
19.365M	5.705635G	5.725G	14.498M	5.710435G	5.724933G	Inf	3
21.09M	5.70391G	5.725G	14.573M	5.71036G	5.724933G	Inf	4

802.11ax HEW20_Nss1,(MCS0)_4TX EBW

5720MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
4.48M	5.725G	5.72948G	11.034M	5.72503G	5.736064G	500k	1
4.44M	5.725G	5.72944G	10.875M	5.72501G	5.735885G	500k	2
4.5M	5.725G	5.7295G	6.157M	5.72503G	5.731187G	500k	3
4.36M	5.725G	5.72936G	10.715M	5.72501G	5.735725G	500k	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5270MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.12M	5.2487G	5.29082G	37.961M	5.25099G	5.288951G	Inf	1
41.04M	5.24936G	5.2904G	37.961M	5.25093G	5.288891G	Inf	2
41.28M	5.24918G	5.29046G	38.201M	5.25081G	5.28901G	Inf	3
41.52M	5.24906G	5.29058G	38.081M	5.25087G	5.288951G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5310MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.1M	5.28936G	5.33046G	37.841M	5.29099G	5.328831G	Inf	1
40.98M	5.28942G	5.3304G	37.901M	5.29099G	5.328891G	Inf	2
40.92M	5.2896G	5.33052G	38.021M	5.29099G	5.32901G	Inf	3
41.04M	5.28948G	5.33052G	37.901M	5.29099G	5.328891G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5510MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.92M	5.48966G	5.53058G	37.901M	5.491109G	5.52901G	Inf	1
40.98M	5.4896G	5.53058G	37.961M	5.491049G	5.52901G	Inf	2
40.8M	5.48972G	5.53052G	37.841M	5.491109G	5.528951G	Inf	3
40.92M	5.48942G	5.53034G	38.021M	5.49099G	5.52901G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5550MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.02M	5.52864G	5.57466G	38.081M	5.53093G	5.56901G	Inf	1
52.68M	5.52528G	5.57796G	38.081M	5.53099G	5.56907G	Inf	2
43.74M	5.52948G	5.57322G	38.081M	5.53093G	5.56901G	Inf	3
50.04M	5.5275G	5.57754G	38.141M	5.53093G	5.56907G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5670MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.98M	5.64924G	5.69022G	37.781M	5.65099G	5.688771G	Inf	1
40.44M	5.64972G	5.69016G	37.781M	5.6510449G	5.688831G	Inf	2
41.28M	5.64954G	5.69082G	37.961M	5.65099G	5.688951G	Inf	3
40.98M	5.64954G	5.69052G	37.961M	5.65093G	5.688891G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
45.815M	5.679185G	5.725G	34.038M	5.69084G	5.724878G	Inf	1
47.81M	5.67719G	5.725G	33.933M	5.690875G	5.724808G	Inf	2
42.84M	5.68216G	5.725G	33.863M	5.69091G	5.724773G	Inf	3
47.11M	5.67789G	5.725G	34.003M	5.690805G	5.724808G	Inf	4

802.11ax HEW40_Nss1,(MCS0)_4TX EBW

5710MHz Straddle 5.725-5.85GHz

04/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.9M	5.725G	5.7289G	17.671M	5.72501G	5.742681G	500k	1
4M	5.725G	5.729G	23.548M	5.72503G	5.748578G	500k	2
4.1M	5.725G	5.7291G	19.23M	5.72501G	5.74424G	500k	3
4.04M	5.725G	5.72904G	21.569M	5.72503G	5.746599G	500k	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5290MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.32M	5.24872G	5.33104G	77.361M	5.251259G	5.328621G	Inf	1
82.32M	5.2486G	5.33092G	77.601M	5.251019G	5.328621G	Inf	2
82.68M	5.24872G	5.3314G	77.121M	5.251259G	5.328381G	Inf	3
82.44M	5.24848G	5.33092G	77.481M	5.251019G	5.328501G	Inf	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5530MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.08M	5.48908G	5.57116G	77.601M	5.491259G	5.568861G	Inf	1
82.2M	5.48908G	5.57128G	77.361M	5.491499G	5.568861G	Inf	2
82.2M	5.48884G	5.57104G	77.121M	5.491379G	5.568501G	Inf	3
82.8M	5.48872G	5.57152G	77.601M	5.491139G	5.568741G	Inf	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5610MHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.2M	5.56896G	5.65116G	77.721M	5.571019G	5.648741G	Inf	1
82.2M	5.56896G	5.65116G	77.361M	5.571259G	5.648621G	Inf	2
81.96M	5.56896G	5.65092G	77.481M	5.571139G	5.648621G	Inf	3
82.08M	5.56896G	5.65104G	77.481M	5.571019G	5.648501G	Inf	4

802.11ax HEW80_Nss1,(MCS0)_4TX EBW

5690MHz Straddle 5.47-5.725GHz

04/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.65M	5.64835G	5.725G	73.688M	5.6509G	5.724588G	Inf	1
79.05M	5.64595G	5.725G	73.388M	5.651049G	5.724438G	Inf	2
76.875M	5.648125G	5.725G	73.388M	5.651049G	5.724438G	Inf	3
76.875M	5.648125G	5.725G	73.763M	5.6509G	5.724663G	Inf	4

802.11ax HEW80_Nss1,(MCS0)_4TX **EBW**

5690MHz Straddle 5.725-5.85GHz

04/06/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
4.06M	5.725G	5.72906G	30.205M	5.72503G	5.755235G	500k	1
4.12M	5.725G	5.72912G	33.243M	5.72503G	5.758273G	500k	2
4.06M	5.725G	5.72906G	28.746M	5.72503G	5.753776G	500k	3
3.98M	5.725G	5.72898G	30.485M	5.72501G	5.755495G	500k	4

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	20.34M	16.56M	16M6D1D	19.23M	16.432M
802.11n HT20_Nss1,(MCS0)_8TX	21.03M	17.73M	17M7D1D	20.16M	17.571M
802.11n HT40_Nss1,(MCS0)_8TX	41.04M	36.462M	36M5D1D	39.9M	36.222M
802.11ac VHT20_Nss1,(MCS0)_8TX	21M	17.73M	17M7D1D	20.34M	17.58M
802.11ac VHT40_Nss1,(MCS0)_8TX	41.1M	36.402M	36M4D1D	39.9M	36.282M
802.11ac VHT80_Nss1,(MCS0)_8TX	82.08M	76.042M	76M0D1D	81.36M	75.682M
802.11ax HEW20_Nss1,(MCS0)_8TX	21.69M	19.02M	19M0D1D	20.91M	18.861M
802.11ax HEW40_Nss1,(MCS0)_8TX	41.52M	38.141M	38M1D1D	40.8M	37.841M
802.11ax HEW80_Nss1,(MCS0)_8TX	82.68M	77.721M	77M7D1D	81.72M	77.481M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	16.32M	16.672M	16M7D1D	15.27M	16.372M
802.11n HT20_Nss1,(MCS0)_8TX	17.58M	17.751M	17M8D1D	15.66M	17.541M
802.11n HT40_Nss1,(MCS0)_8TX	36.3M	36.522M	36M5D1D	32.52M	36.102M
802.11ac VHT20_Nss1,(MCS0)_8TX	17.61M	17.811M	17M8D1D	15.87M	17.511M
802.11ac VHT40_Nss1,(MCS0)_8TX	36.36M	36.402M	36M4D1D	32.88M	36.162M
802.11ac VHT80_Nss1,(MCS0)_8TX	75.84M	75.922M	75M9D1D	68.4M	75.322M
802.11ax HEW20_Nss1,(MCS0)_8TX	19.02M	19.04M	19M0D1D	17.88M	18.831M
802.11ax HEW40_Nss1,(MCS0)_8TX	38.1M	38.141M	38M1D1D	33.54M	37.601M
802.11ax HEW80_Nss1,(MCS0)_8TX	77.16M	77.601M	77M6D1D	73.2M	77.001M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)	Port 5-N dB (Hz)	Port 5-OBW (Hz)	Port 6-N dB (Hz)	Port 6-OBW (Hz)	Port 7-N dB (Hz)	Port 7-OBW (Hz)	Port 8-N dB (Hz)	Port 8-OBW (Hz)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	19.41M	16.462M	19.35M	16.432M	19.44M	16.432M	19.56M	16.432M	19.35M	16.462M	19.35M	16.462M	19.59M	16.432M	19.32M	16.462M
5200MHz	Pass	Inf	19.23M	16.44M	19.83M	16.47M	20.34M	16.53M	19.56M	16.5M	19.56M	16.5M	19.83M	16.53M	19.62M	16.56M	19.68M	16.44M
5240MHz	Pass	Inf	19.35M	16.47M	19.53M	16.5M	19.92M	16.47M	19.47M	16.5M	19.35M	16.47M	20.04M	16.56M	19.38M	16.5M	19.74M	16.5M
5745MHz	Pass	500k	15.27M	16.432M	15.96M	16.492M	16.29M	16.492M	15.51M	16.432M	16.32M	16.522M	15.93M	16.492M	16.32M	16.432M	16.02M	16.582M
5785MHz	Pass	500k	16.32M	16.492M	15.72M	16.402M	16.29M	16.582M	15.63M	16.432M	15.42M	16.372M	15.66M	16.492M	16.29M	16.462M	16.02M	16.672M
5825MHz	Pass	500k	16.29M	16.492M	16.02M	16.492M	15.66M	16.372M	16.26M	16.522M	16.32M	16.492M	15.6M	16.372M	16.32M	16.462M	16.29M	16.462M
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	20.7M	17.661M	20.16M	17.571M	20.46M	17.601M	20.64M	17.601M	20.61M	17.601M	20.91M	17.661M	20.67M	17.601M	20.43M	17.631M
5200MHz	Pass	Inf	21M	17.67M	20.7M	17.73M	20.91M	17.61M	20.49M	17.61M	20.85M	17.7M	21.03M	17.64M	21.03M	17.7M	20.73M	17.64M
5240MHz	Pass	Inf	20.85M	17.67M	20.22M	17.58M	20.58M	17.64M	20.67M	17.61M	20.25M	17.58M	20.67M	17.64M	20.55M	17.67M	21M	17.64M
5745MHz	Pass	500k	17.13M	17.631M	17.52M	17.661M	17.58M	17.721M	17.55M	17.631M	17.55M	17.751M	16.89M	17.631M	17.55M	17.661M	17.58M	17.721M
5785MHz	Pass	500k	17.58M	17.631M	17.28M	17.661M	16.02M	17.571M	17.52M	17.601M	17.58M	17.691M	16.32M	17.661M	17.55M	17.631M	17.16M	17.631M
5825MHz	Pass	500k	17.31M	17.691M	15.66M	17.601M	16.56M	17.541M	17.52M	17.721M	16.56M	17.541M	16.92M	17.601M	17.58M	17.631M	17.55M	17.691M
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	40.02M	36.282M	40.08M	36.282M	40.5M	36.222M	40.5M	36.342M	40.56M	36.342M	40.38M	36.282M	39.9M	36.222M	40.26M	36.342M
5230MHz	Pass	Inf	40.14M	36.342M	40.44M	36.342M	40.98M	36.462M	41.04M	36.342M	40.62M	36.402M	40.2M	36.342M	40.08M	36.282M	40.92M	36.342M
5755MHz	Pass	500k	36.3M	36.342M	32.52M	36.402M	35.22M	36.102M	36.12M	36.282M	34.02M	36.162M	35.64M	36.282M	36.3M	36.162M	36.24M	36.402M
5795MHz	Pass	500k	35.28M	36.342M	34.2M	36.342M	35.94M	36.222M	34.98M	36.402M	35.4M	36.162M	35.46M	36.462M	35.04M	36.282M	35.88M	36.522M
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	20.46M	17.601M	20.94M	17.631M	20.73M	17.601M	20.82M	17.631M	20.7M	17.661M	20.67M	17.661M	20.4M	17.631M	20.91M	17.601M
5200MHz	Pass	Inf	20.91M	17.7M	20.55M	17.58M	20.97M	17.67M	20.88M	17.64M	21M	17.73M	20.64M	17.67M	20.34M	17.61M	20.79M	17.64M
5240MHz	Pass	Inf	20.67M	17.7M	20.58M	17.58M	20.7M	17.64M	20.91M	17.67M	20.85M	17.67M	20.79M	17.67M	20.55M	17.67M	20.85M	17.67M
5745MHz	Pass	500k	17.13M	17.601M	17.04M	17.571M	17.58M	17.751M	17.13M	17.601M	17.16M	17.511M	16.02M	17.631M	17.55M	17.661M	16.02M	17.661M
5785MHz	Pass	500k	16.92M	17.571M	17.16M	17.661M	17.61M	17.751M	17.28M	17.691M	17.52M	17.541M	16.89M	17.631M	17.58M	17.631M	17.19M	17.601M
5825MHz	Pass	500k	17.61M	17.631M	15.87M	17.571M	17.58M	17.811M	16.92M	17.571M	16.11M	17.511M	17.19M	17.631M	17.58M	17.631M	17.28M	17.631M
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	39.9M	36.342M	40.38M	36.282M	40.32M	36.282M	40.56M	36.342M	40.62M	36.342M	40.5M	36.342M	40.08M	36.402M	40.44M	36.282M
5230MHz	Pass	Inf	40.2M	36.282M	40.32M	36.282M	41.1M	36.402M	40.98M	36.342M	40.5M	36.402M	40.62M	36.282M	40.02M	36.282M	40.86M	36.402M
5755MHz	Pass	500k	35.94M	36.282M	32.88M	36.342M	35.1M	36.162M	36.36M	36.342M	35.16M	36.222M	35.64M	36.402M	35.64M	36.222M	36.36M	36.342M
5795MHz	Pass	500k	35.7M	36.402M	34.68M	36.402M	35.04M	36.222M	36.3M	36.342M	35.52M	36.162M	35.46M	36.342M	36.06M	36.282M	36.3M	36.402M
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	81.36M	75.922M	81.48M	75.802M	81.6M	75.922M	82.08M	75.682M	82.08M	75.682M	81.72M	76.042M	81.6M	75.802M	81.6M	75.802M
5775MHz	Pass	500k	75.6M	75.802M	75.84M	75.802M	68.4M	75.322M	75.12M	75.682M	75M	75.442M	72.84M	75.922M	74.4M	75.562M	75.84M	75.682M
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.03M	18.891M	21.21M	19.01M	21.21M	18.951M	21.21M	18.861M	21.06M	18.921M	21.39M	18.951M	21.12M	18.951M	21.09M	18.951M
5200MHz	Pass	Inf	21.09M	18.96M	21M	18.96M	21.24M	18.99M	21.42M	18.93M	21.36M	19.02M	21.69M	18.99M	21.36M	19.02M	21.21M	18.93M
5240MHz	Pass	Inf	21.21M	18.96M	21.06M	18.93M	21.24M	18.93M	21.3M	18.93M	20.91M	19.02M	21.3M	18.99M	21.21M	18.99M	21.39M	18.93M
5745MHz	Pass	500k	18.18M	18.861M	18.39M	18.921M	17.88M	18.831M	18.99M	19.01M	18.93M	19.04M	18.72M	18.951M	18.81M	18.981M	18.87M	18.921M
5785MHz	Pass	500k	18.12M	18.891M	18.87M	18.951M	17.91M	18.861M	18.51M	18.831M	18.27M	18.831M	18.51M	18.951M	18.9M	18.921M	18.27M	18.891M
5825MHz	Pass	500k	18.51M	18.951M	18.57M	18.951M	18.57M	19.04M	19.02M	19.01M	18.99M	18.981M	18.84M	19.01M	18.87M	18.921M	18.39M	18.981M
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	40.86M	37.841M	40.8M	37.961M	41.34M	37.901M	41.16M	37.961M	40.8M	37.901M	40.92M	38.141M	40.98M	37.841M	40.92M	37.901M
5230MHz	Pass	Inf	40.86M	38.021M	40.86M	37.961M	40.8M	37.901M	41.52M	37.961M	41.28M	37.961M	40.98M	37.961M	40.98M	37.841M	41.04M	37.961M
5755MHz	Pass	500k	37.5M	37.961M	38.1M	38.021M	33.54M	37.601M	36.72M	37.901M	36.48M	37.661M	37.92M	37.841M	37.92M	37.841M	37.92M	38.081M
5795MHz	Pass	500k	37.68M	37.961M	37.92M	38.081M	37.26M	37.961M	37.44M	37.781M	36.96M	37.781M	37.5M	38.021M	37.74M	37.961M	37.74M	38.141M
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	82.56M	77.481M	81.72M	77.601M	81.96M	77.481M	82.08M	77.481M	82.68M	77.721M	82.68M	77.721M	81.72M	77.601M	82.32M	77.601M
5775MHz	Pass	500k	76.68M	77.361M	75.72M	77.481M	73.44M	77.001M	76.44M	77.601M	73.2M	77.241M	77.16M	77.481M	76.92M	77.481M	76.92M	77.481M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_8TX EBW


5180MHz

09/03/2021

CF 5.18GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Peak



CF 5.18GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Sample



Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.41M	5.17022G	5.18963G	16.462M	5.171784G	5.188246G	Inf	1
19.35M	5.17025G	5.1896G	16.432M	5.171784G	5.188216G	Inf	2
19.44M	5.17028G	5.18972G	16.432M	5.171754G	5.188186G	Inf	3
19.56M	5.1701G	5.18966G	16.432M	5.171754G	5.188186G	Inf	4
19.35M	5.17034G	5.18969G	16.462M	5.171754G	5.188216G	Inf	5
19.35M	5.17019G	5.18954G	16.462M	5.171754G	5.188216G	Inf	6
19.59M	5.17022G	5.18981G	16.432M	5.171784G	5.188216G	Inf	7
19.32M	5.17016G	5.18948G	16.462M	5.171754G	5.188216G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW


5200MHz

14/04/2021

CF 5.2GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Peak



CF 5.2GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Sample




Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.23M	5.19028G	5.20951G	16.44M	5.19178G	5.20822G	Inf	1
19.83M	5.18992G	5.20975G	16.47M	5.19175G	5.20822G	Inf	2
20.34M	5.18965G	5.20999G	16.53M	5.19175G	5.20828G	Inf	3
19.56M	5.19007G	5.20963G	16.5M	5.19175G	5.20825G	Inf	4
19.56M	5.19019G	5.20975G	16.5M	5.19172G	5.20822G	Inf	5
19.83M	5.18998G	5.20981G	16.53M	5.19178G	5.20831G	Inf	6
19.62M	5.1901G	5.20972G	16.56M	5.19169G	5.20825G	Inf	7
19.68M	5.19001G	5.20969G	16.44M	5.19178G	5.20822G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5240MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.35M	5.23025G	5.2496G	16.47M	5.23175G	5.24822G	Inf	1
19.53M	5.23013G	5.24966G	16.5M	5.23175G	5.24825G	Inf	2
19.92M	5.22986G	5.24978G	16.47M	5.23178G	5.24825G	Inf	3
19.47M	5.2301G	5.24957G	16.5M	5.23175G	5.24825G	Inf	4
19.35M	5.23028G	5.24963G	16.47M	5.23175G	5.24822G	Inf	5
20.04M	5.23001G	5.25005G	16.56M	5.23175G	5.24831G	Inf	6
19.38M	5.23022G	5.2496G	16.5M	5.23175G	5.24825G	Inf	7
19.74M	5.23007G	5.24981G	16.5M	5.23175G	5.24825G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5745MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.27M	5.73729G	5.75256G	16.432M	5.736844G	5.753276G	500k	1
15.96M	5.73729G	5.75325G	16.492M	5.736844G	5.753336G	500k	2
16.29M	5.73693G	5.75322G	16.492M	5.736814G	5.753306G	500k	3
15.51M	5.73729G	5.7528G	16.432M	5.736814G	5.753246G	500k	4
16.32M	5.7369G	5.75322G	16.522M	5.736784G	5.753306G	500k	5
15.93M	5.73729G	5.75322G	16.492M	5.736844G	5.753336G	500k	6
16.32M	5.7369G	5.75322G	16.432M	5.736844G	5.753276G	500k	7
16.02M	5.73693G	5.75295G	16.582M	5.736754G	5.753336G	500k	8

802.11a_Nss1,(6Mbps)_8TX EBW


5785MHz

25/02/2021

CF 5.785GHz
Span 60MHz
RBW 100kHz
VBW 300kHz
Sweep Time 100ms
Detector Type Peak



CF 5.785GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Sample



Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.32M	5.7769G	5.79322G	16.492M	5.776784G	5.793276G	500k	1
15.72M	5.7769G	5.79262G	16.402M	5.776814G	5.793216G	500k	2
16.29M	5.77693G	5.79322G	16.582M	5.776784G	5.793366G	500k	3
15.63M	5.77729G	5.79292G	16.432M	5.776844G	5.793276G	500k	4
15.42M	5.77729G	5.79271G	16.372M	5.776874G	5.793246G	500k	5
15.66M	5.77693G	5.79259G	16.492M	5.776784G	5.793276G	500k	6
16.29M	5.7769G	5.79319G	16.462M	5.776814G	5.793276G	500k	7
16.02M	5.77693G	5.79295G	16.672M	5.776694G	5.793366G	500k	8

802.11a_Nss1,(6Mbps)_8TX EBW


5825MHz

25/02/2021

CF 5.825GHz
Span 60MHz
RBW 100kHz
VBW 300kHz
Sweep Time 100ms
Detector Type Peak



CF 5.825GHz
Span 60MHz
RBW 300kHz
VBW 1MHz
Sweep Time 100ms
Detector Type Sample




Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.29M	5.81693G	5.83322G	16.492M	5.816814G	5.833306G	500k	1
16.02M	5.8169G	5.83292G	16.492M	5.816754G	5.833246G	500k	2
15.66M	5.8169G	5.83256G	16.372M	5.816784G	5.833156G	500k	3
16.26M	5.81693G	5.83319G	16.522M	5.816784G	5.833306G	500k	4
16.32M	5.8169G	5.83322G	16.492M	5.816784G	5.833276G	500k	5
15.6M	5.81759G	5.83319G	16.372M	5.816874G	5.833246G	500k	6
16.32M	5.8169G	5.83322G	16.462M	5.816814G	5.833276G	500k	7
16.29M	5.8169G	5.83319G	16.462M	5.816814G	5.833276G	500k	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5180MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.7M	5.1698G	5.1905G	17.661M	5.171154G	5.188816G	Inf	1
20.16M	5.16992G	5.19008G	17.571M	5.171184G	5.188756G	Inf	2
20.46M	5.16977G	5.19023G	17.601M	5.171184G	5.188786G	Inf	3
20.64M	5.16959G	5.19023G	17.601M	5.171184G	5.188786G	Inf	4
20.61M	5.16965G	5.19026G	17.601M	5.171184G	5.188786G	Inf	5
20.91M	5.16962G	5.19053G	17.661M	5.171154G	5.188816G	Inf	6
20.67M	5.16968G	5.19035G	17.601M	5.171184G	5.188786G	Inf	7
20.43M	5.16977G	5.1902G	17.631M	5.171154G	5.188786G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5200MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21M	5.18971G	5.21071G	17.67M	5.19118G	5.20885G	Inf	1
20.7M	5.18968G	5.21038G	17.73M	5.19112G	5.20885G	Inf	2
20.91M	5.18953G	5.21044G	17.61M	5.19118G	5.20879G	Inf	3
20.49M	5.18968G	5.21017G	17.61M	5.19118G	5.20879G	Inf	4
20.85M	5.18965G	5.2105G	17.7M	5.19115G	5.20885G	Inf	5
21.03M	5.18944G	5.21047G	17.64M	5.19118G	5.20882G	Inf	6
21.03M	5.18959G	5.21062G	17.7M	5.19115G	5.20885G	Inf	7
20.73M	5.18971G	5.21044G	17.64M	5.19118G	5.20882G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5240MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.85M	5.22968G	5.25053G	17.67M	5.23118G	5.24885G	Inf	1
20.22M	5.22989G	5.25011G	17.58M	5.23121G	5.24879G	Inf	2
20.58M	5.22971G	5.25029G	17.64M	5.23118G	5.24882G	Inf	3
20.67M	5.22968G	5.25035G	17.61M	5.23121G	5.24882G	Inf	4
20.25M	5.2298G	5.25005G	17.58M	5.23121G	5.24879G	Inf	5
20.67M	5.22968G	5.25035G	17.64M	5.23118G	5.24882G	Inf	6
20.55M	5.2298G	5.25035G	17.67M	5.23118G	5.24885G	Inf	7
21M	5.22947G	5.25047G	17.64M	5.23118G	5.24882G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5745MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.13M	5.7363G	5.75343G	17.631M	5.736214G	5.753846G	500k	1
17.52M	5.7363G	5.75382G	17.661M	5.736184G	5.753846G	500k	2
17.58M	5.73627G	5.75385G	17.721M	5.736184G	5.753906G	500k	3
17.55M	5.7363G	5.75385G	17.631M	5.736244G	5.753876G	500k	4
17.55M	5.7363G	5.75385G	17.751M	5.736184G	5.753936G	500k	5
16.89M	5.7363G	5.75319G	17.631M	5.736184G	5.753816G	500k	6
17.55M	5.73627G	5.75382G	17.661M	5.736214G	5.753876G	500k	7
17.58M	5.73627G	5.75385G	17.721M	5.736184G	5.753906G	500k	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5785MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.58M	5.77627G	5.79385G	17.631M	5.776244G	5.793876G	500k	1
17.28M	5.77654G	5.79382G	17.661M	5.776244G	5.793906G	500k	2
16.02M	5.77717G	5.79319G	17.571M	5.776244G	5.793816G	500k	3
17.52M	5.7763G	5.79382G	17.601M	5.776244G	5.793846G	500k	4
17.58M	5.77627G	5.79385G	17.691M	5.776214G	5.793906G	500k	5
16.32M	5.7763G	5.79262G	17.661M	5.776184G	5.793846G	500k	6
17.55M	5.7763G	5.79385G	17.631M	5.776244G	5.793876G	500k	7
17.16M	5.7763G	5.79346G	17.631M	5.776184G	5.793816G	500k	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5825MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.31M	5.81654G	5.83385G	17.691M	5.816244G	5.833936G	500k	1
15.66M	5.8163G	5.83196G	17.601M	5.816184G	5.833786G	500k	2
16.56M	5.8163G	5.83286G	17.541M	5.816244G	5.833786G	500k	3
17.52M	5.8163G	5.83382G	17.721M	5.816184G	5.833906G	500k	4
16.56M	5.8169G	5.83346G	17.541M	5.816274G	5.833816G	500k	5
16.92M	5.8169G	5.83382G	17.601M	5.816244G	5.833846G	500k	6
17.58M	5.81627G	5.83385G	17.631M	5.816244G	5.833876G	500k	7
17.55M	5.8163G	5.83385G	17.691M	5.816214G	5.833906G	500k	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5190MHz

25/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.02M	5.17002G	5.21004G	36.282M	5.171889G	5.208171G	Inf	1
40.08M	5.16996G	5.21004G	36.282M	5.171889G	5.208171G	Inf	2
40.5M	5.16978G	5.21028G	36.222M	5.171889G	5.208111G	Inf	3
40.5M	5.16984G	5.21034G	36.342M	5.171829G	5.208171G	Inf	4
40.56M	5.16966G	5.21022G	36.342M	5.171829G	5.208171G	Inf	5
40.38M	5.16996G	5.21034G	36.282M	5.171889G	5.208171G	Inf	6
39.9M	5.16996G	5.20986G	36.222M	5.171829G	5.208051G	Inf	7
40.26M	5.16996G	5.21022G	36.342M	5.171829G	5.208171G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5230MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.14M	5.2099G	5.25004G	36.342M	5.211829G	5.248171G	Inf	1
40.44M	5.20972G	5.25016G	36.342M	5.211769G	5.248111G	Inf	2
40.98M	5.20972G	5.2507G	36.462M	5.211769G	5.248231G	Inf	3
41.04M	5.20948G	5.25052G	36.342M	5.211829G	5.248171G	Inf	4
40.62M	5.20972G	5.25034G	36.402M	5.211769G	5.248171G	Inf	5
40.2M	5.21002G	5.25022G	36.342M	5.211829G	5.248171G	Inf	6
40.08M	5.2099G	5.24998G	36.282M	5.211829G	5.248111G	Inf	7
40.92M	5.20966G	5.25058G	36.342M	5.211829G	5.248171G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW


5755MHz

25/02/2021

CF	5.755GHz
Span	120MHz
RBW	100kHz
VBW	300kHz
Sweep Time	100ms
Detector Type	Peak



CF	5.755GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	100ms
Detector Type	Sample



Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8


6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.3M	5.73688G	5.77318G	36.342M	5.736829G	5.773171G	500k	1
32.52M	5.73694G	5.76946G	36.402M	5.736769G	5.773171G	500k	2
35.22M	5.7373G	5.77252G	36.102M	5.736949G	5.773051G	500k	3
36.12M	5.73694G	5.77306G	36.282M	5.736889G	5.773171G	500k	4
34.02M	5.73856G	5.77258G	36.162M	5.736889G	5.773051G	500k	5
35.64M	5.73754G	5.77318G	36.282M	5.736949G	5.773231G	500k	6
36.3M	5.73688G	5.77318G	36.162M	5.736949G	5.773111G	500k	7
36.24M	5.73694G	5.77318G	36.402M	5.736889G	5.773291G	500k	8

802.11n HT40_Nss1,(MCS0)_8TX EBW


5795MHz

25/02/2021

CF	5.795GHz
Span	120MHz
RBW	100kHz
VBW	300kHz
Sweep Time	100ms
Detector Type	Peak



CF	5.795GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	100ms
Detector Type	Sample




Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.28M	5.77694G	5.81222G	36.342M	5.776829G	5.813171G	500k	1
34.2M	5.77688G	5.81108G	36.342M	5.776769G	5.813111G	500k	2
35.94M	5.77688G	5.81282G	36.222M	5.776829G	5.813051G	500k	3
34.98M	5.7773G	5.81228G	36.402M	5.776829G	5.813231G	500k	4
35.4M	5.77718G	5.81258G	36.162M	5.776949G	5.813111G	500k	5
35.46M	5.77748G	5.81294G	36.462M	5.776829G	5.813291G	500k	6
35.04M	5.77754G	5.81258G	36.282M	5.776889G	5.813171G	500k	7
35.88M	5.7773G	5.81318G	36.522M	5.776769G	5.813291G	500k	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5180MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.46M	5.16983G	5.19029G	17.601M	5.171184G	5.188786G	Inf	1
20.94M	5.16953G	5.19047G	17.631M	5.171154G	5.188786G	Inf	2
20.73M	5.16971G	5.19044G	17.601M	5.171184G	5.188786G	Inf	3
20.82M	5.16968G	5.1905G	17.631M	5.171184G	5.188816G	Inf	4
20.7M	5.16965G	5.19035G	17.661M	5.171154G	5.188816G	Inf	5
20.67M	5.16983G	5.1905G	17.661M	5.171154G	5.188816G	Inf	6
20.4M	5.1698G	5.1902G	17.631M	5.171184G	5.188816G	Inf	7
20.91M	5.16959G	5.1905G	17.601M	5.171184G	5.188786G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5200MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.91M	5.18962G	5.21053G	17.7M	5.19118G	5.20888G	Inf	1
20.55M	5.18968G	5.21023G	17.58M	5.19121G	5.20879G	Inf	2
20.97M	5.18965G	5.21062G	17.67M	5.19118G	5.20885G	Inf	3
20.88M	5.18959G	5.21047G	17.64M	5.19118G	5.20882G	Inf	4
21M	5.18956G	5.21056G	17.73M	5.19118G	5.20891G	Inf	5
20.64M	5.18974G	5.21038G	17.67M	5.19118G	5.20885G	Inf	6
20.34M	5.18983G	5.21017G	17.61M	5.19121G	5.20882G	Inf	7
20.79M	5.18968G	5.21047G	17.64M	5.19121G	5.20885G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5240MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.67M	5.2298G	5.25047G	17.7M	5.23118G	5.24888G	Inf	1
20.58M	5.22983G	5.25041G	17.58M	5.23121G	5.24879G	Inf	2
20.7M	5.22971G	5.25041G	17.64M	5.23118G	5.24882G	Inf	3
20.91M	5.22965G	5.25056G	17.67M	5.23118G	5.24885G	Inf	4
20.85M	5.22962G	5.25047G	17.67M	5.23118G	5.24885G	Inf	5
20.79M	5.22965G	5.25044G	17.67M	5.23118G	5.24885G	Inf	6
20.55M	5.22977G	5.25032G	17.67M	5.23118G	5.24885G	Inf	7
20.85M	5.22971G	5.25056G	17.67M	5.23118G	5.24885G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5745MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.13M	5.7363G	5.75343G	17.601M	5.736214G	5.753816G	500k	1
17.04M	5.73681G	5.75385G	17.571M	5.736304G	5.753876G	500k	2
17.58M	5.73627G	5.75385G	17.751M	5.736184G	5.753936G	500k	3
17.13M	5.73633G	5.75346G	17.601M	5.736214G	5.753816G	500k	4
17.16M	5.7363G	5.75346G	17.511M	5.736274G	5.753786G	500k	5
16.02M	5.73654G	5.75256G	17.631M	5.736214G	5.753846G	500k	6
17.55M	5.7363G	5.75385G	17.661M	5.736244G	5.753906G	500k	7
16.02M	5.7378G	5.75382G	17.661M	5.736274G	5.753936G	500k	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5785MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.92M	5.7763G	5.79322G	17.571M	5.776244G	5.793816G	500k	1
17.16M	5.77627G	5.79343G	17.661M	5.776184G	5.793846G	500k	2
17.61M	5.77627G	5.79388G	17.751M	5.776184G	5.793936G	500k	3
17.28M	5.77654G	5.79382G	17.691M	5.776214G	5.793906G	500k	4
17.52M	5.7763G	5.79382G	17.541M	5.776274G	5.793816G	500k	5
16.89M	5.77693G	5.79382G	17.631M	5.776274G	5.793906G	500k	6
17.58M	5.77627G	5.79385G	17.631M	5.776244G	5.793876G	500k	7
17.19M	5.77627G	5.79346G	17.601M	5.776214G	5.793816G	500k	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5825MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.61M	5.81627G	5.83388G	17.631M	5.816274G	5.833906G	500k	1
15.87M	5.8163G	5.83217G	17.571M	5.816214G	5.833786G	500k	2
17.58M	5.81627G	5.83385G	17.811M	5.816184G	5.833996G	500k	3
16.92M	5.81666G	5.83358G	17.571M	5.816244G	5.833816G	500k	4
16.11M	5.81747G	5.83358G	17.511M	5.816274G	5.833786G	500k	5
17.19M	5.81666G	5.83385G	17.631M	5.816274G	5.833906G	500k	6
17.58M	5.81627G	5.83385G	17.631M	5.816214G	5.833846G	500k	7
17.28M	5.8163G	5.83358G	17.631M	5.816184G	5.833816G	500k	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5190MHz

25/02/2021




Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.9M	5.17008G	5.20998G	36.342M	5.171829G	5.208171G	Inf	1
40.38M	5.16978G	5.21016G	36.282M	5.171889G	5.208171G	Inf	2
40.32M	5.1699G	5.21022G	36.282M	5.171889G	5.208171G	Inf	3
40.56M	5.16954G	5.2101G	36.342M	5.171829G	5.208171G	Inf	4
40.62M	5.16972G	5.21034G	36.342M	5.171829G	5.208171G	Inf	5
40.5M	5.16996G	5.21046G	36.342M	5.171889G	5.208231G	Inf	6
40.08M	5.17002G	5.2101G	36.402M	5.171829G	5.208231G	Inf	7
40.44M	5.16978G	5.21022G	36.282M	5.171829G	5.208111G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5230MHz

09/03/2021




Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.2M	5.21002G	5.25022G	36.282M	5.211829G	5.248111G	Inf	1
40.32M	5.20984G	5.25016G	36.282M	5.211829G	5.248111G	Inf	2
41.1M	5.2099G	5.251G	36.402M	5.211829G	5.248231G	Inf	3
40.98M	5.20966G	5.25064G	36.342M	5.211829G	5.248171G	Inf	4
40.5M	5.20984G	5.25034G	36.402M	5.211769G	5.248171G	Inf	5
40.62M	5.2096G	5.25022G	36.282M	5.211889G	5.248171G	Inf	6
40.02M	5.2099G	5.24992G	36.282M	5.211829G	5.248111G	Inf	7
40.86M	5.20984G	5.2507G	36.402M	5.211829G	5.248231G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5755MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.94M	5.73688G	5.77282G	36.282M	5.736829G	5.773111G	500k	1
32.88M	5.73694G	5.76982G	36.342M	5.736769G	5.773111G	500k	2
35.1M	5.73748G	5.77258G	36.162M	5.736949G	5.773111G	500k	3
36.36M	5.73688G	5.77324G	36.342M	5.736829G	5.773171G	500k	4
35.16M	5.73718G	5.77234G	36.222M	5.736889G	5.773111G	500k	5
35.64M	5.73754G	5.77318G	36.402M	5.736889G	5.773291G	500k	6
35.64M	5.73754G	5.77318G	36.222M	5.736889G	5.773111G	500k	7
36.36M	5.73688G	5.77324G	36.342M	5.736829G	5.773171G	500k	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5795MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.7M	5.77688G	5.81258G	36.402M	5.776769G	5.813171G	500k	1
34.68M	5.77688G	5.81156G	36.402M	5.776709G	5.813111G	500k	2
35.04M	5.77754G	5.81258G	36.222M	5.776889G	5.813111G	500k	3
36.3M	5.77688G	5.81318G	36.342M	5.776829G	5.813171G	500k	4
35.52M	5.7773G	5.81282G	36.162M	5.776949G	5.813111G	500k	5
35.46M	5.77754G	5.813G	36.342M	5.776889G	5.813231G	500k	6
36.06M	5.77712G	5.81318G	36.282M	5.776889G	5.813171G	500k	7
36.3M	5.77688G	5.81318G	36.402M	5.776829G	5.813231G	500k	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5210MHz

25/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.36M	5.16956G	5.25092G	75.922M	5.171979G	5.247901G	Inf	1
81.48M	5.1692G	5.25068G	75.802M	5.172099G	5.247901G	Inf	2
81.6M	5.1692G	5.2508G	75.922M	5.172099G	5.248021G	Inf	3
82.08M	5.16896G	5.25104G	75.682M	5.172219G	5.247901G	Inf	4
82.08M	5.1692G	5.25128G	75.682M	5.172099G	5.247781G	Inf	5
81.72M	5.1692G	5.25092G	76.042M	5.171979G	5.248021G	Inf	6
81.6M	5.16932G	5.25092G	75.802M	5.172099G	5.247901G	Inf	7
81.6M	5.1692G	5.2508G	75.802M	5.172099G	5.247901G	Inf	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5775MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.6M	5.73696G	5.81256G	75.802M	5.736979G	5.812781G	500k	1
75.84M	5.73684G	5.81268G	75.802M	5.736979G	5.812781G	500k	2
68.4M	5.73984G	5.80824G	75.322M	5.737339G	5.812661G	500k	3
75.12M	5.73756G	5.81268G	75.682M	5.737219G	5.812901G	500k	4
75M	5.73756G	5.81256G	75.442M	5.737219G	5.812661G	500k	5
72.84M	5.73996G	5.8128G	75.922M	5.737099G	5.813021G	500k	6
74.4M	5.73816G	5.81256G	75.562M	5.737219G	5.812781G	500k	7
75.84M	5.73732G	5.81316G	75.682M	5.737219G	5.812901G	500k	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5180MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.03M	5.16947G	5.1905G	18.891M	5.170555G	5.189445G	Inf	1
21.21M	5.16944G	5.19065G	19.01M	5.170495G	5.189505G	Inf	2
21.21M	5.16935G	5.19056G	18.951M	5.170495G	5.189445G	Inf	3
21.21M	5.16944G	5.19065G	18.861M	5.170555G	5.189415G	Inf	4
21.06M	5.16947G	5.19053G	18.921M	5.170525G	5.189445G	Inf	5
21.39M	5.16926G	5.19065G	18.951M	5.170525G	5.189475G	Inf	6
21.12M	5.16944G	5.19056G	18.951M	5.170495G	5.189445G	Inf	7
21.09M	5.16947G	5.19056G	18.951M	5.170525G	5.189475G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5200MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.09M	5.1895G	5.21059G	18.96M	5.19052G	5.20948G	Inf	1
21M	5.18953G	5.21053G	18.96M	5.19052G	5.20948G	Inf	2
21.24M	5.18947G	5.21071G	18.99M	5.19049G	5.20948G	Inf	3
21.42M	5.18923G	5.21065G	18.93M	5.19055G	5.20948G	Inf	4
21.36M	5.18935G	5.21071G	19.02M	5.19049G	5.20951G	Inf	5
21.69M	5.18929G	5.21098G	18.99M	5.19049G	5.20948G	Inf	6
21.36M	5.18917G	5.21053G	19.02M	5.19049G	5.20951G	Inf	7
21.21M	5.1895G	5.21071G	18.93M	5.19052G	5.20945G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5240MHz

14/04/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.21M	5.22944G	5.25065G	18.96M	5.23052G	5.24948G	Inf	1
21.06M	5.22941G	5.25047G	18.93M	5.23055G	5.24948G	Inf	2
21.24M	5.22935G	5.25059G	18.93M	5.23052G	5.24945G	Inf	3
21.3M	5.22941G	5.25071G	18.93M	5.23055G	5.24948G	Inf	4
20.91M	5.22962G	5.25053G	19.02M	5.23049G	5.24951G	Inf	5
21.3M	5.22941G	5.25071G	18.99M	5.23052G	5.24951G	Inf	6
21.21M	5.22935G	5.25056G	18.99M	5.23049G	5.24948G	Inf	7
21.39M	5.22923G	5.25062G	18.93M	5.23055G	5.24948G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5745MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.18M	5.73585G	5.75403G	18.861M	5.735585G	5.754445G	500k	1
18.39M	5.73603G	5.75442G	18.921M	5.735585G	5.754505G	500k	2
17.88M	5.73615G	5.75403G	18.831M	5.735645G	5.754475G	500k	3
18.99M	5.73555G	5.75454G	19.01M	5.735525G	5.754535G	500k	4
18.93M	5.73561G	5.75454G	19.04M	5.735495G	5.754535G	500k	5
18.72M	5.73567G	5.75439G	18.951M	5.735555G	5.754505G	500k	6
18.81M	5.7357G	5.75451G	18.981M	5.735555G	5.754535G	500k	7
18.87M	5.73561G	5.75448G	18.921M	5.735585G	5.754505G	500k	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5785MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.12M	5.776G	5.79412G	18.891M	5.775585G	5.794475G	500k	1
18.87M	5.77561G	5.79448G	18.951M	5.775555G	5.794505G	500k	2
17.91M	5.77591G	5.79382G	18.861M	5.775615G	5.794475G	500k	3
18.51M	5.77582G	5.79433G	18.831M	5.775645G	5.794475G	500k	4
18.27M	5.77597G	5.79424G	18.831M	5.775645G	5.794475G	500k	5
18.51M	5.77564G	5.79415G	18.951M	5.775555G	5.794505G	500k	6
18.9M	5.77561G	5.79451G	18.921M	5.775585G	5.794505G	500k	7
18.27M	5.77573G	5.794G	18.891M	5.775585G	5.794475G	500k	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5825MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.51M	5.81567G	5.83418G	18.951M	5.815555G	5.834505G	500k	1
18.57M	5.81561G	5.83418G	18.951M	5.815555G	5.834505G	500k	2
18.57M	5.8157G	5.83427G	19.04M	5.815495G	5.834535G	500k	3
19.02M	5.81552G	5.83454G	19.01M	5.815525G	5.834535G	500k	4
18.99M	5.81558G	5.83457G	18.981M	5.815555G	5.834535G	500k	5
18.84M	5.81558G	5.83442G	19.01M	5.815525G	5.834535G	500k	6
18.87M	5.81561G	5.83448G	18.921M	5.815585G	5.834505G	500k	7
18.39M	5.81594G	5.83433G	18.981M	5.815555G	5.834535G	500k	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5190MHz

25/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.86M	5.1696G	5.21046G	37.841M	5.171109G	5.208951G	Inf	1
40.8M	5.16966G	5.21046G	37.961M	5.171049G	5.20901G	Inf	2
41.34M	5.16924G	5.21058G	37.901M	5.171109G	5.20901G	Inf	3
41.16M	5.1696G	5.21076G	37.961M	5.171109G	5.20907G	Inf	4
40.8M	5.16966G	5.21046G	37.901M	5.171049G	5.208951G	Inf	5
40.92M	5.16948G	5.2104G	38.141M	5.17087G	5.20901G	Inf	6
40.98M	5.16936G	5.21034G	37.841M	5.171109G	5.208951G	Inf	7
40.92M	5.16954G	5.21046G	37.901M	5.171049G	5.208951G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5230MHz

09/03/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.86M	5.20954G	5.2504G	38.021M	5.21099G	5.24901G	Inf	1
40.86M	5.20948G	5.25034G	37.961M	5.211049G	5.24901G	Inf	2
40.8M	5.2096G	5.2504G	37.901M	5.21099G	5.248891G	Inf	3
41.52M	5.2093G	5.25082G	37.961M	5.21099G	5.248951G	Inf	4
41.28M	5.20942G	5.2507G	37.961M	5.21099G	5.248951G	Inf	5
40.98M	5.20948G	5.25046G	37.961M	5.211049G	5.24901G	Inf	6
40.98M	5.20936G	5.25034G	37.841M	5.211049G	5.248891G	Inf	7
41.04M	5.2096G	5.25064G	37.961M	5.21099G	5.248951G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5755MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.5M	5.73622G	5.77372G	37.961M	5.736049G	5.77401G	500k	1
38.1M	5.73598G	5.77408G	38.021M	5.73599G	5.77401G	500k	2
33.54M	5.7373G	5.77084G	37.601M	5.736169G	5.773771G	500k	3
36.72M	5.737G	5.77372G	37.901M	5.736049G	5.773951G	500k	4
36.48M	5.73628G	5.77276G	37.661M	5.736169G	5.773831G	500k	5
37.92M	5.73616G	5.77408G	37.841M	5.736169G	5.77401G	500k	6
37.92M	5.7361G	5.77402G	37.841M	5.736169G	5.77401G	500k	7
37.92M	5.73622G	5.77414G	38.081M	5.736049G	5.77413G	500k	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5795MHz

25/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.68M	5.77616G	5.81384G	37.961M	5.77599G	5.813951G	500k	1
37.92M	5.77598G	5.8139G	38.081M	5.77593G	5.81401G	500k	2
37.26M	5.77628G	5.81354G	37.961M	5.776049G	5.81401G	500k	3
37.44M	5.77616G	5.8136G	37.781M	5.776169G	5.813951G	500k	4
36.96M	5.77658G	5.81354G	37.781M	5.776109G	5.813891G	500k	5
37.5M	5.77628G	5.81378G	38.021M	5.776049G	5.81407G	500k	6
37.74M	5.77616G	5.8139G	37.961M	5.776109G	5.81407G	500k	7
37.74M	5.77622G	5.81396G	38.141M	5.77599G	5.81413G	500k	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5210MHz

25/02/2021




Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.56M	5.1686G	5.25116G	77.481M	5.171139G	5.248621G	Inf	1
81.72M	5.1692G	5.25092G	77.601M	5.171259G	5.248861G	Inf	2
81.96M	5.16908G	5.25104G	77.481M	5.171259G	5.248741G	Inf	3
82.08M	5.1692G	5.25128G	77.481M	5.171259G	5.248741G	Inf	4
82.68M	5.16884G	5.25152G	77.721M	5.171259G	5.248981G	Inf	5
82.68M	5.16896G	5.25164G	77.721M	5.171019G	5.248741G	Inf	6
81.72M	5.1692G	5.25092G	77.601M	5.171259G	5.248861G	Inf	7
82.32M	5.16896G	5.25128G	77.601M	5.171259G	5.248861G	Inf	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5775MHz

25/02/2021



Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.68M	5.73636G	5.81304G	77.361M	5.736259G	5.813621G	500k	1
75.72M	5.73684G	5.81256G	77.481M	5.736139G	5.813621G	500k	2
73.44M	5.73912G	5.81256G	77.001M	5.736499G	5.813501G	500k	3
76.44M	5.73624G	5.81268G	77.601M	5.736259G	5.813861G	500k	4
73.2M	5.73888G	5.81208G	77.241M	5.736379G	5.813621G	500k	5
77.16M	5.7366G	5.81376G	77.481M	5.736379G	5.813861G	500k	6
76.92M	5.73696G	5.81388G	77.481M	5.736259G	5.813741G	500k	7
76.92M	5.73672G	5.81364G	77.481M	5.736379G	5.813861G	500k	8

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	82.2M	76.042M	76M0D1D	81.24M	75.802M
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	82.56M	77.601M	77M6D1D	82.2M	77.241M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	19.68M	16.492M	16M5D1D	18.99M	16.372M
802.11n HT20_Nss1,(MCS0)_8TX	20.85M	17.691M	17M7D1D	20.43M	17.571M
802.11n HT40_Nss1,(MCS0)_8TX	40.74M	36.402M	36M4D1D	39.84M	36.222M
802.11ac VHT20_Nss1,(MCS0)_8TX	20.97M	17.691M	17M7D1D	20.31M	17.571M
802.11ac VHT40_Nss1,(MCS0)_8TX	40.62M	36.402M	36M4D1D	39.66M	36.222M
802.11ac VHT80_Nss1,(MCS0)_8TX	82.56M	75.922M	75M9D1D	81.24M	75.562M
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	81.96M	75.922M	75M9D1D	81.12M	75.562M
802.11ax HEW20_Nss1,(MCS0)_8TX	21.81M	19.01M	19M0D1D	20.73M	18.891M
802.11ax HEW40_Nss1,(MCS0)_8TX	41.22M	38.021M	38M0D1D	40.56M	37.841M
802.11ax HEW80_Nss1,(MCS0)_8TX	82.8M	77.481M	77M5D1D	81.84M	77.001M
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	82.92M	77.601M	77M6D1D	81.72M	77.241M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	19.62M	16.492M	16M5D1D	14.355M	13.178M
802.11n HT20_Nss1,(MCS0)_8TX	21.12M	17.691M	17M7D1D	14.985M	13.778M
802.11n HT40_Nss1,(MCS0)_8TX	40.74M	36.402M	36M4D1D	34.93M	32.849M
802.11ac VHT20_Nss1,(MCS0)_8TX	20.97M	17.691M	17M7D1D	14.94M	13.808M
802.11ac VHT40_Nss1,(MCS0)_8TX	40.74M	36.462M	36M5D1D	34.895M	32.849M
802.11ac VHT80_Nss1,(MCS0)_8TX	82.2M	75.922M	75M9D1D	75.6M	72.339M
802.11ac VHT80+80_Nss1,(MCS0)_8TX	83.52M	76.522M	76M5D1D	82.8M	76.042M
802.11ax HEW20_Nss1,(MCS0)_8TX	21.75M	19.01M	19M0D1D	15.375M	14.453M
802.11ax HEW40_Nss1,(MCS0)_8TX	41.22M	38.081M	38M1D1D	35.175M	33.618M
802.11ax HEW80_Nss1,(MCS0)_8TX	83.16M	77.721M	77M7D1D	75.975M	73.088M
802.11ax HEW80+80_Nss1,(MCS0)_8TX	84.48M	78.201M	78M2D1D	83.28M	77.721M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	3.12M	3.418M	3M42D1D	3.1M	3.338M
802.11n HT20_Nss1,(MCS0)_8TX	3.76M	4.018M	4M02D1D	3.34M	3.898M
802.11n HT40_Nss1,(MCS0)_8TX	3.26M	3.538M	3M54D1D	2.48M	3.438M
802.11ac VHT20_Nss1,(MCS0)_8TX	3.84M	3.978M	3M98D1D	3.72M	3.898M
802.11ac VHT40_Nss1,(MCS0)_8TX	3.16M	3.538M	3M54D1D	2.5M	3.438M
802.11ac VHT80_Nss1,(MCS0)_8TX	3.2M	3.838M	3M84D1D	2.88M	3.578M
802.11ax HEW20_Nss1,(MCS0)_8TX	4.48M	4.558M	4M56D1D	4.28M	4.498M
802.11ax HEW40_Nss1,(MCS0)_8TX	4.16M	4.158M	4M16D1D	3.86M	4.098M
802.11ax HEW80_Nss1,(MCS0)_8TX	4.14M	4.238M	4M24D1D	3.9M	4.138M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)	Port 5-N dB (Hz)	Port 5-OBW (Hz)	Port 6-N dB (Hz)	Port 6-OBW (Hz)	Port 7-N dB (Hz)	Port 7-OBW (Hz)	Port 8-N dB (Hz)	Port 8-OBW (Hz)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	19.5M	16.402M	19.17M	16.462M	19.35M	16.372M	19.2M	16.402M	19.23M	16.492M	19.53M	16.492M	19.68M	16.402M	19.32M	16.492M
5300MHz	Pass	Inf	19.5M	16.492M	19.38M	16.462M	19.29M	16.432M	19.26M	16.432M	18.99M	16.402M	19.41M	16.432M	19.59M	16.402M	19.38M	16.492M
5320MHz	Pass	Inf	19.47M	16.402M	19.62M	16.462M	19.44M	16.432M	19.29M	16.462M	19.44M	16.432M	19.44M	16.462M	19.5M	16.402M	19.41M	16.432M
5500MHz	Pass	Inf	19.5M	16.462M	19.26M	16.432M	19.62M	16.432M	19.44M	16.462M	19.32M	16.372M	19.53M	16.462M	19.26M	16.432M	19.29M	16.492M
5580MHz	Pass	Inf	19.59M	16.432M	19.47M	16.462M	19.44M	16.402M	19.47M	16.462M	19.23M	16.462M	19.59M	16.462M	19.5M	16.462M	19.44M	16.462M
5700MHz	Pass	Inf	19.29M	16.402M	19.41M	16.402M	19.32M	16.432M	19.17M	16.402M	18.96M	16.432M	19.11M	16.432M	18.99M	16.402M	19.38M	16.492M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.7M	13.253M	14.355M	13.178M	14.775M	13.238M	14.67M	13.223M	14.505M	13.208M	14.715M	13.208M	14.49M	13.193M	14.7M	13.253M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.1M	3.378M	3.12M	3.398M	3.1M	3.338M	3.12M	3.418M	3.12M	3.418M	3.1M	3.418M	3.12M	3.418M	3.12M	3.398M
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	20.67M	17.571M	20.52M	17.631M	20.52M	17.571M	20.67M	17.601M	20.55M	17.571M	20.7M	17.661M	20.52M	17.661M	20.64M	17.601M
5300MHz	Pass	Inf	20.73M	17.631M	20.76M	17.631M	20.43M	17.691M	20.46M	17.631M	20.64M	17.631M	20.55M	17.631M	20.43M	17.631M	20.58M	17.571M
5320MHz	Pass	Inf	20.58M	17.661M	20.46M	17.571M	20.7M	17.661M	20.58M	17.601M	20.85M	17.631M	20.79M	17.631M	20.55M	17.631M	20.67M	17.661M
5500MHz	Pass	Inf	20.52M	17.661M	20.61M	17.631M	20.46M	17.631M	20.7M	17.631M	20.34M	17.571M	20.7M	17.631M	20.55M	17.601M	20.88M	17.631M
5580MHz	Pass	Inf	20.76M	17.661M	21.12M	17.661M	20.58M	17.601M	20.73M	17.661M	20.76M	17.661M	20.7M	17.631M	20.52M	17.571M	20.76M	17.661M
5700MHz	Pass	Inf	20.49M	17.571M	20.22M	17.511M	20.88M	17.661M	20.64M	17.601M	20.7M	17.691M	20.58M	17.601M	20.52M	17.541M	20.67M	17.691M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.06M	13.823M	14.985M	13.778M	15.09M	13.823M	15.12M	13.823M	15.075M	13.868M	14.985M	13.808M	15.12M	13.838M	15.405M	13.853M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.7M	3.898M	3.72M	3.938M	3.74M	3.918M	3.74M	4.018M	3.34M	3.918M	3.76M	3.918M	3.74M	3.958M	3.72M	3.938M
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	40.56M	36.282M	40.56M	36.282M	40.26M	36.282M	39.96M	36.342M	40.38M	36.282M	40.14M	36.282M	40.56M	36.342M	40.74M	36.342M
5310MHz	Pass	Inf	40.26M	36.402M	40.14M	36.402M	40.38M	36.282M	40.38M	36.282M	40.2M	36.282M	39.84M	36.282M	39.9M	36.342M	40.38M	36.222M
5510MHz	Pass	Inf	40.56M	36.282M	39.84M	36.162M	40.32M	36.282M	40.02M	36.342M	40.74M	36.342M	40.02M	36.342M	40.44M	36.342M	40.38M	36.222M
5550MHz	Pass	Inf	40.38M	36.222M	40.44M	36.222M	40.2M	36.342M	40.32M	36.402M	39.9M	36.222M	39.9M	36.402M	40.44M	36.222M	40.38M	36.222M
5670MHz	Pass	Inf	40.44M	36.342M	39.96M	36.042M	40.62M	36.282M	40.2M	36.342M	40.26M	36.342M	40.32M	36.402M	40.2M	36.222M	40.38M	36.402M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.42M	33.058M	35.14M	32.849M	35.28M	33.093M	35.105M	33.058M	34.93M	32.919M	35.035M	32.989M	35M	33.093M	35.175M	32.954M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.16M	3.438M	2.48M	3.478M	3.26M	3.538M	3.16M	3.478M	3.18M	3.518M	3.16M	3.498M	3.14M	3.458M	3.16M	3.478M
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	20.82M	17.631M	20.52M	17.601M	20.73M	17.691M	20.73M	17.631M	20.52M	17.571M	20.64M	17.631M	20.4M	17.661M	20.64M	17.601M
5300MHz	Pass	Inf	20.79M	17.631M	20.76M	17.631M	20.97M	17.661M	20.49M	17.631M	20.55M	17.601M	20.37M	17.631M	20.49M	17.631M	20.82M	17.661M
5320MHz	Pass	Inf	20.43M	17.661M	20.31M	17.601M	20.94M	17.631M	20.43M	17.631M	20.58M	17.601M	20.46M	17.661M	20.49M	17.601M	20.67M	17.631M
5500MHz	Pass	Inf	20.64M	17.661M	20.52M	17.661M	20.85M	17.601M	20.46M	17.631M	20.31M	17.601M	20.52M	17.631M	20.55M	17.631M	20.97M	17.661M
5580MHz	Pass	Inf	20.7M	17.661M	20.85M	17.661M	20.55M	17.601M	20.4M	17.601M	20.22M	17.541M	20.55M	17.631M	20.43M	17.571M	20.58M	17.601M
5700MHz	Pass	Inf	20.61M	17.601M	20.79M	17.691M	20.58M	17.571M	20.37M	17.601M	20.79M	17.631M	20.34M	17.571M	20.37M	17.601M	20.55M	17.541M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.27M	13.853M	15.27M	13.898M	15.09M	13.868M	15.165M	13.808M	14.94M	13.823M	15.3M	13.883M	15.165M	13.853M	15.3M	13.853M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.74M	3.918M	3.84M	3.938M	3.72M	3.978M	3.76M	3.958M	3.74M	3.898M	3.74M	3.918M	3.84M	3.958M	3.72M	3.978M
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	40.38M	36.282M	40.62M	36.342M	40.2M	36.342M	40.08M	36.282M	40.2M	36.342M	39.78M	36.282M	40.26M	36.342M	40.56M	36.282M
5310MHz	Pass	Inf	40.5M	36.222M	40.02M	36.282M	40.38M	36.222M	40.26M	36.342M	40.5M	36.282M	39.66M	36.282M	40.08M	36.282M	40.5M	36.402M
5510MHz	Pass	Inf	39.96M	36.282M	40.68M	36.222M	40.2M	36.282M	40.08M	36.282M	40.5M	36.282M	40.08M	36.462M	40.08M	36.342M	40.26M	36.282M
5550MHz	Pass	Inf	40.74M	36.282M	40.02M	36.162M	40.26M	36.282M	40.08M	36.402M	40.26M	36.342M	39.84M	36.282M	40.32M	36.222M	40.62M	36.342M
5670MHz	Pass	Inf	40.56M	36.282M	39.54M	36.042M	40.5M	36.282M	40.08M	36.282M	40.14M	36.342M	40.14M	36.402M	40.56M	36.162M	40.74M	36.402M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.28M	33.023M	34.895M	32.849M	35.28M	33.058M	35.105M	33.058M	34.93M	32.884M	35.105M	33.058M	34.965M	33.058M	35.245M	32.954M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	3.478M	2.5M	3.498M	3.16M	3.538M	3.14M	3.478M	3.16M	3.518M	3.16M	3.518M	3.14M	3.438M	3.16M	3.498M
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	81.84M	75.922M	81.6M	75.802M	81.84M	75.682M	81.24M	75.802M	81.48M	75.802M	81.36M	75.562M	81.72M	75.802M	82.56M	75.922M
5530MHz	Pass	Inf	81.72M	75.682M	81.48M	75.442M	82.2M	75.802M	81.72M	75.922M	81.6M	75.802M	81.36M	75.802M	81.48M	75.442M	81.72M	75.682M
5610MHz	Pass	Inf	81.96M	75.562M	81.48M	75.562M	82.2M	75.682M	81.72M	75.922M	81.48M	75.682M	81.48M	75.922M	81.12M	75.802M	81.84M	75.562M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.975M	72.714M	75.75M	72.339M	76.125M	72.414M	76.05M	72.714M	76.125M	72.564M	75.6M	72.339M	75.6M	72.414M	76.125M	72.489M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	2.88M	3.638M	3.14M	3.738M	3.14M	3.838M	3.16M	3.578M	3.16M	3.658M	3.2M	3.678M	3.14M	3.758M	3.12M	3.738M
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1 &Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	Inf	82.2M	75.802M	81.84M	75.802M	81.24M	75.922M	81.72M	76.042M								
802.11ac VHT80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)	Port 5-N dB (Hz)	Port 5-OBW (Hz)	Port 6-N dB (Hz)	Port 6-OBW (Hz)	Port 7-N dB (Hz)	Port 7-OBW (Hz)	Port 8-N dB (Hz)	Port 8-OBW (Hz)
(Port5&Port6&Port7&Port8)																		
5210MHz,#5290MHz	Pass	Inf									81.96M	75.562M	81.84M	75.802M	81.84M	75.922M	81.12M	75.682M
802.11ac VHT80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	Inf	83.52M	76.282M	83.04M	76.282M	82.8M	76.522M	82.8M	76.042M	83.04M	76.522M	83.04M	76.282M	83.04M	76.522M	83.28M	76.282M
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	21.72M	18.951M	21.3M	18.951M	21.15M	18.891M	20.97M	18.921M	21.09M	18.951M	21.03M	18.951M	21.48M	18.951M	21.33M	18.951M
5300MHz	Pass	Inf	21.39M	18.951M	21.24M	18.921M	21.81M	18.951M	21.03M	18.951M	21.12M	18.921M	20.73M	18.891M	21.36M	18.951M	21.3M	18.981M
5320MHz	Pass	Inf	21.24M	18.951M	20.94M	18.951M	21.36M	19.01M	21.15M	18.981M	21.15M	18.921M	21.03M	18.951M	21.12M	18.921M	21.66M	18.981M
5500MHz	Pass	Inf	21.15M	18.861M	21.06M	18.921M	21.18M	18.891M	20.94M	18.891M	21.15M	18.861M	20.94M	18.921M	21.21M	18.921M	21.75M	18.951M
5580MHz	Pass	Inf	21.42M	18.831M	21.33M	18.921M	20.97M	18.861M	21.06M	18.921M	21.12M	18.921M	21.24M	18.951M	21.09M	18.891M	21.48M	18.951M
5700MHz	Pass	Inf	21.12M	18.861M	20.82M	18.801M	21.33M	19.01M	21.03M	18.891M	20.79M	18.951M	20.94M	18.891M	21.21M	18.921M	21.12M	18.831M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.66M	14.483M	15.705M	14.498M	15.435M	14.468M	15.63M	14.483M	15.375M	14.483M	15.51M	14.468M	15.48M	14.468M	15.45M	14.453M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.42M	4.558M	4.48M	4.558M	4.28M	4.498M	4.38M	4.538M	4.42M	4.538M	4.42M	4.558M	4.4M	4.538M	4.44M	4.558M
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	41.1M	37.841M	41.16M	38.021M	41.1M	37.901M	41.22M	37.841M	41.04M	38.021M	40.86M	37.901M	40.74M	37.961M	40.86M	37.961M
5310MHz	Pass	Inf	40.8M	37.961M	41.16M	37.901M	40.86M	37.901M	40.56M	38.021M	40.92M	37.961M	41.22M	37.961M	41.04M	38.021M	40.92M	38.021M
5510MHz	Pass	Inf	41.16M	37.961M	41.1M	38.081M	40.86M	37.901M	40.86M	37.841M	40.98M	37.961M	41.1M	37.901M	41.04M	37.901M	40.74M	37.901M
5550MHz	Pass	Inf	40.98M	37.841M	40.8M	37.901M	40.8M	38.021M	41.1M	37.841M	40.98M	38.021M	40.74M	37.961M	41.22M	37.841M	41.04M	37.901M
5670MHz	Pass	Inf	40.74M	37.841M	40.62M	37.661M	40.74M	37.961M	40.74M	37.961M	40.92M	37.841M	41.04M	38.021M	40.56M	37.781M	40.98M	37.781M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.7M	33.828M	35.175M	33.618M	35.525M	33.898M	35.315M	33.793M	35.385M	33.828M	35.63M	33.933M	35.315M	33.793M	35.315M	33.793M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4M	4.118M	4.16M	4.158M	4.1M	4.138M	3.94M	4.098M	4.06M	4.138M	4.16M	4.138M	3.86M	4.118M	4.04M	4.118M
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	82.8M	77.481M	81.96M	77.361M	82.08M	77.361M	81.84M	77.481M	81.96M	77.481M	81.96M	77.361M	82.68M	77.001M	81.96M	77.361M
5530MHz	Pass	Inf	83.16M	77.361M	81.84M	77.241M	82.56M	77.721M	82.08M	77.481M	81.84M	77.721M	82.2M	77.721M	82.56M	77.241M	82.08M	77.481M
5610MHz	Pass	Inf	82.32M	77.361M	82.32M	77.121M	81.84M	77.481M	81.84M	77.481M	82.08M	77.241M	82.68M	77.601M	81.6M	77.361M	82.08M	77.481M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	76.425M	73.463M	76.35M	73.238M	76.05M	73.388M	75.975M	73.463M	75.975M	73.088M	76.125M	73.238M	76.05M	73.313M	75.975M	73.238M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.9M	4.138M	4.14M	4.238M	4.08M	4.198M	4.08M	4.158M	4.12M	4.198M	4.1M	4.138M	3.96M	4.198M	3.98M	4.138M
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	Inf	82.56M	77.481M	82.32M	77.601M	82.44M	77.241M	82.2M	77.481M								
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	Inf									82.92M	77.601M	81.72M	77.361M	82.56M	77.601M	81.96M	77.241M
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	Inf	84.24M	77.961M	84.48M	78.201M	84M	77.721M	83.76M	77.961M	83.28M	77.721M	84.24M	77.721M	84M	77.961M	84.24M	77.961M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_8TX EBW

5260MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.5M	5.25007G	5.26957G	16.402M	5.251754G	5.268156G	Inf	1
19.17M	5.25037G	5.26954G	16.462M	5.251724G	5.268186G	Inf	2
19.35M	5.25025G	5.2696G	16.372M	5.251784G	5.268156G	Inf	3
19.2M	5.25028G	5.26948G	16.402M	5.251754G	5.268156G	Inf	4
19.23M	5.25025G	5.26948G	16.492M	5.251694G	5.268186G	Inf	5
19.53M	5.25022G	5.26975G	16.492M	5.251724G	5.268216G	Inf	6
19.68M	5.2501G	5.26978G	16.402M	5.251754G	5.268156G	Inf	7
19.32M	5.25037G	5.26969G	16.492M	5.251694G	5.268186G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5300MHz


07/06/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.5M	5.29007G	5.30957G	16.492M	5.291694G	5.308186G	Inf	1
19.38M	5.29031G	5.30969G	16.462M	5.291724G	5.308186G	Inf	2
19.29M	5.29019G	5.30948G	16.432M	5.291724G	5.308156G	Inf	3
19.26M	5.29025G	5.30951G	16.432M	5.291754G	5.308186G	Inf	4
18.99M	5.2904G	5.30939G	16.402M	5.291754G	5.308156G	Inf	5
19.41M	5.29022G	5.30963G	16.432M	5.291754G	5.308186G	Inf	6
19.59M	5.29019G	5.30978G	16.402M	5.291754G	5.308156G	Inf	7
19.38M	5.29028G	5.30966G	16.492M	5.291694G	5.308186G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW


5320MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.47M	5.31013G	5.3296G	16.402M	5.311754G	5.328156G	Inf	1
19.62M	5.31007G	5.32969G	16.462M	5.311724G	5.328186G	Inf	2
19.44M	5.31019G	5.32963G	16.432M	5.311754G	5.328186G	Inf	3
19.29M	5.31019G	5.32948G	16.462M	5.311724G	5.328186G	Inf	4
19.44M	5.31019G	5.32963G	16.432M	5.311754G	5.328186G	Inf	5
19.44M	5.31031G	5.32975G	16.462M	5.311754G	5.328216G	Inf	6
19.5M	5.31019G	5.32969G	16.402M	5.311784G	5.328186G	Inf	7
19.41M	5.31031G	5.32972G	16.432M	5.311754G	5.328186G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5500MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.5M	5.49007G	5.50957G	16.462M	5.491724G	5.508186G	Inf	1
19.26M	5.4904G	5.50966G	16.432M	5.491784G	5.508216G	Inf	2
19.62M	5.49007G	5.50969G	16.432M	5.491724G	5.508156G	Inf	3
19.44M	5.49016G	5.5096G	16.462M	5.491754G	5.508216G	Inf	4
19.32M	5.49022G	5.50954G	16.372M	5.491754G	5.508126G	Inf	5
19.53M	5.49031G	5.50984G	16.462M	5.491754G	5.508216G	Inf	6
19.26M	5.49025G	5.50951G	16.432M	5.491754G	5.508186G	Inf	7
19.29M	5.49034G	5.50963G	16.492M	5.491724G	5.508216G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5580MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.59M	5.57007G	5.58966G	16.432M	5.571754G	5.588186G	Inf	1
19.47M	5.57037G	5.58984G	16.462M	5.571754G	5.588216G	Inf	2
19.44M	5.57022G	5.58966G	16.402M	5.571754G	5.588156G	Inf	3
19.47M	5.57019G	5.58966G	16.462M	5.571724G	5.588186G	Inf	4
19.23M	5.57028G	5.58951G	16.462M	5.571724G	5.588186G	Inf	5
19.59M	5.57016G	5.58975G	16.462M	5.571724G	5.588186G	Inf	6
19.5M	5.57019G	5.58969G	16.462M	5.571724G	5.588186G	Inf	7
19.44M	5.57025G	5.58969G	16.462M	5.571724G	5.588186G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5700MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.29M	5.6901G	5.70939G	16.402M	5.691724G	5.708126G	Inf	1
19.41M	5.6904G	5.70981G	16.402M	5.691784G	5.708186G	Inf	2
19.32M	5.69007G	5.70939G	16.432M	5.691724G	5.708156G	Inf	3
19.17M	5.69025G	5.70942G	16.402M	5.691754G	5.708156G	Inf	4
18.96M	5.69037G	5.70933G	16.432M	5.691754G	5.708186G	Inf	5
19.11M	5.69037G	5.70948G	16.432M	5.691724G	5.708156G	Inf	6
18.99M	5.69034G	5.70933G	16.402M	5.691724G	5.708126G	Inf	7
19.38M	5.69028G	5.70966G	16.492M	5.691724G	5.708216G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5720MHz Straddle 5.47-5.725GHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.7M	5.7103G	5.725G	13.253M	5.711679G	5.724933G	Inf	1
14.355M	5.710645G	5.725G	13.178M	5.711754G	5.724933G	Inf	2
14.775M	5.710225G	5.725G	13.238M	5.711664G	5.724903G	Inf	3
14.67M	5.71033G	5.725G	13.223M	5.711709G	5.724933G	Inf	4
14.505M	5.710495G	5.725G	13.208M	5.711709G	5.724918G	Inf	5
14.715M	5.710285G	5.725G	13.208M	5.711724G	5.724933G	Inf	6
14.49M	5.71051G	5.725G	13.193M	5.711724G	5.724918G	Inf	7
14.7M	5.7103G	5.725G	13.253M	5.711709G	5.724963G	Inf	8

802.11a_Nss1,(6Mbps)_8TX EBW

5720MHz Straddle 5.725-5.85GHz

07/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.1M	5.725G	5.7281G	3.378M	5.72501G	5.728388G	500k	1
3.12M	5.725G	5.72812G	3.398M	5.72501G	5.728408G	500k	2
3.1M	5.725G	5.7281G	3.338M	5.72503G	5.728368G	500k	3
3.12M	5.725G	5.72812G	3.418M	5.72501G	5.728428G	500k	4
3.12M	5.725G	5.72812G	3.418M	5.72501G	5.728428G	500k	5
3.1M	5.725G	5.7281G	3.418M	5.72501G	5.728428G	500k	6
3.12M	5.725G	5.72812G	3.418M	5.72503G	5.728448G	500k	7
3.12M	5.725G	5.72812G	3.398M	5.72501G	5.728408G	500k	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5260MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.67M	5.24965G	5.27032G	17.571M	5.251184G	5.268756G	Inf	1
20.52M	5.24977G	5.27029G	17.631M	5.251124G	5.268756G	Inf	2
20.52M	5.24965G	5.27017G	17.571M	5.251184G	5.268756G	Inf	3
20.67M	5.24986G	5.27053G	17.601M	5.251184G	5.268786G	Inf	4
20.55M	5.24974G	5.27029G	17.571M	5.251184G	5.268756G	Inf	5
20.7M	5.24968G	5.27038G	17.661M	5.251124G	5.268786G	Inf	6
20.52M	5.24971G	5.27023G	17.661M	5.251154G	5.268816G	Inf	7
20.64M	5.24962G	5.27026G	17.601M	5.251154G	5.268756G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5300MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.73M	5.28953G	5.31026G	17.631M	5.291154G	5.308786G	Inf	1
20.76M	5.28971G	5.31047G	17.631M	5.291154G	5.308786G	Inf	2
20.43M	5.28971G	5.31014G	17.691M	5.291094G	5.308786G	Inf	3
20.46M	5.28977G	5.31023G	17.631M	5.291124G	5.308756G	Inf	4
20.64M	5.28968G	5.31032G	17.631M	5.291124G	5.308756G	Inf	5
20.55M	5.28977G	5.31032G	17.631M	5.291154G	5.308786G	Inf	6
20.43M	5.2898G	5.31023G	17.631M	5.291124G	5.308756G	Inf	7
20.58M	5.28956G	5.31014G	17.571M	5.291184G	5.308756G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5320MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.58M	5.30971G	5.33029G	17.661M	5.311124G	5.328786G	Inf	1
20.46M	5.30965G	5.33011G	17.571M	5.311184G	5.328756G	Inf	2
20.7M	5.30959G	5.33029G	17.661M	5.311124G	5.328786G	Inf	3
20.58M	5.30962G	5.3302G	17.601M	5.311184G	5.328786G	Inf	4
20.85M	5.30956G	5.33041G	17.631M	5.311154G	5.328786G	Inf	5
20.79M	5.30941G	5.3302G	17.631M	5.311154G	5.328786G	Inf	6
20.55M	5.30971G	5.33026G	17.631M	5.311154G	5.328786G	Inf	7
20.67M	5.30962G	5.33029G	17.661M	5.311124G	5.328786G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5500MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.52M	5.48965G	5.51017G	17.661M	5.491094G	5.508756G	Inf	1
20.61M	5.48968G	5.51029G	17.631M	5.491124G	5.508756G	Inf	2
20.46M	5.48974G	5.5102G	17.631M	5.491124G	5.508756G	Inf	3
20.7M	5.48977G	5.51047G	17.631M	5.491124G	5.508756G	Inf	4
20.34M	5.48977G	5.51011G	17.571M	5.491154G	5.508726G	Inf	5
20.7M	5.48965G	5.51035G	17.631M	5.491124G	5.508756G	Inf	6
20.55M	5.48974G	5.51029G	17.601M	5.491154G	5.508756G	Inf	7
20.88M	5.48956G	5.51044G	17.631M	5.491124G	5.508756G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5580MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.76M	5.56944G	5.5902G	17.661M	5.571094G	5.588756G	Inf	1
21.12M	5.56944G	5.59056G	17.661M	5.571124G	5.588786G	Inf	2
20.58M	5.56974G	5.59032G	17.601M	5.571154G	5.588756G	Inf	3
20.73M	5.56962G	5.59035G	17.661M	5.571124G	5.588786G	Inf	4
20.76M	5.56968G	5.59044G	17.661M	5.571094G	5.588756G	Inf	5
20.7M	5.56965G	5.59035G	17.631M	5.571124G	5.588756G	Inf	6
20.52M	5.56974G	5.59026G	17.571M	5.571154G	5.588726G	Inf	7
20.76M	5.56962G	5.59038G	17.661M	5.571124G	5.588786G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5700MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.49M	5.68965G	5.71014G	17.571M	5.691124G	5.708696G	Inf	1
20.22M	5.68989G	5.71011G	17.511M	5.691214G	5.708726G	Inf	2
20.88M	5.68956G	5.71044G	17.661M	5.691094G	5.708756G	Inf	3
20.64M	5.68971G	5.71035G	17.601M	5.691124G	5.708726G	Inf	4
20.7M	5.68974G	5.71044G	17.691M	5.691124G	5.708816G	Inf	5
20.58M	5.68953G	5.71011G	17.601M	5.691124G	5.708726G	Inf	6
20.52M	5.68968G	5.7102G	17.541M	5.691154G	5.708696G	Inf	7
20.67M	5.68956G	5.71023G	17.691M	5.691094G	5.708786G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.47-5.725GHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.06M	5.70994G	5.725G	13.823M	5.711109G	5.724933G	Inf	1
14.985M	5.710015G	5.725G	13.778M	5.711154G	5.724933G	Inf	2
15.09M	5.70991G	5.725G	13.823M	5.711109G	5.724933G	Inf	3
15.12M	5.70988G	5.725G	13.823M	5.711109G	5.724933G	Inf	4
15.075M	5.709925G	5.725G	13.868M	5.711079G	5.724948G	Inf	5
14.985M	5.710015G	5.725G	13.808M	5.711139G	5.724948G	Inf	6
15.12M	5.70988G	5.725G	13.838M	5.711094G	5.724933G	Inf	7
15.405M	5.709595G	5.725G	13.853M	5.711064G	5.724918G	Inf	8

802.11n HT20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.725-5.85GHz

07/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.7M	5.725G	5.7287G	3.898M	5.72503G	5.728928G	500k	1
3.72M	5.725G	5.72872G	3.938M	5.72501G	5.728948G	500k	2
3.74M	5.725G	5.72874G	3.918M	5.72503G	5.728948G	500k	3
3.74M	5.725G	5.72874G	4.018M	5.72501G	5.729028G	500k	4
3.34M	5.725G	5.72834G	3.918M	5.72501G	5.728928G	500k	5
3.76M	5.725G	5.72876G	3.918M	5.72503G	5.728948G	500k	6
3.74M	5.725G	5.72874G	3.958M	5.72503G	5.728988G	500k	7
3.72M	5.725G	5.72872G	3.938M	5.72501G	5.728948G	500k	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5270MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.56M	5.24984G	5.2904G	36.282M	5.251769G	5.288051G	Inf	1
40.56M	5.24978G	5.29034G	36.282M	5.251829G	5.288111G	Inf	2
40.26M	5.24978G	5.29004G	36.282M	5.251769G	5.288051G	Inf	3
39.96M	5.25002G	5.28998G	36.342M	5.251769G	5.288111G	Inf	4
40.38M	5.24972G	5.2901G	36.282M	5.251769G	5.288051G	Inf	5
40.14M	5.24996G	5.2901G	36.282M	5.251769G	5.288051G	Inf	6
40.56M	5.2499G	5.29046G	36.342M	5.251769G	5.288111G	Inf	7
40.74M	5.24954G	5.29028G	36.342M	5.251769G	5.288111G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5310MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.28984G	5.3301G	36.402M	5.291709G	5.328111G	Inf	1
40.14M	5.28996G	5.3301G	36.402M	5.291769G	5.328171G	Inf	2
40.38M	5.28984G	5.33022G	36.282M	5.291769G	5.328051G	Inf	3
40.38M	5.28966G	5.33004G	36.282M	5.291829G	5.328111G	Inf	4
40.2M	5.28984G	5.33004G	36.282M	5.291769G	5.328051G	Inf	5
39.84M	5.29002G	5.32986G	36.282M	5.291769G	5.328051G	Inf	6
39.9M	5.28996G	5.32986G	36.342M	5.291769G	5.328111G	Inf	7
40.38M	5.28978G	5.33016G	36.222M	5.291829G	5.328051G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5510MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.56M	5.48984G	5.5304G	36.282M	5.491889G	5.528171G	Inf	1
39.84M	5.4902G	5.53004G	36.162M	5.491949G	5.528111G	Inf	2
40.32M	5.48996G	5.53028G	36.282M	5.491829G	5.528111G	Inf	3
40.02M	5.49014G	5.53016G	36.342M	5.491829G	5.528171G	Inf	4
40.74M	5.48954G	5.53028G	36.342M	5.491829G	5.528171G	Inf	5
40.02M	5.48996G	5.52998G	36.342M	5.491829G	5.528171G	Inf	6
40.44M	5.49002G	5.53046G	36.342M	5.491889G	5.528231G	Inf	7
40.38M	5.49002G	5.5304G	36.222M	5.491889G	5.528111G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5550MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.38M	5.52972G	5.5701G	36.222M	5.531769G	5.567991G	Inf	1
40.44M	5.52984G	5.57028G	36.222M	5.531889G	5.568111G	Inf	2
40.2M	5.52996G	5.57016G	36.342M	5.531829G	5.568171G	Inf	3
40.32M	5.5299G	5.57022G	36.402M	5.531829G	5.568231G	Inf	4
39.9M	5.53008G	5.56998G	36.222M	5.531889G	5.568111G	Inf	5
39.9M	5.52996G	5.56986G	36.402M	5.531769G	5.568171G	Inf	6
40.44M	5.5299G	5.57034G	36.222M	5.531949G	5.568171G	Inf	7
40.38M	5.52978G	5.57016G	36.222M	5.531829G	5.568051G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5670MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.44M	5.64978G	5.69022G	36.342M	5.651769G	5.688111G	Inf	1
39.96M	5.64996G	5.68992G	36.042M	5.651949G	5.687991G	Inf	2
40.62M	5.64972G	5.69034G	36.282M	5.651829G	5.688111G	Inf	3
40.2M	5.64984G	5.69004G	36.342M	5.651769G	5.688111G	Inf	4
40.26M	5.64972G	5.68998G	36.342M	5.651709G	5.688051G	Inf	5
40.32M	5.6499G	5.69022G	36.402M	5.651769G	5.688171G	Inf	6
40.2M	5.65008G	5.69028G	36.222M	5.651889G	5.688111G	Inf	7
40.38M	5.64978G	5.69016G	36.402M	5.651769G	5.688171G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5710MHz Straddle 5.47-5.725GHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.42M	5.68958G	5.725G	33.058M	5.691784G	5.724843G	Inf	1
35.14M	5.68986G	5.725G	32.849M	5.691889G	5.724738G	Inf	2
35.28M	5.68972G	5.725G	33.093M	5.691714G	5.724808G	Inf	3
35.105M	5.689895G	5.725G	33.058M	5.691749G	5.724808G	Inf	4
34.93M	5.69007G	5.725G	32.919M	5.691889G	5.724808G	Inf	5
35.035M	5.689965G	5.725G	32.989M	5.691784G	5.724773G	Inf	6
35M	5.69G	5.725G	33.093M	5.691784G	5.724878G	Inf	7
35.175M	5.689825G	5.725G	32.954M	5.691854G	5.724808G	Inf	8

802.11n HT40_Nss1,(MCS0)_8TX EBW

5710MHz Straddle 5.725-5.85GHz

08/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.16M	5.725G	5.72816G	3.438M	5.72501G	5.728448G	500k	1
2.48M	5.725G	5.72748G	3.478M	5.72501G	5.728488G	500k	2
3.26M	5.725G	5.72826G	3.538M	5.72501G	5.728548G	500k	3
3.16M	5.725G	5.72816G	3.478M	5.72501G	5.728488G	500k	4
3.18M	5.725G	5.72818G	3.518M	5.72501G	5.728528G	500k	5
3.16M	5.725G	5.72816G	3.498M	5.72501G	5.728508G	500k	6
3.14M	5.725G	5.72814G	3.458M	5.72501G	5.728468G	500k	7
3.16M	5.725G	5.72816G	3.478M	5.72501G	5.728488G	500k	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5260MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.82M	5.24959G	5.27041G	17.631M	5.251154G	5.268786G	Inf	1
20.52M	5.2498G	5.27032G	17.601M	5.251154G	5.268756G	Inf	2
20.73M	5.24965G	5.27038G	17.691M	5.251124G	5.268816G	Inf	3
20.73M	5.24977G	5.2705G	17.631M	5.251154G	5.268786G	Inf	4
20.52M	5.2498G	5.27032G	17.571M	5.251184G	5.268756G	Inf	5
20.64M	5.24968G	5.27032G	17.631M	5.251154G	5.268786G	Inf	6
20.4M	5.24983G	5.27023G	17.661M	5.251124G	5.268786G	Inf	7
20.64M	5.24965G	5.27029G	17.601M	5.251154G	5.268756G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5300MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.79M	5.28968G	5.31047G	17.631M	5.291154G	5.308786G	Inf	1
20.76M	5.28965G	5.31041G	17.631M	5.291154G	5.308786G	Inf	2
20.97M	5.28959G	5.31056G	17.661M	5.291124G	5.308786G	Inf	3
20.49M	5.28974G	5.31023G	17.631M	5.291154G	5.308786G	Inf	4
20.55M	5.28983G	5.31038G	17.601M	5.291154G	5.308756G	Inf	5
20.37M	5.28974G	5.31011G	17.631M	5.291124G	5.308756G	Inf	6
20.49M	5.28977G	5.31026G	17.631M	5.291154G	5.308786G	Inf	7
20.82M	5.28959G	5.31041G	17.661M	5.291124G	5.308786G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5320MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.43M	5.30977G	5.3302G	17.661M	5.311124G	5.328786G	Inf	1
20.31M	5.30986G	5.33017G	17.601M	5.311154G	5.328756G	Inf	2
20.94M	5.30956G	5.3305G	17.631M	5.311154G	5.328786G	Inf	3
20.43M	5.30974G	5.33017G	17.631M	5.311124G	5.328756G	Inf	4
20.58M	5.30977G	5.33035G	17.601M	5.311154G	5.328756G	Inf	5
20.46M	5.30977G	5.33023G	17.661M	5.311124G	5.328786G	Inf	6
20.49M	5.30974G	5.33023G	17.601M	5.311154G	5.328756G	Inf	7
20.67M	5.30947G	5.33014G	17.631M	5.311124G	5.328756G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5500MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.64M	5.48959G	5.51023G	17.661M	5.491094G	5.508756G	Inf	1
20.52M	5.4898G	5.51032G	17.661M	5.491124G	5.508786G	Inf	2
20.85M	5.48953G	5.51038G	17.601M	5.491154G	5.508756G	Inf	3
20.46M	5.48971G	5.51017G	17.631M	5.491154G	5.508786G	Inf	4
20.31M	5.48986G	5.51017G	17.601M	5.491154G	5.508756G	Inf	5
20.52M	5.4898G	5.51032G	17.631M	5.491154G	5.508786G	Inf	6
20.55M	5.48971G	5.51026G	17.631M	5.491124G	5.508756G	Inf	7
20.97M	5.48947G	5.51044G	17.661M	5.491094G	5.508756G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5580MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.7M	5.56953G	5.59023G	17.661M	5.571094G	5.588756G	Inf	1
20.85M	5.56965G	5.5905G	17.661M	5.571094G	5.588756G	Inf	2
20.55M	5.56959G	5.59014G	17.601M	5.571154G	5.588756G	Inf	3
20.4M	5.56983G	5.59023G	17.601M	5.571154G	5.588756G	Inf	4
20.22M	5.56992G	5.59014G	17.541M	5.571184G	5.588726G	Inf	5
20.55M	5.56968G	5.59023G	17.631M	5.571124G	5.588756G	Inf	6
20.43M	5.5698G	5.59023G	17.571M	5.571154G	5.588726G	Inf	7
20.58M	5.56965G	5.59023G	17.601M	5.571124G	5.588726G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5700MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.61M	5.68959G	5.7102G	17.601M	5.691094G	5.708696G	Inf	1
20.79M	5.68956G	5.71035G	17.691M	5.691094G	5.708786G	Inf	2
20.58M	5.68974G	5.71032G	17.571M	5.691184G	5.708756G	Inf	3
20.37M	5.68974G	5.71011G	17.601M	5.691124G	5.708726G	Inf	4
20.79M	5.68962G	5.71041G	17.631M	5.691154G	5.708786G	Inf	5
20.34M	5.6898G	5.71014G	17.571M	5.691184G	5.708756G	Inf	6
20.37M	5.68983G	5.7102G	17.601M	5.691184G	5.708786G	Inf	7
20.55M	5.68971G	5.71026G	17.541M	5.691184G	5.708726G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.47-5.725GHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.27M	5.70973G	5.725G	13.853M	5.711079G	5.724933G	Inf	1
15.27M	5.70973G	5.725G	13.898M	5.711049G	5.724948G	Inf	2
15.09M	5.70991G	5.725G	13.868M	5.711079G	5.724948G	Inf	3
15.165M	5.709835G	5.725G	13.808M	5.711124G	5.724933G	Inf	4
14.94M	5.71006G	5.725G	13.823M	5.711124G	5.724948G	Inf	5
15.3M	5.7097G	5.725G	13.883M	5.711064G	5.724948G	Inf	6
15.165M	5.709835G	5.725G	13.853M	5.711079G	5.724933G	Inf	7
15.3M	5.7097G	5.725G	13.853M	5.711064G	5.724918G	Inf	8

802.11ac VHT20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.725-5.85GHz

07/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.74M	5.725G	5.72874G	3.918M	5.72501G	5.728928G	500k	1
3.84M	5.725G	5.72884G	3.938M	5.72503G	5.728968G	500k	2
3.72M	5.725G	5.72872G	3.978M	5.72501G	5.728988G	500k	3
3.76M	5.725G	5.72876G	3.958M	5.72503G	5.728988G	500k	4
3.74M	5.725G	5.72874G	3.898M	5.72503G	5.728928G	500k	5
3.74M	5.725G	5.72874G	3.918M	5.72501G	5.728928G	500k	6
3.84M	5.725G	5.72884G	3.958M	5.72503G	5.728988G	500k	7
3.72M	5.725G	5.72872G	3.978M	5.72501G	5.728988G	500k	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5270MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.38M	5.24984G	5.29022G	36.282M	5.251769G	5.288051G	Inf	1
40.62M	5.24978G	5.2904G	36.342M	5.251769G	5.288111G	Inf	2
40.2M	5.2499G	5.2901G	36.342M	5.251769G	5.288111G	Inf	3
40.08M	5.25002G	5.2901G	36.282M	5.251829G	5.288111G	Inf	4
40.2M	5.24984G	5.29004G	36.342M	5.251769G	5.288111G	Inf	5
39.78M	5.25002G	5.2898G	36.282M	5.251769G	5.288051G	Inf	6
40.26M	5.25008G	5.29034G	36.342M	5.251769G	5.288111G	Inf	7
40.56M	5.24966G	5.29022G	36.282M	5.251829G	5.288111G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5310MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.5M	5.28966G	5.33016G	36.222M	5.291829G	5.328051G	Inf	1
40.02M	5.29002G	5.33004G	36.282M	5.291829G	5.328111G	Inf	2
40.38M	5.2899G	5.33028G	36.222M	5.291829G	5.328051G	Inf	3
40.26M	5.2899G	5.33016G	36.342M	5.291829G	5.328171G	Inf	4
40.5M	5.2896G	5.3301G	36.282M	5.291769G	5.328051G	Inf	5
39.66M	5.29014G	5.3298G	36.282M	5.291769G	5.328051G	Inf	6
40.08M	5.29002G	5.3301G	36.282M	5.291829G	5.328111G	Inf	7
40.5M	5.28966G	5.33016G	36.402M	5.291709G	5.328111G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5510MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.96M	5.4899G	5.52986G	36.282M	5.491769G	5.528051G	Inf	1
40.68M	5.48978G	5.53046G	36.222M	5.491949G	5.528171G	Inf	2
40.2M	5.48996G	5.53016G	36.282M	5.491889G	5.528171G	Inf	3
40.08M	5.49008G	5.53016G	36.282M	5.491889G	5.528171G	Inf	4
40.5M	5.48972G	5.53022G	36.282M	5.491829G	5.528111G	Inf	5
40.08M	5.4899G	5.52998G	36.462M	5.491709G	5.528171G	Inf	6
40.08M	5.4902G	5.53028G	36.342M	5.491889G	5.528231G	Inf	7
40.26M	5.4899G	5.53016G	36.282M	5.491889G	5.528171G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5550MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.74M	5.5296G	5.57034G	36.282M	5.531769G	5.568051G	Inf	1
40.02M	5.53008G	5.5701G	36.162M	5.531949G	5.568111G	Inf	2
40.26M	5.52996G	5.57022G	36.282M	5.531889G	5.568171G	Inf	3
40.08M	5.53014G	5.57022G	36.402M	5.531829G	5.568231G	Inf	4
40.26M	5.52984G	5.5701G	36.342M	5.531829G	5.568171G	Inf	5
39.84M	5.53008G	5.56992G	36.282M	5.531829G	5.568111G	Inf	6
40.32M	5.52996G	5.57028G	36.222M	5.531949G	5.568171G	Inf	7
40.62M	5.52978G	5.5704G	36.342M	5.531889G	5.568231G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5670MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.56M	5.64972G	5.69028G	36.282M	5.651769G	5.688051G	Inf	1
39.54M	5.65038G	5.68992G	36.042M	5.651889G	5.687931G	Inf	2
40.5M	5.64966G	5.69016G	36.282M	5.651769G	5.688051G	Inf	3
40.08M	5.64996G	5.69004G	36.282M	5.651829G	5.688111G	Inf	4
40.14M	5.64978G	5.68992G	36.342M	5.651709G	5.688051G	Inf	5
40.14M	5.64996G	5.6901G	36.402M	5.651769G	5.688171G	Inf	6
40.56M	5.64972G	5.69028G	36.162M	5.651949G	5.688111G	Inf	7
40.74M	5.6496G	5.69034G	36.402M	5.651769G	5.688171G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5710MHz Straddle 5.47-5.725GHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.28M	5.68972G	5.725G	33.023M	5.691784G	5.724808G	Inf	1
34.895M	5.690105G	5.725G	32.849M	5.691924G	5.724773G	Inf	2
35.28M	5.68972G	5.725G	33.058M	5.691749G	5.724808G	Inf	3
35.105M	5.689895G	5.725G	33.058M	5.691749G	5.724808G	Inf	4
34.93M	5.69007G	5.725G	32.884M	5.691924G	5.724808G	Inf	5
35.105M	5.689895G	5.725G	33.058M	5.691749G	5.724808G	Inf	6
34.965M	5.690035G	5.725G	33.058M	5.691784G	5.724843G	Inf	7
35.245M	5.689755G	5.725G	32.954M	5.691854G	5.724808G	Inf	8

802.11ac VHT40_Nss1,(MCS0)_8TX EBW

5710MHz Straddle 5.725-5.85GHz

08/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	3.478M	5.72501G	5.728488G	500k	1
2.5M	5.725G	5.7275G	3.498M	5.72501G	5.728508G	500k	2
3.16M	5.725G	5.72816G	3.538M	5.72501G	5.728548G	500k	3
3.14M	5.725G	5.72814G	3.478M	5.72501G	5.728488G	500k	4
3.16M	5.725G	5.72816G	3.518M	5.72501G	5.728528G	500k	5
3.16M	5.725G	5.72816G	3.518M	5.72501G	5.728528G	500k	6
3.14M	5.725G	5.72814G	3.438M	5.72501G	5.728448G	500k	7
3.16M	5.725G	5.72816G	3.498M	5.72501G	5.728508G	500k	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5290MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.84M	5.24908G	5.33092G	75.922M	5.251979G	5.327901G	Inf	1
81.6M	5.24944G	5.33104G	75.802M	5.252099G	5.327901G	Inf	2
81.84M	5.24908G	5.33092G	75.682M	5.252219G	5.327901G	Inf	3
81.24M	5.24932G	5.33056G	75.802M	5.252099G	5.327901G	Inf	4
81.48M	5.2492G	5.33068G	75.802M	5.252099G	5.327901G	Inf	5
81.36M	5.24932G	5.33068G	75.562M	5.252099G	5.327661G	Inf	6
81.72M	5.2492G	5.33092G	75.802M	5.252099G	5.327901G	Inf	7
82.56M	5.24872G	5.33128G	75.922M	5.251979G	5.327901G	Inf	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5530MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.72M	5.48908G	5.5708G	75.682M	5.491979G	5.567661G	Inf	1
81.48M	5.48932G	5.5708G	75.442M	5.492459G	5.567901G	Inf	2
82.2M	5.48896G	5.57116G	75.802M	5.492219G	5.568021G	Inf	3
81.72M	5.48932G	5.57104G	75.922M	5.492099G	5.568021G	Inf	4
81.6M	5.48944G	5.57104G	75.802M	5.491979G	5.567781G	Inf	5
81.36M	5.48932G	5.57068G	75.802M	5.491979G	5.567781G	Inf	6
81.48M	5.48956G	5.57104G	75.442M	5.492339G	5.567781G	Inf	7
81.72M	5.4892G	5.57092G	75.682M	5.492339G	5.568021G	Inf	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5610MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.96M	5.56896G	5.65092G	75.562M	5.572099G	5.647661G	Inf	1
81.48M	5.56932G	5.6508G	75.562M	5.572219G	5.647781G	Inf	2
82.2M	5.56884G	5.65104G	75.682M	5.572219G	5.647901G	Inf	3
81.72M	5.56932G	5.65104G	75.922M	5.571979G	5.647901G	Inf	4
81.48M	5.56932G	5.6508G	75.682M	5.572219G	5.647901G	Inf	5
81.48M	5.5692G	5.65068G	75.922M	5.571979G	5.647901G	Inf	6
81.12M	5.56956G	5.65068G	75.802M	5.572099G	5.647901G	Inf	7
81.84M	5.56884G	5.65068G	75.562M	5.571979G	5.647541G	Inf	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5690MHz Straddle 5.47-5.725GHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.975M	5.649025G	5.725G	72.714M	5.651949G	5.724663G	Inf	1
75.75M	5.64925G	5.725G	72.339M	5.652174G	5.724513G	Inf	2
76.125M	5.648875G	5.725G	72.414M	5.652024G	5.724438G	Inf	3
76.05M	5.64895G	5.725G	72.714M	5.651949G	5.724663G	Inf	4
76.125M	5.648875G	5.725G	72.564M	5.652024G	5.724588G	Inf	5
75.6M	5.6494G	5.725G	72.339M	5.652249G	5.724588G	Inf	6
75.6M	5.6494G	5.725G	72.414M	5.652024G	5.724438G	Inf	7
76.125M	5.648875G	5.725G	72.489M	5.652024G	5.724513G	Inf	8

802.11ac VHT80_Nss1,(MCS0)_8TX EBW

5690MHz Straddle 5.725-5.85GHz

08/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
2.88M	5.725G	5.72788G	3.638M	5.72501G	5.728648G	500k	1
3.14M	5.725G	5.72814G	3.738M	5.72501G	5.728748G	500k	2
3.14M	5.725G	5.72814G	3.838M	5.72501G	5.728848G	500k	3
3.16M	5.725G	5.72816G	3.578M	5.72501G	5.728588G	500k	4
3.16M	5.725G	5.72816G	3.658M	5.72501G	5.728668G	500k	5
3.2M	5.725G	5.7282G	3.678M	5.72501G	5.728688G	500k	6
3.14M	5.725G	5.72814G	3.758M	5.72501G	5.728768G	500k	7
3.12M	5.725G	5.72812G	3.738M	5.72501G	5.728748G	500k	8

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4) EBW

#5210MHz,5290MHz

09/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.2M	5.16908G	5.25128G	75.802M	5.172099G	5.247901G	Inf	1
81.84M	5.1692G	5.25104G	75.802M	5.172099G	5.247901G	Inf	2
81.24M	5.16944G	5.25068G	75.922M	5.171859G	5.247781G	Inf	3
81.72M	5.16908G	5.2508G	76.042M	5.171979G	5.248021G	Inf	4

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8) EBW

5210MHz,#5290MHz

09/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.96M	5.24896G	5.33092G	75.562M	5.252219G	5.327781G	Inf	5
81.84M	5.24896G	5.3308G	75.802M	5.251979G	5.327781G	Inf	6
81.84M	5.2492G	5.33104G	75.922M	5.251979G	5.327901G	Inf	7
81.12M	5.24944G	5.33056G	75.682M	5.252099G	5.327781G	Inf	8

802.11ac VHT80+80_Nss1,(MCS0)_8TX EBW

#5530MHz,#5610MHz


09/06/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.52M	5.48824G	5.57176G	76.282M	5.491619G	5.567901G	Inf	1
83.04M	5.48848G	5.57152G	76.282M	5.491619G	5.567901G	Inf	2
82.8M	5.48872G	5.57152G	76.522M	5.491619G	5.568141G	Inf	3
82.8M	5.48848G	5.57128G	76.042M	5.491859G	5.567901G	Inf	4
83.04M	5.56848G	5.65152G	76.522M	5.571619G	5.648141G	Inf	5
83.04M	5.56872G	5.65176G	76.282M	5.571859G	5.648141G	Inf	6
83.04M	5.56848G	5.65152G	76.522M	5.571379G	5.647901G	Inf	7
83.28M	5.56848G	5.65176G	76.282M	5.571859G	5.648141G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW


5260MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.72M	5.24911G	5.27083G	18.951M	5.250495G	5.269445G	Inf	1
21.3M	5.24932G	5.27062G	18.951M	5.250495G	5.269445G	Inf	2
21.15M	5.24956G	5.27071G	18.891M	5.250525G	5.269415G	Inf	3
20.97M	5.24941G	5.27038G	18.921M	5.250525G	5.269445G	Inf	4
21.09M	5.24944G	5.27053G	18.951M	5.250495G	5.269445G	Inf	5
21.03M	5.24953G	5.27056G	18.951M	5.250465G	5.269415G	Inf	6
21.48M	5.2492G	5.27068G	18.951M	5.250495G	5.269445G	Inf	7
21.33M	5.24926G	5.27059G	18.951M	5.250495G	5.269445G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW


5300MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.39M	5.28923G	5.31062G	18.951M	5.290495G	5.309445G	Inf	1
21.24M	5.28941G	5.31065G	18.921M	5.290495G	5.309415G	Inf	2
21.81M	5.28923G	5.31104G	18.951M	5.290495G	5.309445G	Inf	3
21.03M	5.28956G	5.31059G	18.951M	5.290465G	5.309415G	Inf	4
21.12M	5.28947G	5.31059G	18.921M	5.290495G	5.309415G	Inf	5
20.73M	5.28956G	5.31029G	18.891M	5.290495G	5.309385G	Inf	6
21.36M	5.28932G	5.31068G	18.951M	5.290495G	5.309445G	Inf	7
21.3M	5.28941G	5.31071G	18.981M	5.290465G	5.309445G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW


5320MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.24M	5.30932G	5.33056G	18.951M	5.310465G	5.329415G	Inf	1
20.94M	5.30947G	5.33041G	18.951M	5.310495G	5.329445G	Inf	2
21.36M	5.30941G	5.33077G	19.01M	5.310465G	5.329475G	Inf	3
21.15M	5.30938G	5.33053G	18.981M	5.310465G	5.329445G	Inf	4
21.15M	5.30938G	5.33053G	18.921M	5.310525G	5.329445G	Inf	5
21.03M	5.30941G	5.33044G	18.951M	5.310465G	5.329415G	Inf	6
21.12M	5.30938G	5.3305G	18.921M	5.310495G	5.329415G	Inf	7
21.66M	5.30923G	5.33089G	18.981M	5.310465G	5.329445G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5500MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.15M	5.48941G	5.51056G	18.861M	5.490525G	5.509385G	Inf	1
21.06M	5.48941G	5.51047G	18.921M	5.490495G	5.509415G	Inf	2
21.18M	5.48932G	5.5105G	18.891M	5.490525G	5.509415G	Inf	3
20.94M	5.4895G	5.51044G	18.891M	5.490525G	5.509415G	Inf	4
21.15M	5.48956G	5.51071G	18.861M	5.490555G	5.509415G	Inf	5
20.94M	5.48947G	5.51041G	18.921M	5.490495G	5.509415G	Inf	6
21.21M	5.48932G	5.51053G	18.921M	5.490495G	5.509415G	Inf	7
21.75M	5.48899G	5.51074G	18.951M	5.490465G	5.509415G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5580MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.42M	5.56926G	5.59068G	18.831M	5.570555G	5.589385G	Inf	1
21.33M	5.56932G	5.59065G	18.921M	5.570495G	5.589415G	Inf	2
20.97M	5.5695G	5.59047G	18.861M	5.570495G	5.589355G	Inf	3
21.06M	5.56947G	5.59053G	18.921M	5.570495G	5.589415G	Inf	4
21.12M	5.56932G	5.59044G	18.921M	5.570495G	5.589415G	Inf	5
21.24M	5.56932G	5.59056G	18.951M	5.570495G	5.589445G	Inf	6
21.09M	5.56938G	5.59047G	18.891M	5.570525G	5.589415G	Inf	7
21.48M	5.56923G	5.59071G	18.951M	5.570495G	5.589445G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5700MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.12M	5.68932G	5.71044G	18.861M	5.690495G	5.709355G	Inf	1
20.82M	5.68956G	5.71038G	18.801M	5.690555G	5.709355G	Inf	2
21.33M	5.68926G	5.71059G	19.01M	5.690435G	5.709445G	Inf	3
21.03M	5.68944G	5.71047G	18.891M	5.690495G	5.709385G	Inf	4
20.79M	5.68959G	5.71038G	18.951M	5.690495G	5.709445G	Inf	5
20.94M	5.68944G	5.71038G	18.891M	5.690495G	5.709385G	Inf	6
21.21M	5.68938G	5.71059G	18.921M	5.690495G	5.709415G	Inf	7
21.12M	5.68935G	5.71047G	18.831M	5.690525G	5.709355G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.47-5.725GHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.66M	5.70934G	5.725G	14.483M	5.71045G	5.724933G	Inf	1
15.705M	5.709295G	5.725G	14.498M	5.710405G	5.724903G	Inf	2
15.435M	5.709565G	5.725G	14.468M	5.71048G	5.724948G	Inf	3
15.63M	5.70937G	5.725G	14.483M	5.710465G	5.724948G	Inf	4
15.375M	5.709625G	5.725G	14.483M	5.71048G	5.724963G	Inf	5
15.51M	5.70949G	5.725G	14.468M	5.71048G	5.724948G	Inf	6
15.48M	5.70952G	5.725G	14.468M	5.710465G	5.724933G	Inf	7
15.45M	5.70955G	5.725G	14.453M	5.710465G	5.724918G	Inf	8

802.11ax HEW20_Nss1,(MCS0)_8TX EBW

5720MHz Straddle 5.725-5.85GHz

07/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
4.42M	5.725G	5.72942G	4.558M	5.72501G	5.729568G	500k	1
4.48M	5.725G	5.72948G	4.558M	5.72501G	5.729568G	500k	2
4.28M	5.725G	5.72928G	4.498M	5.72503G	5.729528G	500k	3
4.38M	5.725G	5.72938G	4.538M	5.72501G	5.729548G	500k	4
4.42M	5.725G	5.72942G	4.538M	5.72501G	5.729548G	500k	5
4.42M	5.725G	5.72942G	4.558M	5.72501G	5.729568G	500k	6
4.4M	5.725G	5.7294G	4.538M	5.72501G	5.729548G	500k	7
4.44M	5.725G	5.72944G	4.558M	5.72501G	5.729568G	500k	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5270MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.1M	5.2493G	5.2904G	37.841M	5.251049G	5.288891G	Inf	1
41.16M	5.2493G	5.29046G	38.021M	5.25093G	5.288951G	Inf	2
41.1M	5.24948G	5.29058G	37.901M	5.25099G	5.288891G	Inf	3
41.22M	5.24954G	5.29076G	37.841M	5.25099G	5.288831G	Inf	4
41.04M	5.24954G	5.29058G	38.021M	5.25093G	5.288951G	Inf	5
40.86M	5.2496G	5.29046G	37.901M	5.25099G	5.288891G	Inf	6
40.74M	5.24954G	5.29028G	37.961M	5.25099G	5.288951G	Inf	7
40.86M	5.24954G	5.2904G	37.961M	5.25099G	5.288951G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5310MHz

07/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.8M	5.28966G	5.33046G	37.961M	5.29099G	5.328951G	Inf	1
41.16M	5.28948G	5.33064G	37.901M	5.291049G	5.328951G	Inf	2
40.86M	5.2896G	5.33046G	37.901M	5.29099G	5.328891G	Inf	3
40.56M	5.28972G	5.33028G	38.021M	5.29093G	5.328951G	Inf	4
40.92M	5.28948G	5.3304G	37.961M	5.29093G	5.328891G	Inf	5
41.22M	5.28936G	5.33058G	37.961M	5.29093G	5.328891G	Inf	6
41.04M	5.28966G	5.3307G	38.021M	5.29099G	5.32901G	Inf	7
40.92M	5.28954G	5.33046G	38.021M	5.29099G	5.32901G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5510MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
41.16M	5.4893G	5.53046G	37.961M	5.49099G	5.528951G	Inf	1
41.1M	5.4896G	5.5307G	38.081M	5.49093G	5.52901G	Inf	2
40.86M	5.48954G	5.5304G	37.901M	5.491049G	5.528951G	Inf	3
40.86M	5.4896G	5.53046G	37.841M	5.491109G	5.528951G	Inf	4
40.98M	5.48954G	5.53052G	37.961M	5.49099G	5.528951G	Inf	5
41.1M	5.48948G	5.53058G	37.901M	5.491049G	5.528951G	Inf	6
41.04M	5.48954G	5.53058G	37.901M	5.49099G	5.528891G	Inf	7
40.74M	5.48966G	5.5304G	37.901M	5.49099G	5.528891G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5550MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.98M	5.52942G	5.5704G	37.841M	5.531049G	5.568891G	Inf	1
40.8M	5.52948G	5.57028G	37.901M	5.531049G	5.568951G	Inf	2
40.8M	5.52972G	5.57052G	38.021M	5.53099G	5.56901G	Inf	3
41.1M	5.5296G	5.5707G	37.841M	5.5310049G	5.568891G	Inf	4
40.98M	5.52948G	5.57046G	38.021M	5.53099G	5.56901G	Inf	5
40.74M	5.52966G	5.5704G	37.961M	5.5310049G	5.56901G	Inf	6
41.22M	5.52942G	5.57064G	37.841M	5.5310049G	5.568891G	Inf	7
41.04M	5.52954G	5.57058G	37.901M	5.5311109G	5.56901G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW


5670MHz

08/06/2021

CF	5.67GHz
Span	120MHz
RBW	500kHz
VBW	2MHz
Sweep Time	100ms
Detector Type	Peak



CF	5.67GHz
Span	120MHz
RBW	1MHz
VBW	3MHz
Sweep Time	100ms
Detector Type	Sample



Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.74M	5.64966G	5.6904G	37.841M	5.651049G	5.688891G	Inf	1
40.62M	5.6496G	5.69022G	37.661M	5.651169G	5.688831G	Inf	2
40.74M	5.6496G	5.69034G	37.961M	5.65099G	5.688951G	Inf	3
40.74M	5.64948G	5.69022G	37.961M	5.65099G	5.688951G	Inf	4
40.92M	5.64966G	5.69058G	37.841M	5.651109G	5.688951G	Inf	5
41.04M	5.6496G	5.69064G	38.021M	5.65099G	5.68901G	Inf	6
40.56M	5.64966G	5.69022G	37.781M	5.651109G	5.688891G	Inf	7
40.98M	5.64954G	5.69052G	37.781M	5.651049G	5.688831G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW


5710MHz Straddle 5.47-5.725GHz

08/06/2021

CF	5.69GHz
Span	70MHz
RBW	500kHz
VBW	2MHz
Sweep Time	100ms
Detector Type	Peak



CF	5.69GHz
Span	70MHz
RBW	1MHz
VBW	3MHz
Sweep Time	100ms
Detector Type	Sample




Port 1 Port 2 Port 3 Port 4 Port 5 Port 6 Port 7 Port 8

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.7M	5.6893G	5.725G	33.828M	5.691014G	5.724843G	Inf	1
35.175M	5.689825G	5.725G	33.618M	5.691119G	5.724738G	Inf	2
35.525M	5.689475G	5.725G	33.898M	5.69091G	5.724808G	Inf	3
35.315M	5.689685G	5.725G	33.793M	5.691014G	5.724808G	Inf	4
35.385M	5.689615G	5.725G	33.828M	5.69098G	5.724808G	Inf	5
35.63M	5.68937G	5.725G	33.933M	5.69091G	5.724843G	Inf	6
35.315M	5.689685G	5.725G	33.793M	5.691049G	5.724843G	Inf	7
35.315M	5.689685G	5.725G	33.793M	5.691014G	5.724808G	Inf	8

802.11ax HEW40_Nss1,(MCS0)_8TX EBW

5710MHz Straddle 5.725-5.85GHz

08/06/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
4M	5.725G	5.729G	4.118M	5.72501G	5.729128G	500k	1
4.16M	5.725G	5.72916G	4.158M	5.72501G	5.729168G	500k	2
4.1M	5.725G	5.7291G	4.138M	5.72501G	5.729148G	500k	3
3.94M	5.725G	5.72894G	4.098M	5.72503G	5.729128G	500k	4
4.06M	5.725G	5.72906G	4.138M	5.72501G	5.729148G	500k	5
4.16M	5.725G	5.72916G	4.138M	5.72503G	5.729168G	500k	6
3.86M	5.725G	5.72886G	4.118M	5.72501G	5.729128G	500k	7
4.04M	5.725G	5.72904G	4.118M	5.72501G	5.729128G	500k	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5290MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.8M	5.24872G	5.33152G	77.481M	5.251139G	5.328621G	Inf	1
81.96M	5.24896G	5.33092G	77.361M	5.251379G	5.328741G	Inf	2
82.08M	5.24908G	5.33116G	77.361M	5.251499G	5.328861G	Inf	3
81.84M	5.24908G	5.33092G	77.481M	5.251379G	5.328861G	Inf	4
81.96M	5.24908G	5.33104G	77.481M	5.251259G	5.328741G	Inf	5
81.96M	5.24896G	5.33092G	77.361M	5.251379G	5.328741G	Inf	6
82.68M	5.24872G	5.3314G	77.001M	5.251379G	5.328381G	Inf	7
81.96M	5.24896G	5.33092G	77.361M	5.251379G	5.328741G	Inf	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5530MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.16M	5.488G	5.57116G	77.361M	5.491259G	5.568621G	Inf	1
81.84M	5.48932G	5.57116G	77.241M	5.491379G	5.568621G	Inf	2
82.56M	5.48884G	5.5714G	77.721M	5.491139G	5.568861G	Inf	3
82.08M	5.48896G	5.57104G	77.481M	5.491259G	5.568741G	Inf	4
81.84M	5.48908G	5.57092G	77.721M	5.491139G	5.568861G	Inf	5
82.2M	5.48908G	5.57128G	77.721M	5.491259G	5.568981G	Inf	6
82.56M	5.48884G	5.5714G	77.241M	5.491379G	5.568621G	Inf	7
82.08M	5.48908G	5.57116G	77.481M	5.491259G	5.568741G	Inf	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5610MHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.32M	5.56872G	5.65104G	77.361M	5.571139G	5.648501G	Inf	1
82.32M	5.56896G	5.65128G	77.121M	5.571379G	5.648501G	Inf	2
81.84M	5.5692G	5.65104G	77.481M	5.571259G	5.648741G	Inf	3
81.84M	5.56908G	5.65092G	77.481M	5.571139G	5.648621G	Inf	4
82.08M	5.56908G	5.65116G	77.241M	5.571499G	5.648741G	Inf	5
82.68M	5.5686G	5.65128G	77.601M	5.571139G	5.648741G	Inf	6
81.6M	5.5692G	5.6508G	77.361M	5.571379G	5.648741G	Inf	7
82.08M	5.56896G	5.65104G	77.481M	5.571139G	5.648621G	Inf	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5690MHz Straddle 5.47-5.725GHz

08/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.425M	5.648575G	5.725G	73.463M	5.651199G	5.724663G	Inf	1
76.35M	5.64865G	5.725G	73.238M	5.651274G	5.724513G	Inf	2
76.05M	5.64895G	5.725G	73.388M	5.651049G	5.724438G	Inf	3
75.975M	5.649025G	5.725G	73.463M	5.651124G	5.724588G	Inf	4
75.975M	5.649025G	5.725G	73.088M	5.651349G	5.724438G	Inf	5
76.125M	5.648875G	5.725G	73.238M	5.651274G	5.724513G	Inf	6
76.05M	5.64895G	5.725G	73.313M	5.651124G	5.724438G	Inf	7
75.975M	5.649025G	5.725G	73.238M	5.651349G	5.724588G	Inf	8

802.11ax HEW80_Nss1,(MCS0)_8TX EBW

5690MHz Straddle 5.725-5.85GHz


08/06/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.9M	5.725G	5.7289G	4.138M	5.72501G	5.729148G	500k	1
4.14M	5.725G	5.72914G	4.238M	5.72501G	5.729248G	500k	2
4.08M	5.725G	5.72908G	4.198M	5.72503G	5.729228G	500k	3
4.08M	5.725G	5.72908G	4.158M	5.72501G	5.729168G	500k	4
4.12M	5.725G	5.72912G	4.198M	5.72503G	5.729228G	500k	5
4.1M	5.725G	5.7291G	4.138M	5.72503G	5.729168G	500k	6
3.96M	5.725G	5.72896G	4.198M	5.72503G	5.729228G	500k	7
3.98M	5.725G	5.72898G	4.138M	5.72501G	5.729148G	500k	8

802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4) EBW #5210MHz,5290MHz


09/06/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.56M	5.16872G	5.25128G	77.481M	5.171259G	5.248741G	Inf	1
82.32M	5.16896G	5.25128G	77.601M	5.171139G	5.248741G	Inf	2
82.44M	5.16872G	5.25116G	77.241M	5.171259G	5.248501G	Inf	3
82.2M	5.16896G	5.25116G	77.481M	5.171259G	5.248741G	Inf	4

802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8) EBW 5210MHz,#5290MHz

09/06/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.92M	5.24872G	5.33164G	77.601M	5.251139G	5.328741G	Inf	5
81.72M	5.2492G	5.33092G	77.361M	5.251259G	5.328621G	Inf	6
82.56M	5.2486G	5.33116G	77.601M	5.251139G	5.328741G	Inf	7
81.96M	5.24896G	5.33092G	77.241M	5.251379G	5.328621G	Inf	8

802.11ax HEW80+80_Nss1,(MCS0)_8TX EBW

#5530MHz,#5610MHz

08/06/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
84.24M	5.48776G	5.572G	77.961M	5.4909G	5.568861G	Inf	1
84.48M	5.488G	5.57248G	78.201M	5.491139G	5.56934G	Inf	2
84M	5.48824G	5.57224G	77.721M	5.4909G	5.568621G	Inf	3
83.76M	5.48824G	5.572G	77.961M	5.491139G	5.5691G	Inf	4
83.28M	5.56824G	5.65152G	77.721M	5.571139G	5.648861G	Inf	5
84.24M	5.568G	5.65224G	77.721M	5.571379G	5.6491G	Inf	6
84M	5.56824G	5.65224G	77.961M	5.571139G	5.6491G	Inf	7
84.24M	5.56776G	5.652G	77.961M	5.57066G	5.648621G	Inf	8

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	36.45M	19.04M	19M0D1D	29.1M	17.091M
802.11n HT20_Nss1,(MCS0)_1TX	37.05M	19.67M	19M7D1D	29.37M	18.081M
802.11n HT40_Nss1,(MCS0)_1TX	52.02M	36.762M	36M8D1D	50.7M	36.702M
802.11ac VHT20_Nss1,(MCS0)_1TX	39.03M	19.88M	19M9D1D	29.73M	18.171M
802.11ac VHT40_Nss1,(MCS0)_1TX	51.42M	36.822M	36M8D1D	50.7M	36.822M
802.11ac VHT80_Nss1,(MCS0)_1TX	99.48M	76.762M	76M8D1D	99.48M	76.762M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.32M	24.708M	24M7D1D	16.05M	22.339M
802.11n HT20_Nss1,(MCS0)_1TX	17.52M	25.487M	25M5D1D	17.49M	22.459M
802.11n HT40_Nss1,(MCS0)_1TX	36.3M	44.258M	44M3D1D	35.94M	41.859M
802.11ac VHT20_Nss1,(MCS0)_1TX	17.58M	25.217M	25M2D1D	17.52M	22.519M
802.11ac VHT40_Nss1,(MCS0)_1TX	35.88M	43.238M	43M2D1D	35.1M	42.039M
802.11ac VHT80_Nss1,(MCS0)_1TX	73.2M	76.882M	76M9D1D	73.2M	76.882M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	29.1M	17.091M
5200MHz	Pass	Inf	29.55M	17.241M
5240MHz	Pass	Inf	36.45M	19.04M
5745MHz	Pass	500k	16.32M	22.339M
5785MHz	Pass	500k	16.29M	24.708M
5825MHz	Pass	500k	16.05M	23.238M
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	29.37M	18.081M
5200MHz	Pass	Inf	31.68M	18.351M
5240MHz	Pass	Inf	37.05M	19.67M
5745MHz	Pass	500k	17.52M	22.459M
5785MHz	Pass	500k	17.49M	25.487M
5825MHz	Pass	500k	17.52M	23.778M
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	50.7M	36.702M
5230MHz	Pass	Inf	52.02M	36.762M
5755MHz	Pass	500k	36.3M	41.859M
5795MHz	Pass	500k	35.94M	44.258M
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	29.73M	18.171M
5200MHz	Pass	Inf	30.78M	18.201M
5240MHz	Pass	Inf	39.03M	19.88M
5745MHz	Pass	500k	17.58M	22.519M
5785MHz	Pass	500k	17.52M	25.217M
5825MHz	Pass	500k	17.58M	23.688M
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	51.42M	36.822M
5230MHz	Pass	Inf	50.7M	36.822M
5755MHz	Pass	500k	35.88M	42.039M
5795MHz	Pass	500k	35.1M	43.238M
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	99.48M	76.762M
5775MHz	Pass	500k	73.2M	76.882M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_1TX EBW


5180MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
29.1M	5.16569G	5.19479G	17.091M	5.171514G	5.188606G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5200MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
29.55M	5.18527G	5.21482G	17.241M	5.191424G	5.208666G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5240MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.45M	5.22191G	5.25836G	19.04M	5.230705G	5.249745G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5745MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.32M	5.73687G	5.75319G	22.339M	5.733396G	5.755735G	500k	1

802.11a_Nss1,(6Mbps)_1TX EBW

5785MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.29M	5.77687G	5.79316G	24.708M	5.772376G	5.797084G	500k	1

802.11a_Nss1,(6Mbps)_1TX EBW

5825MHz


26/02/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.05M	5.8169G	5.83295G	23.238M	5.812976G	5.836214G	500k	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5180MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
29.37M	5.16512G	5.19449G	18.081M	5.171034G	5.189115G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5200MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
31.68M	5.18386G	5.21554G	18.351M	5.190885G	5.209235G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5240MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.05M	5.22122G	5.25827G	19.67M	5.230255G	5.249925G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5745MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.52M	5.73627G	5.75379G	22.459M	5.733456G	5.755915G	500k	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5785MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.49M	5.77627G	5.79376G	25.487M	5.772016G	5.797504G	500k	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5825MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.52M	5.81627G	5.83379G	23.778M	5.812796G	5.836574G	500k	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5190MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
50.7M	5.16546G	5.21616G	36.702M	5.171709G	5.208411G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5230MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
52.02M	5.20444G	5.25646G	36.762M	5.211709G	5.248471G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5755MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.3M	5.73688G	5.77318G	41.859M	5.733171G	5.77503G	500k	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5795MHz


26/02/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.94M	5.77688G	5.81282G	44.258M	5.771732G	5.81599G	500k	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5180MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
29.73M	5.16599G	5.19572G	18.171M	5.170945G	5.189115G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5200MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
30.78M	5.18494G	5.21572G	18.201M	5.190915G	5.209115G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5240MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.03M	5.22065G	5.25968G	19.88M	5.230075G	5.249955G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5745MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.58M	5.73624G	5.75382G	22.519M	5.733456G	5.755975G	500k	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5785MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.52M	5.77627G	5.79379G	25.217M	5.772166G	5.797384G	500k	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5825MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.58M	5.81621G	5.83379G	23.688M	5.812706G	5.836394G	500k	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5190MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
51.42M	5.16462G	5.21604G	36.822M	5.171649G	5.208471G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5230MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
50.7M	5.20522G	5.25592G	36.822M	5.211649G	5.248471G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5755MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.88M	5.73688G	5.77276G	42.039M	5.733231G	5.77527G	500k	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5795MHz

26/02/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.1M	5.77622G	5.81132G	43.238M	5.772091G	5.81533G	500k	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW

5210MHz

26/02/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
99.48M	5.16212G	5.2616G	76.762M	5.171739G	5.248501G	Inf	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW

5775MHz

26/02/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
73.2M	5.73684G	5.81004G	76.882M	5.736259G	5.813141G	500k	1

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	37.05M	18.591M	18M6D1D	25.92M	16.882M
802.11n HT20_Nss1,(MCS0)_1TX	34.47M	18.891M	18M9D1D	26.64M	17.931M
802.11n HT40_Nss1,(MCS0)_1TX	49.02M	36.762M	36M8D1D	48.78M	36.642M
802.11ac VHT20_Nss1,(MCS0)_1TX	36.45M	19.25M	19M2D1D	25.89M	17.901M
802.11ac VHT40_Nss1,(MCS0)_1TX	51.3M	36.822M	36M8D1D	51.24M	36.762M
802.11ac VHT80_Nss1,(MCS0)_1TX	103.2M	76.642M	76M6D1D	103.2M	76.642M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	38.58M	19.49M	19M5D1D	21.195M	14.573M
802.11n HT20_Nss1,(MCS0)_1TX	31.86M	18.381M	18M4D1D	19.095M	14.213M
802.11n HT40_Nss1,(MCS0)_1TX	57.24M	37.061M	37M1D1D	42.035M	33.443M
802.11ac VHT20_Nss1,(MCS0)_1TX	35.61M	18.921M	18M9D1D	20.265M	14.588M
802.11ac VHT40_Nss1,(MCS0)_1TX	67.38M	37.421M	37M4D1D	42.875M	33.513M
802.11ac VHT80_Nss1,(MCS0)_1TX	102.48M	76.882M	76M9D1D	96.3M	73.313M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	3.14M	8.716M	8M72D1D	3.14M	8.716M
802.11n HT20_Nss1,(MCS0)_1TX	3.76M	6.437M	6M44D1D	3.76M	6.437M
802.11n HT40_Nss1,(MCS0)_1TX	3.14M	11.954M	12M0D1D	3.14M	11.954M
802.11ac VHT20_Nss1,(MCS0)_1TX	3.74M	7.516M	7M52D1D	3.74M	7.516M
802.11ac VHT40_Nss1,(MCS0)_1TX	3.14M	14.973M	15M0D1D	3.14M	14.973M
802.11ac VHT80_Nss1,(MCS0)_1TX	3.24M	29.605M	29M6D1D	3.24M	29.605M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5260MHz	Pass	Inf	37.05M	18.591M
5300MHz	Pass	Inf	34.71M	18.141M
5320MHz	Pass	Inf	25.92M	16.882M
5500MHz	Pass	Inf	25.32M	16.822M
5580MHz	Pass	Inf	38.58M	19.49M
5700MHz	Pass	Inf	25.53M	16.792M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	21.195M	14.573M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	8.716M
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-
5260MHz	Pass	Inf	34.47M	18.891M
5300MHz	Pass	Inf	32.37M	18.411M
5320MHz	Pass	Inf	26.64M	17.931M
5500MHz	Pass	Inf	25.26M	17.961M
5580MHz	Pass	Inf	31.86M	18.381M
5700MHz	Pass	Inf	25.98M	17.931M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	19.095M	14.213M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.76M	6.437M
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-
5270MHz	Pass	Inf	48.78M	36.642M
5310MHz	Pass	Inf	49.02M	36.762M
5510MHz	Pass	Inf	48.84M	36.702M
5550MHz	Pass	Inf	57.24M	37.061M
5670MHz	Pass	Inf	49.56M	36.822M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	42.035M	33.443M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	11.954M
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-
5260MHz	Pass	Inf	36.45M	19.25M
5300MHz	Pass	Inf	35.61M	18.801M
5320MHz	Pass	Inf	25.89M	17.901M
5500MHz	Pass	Inf	25.71M	17.961M
5580MHz	Pass	Inf	35.61M	18.921M
5700MHz	Pass	Inf	26.34M	17.961M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	20.265M	14.588M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.74M	7.516M
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-
5270MHz	Pass	Inf	51.3M	36.762M
5310MHz	Pass	Inf	51.24M	36.822M
5510MHz	Pass	Inf	49.2M	36.702M
5550MHz	Pass	Inf	67.38M	37.421M
5670MHz	Pass	Inf	52.02M	36.822M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	42.875M	33.513M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	14.973M
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-
5290MHz	Pass	Inf	103.2M	76.642M
5530MHz	Pass	Inf	98.88M	76.402M
5610MHz	Pass	Inf	102.48M	76.882M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	96.3M	73.313M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.24M	29.605M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_1TX EBW

5260MHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.05M	5.24071G	5.27776G	18.591M	5.250855G	5.269445G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5300MHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.71M	5.28296G	5.31767G	18.141M	5.291004G	5.309145G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5320MHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.92M	5.30728G	5.3332G	16.882M	5.311544G	5.328426G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5500MHz


01/07/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.32M	5.4877G	5.51302G	16.822M	5.491604G	5.508426G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW


5580MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.58M	5.5608G	5.59938G	19.49M	5.570255G	5.589745G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5700MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.53M	5.68722G	5.71275G	16.792M	5.691604G	5.708396G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5720MHz Straddle 5.47-5.725GHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.195M	5.703805G	5.725G	14.573M	5.71036G	5.724933G	Inf	1

802.11a_Nss1,(6Mbps)_1TX EBW

5720MHz Straddle 5.725-5.85GHz


01/07/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	8.716M	5.72501G	5.733726G	500k	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5260MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.47M	5.24287G	5.27734G	18.891M	5.250645G	5.269535G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5300MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
32.37M	5.28395G	5.31632G	18.411M	5.290855G	5.309265G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5320MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.64M	5.30686G	5.3335G	17.931M	5.311034G	5.328966G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5500MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.26M	5.48716G	5.51242G	17.961M	5.490975G	5.508936G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW


5580MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
31.86M	5.56395G	5.59581G	18.381M	5.570705G	5.589085G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5700MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.98M	5.6871G	5.71308G	17.931M	5.691004G	5.708936G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5720MHz Straddle 5.47-5.725GHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.095M	5.705905G	5.725G	14.213M	5.71072G	5.724933G	Inf	1

802.11n HT20_Nss1,(MCS0)_1TX EBW

5720MHz Straddle 5.725-5.85GHz


01/07/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.76M	5.725G	5.72876G	6.437M	5.72501G	5.731447G	500k	1

802.11n HT40_Nss1,(MCS0)_1TX EBW


5270MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
48.78M	5.24582G	5.2946G	36.642M	5.251709G	5.288351G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW


5310MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.02M	5.28582G	5.33484G	36.762M	5.291649G	5.328411G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW


5510MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
48.84M	5.48528G	5.53412G	36.702M	5.491649G	5.528351G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5550MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
57.24M	5.5215G	5.57874G	37.061M	5.531409G	5.568471G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5670MHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.56M	5.6445G	5.69406G	36.822M	5.651529G	5.688351G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW

5710MHz Straddle 5.47-5.725GHz


01/07/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.035M	5.682965G	5.725G	33.443M	5.691399G	5.724843G	Inf	1

802.11n HT40_Nss1,(MCS0)_1TX EBW


5710MHz Straddle 5.725-5.85GHz



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	11.954M	5.72501G	5.736964G	500k	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5260MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.45M	5.24254G	5.27899G	19.25M	5.250435G	5.269685G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5300MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.61M	5.28275G	5.31836G	18.801M	5.290675G	5.309475G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5320MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.89M	5.30698G	5.33287G	17.901M	5.311064G	5.328966G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5500MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.71M	5.48689G	5.5126G	17.961M	5.491004G	5.508966G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5580MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
35.61M	5.56239G	5.598G	18.921M	5.570405G	5.589325G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW


5700MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.34M	5.68704G	5.71338G	17.961M	5.690975G	5.708936G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5720MHz Straddle 5.47-5.725GHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.265M	5.704735G	5.725G	14.588M	5.710345G	5.724933G	Inf	1

802.11ac VHT20_Nss1,(MCS0)_1TX EBW

5720MHz Straddle 5.725-5.85GHz

01/07/2021




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.74M	5.725G	5.72874G	7.516M	5.72501G	5.732526G	500k	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5270MHz


01/07/2021



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
51.3M	5.2454G	5.2967G	36.762M	5.251649G	5.288411G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW


5310MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
51.24M	5.28528G	5.33652G	36.822M	5.291589G	5.328411G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW


5510MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.2M	5.48498G	5.53418G	36.702M	5.491649G	5.528351G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW


5550MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
67.38M	5.5164G	5.58378G	37.421M	5.531169G	5.568591G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5670MHz




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
52.02M	5.64378G	5.6958G	36.822M	5.651469G	5.688291G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5710MHz Straddle 5.47-5.725GHz

01/07/2021




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.875M	5.682125G	5.725G	33.513M	5.691329G	5.724843G	Inf	1

802.11ac VHT40_Nss1,(MCS0)_1TX EBW

5710MHz Straddle 5.725-5.85GHz


01/07/2021



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.14M	5.725G	5.72814G	14.973M	5.72501G	5.739983G	500k	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW


5290MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
103.2M	5.23912G	5.34232G	76.642M	5.251859G	5.328501G	Inf	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW


5530MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
98.88M	5.48044G	5.57932G	76.402M	5.491739G	5.568141G	Inf	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW


5610MHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
102.48M	5.55756G	5.66004G	76.882M	5.571379G	5.648261G	Inf	1

802.11ac VHT80_Nss1,(MCS0)_1TX EBW


5690MHz Straddle 5.47-5.725GHz



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
96.3M	5.6287G	5.725G	73.313M	5.651199G	5.724513G	Inf	1

802.11ac VHT80_Nss1,(MCS0)_1TX **EBW**

5690MHz Straddle 5.725-5.85GHz



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
3.24M	5.725G	5.72824G	29.605M	5.72501G	5.754615G	500k	1

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	25.39	0.34594	31.60	1.44544
802.11n HT20_Nss1,(MCS0)_4TX	25.29	0.33806	31.50	1.41254
802.11n HT40_Nss1,(MCS0)_4TX	22.98	0.19861	29.19	0.82985
802.11ac VHT20_Nss1,(MCS0)_4TX	25.30	0.33884	31.51	1.41579
802.11ac VHT40_Nss1,(MCS0)_4TX	22.94	0.19679	29.15	0.82224
802.11ac VHT80_Nss1,(MCS0)_4TX	19.30	0.08511	25.51	0.35563
802.11ax HEW20_Nss1,(MCS0)_4TX	25.46	0.35156	31.67	1.46893
802.11ax HEW40_Nss1,(MCS0)_4TX	23.16	0.20701	29.37	0.86497
802.11ax HEW80_Nss1,(MCS0)_4TX	19.62	0.09162	25.83	0.38282
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	25.27	0.33651	31.54	1.42561
802.11n HT20_Nss1,(MCS0)_4TX	25.60	0.36308	31.87	1.53815
802.11n HT40_Nss1,(MCS0)_4TX	24.88	0.30761	31.15	1.30317
802.11ac VHT20_Nss1,(MCS0)_4TX	25.72	0.37325	31.99	1.58125
802.11ac VHT40_Nss1,(MCS0)_4TX	24.91	0.30974	31.18	1.31220
802.11ac VHT80_Nss1,(MCS0)_4TX	20.83	0.12106	27.10	0.51286
802.11ax HEW20_Nss1,(MCS0)_4TX	25.85	0.38459	32.12	1.62930
802.11ax HEW40_Nss1,(MCS0)_4TX	25.09	0.32285	31.36	1.36773
802.11ax HEW80_Nss1,(MCS0)_4TX	21.25	0.13335	27.52	0.56494

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.21	15.81	15.52	16.10	16.12	21.91	29.79	28.12	36.00
5200MHz	Pass	6.21	17.67	17.19	18.04	18.37	23.86	29.79	30.07	36.00
5240MHz	Pass	6.21	19.56	18.91	19.40	19.59	25.39	29.79	31.60	36.00
5745MHz	Pass	6.27	19.05	18.91	19.18	19.82	25.27	29.73	31.54	36.00
5785MHz	Pass	6.27	16.79	16.47	17.21	17.29	22.97	29.73	29.24	36.00
5825MHz	Pass	6.27	17.18	17.04	17.55	17.76	23.41	29.73	29.68	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.21	15.24	14.83	15.56	15.56	21.33	29.79	27.54	36.00
5200MHz	Pass	6.21	16.18	15.87	16.62	17.09	22.49	29.79	28.70	36.00
5240MHz	Pass	6.21	19.47	18.81	19.32	19.44	25.29	29.79	31.50	36.00
5745MHz	Pass	6.27	17.13	16.96	17.57	17.96	23.44	29.73	29.71	36.00
5785MHz	Pass	6.27	19.04	18.88	19.45	20.69	25.60	29.73	31.87	36.00
5825MHz	Pass	6.27	18.20	18.06	18.54	19.93	24.77	29.73	31.04	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.21	13.81	13.76	14.33	14.45	20.12	29.79	26.33	36.00
5230MHz	Pass	6.21	17.03	16.28	17.06	17.38	22.98	29.79	29.19	36.00
5755MHz	Pass	6.27	17.55	17.05	17.87	17.91	23.63	29.73	29.90	36.00
5795MHz	Pass	6.27	18.48	18.69	18.97	19.26	24.88	29.73	31.15	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.21	15.25	14.87	15.61	15.53	21.35	29.79	27.56	36.00
5200MHz	Pass	6.21	17.53	16.88	17.92	18.29	23.71	29.79	29.92	36.00
5240MHz	Pass	6.21	19.48	18.91	19.22	19.48	25.30	29.79	31.51	36.00
5745MHz	Pass	6.27	17.20	17.00	17.60	17.90	23.46	29.73	29.73	36.00
5785MHz	Pass	6.27	18.94	18.90	19.61	21.01	25.72	29.73	31.99	36.00
5825MHz	Pass	6.27	18.27	17.99	18.54	20.00	24.79	29.73	31.06	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.21	14.50	14.19	14.95	14.98	20.69	29.79	26.90	36.00
5230MHz	Pass	6.21	17.00	16.21	16.98	17.40	22.94	29.79	29.15	36.00
5755MHz	Pass	6.27	17.43	17.34	17.74	18.18	23.71	29.73	29.98	36.00
5795MHz	Pass	6.27	18.61	18.68	18.99	19.25	24.91	29.73	31.18	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.21	13.05	12.69	13.49	13.81	19.30	29.79	25.51	36.00
5775MHz	Pass	6.27	14.67	14.66	14.91	14.99	20.83	29.73	27.10	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.21	15.50	15.29	15.80	15.79	21.62	29.79	27.83	36.00
5200MHz	Pass	6.21	17.76	17.21	18.18	18.51	23.96	29.79	30.17	36.00
5240MHz	Pass	6.21	19.64	19.08	19.44	19.57	25.46	29.79	31.67	36.00
5745MHz	Pass	6.27	17.33	17.02	17.68	18.00	23.54	29.73	29.81	36.00
5785MHz	Pass	6.27	19.24	18.85	19.69	21.17	25.85	29.73	32.12	36.00
5825MHz	Pass	6.27	18.49	18.10	18.70	20.21	24.97	29.73	31.24	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.21	14.66	14.25	14.98	15.30	20.84	29.79	27.05	36.00
5230MHz	Pass	6.21	17.12	16.50	17.21	17.65	23.16	29.79	29.37	36.00
5755MHz	Pass	6.27	17.48	17.40	18.07	18.44	23.89	29.73	30.16	36.00
5795MHz	Pass	6.27	18.70	18.81	19.10	19.61	25.09	29.73	31.36	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.21	13.43	12.96	13.70	14.21	19.62	29.79	25.83	36.00
5775MHz	Pass	6.27	15.01	15.09	15.13	15.65	21.25	29.73	27.52	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.32	0.13552	27.53	0.56624
802.11n HT20_Nss1,(MCS0)_4TX	21.30	0.13490	27.51	0.56364
802.11n HT40_Nss1,(MCS0)_4TX	22.82	0.19143	29.03	0.79983
802.11ac VHT20_Nss1,(MCS0)_4TX	23.11	0.20464	29.32	0.85507
802.11ac VHT40_Nss1,(MCS0)_4TX	22.82	0.19143	29.03	0.79983
802.11ac VHT80_Nss1,(MCS0)_4TX	19.71	0.09354	25.92	0.39084
802.11ax HEW20_Nss1,(MCS0)_4TX	23.24	0.21086	29.45	0.88105
802.11ax HEW40_Nss1,(MCS0)_4TX	22.96	0.19770	29.17	0.82604
802.11ax HEW80_Nss1,(MCS0)_4TX	20.02	0.10046	26.23	0.41976
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.80	0.15136	28.07	0.64121
802.11n HT20_Nss1,(MCS0)_4TX	22.21	0.16634	28.48	0.70469
802.11n HT40_Nss1,(MCS0)_4TX	22.94	0.19679	29.21	0.83368
802.11ac VHT20_Nss1,(MCS0)_4TX	23.02	0.20045	29.29	0.84918
802.11ac VHT40_Nss1,(MCS0)_4TX	22.97	0.19815	29.24	0.83946
802.11ac VHT80_Nss1,(MCS0)_4TX	22.53	0.17906	28.80	0.75858
802.11ax HEW20_Nss1,(MCS0)_4TX	23.15	0.20654	29.42	0.87498
802.11ax HEW40_Nss1,(MCS0)_4TX	23.22	0.20989	29.49	0.88920
802.11ax HEW80_Nss1,(MCS0)_4TX	23.17	0.20749	29.44	0.87902
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	15.43	0.03491	21.70	0.14791
802.11n HT20_Nss1,(MCS0)_4TX	16.55	0.04519	22.82	0.19143
802.11n HT40_Nss1,(MCS0)_4TX	11.35	0.01365	17.62	0.05781
802.11ac VHT20_Nss1,(MCS0)_4TX	16.80	0.04786	23.07	0.20277
802.11ac VHT40_Nss1,(MCS0)_4TX	11.82	0.01521	18.09	0.06442
802.11ac VHT80_Nss1,(MCS0)_4TX	7.80	0.00603	14.07	0.02553
802.11ax HEW20_Nss1,(MCS0)_4TX	17.31	0.05383	23.58	0.22803
802.11ax HEW40_Nss1,(MCS0)_4TX	13.22	0.02099	19.49	0.08892
802.11ax HEW80_Nss1,(MCS0)_4TX	9.34	0.00859	15.61	0.03639

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	6.21	15.23	15.25	15.15	15.34	21.26	23.65	27.47	29.86
5300MHz	Pass	6.21	15.61	15.52	14.88	15.14	21.32	23.65	27.53	29.86
5320MHz	Pass	6.21	15.59	15.41	14.95	15.19	21.31	23.64	27.52	29.85
5500MHz	Pass	6.27	15.47	15.56	14.97	15.97	21.53	23.63	27.80	29.90
5580MHz	Pass	6.27	15.28	15.57	14.89	15.74	21.40	23.56	27.67	29.83
5700MHz	Pass	6.27	14.18	14.87	13.99	14.23	20.35	23.54	26.62	29.81
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	16.20	15.80	15.05	15.97	21.80	22.29	28.07	28.56
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	8.45	10.36	8.77	9.79	15.43	29.73	21.70	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	6.21	15.36	15.06	14.93	15.15	21.15	23.77	27.36	30.00
5300MHz	Pass	6.21	15.75	15.42	14.88	15.03	21.30	23.77	27.51	30.00
5320MHz	Pass	6.21	15.46	15.21	15.06	14.89	21.18	23.77	27.39	30.00
5500MHz	Pass	6.27	13.99	14.01	13.54	14.52	20.05	23.71	26.32	30.00
5580MHz	Pass	6.27	16.00	16.43	15.97	16.34	22.21	23.71	28.48	30.00
5700MHz	Pass	6.27	14.19	15.06	14.02	15.00	20.61	23.71	26.88	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	16.40	16.29	15.56	16.13	22.13	22.56	28.40	28.83
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	10.29	10.84	10.51	10.44	16.55	29.73	22.82	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.21	16.83	16.85	16.69	16.82	22.82	23.77	29.03	30.00
5310MHz	Pass	6.21	15.10	14.89	14.40	14.71	20.80	23.77	27.01	30.00
5510MHz	Pass	6.27	13.81	13.63	13.29	14.10	19.74	23.71	26.01	30.00
5550MHz	Pass	6.27	16.89	17.12	16.50	17.15	22.94	23.71	29.21	30.00
5670MHz	Pass	6.27	14.40	14.66	14.32	14.67	20.54	23.71	26.81	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	16.34	16.39	15.91	16.33	22.27	23.71	28.54	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	5.58	4.89	4.57	6.10	11.35	29.73	17.62	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	6.21	17.16	17.04	16.68	17.11	23.02	23.77	29.23	30.00
5300MHz	Pass	6.21	17.58	17.07	16.76	16.91	23.11	23.77	29.32	30.00
5320MHz	Pass	6.21	17.22	17.00	16.64	16.77	22.93	23.77	29.14	30.00
5500MHz	Pass	6.27	14.06	14.13	13.54	14.48	20.09	23.71	26.36	30.00
5580MHz	Pass	6.27	16.92	17.23	16.69	17.13	23.02	23.71	29.29	30.00
5700MHz	Pass	6.27	14.34	15.12	14.04	15.08	20.69	23.71	26.96	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	16.41	16.62	16.35	16.64	22.53	23.54	28.80	29.81
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	10.96	10.41	11.03	10.71	16.80	29.73	23.07	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.21	16.89	16.81	16.58	16.91	22.82	23.77	29.03	30.00
5310MHz	Pass	6.21	15.12	14.92	14.38	14.71	20.81	23.77	27.02	30.00
5510MHz	Pass	6.27	13.72	13.74	13.23	14.24	19.77	23.71	26.04	30.00
5550MHz	Pass	6.27	16.87	17.12	16.29	17.42	22.97	23.71	29.24	30.00
5670MHz	Pass	6.27	14.51	14.52	14.35	14.75	20.56	23.71	26.83	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	16.83	16.99	16.50	16.87	22.82	23.71	29.09	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	6.12	5.33	5.11	6.48	11.82	29.73	18.09	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	6.21	13.73	13.78	13.58	13.67	19.71	23.77	25.92	30.00
5530MHz	Pass	6.27	13.58	13.48	12.94	14.01	19.54	23.71	25.81	30.00
5610MHz	Pass	6.27	14.90	15.06	13.92	15.10	20.79	23.71	27.06	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.27	16.45	16.65	16.25	16.68	22.53	23.71	28.80	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.27	2.06	1.34	1.13	2.46	7.80	29.73	14.07	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	6.21	17.37	17.18	16.81	17.28	23.19	23.77	29.40	30.00
5300MHz	Pass	6.21	17.48	17.26	17.05	17.06	23.24	23.77	29.45	30.00
5320MHz	Pass	6.21	17.51	17.18	16.91	16.87	23.15	23.77	29.36	30.00
5500MHz	Pass	6.27	14.15	14.27	13.77	14.86	20.30	23.71	26.57	30.00
5580MHz	Pass	6.27	17.15	17.39	16.48	17.42	23.15	23.71	29.42	30.00


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5700MHz	Pass	6.27	14.98	15.20	14.72	15.07	21.02	23.71	27.29	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.27	17.01	16.64	15.78	16.80	22.60	23.60	28.87	29.87
5720MHz Straddle 5.725-5.85GHz	Pass	6.27	11.90	10.92	10.98	11.28	17.31	29.73	23.58	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.21	17.06	16.97	16.74	16.98	22.96	23.77	29.17	30.00
5310MHz	Pass	6.21	15.29	15.12	14.84	14.82	21.04	23.77	27.25	30.00
5510MHz	Pass	6.27	13.85	13.95	13.65	14.29	19.96	23.71	26.23	30.00
5550MHz	Pass	6.27	17.06	17.30	16.58	17.49	23.14	23.71	29.41	30.00
5670MHz	Pass	6.27	14.57	14.83	14.65	14.80	20.73	23.71	27.00	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	17.22	17.40	16.95	17.23	23.22	23.71	29.49	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	7.17	6.99	6.61	7.91	13.22	29.73	19.49	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	6.21	14.08	14.15	13.82	13.94	20.02	23.77	26.23	30.00
5530MHz	Pass	6.27	13.78	13.82	13.26	14.37	19.85	23.71	26.12	30.00
5610MHz	Pass	6.27	15.05	15.17	14.22	15.47	21.02	23.71	27.29	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.27	17.02	17.32	16.96	17.27	23.17	23.71	29.44	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.27	3.57	2.90	3.04	3.70	9.34	29.73	15.61	36.00

DG = Directional Gain; Port X = Port X output power

802.11a_Nss1,(6Mbps)_4TX AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
21.80	16.20	15.80	15.05	15.97

802.11a_Nss1,(6Mbps)_4TX AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
15.43	8.45	10.36	8.77	9.79

802.11n HT20_Nss1,(MCS0)_4TX AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.13	16.40	16.29	15.56	16.13

802.11n HT20_Nss1,(MCS0)_4TX AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
16.55	10.29	10.84	10.51	10.44

802.11n HT40_Nss1,(MCS0)_4TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.27	16.34	16.39	15.91	16.33

802.11n HT40_Nss1,(MCS0)_4TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
11.35	5.58	4.89	4.57	6.10

802.11ac VHT20_Nss1,(MCS0)_4TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.53	16.41	16.62	16.35	16.64

802.11ac VHT20_Nss1,(MCS0)_4TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
16.80	10.96	10.41	11.03	10.71

802.11ac VHT40_Nss1,(MCS0)_4TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.82	16.83	16.99	16.50	16.87

802.11ac VHT40_Nss1,(MCS0)_4TX AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
11.82	6.12	5.33	5.11	6.48

802.11ac VHT80_Nss1,(MCS0)_4TX AV Power

5690MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.53	16.45	16.65	16.25	16.68

802.11ac VHT80_Nss1,(MCS0)_4TX AV Power

5690MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
7.80	2.06	1.34	1.13	2.46

802.11ax HEW20_Nss1,(MCS0)_4TX AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.60	17.01	16.64	15.78	16.80

802.11ax HEW20_Nss1,(MCS0)_4TX AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
17.31	11.90	10.92	10.98	11.28

802.11ax HEW40_Nss1,(MCS0)_4TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.22	17.22	17.40	16.95	17.23

802.11ax HEW40_Nss1,(MCS0)_4TX AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
13.22	7.17	6.99	6.61	7.91

802.11ax HEW80_Nss1,(MCS0)_4TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom

04/06/2021




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.17	17.02	17.32	16.96	17.27

802.11ax HEW80_Nss1,(MCS0)_4TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom

04/06/2021



Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
9.34	3.57	2.90	3.04	3.70

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	26.13	0.41020	35.40	3.46737
802.11n HT20_Nss1,(MCS0)_8TX	25.69	0.37068	34.96	3.13329
802.11n HT40_Nss1,(MCS0)_8TX	25.99	0.39719	32.26	1.68267
802.11ac VHT20_Nss1,(MCS0)_8TX	25.70	0.37154	34.97	3.14051
802.11ac VHT40_Nss1,(MCS0)_8TX	26.01	0.39902	32.28	1.69044
802.11ac VHT80_Nss1,(MCS0)_8TX	21.81	0.15171	28.08	0.64269
802.11ax HEW20_Nss1,(MCS0)_8TX	25.86	0.38548	35.13	3.25837
802.11ax HEW40_Nss1,(MCS0)_8TX	26.16	0.41305	32.43	1.74985
802.11ax HEW80_Nss1,(MCS0)_8TX	22.10	0.16218	28.37	0.68707
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	26.06	0.40365	35.33	3.41193
802.11n HT20_Nss1,(MCS0)_8TX	25.39	0.34594	34.66	2.92415
802.11n HT40_Nss1,(MCS0)_8TX	25.87	0.38637	32.14	1.63682
802.11ac VHT20_Nss1,(MCS0)_8TX	25.40	0.34674	34.67	2.93089
802.11ac VHT40_Nss1,(MCS0)_8TX	25.90	0.38905	32.17	1.64816
802.11ac VHT80_Nss1,(MCS0)_8TX	23.95	0.24831	30.22	1.05196
802.11ax HEW20_Nss1,(MCS0)_8TX	25.69	0.37068	34.96	3.13329
802.11ax HEW40_Nss1,(MCS0)_8TX	25.99	0.39719	32.26	1.68267
802.11ax HEW80_Nss1,(MCS0)_8TX	24.19	0.26242	30.46	1.11173

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.27	17.30	16.89	17.11	16.82	16.70	16.16	16.92	16.70	25.87	26.73	35.14	36.00
5200MHz	Pass	9.27	17.70	17.03	17.73	16.94	16.48	16.41	16.97	17.27	26.12	26.73	35.39	36.00
5240MHz	Pass	9.27	17.44	17.00	17.83	17.07	16.54	16.44	16.90	17.41	26.13	26.73	35.40	36.00
5745MHz	Pass	9.27	16.60	16.11	17.00	17.02	16.14	16.65	16.11	17.78	25.74	26.73	35.01	36.00
5785MHz	Pass	9.27	17.29	15.91	17.55	17.52	16.28	16.99	16.68	17.71	26.06	26.73	35.33	36.00
5825MHz	Pass	9.27	16.31	16.09	16.46	16.44	15.18	15.92	15.36	16.51	25.09	26.73	34.36	36.00
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.27	15.27	15.44	15.73	15.37	15.22	14.94	15.57	15.11	24.37	26.73	33.64	36.00
5200MHz	Pass	9.27	17.35	16.02	17.03	16.14	16.40	16.44	16.73	16.73	25.66	26.73	34.93	36.00
5240MHz	Pass	9.27	16.87	16.76	17.24	16.16	16.23	15.83	16.86	17.14	25.69	26.73	34.96	36.00
5745MHz	Pass	9.27	16.56	14.42	17.06	16.44	15.39	16.04	15.63	17.28	25.22	26.73	34.49	36.00
5785MHz	Pass	9.27	14.27	15.08	14.44	14.85	13.81	14.60	14.33	15.35	23.65	26.73	32.92	36.00
5825MHz	Pass	9.27	16.72	16.56	16.41	16.68	15.65	16.32	15.69	16.70	25.39	26.73	34.66	36.00
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.27	14.90	14.59	15.10	14.66	14.75	14.32	14.58	14.91	23.76	29.73	30.03	36.00
5230MHz	Pass	6.27	17.25	16.86	17.33	16.83	16.84	16.38	17.03	17.10	25.99	29.73	32.26	36.00
5755MHz	Pass	6.27	16.22	15.54	16.36	16.68	15.39	16.06	14.60	17.11	25.09	29.73	31.36	36.00
5795MHz	Pass	6.27	16.79	16.39	17.25	17.26	16.12	16.85	16.27	17.54	25.87	29.73	32.14	36.00
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.27	15.34	15.53	15.62	15.30	15.25	15.09	15.65	15.12	24.40	26.73	33.67	36.00
5200MHz	Pass	9.27	17.04	16.99	17.11	16.43	15.93	16.19	16.67	16.68	25.68	26.73	34.95	36.00
5240MHz	Pass	9.27	16.84	16.99	17.14	16.81	15.78	16.23	16.61	16.80	25.70	26.73	34.97	36.00
5745MHz	Pass	9.27	16.60	14.39	17.02	16.63	15.71	15.82	15.73	17.36	25.27	26.73	34.54	36.00
5785MHz	Pass	9.27	14.54	15.29	14.47	14.82	13.92	14.66	14.24	15.46	23.73	26.73	33.00	36.00
5825MHz	Pass	9.27	16.47	15.76	17.38	16.97	15.60	16.20	15.92	16.34	25.40	26.73	34.67	36.00
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.27	14.95	14.69	15.04	14.75	14.81	14.26	14.60	14.98	23.80	29.73	30.07	36.00
5230MHz	Pass	6.27	17.23	16.74	17.36	16.93	16.86	16.37	17.14	17.10	26.01	29.73	32.28	36.00
5755MHz	Pass	6.27	16.16	15.46	16.31	16.69	15.43	16.11	15.45	17.18	25.17	29.73	31.44	36.00
5795MHz	Pass	6.27	16.75	16.41	17.23	17.36	16.15	16.90	16.39	17.56	25.90	29.73	32.17	36.00
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.27	12.67	12.90	13.00	12.51	12.67	12.33	12.79	13.30	21.81	29.73	28.08	36.00
5775MHz	Pass	6.27	14.94	14.46	15.29	15.18	14.20	14.96	14.43	15.67	23.95	29.73	30.22	36.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.27	15.87	15.64	15.91	15.45	15.52	15.12	15.79	15.40	24.63	26.73	33.90	36.00
5200MHz	Pass	9.27	17.37	16.78	17.13	16.56	16.31	16.03	16.84	16.95	25.80	26.73	35.07	36.00
5240MHz	Pass	9.27	17.44	16.75	17.34	16.61	16.42	15.90	16.70	17.28	25.86	26.73	35.13	36.00
5745MHz	Pass	9.27	16.61	15.91	15.97	16.98	15.99	15.99	16.05	17.53	25.45	26.73	34.72	36.00
5785MHz	Pass	9.27	14.74	14.96	15.36	15.16	14.12	14.89	14.67	15.85	24.03	26.73	33.30	36.00
5825MHz	Pass	9.27	16.63	16.59	17.17	17.24	15.90	16.48	16.14	16.97	25.69	26.73	34.96	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.27	15.12	14.75	15.30	14.87	14.89	14.45	14.84	15.05	23.95	29.73	30.22	36.00
5230MHz	Pass	6.27	17.35	17.07	17.45	17.02	16.99	16.59	17.16	17.35	26.16	29.73	32.43	36.00
5755MHz	Pass	6.27	16.27	16.06	16.21	16.53	15.16	16.18	15.58	17.44	25.26	29.73	31.53	36.00
5795MHz	Pass	6.27	16.83	16.93	17.19	17.32	15.91	17.00	16.39	17.86	25.99	29.73	32.26	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.27	12.99	13.18	13.29	12.84	12.91	12.59	13.15	13.55	22.10	29.73	28.37	36.00
5775MHz	Pass	6.27	15.04	15.08	15.36	15.30	14.31	15.27	14.74	16.00	24.19	29.73	30.46	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	19.38	0.08670	25.59	0.36224
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	19.67	0.09268	25.88	0.38726
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	19.97	0.09931	29.24	0.83946
802.11n HT20_Nss1,(MCS0)_8TX	19.89	0.09750	29.16	0.82414
802.11n HT40_Nss1,(MCS0)_8TX	22.95	0.19724	29.22	0.83560
802.11ac VHT20_Nss1,(MCS0)_8TX	19.84	0.09638	29.11	0.81470
802.11ac VHT40_Nss1,(MCS0)_8TX	22.93	0.19634	29.20	0.83176
802.11ac VHT80_Nss1,(MCS0)_8TX	21.89	0.15453	28.16	0.65464
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	19.38	0.08670	25.65	0.36728
802.11ax HEW20_Nss1,(MCS0)_8TX	20.18	0.10423	29.45	0.88105
802.11ax HEW40_Nss1,(MCS0)_8TX	23.09	0.20370	29.36	0.86298
802.11ax HEW80_Nss1,(MCS0)_8TX	22.17	0.16482	28.44	0.69823
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	19.57	0.09057	25.84	0.38371
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	19.86	0.09683	29.13	0.81846
802.11n HT20_Nss1,(MCS0)_8TX	19.83	0.09616	29.10	0.81283
802.11n HT40_Nss1,(MCS0)_8TX	22.84	0.19231	29.11	0.81470
802.11ac VHT20_Nss1,(MCS0)_8TX	19.96	0.09908	29.23	0.83753
802.11ac VHT40_Nss1,(MCS0)_8TX	22.85	0.19275	29.12	0.81658
802.11ac VHT80_Nss1,(MCS0)_8TX	22.95	0.19724	29.22	0.83560
802.11ac VHT80+80_Nss1,(MCS0)_8TX	22.23	0.16711	28.50	0.70795
802.11ax HEW20_Nss1,(MCS0)_8TX	20.05	0.10116	29.32	0.85507
802.11ax HEW40_Nss1,(MCS0)_8TX	22.93	0.19634	29.20	0.83176
802.11ax HEW80_Nss1,(MCS0)_8TX	22.97	0.19815	29.24	0.83946
802.11ax HEW80+80_Nss1,(MCS0)_8TX	22.52	0.17865	28.79	0.75683
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	11.64	0.01459	20.91	0.12331
802.11n HT20_Nss1,(MCS0)_8TX	12.70	0.01862	21.97	0.15740
802.11n HT40_Nss1,(MCS0)_8TX	10.79	0.01199	17.06	0.05082
802.11ac VHT20_Nss1,(MCS0)_8TX	12.99	0.01991	22.26	0.16827
802.11ac VHT40_Nss1,(MCS0)_8TX	10.70	0.01175	16.97	0.04977
802.11ac VHT80_Nss1,(MCS0)_8TX	7.99	0.00630	14.26	0.02667
802.11ax HEW20_Nss1,(MCS0)_8TX	13.16	0.02070	22.43	0.17498
802.11ax HEW40_Nss1,(MCS0)_8TX	11.67	0.01469	17.94	0.06223
802.11ax HEW80_Nss1,(MCS0)_8TX	8.73	0.00746	15.00	0.03162

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.27	10.65	11.38	11.11	10.96	11.35	10.85	10.44	10.72	19.97	20.56	29.24	29.83
5300MHz	Pass	9.27	10.79	10.86	11.13	10.98	11.02	10.93	10.84	10.60	19.93	20.52	29.20	29.79
5320MHz	Pass	9.27	10.64	11.07	10.61	10.94	11.01	10.88	10.82	10.64	19.86	20.58	29.13	29.85
5500MHz	Pass	9.27	10.93	10.63	10.94	10.83	11.07	10.76	10.55	10.75	19.84	20.58	29.11	29.85
5580MHz	Pass	9.27	10.80	10.97	10.81	10.75	11.39	10.69	10.54	10.17	19.81	20.57	29.08	29.84
5700MHz	Pass	9.27	10.83	10.92	10.48	11.02	11.50	10.55	11.05	10.13	19.86	20.51	29.13	29.78
5720MHz Straddle 5.47-5.725GHz	Pass	9.27	9.44	9.16	9.16	9.68	10.03	8.86	9.27	8.93	18.36	19.30	27.63	28.57
5720MHz Straddle 5.725-5.85GHz	Pass	9.27	2.82	2.78	1.83	2.81	3.29	2.15	2.46	2.54	11.64	26.73	20.91	36.00
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.27	10.55	11.11	11.16	10.91	10.88	10.82	10.79	10.65	19.89	20.71	29.16	30.00
5300MHz	Pass	9.27	10.76	10.98	10.60	11.00	11.33	10.92	10.44	10.67	19.88	20.71	29.15	30.00
5320MHz	Pass	9.27	10.41	10.96	10.51	10.89	10.72	10.92	10.72	10.40	19.73	20.71	29.00	30.00
5500MHz	Pass	9.27	10.79	10.90	10.49	10.88	11.14	10.86	10.57	10.69	19.83	20.71	29.10	30.00
5580MHz	Pass	9.27	10.72	11.00	10.75	10.32	11.16	10.54	10.89	10.07	19.73	20.71	29.00	30.00
5700MHz	Pass	9.27	10.34	10.33	9.97	11.03	11.66	10.61	10.97	9.83	19.66	20.71	28.93	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	9.27	10.08	8.97	10.40	9.54	10.52	9.18	9.56	9.21	18.75	19.49	28.02	28.76
5720MHz Straddle 5.725-5.85GHz	Pass	9.27	3.93	2.52	4.85	3.19	3.98	2.67	4.12	3.58	12.70	26.73	21.97	36.00
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.27	13.68	14.25	13.82	14.00	14.23	14.03	13.59	13.73	22.95	23.71	29.22	30.00
5310MHz	Pass	6.27	13.84	13.97	13.53	14.07	14.04	13.90	13.52	13.74	22.86	23.71	29.13	30.00
5510MHz	Pass	6.27	13.28	12.66	12.64	13.07	12.78	12.95	12.92	12.50	21.89	23.71	28.16	30.00
5550MHz	Pass	6.27	14.02	13.88	13.58	13.99	13.80	13.84	14.03	13.24	22.84	23.71	29.11	30.00
5670MHz	Pass	6.27	13.82	13.80	13.39	13.56	14.29	13.79	13.86	12.61	22.69	23.71	28.96	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	13.96	13.82	13.50	13.54	14.36	13.12	13.49	12.47	22.60	23.71	28.87	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	2.71	0.82	0.68	1.96	3.14	1.79	1.73	0.49	10.79	29.73	17.06	36.00
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.27	10.51	11.18	10.59	10.98	10.92	10.85	10.78	10.66	19.84	20.71	29.11	30.00
5300MHz	Pass	9.27	10.80	10.95	10.52	10.93	11.29	10.89	10.38	10.55	19.83	20.71	29.10	30.00
5320MHz	Pass	9.27	10.46	10.55	10.83	10.86	10.78	10.91	10.83	10.45	19.74	20.71	29.01	30.00
5500MHz	Pass	9.27	10.83	10.67	10.44	11.15	10.76	10.75	10.75	10.72	19.79	20.71	29.06	30.00
5580MHz	Pass	9.27	10.69	11.38	10.94	10.21	11.36	10.52	10.77	10.07	19.80	20.71	29.07	30.00
5700MHz	Pass	9.27	11.00	11.86	10.59	10.53	11.68	10.47	10.64	10.39	19.96	20.71	29.23	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	9.27	9.94	10.05	8.10	9.91	10.33	9.35	9.22	8.95	18.56	19.47	27.83	28.74
5720MHz Straddle 5.725-5.85GHz	Pass	9.27	3.63	5.20	1.60	3.79	4.91	3.91	4.50	3.21	12.99	26.73	22.26	36.00
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.27	13.69	14.22	13.80	13.92	14.19	14.03	13.57	13.74	22.93	23.71	29.20	30.00
5310MHz	Pass	6.27	13.84	13.98	13.54	13.98	14.00	13.91	13.53	13.55	22.83	23.71	29.10	30.00
5510MHz	Pass	6.27	13.19	13.10	12.28	13.16	12.80	12.99	12.82	12.53	21.90	23.71	28.17	30.00
5550MHz	Pass	6.27	14.07	13.99	13.52	13.90	13.79	13.90	14.04	13.24	22.85	23.71	29.12	30.00
5670MHz	Pass	6.27	13.85	13.85	13.40	13.47	14.31	13.80	13.87	12.71	22.71	23.71	28.98	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	13.88	13.67	13.29	13.42	14.16	13.01	13.44	12.27	22.46	23.71	28.73	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	2.57	0.43	0.88	1.83	2.83	1.95	1.72	0.50	10.70	29.73	16.97	36.00
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	6.27	12.44	13.19	12.75	12.86	12.95	13.01	12.89	12.76	21.89	23.71	28.16	30.00
5530MHz	Pass	6.27	11.04	11.03	11.02	11.23	10.82	11.12	11.18	10.92	20.08	23.71	26.35	30.00
5610MHz	Pass	6.27	13.78	13.67	13.38	13.85	14.31	13.57	13.68	12.85	22.68	23.71	28.95	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.27	14.22	14.30	13.63	13.96	14.48	13.69	14.23	12.61	22.95	23.71	29.22	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.27	-0.36	-1.77	-1.80	-0.66	-0.39	-1.70	-0.41	-1.63	7.99	29.73	14.26	36.00
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	6.21	13.15	13.57	13.43	13.29					19.38	29.79	25.59	36.00
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	6.27	-	-	-	-	13.38	13.54	13.14	13.35	19.38	23.71	25.65	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ac VHT80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	6.27	13.07	13.34	13.06	13.73	13.96	12.78	12.95	12.56	22.23	23.71	28.50	30.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.27	10.70	11.48	11.16	11.14	11.44	11.10	11.19	10.94	20.18	20.71	29.45	30.00
5300MHz	Pass	9.27	11.11	11.18	10.93	11.16	11.24	10.87	10.87	10.93	20.07	20.71	29.34	30.00
5320MHz	Pass	9.27	10.71	11.11	10.93	11.16	11.47	11.18	10.51	10.83	20.03	20.71	29.30	30.00
5500MHz	Pass	9.27	11.04	10.88	10.70	11.19	10.96	11.01	10.94	10.85	19.98	20.71	29.25	30.00
5580MHz	Pass	9.27	10.94	10.89	10.66	10.78	11.51	10.81	10.64	10.43	19.87	20.71	29.14	30.00
5700MHz	Pass	9.27	10.99	11.18	10.87	10.94	12.04	10.77	11.18	9.88	20.05	20.71	29.32	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	9.27	9.98	9.94	8.97	9.98	10.94	9.39	9.80	9.37	18.86	19.60	28.13	28.87
5720MHz Straddle 5.725-5.85GHz	Pass	9.27	4.14	4.74	4.31	4.48	4.58	3.51	3.58	3.49	13.16	26.73	22.43	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	6.27	13.87	14.25	13.90	14.10	14.46	14.14	13.69	14.04	23.09	23.71	29.36	30.00
5310MHz	Pass	6.27	14.05	14.16	13.72	14.27	14.22	14.09	13.72	13.74	23.03	23.71	29.30	30.00
5510MHz	Pass	6.27	13.33	13.04	12.47	13.34	12.98	13.07	12.94	12.48	22.00	23.71	28.27	30.00
5550MHz	Pass	6.27	14.10	13.93	13.86	14.04	13.93	13.88	14.04	13.40	22.93	23.71	29.20	30.00
5670MHz	Pass	6.27	13.85	13.77	13.83	13.46	14.50	13.98	13.85	12.65	22.79	23.71	29.06	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.27	14.01	13.74	13.91	13.61	14.57	13.78	13.56	12.32	22.76	23.71	29.03	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.27	3.18	1.45	2.12	2.68	4.29	2.89	2.63	1.00	11.67	29.73	17.94	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	6.27	12.76	13.38	12.95	13.18	13.00	13.33	13.24	13.21	22.17	23.71	28.44	30.00
5530MHz	Pass	6.27	11.13	11.32	11.56	11.17	11.17	11.32	11.45	11.34	20.34	23.71	26.61	30.00
5610MHz	Pass	6.27	14.12	13.82	13.83	14.09	14.53	13.99	13.90	13.10	22.97	23.71	29.24	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.27	14.01	14.06	13.98	13.76	14.57	13.65	14.27	12.52	22.92	23.71	29.19	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.27	0.16	-1.43	-0.42	-0.12	0.87	-1.09	0.60	-1.73	8.73	29.73	15.00	36.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	6.21	13.19	13.81	13.90	13.66					19.67	29.79	25.88	36.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	6.27	-	-	-	-	13.70	13.68	13.36	13.43	19.57	23.71	25.84	30.00
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	6.27	13.62	13.55	13.16	13.83	13.94	13.13	13.52	13.05	22.52	23.71	28.79	30.00


DG = Directional Gain; Port X = Port X output power

802.11a_Nss1,(6Mbps)_8TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
18.36	9.44	9.16	9.16	9.68	10.03	8.86	9.27	8.93

802.11a_Nss1,(6Mbps)_8TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
11.64	2.82	2.78	1.83	2.81	3.29	2.15	2.46	2.54

802.11n HT20_Nss1,(MCS0)_8TX — AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
18.75	10.08	8.97	10.40	9.54	10.52	9.18	9.56	9.21

802.11n HT20_Nss1,(MCS0)_8TX — AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
12.70	3.93	2.52	4.85	3.19	3.98	2.67	4.12	3.58

802.11n HT40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.60	13.96	13.82	13.50	13.54	14.36	13.12	13.49	12.47

802.11n HT40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
10.79	2.71	0.82	0.68	1.96	3.14	1.79	1.73	0.49

802.11ac VHT20_Nss1,(MCS0)_8TX AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
18.56	9.94	10.05	8.10	9.91	10.33	9.35	9.22	8.95

802.11ac VHT20_Nss1,(MCS0)_8TX AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
12.99	3.63	5.20	1.60	3.79	4.91	3.91	4.50	3.21

802.11ac VHT40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.46	13.88	13.67	13.29	13.42	14.16	13.01	13.44	12.27

802.11ac VHT40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
10.70	2.57	0.43	0.88	1.83	2.83	1.95	1.72	0.50

802.11ac VHT80_Nss1,(MCS0)_8TX — AV Power

5690MHz Straddle 5.47-5.725GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.95	14.22	14.30	13.63	13.96	14.48	13.69	14.23	12.61

802.11ac VHT80_Nss1,(MCS0)_8TX — AV Power

5690MHz Straddle 5.725-5.85GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
7.99	-0.36	-1.77	-1.80	-0.66	-0.39	-1.70	-0.41	-1.63

802.11ax HEW20_Nss1,(MCS0)_8TX AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
18.86	9.98	9.94	8.97	9.98	10.94	9.39	9.80	9.37

802.11ax HEW20_Nss1,(MCS0)_8TX AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

07/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
13.16	4.14	4.74	4.31	4.48	4.58	3.51	3.58	3.49

802.11ax HEW40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.76	14.01	13.74	13.91	13.61	14.57	13.78	13.56	12.32

802.11ax HEW40_Nss1,(MCS0)_8TX AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
11.67	3.18	1.45	2.12	2.68	4.29	2.89	2.63	1.00

802.11ax HEW80_Nss1,(MCS0)_8TX AV Power

5690MHz Straddle 5.47-5.725GHz_TnomVnom

08/06/2021




Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.92	14.01	14.06	13.98	13.76	14.57	13.65	14.27	12.52

802.11ax HEW80_Nss1,(MCS0)_8TX AV Power

5690MHz Straddle 5.725-5.85GHz_TnomVnom

08/06/2021



Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8.73	0.16	-1.43	-0.42	-0.12	0.87	-1.09	0.60	-1.73

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	19.81	0.09572	24.41	0.27606
802.11n HT20_Nss1,(MCS0)_1TX	19.57	0.09057	24.17	0.26122
802.11n HT40_Nss1,(MCS0)_1TX	16.30	0.04266	20.90	0.12303
802.11ac VHT20_Nss1,(MCS0)_1TX	19.66	0.09247	24.26	0.26669
802.11ac VHT40_Nss1,(MCS0)_1TX	16.38	0.04345	20.98	0.12531
802.11ac VHT80_Nss1,(MCS0)_1TX	11.29	0.01346	15.89	0.03882
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	20.98	0.12531	25.58	0.36141
802.11n HT20_Nss1,(MCS0)_1TX	20.87	0.12218	25.47	0.35237
802.11n HT40_Nss1,(MCS0)_1TX	20.57	0.11402	25.17	0.32885
802.11ac VHT20_Nss1,(MCS0)_1TX	20.92	0.12359	25.52	0.35645
802.11ac VHT40_Nss1,(MCS0)_1TX	20.61	0.11508	25.21	0.33189
802.11ac VHT80_Nss1,(MCS0)_1TX	18.12	0.06486	22.72	0.18707

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	17.54	17.54	30.00	22.14	36.00
5200MHz	Pass	4.60	18.16	18.16	30.00	22.76	36.00
5240MHz	Pass	4.60	19.81	19.81	30.00	24.41	36.00
5745MHz	Pass	4.60	20.98	20.98	30.00	25.58	36.00
5785MHz	Pass	4.60	20.54	20.54	30.00	25.14	36.00
5825MHz	Pass	4.60	20.12	20.12	30.00	24.72	36.00
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	17.58	17.58	30.00	22.18	36.00
5200MHz	Pass	4.60	18.16	18.16	30.00	22.76	36.00
5240MHz	Pass	4.60	19.57	19.57	30.00	24.17	36.00
5745MHz	Pass	4.60	20.87	20.87	30.00	25.47	36.00
5785MHz	Pass	4.60	20.65	20.65	30.00	25.25	36.00
5825MHz	Pass	4.60	20.22	20.22	30.00	24.82	36.00
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.60	14.65	14.65	30.00	19.25	36.00
5230MHz	Pass	4.60	16.30	16.30	30.00	20.90	36.00
5755MHz	Pass	4.60	20.57	20.57	30.00	25.17	36.00
5795MHz	Pass	4.60	20.29	20.29	30.00	24.89	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	17.65	17.65	30.00	22.25	36.00
5200MHz	Pass	4.60	18.17	18.17	30.00	22.77	36.00
5240MHz	Pass	4.60	19.66	19.66	30.00	24.26	36.00
5745MHz	Pass	4.60	20.92	20.92	30.00	25.52	36.00
5785MHz	Pass	4.60	20.67	20.67	30.00	25.27	36.00
5825MHz	Pass	4.60	20.24	20.24	30.00	24.84	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.60	14.66	14.66	30.00	19.26	36.00
5230MHz	Pass	4.60	16.38	16.38	30.00	20.98	36.00
5755MHz	Pass	4.60	20.61	20.61	30.00	25.21	36.00
5795MHz	Pass	4.60	20.33	20.33	30.00	24.93	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.60	11.29	11.29	30.00	15.89	36.00
5775MHz	Pass	4.60	18.12	18.12	30.00	22.72	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	20.73	0.11830	25.33	0.34119
802.11n HT20_Nss1,(MCS0)_1TX	20.32	0.10765	24.92	0.31046
802.11n HT40_Nss1,(MCS0)_1TX	14.06	0.02547	18.66	0.07345
802.11ac VHT20_Nss1,(MCS0)_1TX	20.51	0.11246	25.11	0.32434
802.11ac VHT40_Nss1,(MCS0)_1TX	14.56	0.02858	19.16	0.08241
802.11ac VHT80_Nss1,(MCS0)_1TX	6.46	0.00443	11.06	0.01276
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	21.75	0.14962	26.35	0.43152
802.11n HT20_Nss1,(MCS0)_1TX	20.95	0.12445	25.55	0.35892
802.11n HT40_Nss1,(MCS0)_1TX	20.51	0.11246	25.11	0.32434
802.11ac VHT20_Nss1,(MCS0)_1TX	21.33	0.13583	25.93	0.39174
802.11ac VHT40_Nss1,(MCS0)_1TX	20.97	0.12503	25.57	0.36058
802.11ac VHT80_Nss1,(MCS0)_1TX	19.20	0.08318	23.80	0.23988
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	12.52	0.01786	17.12	0.05152
802.11n HT20_Nss1,(MCS0)_1TX	12.30	0.01698	16.90	0.04898
802.11n HT40_Nss1,(MCS0)_1TX	7.74	0.00594	12.34	0.01714
802.11ac VHT20_Nss1,(MCS0)_1TX	12.64	0.01837	17.24	0.05297
802.11ac VHT40_Nss1,(MCS0)_1TX	8.09	0.00644	12.69	0.01858
802.11ac VHT80_Nss1,(MCS0)_1TX	4.84	0.00305	9.44	0.00879

Result


Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	20.63	20.63	23.98	25.23	30.00
5300MHz	Pass	4.60	20.73	20.73	23.98	25.33	30.00
5320MHz	Pass	4.60	18.74	18.74	23.98	23.34	30.00
5500MHz	Pass	4.60	18.67	18.67	23.98	23.27	30.00
5580MHz	Pass	4.60	21.75	21.75	23.98	26.35	30.00
5700MHz	Pass	4.60	18.87	18.87	23.98	23.47	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	18.58	18.58	23.98	23.18	30.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	12.52	12.52	30.00	17.12	36.00
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	20.32	20.32	23.98	24.92	30.00
5300MHz	Pass	4.60	20.29	20.29	23.98	24.89	30.00
5320MHz	Pass	4.60	17.76	17.76	23.98	22.36	30.00
5500MHz	Pass	4.60	18.03	18.03	23.98	22.63	30.00
5580MHz	Pass	4.60	20.95	20.95	23.98	25.55	30.00
5700MHz	Pass	4.60	18.13	18.13	23.98	22.73	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	17.81	17.81	23.81	22.41	29.81
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	12.30	12.30	30.00	16.90	36.00
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	13.63	13.63	23.98	18.23	30.00
5310MHz	Pass	4.60	14.06	14.06	23.98	18.66	30.00
5510MHz	Pass	4.60	17.24	17.24	23.98	21.84	30.00
5550MHz	Pass	4.60	20.51	20.51	23.98	25.11	30.00
5670MHz	Pass	4.60	18.91	18.91	23.98	23.51	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	18.25	18.25	23.98	22.85	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	7.74	7.74	30.00	12.34	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	20.51	20.51	23.98	25.11	30.00
5300MHz	Pass	4.60	20.46	20.46	23.98	25.06	30.00
5320MHz	Pass	4.60	18.16	18.16	23.98	22.76	30.00
5500MHz	Pass	4.60	18.61	18.61	23.98	23.21	30.00
5580MHz	Pass	4.60	21.33	21.33	23.98	25.93	30.00
5700MHz	Pass	4.60	18.68	18.68	23.98	23.28	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	18.19	18.19	23.98	22.79	30.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	12.64	12.64	30.00	17.24	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	13.82	13.82	23.98	18.42	30.00
5310MHz	Pass	4.60	14.56	14.56	23.98	19.16	30.00
5510MHz	Pass	4.60	17.80	17.80	23.98	22.40	30.00
5550MHz	Pass	4.60	20.97	20.97	23.98	25.57	30.00
5670MHz	Pass	4.60	19.59	19.59	23.98	24.19	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	18.63	18.63	23.98	23.23	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	8.09	8.09	30.00	12.69	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.60	6.46	6.46	23.98	11.06	30.00
5530MHz	Pass	4.60	12.96	12.96	23.98	17.56	30.00
5610MHz	Pass	4.60	19.20	19.20	23.98	23.80	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.60	19.16	19.16	23.98	23.76	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.60	4.84	4.84	30.00	9.44	36.00

DG = Directional Gain; Port X = Port X output power

802.11a_Nss1,(6Mbps)_1TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom


01/07/2021



802.11a_Nss1,(6Mbps)_1TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom


01/07/2021



802.11n HT20_Nss1,(MCS0)_1TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom


01/07/2021



802.11n HT20_Nss1,(MCS0)_1TX **AV Power**


5720MHz Straddle 5.725-5.85GHz_TnomVnom

01/07/2021




802.11n HT40_Nss1,(MCS0)_1TX AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11n HT40_Nss1,(MCS0)_1TX AV Power


5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_1TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom

01/07/2021




Sum(dBm)	P1(dBm)
18.19	18.19

802.11ac VHT20_Nss1,(MCS0)_1TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom

01/07/2021




Sum(dBm)	P1(dBm)
12.64	12.64

802.11ac VHT40_Nss1,(MCS0)_1TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom


01/07/2021



802.11ac VHT40_Nss1,(MCS0)_1TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom


01/07/2021



802.11ac VHT80_Nss1,(MCS0)_1TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom


01/07/2021



802.11ac VHT80_Nss1,(MCS0)_1TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom

01/07/2021



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	24.14	0.25942	31.37	1.37088
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	21.84	0.15276	29.07	0.80724
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	18.30	0.06761	25.53	0.35727
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	24.13	0.25882	31.57	1.43549
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	23.37	0.21727	30.81	1.20504
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	19.53	0.08974	26.97	0.49774

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.23	14.18	13.97	14.48	14.47	20.30	28.77	27.53	36.00
5200MHz	Pass	7.23	16.44	15.89	16.86	17.19	22.64	28.77	29.87	36.00
5240MHz	Pass	7.23	18.32	17.76	18.12	18.25	24.14	28.77	31.37	36.00
5745MHz	Pass	7.44	15.61	15.30	15.96	16.28	21.82	28.56	29.26	36.00
5785MHz	Pass	7.44	17.52	17.13	17.97	19.45	24.13	28.56	31.57	36.00
5825MHz	Pass	7.44	16.77	16.38	16.98	18.49	23.25	28.56	30.69	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.23	13.34	12.93	13.66	13.98	19.52	28.77	26.75	36.00
5230MHz	Pass	7.23	15.80	15.18	15.89	16.33	21.84	28.77	29.07	36.00
5755MHz	Pass	7.44	15.76	15.68	16.35	16.72	22.17	28.56	29.61	36.00
5795MHz	Pass	7.44	16.98	17.09	17.38	17.89	23.37	28.56	30.81	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.23	12.11	11.64	12.38	12.89	18.30	28.77	25.53	36.00
5775MHz	Pass	7.44	13.29	13.37	13.41	13.93	19.53	28.56	26.97	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	22.27	0.16866	29.45	0.88105
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	21.99	0.15812	29.17	0.82604
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	19.05	0.08035	26.23	0.41976
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	23.33	0.21528	29.42	0.87498
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	23.40	0.21878	29.49	0.88920
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	23.35	0.21627	29.44	0.87902
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.14	0.04111	23.58	0.22803
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	12.05	0.01603	19.49	0.08892
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	8.17	0.00656	15.61	0.03639

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.18	16.40	16.21	15.84	16.31	22.22	22.80	29.40	30.00
5300MHz	Pass	7.18	16.51	16.29	16.08	16.09	22.27	22.80	29.45	30.00
5320MHz	Pass	7.18	16.54	16.21	15.94	15.90	22.18	22.80	29.36	30.00
5500MHz	Pass	6.09	14.33	14.45	13.95	15.04	20.48	23.89	26.57	30.00
5580MHz	Pass	6.09	17.33	17.57	16.66	17.60	23.33	23.89	29.42	30.00
5700MHz	Pass	6.09	15.16	15.38	14.90	15.25	21.20	23.89	27.29	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.09	17.19	16.82	15.96	16.98	22.78	23.89	28.87	30.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	10.73	9.75	9.81	10.11	16.14	28.56	23.58	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.18	16.09	16.00	15.77	16.01	21.99	22.80	29.17	30.00
5310MHz	Pass	7.18	14.32	14.15	13.87	13.85	20.07	22.80	27.25	30.00
5510MHz	Pass	6.09	14.03	14.13	13.83	14.47	20.14	23.89	26.23	30.00
5550MHz	Pass	6.09	17.24	17.48	16.76	17.67	23.32	23.89	29.41	30.00
5670MHz	Pass	6.09	14.75	15.01	14.83	14.98	20.91	23.89	27.00	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.09	17.40	17.58	17.13	17.41	23.40	23.89	29.49	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	6.00	5.82	5.44	6.74	12.05	28.56	19.49	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	7.18	13.11	13.18	12.85	12.97	19.05	22.80	26.23	30.00
5530MHz	Pass	6.09	13.96	14.00	13.44	14.55	20.03	23.89	26.12	30.00
5610MHz	Pass	6.09	15.23	15.35	14.40	15.65	21.20	23.89	27.29	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.09	17.20	17.50	17.14	17.45	23.35	23.89	29.44	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	2.40	1.73	1.87	2.53	8.17	28.56	15.61	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	25.86	0.38548	35.38	3.45144
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	22.55	0.17989	32.07	1.61065
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	18.49	0.07063	28.01	0.63241
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	25.69	0.37068	33.53	2.25424
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	25.99	0.39719	33.83	2.41546
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	24.19	0.26242	32.03	1.59588

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.52	15.26	15.03	15.3	14.84	14.91	14.51	15.18	14.79	24.02	26.48	33.54	36.00
5200MHz	Pass	9.52	17.04	16.57	17.22	16.76	16.87	16.03	16.94	16.95	25.84	26.48	35.36	36.00
5240MHz	Pass	9.52	17.05	16.71	17.27	16.77	16.68	16.14	16.88	17.06	25.86	26.48	35.38	36.00
5745MHz	Pass	7.84	16.61	15.91	15.97	16.98	15.99	15.99	16.05	17.53	25.45	28.16	33.29	36.00
5785MHz	Pass	7.84	14.74	14.96	15.36	15.16	14.12	14.89	14.67	15.85	24.03	28.16	31.87	36.00
5825MHz	Pass	7.84	16.63	16.59	17.17	17.24	15.9	16.48	16.14	16.97	25.69	28.16	33.53	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	9.52	11.51	11.14	11.69	11.26	11.28	10.84	11.23	11.44	20.34	26.48	29.86	36.00
5230MHz	Pass	9.52	13.74	13.46	13.84	13.41	13.38	12.98	13.55	13.74	22.55	26.48	32.07	36.00
5755MHz	Pass	7.84	16.27	16.06	16.21	16.53	15.16	16.18	15.58	17.44	25.26	28.16	33.10	36.00
5795MHz	Pass	7.84	16.83	16.93	17.19	17.32	15.91	17	16.39	17.86	25.99	28.16	33.83	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	9.52	9.38	9.57	9.68	9.23	9.3	8.98	9.54	9.94	18.49	26.48	28.01	36.00
5775MHz	Pass	7.84	15.04	15.08	15.36	15.3	14.31	15.27	14.74	16	24.19	28.16	32.03	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	16.36	0.04325	25.88	0.38726
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	20.44	0.11066	29.45	0.88105
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	20.35	0.10839	29.36	0.86298
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	19.43	0.08770	28.44	0.69823
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	16.83	0.04819	25.84	0.38371
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	21.37	0.13709	29.32	0.85507
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	21.25	0.13335	29.20	0.83176
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	21.29	0.13459	29.24	0.83946
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	20.84	0.12134	28.79	0.75683
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	14.59	0.02877	22.43	0.17498
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	10.10	0.01023	17.94	0.06223
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	7.16	0.00520	15.00	0.03162

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	10.96	11.74	11.42	11.40	11.70	11.36	11.45	11.20	20.44	20.97	29.45	30.00
5300MHz	Pass	9.01	11.37	11.44	11.19	11.42	11.50	11.13	11.13	11.19	20.33	20.97	29.34	30.00
5320MHz	Pass	9.01	10.97	11.37	11.19	11.42	11.73	11.44	10.77	11.09	20.29	20.97	29.30	30.00
5500MHz	Pass	7.95	12.36	12.20	12.02	12.51	12.28	12.33	12.26	12.17	21.30	22.03	29.25	30.00
5580MHz	Pass	7.95	12.26	12.21	11.98	12.10	12.83	12.13	11.96	11.75	21.19	22.03	29.14	30.00
5700MHz	Pass	7.95	12.31	12.50	12.19	12.26	13.36	12.09	12.50	11.20	21.37	22.03	29.32	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	11.30	11.26	10.29	11.30	12.26	10.71	11.12	10.69	20.18	22.03	28.13	30.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	5.57	6.17	5.74	5.91	6.01	4.94	5.01	4.92	14.59	28.16	22.43	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	9.01	11.13	11.51	11.16	11.36	11.72	11.40	10.95	11.30	20.35	20.97	29.36	30.00
5310MHz	Pass	9.01	11.31	11.42	10.98	11.53	11.48	11.35	10.98	11.00	20.29	20.97	29.30	30.00
5510MHz	Pass	7.95	11.65	11.36	10.79	11.66	11.30	11.39	11.26	10.80	20.32	22.03	28.27	30.00
5550MHz	Pass	7.95	12.42	12.25	12.18	12.36	12.25	12.20	12.36	11.72	21.25	22.03	29.20	30.00
5670MHz	Pass	7.95	12.17	12.09	12.15	11.78	12.82	12.30	12.17	10.97	21.11	22.03	29.06	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.95	12.33	12.06	12.23	11.93	12.89	12.10	11.88	10.64	21.08	22.03	29.03	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.84	1.61	-0.12	0.55	1.11	2.72	1.32	1.06	-0.57	10.10	28.16	17.94	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	9.01	10.02	10.64	10.21	10.44	10.26	10.59	10.50	10.47	19.43	20.97	28.44	30.00
5530MHz	Pass	7.95	9.45	9.64	9.88	9.49	9.49	9.64	9.77	9.66	18.66	22.03	26.61	30.00
5610MHz	Pass	7.95	12.44	12.14	12.15	12.41	12.85	12.31	12.22	11.42	21.29	22.03	29.24	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.95	12.33	12.38	12.30	12.08	12.89	11.97	12.59	10.84	21.24	22.03	29.19	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.84	-1.41	-3.00	-1.99	-1.69	-0.70	-2.66	-0.97	-3.30	7.16	28.16	15.00	36.00
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	9.52	9.88	10.50	10.59	10.35	-3.31	-3.31	-3.31	-3.31	16.36	26.48	25.88	36.00
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	9.01	-	-	-	-	10.96	10.94	10.62	10.69	16.83	20.97	25.84	30.00
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.95	11.94	11.87	11.48	12.15	12.26	11.45	11.84	11.37	20.84	22.03	28.79	30.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.25	21.48
802.11n HT20_Nss1,(MCS0)_4TX	14.09	21.32
802.11n HT40_Nss1,(MCS0)_4TX	6.83	14.06
802.11ac VHT20_Nss1,(MCS0)_4TX	12.04	19.27
802.11ac VHT40_Nss1,(MCS0)_4TX	6.83	14.06
802.11ac VHT80_Nss1,(MCS0)_4TX	-0.17	7.06
802.11ax HEW20_Nss1,(MCS0)_4TX	11.91	19.14
802.11ax HEW40_Nss1,(MCS0)_4TX	6.89	14.12
802.11ax HEW80_Nss1,(MCS0)_4TX	0.43	7.66
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	11.06	18.50
802.11n HT20_Nss1,(MCS0)_4TX	11.73	19.17
802.11n HT40_Nss1,(MCS0)_4TX	7.29	14.73
802.11ac VHT20_Nss1,(MCS0)_4TX	10.96	18.40
802.11ac VHT40_Nss1,(MCS0)_4TX	7.33	14.77
802.11ac VHT80_Nss1,(MCS0)_4TX	0.11	7.55
802.11ax HEW20_Nss1,(MCS0)_4TX	10.69	18.13
802.11ax HEW40_Nss1,(MCS0)_4TX	7.13	14.57
802.11ax HEW80_Nss1,(MCS0)_4TX	0.73	8.17

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.23	5.44	5.08	5.41	5.39	11.15	15.77	18.38	23.00
5200MHz	Pass	7.23	7.32	6.49	7.34	7.64	13.03	15.77	20.26	23.00
5240MHz	Pass	7.23	8.89	8.02	8.54	8.78	14.25	15.77	21.48	23.00
5745MHz	Pass	7.44	5.29	5.40	5.69	6.06	11.06	28.56	18.50	36.00
5785MHz	Pass	7.44	3.26	3.17	4.26	4.04	8.90	28.56	16.34	36.00
5825MHz	Pass	7.44	3.81	4.12	4.31	4.32	9.54	28.56	16.98	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.23	4.43	3.89	4.44	4.60	10.22	15.77	17.45	23.00
5200MHz	Pass	7.23	5.43	5.05	5.82	6.10	11.28	15.77	18.51	23.00
5240MHz	Pass	7.23	8.50	7.83	8.51	8.16	14.09	15.77	21.32	23.00
5745MHz	Pass	7.44	4.45	3.30	3.85	3.98	9.37	28.56	16.81	36.00
5785MHz	Pass	7.44	5.87	6.02	5.75	7.07	11.73	28.56	19.17	36.00
5825MHz	Pass	7.44	4.93	5.22	5.20	6.61	10.85	28.56	18.29	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.23	-1.10	-1.51	-0.97	-0.81	4.53	15.77	11.76	23.00
5230MHz	Pass	7.23	1.34	0.44	1.08	1.58	6.83	15.77	14.06	23.00
5755MHz	Pass	7.44	0.66	0.17	0.87	1.02	6.41	28.56	13.85	36.00
5795MHz	Pass	7.44	1.71	1.84	1.95	1.83	7.29	28.56	14.73	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.23	2.74	2.06	2.69	2.67	8.32	15.77	15.55	23.00
5200MHz	Pass	7.23	5.17	4.16	4.90	5.23	10.73	15.77	17.96	23.00
5240MHz	Pass	7.23	6.47	5.87	6.38	6.30	12.04	15.77	19.27	23.00
5745MHz	Pass	7.44	3.37	2.89	3.28	3.88	8.87	28.56	16.31	36.00
5785MHz	Pass	7.44	4.88	4.78	5.27	6.34	10.96	28.56	18.40	36.00
5825MHz	Pass	7.44	4.21	3.97	4.89	5.43	10.08	28.56	17.52	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.23	-1.08	-1.78	-1.14	-0.91	4.60	15.77	11.83	23.00
5230MHz	Pass	7.23	1.33	0.47	1.04	1.45	6.83	15.77	14.06	23.00
5755MHz	Pass	7.44	0.49	0.81	1.07	1.17	6.27	28.56	13.71	36.00
5795MHz	Pass	7.44	1.83	1.96	1.99	1.81	7.33	28.56	14.77	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.23	-5.78	-6.60	-5.84	-5.41	-0.17	15.77	7.06	23.00
5775MHz	Pass	7.44	-5.69	-5.39	-4.94	-5.20	0.11	28.56	7.55	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.23	2.41	2.04	2.42	2.63	8.18	15.77	15.41	23.00
5200MHz	Pass	7.23	4.85	4.08	4.91	5.30	10.63	15.77	17.86	23.00
5240MHz	Pass	7.23	6.41	5.49	6.35	6.08	11.91	15.77	19.14	23.00
5745MHz	Pass	7.44	3.20	2.79	3.11	3.70	8.50	28.56	15.94	36.00
5785MHz	Pass	7.44	4.89	4.21	5.28	6.10	10.69	28.56	18.13	36.00
5825MHz	Pass	7.44	4.09	3.56	4.61	5.19	10.04	28.56	17.48	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.23	-1.24	-1.69	-1.15	-0.84	4.61	15.77	11.84	23.00
5230MHz	Pass	7.23	1.37	0.47	1.04	1.62	6.89	15.77	14.12	23.00
5755MHz	Pass	7.44	0.22	0.24	0.99	1.01	6.29	28.56	13.73	36.00
5795MHz	Pass	7.44	1.60	1.52	1.75	2.02	7.13	28.56	14.57	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.23	-5.36	-5.92	-5.21	-4.82	0.43	15.77	7.66	23.00
5775MHz	Pass	7.44	-4.83	-5.06	-4.61	-4.65	0.73	28.56	8.17	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX PSD

5180MHz

23/02/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.15	11.15	5.44	5.08	5.41	5.39

802.11a_Nss1,(6Mbps)_4TX PSD

5200MHz


09/03/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.03	13.03	7.32	6.49	7.34	7.64

802.11a_Nss1,(6Mbps)_4TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.25	14.25	8.89	8.02	8.54	8.78

802.11a_Nss1,(6Mbps)_4TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.06	11.06	5.29	5.40	5.69	6.06

802.11a_Nss1,(6Mbps)_4TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.90	8.90	3.26	3.17	4.26	4.04

802.11a_Nss1,(6Mbps)_4TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.54	9.54	3.81	4.12	4.31	4.32

802.11n HT20_Nss1,(MCS0)_4TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.22	10.22	4.43	3.89	4.44	4.60

802.11n HT20_Nss1,(MCS0)_4TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.28	11.28	5.43	5.05	5.82	6.10

802.11n HT20_Nss1,(MCS0)_4TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.09	14.09	8.50	7.83	8.51	8.16

802.11n HT20_Nss1,(MCS0)_4TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.37	9.37	4.45	3.30	3.85	3.98

802.11n HT20_Nss1,(MCS0)_4TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.73	11.73	5.87	6.02	5.75	7.07

802.11n HT20_Nss1,(MCS0)_4TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.85	10.85	4.93	5.22	5.20	6.61

802.11n HT40_Nss1,(MCS0)_4TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.53	4.53	-1.10	-1.51	-0.97	-0.81

802.11n HT40_Nss1,(MCS0)_4TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.83	6.83	1.34	0.44	1.08	1.58

802.11n HT40_Nss1,(MCS0)_4TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.41	6.41	0.66	0.17	0.87	1.02

802.11n HT40_Nss1,(MCS0)_4TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.29	7.29	1.71	1.84	1.95	1.83

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.32	8.32	2.74	2.06	2.69	2.67

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.73	10.73	5.17	4.16	4.90	5.23

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.04	12.04	6.47	5.87	6.38	6.30

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.87	8.87	3.37	2.89	3.28	3.88

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.96	10.96	4.88	4.78	5.27	6.34

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.08	10.08	4.21	3.97	4.89	5.43

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.60	4.60	-1.08	-1.78	-1.14	-0.91

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.83	6.83	1.33	0.47	1.04	1.45

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.27	6.27	0.49	0.81	1.07	1.17

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.33	7.33	1.83	1.96	1.99	1.81

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5210MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.17	-0.17	-5.78	-6.60	-5.84	-5.41

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5775MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.11	0.11	-5.69	-5.39	-4.94	-5.20

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.18	8.18	2.41	2.04	2.42	2.63

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	4.85	4.08	4.91	5.30

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.91	11.91	6.41	5.49	6.35	6.08

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.50	8.50	3.20	2.79	3.11	3.70

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.69	10.69	4.89	4.21	5.28	6.10

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.04	10.04	4.09	3.56	4.61	5.19

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.61	4.61	-1.24	-1.69	-1.15	-0.84

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.89	6.89	1.37	0.47	1.04	1.62

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.29	6.29	0.22	0.24	0.99	1.01

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	1.60	1.52	1.75	2.02

802.11ax HEW80_Nss1,(MCS0)_4TX PSD


5210MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.43	0.43	-5.36	-5.92	-5.21	-4.82

802.11ax HEW80_Nss1,(MCS0)_4TX PSD

5775MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.73	0.73	-4.83	-5.06	-4.61	-4.65

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	9.76	16.94
802.11n HT20_Nss1,(MCS0)_4TX	9.51	16.69
802.11n HT40_Nss1,(MCS0)_4TX	6.15	13.33
802.11ac VHT20_Nss1,(MCS0)_4TX	9.12	16.30
802.11ac VHT40_Nss1,(MCS0)_4TX	5.71	12.89
802.11ac VHT80_Nss1,(MCS0)_4TX	-0.78	6.40
802.11ax HEW20_Nss1,(MCS0)_4TX	9.32	16.50
802.11ax HEW40_Nss1,(MCS0)_4TX	5.84	13.02
802.11ax HEW80_Nss1,(MCS0)_4TX	-0.08	7.10
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.68	16.77
802.11n HT20_Nss1,(MCS0)_4TX	10.89	16.98
802.11n HT40_Nss1,(MCS0)_4TX	7.45	13.54
802.11ac VHT20_Nss1,(MCS0)_4TX	10.61	16.70
802.11ac VHT40_Nss1,(MCS0)_4TX	7.51	13.60
802.11ac VHT80_Nss1,(MCS0)_4TX	3.50	9.59
802.11ax HEW20_Nss1,(MCS0)_4TX	10.52	16.61
802.11ax HEW40_Nss1,(MCS0)_4TX	7.39	13.48
802.11ax HEW80_Nss1,(MCS0)_4TX	4.15	10.24
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	8.05	15.49
802.11n HT20_Nss1,(MCS0)_4TX	8.55	15.99
802.11n HT40_Nss1,(MCS0)_4TX	5.08	12.52
802.11ac VHT20_Nss1,(MCS0)_4TX	8.67	16.11
802.11ac VHT40_Nss1,(MCS0)_4TX	4.57	12.01
802.11ac VHT80_Nss1,(MCS0)_4TX	0.42	7.86
802.11ax HEW20_Nss1,(MCS0)_4TX	8.54	15.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.91	12.35
802.11ax HEW80_Nss1,(MCS0)_4TX	0.88	8.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.18	3.78	3.83	3.79	4.07	9.71	9.82	16.89	17.00
5300MHz	Pass	7.18	4.28	4.22	3.63	4.07	9.76	9.82	16.94	17.00
5320MHz	Pass	7.18	4.11	4.12	3.54	3.82	9.63	9.82	16.81	17.00
5500MHz	Pass	6.09	4.40	4.70	4.05	5.27	10.46	10.91	16.55	17.00
5580MHz	Pass	6.09	4.84	5.28	4.02	5.28	10.68	10.91	16.77	17.00
5700MHz	Pass	6.09	3.45	4.13	2.75	3.79	9.29	10.91	15.38	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.09	4.72	4.36	3.47	4.60	9.90	10.91	15.99	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	1.34	2.78	1.65	2.59	8.05	28.56	15.49	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.18	3.58	3.58	3.17	3.66	9.43	9.82	16.61	17.00
5300MHz	Pass	7.18	4.22	3.39	3.26	3.46	9.51	9.82	16.69	17.00
5320MHz	Pass	7.18	4.01	3.49	3.35	2.98	9.35	9.82	16.53	17.00
5500MHz	Pass	6.09	2.89	3.03	2.46	3.49	8.65	10.91	14.74	17.00
5580MHz	Pass	6.09	4.94	5.80	4.94	5.25	10.89	10.91	16.98	17.00
5700MHz	Pass	6.09	3.26	4.06	3.03	3.82	9.23	10.91	15.32	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.09	4.49	4.34	4.07	4.27	10.01	10.91	16.10	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	2.72	2.46	2.65	2.69	8.55	28.56	15.99	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.18	0.37	0.42	0.39	0.28	6.15	9.82	13.33	17.00
5310MHz	Pass	7.18	-1.28	-1.47	-2.08	-1.46	4.16	9.82	11.34	17.00
5510MHz	Pass	6.09	-2.31	-2.23	-2.66	-1.94	3.43	10.91	9.52	17.00
5550MHz	Pass	6.09	1.02	1.07	0.79	1.34	6.61	10.91	12.70	17.00
5670MHz	Pass	6.09	-1.55	-1.52	-1.76	-1.31	3.96	10.91	10.05	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.09	2.12	2.37	2.05	2.08	7.45	10.91	13.54	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	-0.22	-1.23	-2.13	-0.20	5.08	28.56	12.52	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.18	3.40	3.02	2.94	3.50	9.12	9.82	16.30	17.00
5300MHz	Pass	7.18	3.75	3.28	3.21	2.99	9.07	9.82	16.25	17.00
5320MHz	Pass	7.18	3.68	3.33	2.99	2.82	9.10	9.82	16.28	17.00
5500MHz	Pass	6.09	0.80	1.04	0.45	1.55	6.70	10.91	12.79	17.00
5580MHz	Pass	6.09	4.31	4.56	3.58	4.53	10.16	10.91	16.25	17.00
5700MHz	Pass	6.09	1.24	2.11	1.03	1.83	7.31	10.91	13.40	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.09	4.92	5.08	4.87	4.74	10.61	10.91	16.70	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	2.64	2.87	2.89	2.97	8.67	28.56	16.11	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.18	0.02	0.21	-0.17	0.18	5.71	9.82	12.89	17.00
5310MHz	Pass	7.18	-1.79	-1.66	-2.50	-2.04	3.83	9.82	11.01	17.00
5510MHz	Pass	6.09	-2.08	-2.04	-2.61	-1.91	3.58	10.91	9.67	17.00
5550MHz	Pass	6.09	0.92	1.14	0.84	1.54	6.75	10.91	12.84	17.00
5670MHz	Pass	6.09	-1.56	-1.44	-1.50	-1.36	3.99	10.91	10.08	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.09	2.12	2.23	2.00	2.10	7.51	10.91	13.60	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	-0.59	-1.71	-2.54	-0.69	4.57	28.56	12.01	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	7.18	-6.32	-6.46	-6.62	-6.51	-0.78	9.82	6.40	17.00
5530MHz	Pass	6.09	-5.80	-5.64	-6.25	-5.36	-0.06	10.91	6.03	17.00
5610MHz	Pass	6.09	-4.17	-4.01	-5.25	-4.18	1.42	10.91	7.51	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.09	-2.00	-1.83	-2.28	-1.92	3.50	10.91	9.59	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-4.83	-5.73	-6.56	-5.00	0.42	28.56	7.86	36.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	7.18	3.39	3.47	2.87	3.63	9.13	9.82	16.31	17.00
5300MHz	Pass	7.18	3.65	3.30	3.20	3.40	9.32	9.82	16.50	17.00
5320MHz	Pass	7.18	3.66	3.09	2.97	3.11	8.99	9.82	16.17	17.00
5500MHz	Pass	6.09	0.56	1.10	0.50	1.32	6.64	10.91	12.73	17.00
5580MHz	Pass	6.09	4.04	4.25	3.43	4.01	9.40	10.91	15.49	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5700MHz	Pass	6.09	1.62	1.93	1.46	1.63	7.31	10.91	13.40	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.09	5.21	4.94	4.27	4.83	10.52	10.91	16.61	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	2.91	2.75	2.25	2.90	8.54	28.56	15.98	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	7.18	0.26	0.15	-0.01	0.15	5.84	9.82	13.02	17.00
5310MHz	Pass	7.18	-1.47	-2.05	-2.23	-2.15	3.89	9.82	11.07	17.00
5510MHz	Pass	6.09	-2.32	-2.41	-2.75	-1.93	3.40	10.91	9.49	17.00
5550MHz	Pass	6.09	0.95	0.91	0.65	1.36	6.55	10.91	12.64	17.00
5670MHz	Pass	6.09	-1.70	-1.63	-1.43	-1.40	3.90	10.91	9.99	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.09	1.91	2.18	1.97	1.83	7.39	10.91	13.48	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	-0.42	-1.34	-1.62	-0.53	4.91	28.56	12.35	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	7.18	-5.79	-5.72	-6.03	-5.90	-0.08	9.82	7.10	17.00
5530MHz	Pass	6.09	-5.10	-5.09	-5.68	-4.69	0.59	10.91	6.68	17.00
5610MHz	Pass	6.09	-3.57	-3.62	-4.69	-3.53	1.84	10.91	7.93	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.09	-1.49	-1.08	-1.53	-1.59	4.15	10.91	10.24	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-4.57	-5.34	-5.41	-4.46	0.88	28.56	8.32	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.71	9.71	3.78	3.83	3.79	4.07

802.11a_Nss1,(6Mbps)_4TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.76	9.76	4.28	4.22	3.63	4.07

802.11a_Nss1,(6Mbps)_4TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	4.11	4.12	3.54	3.82

802.11a_Nss1,(6Mbps)_4TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.46	10.46	4.40	4.70	4.05	5.27

802.11a_Nss1,(6Mbps)_4TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	4.84	5.28	4.02	5.28

802.11a_Nss1,(6Mbps)_4TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.29	9.29	3.45	4.13	2.75	3.79

802.11a_Nss1,(6Mbps)_4TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.90	9.90	4.72	4.36	3.47	4.60

802.11a_Nss1,(6Mbps)_4TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	1.34	2.78	1.65	2.59

802.11n HT20_Nss1,(MCS0)_4TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	3.58	3.58	3.17	3.66

802.11n HT20_Nss1,(MCS0)_4TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.51	9.51	4.22	3.39	3.26	3.46

802.11n HT20_Nss1,(MCS0)_4TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.35	9.35	4.01	3.49	3.35	2.98

802.11n HT20_Nss1,(MCS0)_4TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	2.89	3.03	2.46	3.49

802.11n HT20_Nss1,(MCS0)_4TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.89	10.89	4.94	5.80	4.94	5.25

802.11n HT20_Nss1,(MCS0)_4TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	3.26	4.06	3.03	3.82

802.11n HT20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.01	10.01	4.49	4.34	4.07	4.27

802.11n HT20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.55	8.55	2.72	2.46	2.65	2.69

802.11n HT40_Nss1,(MCS0)_4TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.15	6.15	0.37	0.42	0.39	0.28

802.11n HT40_Nss1,(MCS0)_4TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	-1.28	-1.47	-2.08	-1.46

802.11n HT40_Nss1,(MCS0)_4TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	-2.31	-2.23	-2.66	-1.94

802.11n HT40_Nss1,(MCS0)_4TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	1.02	1.07	0.79	1.34

802.11n HT40_Nss1,(MCS0)_4TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.96	3.96	-1.55	-1.52	-1.76	-1.31

802.11n HT40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.45	7.45	2.12	2.37	2.05	2.08

802.11n HT40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.08	5.08	-0.22	-1.23	-2.13	-0.20

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.12	9.12	3.40	3.02	2.94	3.50

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.07	9.07	3.75	3.28	3.21	2.99

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.10	9.10	3.68	3.33	2.99	2.82

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	0.80	1.04	0.45	1.55

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.16	10.16	4.31	4.56	3.58	4.53

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.31	7.31	1.24	2.11	1.03	1.83

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	4.92	5.08	4.87	4.74

802.11ac VHT20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.67	8.67	2.64	2.87	2.89	2.97

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	0.02	0.21	-0.17	0.18

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.83	3.83	-1.79	-1.66	-2.50	-2.04

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.58	3.58	-2.08	-2.04	-2.61	-1.91

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	0.92	1.14	0.84	1.54

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	-1.56	-1.44	-1.50	-1.36

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.51	7.51	2.12	2.23	2.00	2.10

802.11ac VHT40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-0.59	-1.71	-2.54	-0.69

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.78	-0.78	-6.32	-6.46	-6.62	-6.51

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5530MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.06	-0.06	-5.80	-5.64	-6.25	-5.36

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5610MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.42	1.42	-4.17	-4.01	-5.25	-4.18

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5690MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.50	3.50	-2.00	-1.83	-2.28	-1.92

802.11ac VHT80_Nss1,(MCS0)_4TX PSD


5690MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.42	0.42	-4.83	-5.73	-6.56	-5.00

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.13	9.13	3.39	3.47	2.87	3.63

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.32	9.32	3.65	3.30	3.20	3.40

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.99	8.99	3.66	3.09	2.97	3.11

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.64	6.64	0.56	1.10	0.50	1.32

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.40	9.40	4.04	4.25	3.43	4.01

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.31	7.31	1.62	1.93	1.46	1.63

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.52	10.52	5.21	4.94	4.27	4.83

802.11ax HEW20_Nss1,(MCS0)_4TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.54	8.54	2.91	2.75	2.25	2.90

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.84	5.84	0.26	0.15	-0.01	0.15

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.89	3.89	-1.47	-2.05	-2.23	-2.15

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.40	3.40	-2.32	-2.41	-2.75	-1.93

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	0.95	0.91	0.65	1.36

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	-1.70	-1.63	-1.43	-1.40

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.39	7.39	1.91	2.18	1.97	1.83

802.11ax HEW40_Nss1,(MCS0)_4TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.91	4.91	-0.42	-1.34	-1.62	-0.53

802.11ax HEW80_Nss1,(MCS0)_4TX PSD


5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-5.79	-5.72	-6.03	-5.90

802.11ax HEW80_Nss1,(MCS0)_4TX PSD


5530MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.59	0.59	-5.10	-5.09	-5.68	-4.69

802.11ax HEW80_Nss1,(MCS0)_4TX PSD


5610MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.84	1.84	-3.57	-3.62	-4.69	-3.53

802.11ax HEW80_Nss1,(MCS0)_4TX PSD

5690MHz Straddle 5.47-5.725GHz




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.15	4.15	-1.49	-1.08	-1.53	-1.59

802.11ax HEW80_Nss1,(MCS0)_4TX PSD

5690MHz Straddle 5.725-5.85GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.88	0.88	-4.57	-5.34	-5.41	-4.46

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	12.92	22.44
802.11n HT20_Nss1,(MCS0)_8TX	11.49	21.01
802.11n HT40_Nss1,(MCS0)_8TX	8.99	18.51
802.11ac VHT20_Nss1,(MCS0)_8TX	11.45	20.97
802.11ac VHT40_Nss1,(MCS0)_8TX	8.93	18.45
802.11ac VHT80_Nss1,(MCS0)_8TX	2.42	11.94
802.11ax HEW20_Nss1,(MCS0)_8TX	11.64	21.16
802.11ax HEW40_Nss1,(MCS0)_8TX	9.03	18.55
802.11ax HEW80_Nss1,(MCS0)_8TX	2.34	11.86
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	11.27	19.11
802.11n HT20_Nss1,(MCS0)_8TX	10.66	18.50
802.11n HT40_Nss1,(MCS0)_8TX	7.96	15.80
802.11ac VHT20_Nss1,(MCS0)_8TX	10.76	18.60
802.11ac VHT40_Nss1,(MCS0)_8TX	8.07	15.91
802.11ac VHT80_Nss1,(MCS0)_8TX	3.34	11.18
802.11ax HEW20_Nss1,(MCS0)_8TX	10.36	18.20
802.11ax HEW40_Nss1,(MCS0)_8TX	7.94	15.78
802.11ax HEW80_Nss1,(MCS0)_8TX	3.26	11.10

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.52	4.58	4.22	4.18	4.13	4.15	3.50	4.11	3.99	12.92	13.48	22.44	23.00
5200MHz	Pass	9.52	4.70	3.69	4.69	4.16	3.58	3.58	4.21	4.21	12.85	13.48	22.37	23.00
5240MHz	Pass	9.52	4.33	3.37	4.40	4.06	3.16	3.18	4.32	4.08	12.63	13.48	22.15	23.00
5745MHz	Pass	7.84	2.44	2.00	2.49	2.78	2.14	2.61	1.69	3.75	11.12	28.16	18.96	36.00
5785MHz	Pass	7.84	3.17	1.82	3.14	3.15	2.03	3.22	2.18	3.61	11.27	28.16	19.11	36.00
5825MHz	Pass	7.84	2.27	2.18	2.22	2.55	1.17	2.02	1.11	2.29	10.58	28.16	18.42	36.00
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.52	1.71	1.95	1.84	1.43	1.67	1.04	1.64	1.48	10.41	13.48	19.93	23.00
5200MHz	Pass	9.52	3.42	2.06	2.99	2.57	2.41	2.38	2.81	2.84	11.47	13.48	20.99	23.00
5240MHz	Pass	9.52	3.02	2.97	3.13	1.96	2.31	1.91	2.68	2.87	11.49	13.48	21.01	23.00
5745MHz	Pass	7.84	2.52	0.42	2.50	2.44	0.67	1.82	1.22	2.98	10.26	28.16	18.10	36.00
5785MHz	Pass	7.84	0.43	1.11	0.54	0.97	-0.86	0.42	-0.22	0.98	8.89	28.16	16.73	36.00
5825MHz	Pass	7.84	2.49	2.57	2.59	2.60	1.43	2.45	1.12	2.57	10.66	28.16	18.50	36.00
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	9.52	-1.11	-1.42	-1.10	-1.54	-1.17	-1.58	-1.43	-1.21	7.34	13.48	16.86	23.00
5230MHz	Pass	9.52	0.62	0.19	0.61	0.11	0.21	-0.06	0.49	0.34	8.99	13.48	18.51	23.00
5755MHz	Pass	7.84	-1.02	-0.95	-0.47	-0.31	-1.99	-0.80	-2.21	-0.14	7.49	28.16	15.33	36.00
5795MHz	Pass	7.84	-0.30	-0.10	0.29	0.12	-1.31	-0.10	-1.04	0.09	7.96	28.16	15.80	36.00
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.52	1.67	1.80	2.05	1.45	1.76	1.22	1.97	1.17	10.29	13.48	19.81	23.00
5200MHz	Pass	9.52	3.09	2.99	3.12	2.23	2.13	2.35	3.23	2.75	11.45	13.48	20.97	23.00
5240MHz	Pass	9.52	3.02	2.85	2.97	2.48	1.90	2.26	2.80	2.87	11.35	13.48	20.87	23.00
5745MHz	Pass	7.84	1.82	1.56	2.35	2.42	1.61	2.30	1.24	3.21	10.55	28.16	18.39	36.00
5785MHz	Pass	7.84	0.83	-0.75	1.44	0.75	-0.24	0.36	0.14	0.97	8.77	28.16	16.61	36.00
5825MHz	Pass	7.84	2.39	2.16	3.03	2.72	1.53	2.12	1.53	2.16	10.76	28.16	18.60	36.00
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	9.52	-1.22	-1.62	-1.20	-1.72	-1.43	-1.56	-1.61	-1.41	7.32	13.48	16.84	23.00
5230MHz	Pass	9.52	0.28	0.07	0.44	-0.13	0.38	-0.35	0.29	0.27	8.93	13.48	18.45	23.00
5755MHz	Pass	7.84	-1.12	-1.14	-0.76	-0.57	-2.14	-1.01	-2.42	-0.30	7.29	28.16	15.13	36.00
5795MHz	Pass	7.84	-0.26	-0.15	0.40	0.29	-1.33	-0.07	-1.14	0.21	8.07	28.16	15.91	36.00
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	9.52	-6.25	-6.13	-6.04	-6.75	-6.30	-6.76	-6.43	-6.04	2.42	13.48	11.94	23.00
5775MHz	Pass	7.84	-4.98	-5.10	-4.24	-4.87	-6.00	-4.90	-5.89	-4.52	3.34	28.16	11.18	36.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	9.52	1.77	1.56	1.50	1.50	1.54	0.90	1.64	1.46	10.23	13.48	19.75	23.00
5200MHz	Pass	9.52	3.31	3.08	3.04	2.80	2.31	1.85	2.61	2.94	11.54	13.48	21.06	23.00
5240MHz	Pass	9.52	3.54	3.03	3.38	2.60	2.64	2.03	3.03	3.33	11.64	13.48	21.16	23.00
5745MHz	Pass	7.84	2.02	1.47	1.81	2.40	1.18	1.80	0.99	2.74	10.25	28.16	18.09	36.00
5785MHz	Pass	7.84	0.41	0.12	1.32	0.72	-0.47	0.57	-0.09	1.30	8.91	28.16	16.75	36.00
5825MHz	Pass	7.84	2.29	2.28	2.84	2.69	1.07	2.04	1.32	2.50	10.36	28.16	18.20	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	9.52	-1.05	-1.43	-0.97	-1.59	-1.32	-1.46	-1.60	-1.44	7.44	13.48	16.96	23.00
5230MHz	Pass	9.52	0.68	0.47	0.75	0.19	0.52	-0.33	0.31	0.51	9.03	13.48	18.55	23.00
5755MHz	Pass	7.84	-1.06	-0.83	-0.83	-0.69	-2.47	-0.88	-2.30	-0.10	7.34	28.16	15.18	36.00
5795MHz	Pass	7.84	-0.46	-0.04	0.12	0.09	-1.75	-0.03	-1.22	0.21	7.94	28.16	15.78	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	9.52	-6.40	-6.13	-6.09	-6.83	-6.39	-6.91	-6.43	-6.10	2.34	13.48	11.86	23.00
5775MHz	Pass	7.84	-5.22	-4.78	-4.55	-5.12	-6.36	-4.86	-6.05	-4.47	3.26	28.16	11.10	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_8TX PSD

5180MHz

09/03/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.92	12.92	4.58	4.22	4.18	4.13	4.15	3.50	4.11	3.99

802.11a_Nss1,(6Mbps)_8TX PSD

5200MHz


14/04/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.85	12.85	4.70	3.69	4.69	4.16	3.58	3.58	4.21	4.21

802.11a_Nss1,(6Mbps)_8TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.63	12.63	4.33	3.37	4.40	4.06	3.16	3.18	4.32	4.08

802.11a_Nss1,(6Mbps)_8TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.12	11.12	2.44	2.00	2.49	2.78	2.14	2.61	1.69	3.75

802.11a_Nss1,(6Mbps)_8TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.27	11.27	3.17	1.82	3.14	3.15	2.03	3.22	2.18	3.61

802.11a_Nss1,(6Mbps)_8TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.58	10.58	2.27	2.18	2.22	2.55	1.17	2.02	1.11	2.29

802.11n HT20_Nss1,(MCS0)_8TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.41	10.41	1.71	1.95	1.84	1.43	1.67	1.04	1.64	1.48

802.11n HT20_Nss1,(MCS0)_8TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.47	11.47	3.42	2.06	2.99	2.57	2.41	2.38	2.81	2.84

802.11n HT20_Nss1,(MCS0)_8TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.49	11.49	3.02	2.97	3.13	1.96	2.31	1.91	2.68	2.87

802.11n HT20_Nss1,(MCS0)_8TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.26	10.26	2.52	0.42	2.50	2.44	0.67	1.82	1.22	2.98

802.11n HT20_Nss1,(MCS0)_8TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.89	8.89	0.43	1.11	0.54	0.97	-0.86	0.42	-0.22	0.98

802.11n HT20_Nss1,(MCS0)_8TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.66	10.66	2.49	2.57	2.59	2.60	1.43	2.45	1.12	2.57

802.11n HT40_Nss1,(MCS0)_8TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.34	7.34	-1.11	-1.42	-1.10	-1.54	-1.17	-1.58	-1.43	-1.21

802.11n HT40_Nss1,(MCS0)_8TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.99	8.99	0.62	0.19	0.61	0.11	0.21	-0.06	0.49	0.34

802.11n HT40_Nss1,(MCS0)_8TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.49	7.49	-1.02	-0.95	-0.47	-0.31	-1.99	-0.80	-2.21	-0.14

802.11n HT40_Nss1,(MCS0)_8TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.96	7.96	-0.30	-0.10	0.29	0.12	-1.31	-0.10	-1.04	0.09

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.29	10.29	1.67	1.80	2.05	1.45	1.76	1.22	1.97	1.17

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.45	11.45	3.09	2.99	3.12	2.23	2.13	2.35	3.23	2.75

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.35	11.35	3.02	2.85	2.97	2.48	1.90	2.26	2.80	2.87

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.55	10.55	1.82	1.56	2.35	2.42	1.61	2.30	1.24	3.21

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.77	8.77	0.83	-0.75	1.44	0.75	-0.24	0.36	0.14	0.97

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.76	10.76	2.39	2.16	3.03	2.72	1.53	2.12	1.53	2.16

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.32	7.32	-1.22	-1.62	-1.20	-1.72	-1.43	-1.56	-1.61	-1.41

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.93	8.93	0.28	0.07	0.44	-0.13	0.38	-0.35	0.29	0.27

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.29	7.29	-1.12	-1.14	-0.76	-0.57	-2.14	-1.01	-2.42	-0.30

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.07	8.07	-0.26	-0.15	0.40	0.29	-1.33	-0.07	-1.14	0.21

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5210MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.42	2.42	-6.25	-6.13	-6.04	-6.75	-6.30	-6.76	-6.43	-6.04

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5775MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.34	3.34	-4.98	-5.10	-4.24	-4.87	-6.00	-4.90	-5.89	-4.52

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5180MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.23	10.23	1.77	1.56	1.50	1.50	1.54	0.90	1.64	1.46

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5200MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.54	11.54	3.31	3.08	3.04	2.80	2.31	1.85	2.61	2.94

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5240MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.64	11.64	3.54	3.03	3.38	2.60	2.64	2.03	3.03	3.33

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5745MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	2.02	1.47	1.81	2.40	1.18	1.80	0.99	2.74

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5785MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	0.41	0.12	1.32	0.72	-0.47	0.57	-0.09	1.30

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5825MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.36	10.36	2.29	2.28	2.84	2.69	1.07	2.04	1.32	2.50

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5190MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.44	7.44	-1.05	-1.43	-0.97	-1.59	-1.32	-1.46	-1.60	-1.44

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5230MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.03	9.03	0.68	0.47	0.75	0.19	0.52	-0.33	0.31	0.51

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5755MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.34	7.34	-1.06	-0.83	-0.83	-0.69	-2.47	-0.88	-2.30	-0.10

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5795MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.94	7.94	-0.46	-0.04	0.12	0.09	-1.75	-0.03	-1.22	0.21

802.11ax HEW80_Nss1,(MCS0)_8TX PSD


5210MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.34	2.34	-6.40	-6.13	-6.09	-6.83	-6.39	-6.91	-6.43	-6.10

802.11ax HEW80_Nss1,(MCS0)_8TX PSD

5775MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	-5.22	-4.78	-4.55	-5.12	-6.36	-4.86	-6.05	-4.47

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-0.06	9.46
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-0.10	9.42
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	7.17	16.18
802.11n HT20_Nss1,(MCS0)_8TX	7.06	16.07
802.11n HT40_Nss1,(MCS0)_8TX	7.10	16.11
802.11ac VHT20_Nss1,(MCS0)_8TX	7.02	16.03
802.11ac VHT40_Nss1,(MCS0)_8TX	6.96	15.97
802.11ac VHT80_Nss1,(MCS0)_8TX	2.06	11.07
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	0.07	9.08
802.11ax HEW20_Nss1,(MCS0)_8TX	6.95	15.96
802.11ax HEW40_Nss1,(MCS0)_8TX	7.13	16.14
802.11ax HEW80_Nss1,(MCS0)_8TX	1.98	10.99
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	0.08	9.09
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	7.44	15.39
802.11n HT20_Nss1,(MCS0)_8TX	7.10	15.05
802.11n HT40_Nss1,(MCS0)_8TX	6.73	14.68
802.11ac VHT20_Nss1,(MCS0)_8TX	7.18	15.13
802.11ac VHT40_Nss1,(MCS0)_8TX	6.60	14.55
802.11ac VHT80_Nss1,(MCS0)_8TX	3.93	11.88
802.11ac VHT80+80_Nss1,(MCS0)_8TX	0.44	8.39
802.11ax HEW20_Nss1,(MCS0)_8TX	7.22	15.17
802.11ax HEW40_Nss1,(MCS0)_8TX	6.64	14.59
802.11ax HEW80_Nss1,(MCS0)_8TX	4.14	12.09
802.11ax HEW80+80_Nss1,(MCS0)_8TX	0.19	8.14
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	4.34	12.18
802.11n HT20_Nss1,(MCS0)_8TX	4.81	12.65
802.11n HT40_Nss1,(MCS0)_8TX	3.39	11.23
802.11ac VHT20_Nss1,(MCS0)_8TX	4.54	12.38
802.11ac VHT40_Nss1,(MCS0)_8TX	3.26	11.10
802.11ac VHT80_Nss1,(MCS0)_8TX	0.54	8.38
802.11ax HEW20_Nss1,(MCS0)_8TX	4.83	12.67
802.11ax HEW40_Nss1,(MCS0)_8TX	3.30	11.14
802.11ax HEW80_Nss1,(MCS0)_8TX	0.21	8.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	-2.17	-1.47	-1.54	-1.74	-1.43	-2.13	-2.37	-2.06	6.88	7.99	15.89	17.00
5300MHz	Pass	9.01	-1.71	-1.79	-1.52	-1.55	-1.40	-1.49	-1.70	-1.87	7.07	7.99	16.08	17.00
5320MHz	Pass	9.01	-1.65	-1.51	-1.93	-1.22	-1.50	-1.55	-1.63	-1.81	7.17	7.99	16.18	17.00
5500MHz	Pass	7.95	-1.23	-1.53	-1.48	-1.38	-0.93	-1.48	-1.60	-1.29	7.44	9.05	15.39	17.00
5580MHz	Pass	7.95	-1.39	-1.04	-1.47	-1.22	-0.45	-1.46	-1.77	-1.67	7.26	9.05	15.21	17.00
5700MHz	Pass	7.95	-1.15	-1.04	-1.86	-0.93	-0.23	-1.37	-0.74	-2.02	7.41	9.05	15.36	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.93	-2.10	-2.60	-1.76	-1.25	-2.62	-2.13	-2.70	6.37	9.05	14.32	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	-3.51	-4.37	-5.53	-4.28	-4.39	-5.03	-5.05	-4.35	4.34	28.16	12.18	36.00
802.11n HT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	-2.13	-1.52	-1.50	-1.65	-1.64	-1.85	-1.93	-1.85	7.06	7.99	16.07	17.00
5300MHz	Pass	9.01	-1.99	-1.92	-1.83	-1.52	-1.47	-1.81	-2.35	-1.98	6.93	7.99	15.94	17.00
5320MHz	Pass	9.01	-2.02	-1.82	-1.94	-1.66	-1.84	-1.57	-1.79	-2.45	6.90	7.99	15.91	17.00
5500MHz	Pass	7.95	-1.53	-1.75	-1.64	-1.63	-1.14	-1.69	-2.00	-1.68	6.97	9.05	14.92	17.00
5580MHz	Pass	7.95	-1.41	-0.95	-1.32	-2.29	-0.92	-1.76	-1.33	-2.34	7.10	9.05	15.05	17.00
5700MHz	Pass	7.95	-1.28	-1.67	-2.59	-1.38	-0.64	-1.74	-1.45	-3.20	6.92	9.05	14.87	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.40	-2.34	-1.04	-2.06	-0.93	-2.57	-1.80	-2.78	6.65	9.05	14.60	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	-3.33	-5.00	-3.28	-4.91	-3.29	-5.02	-4.26	-4.48	4.81	28.16	12.65	36.00
802.11n HT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	9.01	-1.85	-1.25	-1.51	-1.53	-1.10	-1.45	-2.18	-1.53	7.09	7.99	16.10	17.00
5310MHz	Pass	9.01	-1.68	-1.25	-1.71	-1.47	-1.31	-1.65	-2.02	-1.99	7.10	7.99	16.11	17.00
5510MHz	Pass	7.95	-2.56	-2.82	-3.31	-2.50	-2.71	-2.89	-3.11	-3.44	5.69	9.05	13.64	17.00
5550MHz	Pass	7.95	-2.10	-2.25	-2.48	-2.05	-1.78	-2.07	-2.14	-2.72	6.37	9.05	14.32	17.00
5670MHz	Pass	7.95	-2.40	-1.86	-2.65	-2.51	-1.29	-2.30	-2.03	-3.52	6.14	9.05	14.09	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.95	-0.88	-1.07	-1.47	-1.50	-0.92	-1.71	-1.50	-2.91	6.73	9.05	14.68	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.84	-4.35	-6.48	-6.58	-5.04	-4.63	-5.80	-4.99	-6.64	3.39	28.16	11.23	36.00
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	-2.06	-1.52	-1.99	-1.54	-1.61	-1.81	-1.87	-1.87	7.02	7.99	16.03	17.00
5300MHz	Pass	9.01	-1.96	-1.79	-2.09	-1.71	-1.45	-1.67	-2.21	-2.48	6.86	7.99	15.87	17.00
5320MHz	Pass	9.01	-2.15	-1.50	-1.81	-1.65	-1.72	-1.81	-1.91	-2.53	6.87	7.99	15.88	17.00
5500MHz	Pass	7.95	-1.43	-1.67	-1.90	-1.06	-1.32	-1.52	-1.62	-1.76	7.02	9.05	14.97	17.00
5580MHz	Pass	7.95	-1.42	-0.76	-1.34	-2.27	-0.64	-1.85	-1.62	-2.07	7.18	9.05	15.13	17.00
5700MHz	Pass	7.95	-1.47	-0.90	-1.64	-2.09	-0.34	-1.78	-1.23	-2.11	7.13	9.05	15.08	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.78	-1.94	-2.91	-1.83	-0.99	-2.74	-2.43	-2.96	6.31	9.05	14.26	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	-3.94	-3.15	-6.24	-4.59	-3.45	-4.21	-3.80	-5.20	4.54	28.16	12.38	36.00
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	9.01	-2.06	-1.20	-1.78	-1.67	-1.40	-1.65	-2.23	-1.75	6.96	7.99	15.97	17.00
5310MHz	Pass	9.01	-1.73	-1.44	-1.94	-1.71	-1.38	-1.69	-2.36	-1.91	6.89	7.99	15.90	17.00
5510MHz	Pass	7.95	-3.08	-3.17	-3.76	-2.84	-3.10	-2.97	-3.21	-3.68	5.39	9.05	13.34	17.00
5550MHz	Pass	7.95	-2.18	-2.37	-2.49	-2.06	-1.74	-2.09	-2.12	-2.77	6.28	9.05	14.23	17.00
5670MHz	Pass	7.95	-2.57	-2.09	-2.66	-2.69	-1.49	-2.56	-2.30	-3.45	5.99	9.05	13.94	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.12	-1.24	-1.39	-1.50	-0.89	-1.93	-1.46	-3.01	6.60	9.05	14.55	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.84	-4.39	-6.54	-6.65	-5.41	-4.64	-5.90	-5.33	-6.83	3.26	28.16	11.10	36.00
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	9.01	-6.98	-6.33	-6.46	-6.72	-6.64	-6.54	-6.63	-6.76	2.06	7.99	11.07	17.00
5530MHz	Pass	7.95	-8.07	-8.28	-8.29	-8.04	-8.09	-8.00	-7.78	-8.34	0.46	9.05	8.41	17.00
5610MHz	Pass	7.95	-5.03	-5.00	-5.67	-5.02	-4.27	-5.29	-5.25	-5.82	3.33	9.05	11.28	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.95	-4.01	-3.93	-4.64	-4.23	-3.69	-4.97	-4.21	-5.63	3.93	9.05	11.88	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.84	-7.31	-9.14	-9.27	-7.84	-7.36	-9.15	-8.00	-9.28	0.54	28.16	8.38	36.00
802.11ac VHT80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	9.52	-6.04	-5.63	-5.58	-5.93					-0.06	13.48	9.46	23.00
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
&Port6&Port7&Port8)														
5210MHz,#5290MHz	Pass	9.01	-	-	-	-	-5.93	-5.51	-5.83	-5.87	0.07	7.99	9.08	17.00
802.11ac VHT80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.95	-5.32	-5.26	-6.00	-5.16	-4.65	-5.90	-5.67	-6.16	0.44	9.05	8.39	17.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	-2.04	-1.38	-1.61	-1.55	-1.64	-1.63	-2.19	-2.20	6.91	7.99	15.92	17.00
5300MHz	Pass	9.01	-1.75	-1.88	-1.57	-1.51	-1.47	-1.56	-1.76	-2.20	6.94	7.99	15.95	17.00
5320MHz	Pass	9.01	-1.86	-1.72	-1.71	-1.47	-1.48	-1.56	-2.14	-2.30	6.95	7.99	15.96	17.00
5500MHz	Pass	7.95	-1.38	-1.77	-2.03	-1.38	-1.35	-1.54	-1.71	-1.95	6.95	9.05	14.90	17.00
5580MHz	Pass	7.95	-1.37	-1.21	-1.81	-1.60	-0.87	-1.58	-1.56	-2.22	7.03	9.05	14.98	17.00
5700MHz	Pass	7.95	-1.42	-1.16	-1.96	-1.67	-0.33	-1.65	-0.78	-2.61	7.22	9.05	15.17	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.83	-2.24	-2.60	-2.25	-0.64	-2.52	-1.98	-2.61	6.49	9.05	14.44	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	-3.92	-4.28	-3.93	-3.68	-3.27	-4.67	-4.19	-5.12	4.83	28.16	12.67	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	9.01	-1.87	-1.30	-1.69	-1.35	-1.15	-1.58	-2.15	-1.43	7.13	7.99	16.14	17.00
5310MHz	Pass	9.01	-1.61	-1.37	-1.79	-1.45	-1.23	-1.59	-2.29	-1.88	6.98	7.99	15.99	17.00
5510MHz	Pass	7.95	-2.74	-2.86	-3.98	-3.00	-3.04	-3.10	-3.57	-3.60	5.56	9.05	13.51	17.00
5550MHz	Pass	7.95	-2.17	-2.40	-2.27	-2.20	-1.62	-2.34	-2.05	-2.69	6.32	9.05	14.27	17.00
5670MHz	Pass	7.95	-2.36	-2.03	-2.26	-2.83	-1.61	-2.14	-2.34	-3.56	5.85	9.05	13.80	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.09	-1.25	-1.17	-1.54	-0.68	-1.89	-1.78	-3.16	6.64	9.05	14.59	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.84	-4.67	-6.60	-6.19	-5.14	-4.46	-5.75	-5.27	-6.87	3.30	28.16	11.14	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	9.01	-7.17	-6.43	-6.58	-6.72	-6.80	-6.65	-6.86	-6.80	1.98	7.99	10.99	17.00
5530MHz	Pass	7.95	-8.23	-8.47	-8.14	-8.08	-8.32	-8.20	-7.96	-8.46	0.31	9.05	8.26	17.00
5610MHz	Pass	7.95	-5.10	-5.20	-5.50	-5.29	-4.37	-5.26	-5.27	-6.20	3.20	9.05	11.15	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.95	-4.26	-4.11	-4.23	-4.71	-3.72	-5.02	-4.04	-5.97	4.14	9.05	12.09	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.84	-7.52	-9.20	-9.00	-8.17	-7.55	-9.41	-8.01	-9.81	0.21	28.16	8.05	36.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	9.52	-5.96	-5.57	-5.53	-5.75					-0.10	13.48	9.42	23.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	9.01	-	-	-	-	-5.58	-5.99	-6.01	-5.80	0.08	7.99	9.09	17.00
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.95	-5.45	-5.55	-5.84	-5.26	-4.72	-5.91	-5.62	-5.85	0.19	9.05	8.14	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_8TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.88	6.88	-2.17	-1.47	-1.54	-1.74	-1.43	-2.13	-2.37	-2.06

802.11a_Nss1,(6Mbps)_8TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.07	7.07	-1.71	-1.79	-1.52	-1.55	-1.40	-1.49	-1.70	-1.87

802.11a_Nss1,(6Mbps)_8TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.17	7.17	-1.65	-1.51	-1.93	-1.22	-1.50	-1.55	-1.63	-1.81

802.11a_Nss1,(6Mbps)_8TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.44	7.44	-1.23	-1.53	-1.48	-1.38	-0.93	-1.48	-1.60	-1.29

802.11a_Nss1,(6Mbps)_8TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.26	7.26	-1.39	-1.04	-1.47	-1.22	-0.45	-1.46	-1.77	-1.67

802.11a_Nss1,(6Mbps)_8TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.41	7.41	-1.15	-1.04	-1.86	-0.93	-0.23	-1.37	-0.74	-2.02

802.11a_Nss1,(6Mbps)_8TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	-1.93	-2.10	-2.60	-1.76	-1.25	-2.62	-2.13	-2.70

802.11a_Nss1,(6Mbps)_8TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.34	4.34	-3.51	-4.37	-5.53	-4.28	-4.39	-5.03	-5.05	-4.35

802.11n HT20_Nss1,(MCS0)_8TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.06	7.06	-2.13	-1.52	-1.50	-1.65	-1.64	-1.85	-1.93	-1.85

802.11n HT20_Nss1,(MCS0)_8TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.93	6.93	-1.99	-1.92	-1.83	-1.52	-1.47	-1.81	-2.35	-1.98

802.11n HT20_Nss1,(MCS0)_8TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.90	6.90	-2.02	-1.82	-1.94	-1.66	-1.84	-1.57	-1.79	-2.45

802.11n HT20_Nss1,(MCS0)_8TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.97	6.97	-1.53	-1.75	-1.64	-1.63	-1.14	-1.69	-2.00	-1.68

802.11n HT20_Nss1,(MCS0)_8TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	-1.41	-0.95	-1.32	-2.29	-0.92	-1.76	-1.33	-2.34

802.11n HT20_Nss1,(MCS0)_8TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	-1.28	-1.67	-2.59	-1.38	-0.64	-1.74	-1.45	-3.20

802.11n HT20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.65	6.65	-1.40	-2.34	-1.04	-2.06	-0.93	-2.57	-1.80	-2.78

802.11n HT20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	-3.33	-5.00	-3.28	-4.91	-3.29	-5.02	-4.26	-4.48

802.11n HT40_Nss1,(MCS0)_8TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.09	7.09	-1.85	-1.25	-1.51	-1.53	-1.10	-1.45	-2.18	-1.53

802.11n HT40_Nss1,(MCS0)_8TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	-1.68	-1.25	-1.71	-1.47	-1.31	-1.65	-2.02	-1.99

802.11n HT40_Nss1,(MCS0)_8TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	-2.56	-2.82	-3.31	-2.50	-2.71	-2.89	-3.11	-3.44

802.11n HT40_Nss1,(MCS0)_8TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	-2.10	-2.25	-2.48	-2.05	-1.78	-2.07	-2.14	-2.72

802.11n HT40_Nss1,(MCS0)_8TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.14	6.14	-2.40	-1.86	-2.65	-2.51	-1.29	-2.30	-2.03	-3.52

802.11n HT40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.73	6.73	-0.88	-1.07	-1.47	-1.50	-0.92	-1.71	-1.50	-2.91

802.11n HT40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.39	3.39	-4.35	-6.48	-6.58	-5.04	-4.63	-5.80	-4.99	-6.64

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.02	7.02	-2.06	-1.52	-1.99	-1.54	-1.61	-1.81	-1.87	-1.87

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.86	6.86	-1.96	-1.79	-2.09	-1.71	-1.45	-1.67	-2.21	-2.48

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.87	6.87	-2.15	-1.50	-1.81	-1.65	-1.72	-1.81	-1.91	-2.53

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.02	7.02	-1.43	-1.67	-1.90	-1.06	-1.32	-1.52	-1.62	-1.76

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.18	7.18	-1.42	-0.76	-1.34	-2.27	-0.64	-1.85	-1.62	-2.07

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	-1.47	-0.90	-1.64	-2.09	-0.34	-1.78	-1.23	-2.11

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	-1.78	-1.94	-2.91	-1.83	-0.99	-2.74	-2.43	-2.96

802.11ac VHT20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	-3.94	-3.15	-6.24	-4.59	-3.45	-4.21	-3.80	-5.20

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.96	6.96	-2.06	-1.20	-1.78	-1.67	-1.40	-1.65	-2.23	-1.75

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.89	6.89	-1.73	-1.44	-1.94	-1.71	-1.38	-1.69	-2.36	-1.91

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.39	5.39	-3.08	-3.17	-3.76	-2.84	-3.10	-2.97	-3.21	-3.68

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	-2.18	-2.37	-2.49	-2.06	-1.74	-2.09	-2.12	-2.77

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.99	5.99	-2.57	-2.09	-2.66	-2.69	-1.49	-2.56	-2.30	-3.45

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.60	6.60	-1.12	-1.24	-1.39	-1.50	-0.89	-1.93	-1.46	-3.01

802.11ac VHT40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	-4.39	-6.54	-6.65	-5.41	-4.64	-5.90	-5.33	-6.83

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.06	2.06	-6.98	-6.33	-6.46	-6.72	-6.64	-6.54	-6.63	-6.76

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5530MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.46	0.46	-8.07	-8.28	-8.29	-8.04	-8.09	-8.00	-7.78	-8.34

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5610MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.33	3.33	-5.03	-5.00	-5.67	-5.02	-4.27	-5.29	-5.25	-5.82

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5690MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	-4.01	-3.93	-4.64	-4.23	-3.69	-4.97	-4.21	-5.63

802.11ac VHT80_Nss1,(MCS0)_8TX PSD


5690MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	-7.31	-9.14	-9.27	-7.84	-7.36	-9.15	-8.00	-9.28

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4) PSD


#5210MHz,5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.06	-0.06	-6.04	-5.63	-5.58	-5.93

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8) PSD


5210MHz,#5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.07	0.07	-	-	-	-	-5.93	-5.51	-5.83	-5.87

802.11ac VHT80+80_Nss1,(MCS0)_8TX PSD


#5530MHz,#5610MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.44	0.44	-5.32	-5.26	-6.00	-5.16	-4.65	-5.90	-5.67	-6.16

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5260MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.91	6.91	-2.04	-1.38	-1.61	-1.55	-1.64	-1.63	-2.19	-2.20

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5300MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.94	6.94	-1.75	-1.88	-1.57	-1.51	-1.47	-1.56	-1.76	-2.20

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5320MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	-1.86	-1.72	-1.71	-1.47	-1.48	-1.56	-2.14	-2.30

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5500MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	-1.38	-1.77	-2.03	-1.38	-1.35	-1.54	-1.71	-1.95

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5580MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.03	7.03	-1.37	-1.21	-1.81	-1.60	-0.87	-1.58	-1.56	-2.22

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5700MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.22	7.22	-1.42	-1.16	-1.96	-1.67	-0.33	-1.65	-0.78	-2.61

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.49	6.49	-1.83	-2.24	-2.60	-2.25	-0.64	-2.52	-1.98	-2.61

802.11ax HEW20_Nss1,(MCS0)_8TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.83	4.83	-3.92	-4.28	-3.93	-3.68	-3.27	-4.67	-4.19	-5.12

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5270MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	-1.87	-1.30	-1.69	-1.35	-1.15	-1.58	-2.15	-1.43

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5310MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.98	6.98	-1.61	-1.37	-1.79	-1.45	-1.23	-1.59	-2.29	-1.88

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5510MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.56	5.56	-2.74	-2.86	-3.98	-3.00	-3.04	-3.10	-3.57	-3.60

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5550MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	-2.17	-2.40	-2.27	-2.20	-1.62	-2.34	-2.05	-2.69

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5670MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.85	5.85	-2.36	-2.03	-2.26	-2.83	-1.61	-2.14	-2.34	-3.56

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.64	6.64	-1.09	-1.25	-1.17	-1.54	-0.68	-1.89	-1.78	-3.16

802.11ax HEW40_Nss1,(MCS0)_8TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.30	3.30	-4.67	-6.60	-6.19	-5.14	-4.46	-5.75	-5.27	-6.87

802.11ax HEW80_Nss1,(MCS0)_8TX PSD


5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.98	1.98	-7.17	-6.43	-6.58	-6.72	-6.80	-6.65	-6.86	-6.80

802.11ax HEW80_Nss1,(MCS0)_8TX PSD


5530MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.31	0.31	-8.23	-8.47	-8.14	-8.08	-8.32	-8.20	-7.96	-8.46

802.11ax HEW80_Nss1,(MCS0)_8TX PSD

5610MHz




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.20	3.20	-5.10	-5.20	-5.50	-5.29	-4.37	-5.26	-5.27	-6.20

802.11ax HEW80_Nss1,(MCS0)_8TX PSD

5690MHz Straddle 5.47-5.725GHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-4.26	-4.11	-4.23	-4.71	-3.72	-5.02	-4.04	-5.97

802.11ax HEW80_Nss1,(MCS0)_8TX PSD


5690MHz Straddle 5.725-5.85GHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.21	0.21	-7.52	-9.20	-9.00	-8.17	-7.55	-9.41	-8.01	-9.81

802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4) PSD #5210MHz,5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.10	-0.10	-5.96	-5.57	-5.53	-5.75


802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8) PSD 5210MHz,#5290MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	-	-	-	-	-5.58	-5.99	-6.01	-5.80

802.11ax HEW80+80_Nss1,(MCS0)_8TX PSD

#5530MHz,#5610MHz



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	-5.45	-5.55	-5.84	-5.26	-4.72	-5.91	-5.62	-5.85

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.30	11.90
802.11n HT20_Nss1,(MCS0)_1TX	6.89	11.49
802.11n HT40_Nss1,(MCS0)_1TX	0.85	5.45
802.11ac VHT20_Nss1,(MCS0)_1TX	6.81	11.41
802.11ac VHT40_Nss1,(MCS0)_1TX	0.67	5.27
802.11ac VHT80_Nss1,(MCS0)_1TX	-7.19	-2.59
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.01	11.61
802.11n HT20_Nss1,(MCS0)_1TX	6.70	11.30
802.11n HT40_Nss1,(MCS0)_1TX	3.59	8.19
802.11ac VHT20_Nss1,(MCS0)_1TX	6.72	11.32
802.11ac VHT40_Nss1,(MCS0)_1TX	3.51	8.11
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.47	3.13

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	5.06	5.06	17.00	9.66	23.00
5200MHz	Pass	4.60	5.72	5.72	17.00	10.32	23.00
5240MHz	Pass	4.60	7.30	7.30	17.00	11.90	23.00
5745MHz	Pass	4.60	7.01	7.01	30.00	11.61	36.00
5785MHz	Pass	4.60	6.50	6.50	30.00	11.10	36.00
5825MHz	Pass	4.60	6.01	6.01	30.00	10.61	36.00
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	4.85	4.85	17.00	9.45	23.00
5200MHz	Pass	4.60	5.38	5.38	17.00	9.98	23.00
5240MHz	Pass	4.60	6.89	6.89	17.00	11.49	23.00
5745MHz	Pass	4.60	6.70	6.70	30.00	11.30	36.00
5785MHz	Pass	4.60	6.37	6.37	30.00	10.97	36.00
5825MHz	Pass	4.60	5.99	5.99	30.00	10.59	36.00
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.60	-0.97	-0.97	17.00	3.63	23.00
5230MHz	Pass	4.60	0.85	0.85	17.00	5.45	23.00
5755MHz	Pass	4.60	3.59	3.59	30.00	8.19	36.00
5795MHz	Pass	4.60	3.56	3.56	30.00	8.16	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.60	4.85	4.85	17.00	9.45	23.00
5200MHz	Pass	4.60	5.37	5.37	17.00	9.97	23.00
5240MHz	Pass	4.60	6.81	6.81	17.00	11.41	23.00
5745MHz	Pass	4.60	6.72	6.72	30.00	11.32	36.00
5785MHz	Pass	4.60	6.30	6.30	30.00	10.90	36.00
5825MHz	Pass	4.60	6.00	6.00	30.00	10.60	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.60	-0.93	-0.93	17.00	3.67	23.00
5230MHz	Pass	4.60	0.67	0.67	17.00	5.27	23.00
5755MHz	Pass	4.60	3.48	3.48	30.00	8.08	36.00
5795MHz	Pass	4.60	3.51	3.51	30.00	8.11	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.60	-7.19	-7.19	17.00	-2.59	23.00
5775MHz	Pass	4.60	-1.47	-1.47	30.00	3.13	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX PSD


5180MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.06	5.06	5.06

802.11a_Nss1,(6Mbps)_1TX PSD


5200MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.72	5.72	5.72

802.11a_Nss1,(6Mbps)_1TX PSD


5240MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.30	7.30	7.30

802.11a_Nss1,(6Mbps)_1TX PSD


5745MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.01	7.01	7.01

802.11a_Nss1,(6Mbps)_1TX PSD


5785MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.50	6.50	6.50

802.11a_Nss1,(6Mbps)_1TX PSD


5825MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.01	6.01	6.01

802.11n HT20_Nss1,(MCS0)_1TX PSD


5180MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.85	4.85	4.85

802.11n HT20_Nss1,(MCS0)_1TX PSD


5200MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.38	5.38	5.38

802.11n HT20_Nss1,(MCS0)_1TX PSD


5240MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.89	6.89	6.89

802.11n HT20_Nss1,(MCS0)_1TX PSD


5745MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	6.70

802.11n HT20_Nss1,(MCS0)_1TX PSD


5785MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	6.37

802.11n HT20_Nss1,(MCS0)_1TX PSD


5825MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.99	5.99	5.99

802.11n HT40_Nss1,(MCS0)_1TX PSD


5190MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.97	-0.97	-0.97

802.11n HT40_Nss1,(MCS0)_1TX PSD


5230MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.85	0.85	0.85

802.11n HT40_Nss1,(MCS0)_1TX PSD


5755MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.59	3.59	3.59

802.11n HT40_Nss1,(MCS0)_1TX PSD


5795MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.56	3.56	3.56

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5180MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.85	4.85	4.85

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5200MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.37	5.37	5.37

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5240MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.81	6.81	6.81

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5745MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.72	6.72	6.72

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5785MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.30	6.30	6.30

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5825MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.00	6.00	6.00

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5190MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.93	-0.93	-0.93

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5230MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.67	0.67	0.67

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5755MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.48	3.48	3.48

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5795MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.51	3.51	3.51

802.11ac VHT80_Nss1,(MCS0)_1TX PSD


5210MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.19	-7.19	-7.19

802.11ac VHT80_Nss1,(MCS0)_1TX PSD

5775MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.47	-1.47	-1.47

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.87	11.47
802.11n HT20_Nss1,(MCS0)_1TX	6.40	11.00
802.11n HT40_Nss1,(MCS0)_1TX	-2.60	2.00
802.11ac VHT20_Nss1,(MCS0)_1TX	6.56	11.16
802.11ac VHT40_Nss1,(MCS0)_1TX	-2.25	2.35
802.11ac VHT80_Nss1,(MCS0)_1TX	-12.99	-8.39
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.06	12.66
802.11n HT20_Nss1,(MCS0)_1TX	7.19	11.79
802.11n HT40_Nss1,(MCS0)_1TX	3.78	8.38
802.11ac VHT20_Nss1,(MCS0)_1TX	7.46	12.06
802.11ac VHT40_Nss1,(MCS0)_1TX	4.11	8.71
802.11ac VHT80_Nss1,(MCS0)_1TX	0.33	4.93
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	4.86	9.46
802.11n HT20_Nss1,(MCS0)_1TX	4.02	8.62
802.11n HT40_Nss1,(MCS0)_1TX	0.25	4.85
802.11ac VHT20_Nss1,(MCS0)_1TX	4.35	8.95
802.11ac VHT40_Nss1,(MCS0)_1TX	0.69	5.29
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.81	1.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.84	6.84	11.00	11.44	17.00
5300MHz	Pass	4.60	6.87	6.87	11.00	11.47	17.00
5320MHz	Pass	4.60	5.01	5.01	11.00	9.61	17.00
5500MHz	Pass	4.60	4.97	4.97	11.00	9.57	17.00
5580MHz	Pass	4.60	8.06	8.06	11.00	12.66	17.00
5700MHz	Pass	4.60	5.06	5.06	11.00	9.66	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	6.69	6.69	11.00	11.29	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.86	4.86	30.00	9.46	36.00
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.40	6.40	11.00	11.00	17.00
5300MHz	Pass	4.60	6.32	6.32	11.00	10.92	17.00
5320MHz	Pass	4.60	3.80	3.80	11.00	8.40	17.00
5500MHz	Pass	4.60	4.09	4.09	11.00	8.69	17.00
5580MHz	Pass	4.60	7.19	7.19	11.00	11.79	17.00
5700MHz	Pass	4.60	4.37	4.37	11.00	8.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	5.69	5.69	11.00	10.29	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.02	4.02	30.00	8.62	36.00
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	-3.07	-3.07	11.00	1.53	17.00
5310MHz	Pass	4.60	-2.60	-2.60	11.00	2.00	17.00
5510MHz	Pass	4.60	0.48	0.48	11.00	5.08	17.00
5550MHz	Pass	4.60	3.78	3.78	11.00	8.38	17.00
5670MHz	Pass	4.60	2.44	2.44	11.00	7.04	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	2.47	2.47	11.00	7.07	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	0.25	0.25	30.00	4.85	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.52	6.52	11.00	11.12	17.00
5300MHz	Pass	4.60	6.56	6.56	11.00	11.16	17.00
5320MHz	Pass	4.60	4.12	4.12	11.00	8.72	17.00
5500MHz	Pass	4.60	4.66	4.66	11.00	9.26	17.00
5580MHz	Pass	4.60	7.46	7.46	11.00	12.06	17.00
5700MHz	Pass	4.60	4.65	4.65	11.00	9.25	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	6.04	6.04	11.00	10.64	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.35	4.35	30.00	8.95	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	-2.94	-2.94	11.00	1.66	17.00
5310MHz	Pass	4.60	-2.25	-2.25	11.00	2.35	17.00
5510MHz	Pass	4.60	0.94	0.94	11.00	5.54	17.00
5550MHz	Pass	4.60	4.11	4.11	11.00	8.71	17.00
5670MHz	Pass	4.60	2.86	2.86	11.00	7.46	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	2.85	2.85	11.00	7.45	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	0.69	0.69	30.00	5.29	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.60	-12.99	-12.99	11.00	-8.39	17.00
5530MHz	Pass	4.60	-6.47	-6.47	11.00	-1.87	17.00
5610MHz	Pass	4.60	-0.22	-0.22	11.00	4.38	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.60	0.33	0.33	11.00	4.93	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.60	-2.81	-2.81	30.00	1.79	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX PSD


5260MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.84	6.84	6.84

802.11a_Nss1,(6Mbps)_1TX PSD


5300MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.87	6.87	6.87

802.11a_Nss1,(6Mbps)_1TX PSD


5320MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.01	5.01	5.01

802.11a_Nss1,(6Mbps)_1TX PSD


5500MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.97	4.97	4.97

802.11a_Nss1,(6Mbps)_1TX PSD


5580MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.06	8.06	8.06

802.11a_Nss1,(6Mbps)_1TX PSD


5700MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.06	5.06	5.06

802.11a_Nss1,(6Mbps)_1TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.69	6.69	6.69

802.11a_Nss1,(6Mbps)_1TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.86	4.86	4.86

802.11n HT20_Nss1,(MCS0)_1TX PSD


5260MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.40	6.40	6.40

802.11n HT20_Nss1,(MCS0)_1TX PSD


5300MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	6.32

802.11n HT20_Nss1,(MCS0)_1TX PSD


5320MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	3.80

802.11n HT20_Nss1,(MCS0)_1TX PSD


5500MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.09	4.09	4.09

802.11n HT20_Nss1,(MCS0)_1TX PSD


5580MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.19	7.19	7.19

802.11n HT20_Nss1,(MCS0)_1TX PSD

5700MHz




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.37	4.37	4.37

802.11n HT20_Nss1,(MCS0)_1TX PSD

5720MHz Straddle 5.47-5.725GHz

01/07/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	5.69

802.11n HT20_Nss1,(MCS0)_1TX PSD

5720MHz Straddle 5.725-5.85GHz


01/07/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.02	4.02	4.02

802.11n HT40_Nss1,(MCS0)_1TX PSD

5270MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.07	-3.07	-3.07

802.11n HT40_Nss1,(MCS0)_1TX PSD


5310MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.60	-2.60	-2.60

802.11n HT40_Nss1,(MCS0)_1TX PSD


5510MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.48	0.48	0.48

802.11n HT40_Nss1,(MCS0)_1TX PSD


5550MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.78	3.78	3.78

802.11n HT40_Nss1,(MCS0)_1TX PSD


5670MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.44	2.44	2.44

802.11n HT40_Nss1,(MCS0)_1TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	2.47

802.11n HT40_Nss1,(MCS0)_1TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.25	0.25	0.25

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5260MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.52	6.52	6.52

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5300MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.56	6.56	6.56

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5320MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.12	4.12	4.12

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5500MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.66	4.66	4.66

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5580MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.46	7.46	7.46

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5700MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.65	4.65	4.65

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.04	6.04	6.04

802.11ac VHT20_Nss1,(MCS0)_1TX PSD


5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	4.35

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5270MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.94	-2.94	-2.94

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5310MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.25	-2.25	-2.25

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5510MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.94	0.94	0.94

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5550MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.11	4.11	4.11

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5670MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.86	2.86	2.86

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	2.85

802.11ac VHT40_Nss1,(MCS0)_1TX PSD


5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.69	0.69	0.69

802.11ac VHT80_Nss1,(MCS0)_1TX PSD


5290MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.99	-12.99	-12.99

802.11ac VHT80_Nss1,(MCS0)_1TX PSD


5530MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.47	-6.47	-6.47

802.11ac VHT80_Nss1,(MCS0)_1TX PSD


5610MHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.22	-0.22	-0.22

802.11ac VHT80_Nss1,(MCS0)_1TX PSD


5690MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.33	0.33	0.33

802.11ac VHT80_Nss1,(MCS0)_1TX PSD

5690MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.81	-2.81	-2.81

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	47.46M	36.82	40.00	-3.18	3	Horizontal	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	146.4M	28.33	43.50	-15.17	3	Vertical	0	1.00	-
5775MHz	Pass	PK	220.12M	27.38	46.00	-18.62	3	Vertical	0	1.00	-
5775MHz	Pass	PK	398.6M	28.29	46.00	-17.71	3	Vertical	0	1.00	-
5775MHz	Pass	PK	450.98M	29.88	46.00	-16.12	3	Vertical	0	1.00	-
5775MHz	Pass	PK	738.1M	32.57	46.00	-13.43	3	Vertical	0	1.00	-
5775MHz	Pass	QP	41.64M	32.62	40.00	-7.38	3	Vertical	43	1.07	-
5775MHz	Pass	PK	47.46M	36.82	40.00	-3.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	146.4M	29.66	43.50	-13.84	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	220.12M	32.37	46.00	-13.63	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	400.54M	29.10	46.00	-16.90	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	600.36M	35.54	46.00	-10.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	856.44M	33.74	46.00	-12.26	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	45.52M	34.54	40.00	-5.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	185.2M	28.29	43.50	-15.21	3	Vertical	0	1.00	-
5775MHz	Pass	PK	299.66M	30.54	46.00	-15.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	454.86M	29.14	46.00	-16.86	3	Vertical	0	1.00	-
5775MHz	Pass	PK	600.36M	33.99	46.00	-12.01	3	Vertical	0	1.00	-
5775MHz	Pass	PK	904.94M	34.56	46.00	-11.44	3	Vertical	0	1.00	-
5775MHz	Pass	PK	37.76M	33.73	40.00	-6.27	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	185.2M	28.97	43.50	-14.53	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	297.72M	29.84	46.00	-16.16	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	410.24M	30.43	46.00	-15.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	600.36M	31.81	46.00	-14.19	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	747.8M	32.44	46.00	-13.56	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	146.4M	28.33	43.50	-15.17	-10.12	3	Vertical	0	1.00	-	38.45	15.77	1.68	27.57
PK	220.12M	27.38	46.00	-18.62	-10.78	3	Vertical	0	1.00	-	38.16	14.38	2.04	27.20
PK	398.6M	28.29	46.00	-17.71	-4.06	3	Vertical	0	1.00	-	32.35	20.98	2.73	27.77
PK	450.98M	29.88	46.00	-16.12	-3.10	3	Vertical	0	1.00	-	32.98	22.08	2.90	28.08
PK	738.1M	32.57	46.00	-13.43	0.36	3	Vertical	0	1.00	-	32.21	24.79	3.68	28.11
QP	41.64M	32.62	40.00	-7.38	-9.63	3	Vertical	43	1.07	-	42.25	16.83	0.98	27.44

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	36.82	40.00	-3.18	-12.55	3	Horizontal	360	1.00	-	49.37	14.05	1.04	27.64
PK	146.4M	29.66	43.50	-13.84	-10.12	3	Horizontal	360	1.00	-	39.78	15.77	1.68	27.57
PK	220.12M	32.37	46.00	-13.63	-10.78	3	Horizontal	360	1.00	-	43.15	14.38	2.04	27.20
PK	400.54M	29.10	46.00	-16.90	-3.96	3	Horizontal	360	1.00	-	33.06	21.08	2.74	27.78
PK	600.36M	35.54	46.00	-10.46	-1.09	3	Horizontal	360	1.00	-	36.63	23.97	3.37	28.43
PK	856.44M	33.74	46.00	-12.26	1.86	3	Horizontal	360	1.00	-	31.88	25.54	4.01	27.69

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	45.52M	34.54	40.00	-5.46	-11.57	3	Vertical	0	1.00	-	46.11	14.98	1.03	27.58
PK	185.2M	28.29	43.50	-15.21	-11.30	3	Vertical	0	1.00	-	39.59	14.23	1.89	27.42
PK	299.66M	30.54	46.00	-15.46	-6.30	3	Vertical	0	1.00	-	36.84	18.40	2.36	27.06
PK	454.86M	29.14	46.00	-16.86	-2.97	3	Vertical	0	1.00	-	32.11	22.21	2.92	28.10
PK	600.36M	33.99	46.00	-12.01	-1.09	3	Vertical	0	1.00	-	35.08	23.97	3.37	28.43
PK	904.94M	34.56	46.00	-11.44	2.32	3	Vertical	0	1.00	-	32.24	25.68	4.12	27.48

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	37.76M	33.73	40.00	-6.27	-7.25	3	Horizontal	360	1.00	-	40.98	19.08	0.94	27.27
PK	185.2M	28.97	43.50	-14.53	-11.30	3	Horizontal	360	1.00	-	40.27	14.23	1.89	27.42
PK	297.72M	29.84	46.00	-16.16	-6.35	3	Horizontal	360	1.00	-	36.19	18.36	2.35	27.06
PK	410.24M	30.43	46.00	-15.57	-3.43	3	Horizontal	360	1.00	-	33.86	21.64	2.77	27.84
PK	600.36M	31.81	46.00	-14.19	-1.09	3	Horizontal	360	1.00	-	32.90	23.97	3.37	28.43
PK	747.8M	32.44	46.00	-13.56	0.51	3	Horizontal	360	1.00	-	31.93	24.89	3.70	28.08

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.15G	51.77	54.00	-2.23	3	Horizontal	66	1.91	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.87	54.00	-1.13	3	Horizontal	67	1.83	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.65	54.00	-1.35	3	Horizontal	309	1.86	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.1452G	52.73	54.00	-1.27	3	Horizontal	64	1.29	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	10.5171G	66.93	68.20	-1.27	3	Horizontal	299	1.67	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	60	1.68	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3576G	53.38	54.00	-0.62	3	Horizontal	304	1.97	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.10	54.00	-0.90	3	Horizontal	75	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7288G	67.28	68.20	-0.92	3	Horizontal	69	2.05	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Horizontal	69	1.96	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.4628G	67.02	68.20	-1.18	3	Horizontal	305	1.17	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.456G	52.48	54.00	-1.52	3	Horizontal	311	1.28	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.3492G	66.91	68.20	-1.29	3	Horizontal	340	2.48	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.35416G	67.14	68.20	-1.06	3	Horizontal	360	1.68	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.38452G	66.64	68.20	-1.56	3	Horizontal	55	1.98	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6502G	66.83	68.35	-1.52	3	Horizontal	312	1.50	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	46.97	54.00	-7.03	3	Vertical	3	2.95	-
5180MHz	Pass	AV	5.174G	103.79	Inf	-Inf	3	Vertical	3	2.95	-
5180MHz	Pass	AV	5.3924G	43.83	54.00	-10.17	3	Vertical	3	2.95	-
5180MHz	Pass	PK	5.15G	58.40	74.00	-15.60	3	Vertical	3	2.95	-
5180MHz	Pass	PK	5.174G	113.28	Inf	-Inf	3	Vertical	3	2.95	-
5180MHz	Pass	PK	5.4704G	54.70	68.20	-13.50	3	Vertical	3	2.95	-
5180MHz	Pass	AV	5.15G	51.77	54.00	-2.23	3	Horizontal	66	1.91	-
5180MHz	Pass	AV	5.1764G	108.88	Inf	-Inf	3	Horizontal	66	1.91	-
5180MHz	Pass	AV	5.366G	44.87	54.00	-9.13	3	Horizontal	66	1.91	-
5180MHz	Pass	PK	5.15G	66.04	74.00	-7.96	3	Horizontal	66	1.91	-
5180MHz	Pass	PK	5.1776G	118.27	Inf	-Inf	3	Horizontal	66	1.91	-
5180MHz	Pass	PK	5.4632G	54.74	68.20	-13.46	3	Horizontal	66	1.91	-
5180MHz	Pass	AV	15.53252G	47.04	54.00	-6.96	3	Vertical	3	1.43	-
5180MHz	Pass	PK	10.35988G	58.83	68.20	-9.37	3	Vertical	354	1.00	-
5180MHz	Pass	PK	15.54396G	60.88	74.00	-13.12	3	Vertical	3	1.43	-
5180MHz	Pass	AV	15.53312G	47.16	54.00	-6.84	3	Horizontal	72	2.78	-
5180MHz	Pass	PK	10.36004G	58.26	68.20	-9.94	3	Horizontal	319	2.08	-
5180MHz	Pass	PK	15.54296G	60.42	74.00	-13.58	3	Horizontal	72	2.78	-
5200MHz	Pass	AV	5.1496G	46.89	54.00	-7.11	3	Vertical	6	2.94	-
5200MHz	Pass	AV	5.2036G	105.04	Inf	-Inf	3	Vertical	6	2.94	-
5200MHz	Pass	AV	5.3704G	43.99	54.00	-10.01	3	Vertical	6	2.94	-
5200MHz	Pass	PK	5.1436G	61.34	74.00	-12.66	3	Vertical	6	2.94	-
5200MHz	Pass	PK	5.2036G	114.32	Inf	-Inf	3	Vertical	6	2.94	-
5200MHz	Pass	PK	5.4868G	55.43	68.20	-12.77	3	Vertical	6	2.94	-
5200MHz	Pass	AV	5.1484G	47.45	54.00	-6.55	3	Horizontal	67	1.81	-
5200MHz	Pass	AV	5.2072G	110.12	Inf	-Inf	3	Horizontal	67	1.81	-
5200MHz	Pass	AV	5.3992G	44.30	54.00	-9.70	3	Horizontal	67	1.81	-
5200MHz	Pass	PK	5.1496G	59.39	74.00	-14.61	3	Horizontal	67	1.81	-
5200MHz	Pass	PK	5.2072G	119.36	Inf	-Inf	3	Horizontal	67	1.81	-
5200MHz	Pass	PK	5.47G	55.65	68.20	-12.55	3	Horizontal	67	1.81	-
5200MHz	Pass	AV	15.59344G	46.53	54.00	-7.47	3	Vertical	10	1.01	-
5200MHz	Pass	PK	10.40008G	58.00	68.20	-10.20	3	Vertical	44	1.50	-
5200MHz	Pass	PK	15.59728G	59.97	74.00	-14.03	3	Vertical	10	1.01	-
5200MHz	Pass	AV	15.60132G	46.74	54.00	-7.26	3	Horizontal	40	1.78	-
5200MHz	Pass	PK	10.39456G	62.65	68.20	-5.55	3	Horizontal	300	1.63	-
5200MHz	Pass	PK	15.60044G	60.73	74.00	-13.27	3	Horizontal	40	1.78	-
5240MHz	Pass	AV	5.1452G	48.60	54.00	-5.40	3	Vertical	16	2.70	-
5240MHz	Pass	AV	5.2412G	105.85	Inf	-Inf	3	Vertical	16	2.70	-
5240MHz	Pass	AV	5.35G	47.04	54.00	-6.96	3	Vertical	16	2.70	-
5240MHz	Pass	PK	5.1464G	63.90	74.00	-10.10	3	Vertical	16	2.70	-
5240MHz	Pass	PK	5.2412G	114.86	Inf	-Inf	3	Vertical	16	2.70	-
5240MHz	Pass	PK	5.4908G	55.47	68.20	-12.73	3	Vertical	16	2.70	-
5240MHz	Pass	AV	5.1476G	51.35	54.00	-2.65	3	Horizontal	305	1.16	-
5240MHz	Pass	AV	5.2328G	109.38	Inf	-Inf	3	Horizontal	305	1.16	-
5240MHz	Pass	AV	5.35G	48.15	54.00	-5.85	3	Horizontal	305	1.16	-
5240MHz	Pass	PK	5.1476G	65.44	74.00	-8.56	3	Horizontal	305	1.16	-
5240MHz	Pass	PK	5.2328G	118.71	Inf	-Inf	3	Horizontal	305	1.16	-
5240MHz	Pass	PK	5.4872G	55.79	68.20	-12.41	3	Horizontal	305	1.16	-
5240MHz	Pass	AV	15.71864G	48.78	54.00	-5.22	3	Vertical	360	2.80	-
5240MHz	Pass	PK	10.48048G	62.05	68.20	-6.15	3	Vertical	360	1.20	-
5240MHz	Pass	PK	15.71792G	61.50	74.00	-12.50	3	Vertical	360	2.80	-
5240MHz	Pass	AV	15.71948G	50.48	54.00	-3.52	3	Horizontal	29	1.46	-
5240MHz	Pass	PK	10.47436G	64.11	68.20	-4.09	3	Horizontal	302	1.57	-
5240MHz	Pass	PK	15.71928G	64.61	74.00	-9.39	3	Horizontal	29	1.46	-
5260MHz	Pass	AV	5.149G	46.13	54.00	-7.87	3	Vertical	0	1.33	-
5260MHz	Pass	AV	5.2594G	105.81	Inf	-Inf	3	Vertical	0	1.33	-
5260MHz	Pass	AV	5.3578G	45.93	54.00	-8.07	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.1358G	58.40	74.00	-15.60	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.2594G	115.09	Inf	-Inf	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.3626G	58.24	74.00	-15.76	3	Vertical	0	1.33	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.1394G	47.68	54.00	-6.32	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	5.2552G	108.58	Inf	-Inf	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	5.3608G	48.93	54.00	-5.07	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.14G	60.60	74.00	-13.40	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.2558G	118.05	Inf	-Inf	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.359G	62.76	74.00	-11.24	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	15.7791G	50.49	54.00	-3.51	3	Vertical	332	1.08	-
5260MHz	Pass	PK	10.5204G	63.97	68.20	-4.23	3	Vertical	10	1.50	-
5260MHz	Pass	PK	15.7793G	63.08	74.00	-10.92	3	Vertical	332	1.08	-
5260MHz	Pass	AV	15.7825G	48.12	54.00	-5.88	3	Horizontal	356	2.26	-
5260MHz	Pass	PK	10.5171G	66.93	68.20	-1.27	3	Horizontal	299	1.67	-
5260MHz	Pass	PK	15.7818G	61.29	74.00	-12.71	3	Horizontal	356	2.26	-
5300MHz	Pass	AV	5.3036G	105.22	Inf	-Inf	3	Vertical	50	2.32	-
5300MHz	Pass	AV	5.35G	49.70	54.00	-4.30	3	Vertical	50	2.32	-
5300MHz	Pass	PK	5.3028G	114.72	Inf	-Inf	3	Vertical	50	2.32	-
5300MHz	Pass	PK	5.3516G	62.37	74.00	-11.63	3	Vertical	50	2.32	-
5300MHz	Pass	AV	5.306G	111.38	Inf	-Inf	3	Horizontal	74	1.87	-
5300MHz	Pass	AV	5.352G	49.47	54.00	-4.53	3	Horizontal	74	1.87	-
5300MHz	Pass	PK	5.3056G	120.95	Inf	-Inf	3	Horizontal	74	1.87	-
5300MHz	Pass	PK	5.3528G	63.80	74.00	-10.20	3	Horizontal	74	1.87	-
5300MHz	Pass	AV	15.9057G	46.27	54.00	-7.73	3	Vertical	91	2.37	-
5300MHz	Pass	PK	10.59176G	60.85	68.20	-7.35	3	Vertical	11	1.46	-
5300MHz	Pass	PK	15.9178G	59.58	74.00	-14.42	3	Vertical	91	2.37	-
5300MHz	Pass	AV	15.903G	46.57	54.00	-7.43	3	Horizontal	167	2.29	-
5300MHz	Pass	PK	10.5962G	66.27	68.20	-1.93	3	Horizontal	301	1.78	-
5300MHz	Pass	PK	15.9178G	59.62	74.00	-14.38	3	Horizontal	167	2.29	-
5320MHz	Pass	AV	5.3168G	102.41	Inf	-Inf	3	Vertical	0	1.37	-
5320MHz	Pass	AV	5.35G	51.56	54.00	-2.44	3	Vertical	0	1.37	-
5320MHz	Pass	PK	5.3172G	111.71	Inf	-Inf	3	Vertical	0	1.37	-
5320MHz	Pass	PK	5.35G	66.29	74.00	-7.71	3	Vertical	0	1.37	-
5320MHz	Pass	AV	5.3216G	109.93	Inf	-Inf	3	Horizontal	303	2.33	-
5320MHz	Pass	AV	5.35G	50.95	54.00	-3.05	3	Horizontal	303	2.33	-
5320MHz	Pass	PK	5.3212G	118.81	Inf	-Inf	3	Horizontal	303	2.33	-
5320MHz	Pass	PK	5.3532G	65.70	74.00	-8.30	3	Horizontal	303	2.33	-
5320MHz	Pass	AV	10.638G	47.89	54.00	-6.11	3	Vertical	14	1.36	-
5320MHz	Pass	AV	15.957G	47.40	54.00	-6.60	3	Vertical	287	2.41	-
5320MHz	Pass	PK	10.6442G	60.01	74.00	-13.99	3	Vertical	14	1.36	-
5320MHz	Pass	PK	16.0024G	60.50	74.00	-13.50	3	Vertical	287	2.41	-
5320MHz	Pass	AV	10.6378G	52.23	54.00	-1.77	3	Horizontal	304	1.65	-
5320MHz	Pass	AV	15.9992G	46.82	54.00	-7.18	3	Horizontal	222	2.34	-
5320MHz	Pass	PK	10.6364G	65.33	74.00	-8.67	3	Horizontal	304	1.65	-
5320MHz	Pass	PK	15.9968G	60.13	74.00	-13.87	3	Horizontal	222	2.34	-
5500MHz	Pass	AV	5.4548G	45.36	54.00	-8.64	3	Vertical	302	1.00	-
5500MHz	Pass	AV	5.5068G	99.27	Inf	-Inf	3	Vertical	302	1.00	-
5500MHz	Pass	PK	5.4664G	59.99	68.20	-8.21	3	Vertical	302	1.00	-
5500MHz	Pass	PK	5.5068G	108.60	Inf	-Inf	3	Vertical	302	1.00	-
5500MHz	Pass	AV	5.46G	48.29	54.00	-5.71	3	Horizontal	299	1.94	-
5500MHz	Pass	AV	5.5016G	109.62	Inf	-Inf	3	Horizontal	299	1.94	-
5500MHz	Pass	PK	5.4698G	67.22	68.20	-0.98	3	Horizontal	299	1.94	-
5500MHz	Pass	PK	5.502G	119.47	Inf	-Inf	3	Horizontal	299	1.94	-
5500MHz	Pass	AV	10.9983G	46.31	54.00	-7.69	3	Vertical	341	1.50	-
5500MHz	Pass	PK	10.9974G	58.85	74.00	-15.15	3	Vertical	341	1.50	-
5500MHz	Pass	PK	16.4898G	62.37	68.20	-5.83	3	Vertical	174	2.19	-
5500MHz	Pass	AV	11.0002G	48.87	54.00	-5.13	3	Horizontal	76	1.00	-
5500MHz	Pass	PK	11.0007G	61.34	74.00	-12.66	3	Horizontal	76	1.00	-
5500MHz	Pass	PK	16.5004G	62.75	68.20	-5.45	3	Horizontal	32	2.76	-
5580MHz	Pass	AV	5.4486G	45.62	54.00	-8.38	3	Vertical	24	2.85	-
5580MHz	Pass	AV	5.5878G	107.22	Inf	-Inf	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.4678G	57.56	68.20	-10.64	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.5872G	116.66	Inf	-Inf	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.7264G	58.25	68.20	-9.95	3	Vertical	24	2.85	-
5580MHz	Pass	AV	5.4522G	45.88	54.00	-8.12	3	Horizontal	57	2.09	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.5872G	110.91	Inf	-Inf	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.4612G	58.17	68.20	-10.03	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.5872G	120.51	Inf	-Inf	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.7276G	59.37	68.20	-8.83	3	Horizontal	57	2.09	-
5580MHz	Pass	AV	11.1561G	46.92	54.00	-7.08	3	Vertical	10	2.84	-
5580MHz	Pass	PK	11.1544G	59.71	74.00	-14.29	3	Vertical	10	2.84	-
5580MHz	Pass	PK	16.7475G	66.51	68.20	-1.69	3	Vertical	24	1.03	-
5580MHz	Pass	AV	11.1619G	49.41	54.00	-4.59	3	Horizontal	298	1.61	-
5580MHz	Pass	PK	11.1628G	62.46	74.00	-11.54	3	Horizontal	298	1.61	-
5580MHz	Pass	PK	16.7399G	66.27	68.20	-1.93	3	Horizontal	16	1.01	-
5700MHz	Pass	AV	5.7072G	102.23	Inf	-Inf	3	Vertical	30	3.00	-
5700MHz	Pass	PK	5.7076G	111.58	Inf	-Inf	3	Vertical	30	3.00	-
5700MHz	Pass	PK	5.7284G	59.49	68.20	-8.71	3	Vertical	30	3.00	-
5700MHz	Pass	AV	5.7008G	107.71	Inf	-Inf	3	Horizontal	69	2.05	-
5700MHz	Pass	PK	5.7012G	117.31	Inf	-Inf	3	Horizontal	69	2.05	-
5700MHz	Pass	PK	5.7288G	67.28	68.20	-0.92	3	Horizontal	69	2.05	-
5700MHz	Pass	AV	11.4031G	42.64	54.00	-11.36	3	Vertical	268	1.79	-
5700MHz	Pass	PK	11.3887G	55.50	74.00	-18.50	3	Vertical	268	1.79	-
5700MHz	Pass	PK	17.0808G	63.61	68.20	-4.59	3	Vertical	260	1.11	-
5700MHz	Pass	AV	11.3933G	42.68	54.00	-11.32	3	Horizontal	252	2.35	-
5700MHz	Pass	PK	11.4189G	56.49	74.00	-17.51	3	Horizontal	252	2.35	-
5700MHz	Pass	PK	17.0923G	63.68	68.20	-4.52	3	Horizontal	205	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	45.56	54.00	-8.44	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	105.86	Inf	-Inf	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.17	68.20	-12.03	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	115.05	Inf	-Inf	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	58.94	68.20	-9.26	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	45.23	54.00	-8.77	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	97.89	Inf	-Inf	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.51	68.20	-11.69	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	107.29	Inf	-Inf	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9228G	58.13	68.20	-10.07	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4427G	43.07	54.00	-10.93	3	Vertical	332	2.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4456G	56.38	74.00	-17.62	3	Vertical	332	2.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.165G	65.08	68.20	-3.12	3	Vertical	19	2.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4422G	43.57	54.00	-10.43	3	Horizontal	303	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4575G	56.26	74.00	-17.74	3	Horizontal	303	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1596G	66.73	68.20	-1.47	3	Horizontal	320	2.23	-
5745MHz	Pass	AV	5.7426G	105.51	Inf	-Inf	3	Vertical	360	2.98	-
5745MHz	Pass	PK	5.5602G	56.83	68.20	-11.37	3	Vertical	360	2.98	-
5745MHz	Pass	PK	5.7426G	114.96	Inf	-Inf	3	Vertical	360	2.98	-
5745MHz	Pass	PK	5.997G	57.27	68.20	-10.93	3	Vertical	360	2.98	-
5745MHz	Pass	AV	5.7462G	107.53	Inf	-Inf	3	Horizontal	330	1.60	-
5745MHz	Pass	PK	5.6406G	57.85	68.20	-10.35	3	Horizontal	330	1.60	-
5745MHz	Pass	PK	5.7474G	117.03	Inf	-Inf	3	Horizontal	330	1.60	-
5745MHz	Pass	PK	5.9922G	57.29	68.20	-10.91	3	Horizontal	330	1.60	-
5745MHz	Pass	AV	11.49224G	44.91	54.00	-9.09	3	Vertical	307	1.14	-
5745MHz	Pass	PK	11.49112G	58.15	74.00	-15.85	3	Vertical	307	1.14	-
5745MHz	Pass	PK	17.2348G	65.64	68.20	-2.56	3	Vertical	352	2.19	-
5745MHz	Pass	AV	11.49004G	44.11	54.00	-9.89	3	Horizontal	299	1.00	-
5745MHz	Pass	PK	11.4932G	57.55	74.00	-16.45	3	Horizontal	299	1.00	-
5745MHz	Pass	PK	17.23212G	66.88	68.20	-1.32	3	Horizontal	325	1.97	-
5785MHz	Pass	AV	5.791G	104.28	Inf	-Inf	3	Vertical	20	2.92	-
5785MHz	Pass	PK	5.5498G	56.53	68.20	-11.67	3	Vertical	20	2.92	-
5785MHz	Pass	PK	5.791G	114.28	Inf	-Inf	3	Vertical	20	2.92	-
5785MHz	Pass	PK	6.0058G	57.03	68.20	-11.17	3	Vertical	20	2.92	-
5785MHz	Pass	AV	5.7814G	105.59	Inf	-Inf	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	5.5798G	57.88	68.20	-10.32	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	5.7814G	114.80	Inf	-Inf	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	5.929G	57.33	68.20	-10.87	3	Horizontal	62	2.72	-
5785MHz	Pass	AV	11.56996G	43.94	54.00	-10.06	3	Vertical	311	1.41	-
5785MHz	Pass	PK	11.56084G	55.08	74.00	-18.92	3	Vertical	311	1.41	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	17.35068G	65.29	68.20	-2.91	3	Vertical	15	1.85	-
5785MHz	Pass	AV	11.56984G	43.59	54.00	-10.41	3	Horizontal	330	1.38	-
5785MHz	Pass	PK	11.57184G	55.40	74.00	-18.60	3	Horizontal	330	1.38	-
5785MHz	Pass	PK	17.3492G	66.91	68.20	-1.29	3	Horizontal	340	2.48	-
5825MHz	Pass	AV	5.8202G	101.62	Inf	-Inf	3	Vertical	346	2.22	-
5825MHz	Pass	PK	5.5394G	56.94	68.20	-11.26	3	Vertical	346	2.22	-
5825MHz	Pass	PK	5.8202G	111.04	Inf	-Inf	3	Vertical	346	2.22	-
5825MHz	Pass	PK	5.9558G	57.49	68.20	-10.71	3	Vertical	346	2.22	-
5825MHz	Pass	AV	5.8214G	109.23	Inf	-Inf	3	Horizontal	304	1.82	-
5825MHz	Pass	PK	5.6294G	58.69	68.20	-9.51	3	Horizontal	304	1.82	-
5825MHz	Pass	PK	5.8214G	119.18	Inf	-Inf	3	Horizontal	304	1.82	-
5825MHz	Pass	PK	5.987G	57.91	68.20	-10.29	3	Horizontal	304	1.82	-
5825MHz	Pass	AV	11.64988G	44.38	54.00	-9.62	3	Vertical	25	1.00	-
5825MHz	Pass	PK	11.65068G	56.82	74.00	-17.18	3	Vertical	25	1.00	-
5825MHz	Pass	PK	17.47472G	66.04	68.20	-2.16	3	Vertical	15	2.08	-
5825MHz	Pass	AV	11.64996G	43.82	54.00	-10.18	3	Horizontal	27	1.09	-
5825MHz	Pass	PK	11.65012G	55.07	74.00	-18.93	3	Horizontal	27	1.09	-
5825MHz	Pass	PK	17.47348G	65.91	68.20	-2.29	3	Horizontal	30	1.47	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	48.61	54.00	-5.39	3	Vertical	27	2.86	-
5180MHz	Pass	AV	5.186G	102.70	Inf	-Inf	3	Vertical	27	2.86	-
5180MHz	Pass	AV	5.3792G	43.65	54.00	-10.35	3	Vertical	27	2.86	-
5180MHz	Pass	PK	5.1476G	61.31	74.00	-12.69	3	Vertical	27	2.86	-
5180MHz	Pass	PK	5.186G	114.18	Inf	-Inf	3	Vertical	27	2.86	-
5180MHz	Pass	PK	5.474G	55.37	68.20	-12.83	3	Vertical	27	2.86	-
5180MHz	Pass	AV	5.15G	52.87	54.00	-1.13	3	Horizontal	67	1.83	-
5180MHz	Pass	AV	5.1728G	107.45	Inf	-Inf	3	Horizontal	67	1.83	-
5180MHz	Pass	AV	5.3648G	44.53	54.00	-9.47	3	Horizontal	67	1.83	-
5180MHz	Pass	PK	5.15G	64.95	74.00	-9.05	3	Horizontal	67	1.83	-
5180MHz	Pass	PK	5.1716G	119.42	Inf	-Inf	3	Horizontal	67	1.83	-
5180MHz	Pass	PK	5.4608G	55.45	68.20	-12.75	3	Horizontal	67	1.83	-
5180MHz	Pass	AV	15.53356G	44.38	54.00	-9.62	3	Vertical	0	1.50	-
5180MHz	Pass	PK	10.35996G	58.06	68.20	-10.14	3	Vertical	31	2.77	-
5180MHz	Pass	PK	15.54224G	57.11	74.00	-16.89	3	Vertical	0	1.50	-
5180MHz	Pass	AV	15.54136G	44.67	54.00	-9.33	3	Horizontal	319	2.46	-
5180MHz	Pass	PK	10.35888G	61.07	68.20	-7.13	3	Horizontal	72	2.14	-
5180MHz	Pass	PK	15.5368G	56.65	74.00	-17.35	3	Horizontal	319	2.46	-
5200MHz	Pass	AV	5.0032G	47.15	54.00	-6.85	3	Vertical	7	2.91	-
5200MHz	Pass	AV	5.1964G	107.25	Inf	-Inf	3	Vertical	7	2.91	-
5200MHz	Pass	AV	5.3968G	46.20	54.00	-7.80	3	Vertical	7	2.91	-
5200MHz	Pass	PK	5.0416G	59.14	74.00	-14.86	3	Vertical	7	2.91	-
5200MHz	Pass	PK	5.1976G	117.65	Inf	-Inf	3	Vertical	7	2.91	-
5200MHz	Pass	PK	5.4928G	57.67	68.20	-10.53	3	Vertical	7	2.91	-
5200MHz	Pass	AV	5.1472G	48.19	54.00	-5.81	3	Horizontal	306	1.78	-
5200MHz	Pass	AV	5.194G	108.58	Inf	-Inf	3	Horizontal	306	1.78	-
5200MHz	Pass	AV	5.3872G	47.64	54.00	-6.36	3	Horizontal	306	1.78	-
5200MHz	Pass	PK	5.1436G	60.77	74.00	-13.23	3	Horizontal	306	1.78	-
5200MHz	Pass	PK	5.194G	120.20	Inf	-Inf	3	Horizontal	306	1.78	-
5200MHz	Pass	PK	5.4868G	57.67	68.20	-10.53	3	Horizontal	306	1.78	-
5200MHz	Pass	AV	15.59932G	45.12	54.00	-8.88	3	Vertical	20	1.56	-
5200MHz	Pass	PK	10.3964G	59.67	68.20	-8.53	3	Vertical	340	1.41	-
5200MHz	Pass	PK	15.59936G	58.90	74.00	-15.10	3	Vertical	20	1.56	-
5200MHz	Pass	AV	15.59404G	46.08	54.00	-7.92	3	Horizontal	360	1.50	-
5200MHz	Pass	PK	10.39664G	64.12	68.20	-4.08	3	Horizontal	71	1.64	-
5200MHz	Pass	PK	15.59324G	60.44	74.00	-13.56	3	Horizontal	360	1.50	-
5240MHz	Pass	AV	5.1464G	49.10	54.00	-4.90	3	Vertical	4	2.90	-
5240MHz	Pass	AV	5.2412G	109.96	Inf	-Inf	3	Vertical	4	2.90	-
5240MHz	Pass	AV	5.35G	47.68	54.00	-6.32	3	Vertical	4	2.90	-
5240MHz	Pass	PK	5.1452G	60.37	74.00	-13.63	3	Vertical	4	2.90	-
5240MHz	Pass	PK	5.24G	120.01	Inf	-Inf	3	Vertical	4	2.90	-
5240MHz	Pass	PK	5.5208G	58.52	68.20	-9.68	3	Vertical	4	2.90	-
5240MHz	Pass	AV	5.144G	51.23	54.00	-2.77	3	Horizontal	313	2.89	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	AV	5.2412G	111.30	Inf	-Inf	3	Horizontal	313	2.89	-
5240MHz	Pass	AV	5.4344G	48.73	54.00	-5.27	3	Horizontal	313	2.89	-
5240MHz	Pass	PK	5.1428G	63.42	74.00	-10.58	3	Horizontal	313	2.89	-
5240MHz	Pass	PK	5.2424G	122.37	Inf	-Inf	3	Horizontal	313	2.89	-
5240MHz	Pass	PK	5.5016G	58.47	68.20	-9.73	3	Horizontal	313	2.89	-
5240MHz	Pass	AV	15.71792G	48.89	54.00	-5.11	3	Vertical	345	1.45	-
5240MHz	Pass	PK	10.47596G	64.36	68.20	-3.84	3	Vertical	337	1.41	-
5240MHz	Pass	PK	15.71844G	61.31	74.00	-12.69	3	Vertical	345	1.45	-
5240MHz	Pass	AV	15.71808G	51.49	54.00	-2.51	3	Horizontal	326	1.60	-
5240MHz	Pass	PK	10.48208G	66.82	68.20	-1.38	3	Horizontal	63	1.75	-
5240MHz	Pass	PK	15.71904G	64.74	74.00	-9.26	3	Horizontal	326	1.60	-
5260MHz	Pass	AV	5.1424G	46.76	54.00	-7.24	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.263G	106.15	Inf	-Inf	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.3554G	46.18	54.00	-7.82	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.1418G	59.69	74.00	-14.31	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.2624G	117.88	Inf	-Inf	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.3638G	58.83	74.00	-15.17	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.1406G	48.01	54.00	-5.99	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	5.2534G	110.47	Inf	-Inf	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	5.353G	52.70	54.00	-1.30	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.1394G	60.05	74.00	-13.95	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.2534G	122.79	Inf	-Inf	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.3554G	68.14	74.00	-5.86	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	15.78212G	48.95	54.00	-5.05	3	Vertical	345	1.00	-
5260MHz	Pass	PK	10.52056G	63.76	68.20	-4.44	3	Vertical	9	1.50	-
5260MHz	Pass	PK	15.78272G	63.53	74.00	-10.47	3	Vertical	345	1.00	-
5260MHz	Pass	AV	15.77976G	46.51	54.00	-7.49	3	Horizontal	327	1.50	-
5260MHz	Pass	PK	10.51668G	65.63	68.20	-2.57	3	Horizontal	88	1.67	-
5260MHz	Pass	PK	15.78052G	60.10	74.00	-13.90	3	Horizontal	327	1.50	-
5300MHz	Pass	AV	5.3008G	109.69	Inf	-Inf	3	Vertical	60	1.68	-
5300MHz	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	60	1.68	-
5300MHz	Pass	PK	5.2992G	122.82	Inf	-Inf	3	Vertical	60	1.68	-
5300MHz	Pass	PK	5.3508G	70.57	74.00	-3.43	3	Vertical	60	1.68	-
5300MHz	Pass	AV	5.3012G	109.54	Inf	-Inf	3	Horizontal	301	1.50	-
5300MHz	Pass	AV	5.35G	51.77	54.00	-2.23	3	Horizontal	301	1.50	-
5300MHz	Pass	PK	5.3008G	122.64	Inf	-Inf	3	Horizontal	301	1.50	-
5300MHz	Pass	PK	5.35G	67.75	74.00	-6.25	3	Horizontal	301	1.50	-
5300MHz	Pass	AV	15.90244G	45.73	54.00	-8.27	3	Vertical	31	3.00	-
5300MHz	Pass	PK	10.596G	63.22	68.20	-4.98	3	Vertical	20	1.43	-
5300MHz	Pass	PK	15.89952G	60.41	74.00	-13.59	3	Vertical	31	3.00	-
5300MHz	Pass	AV	15.9024G	45.54	54.00	-8.46	3	Horizontal	1	1.92	-
5300MHz	Pass	PK	10.5976G	66.41	68.20	-1.79	3	Horizontal	83	1.73	-
5300MHz	Pass	PK	15.90236G	58.74	74.00	-15.26	3	Horizontal	1	1.92	-
5320MHz	Pass	AV	5.3162G	103.51	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3512G	50.32	54.00	-3.68	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.3156G	116.42	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.3506G	65.02	74.00	-8.98	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3256G	109.23	Inf	-Inf	3	Horizontal	67	1.15	-
5320MHz	Pass	AV	5.35G	52.61	54.00	-1.39	3	Horizontal	67	1.15	-
5320MHz	Pass	PK	5.3256G	122.54	Inf	-Inf	3	Horizontal	67	1.15	-
5320MHz	Pass	PK	5.3532G	68.58	74.00	-5.42	3	Horizontal	67	1.15	-
5320MHz	Pass	AV	10.63588G	48.04	54.00	-5.96	3	Vertical	22	1.33	-
5320MHz	Pass	AV	15.9644G	47.38	54.00	-6.62	3	Vertical	22	1.03	-
5320MHz	Pass	PK	10.63652G	63.37	74.00	-10.63	3	Vertical	22	1.33	-
5320MHz	Pass	PK	15.95664G	62.06	74.00	-11.94	3	Vertical	22	1.03	-
5320MHz	Pass	AV	10.637G	51.86	54.00	-2.14	3	Horizontal	84	1.70	-
5320MHz	Pass	AV	15.95896G	47.89	54.00	-6.11	3	Horizontal	50	1.33	-
5320MHz	Pass	PK	10.6374G	67.32	74.00	-6.68	3	Horizontal	84	1.70	-
5320MHz	Pass	PK	15.95884G	62.05	74.00	-11.95	3	Horizontal	50	1.33	-
5500MHz	Pass	AV	5.4578G	45.47	54.00	-8.53	3	Vertical	337	1.05	-
5500MHz	Pass	AV	5.4976G	100.83	Inf	-Inf	3	Vertical	337	1.05	-
5500MHz	Pass	PK	5.47G	60.68	68.20	-7.52	3	Vertical	337	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.4978G	114.01	Inf	-Inf	3	Vertical	337	1.05	-
5500MHz	Pass	AV	5.454G	45.79	54.00	-8.21	3	Horizontal	72	2.39	-
5500MHz	Pass	AV	5.5056G	107.92	Inf	-Inf	3	Horizontal	72	2.39	-
5500MHz	Pass	PK	5.467G	65.77	68.20	-2.43	3	Horizontal	72	2.39	-
5500MHz	Pass	PK	5.5056G	121.28	Inf	-Inf	3	Horizontal	72	2.39	-
5500MHz	Pass	AV	10.9982G	45.13	54.00	-8.87	3	Vertical	340	1.46	-
5500MHz	Pass	PK	10.99864G	59.55	74.00	-14.45	3	Vertical	340	1.46	-
5500MHz	Pass	PK	16.50992G	62.17	68.20	-6.03	3	Vertical	282	1.50	-
5500MHz	Pass	AV	10.99912G	46.41	54.00	-7.59	3	Horizontal	79	1.00	-
5500MHz	Pass	PK	10.99748G	60.18	74.00	-13.82	3	Horizontal	79	1.00	-
5500MHz	Pass	PK	16.49484G	62.14	68.20	-6.06	3	Horizontal	64	1.50	-
5580MHz	Pass	AV	5.4552G	45.37	54.00	-8.63	3	Vertical	357	3.00	-
5580MHz	Pass	AV	5.5746G	108.09	Inf	-Inf	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.469G	57.51	68.20	-10.69	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.5746G	122.20	Inf	-Inf	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.7258G	59.14	68.20	-9.06	3	Vertical	357	3.00	-
5580MHz	Pass	AV	5.4594G	46.01	54.00	-7.99	3	Horizontal	308	1.83	-
5580MHz	Pass	AV	5.5788G	113.95	Inf	-Inf	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.466G	58.28	68.20	-9.92	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.5788G	126.80	Inf	-Inf	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.7276G	59.49	68.20	-8.71	3	Horizontal	308	1.83	-
5580MHz	Pass	AV	11.15756G	46.25	54.00	-7.75	3	Vertical	339	1.50	-
5580MHz	Pass	PK	11.15792G	59.96	74.00	-14.04	3	Vertical	339	1.50	-
5580MHz	Pass	PK	16.74152G	66.54	68.20	-1.66	3	Vertical	24	1.06	-
5580MHz	Pass	AV	11.16012G	48.38	54.00	-5.62	3	Horizontal	299	1.61	-
5580MHz	Pass	PK	11.16016G	61.35	74.00	-12.65	3	Horizontal	299	1.61	-
5580MHz	Pass	PK	16.74328G	65.28	68.20	-2.92	3	Horizontal	54	1.16	-
5700MHz	Pass	AV	5.6988G	104.32	Inf	-Inf	3	Vertical	342	3.00	-
5700MHz	Pass	PK	5.6992G	117.17	Inf	-Inf	3	Vertical	342	3.00	-
5700MHz	Pass	PK	5.7264G	62.41	68.20	-5.79	3	Vertical	342	3.00	-
5700MHz	Pass	AV	5.7008G	108.96	Inf	-Inf	3	Horizontal	69	1.96	-
5700MHz	Pass	PK	5.7004G	122.55	Inf	-Inf	3	Horizontal	69	1.96	-
5700MHz	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Horizontal	69	1.96	-
5700MHz	Pass	AV	11.4002G	42.66	54.00	-11.34	3	Vertical	9	1.50	-
5700MHz	Pass	PK	11.39296G	56.25	74.00	-17.75	3	Vertical	9	1.50	-
5700MHz	Pass	PK	17.09976G	63.71	68.20	-4.49	3	Vertical	251	1.50	-
5700MHz	Pass	AV	11.39592G	42.59	54.00	-11.41	3	Horizontal	282	2.00	-
5700MHz	Pass	PK	11.39176G	56.22	74.00	-17.78	3	Horizontal	282	2.00	-
5700MHz	Pass	PK	17.09796G	64.75	68.20	-3.45	3	Horizontal	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	45.33	54.00	-8.67	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	108.20	Inf	-Inf	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.55	68.20	-10.65	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	120.69	Inf	-Inf	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	58.64	68.20	-9.56	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.83	54.00	-8.17	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	112.53	Inf	-Inf	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.83	68.20	-10.37	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	126.36	Inf	-Inf	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	59.37	68.20	-8.83	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43552G	43.60	54.00	-10.40	3	Vertical	13	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4356G	56.94	74.00	-17.06	3	Vertical	13	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16228G	65.10	68.20	-3.10	3	Vertical	358	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44136G	44.71	54.00	-9.29	3	Horizontal	306	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44132G	58.47	74.00	-15.53	3	Horizontal	306	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16816G	66.61	68.20	-1.59	3	Horizontal	318	1.07	-
5745MHz	Pass	AV	5.7426G	104.85	Inf	-Inf	3	Vertical	35	2.90	-
5745MHz	Pass	PK	5.6106G	59.60	68.20	-8.60	3	Vertical	35	2.90	-
5745MHz	Pass	PK	5.7426G	117.04	Inf	-Inf	3	Vertical	35	2.90	-
5745MHz	Pass	PK	6.039G	59.60	68.20	-8.60	3	Vertical	35	2.90	-
5745MHz	Pass	AV	5.7486G	110.52	Inf	-Inf	3	Horizontal	72	1.88	-
5745MHz	Pass	PK	5.643G	59.77	68.20	-8.43	3	Horizontal	72	1.88	-
5745MHz	Pass	PK	5.7486G	121.41	Inf	-Inf	3	Horizontal	72	1.88	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	6.0078G	60.50	68.20	-7.70	3	Horizontal	72	1.88	-
5745MHz	Pass	AV	11.4898G	45.32	54.00	-8.68	3	Vertical	344	1.50	-
5745MHz	Pass	PK	11.49G	56.64	74.00	-17.36	3	Vertical	344	1.50	-
5745MHz	Pass	PK	17.23848G	62.35	68.20	-5.85	3	Vertical	350	1.49	-
5745MHz	Pass	AV	11.48996G	45.88	54.00	-8.12	3	Horizontal	58	2.92	-
5745MHz	Pass	PK	11.4896G	57.47	74.00	-16.53	3	Horizontal	58	2.92	-
5745MHz	Pass	PK	17.23552G	66.52	68.20	-1.68	3	Horizontal	27	1.86	-
5785MHz	Pass	AV	5.7874G	109.44	Inf	-Inf	3	Vertical	26	3.00	-
5785MHz	Pass	PK	5.5762G	58.75	68.20	-9.45	3	Vertical	26	3.00	-
5785MHz	Pass	PK	5.7874G	119.08	Inf	-Inf	3	Vertical	26	3.00	-
5785MHz	Pass	PK	6.0718G	60.33	68.20	-7.87	3	Vertical	26	3.00	-
5785MHz	Pass	AV	5.7874G	112.64	Inf	-Inf	3	Horizontal	302	2.20	-
5785MHz	Pass	PK	5.5942G	61.20	68.20	-7.00	3	Horizontal	302	2.20	-
5785MHz	Pass	PK	5.7874G	124.79	Inf	-Inf	3	Horizontal	302	2.20	-
5785MHz	Pass	PK	6.0598G	60.21	68.20	-7.99	3	Horizontal	302	2.20	-
5785MHz	Pass	AV	11.56728G	49.86	54.00	-4.14	3	Vertical	352	1.00	-
5785MHz	Pass	PK	11.56792G	61.69	74.00	-12.31	3	Vertical	352	1.00	-
5785MHz	Pass	PK	17.35648G	66.37	68.20	-1.83	3	Vertical	25	2.51	-
5785MHz	Pass	AV	11.56612G	48.29	54.00	-5.71	3	Horizontal	70	2.11	-
5785MHz	Pass	PK	11.56628G	60.81	74.00	-13.19	3	Horizontal	70	2.11	-
5785MHz	Pass	PK	17.35416G	67.14	68.20	-1.06	3	Horizontal	360	1.68	-
5825MHz	Pass	AV	5.8274G	109.89	Inf	-Inf	3	Vertical	26	2.96	-
5825MHz	Pass	PK	5.5838G	58.62	68.20	-9.58	3	Vertical	26	2.96	-
5825MHz	Pass	PK	5.8274G	120.99	Inf	-Inf	3	Vertical	26	2.96	-
5825MHz	Pass	PK	6.1058G	60.08	68.20	-8.12	3	Vertical	26	2.96	-
5825MHz	Pass	AV	5.8214G	112.02	Inf	-Inf	3	Horizontal	310	1.50	-
5825MHz	Pass	PK	5.6282G	59.29	68.20	-8.91	3	Horizontal	310	1.50	-
5825MHz	Pass	PK	5.8202G	123.62	Inf	-Inf	3	Horizontal	310	1.50	-
5825MHz	Pass	PK	5.9294G	60.72	68.20	-7.48	3	Horizontal	310	1.50	-
5825MHz	Pass	AV	11.6496G	48.59	54.00	-5.41	3	Vertical	12	1.50	-
5825MHz	Pass	PK	11.65048G	60.48	74.00	-13.52	3	Vertical	12	1.50	-
5825MHz	Pass	PK	17.4784G	66.45	68.20	-1.75	3	Vertical	12	2.11	-
5825MHz	Pass	AV	11.64592G	50.46	54.00	-3.54	3	Horizontal	70	2.10	-
5825MHz	Pass	PK	11.64664G	62.52	74.00	-11.48	3	Horizontal	70	2.10	-
5825MHz	Pass	PK	17.46524G	66.50	68.20	-1.70	3	Horizontal	25	1.91	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1396G	49.21	54.00	-4.79	3	Vertical	12	2.93	-
5190MHz	Pass	AV	5.1792G	101.80	Inf	-Inf	3	Vertical	12	2.93	-
5190MHz	Pass	AV	5.4588G	46.12	54.00	-7.88	3	Vertical	12	2.93	-
5190MHz	Pass	PK	5.1384G	62.32	74.00	-11.68	3	Vertical	12	2.93	-
5190MHz	Pass	PK	5.178G	112.28	Inf	-Inf	3	Vertical	12	2.93	-
5190MHz	Pass	PK	5.46G	57.60	68.20	-10.60	3	Vertical	12	2.93	-
5190MHz	Pass	AV	5.15G	52.65	54.00	-1.35	3	Horizontal	309	1.86	-
5190MHz	Pass	AV	5.1984G	105.28	Inf	-Inf	3	Horizontal	309	1.86	-
5190MHz	Pass	AV	5.3904G	47.05	54.00	-6.95	3	Horizontal	309	1.86	-
5190MHz	Pass	PK	5.15G	65.61	74.00	-8.39	3	Horizontal	309	1.86	-
5190MHz	Pass	PK	5.178G	115.04	Inf	-Inf	3	Horizontal	309	1.86	-
5190MHz	Pass	PK	5.4888G	58.57	68.20	-9.63	3	Horizontal	309	1.86	-
5190MHz	Pass	AV	15.55504G	44.28	54.00	-9.72	3	Vertical	30	1.52	-
5190MHz	Pass	PK	10.38008G	57.02	68.20	-11.18	3	Vertical	31	2.70	-
5190MHz	Pass	PK	15.55768G	56.46	74.00	-17.54	3	Vertical	30	1.52	-
5190MHz	Pass	AV	15.56256G	44.35	54.00	-9.65	3	Horizontal	74	1.50	-
5190MHz	Pass	PK	10.36376G	54.81	68.20	-13.39	3	Horizontal	0	2.99	-
5190MHz	Pass	PK	15.582G	56.83	74.00	-17.17	3	Horizontal	74	1.50	-
5230MHz	Pass	AV	5.1496G	47.61	54.00	-6.39	3	Vertical	7	2.87	-
5230MHz	Pass	AV	5.2336G	104.74	Inf	-Inf	3	Vertical	7	2.87	-
5230MHz	Pass	AV	5.4256G	46.21	54.00	-7.79	3	Vertical	7	2.87	-
5230MHz	Pass	PK	5.0392G	58.35	74.00	-15.65	3	Vertical	7	2.87	-
5230MHz	Pass	PK	5.2336G	115.25	Inf	-Inf	3	Vertical	7	2.87	-
5230MHz	Pass	PK	5.4892G	58.35	68.20	-9.85	3	Vertical	7	2.87	-
5230MHz	Pass	AV	5.1484G	50.99	54.00	-3.01	3	Horizontal	301	2.83	-
5230MHz	Pass	AV	5.2288G	107.35	Inf	-Inf	3	Horizontal	301	2.83	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.422G	47.45	54.00	-6.55	3	Horizontal	301	2.83	-
5230MHz	Pass	PK	5.1496G	62.57	74.00	-11.43	3	Horizontal	301	2.83	-
5230MHz	Pass	PK	5.2288G	118.09	Inf	-Inf	3	Horizontal	301	2.83	-
5230MHz	Pass	PK	5.5264G	58.75	68.20	-9.45	3	Horizontal	301	2.83	-
5230MHz	Pass	AV	15.6848G	44.36	54.00	-9.64	3	Vertical	4	1.27	-
5230MHz	Pass	PK	10.46024G	56.77	68.20	-11.43	3	Vertical	29	2.45	-
5230MHz	Pass	PK	15.6888G	57.28	74.00	-16.72	3	Vertical	4	1.27	-
5230MHz	Pass	AV	15.69264G	44.77	54.00	-9.23	3	Horizontal	327	1.50	-
5230MHz	Pass	PK	10.45728G	60.93	68.20	-7.27	3	Horizontal	70	1.74	-
5230MHz	Pass	PK	15.6936G	56.77	74.00	-17.23	3	Horizontal	327	1.50	-
5270MHz	Pass	AV	5.262G	101.87	Inf	-Inf	3	Vertical	2	3.00	-
5270MHz	Pass	AV	5.3516G	46.70	54.00	-7.30	3	Vertical	2	3.00	-
5270MHz	Pass	PK	5.2624G	113.47	Inf	-Inf	3	Vertical	2	3.00	-
5270MHz	Pass	PK	5.35G	60.24	74.00	-13.76	3	Vertical	2	3.00	-
5270MHz	Pass	AV	5.2624G	108.52	Inf	-Inf	3	Horizontal	72	1.81	-
5270MHz	Pass	AV	5.35G	53.35	54.00	-0.65	3	Horizontal	72	1.81	-
5270MHz	Pass	PK	5.2828G	121.01	Inf	-Inf	3	Horizontal	72	1.81	-
5270MHz	Pass	PK	5.3508G	67.97	74.00	-6.03	3	Horizontal	72	1.81	-
5270MHz	Pass	AV	15.80512G	46.99	54.00	-7.01	3	Vertical	28	1.00	-
5270MHz	Pass	PK	10.53628G	60.90	68.20	-7.30	3	Vertical	20	1.40	-
5270MHz	Pass	PK	15.80504G	61.41	74.00	-12.59	3	Vertical	28	1.00	-
5270MHz	Pass	AV	15.80892G	46.54	54.00	-7.46	3	Horizontal	46	2.34	-
5270MHz	Pass	PK	10.53688G	62.89	68.20	-5.31	3	Horizontal	88	1.74	-
5270MHz	Pass	PK	15.80836G	60.43	74.00	-13.57	3	Horizontal	46	2.34	-
5310MHz	Pass	AV	5.2988G	98.54	Inf	-Inf	3	Vertical	4	1.39	-
5310MHz	Pass	AV	5.3596G	47.22	54.00	-6.78	3	Vertical	4	1.39	-
5310MHz	Pass	PK	5.3004G	110.69	Inf	-Inf	3	Vertical	4	1.39	-
5310MHz	Pass	PK	5.3572G	59.43	74.00	-14.57	3	Vertical	4	1.39	-
5310MHz	Pass	AV	5.3176G	105.14	Inf	-Inf	3	Horizontal	304	1.97	-
5310MHz	Pass	AV	5.3576G	53.38	54.00	-0.62	3	Horizontal	304	1.97	-
5310MHz	Pass	PK	5.298G	118.33	Inf	-Inf	3	Horizontal	304	1.97	-
5310MHz	Pass	PK	5.3576G	68.90	74.00	-5.10	3	Horizontal	304	1.97	-
5310MHz	Pass	AV	10.62G	44.96	54.00	-9.04	3	Vertical	67	1.98	-
5310MHz	Pass	AV	15.9356G	45.44	54.00	-8.56	3	Vertical	0	1.57	-
5310MHz	Pass	PK	10.62024G	56.87	74.00	-17.13	3	Vertical	67	1.98	-
5310MHz	Pass	PK	15.93856G	59.43	74.00	-14.57	3	Vertical	0	1.57	-
5310MHz	Pass	AV	10.61724G	45.98	54.00	-8.02	3	Horizontal	86	1.74	-
5310MHz	Pass	AV	15.93848G	45.45	54.00	-8.55	3	Horizontal	0	1.50	-
5310MHz	Pass	PK	10.6166G	59.67	74.00	-14.33	3	Horizontal	86	1.74	-
5310MHz	Pass	PK	15.93856G	59.34	74.00	-14.66	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	5.4476G	48.10	54.00	-5.90	3	Vertical	343	2.27	-
5510MHz	Pass	AV	5.5088G	99.40	Inf	-Inf	3	Vertical	343	2.27	-
5510MHz	Pass	PK	5.4664G	65.50	68.20	-2.70	3	Vertical	343	2.27	-
5510MHz	Pass	PK	5.5084G	111.31	Inf	-Inf	3	Vertical	343	2.27	-
5510MHz	Pass	AV	5.46G	49.28	54.00	-4.72	3	Horizontal	299	1.34	-
5510MHz	Pass	AV	5.5028G	103.59	Inf	-Inf	3	Horizontal	299	1.34	-
5510MHz	Pass	PK	5.4632G	65.32	68.20	-2.88	3	Horizontal	299	1.34	-
5510MHz	Pass	PK	5.5028G	116.62	Inf	-Inf	3	Horizontal	299	1.34	-
5510MHz	Pass	AV	11.0273G	41.57	54.00	-12.43	3	Vertical	34	1.09	-
5510MHz	Pass	PK	11.0258G	55.04	74.00	-18.96	3	Vertical	34	1.09	-
5510MHz	Pass	PK	16.5208G	65.18	68.20	-3.02	3	Vertical	137	1.31	-
5510MHz	Pass	AV	11.0253G	42.48	54.00	-11.52	3	Horizontal	254	2.30	-
5510MHz	Pass	PK	11.0268G	55.91	74.00	-18.09	3	Horizontal	254	2.30	-
5510MHz	Pass	PK	16.522G	65.67	68.20	-2.53	3	Horizontal	60	1.97	-
5550MHz	Pass	AV	5.456G	49.01	54.00	-4.99	3	Vertical	335	2.33	-
5550MHz	Pass	AV	5.556G	103.22	Inf	-Inf	3	Vertical	335	2.33	-
5550MHz	Pass	PK	5.4636G	61.91	68.20	-6.29	3	Vertical	335	2.33	-
5550MHz	Pass	PK	5.5548G	115.74	Inf	-Inf	3	Vertical	335	2.33	-
5550MHz	Pass	AV	5.4556G	50.99	54.00	-3.01	3	Horizontal	305	1.17	-
5550MHz	Pass	AV	5.556G	109.54	Inf	-Inf	3	Horizontal	305	1.17	-
5550MHz	Pass	PK	5.4628G	67.02	68.20	-1.18	3	Horizontal	305	1.17	-
5550MHz	Pass	PK	5.5576G	121.81	Inf	-Inf	3	Horizontal	305	1.17	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	11.0983G	43.80	54.00	-10.20	3	Vertical	340	1.45	-
5550MHz	Pass	PK	11.0987G	56.66	74.00	-17.34	3	Vertical	340	1.45	-
5550MHz	Pass	PK	16.6325G	64.56	68.20	-3.64	3	Vertical	134	2.04	-
5550MHz	Pass	AV	11.098G	47.24	54.00	-6.76	3	Horizontal	302	1.69	-
5550MHz	Pass	PK	11.098G	59.63	74.00	-14.37	3	Horizontal	302	1.69	-
5550MHz	Pass	PK	16.6423G	64.77	68.20	-3.43	3	Horizontal	203	1.81	-
5670MHz	Pass	AV	5.6736G	102.49	Inf	-Inf	3	Vertical	6	3.00	-
5670MHz	Pass	PK	5.6748G	115.12	Inf	-Inf	3	Vertical	6	3.00	-
5670MHz	Pass	PK	5.7336G	61.51	68.20	-6.69	3	Vertical	6	3.00	-
5670MHz	Pass	AV	5.6628G	106.43	Inf	-Inf	3	Horizontal	75	2.34	-
5670MHz	Pass	PK	5.6624G	119.66	Inf	-Inf	3	Horizontal	75	2.34	-
5670MHz	Pass	PK	5.7252G	65.89	68.20	-2.31	3	Horizontal	75	2.34	-
5670MHz	Pass	AV	11.34348G	38.15	54.00	-15.85	3	Vertical	0	2.50	-
5670MHz	Pass	PK	11.3364G	52.15	74.00	-21.85	3	Vertical	0	2.50	-
5670MHz	Pass	PK	17.00836G	56.61	68.20	-11.59	3	Vertical	360	2.53	-
5670MHz	Pass	AV	11.34344G	38.10	54.00	-15.90	3	Horizontal	82	3.00	-
5670MHz	Pass	PK	11.3314G	52.26	74.00	-21.74	3	Horizontal	82	3.00	-
5670MHz	Pass	PK	17.00044G	57.81	68.20	-10.39	3	Horizontal	37	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4412G	47.51	54.00	-6.49	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	106.11	Inf	-Inf	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.11	68.20	-9.09	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	119.11	Inf	-Inf	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8552G	62.73	68.20	-5.47	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	47.55	54.00	-6.45	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	109.59	Inf	-Inf	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	60.50	68.20	-7.70	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	120.77	Inf	-Inf	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	61.42	68.20	-6.78	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41892G	37.53	54.00	-16.47	3	Vertical	81	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41676G	51.14	74.00	-22.86	3	Vertical	81	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12668G	56.46	68.20	-11.74	3	Vertical	27	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41872G	37.58	54.00	-16.42	3	Horizontal	248	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42532G	50.94	74.00	-23.06	3	Horizontal	248	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12392G	57.54	68.20	-10.66	3	Horizontal	356	2.13	-
5755MHz	Pass	AV	5.749G	104.12	Inf	-Inf	3	Vertical	33	2.92	-
5755MHz	Pass	PK	5.6494G	60.22	68.20	-7.98	3	Vertical	33	2.92	-
5755MHz	Pass	PK	5.7502G	114.92	Inf	-Inf	3	Vertical	33	2.92	-
5755MHz	Pass	PK	5.9998G	59.92	68.20	-8.28	3	Vertical	33	2.92	-
5755MHz	Pass	AV	5.749G	110.83	Inf	-Inf	3	Horizontal	66	2.29	-
5755MHz	Pass	PK	5.647G	65.10	68.20	-3.10	3	Horizontal	66	2.29	-
5755MHz	Pass	PK	5.749G	121.04	Inf	-Inf	3	Horizontal	66	2.29	-
5755MHz	Pass	PK	6.031G	59.98	68.20	-8.22	3	Horizontal	66	2.29	-
5755MHz	Pass	AV	11.50992G	44.79	54.00	-9.21	3	Vertical	311	1.42	-
5755MHz	Pass	PK	11.49096G	55.40	74.00	-18.60	3	Vertical	311	1.42	-
5755MHz	Pass	PK	17.27196G	63.72	68.20	-4.48	3	Vertical	339	1.88	-
5755MHz	Pass	AV	11.50984G	43.49	54.00	-10.51	3	Horizontal	331	1.39	-
5755MHz	Pass	PK	11.51208G	55.07	74.00	-18.93	3	Horizontal	331	1.39	-
5755MHz	Pass	PK	17.25972G	64.48	68.20	-3.72	3	Horizontal	338	2.51	-
5795MHz	Pass	AV	5.7902G	106.33	Inf	-Inf	3	Vertical	32	3.00	-
5795MHz	Pass	PK	5.6474G	61.99	68.20	-6.21	3	Vertical	32	3.00	-
5795MHz	Pass	PK	5.789G	117.03	Inf	-Inf	3	Vertical	32	3.00	-
5795MHz	Pass	PK	6.0878G	59.68	68.20	-8.52	3	Vertical	32	3.00	-
5795MHz	Pass	AV	5.789G	111.89	Inf	-Inf	3	Horizontal	64	2.35	-
5795MHz	Pass	PK	5.6474G	66.28	68.20	-1.92	3	Horizontal	64	2.35	-
5795MHz	Pass	PK	5.7878G	122.20	Inf	-Inf	3	Horizontal	64	2.35	-
5795MHz	Pass	PK	6.0674G	59.32	68.20	-8.88	3	Horizontal	64	2.35	-
5795MHz	Pass	AV	11.58984G	44.51	54.00	-9.49	3	Vertical	312	1.37	-
5795MHz	Pass	PK	11.59776G	55.98	74.00	-18.02	3	Vertical	312	1.37	-
5795MHz	Pass	PK	17.3774G	64.82	68.20	-3.38	3	Vertical	31	1.00	-
5795MHz	Pass	AV	11.58984G	44.04	54.00	-9.96	3	Horizontal	23	1.50	-
5795MHz	Pass	PK	11.59944G	55.79	74.00	-18.21	3	Horizontal	23	1.50	-
5795MHz	Pass	PK	17.38452G	66.64	68.20	-1.56	3	Horizontal	55	1.98	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.1332G	48.80	54.00	-5.20	3	Vertical	35	2.92	-
5210MHz	Pass	AV	5.2136G	96.96	Inf	-Inf	3	Vertical	35	2.92	-
5210MHz	Pass	AV	5.3552G	45.88	54.00	-8.12	3	Vertical	35	2.92	-
5210MHz	Pass	PK	5.132G	60.61	74.00	-13.39	3	Vertical	35	2.92	-
5210MHz	Pass	PK	5.1944G	107.45	Inf	-Inf	3	Vertical	35	2.92	-
5210MHz	Pass	PK	5.4836G	57.58	68.20	-10.62	3	Vertical	35	2.92	-
5210MHz	Pass	AV	5.1452G	52.73	54.00	-1.27	3	Horizontal	64	1.29	-
5210MHz	Pass	AV	5.2052G	100.61	Inf	-Inf	3	Horizontal	64	1.29	-
5210MHz	Pass	AV	5.366G	46.16	54.00	-7.84	3	Horizontal	64	1.29	-
5210MHz	Pass	PK	5.144G	66.64	74.00	-7.36	3	Horizontal	64	1.29	-
5210MHz	Pass	PK	5.2256G	112.45	Inf	-Inf	3	Horizontal	64	1.29	-
5210MHz	Pass	PK	5.4836G	58.24	68.20	-9.96	3	Horizontal	64	1.29	-
5210MHz	Pass	AV	15.63248G	44.06	54.00	-9.94	3	Vertical	3	1.50	-
5210MHz	Pass	PK	10.38352G	54.61	68.20	-13.59	3	Vertical	197	1.50	-
5210MHz	Pass	PK	15.63192G	56.68	74.00	-17.32	3	Vertical	3	1.50	-
5210MHz	Pass	AV	15.62404G	43.97	54.00	-10.03	3	Horizontal	281	1.50	-
5210MHz	Pass	PK	10.42004G	57.39	68.20	-10.81	3	Horizontal	19	2.02	-
5210MHz	Pass	PK	15.62096G	56.32	74.00	-17.68	3	Horizontal	281	1.50	-
5290MHz	Pass	AV	5.143G	47.34	54.00	-6.66	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.279G	95.64	Inf	-Inf	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.359G	49.46	54.00	-4.54	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.123G	60.49	74.00	-13.51	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.279G	107.16	Inf	-Inf	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.54G	59.59	68.20	-8.61	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.15G	47.60	54.00	-6.40	3	Horizontal	75	1.50	-
5290MHz	Pass	AV	5.288G	99.69	Inf	-Inf	3	Horizontal	75	1.50	-
5290MHz	Pass	AV	5.35G	53.10	54.00	-0.90	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.149G	60.07	74.00	-13.93	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.289G	110.68	Inf	-Inf	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.369G	66.74	74.00	-7.26	3	Horizontal	75	1.50	-
5290MHz	Pass	AV	10.61456G	41.63	54.00	-12.37	3	Vertical	78	1.88	-
5290MHz	Pass	AV	15.9015G	50.98	54.00	-3.02	3	Vertical	222	2.50	-
5290MHz	Pass	PK	10.6172G	54.93	74.00	-19.07	3	Vertical	78	1.88	-
5290MHz	Pass	PK	15.87198G	64.70	74.00	-9.30	3	Vertical	222	2.50	-
5290MHz	Pass	AV	10.60016G	41.75	54.00	-12.25	3	Horizontal	140	1.96	-
5290MHz	Pass	AV	15.91158G	51.02	54.00	-2.98	3	Horizontal	289	1.37	-
5290MHz	Pass	PK	10.60134G	55.37	74.00	-18.63	3	Horizontal	140	1.96	-
5290MHz	Pass	PK	15.85452G	64.44	74.00	-9.56	3	Horizontal	289	1.37	-
5530MHz	Pass	AV	5.456G	50.38	54.00	-3.62	3	Vertical	334	2.35	-
5530MHz	Pass	AV	5.536G	96.29	Inf	-Inf	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.346G	60.03	68.20	-8.17	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.536G	106.74	Inf	-Inf	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.763G	58.85	68.20	-9.35	3	Vertical	334	2.35	-
5530MHz	Pass	AV	5.456G	52.48	54.00	-1.52	3	Horizontal	311	1.28	-
5530MHz	Pass	AV	5.536G	100.75	Inf	-Inf	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.462G	62.83	68.20	-5.37	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.536G	112.45	Inf	-Inf	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.757G	59.55	68.20	-8.65	3	Horizontal	311	1.28	-
5530MHz	Pass	AV	11.02004G	41.94	54.00	-12.06	3	Vertical	100	1.36	-
5530MHz	Pass	PK	11.03858G	55.47	74.00	-18.53	3	Vertical	100	1.36	-
5530MHz	Pass	PK	16.59252G	64.53	68.20	-3.67	3	Vertical	188	1.77	-
5530MHz	Pass	AV	11.078G	41.44	54.00	-12.56	3	Horizontal	207	2.21	-
5530MHz	Pass	PK	11.0996G	55.38	74.00	-18.62	3	Horizontal	207	2.21	-
5530MHz	Pass	PK	16.59234G	65.32	68.20	-2.88	3	Horizontal	216	1.57	-
5610MHz	Pass	AV	5.368G	47.42	54.00	-6.58	3	Vertical	5	2.80	-
5610MHz	Pass	AV	5.627G	98.78	Inf	-Inf	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.467G	58.78	68.20	-9.42	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.606G	110.82	Inf	-Inf	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.728G	63.76	68.20	-4.44	3	Vertical	5	2.80	-
5610MHz	Pass	AV	5.459G	48.07	54.00	-5.93	3	Horizontal	305	1.90	-
5610MHz	Pass	AV	5.62G	102.81	Inf	-Inf	3	Horizontal	305	1.90	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	5.465G	60.31	68.20	-7.89	3	Horizontal	305	1.90	-
5610MHz	Pass	PK	5.62G	114.45	Inf	-Inf	3	Horizontal	305	1.90	-
5610MHz	Pass	PK	5.738G	65.43	68.20	-2.77	3	Horizontal	305	1.90	-
5610MHz	Pass	AV	11.21892G	37.41	54.00	-16.59	3	Vertical	192	1.37	-
5610MHz	Pass	PK	11.22072G	50.95	74.00	-23.05	3	Vertical	192	1.37	-
5610MHz	Pass	PK	16.82396G	56.24	68.20	-11.96	3	Vertical	348	1.50	-
5610MHz	Pass	AV	11.21788G	37.59	54.00	-16.41	3	Horizontal	58	1.50	-
5610MHz	Pass	PK	11.21376G	50.89	74.00	-23.11	3	Horizontal	58	1.50	-
5610MHz	Pass	PK	16.83052G	57.12	68.20	-11.08	3	Horizontal	360	1.52	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.92	54.00	-6.08	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	102.97	Inf	-Inf	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.92	68.20	-8.28	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	114.02	Inf	-Inf	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	64.65	68.20	-3.55	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.65	54.00	-6.35	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	106.51	Inf	-Inf	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.71	68.20	-8.49	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	117.18	Inf	-Inf	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	66.48	68.20	-1.72	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37096G	37.90	54.00	-16.10	3	Vertical	154	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37976G	51.31	74.00	-22.69	3	Vertical	154	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07456G	57.04	68.20	-11.16	3	Vertical	36	2.98	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37112G	38.05	54.00	-15.95	3	Horizontal	152.4	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37188G	51.42	74.00	-22.58	3	Horizontal	152.4	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06808G	56.41	68.20	-11.79	3	Horizontal	310	2.21	-
5775MHz	Pass	AV	5.7774G	99.94	Inf	-Inf	3	Vertical	27	3.00	-
5775MHz	Pass	PK	5.6346G	62.58	68.20	-5.62	3	Vertical	27	3.00	-
5775MHz	Pass	PK	5.7786G	112.25	Inf	-Inf	3	Vertical	27	3.00	-
5775MHz	Pass	PK	6.003G	59.88	68.20	-8.32	3	Vertical	27	3.00	-
5775MHz	Pass	AV	5.7714G	102.48	Inf	-Inf	3	Horizontal	312	1.50	-
5775MHz	Pass	PK	5.6502G	66.83	68.35	-1.52	3	Horizontal	312	1.50	-
5775MHz	Pass	PK	5.7714G	114.64	Inf	-Inf	3	Horizontal	312	1.50	-
5775MHz	Pass	PK	6.003G	59.26	68.20	-8.94	3	Horizontal	312	1.50	-
5775MHz	Pass	AV	11.54984G	44.58	54.00	-9.42	3	Vertical	310	1.39	-
5775MHz	Pass	PK	11.54984G	55.71	74.00	-18.29	3	Vertical	310	1.39	-
5775MHz	Pass	PK	17.34272G	60.12	68.20	-8.08	3	Vertical	333	2.85	-
5775MHz	Pass	AV	11.55G	43.99	54.00	-10.01	3	Horizontal	332	1.50	-
5775MHz	Pass	PK	11.57144G	55.61	74.00	-18.39	3	Horizontal	332	1.50	-
5775MHz	Pass	PK	17.29764G	59.85	68.20	-8.35	3	Horizontal	27	1.50	-

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.97	54.00	-7.03	5.99	3	Vertical	3	2.95	-	40.98	31.70	8.52	34.23
AV	5.174G	103.79	Inf	-Inf	5.92	3	Vertical	3	2.95	-	97.87	31.60	8.55	34.23
AV	5.3924G	43.83	54.00	-10.17	5.61	3	Vertical	3	2.95	-	38.22	31.25	8.61	34.25
PK	5.15G	58.40	74.00	-15.60	5.99	3	Vertical	3	2.95	-	52.41	31.70	8.52	34.23
PK	5.174G	113.28	Inf	-Inf	5.92	3	Vertical	3	2.95	-	107.36	31.60	8.55	34.23
PK	5.4704G	54.70	68.20	-13.50	6.09	3	Vertical	3	2.95	-	48.61	31.64	8.71	34.26

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.77	54.00	-2.23	5.99	3	Horizontal	66	1.91	-	45.78	31.70	8.52	34.23
AV	5.1764G	108.88	Inf	-Inf	5.91	3	Horizontal	66	1.91	-	102.97	31.59	8.55	34.23
AV	5.366G	44.87	54.00	-9.13	5.45	3	Horizontal	66	1.91	-	39.42	31.10	8.60	34.25
PK	5.15G	66.04	74.00	-7.96	5.99	3	Horizontal	66	1.91	-	60.05	31.70	8.52	34.23
PK	5.1776G	118.27	Inf	-Inf	5.91	3	Horizontal	66	1.91	-	112.36	31.59	8.55	34.23
PK	5.4632G	54.74	68.20	-13.46	6.07	3	Horizontal	66	1.91	-	48.67	31.63	8.70	34.26

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53252G	47.04	54.00	-6.96	18.51	3	Vertical	3	1.43	-	28.53	38.27	14.61	34.37
PK	10.35988G	58.83	68.20	-9.37	16.88	3	Vertical	354	1.00	-	41.95	39.38	12.18	34.68
PK	15.54396G	60.88	74.00	-13.12	18.42	3	Vertical	3	1.43	-	42.46	38.19	14.61	34.38

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53312G	47.16	54.00	-6.84	18.51	3	Horizontal	72	2.78	-	28.65	38.27	14.61	34.37
PK	10.36004G	58.26	68.20	-9.94	16.88	3	Horizontal	319	2.08	-	41.38	39.38	12.18	34.68
PK	15.54296G	60.42	74.00	-13.58	18.43	3	Horizontal	72	2.78	-	41.99	38.20	14.61	34.38

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	46.89	54.00	-7.11	5.99	3	Vertical	6	2.94	-	40.90	31.70	8.52	34.23
AV	5.2036G	105.04	Inf	-Inf	5.81	3	Vertical	6	2.94	-	99.23	31.48	8.57	34.24
AV	5.3704G	43.99	54.00	-10.01	5.47	3	Vertical	6	2.94	-	38.52	31.12	8.60	34.25
PK	5.1436G	61.34	74.00	-12.66	5.99	3	Vertical	6	2.94	-	55.35	31.70	8.52	34.23
PK	5.2036G	114.32	Inf	-Inf	5.81	3	Vertical	6	2.94	-	108.51	31.48	8.57	34.24
PK	5.4868G	55.43	68.20	-12.77	6.15	3	Vertical	6	2.94	-	49.28	31.67	8.74	34.26

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	47.45	54.00	-6.55	5.99	3	Horizontal	67	1.81	-	41.46	31.70	8.52	34.23
AV	5.2072G	110.12	Inf	-Inf	5.79	3	Horizontal	67	1.81	-	104.33	31.46	8.57	34.24
AV	5.3992G	44.30	54.00	-9.70	5.66	3	Horizontal	67	1.81	-	38.64	31.30	8.61	34.25
PK	5.1496G	59.39	74.00	-14.61	5.99	3	Horizontal	67	1.81	-	53.40	31.70	8.52	34.23
PK	5.2072G	119.36	Inf	-Inf	5.79	3	Horizontal	67	1.81	-	113.57	31.46	8.57	34.24
PK	5.47G	55.65	68.20	-12.55	6.09	3	Horizontal	67	1.81	-	49.56	31.64	8.71	34.26

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59344G	46.53	54.00	-7.47	18.04	3	Vertical	10	1.01	-	28.49	37.85	14.62	34.43
PK	10.40008G	58.00	68.20	-10.20	17.05	3	Vertical	44	1.50	-	40.95	39.50	12.20	34.65
PK	15.59728G	59.97	74.00	-14.03	18.01	3	Vertical	10	1.01	-	41.96	37.82	14.62	34.43

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60132G	46.74	54.00	-7.26	17.99	3	Horizontal	40	1.78	-	28.75	37.80	14.62	34.43
PK	10.39456G	62.65	68.20	-5.55	17.03	3	Horizontal	300	1.63	-	45.62	39.48	12.20	34.65
PK	15.60044G	60.73	74.00	-13.27	17.99	3	Horizontal	40	1.78	-	42.74	37.80	14.62	34.43

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1452G	48.60	54.00	-5.40	5.99	3	Vertical	16	2.70	-	42.61	31.70	8.52	34.23
AV	5.2412G	105.85	Inf	-Inf	5.59	3	Vertical	16	2.70	-	100.26	31.25	8.58	34.24
AV	5.35G	47.04	54.00	-6.96	5.35	3	Vertical	16	2.70	-	41.69	31.00	8.60	34.25
PK	5.1464G	63.90	74.00	-10.10	5.99	3	Vertical	16	2.70	-	57.91	31.70	8.52	34.23
PK	5.2412G	114.86	Inf	-Inf	5.59	3	Vertical	16	2.70	-	109.27	31.25	8.58	34.24
PK	5.4908G	55.47	68.20	-12.73	6.16	3	Vertical	16	2.70	-	49.31	31.68	8.74	34.26

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	51.35	54.00	-2.65	5.99	3	Horizontal	305	1.16	-	45.36	31.70	8.52	34.23
AV	5.2328G	109.38	Inf	-Inf	5.64	3	Horizontal	305	1.16	-	103.74	31.30	8.58	34.24
AV	5.35G	48.15	54.00	-5.85	5.35	3	Horizontal	305	1.16	-	42.80	31.00	8.60	34.25
PK	5.1476G	65.44	74.00	-8.56	5.99	3	Horizontal	305	1.16	-	59.45	31.70	8.52	34.23
PK	5.2328G	118.71	Inf	-Inf	5.64	3	Horizontal	305	1.16	-	113.07	31.30	8.58	34.24
PK	5.4872G	55.79	68.20	-12.41	6.15	3	Horizontal	305	1.16	-	49.64	31.67	8.74	34.26

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71864G	48.78	54.00	-5.22	18.04	3	Vertical	360	2.80	-	30.74	37.93	14.65	34.54
PK	10.48048G	62.05	68.20	-6.15	17.32	3	Vertical	360	1.20	-	44.73	39.66	12.24	34.58
PK	15.71792G	61.50	74.00	-12.50	18.04	3	Vertical	360	2.80	-	43.46	37.93	14.65	34.54

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71948G	50.48	54.00	-3.52	18.03	3	Horizontal	29	1.46	-	32.45	37.92	14.65	34.54
PK	10.47436G	64.11	68.20	-4.09	17.30	3	Horizontal	302	1.57	-	46.81	39.65	12.24	34.59
PK	15.71928G	64.61	74.00	-9.39	18.03	3	Horizontal	29	1.46	-	46.58	37.92	14.65	34.54

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	46.13	54.00	-7.87	6.54	3	Vertical	0	1.33	-	39.59	31.70	9.07	34.23
AV	5.2594G	105.81	Inf	-Inf	6.09	3	Vertical	0	1.33	-	99.72	31.18	9.15	34.24
AV	5.3578G	45.93	54.00	-8.07	6.05	3	Vertical	0	1.33	-	39.88	31.05	9.25	34.25
PK	5.1358G	58.40	74.00	-15.60	6.54	3	Vertical	0	1.33	-	51.86	31.70	9.07	34.23
PK	5.2594G	115.09	Inf	-Inf	6.09	3	Vertical	0	1.33	-	109.00	31.18	9.15	34.24
PK	5.3626G	58.24	74.00	-15.76	6.09	3	Vertical	0	1.33	-	52.15	31.08	9.26	34.25

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1394G	47.68	54.00	-6.32	6.54	3	Horizontal	72	1.14	-	41.14	31.70	9.07	34.23
AV	5.2552G	108.58	Inf	-Inf	6.09	3	Horizontal	72	1.14	-	102.49	31.19	9.14	34.24
AV	5.3608G	48.93	54.00	-5.07	6.07	3	Horizontal	72	1.14	-	42.86	31.06	9.26	34.25
PK	5.14G	60.60	74.00	-13.40	6.54	3	Horizontal	72	1.14	-	54.06	31.70	9.07	34.23
PK	5.2558G	118.05	Inf	-Inf	6.09	3	Horizontal	72	1.14	-	111.96	31.19	9.14	34.24
PK	5.359G	62.76	74.00	-11.24	6.05	3	Horizontal	72	1.14	-	56.71	31.05	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7791G	50.49	54.00	-3.51	17.96	3	Vertical	332	1.08	-	32.53	37.68	14.88	34.60
PK	10.5204G	63.97	68.20	-4.23	17.60	3	Vertical	10	1.50	-	46.37	39.72	12.43	34.55
PK	15.7793G	63.08	74.00	-10.92	17.96	3	Vertical	332	1.08	-	45.12	37.68	14.88	34.60

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7825G	48.12	54.00	-5.88	17.95	3	Horizontal	356	2.26	-	30.17	37.67	14.88	34.60
PK	10.5171G	66.93	68.20	-1.27	17.59	3	Horizontal	299	1.67	-	49.34	39.72	12.43	34.56
PK	15.7818G	61.29	74.00	-12.71	17.95	3	Horizontal	356	2.26	-	43.34	37.67	14.88	34.60

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3036G	105.22	Inf	-Inf	6.04	3	Vertical	50	2.32	-	99.18	31.09	9.19	34.24
AV	5.35G	49.70	54.00	-4.30	6.00	3	Vertical	50	2.32	-	43.70	31.00	9.25	34.25
PK	5.3028G	114.72	Inf	-Inf	6.04	3	Vertical	50	2.32	-	108.68	31.09	9.19	34.24
PK	5.3516G	62.37	74.00	-11.63	6.01	3	Vertical	50	2.32	-	56.36	31.01	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.306G	111.38	Inf	-Inf	6.05	3	Horizontal	74	1.87	-	105.33	31.09	9.20	34.24
AV	5.352G	49.47	54.00	-4.53	6.01	3	Horizontal	74	1.87	-	43.46	31.01	9.25	34.25
PK	5.3056G	120.95	Inf	-Inf	6.05	3	Horizontal	74	1.87	-	114.90	31.09	9.20	34.24
PK	5.3528G	63.80	74.00	-10.20	6.02	3	Horizontal	74	1.87	-	57.78	31.02	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9057G	46.27	54.00	-7.73	17.62	3	Vertical	91	2.37	-	28.65	37.41	14.92	34.71
PK	10.59176G	60.85	68.20	-7.35	17.75	3	Vertical	11	1.46	-	43.10	39.79	12.46	34.50
PK	15.9178G	59.58	74.00	-14.42	17.62	3	Vertical	91	2.37	-	41.96	37.42	14.92	34.72

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.903G	46.57	54.00	-7.43	17.61	3	Horizontal	167	2.29	-	28.96	37.40	14.92	34.71
PK	10.5962G	66.27	68.20	-1.93	17.76	3	Horizontal	301	1.78	-	48.51	39.80	12.46	34.50
PK	15.9178G	59.62	74.00	-14.38	17.62	3	Horizontal	167	2.29	-	42.00	37.42	14.92	34.72

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3168G	102.41	Inf	-Inf	6.03	3	Vertical	0	1.37	-	96.38	31.07	9.21	34.25
AV	5.35G	51.56	54.00	-2.44	6.00	3	Vertical	0	1.37	-	45.56	31.00	9.25	34.25
PK	5.3172G	111.71	Inf	-Inf	6.03	3	Vertical	0	1.37	-	105.68	31.07	9.21	34.25
PK	5.35G	66.29	74.00	-7.71	6.00	3	Vertical	0	1.37	-	60.29	31.00	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3216G	109.93	Inf	-Inf	6.02	3	Horizontal	303	2.33	-	103.91	31.06	9.21	34.25
AV	5.35G	50.95	54.00	-3.05	6.00	3	Horizontal	303	2.33	-	44.95	31.00	9.25	34.25
PK	5.3212G	118.81	Inf	-Inf	6.02	3	Horizontal	303	2.33	-	112.79	31.06	9.21	34.25
PK	5.3532G	65.70	74.00	-8.30	6.02	3	Horizontal	303	2.33	-	59.68	31.02	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.638G	47.89	54.00	-6.11	17.85	3	Vertical	14	1.36	-	30.04	39.84	12.48	34.47
AV	15.957G	47.40	54.00	-6.60	17.64	3	Vertical	287	2.41	-	29.76	37.46	14.94	34.76
PK	10.6442G	60.01	74.00	-13.99	17.86	3	Vertical	14	1.36	-	42.15	39.84	12.48	34.46
PK	16.0024G	60.50	74.00	-13.50	17.65	3	Vertical	287	2.41	-	42.85	37.50	14.95	34.80

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6378G	52.23	54.00	-1.77	17.85	3	Horizontal	304	1.65	-	34.38	39.84	12.48	34.47
AV	15.9992G	46.82	54.00	-7.18	17.65	3	Horizontal	222	2.34	-	29.17	37.50	14.95	34.80
PK	10.6364G	65.33	74.00	-8.67	17.85	3	Horizontal	304	1.65	-	47.48	39.84	12.48	34.47
PK	15.9968G	60.13	74.00	-13.87	17.65	3	Horizontal	222	2.34	-	42.48	37.50	14.95	34.80

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4548G	45.36	54.00	-8.64	6.69	3	Vertical	302	1.00	-	38.67	31.61	9.34	34.26
AV	5.5068G	99.27	Inf	-Inf	6.82	3	Vertical	302	1.00	-	92.45	31.69	9.39	34.26
PK	5.4664G	59.99	68.20	-8.21	6.72	3	Vertical	302	1.00	-	53.27	31.63	9.35	34.26
PK	5.5068G	108.60	Inf	-Inf	6.82	3	Vertical	302	1.00	-	101.78	31.69	9.39	34.26

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.29	54.00	-5.71	6.71	3	Horizontal	299	1.94	-	41.58	31.62	9.35	34.26
AV	5.5016G	109.62	Inf	-Inf	6.82	3	Horizontal	299	1.94	-	102.80	31.70	9.38	34.26
PK	5.4698G	67.22	68.20	-0.98	6.74	3	Horizontal	299	1.94	-	60.48	31.64	9.36	34.26
PK	5.502G	119.47	Inf	-Inf	6.82	3	Horizontal	299	1.94	-	112.65	31.70	9.38	34.26

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.9983G	46.31	54.00	-7.69	18.64	3	Vertical	341	1.50	-	27.67	40.20	12.63	34.19
PK	10.9974G	58.85	74.00	-15.15	18.64	3	Vertical	341	1.50	-	40.21	40.20	12.63	34.19
PK	16.4898G	62.37	68.20	-5.83	19.72	3	Vertical	174	2.19	-	42.65	38.76	15.24	34.28

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0002G	48.87	54.00	-5.13	18.64	3	Horizontal	76	1.00	-	30.23	40.20	12.63	34.19
PK	11.0007G	61.34	74.00	-12.66	18.64	3	Horizontal	76	1.00	-	42.70	40.20	12.63	34.19
PK	16.5004G	62.75	68.20	-5.45	19.77	3	Horizontal	32	2.76	-	42.98	38.80	15.24	34.27

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4486G	45.62	54.00	-8.38	6.67	3	Vertical	24	2.85	-	38.95	31.59	9.34	34.26
AV	5.5878G	107.22	Inf	-Inf	6.78	3	Vertical	24	2.85	-	100.44	31.60	9.45	34.27
PK	5.4678G	57.56	68.20	-10.64	6.73	3	Vertical	24	2.85	-	50.83	31.64	9.35	34.26
PK	5.5872G	116.66	Inf	-Inf	6.78	3	Vertical	24	2.85	-	109.88	31.60	9.45	34.27
PK	5.7264G	58.25	68.20	-9.95	7.13	3	Vertical	24	2.85	-	51.12	31.91	9.50	34.28

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4522G	45.88	54.00	-8.12	6.68	3	Horizontal	57	2.09	-	39.20	31.60	9.34	34.26
AV	5.5872G	110.91	Inf	-Inf	6.78	3	Horizontal	57	2.09	-	104.13	31.60	9.45	34.27
PK	5.4612G	58.17	68.20	-10.03	6.71	3	Horizontal	57	2.09	-	51.46	31.62	9.35	34.26
PK	5.5872G	120.51	Inf	-Inf	6.78	3	Horizontal	57	2.09	-	113.73	31.60	9.45	34.27
PK	5.7276G	59.37	68.20	-8.83	7.13	3	Horizontal	57	2.09	-	52.24	31.91	9.50	34.28

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1561G	46.92	54.00	-7.08	18.31	3	Vertical	10	2.84	-	28.61	39.79	12.70	34.18
PK	11.1544G	59.71	74.00	-14.29	18.30	3	Vertical	10	2.84	-	41.41	39.79	12.69	34.18
PK	16.7475G	66.51	68.20	-1.69	21.11	3	Vertical	24	1.03	-	45.40	39.54	15.39	33.82

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1619G	49.41	54.00	-4.59	18.30	3	Horizontal	298	1.61	-	31.11	39.78	12.70	34.18
PK	11.1628G	62.46	74.00	-11.54	18.29	3	Horizontal	298	1.61	-	44.17	39.77	12.70	34.18
PK	16.7399G	66.27	68.20	-1.93	21.07	3	Horizontal	16	1.01	-	45.20	39.52	15.38	33.83

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7072G	102.23	Inf	-Inf	7.04	3	Vertical	30	3.00	-	95.19	31.83	9.49	34.28
PK	5.7076G	111.58	Inf	-Inf	7.04	3	Vertical	30	3.00	-	104.54	31.83	9.49	34.28
PK	5.7284G	59.49	68.20	-8.71	7.13	3	Vertical	30	3.00	-	52.36	31.91	9.50	34.28

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7008G	107.71	Inf	-Inf	7.01	3	Horizontal	69	2.05	-	100.70	31.80	9.49	34.28
PK	5.7012G	117.31	Inf	-Inf	7.01	3	Horizontal	69	2.05	-	110.30	31.80	9.49	34.28
PK	5.7288G	67.28	68.20	-0.92	7.14	3	Horizontal	69	2.05	-	60.14	31.92	9.50	34.28

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4031G	42.64	54.00	-11.36	18.44	3	Vertical	268	1.79	-	24.20	39.81	12.80	34.17
PK	11.3887G	55.50	74.00	-18.50	18.41	3	Vertical	268	1.79	-	37.09	39.79	12.79	34.17
PK	17.0808G	63.61	68.20	-4.59	21.89	3	Vertical	260	1.11	-	41.72	39.64	15.58	33.33

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3933G	42.68	54.00	-11.32	18.42	3	Horizontal	252	2.35	-	24.26	39.79	12.80	34.17
PK	11.4189G	56.49	74.00	-17.51	18.49	3	Horizontal	252	2.35	-	38.00	39.84	12.81	34.16
PK	17.0923G	63.68	68.20	-4.52	21.88	3	Horizontal	205	1.50	-	41.80	39.62	15.59	33.33

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	45.56	54.00	-8.44	6.61	3	Vertical	354	2.87	-	38.95	31.54	9.33	34.26
AV	5.7152G	105.86	Inf	-Inf	7.07	3	Vertical	354	2.87	-	98.79	31.86	9.49	34.28
PK	5.4644G	56.17	68.20	-12.03	6.72	3	Vertical	354	2.87	-	49.45	31.63	9.35	34.26
PK	5.7164G	115.05	Inf	-Inf	7.08	3	Vertical	354	2.87	-	107.97	31.87	9.49	34.28
PK	5.8856G	58.94	68.20	-9.26	7.56	3	Vertical	354	2.87	-	51.38	32.27	9.59	34.30

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4464G	45.23	54.00	-8.77	6.66	3	Horizontal	3	2.94	-	38.57	31.58	9.34	34.26
AV	5.7128G	97.89	Inf	-Inf	7.06	3	Horizontal	3	2.94	-	90.83	31.85	9.49	34.28
PK	5.46G	56.51	68.20	-11.69	6.71	3	Horizontal	3	2.94	-	49.80	31.62	9.35	34.26
PK	5.7128G	107.29	Inf	-Inf	7.06	3	Horizontal	3	2.94	-	100.23	31.85	9.49	34.28
PK	5.9228G	58.13	68.20	-10.07	7.62	3	Horizontal	3	2.94	-	50.51	32.30	9.62	34.30

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4427G	43.07	54.00	-10.93	18.55	3	Vertical	332	2.01	-	24.52	39.89	12.82	34.16
PK	11.4456G	56.38	74.00	-17.62	18.55	3	Vertical	332	2.01	-	37.83	39.89	12.82	34.16
PK	17.165G	65.08	68.20	-3.12	21.86	3	Vertical	19	2.16	-	43.22	39.53	15.63	33.30

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4422G	43.57	54.00	-10.43	18.54	3	Horizontal	303	1.01	-	25.03	39.88	12.82	34.16
PK	11.4575G	56.26	74.00	-17.74	18.57	3	Horizontal	303	1.01	-	37.69	39.91	12.82	34.16
PK	17.1596G	66.73	68.20	-1.47	21.86	3	Horizontal	320	2.23	-	44.87	39.54	15.63	33.31

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	105.51	Inf	-Inf	6.72	3	Vertical	360	2.98	-	98.79	31.97	9.03	34.28
PK	5.5602G	56.83	68.20	-11.37	6.17	3	Vertical	360	2.98	-	50.66	31.60	8.84	34.27
PK	5.7426G	114.96	Inf	-Inf	6.72	3	Vertical	360	2.98	-	108.24	31.97	9.03	34.28
PK	5.997G	57.27	68.20	-10.93	7.25	3	Vertical	360	2.98	-	50.02	32.39	9.17	34.31

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	107.53	Inf	-Inf	6.73	3	Horizontal	330	1.60	-	100.80	31.98	9.03	34.28
PK	5.6406G	57.85	68.20	-10.35	6.35	3	Horizontal	330	1.60	-	51.50	31.68	8.94	34.27
PK	5.7474G	117.03	Inf	-Inf	6.74	3	Horizontal	330	1.60	-	110.29	31.99	9.03	34.28
PK	5.9922G	57.29	68.20	-10.91	7.24	3	Horizontal	330	1.60	-	50.05	32.38	9.17	34.31

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49224G	44.91	54.00	-9.09	18.57	3	Vertical	307	1.14	-	26.34	39.98	12.75	34.16
PK	11.49112G	58.15	74.00	-15.85	18.57	3	Vertical	307	1.14	-	39.58	39.98	12.75	34.16
PK	17.2348G	65.64	68.20	-2.56	21.35	3	Vertical	352	2.19	-	44.29	39.60	15.03	33.28

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49004G	44.11	54.00	-9.89	18.57	3	Horizontal	299	1.00	-	25.54	39.98	12.75	34.16
PK	11.4932G	57.55	74.00	-16.45	18.58	3	Horizontal	299	1.00	-	38.97	39.99	12.75	34.16
PK	17.23212G	66.88	68.20	-1.32	21.35	3	Horizontal	325	1.97	-	45.53	39.60	15.03	33.28

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.791G	104.28	Inf	-Inf	6.78	3	Vertical	20	2.92	-	97.50	32.00	9.07	34.29
PK	5.5498G	56.53	68.20	-11.67	6.17	3	Vertical	20	2.92	-	50.36	31.60	8.83	34.26
PK	5.791G	114.28	Inf	-Inf	6.78	3	Vertical	20	2.92	-	107.50	32.00	9.07	34.29
PK	6.0058G	57.03	68.20	-11.17	7.25	3	Vertical	20	2.92	-	49.78	32.39	9.17	34.31

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7814G	105.59	Inf	-Inf	6.77	3	Horizontal	62	2.72	-	98.82	32.00	9.06	34.29
PK	5.5798G	57.88	68.20	-10.32	6.20	3	Horizontal	62	2.72	-	51.68	31.60	8.87	34.27
PK	5.7814G	114.80	Inf	-Inf	6.77	3	Horizontal	62	2.72	-	108.03	32.00	9.06	34.29
PK	5.929G	57.33	68.20	-10.87	7.14	3	Horizontal	62	2.72	-	50.19	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56996G	43.94	54.00	-10.06	18.53	3	Vertical	311	1.41	-	25.41	39.93	12.79	34.19
PK	11.56084G	55.08	74.00	-18.92	18.54	3	Vertical	311	1.41	-	36.54	39.94	12.79	34.19
PK	17.35068G	65.29	68.20	-2.91	22.03	3	Vertical	15	1.85	-	43.26	40.21	15.06	33.24

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56984G	43.59	54.00	-10.41	18.53	3	Horizontal	330	1.38	-	25.06	39.93	12.79	34.19
PK	11.57184G	55.40	74.00	-18.60	18.53	3	Horizontal	330	1.38	-	36.87	39.93	12.79	34.19
PK	17.3492G	66.91	68.20	-1.29	22.01	3	Horizontal	340	2.48	-	44.90	40.19	15.06	33.24

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8202G	101.62	Inf	-Inf	6.88	3	Vertical	346	2.22	-	94.74	32.08	9.09	34.29
PK	5.5394G	56.94	68.20	-11.26	6.17	3	Vertical	346	2.22	-	50.77	31.62	8.81	34.26
PK	5.8202G	111.04	Inf	-Inf	6.88	3	Vertical	346	2.22	-	104.16	32.08	9.09	34.29
PK	5.9558G	57.49	68.20	-10.71	7.15	3	Vertical	346	2.22	-	50.34	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	109.23	Inf	-Inf	6.89	3	Horizontal	304	1.82	-	102.34	32.09	9.09	34.29
PK	5.6294G	58.69	68.20	-9.51	6.32	3	Horizontal	304	1.82	-	52.37	31.66	8.93	34.27
PK	5.8214G	119.18	Inf	-Inf	6.89	3	Horizontal	304	1.82	-	112.29	32.09	9.09	34.29
PK	5.987G	57.91	68.20	-10.29	7.22	3	Horizontal	304	1.82	-	50.69	32.37	9.16	34.31

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64988G	44.38	54.00	-9.62	18.15	3	Vertical	25	1.00	-	26.23	39.55	12.83	34.23
PK	11.65068G	56.82	74.00	-17.18	18.15	3	Vertical	25	1.00	-	38.67	39.55	12.83	34.23
PK	17.47472G	66.04	68.20	-2.16	22.95	3	Vertical	15	2.08	-	43.09	41.05	15.10	33.20

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64996G	43.82	54.00	-10.18	18.15	3	Horizontal	27	1.09	-	25.67	39.55	12.83	34.23
PK	11.65012G	55.07	74.00	-18.93	18.15	3	Horizontal	27	1.09	-	36.92	39.55	12.83	34.23
PK	17.47348G	65.91	68.20	-2.29	22.94	3	Horizontal	30	1.47	-	42.97	41.04	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	48.61	54.00	-5.39	5.99	3	Vertical	27	2.86	-	42.62	31.70	8.52	34.23
AV	5.186G	102.70	Inf	-Inf	5.89	3	Vertical	27	2.86	-	96.81	31.56	8.56	34.23
AV	5.3792G	43.65	54.00	-10.35	5.54	3	Vertical	27	2.86	-	38.11	31.18	8.61	34.25
PK	5.1476G	61.31	74.00	-12.69	5.99	3	Vertical	27	2.86	-	55.32	31.70	8.52	34.23
PK	5.186G	114.18	Inf	-Inf	5.89	3	Vertical	27	2.86	-	108.29	31.56	8.56	34.23
PK	5.474G	55.37	68.20	-12.83	6.11	3	Vertical	27	2.86	-	49.26	31.65	8.72	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.87	54.00	-1.13	5.99	3	Horizontal	67	1.83	-	46.88	31.70	8.52	34.23
AV	5.1728G	107.45	Inf	-Inf	5.92	3	Horizontal	67	1.83	-	101.53	31.61	8.54	34.23
AV	5.3648G	44.53	54.00	-9.47	5.44	3	Horizontal	67	1.83	-	39.09	31.09	8.60	34.25
PK	5.15G	64.95	74.00	-9.05	5.99	3	Horizontal	67	1.83	-	58.96	31.70	8.52	34.23
PK	5.1716G	119.42	Inf	-Inf	5.92	3	Horizontal	67	1.83	-	113.50	31.61	8.54	34.23
PK	5.4608G	55.45	68.20	-12.75	6.06	3	Horizontal	67	1.83	-	49.39	31.62	8.70	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53356G	44.38	54.00	-9.62	18.51	3	Vertical	0	1.50	-	25.87	38.27	14.61	34.37
PK	10.35996G	58.06	68.20	-10.14	16.88	3	Vertical	31	2.77	-	41.18	39.38	12.18	34.68
PK	15.54224G	57.11	74.00	-16.89	18.43	3	Vertical	0	1.50	-	38.68	38.20	14.61	34.38

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54136G	44.67	54.00	-9.33	18.44	3	Horizontal	319	2.46	-	26.23	38.21	14.61	34.38
PK	10.35888G	61.07	68.20	-7.13	16.88	3	Horizontal	72	2.14	-	44.19	39.38	12.18	34.68
PK	15.5368G	56.65	74.00	-17.35	18.48	3	Horizontal	319	2.46	-	38.17	38.24	14.61	34.37

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0032G	47.15	54.00	-6.85	5.47	3	Vertical	7	2.91	-	41.68	31.31	8.38	34.22
AV	5.1964G	107.25	Inf	-Inf	5.84	3	Vertical	7	2.91	-	101.41	31.51	8.57	34.24
AV	5.3968G	46.20	54.00	-7.80	5.64	3	Vertical	7	2.91	-	40.56	31.28	8.61	34.25
PK	5.0416G	59.14	74.00	-14.86	5.67	3	Vertical	7	2.91	-	53.47	31.47	8.42	34.22
PK	5.1976G	117.65	Inf	-Inf	5.84	3	Vertical	7	2.91	-	111.81	31.51	8.57	34.24
PK	5.4928G	57.67	68.20	-10.53	6.17	3	Vertical	7	2.91	-	51.50	31.69	8.74	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1472G	48.19	54.00	-5.81	5.99	3	Horizontal	306	1.78	-	42.20	31.70	8.52	34.23
AV	5.194G	108.58	Inf	-Inf	5.84	3	Horizontal	306	1.78	-	102.74	31.52	8.56	34.24
AV	5.3872G	47.64	54.00	-6.36	5.58	3	Horizontal	306	1.78	-	42.06	31.22	8.61	34.25
PK	5.1436G	60.77	74.00	-13.23	5.99	3	Horizontal	306	1.78	-	54.78	31.70	8.52	34.23
PK	5.194G	120.20	Inf	-Inf	5.84	3	Horizontal	306	1.78	-	114.36	31.52	8.56	34.24
PK	5.4868G	57.67	68.20	-10.53	6.15	3	Horizontal	306	1.78	-	51.52	31.67	8.74	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59932G	45.12	54.00	-8.88	17.99	3	Vertical	20	1.56	-	27.13	37.80	14.62	34.43
PK	10.3964G	59.67	68.20	-8.53	17.04	3	Vertical	340	1.41	-	42.63	39.49	12.20	34.65
PK	15.59936G	58.90	74.00	-15.10	17.99	3	Vertical	20	1.56	-	40.91	37.80	14.62	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59404G	46.08	54.00	-7.92	18.03	3	Horizontal	360	1.50	-	28.05	37.84	14.62	34.43
PK	10.39664G	64.12	68.20	-4.08	17.04	3	Horizontal	71	1.64	-	47.08	39.49	12.20	34.65
PK	15.59324G	60.44	74.00	-13.56	18.04	3	Horizontal	360	1.50	-	42.40	37.85	14.62	34.43

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1464G	49.10	54.00	-4.90	5.99	3	Vertical	4	2.90	-	43.11	31.70	8.52	34.23
AV	5.2412G	109.96	Inf	-Inf	5.59	3	Vertical	4	2.90	-	104.37	31.25	8.58	34.24
AV	5.35G	47.68	54.00	-6.32	5.35	3	Vertical	4	2.90	-	42.33	31.00	8.60	34.25
PK	5.1452G	60.37	74.00	-13.63	5.99	3	Vertical	4	2.90	-	54.38	31.70	8.52	34.23
PK	5.24G	120.01	Inf	-Inf	5.60	3	Vertical	4	2.90	-	114.41	31.26	8.58	34.24
PK	5.5208G	58.52	68.20	-9.68	6.19	3	Vertical	4	2.90	-	52.33	31.66	8.79	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	51.23	54.00	-2.77	5.99	3	Horizontal	313	2.89	-	45.24	31.70	8.52	34.23
AV	5.2412G	111.30	Inf	-Inf	5.59	3	Horizontal	313	2.89	-	105.71	31.25	8.58	34.24
AV	5.4344G	48.73	54.00	-5.27	5.92	3	Horizontal	313	2.89	-	42.81	31.51	8.66	34.25
PK	5.1428G	63.42	74.00	-10.58	5.99	3	Horizontal	313	2.89	-	57.43	31.70	8.52	34.23
PK	5.2424G	122.37	Inf	-Inf	5.59	3	Horizontal	313	2.89	-	116.78	31.25	8.58	34.24
PK	5.5016G	58.47	68.20	-9.73	6.20	3	Horizontal	313	2.89	-	52.27	31.70	8.76	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71792G	48.89	54.00	-5.11	18.04	3	Vertical	345	1.45	-	30.85	37.93	14.65	34.54
PK	10.47596G	64.36	68.20	-3.84	17.30	3	Vertical	337	1.41	-	47.06	39.65	12.24	34.59
PK	15.71844G	61.31	74.00	-12.69	18.04	3	Vertical	345	1.45	-	43.27	37.93	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71808G	51.49	54.00	-2.51	18.04	3	Horizontal	326	1.60	-	33.45	37.93	14.65	34.54
PK	10.48208G	66.82	68.20	-1.38	17.32	3	Horizontal	63	1.75	-	49.50	39.66	12.24	34.58
PK	15.71904G	64.74	74.00	-9.26	18.03	3	Horizontal	326	1.60	-	46.71	37.92	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1424G	46.76	54.00	-7.24	6.54	3	Vertical	0	1.34	-	40.22	31.70	9.07	34.23
AV	5.263G	106.15	Inf	-Inf	6.08	3	Vertical	0	1.34	-	100.07	31.17	9.15	34.24
AV	5.3554G	46.18	54.00	-7.82	6.03	3	Vertical	0	1.34	-	40.15	31.03	9.25	34.25
PK	5.1418G	59.69	74.00	-14.31	6.54	3	Vertical	0	1.34	-	53.15	31.70	9.07	34.23
PK	5.2624G	117.88	Inf	-Inf	6.09	3	Vertical	0	1.34	-	111.79	31.18	9.15	34.24
PK	5.3638G	58.83	74.00	-15.17	6.09	3	Vertical	0	1.34	-	52.74	31.08	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1406G	48.01	54.00	-5.99	6.54	3	Horizontal	310	1.59	-	41.47	31.70	9.07	34.23
AV	5.2534G	110.47	Inf	-Inf	6.09	3	Horizontal	310	1.59	-	104.38	31.19	9.14	34.24
AV	5.353G	52.70	54.00	-1.30	6.02	3	Horizontal	310	1.59	-	46.68	31.02	9.25	34.25
PK	5.1394G	60.05	74.00	-13.95	6.54	3	Horizontal	310	1.59	-	53.51	31.70	9.07	34.23
PK	5.2534G	122.79	Inf	-Inf	6.09	3	Horizontal	310	1.59	-	116.70	31.19	9.14	34.24
PK	5.3554G	68.14	74.00	-5.86	6.03	3	Horizontal	310	1.59	-	62.11	31.03	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78212G	48.95	54.00	-5.05	17.95	3	Vertical	345	1.00	-	31.00	37.67	14.88	34.60
PK	10.52056G	63.76	68.20	-4.44	17.60	3	Vertical	9	1.50	-	46.16	39.72	12.43	34.55
PK	15.78272G	63.53	74.00	-10.47	17.95	3	Vertical	345	1.00	-	45.58	37.67	14.88	34.60

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77976G	46.51	54.00	-7.49	17.96	3	Horizontal	327	1.50	-	28.55	37.68	14.88	34.60
PK	10.51668G	65.63	68.20	-2.57	17.59	3	Horizontal	88	1.67	-	48.04	39.72	12.43	34.56
PK	15.78052G	60.10	74.00	-13.90	17.96	3	Horizontal	327	1.50	-	42.14	37.68	14.88	34.60

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3008G	109.69	Inf	-Inf	6.05	3	Vertical	60	1.68	-	103.64	31.10	9.19	34.24
AV	5.3504G	52.74	54.00	-1.26	6.00	3	Vertical	60	1.68	-	46.74	31.00	9.25	34.25
PK	5.2992G	122.82	Inf	-Inf	6.05	3	Vertical	60	1.68	-	116.77	31.10	9.19	34.24
PK	5.3508G	70.57	74.00	-3.43	6.00	3	Vertical	60	1.68	-	64.57	31.00	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3012G	109.54	Inf	-Inf	6.05	3	Horizontal	301	1.50	-	103.49	31.10	9.19	34.24
AV	5.35G	51.77	54.00	-2.23	6.00	3	Horizontal	301	1.50	-	45.77	31.00	9.25	34.25
PK	5.3008G	122.64	Inf	-Inf	6.05	3	Horizontal	301	1.50	-	116.59	31.10	9.19	34.24
PK	5.35G	67.75	74.00	-6.25	6.00	3	Horizontal	301	1.50	-	61.75	31.00	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90244G	45.73	54.00	-8.27	17.61	3	Vertical	31	3.00	-	28.12	37.40	14.92	34.71
PK	10.596G	63.22	68.20	-4.98	17.76	3	Vertical	20	1.43	-	45.46	39.80	12.46	34.50
PK	15.89952G	60.41	74.00	-13.59	17.61	3	Vertical	31	3.00	-	42.80	37.40	14.92	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9024G	45.54	54.00	-8.46	17.61	3	Horizontal	1	1.92	-	27.93	37.40	14.92	34.71
PK	10.5976G	66.41	68.20	-1.79	17.76	3	Horizontal	83	1.73	-	48.65	39.80	12.46	34.50
PK	15.90236G	58.74	74.00	-15.26	17.61	3	Horizontal	1	1.92	-	41.13	37.40	14.92	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3162G	103.51	Inf	-Inf	6.03	3	Vertical	0	1.28	-	97.48	31.07	9.21	34.25
AV	5.3512G	50.32	54.00	-3.68	6.01	3	Vertical	0	1.28	-	44.31	31.01	9.25	34.25
PK	5.3156G	116.42	Inf	-Inf	6.03	3	Vertical	0	1.28	-	110.39	31.07	9.21	34.25
PK	5.3506G	65.02	74.00	-8.98	6.00	3	Vertical	0	1.28	-	59.02	31.00	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3256G	109.23	Inf	-Inf	6.02	3	Horizontal	67	1.15	-	103.21	31.05	9.22	34.25
AV	5.35G	52.61	54.00	-1.39	6.00	3	Horizontal	67	1.15	-	46.61	31.00	9.25	34.25
PK	5.3256G	122.54	Inf	-Inf	6.02	3	Horizontal	67	1.15	-	116.52	31.05	9.22	34.25
PK	5.3532G	68.58	74.00	-5.42	6.02	3	Horizontal	67	1.15	-	62.56	31.02	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63588G	48.04	54.00	-5.96	17.85	3	Vertical	22	1.33	-	30.19	39.84	12.48	34.47
AV	15.9644G	47.38	54.00	-6.62	17.63	3	Vertical	22	1.03	-	29.75	37.46	14.94	34.77
PK	10.63652G	63.37	74.00	-10.63	17.85	3	Vertical	22	1.33	-	45.52	39.84	12.48	34.47
PK	15.95664G	62.06	74.00	-11.94	17.64	3	Vertical	22	1.03	-	44.42	37.46	14.94	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.637G	51.86	54.00	-2.14	17.85	3	Horizontal	84	1.70	-	34.01	39.84	12.48	34.47
AV	15.95896G	47.89	54.00	-6.11	17.64	3	Horizontal	50	1.33	-	30.25	37.46	14.94	34.76
PK	10.6374G	67.32	74.00	-6.68	17.85	3	Horizontal	84	1.70	-	49.47	39.84	12.48	34.47
PK	15.95884G	62.05	74.00	-11.95	17.64	3	Horizontal	50	1.33	-	44.41	37.46	14.94	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4578G	45.47	54.00	-8.53	6.71	3	Vertical	337	1.05	-	38.76	31.62	9.35	34.26
AV	5.4976G	100.83	Inf	-Inf	6.82	3	Vertical	337	1.05	-	94.01	31.70	9.38	34.26
PK	5.47G	60.68	68.20	-7.52	6.74	3	Vertical	337	1.05	-	53.94	31.64	9.36	34.26
PK	5.4978G	114.01	Inf	-Inf	6.82	3	Vertical	337	1.05	-	107.19	31.70	9.38	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.454G	45.79	54.00	-8.21	6.69	3	Horizontal	72	2.39	-	39.10	31.61	9.34	34.26
AV	5.5056G	107.92	Inf	-Inf	6.81	3	Horizontal	72	2.39	-	101.11	31.69	9.38	34.26
PK	5.467G	65.77	68.20	-2.43	6.72	3	Horizontal	72	2.39	-	59.05	31.63	9.35	34.26
PK	5.5056G	121.28	Inf	-Inf	6.81	3	Horizontal	72	2.39	-	114.47	31.69	9.38	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.9982G	45.13	54.00	-8.87	18.64	3	Vertical	340	1.46	-	26.49	40.20	12.63	34.19
PK	10.99864G	59.55	74.00	-14.45	18.64	3	Vertical	340	1.46	-	40.91	40.20	12.63	34.19
PK	16.50992G	62.17	68.20	-6.03	19.77	3	Vertical	282	1.50	-	42.40	38.77	15.25	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99912G	46.41	54.00	-7.59	18.64	3	Horizontal	79	1.00	-	27.77	40.20	12.63	34.19
PK	10.99748G	60.18	74.00	-13.82	18.64	3	Horizontal	79	1.00	-	41.54	40.20	12.63	34.19
PK	16.49484G	62.14	68.20	-6.06	19.74	3	Horizontal	64	1.50	-	42.40	38.78	15.24	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4552G	45.37	54.00	-8.63	6.69	3	Vertical	357	3.00	-	38.68	31.61	9.34	34.26
AV	5.5746G	108.09	Inf	-Inf	6.77	3	Vertical	357	3.00	-	101.32	31.60	9.44	34.27
PK	5.469G	57.51	68.20	-10.69	6.74	3	Vertical	357	3.00	-	50.77	31.64	9.36	34.26
PK	5.5746G	122.20	Inf	-Inf	6.77	3	Vertical	357	3.00	-	115.43	31.60	9.44	34.27
PK	5.7258G	59.14	68.20	-9.06	7.12	3	Vertical	357	3.00	-	52.02	31.90	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4594G	46.01	54.00	-7.99	6.71	3	Horizontal	308	1.83	-	39.30	31.62	9.35	34.26
AV	5.5788G	113.95	Inf	-Inf	6.77	3	Horizontal	308	1.83	-	107.18	31.60	9.44	34.27
PK	5.466G	58.28	68.20	-9.92	6.72	3	Horizontal	308	1.83	-	51.56	31.63	9.35	34.26
PK	5.5788G	126.80	Inf	-Inf	6.77	3	Horizontal	308	1.83	-	120.03	31.60	9.44	34.27
PK	5.7276G	59.49	68.20	-8.71	7.13	3	Horizontal	308	1.83	-	52.36	31.91	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15756G	46.25	54.00	-7.75	18.30	3	Vertical	339	1.50	-	27.95	39.78	12.70	34.18
PK	11.15792G	59.96	74.00	-14.04	18.30	3	Vertical	339	1.50	-	41.66	39.78	12.70	34.18
PK	16.74152G	66.54	68.20	-1.66	21.07	3	Vertical	24	1.06	-	45.47	39.52	15.38	33.83

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16012G	48.38	54.00	-5.62	18.30	3	Horizontal	299	1.61	-	30.08	39.78	12.70	34.18
PK	11.16016G	61.35	74.00	-12.65	18.30	3	Horizontal	299	1.61	-	43.05	39.78	12.70	34.18
PK	16.74328G	65.28	68.20	-2.92	21.08	3	Horizontal	54	1.16	-	44.20	39.53	15.38	33.83

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6988G	104.32	Inf	-Inf	7.01	3	Vertical	342	3.00	-	97.31	31.80	9.49	34.28
PK	5.6992G	117.17	Inf	-Inf	7.01	3	Vertical	342	3.00	-	110.16	31.80	9.49	34.28
PK	5.7264G	62.41	68.20	-5.79	7.13	3	Vertical	342	3.00	-	55.28	31.91	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7008G	108.96	Inf	-Inf	7.01	3	Horizontal	69	1.96	-	101.95	31.80	9.49	34.28
PK	5.7004G	122.55	Inf	-Inf	7.01	3	Horizontal	69	1.96	-	115.54	31.80	9.49	34.28
PK	5.7252G	67.30	68.20	-0.90	7.12	3	Horizontal	69	1.96	-	60.18	31.90	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4002G	42.66	54.00	-11.34	18.43	3	Vertical	9	1.50	-	24.23	39.80	12.80	34.17
PK	11.39296G	56.25	74.00	-17.75	18.42	3	Vertical	9	1.50	-	37.83	39.79	12.80	34.17
PK	17.09976G	63.71	68.20	-4.49	21.86	3	Vertical	251	1.50	-	41.85	39.60	15.59	33.33

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39592G	42.59	54.00	-11.41	18.43	3	Horizontal	282	2.00	-	24.16	39.80	12.80	34.17
PK	11.39176G	56.22	74.00	-17.78	18.41	3	Horizontal	282	2.00	-	37.81	39.79	12.79	34.17
PK	17.09796G	64.75	68.20	-3.45	21.86	3	Horizontal	92	1.50	-	42.89	39.60	15.59	33.33

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4572G	45.33	54.00	-8.67	6.70	3	Vertical	343	3.00	-	38.63	31.61	9.35	34.26
AV	5.7188G	108.20	Inf	-Inf	7.10	3	Vertical	343	3.00	-	101.10	31.88	9.50	34.28
PK	5.4656G	57.55	68.20	-10.65	6.72	3	Vertical	343	3.00	-	50.83	31.63	9.35	34.26
PK	5.7188G	120.69	Inf	-Inf	7.10	3	Vertical	343	3.00	-	113.59	31.88	9.50	34.28
PK	5.924G	58.64	68.20	-9.56	7.62	3	Vertical	343	3.00	-	51.02	32.30	9.62	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	45.83	54.00	-8.17	6.71	3	Horizontal	71	1.89	-	39.12	31.62	9.35	34.26
AV	5.7212G	112.53	Inf	-Inf	7.10	3	Horizontal	71	1.89	-	105.43	31.88	9.50	34.28
PK	5.468G	57.83	68.20	-10.37	6.73	3	Horizontal	71	1.89	-	51.10	31.64	9.35	34.26
PK	5.7212G	126.36	Inf	-Inf	7.10	3	Horizontal	71	1.89	-	119.26	31.88	9.50	34.28
PK	5.8616G	59.37	68.20	-8.83	7.49	3	Horizontal	71	1.89	-	51.88	32.22	9.57	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43552G	43.60	54.00	-10.40	18.52	3	Vertical	13	2.82	-	25.08	39.87	12.81	34.16
PK	11.4356G	56.94	74.00	-17.06	18.52	3	Vertical	13	2.82	-	38.42	39.87	12.81	34.16
PK	17.16228G	65.10	68.20	-3.10	21.87	3	Vertical	358	1.20	-	43.23	39.54	15.63	33.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44136G	44.71	54.00	-9.29	18.54	3	Horizontal	306	2.37	-	26.17	39.88	12.82	34.16
PK	11.44132G	58.47	74.00	-15.53	18.54	3	Horizontal	306	2.37	-	39.93	39.88	12.82	34.16
PK	17.16816G	66.61	68.20	-1.59	21.86	3	Horizontal	318	1.07	-	44.75	39.53	15.63	33.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	104.85	Inf	-Inf	6.72	3	Vertical	35	2.90	-	98.13	31.97	9.03	34.28
PK	5.6106G	59.60	68.20	-8.60	6.26	3	Vertical	35	2.90	-	53.34	31.62	8.91	34.27
PK	5.7426G	117.04	Inf	-Inf	6.72	3	Vertical	35	2.90	-	110.32	31.97	9.03	34.28
PK	6.039G	59.60	68.20	-8.60	7.21	3	Vertical	35	2.90	-	52.39	32.32	9.20	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7486G	110.52	Inf	-Inf	6.74	3	Horizontal	72	1.88	-	103.78	31.99	9.03	34.28
PK	5.643G	59.77	68.20	-8.43	6.36	3	Horizontal	72	1.88	-	53.41	31.69	8.94	34.27
PK	5.7486G	121.41	Inf	-Inf	6.74	3	Horizontal	72	1.88	-	114.67	31.99	9.03	34.28
PK	6.0078G	60.50	68.20	-7.70	7.25	3	Horizontal	72	1.88	-	53.25	32.38	9.18	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4898G	45.32	54.00	-8.68	18.57	3	Vertical	344	1.50	-	26.75	39.98	12.75	34.16
PK	11.49G	56.64	74.00	-17.36	18.57	3	Vertical	344	1.50	-	38.07	39.98	12.75	34.16
PK	17.23848G	62.35	68.20	-5.85	21.38	3	Vertical	350	1.49	-	40.97	39.62	15.04	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48996G	45.88	54.00	-8.12	18.57	3	Horizontal	58	2.92	-	27.31	39.98	12.75	34.16
PK	11.4896G	57.47	74.00	-16.53	18.57	3	Horizontal	58	2.92	-	38.90	39.98	12.75	34.16
PK	17.23552G	66.52	68.20	-1.68	21.37	3	Horizontal	27	1.86	-	45.15	39.61	15.04	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	109.44	Inf	-Inf	6.78	3	Vertical	26	3.00	-	102.66	32.00	9.07	34.29
PK	5.5762G	58.75	68.20	-9.45	6.20	3	Vertical	26	3.00	-	52.55	31.60	8.87	34.27
PK	5.7874G	119.08	Inf	-Inf	6.78	3	Vertical	26	3.00	-	112.30	32.00	9.07	34.29
PK	6.0718G	60.33	68.20	-7.87	7.25	3	Vertical	26	3.00	-	53.08	32.34	9.23	34.32

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	112.64	Inf	-Inf	6.78	3	Horizontal	302	2.20	-	105.86	32.00	9.07	34.29
PK	5.5942G	61.20	68.20	-7.00	6.22	3	Horizontal	302	2.20	-	54.98	31.60	8.89	34.27
PK	5.7874G	124.79	Inf	-Inf	6.78	3	Horizontal	302	2.20	-	118.01	32.00	9.07	34.29
PK	6.0598G	60.21	68.20	-7.99	7.23	3	Horizontal	302	2.20	-	52.98	32.32	9.22	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56728G	49.86	54.00	-4.14	18.53	3	Vertical	352	1.00	-	31.33	39.93	12.79	34.19
PK	11.56792G	61.69	74.00	-12.31	18.53	3	Vertical	352	1.00	-	43.16	39.93	12.79	34.19
PK	17.35648G	66.37	68.20	-1.83	22.08	3	Vertical	25	2.51	-	44.29	40.25	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56612G	48.29	54.00	-5.71	18.53	3	Horizontal	70	2.11	-	29.76	39.93	12.79	34.19
PK	11.56628G	60.81	74.00	-13.19	18.53	3	Horizontal	70	2.11	-	42.28	39.93	12.79	34.19
PK	17.35416G	67.14	68.20	-1.06	22.06	3	Horizontal	360	1.68	-	45.08	40.23	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8274G	109.89	Inf	-Inf	6.91	3	Vertical	26	2.96	-	102.98	32.11	9.09	34.29
PK	5.5838G	58.62	68.20	-9.58	6.21	3	Vertical	26	2.96	-	52.41	31.60	8.88	34.27
PK	5.8274G	120.99	Inf	-Inf	6.91	3	Vertical	26	2.96	-	114.08	32.11	9.09	34.29
PK	6.1058G	60.08	68.20	-8.12	7.34	3	Vertical	26	2.96	-	52.74	32.41	9.25	34.32

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	112.02	Inf	-Inf	6.89	3	Horizontal	310	1.50	-	105.13	32.09	9.09	34.29
PK	5.6282G	59.29	68.20	-8.91	6.32	3	Horizontal	310	1.50	-	52.97	31.66	8.93	34.27
PK	5.8202G	123.62	Inf	-Inf	6.88	3	Horizontal	310	1.50	-	116.74	32.08	9.09	34.29
PK	5.9294G	60.72	68.20	-7.48	7.14	3	Horizontal	310	1.50	-	53.58	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6496G	48.59	54.00	-5.41	18.15	3	Vertical	12	1.50	-	30.44	39.55	12.83	34.23
PK	11.65048G	60.48	74.00	-13.52	18.15	3	Vertical	12	1.50	-	42.33	39.55	12.83	34.23
PK	17.4784G	66.45	68.20	-1.75	22.97	3	Vertical	12	2.11	-	43.48	41.07	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64592G	50.46	54.00	-3.54	18.18	3	Horizontal	70	2.10	-	32.28	39.58	12.83	34.23
PK	11.64664G	62.52	74.00	-11.48	18.17	3	Horizontal	70	2.10	-	44.35	39.57	12.83	34.23
PK	17.46524G	66.50	68.20	-1.70	22.88	3	Horizontal	25	1.91	-	43.62	40.99	15.09	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1396G	49.21	54.00	-4.79	5.98	3	Vertical	12	2.93	-	43.23	31.70	8.51	34.23
AV	5.1792G	101.80	Inf	-Inf	5.90	3	Vertical	12	2.93	-	95.90	31.58	8.55	34.23
AV	5.4588G	46.12	54.00	-7.88	6.06	3	Vertical	12	2.93	-	40.06	31.62	8.70	34.26
PK	5.1384G	62.32	74.00	-11.68	5.98	3	Vertical	12	2.93	-	56.34	31.70	8.51	34.23
PK	5.178G	112.28	Inf	-Inf	5.91	3	Vertical	12	2.93	-	106.37	31.59	8.55	34.23
PK	5.46G	57.60	68.20	-10.60	6.06	3	Vertical	12	2.93	-	51.54	31.62	8.70	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.65	54.00	-1.35	5.99	3	Horizontal	309	1.86	-	46.66	31.70	8.52	34.23
AV	5.1984G	105.28	Inf	-Inf	5.84	3	Horizontal	309	1.86	-	99.44	31.51	8.57	34.24
AV	5.3904G	47.05	54.00	-6.95	5.60	3	Horizontal	309	1.86	-	41.45	31.24	8.61	34.25
PK	5.15G	65.61	74.00	-8.39	5.99	3	Horizontal	309	1.86	-	59.62	31.70	8.52	34.23
PK	5.178G	115.04	Inf	-Inf	5.91	3	Horizontal	309	1.86	-	109.13	31.59	8.55	34.23
PK	5.4888G	58.57	68.20	-9.63	6.16	3	Horizontal	309	1.86	-	52.41	31.68	8.74	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.55504G	44.28	54.00	-9.72	18.33	3	Vertical	30	1.52	-	25.95	38.11	14.61	34.39
PK	10.38008G	57.02	68.20	-11.18	16.97	3	Vertical	31	2.70	-	40.05	39.44	12.19	34.66
PK	15.55768G	56.46	74.00	-17.54	18.32	3	Vertical	30	1.52	-	38.14	38.10	14.61	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56256G	44.35	54.00	-9.65	18.27	3	Horizontal	74	1.50	-	26.08	38.06	14.61	34.40
PK	10.36376G	54.81	68.20	-13.39	16.90	3	Horizontal	0	2.99	-	37.91	39.39	12.18	34.67
PK	15.582G	56.83	74.00	-17.17	18.13	3	Horizontal	74	1.50	-	38.70	37.93	14.62	34.42

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	47.61	54.00	-6.39	5.99	3	Vertical	7	2.87	-	41.62	31.70	8.52	34.23
AV	5.2336G	104.74	Inf	-Inf	5.64	3	Vertical	7	2.87	-	99.10	31.30	8.58	34.24
AV	5.4256G	46.21	54.00	-7.79	5.85	3	Vertical	7	2.87	-	40.36	31.45	8.65	34.25
PK	5.0392G	58.35	74.00	-15.65	5.66	3	Vertical	7	2.87	-	52.69	31.46	8.42	34.22
PK	5.2336G	115.25	Inf	-Inf	5.64	3	Vertical	7	2.87	-	109.61	31.30	8.58	34.24
PK	5.4892G	58.35	68.20	-9.85	6.16	3	Vertical	7	2.87	-	52.19	31.68	8.74	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	50.99	54.00	-3.01	5.99	3	Horizontal	301	2.83	-	45.00	31.70	8.52	34.23
AV	5.2288G	107.35	Inf	-Inf	5.67	3	Horizontal	301	2.83	-	101.68	31.33	8.58	34.24
AV	5.422G	47.45	54.00	-6.55	5.82	3	Horizontal	301	2.83	-	41.63	31.43	8.64	34.25
PK	5.1496G	62.57	74.00	-11.43	5.99	3	Horizontal	301	2.83	-	56.58	31.70	8.52	34.23
PK	5.2288G	118.09	Inf	-Inf	5.67	3	Horizontal	301	2.83	-	112.42	31.33	8.58	34.24
PK	5.5264G	58.75	68.20	-9.45	6.18	3	Horizontal	301	2.83	-	52.57	31.65	8.79	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6848G	44.36	54.00	-9.64	18.10	3	Vertical	4	1.27	-	26.26	37.97	14.64	34.51
PK	10.46024G	56.77	68.20	-11.43	17.25	3	Vertical	29	2.45	-	39.52	39.62	12.23	34.60
PK	15.6888G	57.28	74.00	-16.72	18.11	3	Vertical	4	1.27	-	39.17	37.98	14.64	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69264G	44.77	54.00	-9.23	18.11	3	Horizontal	327	1.50	-	26.66	37.99	14.64	34.52
PK	10.45728G	60.93	68.20	-7.27	17.24	3	Horizontal	70	1.74	-	43.69	39.61	12.23	34.60
PK	15.6936G	56.77	74.00	-17.23	18.11	3	Horizontal	327	1.50	-	38.66	37.99	14.64	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.262G	101.87	Inf	-Inf	6.09	3	Vertical	2	3.00	-	95.78	31.18	9.15	34.24
AV	5.3516G	46.70	54.00	-7.30	6.01	3	Vertical	2	3.00	-	40.69	31.01	9.25	34.25
PK	5.2624G	113.47	Inf	-Inf	6.09	3	Vertical	2	3.00	-	107.38	31.18	9.15	34.24
PK	5.35G	60.24	74.00	-13.76	6.00	3	Vertical	2	3.00	-	54.24	31.00	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2624G	108.52	Inf	-Inf	6.09	3	Horizontal	72	1.81	-	102.43	31.18	9.15	34.24
AV	5.35G	53.35	54.00	-0.65	6.00	3	Horizontal	72	1.81	-	47.35	31.00	9.25	34.25
PK	5.2828G	121.01	Inf	-Inf	6.06	3	Horizontal	72	1.81	-	114.95	31.13	9.17	34.24
PK	5.3508G	67.97	74.00	-6.03	6.00	3	Horizontal	72	1.81	-	61.97	31.00	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.80512G	46.99	54.00	-7.01	17.86	3	Vertical	28	1.00	-	29.13	37.59	14.89	34.62
PK	10.53628G	60.90	68.20	-7.30	17.64	3	Vertical	20	1.40	-	43.26	39.74	12.44	34.54
PK	15.80504G	61.41	74.00	-12.59	17.86	3	Vertical	28	1.00	-	43.55	37.59	14.89	34.62

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.80892G	46.54	54.00	-7.46	17.85	3	Horizontal	46	2.34	-	28.69	37.58	14.89	34.62
PK	10.53688G	62.89	68.20	-5.31	17.64	3	Horizontal	88	1.74	-	45.25	39.74	12.44	34.54
PK	15.80836G	60.43	74.00	-13.57	17.85	3	Horizontal	46	2.34	-	42.58	37.58	14.89	34.62

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2988G	98.54	Inf	-Inf	6.05	3	Vertical	4	1.39	-	92.49	31.10	9.19	34.24
AV	5.3596G	47.22	54.00	-6.78	6.07	3	Vertical	4	1.39	-	41.15	31.06	9.26	34.25
PK	5.3004G	110.69	Inf	-Inf	6.05	3	Vertical	4	1.39	-	104.64	31.10	9.19	34.24
PK	5.3572G	59.43	74.00	-14.57	6.04	3	Vertical	4	1.39	-	53.39	31.04	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3176G	105.14	Inf	-Inf	6.02	3	Horizontal	304	1.97	-	99.12	31.06	9.21	34.25
AV	5.3576G	53.38	54.00	-0.62	6.05	3	Horizontal	304	1.97	-	47.33	31.05	9.25	34.25
PK	5.298G	118.33	Inf	-Inf	6.05	3	Horizontal	304	1.97	-	112.28	31.10	9.19	34.24
PK	5.3576G	68.90	74.00	-5.10	6.05	3	Horizontal	304	1.97	-	62.85	31.05	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62G	44.96	54.00	-9.04	17.81	3	Vertical	67	1.98	-	27.15	39.82	12.47	34.48
AV	15.9356G	45.44	54.00	-8.56	17.63	3	Vertical	0	1.57	-	27.81	37.44	14.93	34.74
PK	10.62024G	56.87	74.00	-17.13	17.81	3	Vertical	67	1.98	-	39.06	39.82	12.47	34.48
PK	15.93856G	59.43	74.00	-14.57	17.63	3	Vertical	0	1.57	-	41.80	37.44	14.93	34.74

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61724G	45.98	54.00	-8.02	17.81	3	Horizontal	86	1.74	-	28.17	39.82	12.47	34.48
AV	15.93848G	45.45	54.00	-8.55	17.63	3	Horizontal	0	1.50	-	27.82	37.44	14.93	34.74
PK	10.6166G	59.67	74.00	-14.33	17.81	3	Horizontal	86	1.74	-	41.86	39.82	12.47	34.48
PK	15.93856G	59.34	74.00	-14.66	17.63	3	Horizontal	0	1.50	-	41.71	37.44	14.93	34.74

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4476G	48.10	54.00	-5.90	8.98	3	Vertical	343	2.27	-	39.12	33.90	9.34	34.26
AV	5.5088G	99.40	Inf	-Inf	8.83	3	Vertical	343	2.27	-	90.57	33.70	9.39	34.26
PK	5.4664G	65.50	68.20	-2.70	8.92	3	Vertical	343	2.27	-	56.58	33.83	9.35	34.26
PK	5.5084G	111.31	Inf	-Inf	8.83	3	Vertical	343	2.27	-	102.48	33.70	9.39	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.28	54.00	-4.72	8.95	3	Horizontal	299	1.34	-	40.33	33.86	9.35	34.26
AV	5.5028G	103.59	Inf	-Inf	8.82	3	Horizontal	299	1.34	-	94.77	33.70	9.38	34.26
PK	5.4632G	65.32	68.20	-2.88	8.94	3	Horizontal	299	1.34	-	56.38	33.85	9.35	34.26
PK	5.5028G	116.62	Inf	-Inf	8.82	3	Horizontal	299	1.34	-	107.80	33.70	9.38	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0273G	41.57	54.00	-12.43	17.78	3	Vertical	34	1.09	-	23.79	39.33	12.64	34.19
PK	11.0258G	55.04	74.00	-18.96	17.78	3	Vertical	34	1.09	-	37.26	39.33	12.64	34.19
PK	16.5208G	65.18	68.20	-3.02	22.53	3	Vertical	137	1.31	-	42.65	41.51	15.25	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0253G	42.48	54.00	-11.52	17.78	3	Horizontal	254	2.30	-	24.70	39.33	12.64	34.19
PK	11.0268G	55.91	74.00	-18.09	17.78	3	Horizontal	254	2.30	-	38.13	39.33	12.64	34.19
PK	16.522G	65.67	68.20	-2.53	22.55	3	Horizontal	60	1.97	-	43.12	41.52	15.26	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	49.01	54.00	-4.99	8.96	3	Vertical	335	2.33	-	40.05	33.88	9.34	34.26
AV	5.556G	103.22	Inf	-Inf	8.83	3	Vertical	335	2.33	-	94.39	33.68	9.42	34.27
PK	5.4636G	61.91	68.20	-6.29	8.94	3	Vertical	335	2.33	-	52.97	33.85	9.35	34.26
PK	5.5548G	115.74	Inf	-Inf	8.83	3	Vertical	335	2.33	-	106.91	33.68	9.42	34.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4556G	50.99	54.00	-3.01	8.96	3	Horizontal	305	1.17	-	42.03	33.88	9.34	34.26
AV	5.556G	109.54	Inf	-Inf	8.83	3	Horizontal	305	1.17	-	100.71	33.68	9.42	34.27
PK	5.4628G	67.02	68.20	-1.18	8.94	3	Horizontal	305	1.17	-	58.08	33.85	9.35	34.26
PK	5.5576G	121.81	Inf	-Inf	8.83	3	Horizontal	305	1.17	-	112.98	33.67	9.43	34.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0983G	43.80	54.00	-10.20	17.89	3	Vertical	340	1.45	-	25.91	39.40	12.67	34.18
PK	11.0987G	56.66	74.00	-17.34	17.89	3	Vertical	340	1.45	-	38.77	39.40	12.67	34.18
PK	16.6325G	64.56	68.20	-3.64	23.82	3	Vertical	134	2.04	-	40.74	42.53	15.32	34.03

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.098G	47.24	54.00	-6.76	17.89	3	Horizontal	302	1.69	-	29.35	39.40	12.67	34.18
PK	11.098G	59.63	74.00	-14.37	17.89	3	Horizontal	302	1.69	-	41.74	39.40	12.67	34.18
PK	16.6423G	64.77	68.20	-3.43	23.92	3	Horizontal	203	1.81	-	40.85	42.60	15.33	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6736G	102.49	Inf	-Inf	8.79	3	Vertical	6	3.00	-	93.70	33.59	9.48	34.28
PK	5.6748G	115.12	Inf	-Inf	8.80	3	Vertical	6	3.00	-	106.32	33.60	9.48	34.28
PK	5.7336G	61.51	68.20	-6.69	8.85	3	Vertical	6	3.00	-	52.66	33.63	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6628G	106.43	Inf	-Inf	8.75	3	Horizontal	75	2.34	-	97.68	33.55	9.48	34.28
PK	5.6624G	119.66	Inf	-Inf	8.75	3	Horizontal	75	2.34	-	110.91	33.55	9.48	34.28
PK	5.7252G	65.89	68.20	-2.31	8.87	3	Horizontal	75	2.34	-	57.02	33.65	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34348G	38.15	54.00	-15.85	-2.32	3	Vertical	0	2.50	-	40.47	40.27	12.77	55.36
PK	11.3364G	52.15	74.00	-21.85	-2.35	3	Vertical	0	2.50	-	54.50	40.25	12.77	55.37
PK	17.00836G	56.61	68.20	-11.59	7.00	3	Vertical	360	2.53	-	49.61	44.50	15.54	53.04

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34344G	38.10	54.00	-15.90	-2.32	3	Horizontal	82	3.00	-	40.42	40.27	12.77	55.36
PK	11.3314G	52.26	74.00	-21.74	-2.37	3	Horizontal	82	3.00	-	54.63	40.23	12.77	55.37
PK	17.00044G	57.81	68.20	-10.39	7.01	3	Horizontal	37	1.50	-	50.80	44.50	15.54	53.03

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4412G	47.51	54.00	-6.49	8.95	3	Vertical	7	2.98	-	38.56	33.88	9.33	34.26
AV	5.7136G	106.11	Inf	-Inf	8.88	3	Vertical	7	2.98	-	97.23	33.67	9.49	34.28
PK	5.4616G	59.11	68.20	-9.09	8.94	3	Vertical	7	2.98	-	50.17	33.85	9.35	34.26
PK	5.7124G	119.11	Inf	-Inf	8.89	3	Vertical	7	2.98	-	110.22	33.68	9.49	34.28
PK	5.8552G	62.73	68.20	-5.47	9.10	3	Vertical	7	2.98	-	53.63	33.84	9.56	34.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4556G	47.55	54.00	-6.45	8.96	3	Horizontal	73	2.43	-	38.59	33.88	9.34	34.26
AV	5.7028G	109.59	Inf	-Inf	8.90	3	Horizontal	73	2.43	-	100.69	33.69	9.49	34.28
PK	5.4628G	60.50	68.20	-7.70	8.94	3	Horizontal	73	2.43	-	51.56	33.85	9.35	34.26
PK	5.7016G	120.77	Inf	-Inf	8.91	3	Horizontal	73	2.43	-	111.86	33.70	9.49	34.28
PK	5.8576G	61.42	68.20	-6.78	9.13	3	Horizontal	73	2.43	-	52.29	33.86	9.57	34.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41892G	37.53	54.00	-16.47	-1.96	3	Vertical	81	2.27	-	39.49	40.54	12.81	55.31
PK	11.41676G	51.14	74.00	-22.86	-1.97	3	Vertical	81	2.27	-	53.11	40.53	12.81	55.31
PK	17.12668G	56.46	68.20	-11.74	7.13	3	Vertical	27	1.96	-	49.33	44.69	15.61	53.17

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41872G	37.58	54.00	-16.42	-1.96	3	Horizontal	248	1.50	-	39.54	40.54	12.81	55.31
PK	11.42532G	50.94	74.00	-23.06	-1.94	3	Horizontal	248	1.50	-	52.88	40.55	12.81	55.30
PK	17.12392G	57.54	68.20	-10.66	7.11	3	Horizontal	356	2.13	-	50.43	44.67	15.61	53.17

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.749G	104.12	Inf	-Inf	6.75	3	Vertical	33	2.92	-	97.37	32.00	9.03	34.28
PK	5.6494G	60.22	68.20	-7.98	6.37	3	Vertical	33	2.92	-	53.85	31.70	8.94	34.27
PK	5.7502G	114.92	Inf	-Inf	6.75	3	Vertical	33	2.92	-	108.17	32.00	9.04	34.29
PK	5.9998G	59.92	68.20	-8.28	7.26	3	Vertical	33	2.92	-	52.66	32.40	9.17	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.749G	110.83	Inf	-Inf	6.75	3	Horizontal	66	2.29	-	104.08	32.00	9.03	34.28
PK	5.647G	65.10	68.20	-3.10	6.36	3	Horizontal	66	2.29	-	58.74	31.69	8.94	34.27
PK	5.749G	121.04	Inf	-Inf	6.75	3	Horizontal	66	2.29	-	114.29	32.00	9.03	34.28
PK	6.031G	59.98	68.20	-8.22	7.22	3	Horizontal	66	2.29	-	52.76	32.34	9.19	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50992G	44.79	54.00	-9.21	18.59	3	Vertical	311	1.42	-	26.20	39.99	12.76	34.16
PK	11.49096G	55.40	74.00	-18.60	18.57	3	Vertical	311	1.42	-	36.83	39.98	12.75	34.16
PK	17.27196G	63.72	68.20	-4.48	21.49	3	Vertical	339	1.88	-	42.23	39.72	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50984G	43.49	54.00	-10.51	18.59	3	Horizontal	331	1.39	-	24.90	39.99	12.76	34.16
PK	11.51208G	55.07	74.00	-18.93	18.58	3	Horizontal	331	1.39	-	36.49	39.99	12.76	34.17
PK	17.25972G	64.48	68.20	-3.72	21.45	3	Horizontal	338	2.51	-	43.03	39.68	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7902G	106.33	Inf	-Inf	6.78	3	Vertical	32	3.00	-	99.55	32.00	9.07	34.29
PK	5.6474G	61.99	68.20	-6.21	6.36	3	Vertical	32	3.00	-	55.63	31.69	8.94	34.27
PK	5.789G	117.03	Inf	-Inf	6.78	3	Vertical	32	3.00	-	110.25	32.00	9.07	34.29
PK	6.0878G	59.68	68.20	-8.52	7.30	3	Vertical	32	3.00	-	52.38	32.38	9.24	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.789G	111.89	Inf	-Inf	6.78	3	Horizontal	64	2.35	-	105.11	32.00	9.07	34.29
PK	5.6474G	66.28	68.20	-1.92	6.36	3	Horizontal	64	2.35	-	59.92	31.69	8.94	34.27
PK	5.7878G	122.20	Inf	-Inf	6.78	3	Horizontal	64	2.35	-	115.42	32.00	9.07	34.29
PK	6.0674G	59.32	68.20	-8.88	7.23	3	Horizontal	64	2.35	-	52.09	32.33	9.22	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58984G	44.51	54.00	-9.49	18.51	3	Vertical	312	1.37	-	26.00	39.91	12.80	34.20
PK	11.59776G	55.98	74.00	-18.02	18.50	3	Vertical	312	1.37	-	37.48	39.90	12.81	34.21
PK	17.3774G	64.82	68.20	-3.38	22.26	3	Vertical	31	1.00	-	42.56	40.42	15.07	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58984G	44.04	54.00	-9.96	18.51	3	Horizontal	23	1.50	-	25.53	39.91	12.80	34.20
PK	11.59944G	55.79	74.00	-18.21	18.50	3	Horizontal	23	1.50	-	37.29	39.90	12.81	34.21
PK	17.38452G	66.64	68.20	-1.56	22.32	3	Horizontal	55	1.98	-	44.32	40.48	15.07	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1332G	48.80	54.00	-5.20	5.98	3	Vertical	35	2.92	-	42.82	31.70	8.51	34.23
AV	5.2136G	96.96	Inf	-Inf	5.75	3	Vertical	35	2.92	-	91.21	31.42	8.57	34.24
AV	5.3552G	45.88	54.00	-8.12	5.38	3	Vertical	35	2.92	-	40.50	31.03	8.60	34.25
PK	5.132G	60.61	74.00	-13.39	5.98	3	Vertical	35	2.92	-	54.63	31.70	8.51	34.23
PK	5.1944G	107.45	Inf	-Inf	5.84	3	Vertical	35	2.92	-	101.61	31.52	8.56	34.24
PK	5.4836G	57.58	68.20	-10.62	6.14	3	Vertical	35	2.92	-	51.44	31.67	8.73	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1452G	52.73	54.00	-1.27	5.99	3	Horizontal	64	1.29	-	46.74	31.70	8.52	34.23
AV	5.2052G	100.61	Inf	-Inf	5.80	3	Horizontal	64	1.29	-	94.81	31.47	8.57	34.24
AV	5.366G	46.16	54.00	-7.84	5.45	3	Horizontal	64	1.29	-	40.71	31.10	8.60	34.25
PK	5.144G	66.64	74.00	-7.36	5.99	3	Horizontal	64	1.29	-	60.65	31.70	8.52	34.23
PK	5.2256G	112.45	Inf	-Inf	5.69	3	Horizontal	64	1.29	-	106.76	31.35	8.58	34.24
PK	5.4836G	58.24	68.20	-9.96	6.14	3	Horizontal	64	1.29	-	52.10	31.67	8.73	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63248G	44.06	54.00	-9.94	18.03	3	Vertical	3	1.50	-	26.03	37.86	14.63	34.46
PK	10.38352G	54.61	68.20	-13.59	16.98	3	Vertical	197	1.50	-	37.63	39.45	12.19	34.66
PK	15.63192G	56.68	74.00	-17.32	18.03	3	Vertical	3	1.50	-	38.65	37.86	14.63	34.46

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62404G	43.97	54.00	-10.03	18.03	3	Horizontal	281	1.50	-	25.94	37.85	14.63	34.45
PK	10.42004G	57.39	68.20	-10.81	17.12	3	Horizontal	19	2.02	-	40.27	39.54	12.21	34.63
PK	15.62096G	56.32	74.00	-17.68	18.02	3	Horizontal	281	1.50	-	38.30	37.84	14.63	34.45

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	47.34	54.00	-6.66	8.83	3	Vertical	4	1.35	-	38.51	33.99	9.07	34.23
AV	5.279G	95.64	Inf	-Inf	8.83	3	Vertical	4	1.35	-	86.81	33.90	9.17	34.24
AV	5.359G	49.46	54.00	-4.54	9.05	3	Vertical	4	1.35	-	40.41	34.05	9.25	34.25
PK	5.123G	60.49	74.00	-13.51	8.79	3	Vertical	4	1.35	-	51.70	33.95	9.07	34.23
PK	5.279G	107.16	Inf	-Inf	8.83	3	Vertical	4	1.35	-	98.33	33.90	9.17	34.24
PK	5.54G	59.59	68.20	-8.61	8.85	3	Vertical	4	1.35	-	50.74	33.70	9.41	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.60	54.00	-6.40	8.84	3	Horizontal	75	1.50	-	38.76	34.00	9.07	34.23
AV	5.288G	99.69	Inf	-Inf	8.84	3	Horizontal	75	1.50	-	90.85	33.90	9.18	34.24
AV	5.35G	53.10	54.00	-0.90	9.10	3	Horizontal	75	1.50	-	44.00	34.10	9.25	34.25
PK	5.149G	60.07	74.00	-13.93	8.84	3	Horizontal	75	1.50	-	51.23	34.00	9.07	34.23
PK	5.289G	110.68	Inf	-Inf	8.84	3	Horizontal	75	1.50	-	101.84	33.90	9.18	34.24
PK	5.369G	66.74	74.00	-7.26	9.01	3	Horizontal	75	1.50	-	57.73	33.99	9.27	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61456G	41.63	54.00	-12.37	17.35	3	Vertical	78	1.88	-	24.28	39.36	12.47	34.48
AV	15.9015G	50.98	54.00	-3.02	22.91	3	Vertical	222	2.50	-	28.07	42.70	14.92	34.71
PK	10.6172G	54.93	74.00	-19.07	17.34	3	Vertical	78	1.88	-	37.59	39.35	12.47	34.48
PK	15.87198G	64.70	74.00	-9.30	23.01	3	Vertical	222	2.50	-	41.69	42.78	14.91	34.68

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60016G	41.75	54.00	-12.25	17.37	3	Horizontal	140	1.96	-	24.38	39.40	12.46	34.49
AV	15.91158G	51.02	54.00	-2.98	22.89	3	Horizontal	289	1.37	-	28.13	42.69	14.92	34.72
PK	10.60134G	55.37	74.00	-18.63	17.37	3	Horizontal	140	1.96	-	38.00	39.40	12.46	34.49
PK	15.85452G	64.44	74.00	-9.56	23.07	3	Horizontal	289	1.37	-	41.37	42.84	14.90	34.67

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	50.38	54.00	-3.62	8.96	3	Vertical	334	2.35	-	41.42	33.88	9.34	34.26
AV	5.536G	96.29	Inf	-Inf	8.85	3	Vertical	334	2.35	-	87.44	33.70	9.41	34.26
PK	5.346G	60.03	68.20	-8.17	9.07	3	Vertical	334	2.35	-	50.96	34.08	9.24	34.25
PK	5.536G	106.74	Inf	-Inf	8.85	3	Vertical	334	2.35	-	97.89	33.70	9.41	34.26
PK	5.763G	58.85	68.20	-9.35	8.87	3	Vertical	334	2.35	-	49.98	33.65	9.51	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	52.48	54.00	-1.52	8.96	3	Horizontal	311	1.28	-	43.52	33.88	9.34	34.26
AV	5.536G	100.75	Inf	-Inf	8.85	3	Horizontal	311	1.28	-	91.90	33.70	9.41	34.26
PK	5.462G	62.83	68.20	-5.37	8.94	3	Horizontal	311	1.28	-	53.89	33.85	9.35	34.26
PK	5.536G	112.45	Inf	-Inf	8.85	3	Horizontal	311	1.28	-	103.60	33.70	9.41	34.26
PK	5.757G	59.55	68.20	-8.65	8.85	3	Horizontal	311	1.28	-	50.70	33.63	9.51	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02004G	41.94	54.00	-12.06	17.77	3	Vertical	100	1.36	-	24.17	39.32	12.64	34.19
PK	11.03858G	55.47	74.00	-18.53	17.80	3	Vertical	100	1.36	-	37.67	39.34	12.65	34.19
PK	16.59252G	64.53	68.20	-3.67	23.43	3	Vertical	188	1.77	-	41.10	42.23	15.30	34.10

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.078G	41.44	54.00	-12.56	17.85	3	Horizontal	207	2.21	-	23.59	39.38	12.66	34.19
PK	11.0996G	55.38	74.00	-18.62	17.89	3	Horizontal	207	2.21	-	37.49	39.40	12.67	34.18
PK	16.59234G	65.32	68.20	-2.88	23.42	3	Horizontal	216	1.57	-	41.90	42.22	15.30	34.10

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.368G	47.42	54.00	-6.58	9.00	3	Vertical	5	2.80	-	38.42	33.99	9.26	34.25
AV	5.627G	98.78	Inf	-Inf	8.70	3	Vertical	5	2.80	-	90.08	33.50	9.47	34.27
PK	5.467G	58.78	68.20	-9.42	8.92	3	Vertical	5	2.80	-	49.86	33.83	9.35	34.26
PK	5.606G	110.82	Inf	-Inf	8.69	3	Vertical	5	2.80	-	102.13	33.50	9.46	34.27
PK	5.728G	63.76	68.20	-4.44	8.86	3	Vertical	5	2.80	-	54.90	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.07	54.00	-5.93	8.95	3	Horizontal	305	1.90	-	39.12	33.86	9.35	34.26
AV	5.62G	102.81	Inf	-Inf	8.70	3	Horizontal	305	1.90	-	94.11	33.50	9.47	34.27
PK	5.465G	60.31	68.20	-7.89	8.93	3	Horizontal	305	1.90	-	51.38	33.84	9.35	34.26
PK	5.62G	114.45	Inf	-Inf	8.70	3	Horizontal	305	1.90	-	105.75	33.50	9.47	34.27
PK	5.738G	65.43	68.20	-2.77	8.84	3	Horizontal	305	1.90	-	56.59	33.62	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21892G	37.41	54.00	-16.59	-2.79	3	Vertical	192	1.37	-	40.20	39.94	12.72	55.45
PK	11.22072G	50.95	74.00	-23.05	-2.79	3	Vertical	192	1.37	-	53.74	39.94	12.72	55.45
PK	16.82396G	56.24	68.20	-11.96	6.46	3	Vertical	348	1.50	-	49.78	43.95	15.43	52.92

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21788G	37.59	54.00	-16.41	-2.79	3	Horizontal	58	1.50	-	40.38	39.94	12.72	55.45
PK	11.21376G	50.89	74.00	-23.11	-2.81	3	Horizontal	58	1.50	-	53.70	39.93	12.72	55.46
PK	16.83052G	57.12	68.20	-11.08	6.48	3	Horizontal	360	1.52	-	50.64	43.96	15.44	52.92

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	47.92	54.00	-6.08	8.97	3	Vertical	25	3.00	-	38.95	33.89	9.34	34.26
AV	5.6792G	102.97	Inf	-Inf	8.82	3	Vertical	25	3.00	-	94.15	33.62	9.48	34.28
PK	5.4692G	59.92	68.20	-8.28	8.92	3	Vertical	25	3.00	-	51.00	33.82	9.36	34.26
PK	5.678G	114.02	Inf	-Inf	8.81	3	Vertical	25	3.00	-	105.21	33.61	9.48	34.28
PK	5.858G	64.65	68.20	-3.55	9.13	3	Vertical	25	3.00	-	55.52	33.86	9.57	34.30

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4488G	47.65	54.00	-6.35	8.98	3	Horizontal	71	2.24	-	38.67	33.90	9.34	34.26
AV	5.684G	106.51	Inf	-Inf	8.85	3	Horizontal	71	2.24	-	97.66	33.64	9.49	34.28
PK	5.468G	59.71	68.20	-8.49	8.92	3	Horizontal	71	2.24	-	50.79	33.83	9.35	34.26
PK	5.6648G	117.18	Inf	-Inf	8.76	3	Horizontal	71	2.24	-	108.42	33.56	9.48	34.28
PK	5.8556G	66.48	68.20	-1.72	9.10	3	Horizontal	71	2.24	-	57.38	33.84	9.56	34.30

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37096G	37.90	54.00	-16.10	-2.17	3	Vertical	154	1.50	-	40.07	40.38	12.79	55.34
PK	11.37976G	51.31	74.00	-22.69	-2.13	3	Vertical	154	1.50	-	53.44	40.42	12.79	55.34
PK	17.07456G	57.04	68.20	-11.16	6.97	3	Vertical	36	2.98	-	50.07	44.50	15.58	53.11

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37112G	38.05	54.00	-15.95	-2.17	3	Horizontal	152.4	2.49	-	40.22	40.38	12.79	55.34
PK	11.37188G	51.42	74.00	-22.58	-2.16	3	Horizontal	152.4	2.49	-	53.58	40.39	12.79	55.34
PK	17.06808G	56.41	68.20	-11.79	6.96	3	Horizontal	310	2.21	-	49.45	44.50	15.57	53.11

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7774G	99.94	Inf	-Inf	6.77	3	Vertical	27	3.00	-	93.17	32.00	9.06	34.29
PK	5.6346G	62.58	68.20	-5.62	6.33	3	Vertical	27	3.00	-	56.25	31.67	8.93	34.27
PK	5.7786G	112.25	Inf	-Inf	6.77	3	Vertical	27	3.00	-	105.48	32.00	9.06	34.29
PK	6.003G	59.88	68.20	-8.32	7.25	3	Vertical	27	3.00	-	52.63	32.39	9.17	34.31

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7714G	102.48	Inf	-Inf	6.76	3	Horizontal	312	1.50	-	95.72	32.00	9.05	34.29
PK	5.6502G	66.83	68.35	-1.52	6.37	3	Horizontal	312	1.50	-	60.46	31.70	8.95	34.28
PK	5.7714G	114.64	Inf	-Inf	6.76	3	Horizontal	312	1.50	-	107.88	32.00	9.05	34.29
PK	6.003G	59.26	68.20	-8.94	7.25	3	Horizontal	312	1.50	-	52.01	32.39	9.17	34.31

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54984G	44.58	54.00	-9.42	18.55	3	Vertical	310	1.39	-	26.03	39.95	12.78	34.18
PK	11.54984G	55.71	74.00	-18.29	18.55	3	Vertical	310	1.39	-	37.16	39.95	12.78	34.18
PK	17.34272G	60.12	68.20	-8.08	21.96	3	Vertical	333	2.85	-	38.16	40.14	15.06	33.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55G	43.99	54.00	-10.01	18.55	3	Horizontal	332	1.50	-	25.44	39.95	12.78	34.18
PK	11.57144G	55.61	74.00	-18.39	18.53	3	Horizontal	332	1.50	-	37.08	39.93	12.79	34.19
PK	17.29764G	59.85	68.20	-8.35	21.58	3	Horizontal	27	1.50	-	38.27	39.79	15.05	33.26

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	49.4M	35.56	40.00	-4.44	3	Horizontal	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	146.4M	29.50	43.50	-14.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	216.24M	27.51	46.00	-18.49	3	Vertical	360	1.00	-
5775MHz	Pass	PK	386.96M	26.82	46.00	-19.18	3	Vertical	360	1.00	-
5775MHz	Pass	PK	600.36M	32.86	46.00	-13.14	3	Vertical	360	1.00	-
5775MHz	Pass	PK	720.64M	33.98	46.00	-12.02	3	Vertical	360	1.00	-
5775MHz	Pass	QP	41.64M	31.60	40.00	-8.40	3	Vertical	48	1.10	-
5775MHz	Pass	PK	47.46M	34.76	40.00	-5.24	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	148.34M	30.24	43.50	-13.26	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	222.06M	32.26	46.00	-13.74	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	307.42M	27.76	46.00	-18.24	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	600.36M	33.92	46.00	-12.08	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	899.12M	34.71	46.00	-11.29	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	39.7M	35.42	40.00	-4.58	3	Vertical	360	1.00	-
5775MHz	Pass	PK	181.32M	27.80	43.50	-15.70	3	Vertical	360	1.00	-
5775MHz	Pass	PK	295.78M	29.09	46.00	-16.91	3	Vertical	360	1.00	-
5775MHz	Pass	PK	408.3M	29.76	46.00	-16.24	3	Vertical	360	1.00	-
5775MHz	Pass	PK	505.3M	29.95	46.00	-16.05	3	Vertical	360	1.00	-
5775MHz	Pass	PK	600.36M	33.38	46.00	-12.62	3	Vertical	360	1.00	-
5775MHz	Pass	PK	49.4M	35.56	40.00	-4.44	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	185.2M	28.09	43.50	-15.41	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	295.78M	30.85	46.00	-15.15	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	410.24M	30.85	46.00	-15.15	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	600.36M	33.12	46.00	-12.88	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	800.18M	32.21	46.00	-13.79	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	146.4M	29.50	43.50	-14.00	-10.12	3	Vertical	360	1.00	-	39.62	15.77	1.68	27.57
PK	216.24M	27.51	46.00	-18.49	-11.07	3	Vertical	360	1.00	-	38.58	14.13	2.02	27.22
PK	386.96M	26.82	46.00	-19.18	-4.55	3	Vertical	360	1.00	-	31.37	20.42	2.69	27.66
PK	600.36M	32.86	46.00	-13.14	-1.09	3	Vertical	360	1.00	-	33.95	23.97	3.37	28.43
PK	720.64M	33.98	46.00	-12.02	-0.11	3	Vertical	360	1.00	-	34.09	24.42	3.64	28.17
QP	41.64M	31.60	40.00	-8.40	-9.63	3	Vertical	48	1.10	-	41.23	16.83	0.98	27.44

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	34.76	40.00	-5.24	-12.55	3	Horizontal	0	1.00	-	47.31	14.05	1.04	27.64
PK	148.34M	30.24	43.50	-13.26	-10.16	3	Horizontal	0	1.00	-	40.40	15.72	1.69	27.57
PK	222.06M	32.26	46.00	-13.74	-10.60	3	Horizontal	0	1.00	-	42.86	14.55	2.04	27.19
PK	307.42M	27.76	46.00	-18.24	-6.04	3	Horizontal	0	1.00	-	33.80	18.67	2.39	27.10
PK	600.36M	33.92	46.00	-12.08	-1.09	3	Horizontal	0	1.00	-	35.01	23.97	3.37	28.43
PK	899.12M	34.71	46.00	-11.29	2.24	3	Horizontal	0	1.00	-	32.47	25.63	4.11	27.50

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	39.7M	35.42	40.00	-4.58	-8.52	3	Vertical	360	1.00	-	43.94	17.89	0.96	27.37
PK	181.32M	27.80	43.50	-15.70	-11.23	3	Vertical	360	1.00	-	39.03	14.35	1.87	27.45
PK	295.78M	29.09	46.00	-16.91	-6.40	3	Vertical	360	1.00	-	35.49	18.32	2.34	27.06
PK	408.3M	29.76	46.00	-16.24	-3.54	3	Vertical	360	1.00	-	33.30	21.52	2.77	27.83
PK	505.3M	29.95	46.00	-16.05	-2.48	3	Vertical	360	1.00	-	32.43	22.78	3.09	28.35
PK	600.36M	33.38	46.00	-12.62	-1.09	3	Vertical	360	1.00	-	34.47	23.97	3.37	28.43

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	49.4M	35.56	40.00	-4.44	-13.24	3	Horizontal	0	1.00	-	48.80	13.40	1.06	27.70
PK	185.2M	28.09	43.50	-15.41	-11.30	3	Horizontal	0	1.00	-	39.39	14.23	1.89	27.42
PK	295.78M	30.85	46.00	-15.15	-6.40	3	Horizontal	0	1.00	-	37.25	18.32	2.34	27.06
PK	410.24M	30.85	46.00	-15.15	-3.43	3	Horizontal	0	1.00	-	34.28	21.64	2.77	27.84
PK	600.36M	33.12	46.00	-12.88	-1.09	3	Horizontal	0	1.00	-	34.21	23.97	3.37	28.43
PK	800.18M	32.21	46.00	-13.79	1.01	3	Horizontal	0	1.00	-	31.20	25.01	3.88	27.88

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	5	1.37	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	10.39634G	67.07	68.20	-1.13	3	Horizontal	69	1.67	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	AV	5.1436G	53.32	54.00	-0.68	3	Horizontal	66	1.68	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.1428G	52.90	54.00	-1.10	3	Horizontal	311	1.93	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.3576G	53.02	54.00	-0.98	3	Horizontal	302	1.91	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	326	2.62	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	AV	5.3636G	53.34	54.00	-0.66	3	Horizontal	298	1.82	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.363G	52.86	54.00	-1.14	3	Horizontal	69	1.73	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	Pass	AV	5.3664G	53.43	54.00	-0.57	3	Horizontal	70	1.78	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	16.74696G	67.19	68.20	-1.01	3	Vertical	20	1.07	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.16474G	67.18	68.20	-1.02	3	Horizontal	289	2.81	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	PK	17.12864G	67.19	68.20	-1.01	3	Horizontal	13	3.15	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	5.8544G	67.66	68.20	-0.54	3	Horizontal	305	1.91	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	Pass	AV	5.4428G	53.33	54.00	-0.67	3	Horizontal	72	2.47	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	17.35652G	67.02	68.20	-1.18	3	Horizontal	317	2.20	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.46216G	67.11	68.20	-1.09	3	Horizontal	55	2.27	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	PK	17.37404G	66.83	68.20	-1.37	3	Horizontal	49	1.00	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	5.6562G	71.97	72.79	-0.82	3	Horizontal	307	1.97	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.1836G	109.78	Inf	-Inf	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.3756G	47.23	54.00	-6.77	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.15G	67.15	74.00	-6.85	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.1836G	117.69	Inf	-Inf	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.4668G	58.62	68.20	-9.58	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.1368G	53.20	54.00	-0.80	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	5.1776G	115.58	Inf	-Inf	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	5.3696G	51.61	54.00	-2.39	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.1368G	66.45	74.00	-7.55	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.1788G	123.37	Inf	-Inf	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.4704G	58.59	68.20	-9.61	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	15.545G	35.09	54.00	-18.91	3	Vertical	360	1.50	-
5180MHz	Pass	AV	20.7209G	39.57	54.00	-14.43	3	Vertical	23	1.70	-
5180MHz	Pass	PK	10.35996G	54.87	68.20	-13.33	3	Vertical	32	2.84	-
5180MHz	Pass	PK	15.53672G	48.15	74.00	-25.85	3	Vertical	360	1.50	-
5180MHz	Pass	PK	20.7225G	52.39	74.00	-21.61	3	Vertical	23	1.70	-
5180MHz	Pass	AV	15.53728G	35.87	54.00	-18.13	3	Horizontal	64	1.65	-
5180MHz	Pass	AV	20.7259G	38.61	54.00	-15.39	3	Horizontal	45	1.62	-
5180MHz	Pass	PK	10.35816G	60.37	68.20	-7.83	3	Horizontal	65	1.68	-
5180MHz	Pass	PK	15.53716G	47.44	74.00	-26.56	3	Horizontal	64	1.65	-
5180MHz	Pass	PK	20.7276G	52.31	74.00	-21.69	3	Horizontal	45	1.62	-
5200MHz	Pass	AV	5.1484G	51.66	54.00	-2.34	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.1988G	111.58	Inf	-Inf	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.3932G	48.01	54.00	-5.99	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.1496G	64.39	74.00	-9.61	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.2012G	119.63	Inf	-Inf	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.4772G	58.07	68.20	-10.13	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.1496G	52.29	54.00	-1.71	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	5.1928G	114.30	Inf	-Inf	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	5.3848G	49.04	54.00	-4.96	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.1496G	62.57	74.00	-11.43	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.1928G	122.14	Inf	-Inf	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.4988G	58.09	68.20	-10.11	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	15.5944G	47.00	54.00	-7.00	3	Vertical	347	1.50	-
5200MHz	Pass	AV	20.7905G	39.75	54.00	-14.25	3	Vertical	357	1.34	-
5200MHz	Pass	PK	10.3962G	63.52	68.20	-4.68	3	Vertical	29	3.00	-
5200MHz	Pass	PK	15.5942G	59.52	74.00	-14.48	3	Vertical	347	1.50	-
5200MHz	Pass	PK	20.7904G	52.39	74.00	-21.61	3	Vertical	357	1.34	-
5200MHz	Pass	AV	15.6026G	47.65	54.00	-6.35	3	Horizontal	0	1.54	-
5200MHz	Pass	AV	20.8048G	40.17	54.00	-13.83	3	Horizontal	42	1.70	-
5200MHz	Pass	PK	10.4028G	67.19	68.20	-1.01	3	Horizontal	76	1.71	-
5200MHz	Pass	PK	15.5988G	60.43	74.00	-13.57	3	Horizontal	0	1.54	-
5200MHz	Pass	PK	20.8049G	53.12	74.00	-20.88	3	Horizontal	42	1.70	-
5240MHz	Pass	AV	5.0444G	46.61	54.00	-7.39	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.2328G	108.76	Inf	-Inf	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.4248G	45.71	54.00	-8.29	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.0492G	57.24	74.00	-16.76	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.2328G	118.49	Inf	-Inf	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.534G	55.99	68.20	-12.21	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.0528G	48.65	54.00	-5.35	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	5.246G	112.74	Inf	-Inf	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	5.426G	48.11	54.00	-5.89	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.12G	62.38	74.00	-11.62	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.246G	123.11	Inf	-Inf	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.5124G	58.09	68.20	-10.11	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	15.72748G	46.31	54.00	-7.69	3	Vertical	346	1.50	-
5240MHz	Pass	AV	20.9599G	37.68	54.00	-16.32	3	Vertical	22	1.39	-
5240MHz	Pass	PK	10.47636G	63.66	68.20	-4.54	3	Vertical	25	2.96	-
5240MHz	Pass	PK	15.7168G	60.00	74.00	-14.00	3	Vertical	346	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	20.9554G	51.80	74.00	-22.20	3	Vertical	22	1.39	-
5240MHz	Pass	AV	15.7168G	47.45	54.00	-6.55	3	Horizontal	320	1.74	-
5240MHz	Pass	AV	20.9598G	37.88	54.00	-16.12	3	Horizontal	37	1.67	-
5240MHz	Pass	PK	10.47732G	66.53	68.20	-1.67	3	Horizontal	300	1.79	-
5240MHz	Pass	PK	15.71636G	61.36	74.00	-12.64	3	Horizontal	320	1.74	-
5240MHz	Pass	PK	20.9598G	51.54	74.00	-22.46	3	Horizontal	37	1.67	-
5260MHz	Pass	AV	5.1478G	47.65	54.00	-6.35	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.2552G	104.77	Inf	-Inf	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.3602G	48.48	54.00	-5.52	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.134G	59.59	74.00	-14.41	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.2558G	113.90	Inf	-Inf	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.3614G	60.72	74.00	-13.28	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.1484G	47.98	54.00	-6.02	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	5.2588G	109.02	Inf	-Inf	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	5.3596G	49.80	54.00	-4.20	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.11G	59.84	74.00	-14.16	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.2588G	118.71	Inf	-Inf	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.3584G	61.35	74.00	-12.65	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	15.78512G	50.64	54.00	-3.36	3	Vertical	231	1.40	-
5260MHz	Pass	AV	21.04042G	35.07	54.00	-18.93	3	Vertical	7	1.67	-
5260MHz	Pass	PK	10.5222G	62.20	68.20	-6.00	3	Vertical	340	1.49	-
5260MHz	Pass	PK	15.78592G	63.70	74.00	-10.30	3	Vertical	231	1.40	-
5260MHz	Pass	PK	21.04006G	48.84	74.00	-25.16	3	Vertical	7	1.67	-
5260MHz	Pass	AV	15.78648G	50.57	54.00	-3.43	3	Horizontal	56	1.96	-
5260MHz	Pass	AV	21.03856G	32.63	54.00	-21.37	3	Horizontal	39	1.64	-
5260MHz	Pass	PK	10.51752G	66.36	68.20	-1.84	3	Horizontal	301	1.76	-
5260MHz	Pass	PK	15.7836G	63.90	74.00	-10.10	3	Horizontal	56	1.96	-
5260MHz	Pass	PK	21.03872G	45.21	74.00	-28.79	3	Horizontal	39	1.64	-
5300MHz	Pass	AV	5.2928G	107.94	Inf	-Inf	3	Vertical	340	1.50	-
5300MHz	Pass	AV	5.3528G	48.40	54.00	-5.60	3	Vertical	340	1.50	-
5300MHz	Pass	PK	5.2928G	117.44	Inf	-Inf	3	Vertical	340	1.50	-
5300MHz	Pass	PK	5.3516G	60.32	74.00	-13.68	3	Vertical	340	1.50	-
5300MHz	Pass	AV	5.2968G	113.30	Inf	-Inf	3	Horizontal	57	1.65	-
5300MHz	Pass	AV	5.3532G	49.37	54.00	-4.63	3	Horizontal	57	1.65	-
5300MHz	Pass	PK	5.2968G	122.99	Inf	-Inf	3	Horizontal	57	1.65	-
5300MHz	Pass	PK	5.3556G	61.54	74.00	-12.46	3	Horizontal	57	1.65	-
5300MHz	Pass	AV	15.8944G	51.31	54.00	-2.69	3	Vertical	186	1.32	-
5300MHz	Pass	AV	21.19528G	34.26	54.00	-19.74	3	Vertical	311	1.28	-
5300MHz	Pass	PK	10.5952G	61.89	68.20	-6.31	3	Vertical	340	1.50	-
5300MHz	Pass	PK	15.90252G	64.67	74.00	-9.33	3	Vertical	186	1.32	-
5300MHz	Pass	PK	21.19352G	47.89	74.00	-26.11	3	Vertical	311	1.28	-
5300MHz	Pass	AV	15.89576G	51.24	54.00	-2.76	3	Horizontal	327	2.31	-
5300MHz	Pass	AV	21.19664G	32.50	54.00	-21.50	3	Horizontal	47	1.77	-
5300MHz	Pass	PK	10.59836G	67.14	68.20	-1.06	3	Horizontal	302	1.79	-
5300MHz	Pass	PK	15.90388G	64.44	74.00	-9.56	3	Horizontal	327	2.31	-
5300MHz	Pass	PK	21.196G	46.15	74.00	-27.85	3	Horizontal	47	1.77	-
5320MHz	Pass	AV	5.3176G	108.03	Inf	-Inf	3	Vertical	331	2.96	-
5320MHz	Pass	AV	5.3524G	51.14	54.00	-2.86	3	Vertical	331	2.96	-
5320MHz	Pass	PK	5.318G	117.04	Inf	-Inf	3	Vertical	331	2.96	-
5320MHz	Pass	PK	5.3532G	64.22	74.00	-9.78	3	Vertical	331	2.96	-
5320MHz	Pass	AV	5.3184G	115.18	Inf	-Inf	3	Horizontal	302	1.91	-
5320MHz	Pass	AV	5.3576G	53.02	54.00	-0.98	3	Horizontal	302	1.91	-
5320MHz	Pass	PK	5.3184G	124.86	Inf	-Inf	3	Horizontal	302	1.91	-
5320MHz	Pass	PK	5.3584G	67.61	74.00	-6.39	3	Horizontal	302	1.91	-
5320MHz	Pass	AV	10.64G	45.73	54.00	-8.27	3	Vertical	342	1.58	-
5320MHz	Pass	AV	15.95944G	51.41	54.00	-2.59	3	Vertical	189	1.50	-
5320MHz	Pass	AV	21.28104G	33.35	54.00	-20.65	3	Vertical	357	1.80	-
5320MHz	Pass	PK	10.64068G	58.84	74.00	-15.16	3	Vertical	342	1.58	-
5320MHz	Pass	PK	15.95924G	64.26	74.00	-9.74	3	Vertical	189	1.50	-
5320MHz	Pass	PK	21.28064G	47.51	74.00	-26.49	3	Vertical	357	1.80	-
5320MHz	Pass	AV	10.63776G	48.99	54.00	-5.01	3	Horizontal	306	1.82	-
5320MHz	Pass	AV	15.96636G	51.42	54.00	-2.58	3	Horizontal	113	1.59	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	21.27656G	31.45	54.00	-22.55	3	Horizontal	31	1.81	-
5320MHz	Pass	PK	10.63628G	62.30	74.00	-11.70	3	Horizontal	306	1.82	-
5320MHz	Pass	PK	15.96672G	65.00	74.00	-9.00	3	Horizontal	113	1.59	-
5320MHz	Pass	PK	21.2836G	45.61	74.00	-28.39	3	Horizontal	31	1.81	-
5500MHz	Pass	AV	5.46G	48.39	54.00	-5.61	3	Vertical	42	2.92	-
5500MHz	Pass	AV	5.5032G	110.13	Inf	-Inf	3	Vertical	42	2.92	-
5500MHz	Pass	PK	5.47G	63.39	68.20	-4.81	3	Vertical	42	2.92	-
5500MHz	Pass	PK	5.5032G	119.78	Inf	-Inf	3	Vertical	42	2.92	-
5500MHz	Pass	AV	5.46G	49.98	54.00	-4.02	3	Horizontal	310	1.96	-
5500MHz	Pass	AV	5.5034G	113.30	Inf	-Inf	3	Horizontal	310	1.96	-
5500MHz	Pass	PK	5.4698G	66.02	68.20	-2.18	3	Horizontal	310	1.96	-
5500MHz	Pass	PK	5.5026G	123.32	Inf	-Inf	3	Horizontal	310	1.96	-
5500MHz	Pass	AV	11.00004G	44.90	54.00	-9.10	3	Vertical	360	1.78	-
5500MHz	Pass	PK	11.00008G	57.69	74.00	-16.31	3	Vertical	360	1.78	-
5500MHz	Pass	PK	16.49256G	64.23	68.20	-3.97	3	Vertical	229	1.20	-
5500MHz	Pass	PK	22.00552G	40.98	68.20	-27.22	3	Vertical	38	1.71	-
5500MHz	Pass	AV	11.00376G	50.30	54.00	-3.70	3	Horizontal	303	1.82	-
5500MHz	Pass	PK	11.00228G	64.27	74.00	-9.73	3	Horizontal	303	1.82	-
5500MHz	Pass	PK	16.49316G	64.81	68.20	-3.39	3	Horizontal	36	1.50	-
5500MHz	Pass	PK	21.98744G	37.12	68.20	-31.08	3	Horizontal	360	1.49	-
5580MHz	Pass	AV	5.4312G	47.99	54.00	-6.01	3	Vertical	360	3.00	-
5580MHz	Pass	AV	5.5728G	108.07	Inf	-Inf	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.463G	58.71	68.20	-9.49	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.574G	116.94	Inf	-Inf	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.727G	59.80	68.20	-8.40	3	Vertical	360	3.00	-
5580MHz	Pass	AV	5.4318G	48.46	54.00	-5.54	3	Horizontal	307	1.71	-
5580MHz	Pass	AV	5.5866G	110.98	Inf	-Inf	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.4684G	59.77	68.20	-8.43	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.586G	120.41	Inf	-Inf	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.7258G	60.03	68.20	-8.17	3	Horizontal	307	1.71	-
5580MHz	Pass	AV	11.16G	44.75	54.00	-9.25	3	Vertical	355	1.20	-
5580MHz	Pass	AV	22.31584G	27.41	54.00	-26.59	3	Vertical	320	1.41	-
5580MHz	Pass	PK	11.16056G	58.50	74.00	-15.50	3	Vertical	355	1.20	-
5580MHz	Pass	PK	16.74696G	67.19	68.20	-1.01	3	Vertical	20	1.07	-
5580MHz	Pass	PK	22.3172G	41.81	74.00	-32.19	3	Vertical	320	1.41	-
5580MHz	Pass	AV	11.16236G	49.68	54.00	-4.32	3	Horizontal	82	1.64	-
5580MHz	Pass	AV	22.3144G	27.09	54.00	-26.91	3	Horizontal	70	1.65	-
5580MHz	Pass	PK	11.16272G	63.37	74.00	-10.63	3	Horizontal	82	1.64	-
5580MHz	Pass	PK	16.74928G	66.53	68.20	-1.67	3	Horizontal	55	1.60	-
5580MHz	Pass	PK	22.3148G	40.46	74.00	-33.54	3	Horizontal	70	1.65	-
5700MHz	Pass	AV	5.6992G	106.73	Inf	-Inf	3	Vertical	353	1.45	-
5700MHz	Pass	PK	5.6992G	116.07	Inf	-Inf	3	Vertical	353	1.45	-
5700MHz	Pass	PK	5.7384G	61.74	68.20	-6.46	3	Vertical	353	1.45	-
5700MHz	Pass	AV	5.7032G	112.73	Inf	-Inf	3	Horizontal	69	1.80	-
5700MHz	Pass	PK	5.7032G	122.50	Inf	-Inf	3	Horizontal	69	1.80	-
5700MHz	Pass	PK	5.7296G	64.62	68.20	-3.58	3	Horizontal	69	1.80	-
5700MHz	Pass	AV	11.40164G	38.78	54.00	-15.22	3	Vertical	18	1.50	-
5700MHz	Pass	AV	22.7751G	24.94	54.00	-29.06	3	Vertical	127	1.50	-
5700MHz	Pass	PK	11.40172G	51.74	74.00	-22.26	3	Vertical	18	1.50	-
5700MHz	Pass	PK	17.09084G	56.34	68.20	-11.86	3	Vertical	359	1.92	-
5700MHz	Pass	PK	22.7806G	38.24	74.00	-35.76	3	Vertical	127	1.50	-
5700MHz	Pass	AV	11.40324G	39.47	54.00	-14.53	3	Horizontal	82	1.62	-
5700MHz	Pass	AV	22.775G	25.23	54.00	-28.77	3	Horizontal	42	1.50	-
5700MHz	Pass	PK	11.40384G	52.23	74.00	-21.77	3	Horizontal	82	1.62	-
5700MHz	Pass	PK	17.0908G	57.55	68.20	-10.65	3	Horizontal	348	2.83	-
5700MHz	Pass	PK	22.7934G	37.51	74.00	-36.49	3	Horizontal	42	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.87	54.00	-6.13	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	110.41	Inf	-Inf	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.38	68.20	-8.82	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.77	Inf	-Inf	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	60.02	68.20	-8.18	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	48.47	54.00	-5.53	3	Horizontal	72	2.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	115.44	Inf	-Inf	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.63	68.20	-8.57	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	124.50	Inf	-Inf	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	61.78	68.20	-6.42	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	40.26	54.00	-13.74	3	Vertical	358	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.868G	25.07	54.00	-28.93	3	Vertical	40	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43994G	52.53	74.00	-21.47	3	Vertical	358	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15418G	64.31	68.20	-3.89	3	Vertical	335	2.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87G	39.02	74.00	-34.98	3	Vertical	40	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44402G	42.18	54.00	-11.82	3	Horizontal	288	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.855G	23.36	54.00	-30.64	3	Horizontal	50	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44372G	55.92	74.00	-18.08	3	Horizontal	288	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1543G	66.75	68.20	-1.45	3	Horizontal	332	2.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.8713G	36.91	74.00	-37.09	3	Horizontal	50	1.32	-
5745MHz	Pass	AV	5.7402G	107.02	Inf	-Inf	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.535G	56.73	68.20	-11.47	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.7414G	116.57	Inf	-Inf	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.9646G	57.78	68.20	-10.42	3	Vertical	21	1.68	-
5745MHz	Pass	AV	5.7378G	112.83	Inf	-Inf	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.625G	59.83	68.20	-8.37	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.7378G	122.66	Inf	-Inf	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.9298G	58.97	68.20	-9.23	3	Horizontal	54	2.16	-
5745MHz	Pass	AV	11.4902G	48.89	54.00	-5.11	3	Vertical	357	1.50	-
5745MHz	Pass	AV	22.97988G	36.48	54.00	-17.52	3	Vertical	223	1.65	-
5745MHz	Pass	PK	11.49056G	62.19	74.00	-11.81	3	Vertical	357	1.50	-
5745MHz	Pass	PK	17.23176G	65.61	68.20	-2.59	3	Vertical	38	2.30	-
5745MHz	Pass	PK	22.98G	46.62	74.00	-27.38	3	Vertical	223	1.65	-
5745MHz	Pass	AV	11.4954G	49.76	54.00	-4.24	3	Horizontal	58	1.68	-
5745MHz	Pass	AV	22.9799G	40.05	54.00	-13.95	3	Horizontal	330	1.76	-
5745MHz	Pass	PK	11.49508G	63.29	74.00	-10.71	3	Horizontal	58	1.68	-
5745MHz	Pass	PK	17.23172G	66.63	68.20	-1.57	3	Horizontal	332	3.00	-
5745MHz	Pass	PK	22.98G	47.14	74.00	-26.86	3	Horizontal	330	1.76	-
5785MHz	Pass	AV	5.7778G	106.30	Inf	-Inf	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.5858G	56.91	68.20	-11.29	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.7778G	115.80	Inf	-Inf	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.9758G	57.77	68.20	-10.43	3	Vertical	360	2.04	-
5785MHz	Pass	AV	5.7874G	114.30	Inf	-Inf	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.5942G	61.86	68.20	-6.34	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.7874G	123.68	Inf	-Inf	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.9794G	58.98	68.20	-9.22	3	Horizontal	70	2.38	-
5785MHz	Pass	AV	11.57028G	49.74	54.00	-4.26	3	Vertical	356	1.50	-
5785MHz	Pass	PK	11.5704G	62.58	74.00	-11.42	3	Vertical	356	1.50	-
5785MHz	Pass	PK	17.35124G	66.60	68.20	-1.60	3	Vertical	337	1.11	-
5785MHz	Pass	PK	23.1397G	44.19	68.20	-24.01	3	Vertical	13	1.80	-
5785MHz	Pass	AV	11.57264G	50.57	54.00	-3.43	3	Horizontal	76	2.22	-
5785MHz	Pass	PK	11.57292G	63.94	74.00	-10.06	3	Horizontal	76	2.22	-
5785MHz	Pass	PK	17.35652G	67.02	68.20	-1.18	3	Horizontal	317	2.20	-
5785MHz	Pass	PK	23.14012G	45.33	68.20	-22.87	3	Horizontal	50	1.65	-
5825MHz	Pass	AV	5.8238G	106.55	Inf	-Inf	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.6426G	57.46	68.20	-10.74	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.8226G	116.21	Inf	-Inf	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.927G	58.59	68.20	-9.61	3	Vertical	354	3.00	-
5825MHz	Pass	AV	5.8214G	112.11	Inf	-Inf	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	5.6366G	58.95	68.20	-9.25	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	5.8214G	121.39	Inf	-Inf	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	6.0194G	59.92	68.20	-8.28	3	Horizontal	71	1.00	-
5825MHz	Pass	AV	11.65004G	48.75	54.00	-5.25	3	Vertical	356	1.49	-
5825MHz	Pass	PK	11.65052G	61.40	74.00	-12.60	3	Vertical	356	1.49	-
5825MHz	Pass	PK	17.47012G	66.44	68.20	-1.76	3	Vertical	337	1.16	-
5825MHz	Pass	PK	23.29964G	43.63	68.20	-24.57	3	Vertical	348	1.39	-
5825MHz	Pass	AV	11.65196G	49.35	54.00	-4.65	3	Horizontal	73	2.30	-
5825MHz	Pass	PK	11.65172G	62.47	74.00	-11.53	3	Horizontal	73	2.30	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	17.481G	66.86	68.20	-1.34	3	Horizontal	66	1.09	-
5825MHz	Pass	PK	23.29964G	43.22	68.20	-24.98	3	Horizontal	0	1.76	-
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1464G	48.69	54.00	-5.31	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.1764G	105.50	Inf	-Inf	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.456G	44.41	54.00	-9.59	3	Vertical	24	2.97	-
5180MHz	Pass	PK	5.1476G	64.46	74.00	-9.54	3	Vertical	24	2.97	-
5180MHz	Pass	PK	5.1872G	118.99	Inf	-Inf	3	Vertical	24	2.97	-
5180MHz	Pass	PK	5.4752G	56.74	68.20	-11.46	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	5.1812G	112.17	Inf	-Inf	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	5.3744G	47.63	54.00	-6.37	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.15G	68.05	74.00	-5.95	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.1824G	124.55	Inf	-Inf	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.4728G	57.39	68.20	-10.81	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	15.52656G	47.22	54.00	-6.78	3	Vertical	253	1.06	-
5180MHz	Pass	AV	20.71984G	42.71	54.00	-11.29	3	Vertical	73	1.65	-
5180MHz	Pass	PK	10.36G	57.72	68.20	-10.48	3	Vertical	31	2.61	-
5180MHz	Pass	PK	15.53214G	61.29	74.00	-12.71	3	Vertical	253	1.06	-
5180MHz	Pass	PK	20.728G	53.48	74.00	-20.52	3	Vertical	73	1.65	-
5180MHz	Pass	AV	15.53112G	47.36	54.00	-6.64	3	Horizontal	338	2.02	-
5180MHz	Pass	AV	20.71984G	41.31	54.00	-12.69	3	Horizontal	34	1.64	-
5180MHz	Pass	PK	10.35724G	64.61	68.20	-3.59	3	Horizontal	69	1.54	-
5180MHz	Pass	PK	15.55278G	60.63	74.00	-13.37	3	Horizontal	338	2.02	-
5180MHz	Pass	PK	20.7152G	54.33	74.00	-19.67	3	Horizontal	34	1.64	-
5200MHz	Pass	AV	5.1496G	47.14	54.00	-6.86	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.1928G	108.45	Inf	-Inf	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.386G	45.43	54.00	-8.57	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.1496G	59.57	74.00	-14.43	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.194G	119.90	Inf	-Inf	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.476G	56.71	68.20	-11.49	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.1496G	50.88	54.00	-3.12	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	5.1928G	112.84	Inf	-Inf	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	5.3944G	48.50	54.00	-5.50	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.1412G	65.39	74.00	-8.61	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.1952G	125.03	Inf	-Inf	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.4688G	58.29	68.20	-9.91	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	15.59868G	47.62	54.00	-6.38	3	Vertical	26	1.00	-
5200MHz	Pass	AV	20.79396G	47.31	54.00	-6.69	3	Vertical	44	1.47	-
5200MHz	Pass	PK	10.40612G	63.77	68.20	-4.43	3	Vertical	344	1.50	-
5200MHz	Pass	PK	15.59784G	61.33	74.00	-12.67	3	Vertical	26	1.00	-
5200MHz	Pass	PK	20.79188G	63.72	74.00	-10.28	3	Vertical	44	1.47	-
5200MHz	Pass	AV	15.603G	49.05	54.00	-4.95	3	Horizontal	337	2.08	-
5200MHz	Pass	AV	20.79668G	47.09	54.00	-6.91	3	Horizontal	48	1.61	-
5200MHz	Pass	PK	10.39634G	67.07	68.20	-1.13	3	Horizontal	69	1.67	-
5200MHz	Pass	PK	15.60264G	63.19	74.00	-10.81	3	Horizontal	337	2.08	-
5200MHz	Pass	PK	20.79516G	63.75	74.00	-10.25	3	Horizontal	48	1.61	-
5240MHz	Pass	AV	5.0468G	45.82	54.00	-8.18	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.2412G	109.18	Inf	-Inf	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.4344G	46.49	54.00	-7.51	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.0468G	57.85	74.00	-16.15	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.2412G	121.28	Inf	-Inf	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.5232G	56.63	68.20	-11.57	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.0528G	48.76	54.00	-5.24	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	5.2448G	113.18	Inf	-Inf	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	5.4368G	49.68	54.00	-4.32	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.0504G	61.09	74.00	-12.91	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.2448G	125.22	Inf	-Inf	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.5052G	59.28	68.20	-8.92	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	15.72126G	47.70	54.00	-6.30	3	Vertical	27	1.00	-
5240MHz	Pass	AV	20.95968G	47.52	54.00	-6.48	3	Vertical	19	1.38	-
5240MHz	Pass	PK	10.47508G	63.39	68.20	-4.81	3	Vertical	14	1.02	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.71916G	62.22	74.00	-11.78	3	Vertical	27	1.00	-
5240MHz	Pass	PK	20.95732G	66.72	74.00	-7.28	3	Vertical	19	1.38	-
5240MHz	Pass	AV	15.7218G	47.27	54.00	-6.73	3	Horizontal	318	1.79	-
5240MHz	Pass	AV	20.95648G	46.25	54.00	-7.75	3	Horizontal	42	1.68	-
5240MHz	Pass	PK	10.47676G	66.96	68.20	-1.24	3	Horizontal	70	1.50	-
5240MHz	Pass	PK	15.72162G	61.88	74.00	-12.12	3	Horizontal	318	1.79	-
5240MHz	Pass	PK	20.95776G	64.34	74.00	-9.66	3	Horizontal	42	1.68	-
5260MHz	Pass	AV	5.149G	47.61	54.00	-6.39	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.2654G	110.12	Inf	-Inf	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.3632G	48.50	54.00	-5.50	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.1394G	60.60	74.00	-13.40	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.2654G	123.28	Inf	-Inf	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.3614G	60.33	74.00	-13.67	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.1454G	47.76	54.00	-6.24	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	5.2672G	113.55	Inf	-Inf	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	5.362G	49.27	54.00	-4.73	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.1472G	59.99	74.00	-14.01	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.266G	125.65	Inf	-Inf	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.365G	60.70	74.00	-13.30	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	15.78476G	50.58	54.00	-3.42	3	Vertical	0	1.00	-
5260MHz	Pass	AV	21.0384G	33.93	54.00	-20.07	3	Vertical	340	1.38	-
5260MHz	Pass	PK	10.51516G	61.80	68.20	-6.40	3	Vertical	10	1.00	-
5260MHz	Pass	PK	15.78704G	63.80	74.00	-10.20	3	Vertical	0	1.00	-
5260MHz	Pass	PK	21.0384G	47.62	74.00	-26.38	3	Vertical	340	1.38	-
5260MHz	Pass	AV	15.78416G	50.42	54.00	-3.58	3	Horizontal	333	1.88	-
5260MHz	Pass	AV	21.0379G	32.10	54.00	-21.90	3	Horizontal	38	1.66	-
5260MHz	Pass	PK	10.51748G	66.25	68.20	-1.95	3	Horizontal	72	1.75	-
5260MHz	Pass	PK	15.77136G	63.97	74.00	-10.03	3	Horizontal	333	1.88	-
5260MHz	Pass	PK	21.0378G	46.21	74.00	-27.79	3	Horizontal	38	1.66	-
5300MHz	Pass	AV	5.3048G	109.55	Inf	-Inf	3	Vertical	346	1.88	-
5300MHz	Pass	AV	5.35G	49.78	54.00	-4.22	3	Vertical	346	1.88	-
5300MHz	Pass	PK	5.3052G	122.84	Inf	-Inf	3	Vertical	346	1.88	-
5300MHz	Pass	PK	5.35G	64.26	74.00	-9.74	3	Vertical	346	1.88	-
5300MHz	Pass	AV	5.2964G	113.12	Inf	-Inf	3	Horizontal	67	1.99	-
5300MHz	Pass	AV	5.364G	49.94	54.00	-4.06	3	Horizontal	67	1.99	-
5300MHz	Pass	PK	5.2964G	124.96	Inf	-Inf	3	Horizontal	67	1.99	-
5300MHz	Pass	PK	5.3532G	63.56	74.00	-10.44	3	Horizontal	67	1.99	-
5300MHz	Pass	AV	15.90712G	50.95	54.00	-3.05	3	Vertical	353	1.50	-
5300MHz	Pass	AV	21.2087G	34.16	54.00	-19.84	3	Vertical	10	1.27	-
5300MHz	Pass	PK	10.59384G	63.00	68.20	-5.20	3	Vertical	31	1.71	-
5300MHz	Pass	PK	15.89544G	64.02	74.00	-9.98	3	Vertical	353	1.50	-
5300MHz	Pass	PK	21.2089G	49.79	74.00	-24.21	3	Vertical	10	1.27	-
5300MHz	Pass	AV	15.90696G	50.88	54.00	-3.12	3	Horizontal	349	1.50	-
5300MHz	Pass	AV	21.1966G	31.02	54.00	-22.98	3	Horizontal	31	1.71	-
5300MHz	Pass	PK	10.59736G	65.73	68.20	-2.47	3	Horizontal	74	1.00	-
5300MHz	Pass	PK	15.89344G	64.43	74.00	-9.57	3	Horizontal	349	1.50	-
5300MHz	Pass	PK	21.1986G	44.79	74.00	-29.21	3	Horizontal	31	1.71	-
5320MHz	Pass	AV	5.3186G	109.38	Inf	-Inf	3	Vertical	7	2.51	-
5320MHz	Pass	AV	5.3578G	51.24	54.00	-2.76	3	Vertical	7	2.51	-
5320MHz	Pass	PK	5.319G	122.16	Inf	-Inf	3	Vertical	7	2.51	-
5320MHz	Pass	PK	5.3604G	66.45	74.00	-7.55	3	Vertical	7	2.51	-
5320MHz	Pass	AV	5.3192G	110.74	Inf	-Inf	3	Horizontal	326	2.62	-
5320MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	326	2.62	-
5320MHz	Pass	PK	5.3194G	123.43	Inf	-Inf	3	Horizontal	326	2.62	-
5320MHz	Pass	PK	5.35G	67.87	74.00	-6.13	3	Horizontal	326	2.62	-
5320MHz	Pass	AV	10.63992G	45.49	54.00	-8.51	3	Vertical	342	1.50	-
5320MHz	Pass	AV	15.96336G	50.69	54.00	-3.31	3	Vertical	345	1.50	-
5320MHz	Pass	AV	21.28072G	30.31	54.00	-23.69	3	Vertical	360	1.69	-
5320MHz	Pass	PK	10.63996G	58.28	74.00	-15.72	3	Vertical	342	1.50	-
5320MHz	Pass	PK	15.95416G	64.29	74.00	-9.71	3	Vertical	345	1.50	-
5320MHz	Pass	PK	21.28054G	43.97	74.00	-30.03	3	Vertical	360	1.69	-
5320MHz	Pass	AV	10.63988G	47.79	54.00	-6.21	3	Horizontal	73	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	15.9534G	50.68	54.00	-3.32	3	Horizontal	292	1.50	-
5320MHz	Pass	AV	21.276G	28.26	54.00	-25.74	3	Horizontal	30	1.82	-
5320MHz	Pass	PK	10.63812G	62.54	74.00	-11.46	3	Horizontal	73	1.00	-
5320MHz	Pass	PK	15.96504G	64.92	74.00	-9.08	3	Horizontal	292	1.50	-
5320MHz	Pass	PK	21.276G	43.29	74.00	-30.71	3	Horizontal	30	1.82	-
5500MHz	Pass	AV	5.458G	49.67	54.00	-4.33	3	Vertical	35	2.91	-
5500MHz	Pass	AV	5.4976G	109.75	Inf	-Inf	3	Vertical	35	2.91	-
5500MHz	Pass	PK	5.4642G	63.51	68.20	-4.69	3	Vertical	35	2.91	-
5500MHz	Pass	PK	5.4972G	122.95	Inf	-Inf	3	Vertical	35	2.91	-
5500MHz	Pass	AV	5.46G	52.72	54.00	-1.28	3	Horizontal	303	1.00	-
5500MHz	Pass	AV	5.5008G	112.89	Inf	-Inf	3	Horizontal	303	1.00	-
5500MHz	Pass	PK	5.469G	66.88	68.20	-1.32	3	Horizontal	303	1.00	-
5500MHz	Pass	PK	5.5016G	125.70	Inf	-Inf	3	Horizontal	303	1.00	-
5500MHz	Pass	AV	11.0066G	45.06	54.00	-8.94	3	Vertical	13	1.50	-
5500MHz	Pass	PK	10.9946G	60.22	74.00	-13.78	3	Vertical	13	1.50	-
5500MHz	Pass	PK	16.50532G	64.72	68.20	-3.48	3	Vertical	27	1.50	-
5500MHz	Pass	PK	21.9952G	37.12	68.20	-31.08	3	Vertical	69.6	1.69	-
5500MHz	Pass	AV	10.99692G	48.49	54.00	-5.51	3	Horizontal	58	1.50	-
5500MHz	Pass	PK	10.9988G	63.78	74.00	-10.22	3	Horizontal	58	1.50	-
5500MHz	Pass	PK	16.50176G	64.37	68.20	-3.83	3	Horizontal	108	1.50	-
5500MHz	Pass	PK	21.99568G	38.97	68.20	-29.23	3	Horizontal	302	1.70	-
5580MHz	Pass	AV	5.433G	47.22	54.00	-6.78	3	Vertical	19	3.00	-
5580MHz	Pass	AV	5.5782G	108.99	Inf	-Inf	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.4612G	58.80	68.20	-9.40	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.577G	120.50	Inf	-Inf	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.7252G	58.77	68.20	-9.43	3	Vertical	19	3.00	-
5580MHz	Pass	AV	5.43G	47.53	54.00	-6.47	3	Horizontal	306	1.67	-
5580MHz	Pass	AV	5.5842G	111.83	Inf	-Inf	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.4642G	59.55	68.20	-8.65	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.5854G	124.83	Inf	-Inf	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.727G	60.99	68.20	-7.21	3	Horizontal	306	1.67	-
5580MHz	Pass	AV	11.16392G	43.32	54.00	-10.68	3	Vertical	10	2.97	-
5580MHz	Pass	AV	22.31982G	24.47	54.00	-29.53	3	Vertical	3	1.38	-
5580MHz	Pass	PK	11.1624G	56.62	74.00	-17.38	3	Vertical	10	2.97	-
5580MHz	Pass	PK	16.74864G	66.28	68.20	-1.92	3	Vertical	14	2.30	-
5580MHz	Pass	PK	22.33014G	37.60	74.00	-36.40	3	Vertical	3	1.38	-
5580MHz	Pass	AV	11.157G	43.82	54.00	-10.18	3	Horizontal	316	1.50	-
5580MHz	Pass	AV	22.3071G	22.84	54.00	-31.16	3	Horizontal	238	1.50	-
5580MHz	Pass	PK	11.15732G	57.60	74.00	-16.40	3	Horizontal	316	1.50	-
5580MHz	Pass	PK	16.74444G	66.90	68.20	-1.30	3	Horizontal	348	2.23	-
5580MHz	Pass	PK	22.3119G	36.14	74.00	-37.86	3	Horizontal	238	1.50	-
5700MHz	Pass	AV	5.7048G	103.97	Inf	-Inf	3	Vertical	26	1.53	-
5700MHz	Pass	PK	5.7044G	117.12	Inf	-Inf	3	Vertical	26	1.53	-
5700MHz	Pass	PK	5.7432G	60.12	68.20	-8.08	3	Vertical	26	1.53	-
5700MHz	Pass	AV	5.702G	109.70	Inf	-Inf	3	Horizontal	309	1.77	-
5700MHz	Pass	PK	5.7028G	122.78	Inf	-Inf	3	Horizontal	309	1.77	-
5700MHz	Pass	PK	5.7288G	66.35	68.20	-1.85	3	Horizontal	309	1.77	-
5700MHz	Pass	AV	11.39844G	38.74	54.00	-15.26	3	Vertical	356	1.00	-
5700MHz	Pass	AV	22.79982G	22.18	54.00	-31.82	3	Vertical	0	1.38	-
5700MHz	Pass	PK	11.39792G	52.29	74.00	-21.71	3	Vertical	356	1.00	-
5700MHz	Pass	PK	17.09568G	61.09	68.20	-7.11	3	Vertical	28	1.24	-
5700MHz	Pass	PK	22.78578G	36.20	74.00	-37.80	3	Vertical	0	1.38	-
5700MHz	Pass	AV	11.4036G	39.28	54.00	-14.72	3	Horizontal	294	1.68	-
5700MHz	Pass	AV	22.79106G	22.07	54.00	-31.93	3	Horizontal	0	1.38	-
5700MHz	Pass	PK	11.40332G	52.38	74.00	-21.62	3	Horizontal	294	1.68	-
5700MHz	Pass	PK	17.10584G	58.06	68.20	-10.14	3	Horizontal	329	3.00	-
5700MHz	Pass	PK	22.79712G	35.25	74.00	-38.75	3	Horizontal	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	47.16	54.00	-6.84	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	110.34	Inf	-Inf	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.51	68.20	-9.69	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	121.02	Inf	-Inf	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	59.87	68.20	-8.33	3	Vertical	25	2.97	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	47.83	54.00	-6.17	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	114.32	Inf	-Inf	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.87	68.20	-8.33	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	127.12	Inf	-Inf	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	60.70	68.20	-7.50	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43856G	40.38	54.00	-13.62	3	Vertical	355	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87994G	22.16	54.00	-31.84	3	Vertical	351	1.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43886G	53.59	74.00	-20.41	3	Vertical	355	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1618G	67.17	68.20	-1.03	3	Vertical	334	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.89266G	35.17	74.00	-38.83	3	Vertical	351	1.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4367G	42.52	54.00	-11.48	3	Horizontal	58	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.8648G	21.55	54.00	-32.45	3	Horizontal	287	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43646G	55.71	74.00	-18.29	3	Horizontal	58	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16474G	67.18	68.20	-1.02	3	Horizontal	289	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.8628G	34.73	74.00	-39.27	3	Horizontal	287	1.50	-
5745MHz	Pass	AV	5.7414G	108.87	Inf	-Inf	3	Vertical	25	2.96	-
5745MHz	Pass	PK	5.5554G	57.77	68.20	-10.43	3	Vertical	25	2.96	-
5745MHz	Pass	PK	5.7414G	120.44	Inf	-Inf	3	Vertical	25	2.96	-
5745MHz	Pass	PK	6.0342G	57.54	68.20	-10.66	3	Vertical	25	2.96	-
5745MHz	Pass	AV	5.7402G	112.59	Inf	-Inf	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.6466G	60.28	68.20	-7.92	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.7414G	123.50	Inf	-Inf	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.9358G	60.27	68.20	-7.93	3	Horizontal	298	2.02	-
5745MHz	Pass	AV	11.48946G	49.27	54.00	-4.73	3	Vertical	354	1.31	-
5745MHz	Pass	AV	22.97972G	42.29	54.00	-11.71	3	Vertical	5	1.64	-
5745MHz	Pass	PK	11.48988G	63.28	74.00	-10.72	3	Vertical	354	1.31	-
5745MHz	Pass	PK	17.23254G	66.62	68.20	-1.58	3	Vertical	348	2.83	-
5745MHz	Pass	PK	22.97984G	53.90	74.00	-20.10	3	Vertical	5	1.64	-
5745MHz	Pass	AV	11.49294G	50.95	54.00	-3.05	3	Horizontal	288	1.66	-
5745MHz	Pass	AV	22.97988G	44.45	54.00	-9.55	3	Horizontal	30	1.65	-
5745MHz	Pass	PK	11.49318G	65.40	74.00	-8.60	3	Horizontal	288	1.66	-
5745MHz	Pass	PK	17.235G	66.50	68.20	-1.70	3	Horizontal	346	1.00	-
5745MHz	Pass	PK	22.9796G	54.49	74.00	-19.51	3	Horizontal	30	1.65	-
5785MHz	Pass	AV	5.7874G	106.90	Inf	-Inf	3	Vertical	6	2.93	-
5785MHz	Pass	PK	5.5834G	57.39	68.20	-10.81	3	Vertical	6	2.93	-
5785MHz	Pass	PK	5.7886G	119.04	Inf	-Inf	3	Vertical	6	2.93	-
5785MHz	Pass	PK	6.0658G	57.90	68.20	-10.30	3	Vertical	6	2.93	-
5785MHz	Pass	AV	5.7802G	110.55	Inf	-Inf	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.5954G	58.16	68.20	-10.04	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.7802G	121.91	Inf	-Inf	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.983G	58.76	68.20	-9.44	3	Horizontal	66	2.26	-
5785MHz	Pass	AV	11.57012G	47.66	54.00	-6.34	3	Vertical	353	1.29	-
5785MHz	Pass	PK	11.56916G	61.14	74.00	-12.86	3	Vertical	353	1.29	-
5785MHz	Pass	PK	17.35332G	67.09	68.20	-1.11	3	Vertical	16	2.85	-
5785MHz	Pass	PK	23.1416G	55.19	68.20	-13.01	3	Vertical	0	2.18	-
5785MHz	Pass	AV	11.57276G	48.34	54.00	-5.66	3	Horizontal	286	1.74	-
5785MHz	Pass	PK	11.57282G	62.47	74.00	-11.53	3	Horizontal	286	1.74	-
5785MHz	Pass	PK	17.35062G	67.03	68.20	-1.17	3	Horizontal	49	1.00	-
5785MHz	Pass	PK	23.13972G	56.50	68.20	-11.70	3	Horizontal	51	1.69	-
5825MHz	Pass	AV	5.8334G	107.64	Inf	-Inf	3	Vertical	28	2.91	-
5825MHz	Pass	PK	5.6258G	57.80	68.20	-10.40	3	Vertical	28	2.91	-
5825MHz	Pass	PK	5.8322G	119.01	Inf	-Inf	3	Vertical	28	2.91	-
5825MHz	Pass	PK	6.0098G	58.04	68.20	-10.16	3	Vertical	28	2.91	-
5825MHz	Pass	AV	5.8214G	113.15	Inf	-Inf	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	5.6294G	60.27	68.20	-7.93	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	5.8226G	125.22	Inf	-Inf	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	6.0146G	59.58	68.20	-8.62	3	Horizontal	66.3	1.11	-
5825MHz	Pass	AV	11.64628G	47.80	54.00	-6.20	3	Vertical	14	1.43	-
5825MHz	Pass	PK	11.64724G	61.44	74.00	-12.56	3	Vertical	14	1.43	-
5825MHz	Pass	PK	17.47386G	66.87	68.20	-1.33	3	Vertical	21	2.75	-
5825MHz	Pass	PK	23.29444G	54.01	68.20	-14.19	3	Vertical	13	1.67	-
5825MHz	Pass	AV	11.6557G	49.92	54.00	-4.08	3	Horizontal	294	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.65438G	64.59	74.00	-9.41	3	Horizontal	294	3.00	-
5825MHz	Pass	PK	17.46216G	67.11	68.20	-1.09	3	Horizontal	55	2.27	-
5825MHz	Pass	PK	23.29976G	55.81	68.20	-12.39	3	Horizontal	51	1.61	-
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.12	54.00	-4.88	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.1828G	102.33	Inf	-Inf	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.3772G	44.34	54.00	-9.66	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.1492G	63.27	74.00	-10.73	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.1828G	113.48	Inf	-Inf	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.4636G	57.17	68.20	-11.03	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.15G	52.31	54.00	-1.69	3	Horizontal	67	1.00	-
5190MHz	Pass	AV	5.2044G	107.58	Inf	-Inf	3	Horizontal	67	1.00	-
5190MHz	Pass	AV	5.3976G	45.98	54.00	-8.02	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.15G	66.04	74.00	-7.96	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.2032G	118.84	Inf	-Inf	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.4768G	57.80	68.20	-10.40	3	Horizontal	67	1.00	-
5190MHz	Pass	AV	15.5602G	46.11	54.00	-7.89	3	Vertical	107	1.91	-
5190MHz	Pass	AV	20.75984G	33.50	54.00	-20.50	3	Vertical	16	1.84	-
5190MHz	Pass	PK	10.3802G	55.44	68.20	-12.76	3	Vertical	28	2.47	-
5190MHz	Pass	PK	15.57032G	59.83	74.00	-14.17	3	Vertical	107	1.91	-
5190MHz	Pass	PK	20.75992G	43.64	74.00	-30.36	3	Vertical	16	1.84	-
5190MHz	Pass	AV	15.5559G	46.28	54.00	-7.72	3	Horizontal	112	1.50	-
5190MHz	Pass	AV	20.75984G	39.70	54.00	-14.30	3	Horizontal	28	1.64	-
5190MHz	Pass	PK	10.3749G	59.58	68.20	-8.62	3	Horizontal	69	2.14	-
5190MHz	Pass	PK	15.55524G	59.87	74.00	-14.13	3	Horizontal	112	1.50	-
5190MHz	Pass	PK	20.75992G	46.27	74.00	-27.73	3	Horizontal	28	1.64	-
5230MHz	Pass	AV	5.1316G	51.43	54.00	-2.57	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.2336G	105.44	Inf	-Inf	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.3548G	47.87	54.00	-6.13	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.1424G	64.94	74.00	-9.06	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.2324G	117.61	Inf	-Inf	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.476G	57.27	68.20	-10.93	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.1436G	53.32	54.00	-0.68	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	5.2216G	108.91	Inf	-Inf	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	5.3596G	48.57	54.00	-5.43	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.1424G	66.55	74.00	-7.45	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.2204G	120.16	Inf	-Inf	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.5192G	58.02	68.20	-10.18	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	15.68652G	46.01	54.00	-7.99	3	Vertical	354	1.18	-
5230MHz	Pass	AV	20.9084G	36.94	54.00	-17.06	3	Vertical	338	1.35	-
5230MHz	Pass	PK	10.45528G	61.38	68.20	-6.82	3	Vertical	13	1.01	-
5230MHz	Pass	PK	15.68776G	59.38	74.00	-14.62	3	Vertical	354	1.18	-
5230MHz	Pass	PK	20.90976G	51.47	74.00	-22.53	3	Vertical	338	1.35	-
5230MHz	Pass	AV	15.6834G	46.14	54.00	-7.86	3	Horizontal	360	1.50	-
5230MHz	Pass	AV	20.91824G	36.49	54.00	-17.51	3	Horizontal	43	1.71	-
5230MHz	Pass	PK	10.45804G	62.19	68.20	-6.01	3	Horizontal	69	1.61	-
5230MHz	Pass	PK	15.68952G	59.56	74.00	-14.44	3	Horizontal	360	1.50	-
5230MHz	Pass	PK	20.9194G	50.55	74.00	-23.45	3	Horizontal	43	1.71	-
5270MHz	Pass	AV	5.2844G	106.82	Inf	-Inf	3	Vertical	360	2.98	-
5270MHz	Pass	AV	5.3572G	49.15	54.00	-4.85	3	Vertical	360	2.98	-
5270MHz	Pass	PK	5.2836G	118.43	Inf	-Inf	3	Vertical	360	2.98	-
5270MHz	Pass	PK	5.3564G	62.62	74.00	-11.38	3	Vertical	360	2.98	-
5270MHz	Pass	AV	5.2716G	110.34	Inf	-Inf	3	Horizontal	65	2.54	-
5270MHz	Pass	AV	5.354G	50.85	54.00	-3.15	3	Horizontal	65	2.54	-
5270MHz	Pass	PK	5.2724G	123.27	Inf	-Inf	3	Horizontal	65	2.54	-
5270MHz	Pass	PK	5.3516G	63.66	74.00	-10.34	3	Horizontal	65	2.54	-
5270MHz	Pass	AV	15.807G	50.18	54.00	-3.82	3	Vertical	0	1.12	-
5270MHz	Pass	AV	21.08G	29.51	54.00	-24.49	3	Vertical	340	1.35	-
5270MHz	Pass	PK	10.537G	59.65	68.20	-8.55	3	Vertical	14	1.00	-
5270MHz	Pass	PK	15.82272G	63.91	74.00	-10.09	3	Vertical	0	1.12	-
5270MHz	Pass	PK	21.07946G	43.87	74.00	-30.13	3	Vertical	340	1.35	-
5270MHz	Pass	AV	15.82056G	50.08	54.00	-3.92	3	Horizontal	0	2.69	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	AV	21.0875G	27.02	54.00	-26.98	3	Horizontal	355	1.67	-
5270MHz	Pass	PK	10.52672G	63.22	68.20	-4.98	3	Horizontal	80	1.68	-
5270MHz	Pass	PK	15.8145G	63.41	74.00	-10.59	3	Horizontal	0	2.69	-
5270MHz	Pass	PK	21.08834G	39.85	74.00	-34.15	3	Horizontal	355	1.67	-
5310MHz	Pass	AV	5.3176G	102.14	Inf	-Inf	3	Vertical	41	1.77	-
5310MHz	Pass	AV	5.3572G	51.67	54.00	-2.33	3	Vertical	41	1.77	-
5310MHz	Pass	PK	5.3168G	114.03	Inf	-Inf	3	Vertical	41	1.77	-
5310MHz	Pass	PK	5.3584G	65.52	74.00	-8.48	3	Vertical	41	1.77	-
5310MHz	Pass	AV	5.324G	107.39	Inf	-Inf	3	Horizontal	298	1.82	-
5310MHz	Pass	AV	5.3636G	53.34	54.00	-0.66	3	Horizontal	298	1.82	-
5310MHz	Pass	PK	5.3232G	119.28	Inf	-Inf	3	Horizontal	298	1.82	-
5310MHz	Pass	PK	5.35G	67.16	74.00	-6.84	3	Horizontal	298	1.82	-
5310MHz	Pass	AV	10.61995G	44.26	54.00	-9.74	3	Vertical	340	1.00	-
5310MHz	Pass	AV	15.9268G	50.32	54.00	-3.68	3	Vertical	360	1.19	-
5310MHz	Pass	AV	21.24096G	25.54	54.00	-28.46	3	Vertical	358	1.79	-
5310MHz	Pass	PK	10.61979G	55.77	74.00	-18.23	3	Vertical	340	1.00	-
5310MHz	Pass	PK	15.929G	64.23	74.00	-9.77	3	Vertical	360	1.19	-
5310MHz	Pass	PK	21.24102G	39.36	74.00	-34.64	3	Vertical	358	1.79	-
5310MHz	Pass	AV	10.61992G	44.96	54.00	-9.04	3	Horizontal	21	1.64	-
5310MHz	Pass	AV	15.92706G	50.36	54.00	-3.64	3	Horizontal	24	1.50	-
5310MHz	Pass	AV	21.23622G	24.16	54.00	-29.84	3	Horizontal	31	1.84	-
5310MHz	Pass	PK	10.6199G	56.21	74.00	-17.79	3	Horizontal	21	1.64	-
5310MHz	Pass	PK	15.93328G	64.39	74.00	-9.61	3	Horizontal	24	1.50	-
5310MHz	Pass	PK	21.23574G	37.78	74.00	-36.22	3	Horizontal	31	1.84	-
5510MHz	Pass	AV	5.4516G	48.24	54.00	-5.76	3	Vertical	39	2.94	-
5510MHz	Pass	AV	5.5036G	101.83	Inf	-Inf	3	Vertical	39	2.94	-
5510MHz	Pass	PK	5.464G	62.19	68.20	-6.01	3	Vertical	39	2.94	-
5510MHz	Pass	PK	5.5036G	113.65	Inf	-Inf	3	Vertical	39	2.94	-
5510MHz	Pass	AV	5.4516G	49.88	54.00	-4.12	3	Horizontal	63	1.87	-
5510MHz	Pass	AV	5.5032G	106.32	Inf	-Inf	3	Horizontal	63	1.87	-
5510MHz	Pass	PK	5.4628G	66.01	68.20	-2.19	3	Horizontal	63	1.87	-
5510MHz	Pass	PK	5.5036G	118.07	Inf	-Inf	3	Horizontal	63	1.87	-
5510MHz	Pass	AV	11.01646G	41.30	54.00	-12.70	3	Vertical	0	1.90	-
5510MHz	Pass	AV	22.03094G	21.94	54.00	-32.06	3	Vertical	26	1.41	-
5510MHz	Pass	PK	11.02244G	55.48	74.00	-18.52	3	Vertical	0	1.90	-
5510MHz	Pass	PK	16.53G	64.66	68.20	-3.54	3	Vertical	124	1.50	-
5510MHz	Pass	PK	22.02896G	35.56	74.00	-38.44	3	Vertical	26	1.41	-
5510MHz	Pass	AV	11.01704G	41.95	54.00	-12.05	3	Horizontal	55	1.44	-
5510MHz	Pass	AV	22.0337G	21.72	54.00	-32.28	3	Horizontal	187	1.50	-
5510MHz	Pass	PK	11.01512G	55.42	74.00	-18.58	3	Horizontal	55	1.44	-
5510MHz	Pass	PK	16.52908G	64.90	68.20	-3.30	3	Horizontal	240	1.50	-
5510MHz	Pass	PK	22.0469G	35.43	74.00	-38.57	3	Horizontal	187	1.50	-
5550MHz	Pass	AV	5.4556G	47.72	54.00	-6.28	3	Vertical	26	3.00	-
5550MHz	Pass	AV	5.5392G	107.58	Inf	-Inf	3	Vertical	26	3.00	-
5550MHz	Pass	PK	5.4644G	59.59	68.20	-8.61	3	Vertical	26	3.00	-
5550MHz	Pass	PK	5.5388G	119.08	Inf	-Inf	3	Vertical	26	3.00	-
5550MHz	Pass	AV	5.4592G	50.28	54.00	-3.72	3	Horizontal	59	2.07	-
5550MHz	Pass	AV	5.5508G	109.93	Inf	-Inf	3	Horizontal	59	2.07	-
5550MHz	Pass	PK	5.4696G	66.66	68.20	-1.54	3	Horizontal	59	2.07	-
5550MHz	Pass	PK	5.5632G	121.83	Inf	-Inf	3	Horizontal	59	2.07	-
5550MHz	Pass	AV	11.10708G	41.84	54.00	-12.16	3	Vertical	355	1.67	-
5550MHz	Pass	AV	22.19304G	23.48	54.00	-30.52	3	Vertical	18	1.50	-
5550MHz	Pass	PK	11.1066G	54.61	74.00	-19.39	3	Vertical	355	1.67	-
5550MHz	Pass	PK	16.65356G	65.43	68.20	-2.77	3	Vertical	90	1.96	-
5550MHz	Pass	PK	22.21044G	36.38	74.00	-37.62	3	Vertical	18	1.50	-
5550MHz	Pass	AV	11.0977G	43.65	54.00	-10.35	3	Horizontal	55	1.50	-
5550MHz	Pass	AV	22.18752G	23.19	54.00	-30.81	3	Horizontal	-0	1.50	-
5550MHz	Pass	PK	11.0971G	56.36	74.00	-17.64	3	Horizontal	55	1.50	-
5550MHz	Pass	PK	16.6537G	64.99	68.20	-3.21	3	Horizontal	18	2.96	-
5550MHz	Pass	PK	22.18512G	36.83	74.00	-37.17	3	Horizontal	-0	1.50	-
5670MHz	Pass	AV	5.6838G	102.78	Inf	-Inf	3	Vertical	39	3.00	-
5670MHz	Pass	PK	5.6844G	114.86	Inf	-Inf	3	Vertical	39	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	5.7264G	60.82	68.20	-7.38	3	Vertical	39	3.00	-
5670MHz	Pass	AV	5.6832G	107.47	Inf	-Inf	3	Horizontal	64	1.97	-
5670MHz	Pass	PK	5.685G	118.98	Inf	-Inf	3	Horizontal	64	1.97	-
5670MHz	Pass	PK	5.7252G	65.95	68.20	-2.25	3	Horizontal	64	1.97	-
5670MHz	Pass	AV	11.33608G	41.63	54.00	-12.37	3	Vertical	158	1.27	-
5670MHz	Pass	AV	22.67982G	22.25	54.00	-31.75	3	Vertical	201	1.50	-
5670MHz	Pass	PK	11.3328G	55.12	74.00	-18.88	3	Vertical	158	1.27	-
5670MHz	Pass	PK	17.01872G	60.49	68.20	-7.71	3	Vertical	223	1.33	-
5670MHz	Pass	PK	22.6704G	35.13	74.00	-38.87	3	Vertical	201	1.50	-
5670MHz	Pass	AV	11.33864G	42.90	54.00	-11.10	3	Horizontal	308	1.80	-
5670MHz	Pass	AV	22.67724G	21.39	54.00	-32.61	3	Horizontal	0	1.50	-
5670MHz	Pass	PK	11.34832G	55.73	74.00	-18.27	3	Horizontal	308	1.80	-
5670MHz	Pass	PK	17.01144G	61.09	68.20	-7.11	3	Horizontal	64	2.37	-
5670MHz	Pass	PK	22.66914G	35.06	74.00	-38.94	3	Horizontal	0	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4328G	47.41	54.00	-6.59	3	Vertical	23	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	108.45	Inf	-Inf	3	Vertical	23	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	60.32	68.20	-7.88	3	Vertical	23	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	118.88	Inf	-Inf	3	Vertical	23	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	61.17	68.20	-7.03	3	Vertical	23	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4496G	48.14	54.00	-5.86	3	Horizontal	310	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	113.33	Inf	-Inf	3	Horizontal	310	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.99	68.20	-9.21	3	Horizontal	310	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	124.85	Inf	-Inf	3	Horizontal	310	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	64.12	68.20	-4.08	3	Horizontal	310	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.417G	43.91	54.00	-10.09	3	Vertical	2	1.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.83172G	23.98	54.00	-30.02	3	Vertical	331	1.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.528G	56.17	74.00	-17.83	3	Vertical	2	1.58	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1132G	65.56	68.20	-2.64	3	Vertical	23	2.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83148G	37.44	74.00	-36.56	3	Vertical	331	1.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41848G	44.70	54.00	-9.30	3	Horizontal	319	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.8316G	23.97	54.00	-30.03	3	Horizontal	46	1.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4188G	58.35	74.00	-15.65	3	Horizontal	319	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12864G	67.19	68.20	-1.01	3	Horizontal	13	3.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83142G	36.66	74.00	-37.34	3	Horizontal	46	1.73	-
5755MHz	Pass	AV	5.7538G	104.85	Inf	-Inf	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.623G	59.60	68.20	-8.60	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.7538G	117.48	Inf	-Inf	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.9962G	57.50	68.20	-10.70	3	Vertical	344	2.95	-
5755MHz	Pass	AV	5.7382G	108.30	Inf	-Inf	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	5.6482G	64.13	68.20	-4.07	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	5.7382G	119.47	Inf	-Inf	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	6.037G	58.24	68.20	-9.96	3	Horizontal	307	1.90	-
5755MHz	Pass	AV	11.5067G	46.71	54.00	-7.29	3	Vertical	16	1.30	-
5755MHz	Pass	AV	23.0198G	36.43	54.00	-17.57	3	Vertical	0	1.28	-
5755MHz	Pass	PK	11.5078G	61.15	74.00	-12.85	3	Vertical	16	1.30	-
5755MHz	Pass	PK	17.26986G	63.88	68.20	-4.32	3	Vertical	46	2.10	-
5755MHz	Pass	PK	23.01981G	45.37	74.00	-28.63	3	Vertical	0	1.28	-
5755MHz	Pass	AV	11.51582G	47.29	54.00	-6.71	3	Horizontal	293	2.99	-
5755MHz	Pass	AV	23.0198G	40.80	54.00	-13.20	3	Horizontal	31	1.66	-
5755MHz	Pass	PK	11.5148G	60.89	74.00	-13.11	3	Horizontal	293	2.99	-
5755MHz	Pass	PK	17.27316G	66.76	68.20	-1.44	3	Horizontal	51	1.00	-
5755MHz	Pass	PK	23.01974G	47.25	74.00	-26.75	3	Horizontal	31	1.66	-
5795MHz	Pass	AV	5.7854G	105.87	Inf	-Inf	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.6414G	57.85	68.20	-10.35	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.7854G	117.29	Inf	-Inf	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.9354G	58.20	68.20	-10.00	3	Vertical	10	2.93	-
5795MHz	Pass	AV	5.7938G	109.22	Inf	-Inf	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.6366G	58.94	68.20	-9.26	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.7938G	119.72	Inf	-Inf	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.9354G	59.92	68.20	-8.28	3	Horizontal	307	2.99	-
5795MHz	Pass	AV	11.58624G	46.82	54.00	-7.18	3	Vertical	16	1.33	-
5795MHz	Pass	PK	11.58608G	59.85	74.00	-14.15	3	Vertical	16	1.33	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	PK	17.38428G	65.86	68.20	-2.34	3	Vertical	9	2.38	-
5795MHz	Pass	PK	23.17964G	44.73	68.20	-23.47	3	Vertical	5	1.67	-
5795MHz	Pass	AV	11.57552G	48.93	54.00	-5.07	3	Horizontal	76	1.80	-
5795MHz	Pass	PK	11.57544G	62.61	74.00	-11.39	3	Horizontal	76	1.80	-
5795MHz	Pass	PK	17.37404G	66.83	68.20	-1.37	3	Horizontal	49	1.00	-
5795MHz	Pass	PK	23.1798G	46.31	68.20	-21.89	3	Horizontal	57	1.82	-
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.1344G	49.03	54.00	-4.97	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.2256G	99.00	Inf	-Inf	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.4068G	44.80	54.00	-9.20	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.1452G	65.95	74.00	-8.05	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.2268G	111.27	Inf	-Inf	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.5088G	56.81	68.20	-11.39	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.1428G	52.90	54.00	-1.10	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	5.2232G	103.44	Inf	-Inf	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	5.3624G	45.72	54.00	-8.28	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.1452G	71.90	74.00	-2.10	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.222G	115.54	Inf	-Inf	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.4956G	56.83	68.20	-11.37	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	15.62456G	45.11	54.00	-8.89	3	Vertical	158	1.50	-
5210MHz	Pass	AV	20.83982G	32.00	54.00	-22.00	3	Vertical	228	1.81	-
5210MHz	Pass	PK	10.41984G	55.27	68.20	-12.93	3	Vertical	338	2.95	-
5210MHz	Pass	PK	15.62284G	58.81	74.00	-15.19	3	Vertical	158	1.50	-
5210MHz	Pass	PK	20.83988G	43.69	74.00	-30.31	3	Vertical	228	1.81	-
5210MHz	Pass	AV	15.6272G	45.33	54.00	-8.67	3	Horizontal	120	1.01	-
5210MHz	Pass	AV	20.83982G	35.91	54.00	-18.09	3	Horizontal	26	2.07	-
5210MHz	Pass	PK	10.42308G	54.66	68.20	-13.54	3	Horizontal	28	1.50	-
5210MHz	Pass	PK	15.6278G	58.36	74.00	-15.64	3	Horizontal	120	1.01	-
5210MHz	Pass	PK	20.83982G	44.25	74.00	-29.75	3	Horizontal	26	2.07	-
5290MHz	Pass	AV	5.149G	47.52	54.00	-6.48	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.289G	99.90	Inf	-Inf	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.361G	51.38	54.00	-2.62	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.146G	59.57	74.00	-14.43	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.287G	111.73	Inf	-Inf	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.529G	59.10	68.20	-9.10	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.142G	47.64	54.00	-6.36	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	5.302G	103.03	Inf	-Inf	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	5.363G	52.86	54.00	-1.14	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.141G	59.74	74.00	-14.26	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.302G	114.55	Inf	-Inf	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.362G	67.46	74.00	-6.54	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	15.8841G	50.03	54.00	-3.97	3	Vertical	14	2.46	-
5290MHz	Pass	AV	21.14512G	24.92	54.00	-29.08	3	Vertical	346	1.72	-
5290MHz	Pass	PK	10.58G	55.26	68.20	-12.94	3	Vertical	50	2.05	-
5290MHz	Pass	PK	15.8667G	64.10	74.00	-9.90	3	Vertical	14	2.46	-
5290MHz	Pass	PK	21.14518G	37.95	74.00	-36.05	3	Vertical	346	1.72	-
5290MHz	Pass	AV	15.8729G	49.94	54.00	-4.06	3	Horizontal	235	2.19	-
5290MHz	Pass	AV	21.145G	24.68	54.00	-29.32	3	Horizontal	314	1.50	-
5290MHz	Pass	PK	10.57986G	55.72	68.20	-12.48	3	Horizontal	20	1.67	-
5290MHz	Pass	PK	15.8703G	64.42	74.00	-9.58	3	Horizontal	235	2.19	-
5290MHz	Pass	PK	21.15028G	38.03	74.00	-35.97	3	Horizontal	314	1.50	-
5530MHz	Pass	AV	5.458G	49.12	54.00	-4.88	3	Vertical	27	3.00	-
5530MHz	Pass	AV	5.559G	98.71	Inf	-Inf	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.465G	60.32	68.20	-7.88	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.559G	109.91	Inf	-Inf	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.729G	58.38	68.20	-9.82	3	Vertical	27	3.00	-
5530MHz	Pass	AV	5.451G	52.50	54.00	-1.50	3	Horizontal	64	1.92	-
5530MHz	Pass	AV	5.543G	101.67	Inf	-Inf	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.464G	67.49	68.20	-0.71	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.543G	114.04	Inf	-Inf	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.729G	59.75	68.20	-8.45	3	Horizontal	64	1.92	-
5530MHz	Pass	AV	11.0842G	41.12	54.00	-12.88	3	Vertical	147	1.93	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	22.10506G	22.21	54.00	-31.79	3	Vertical	360	1.72	-
5530MHz	Pass	PK	11.0812G	54.66	74.00	-19.34	3	Vertical	147	1.93	-
5530MHz	Pass	PK	16.5755G	64.63	68.20	-3.57	3	Vertical	227	2.18	-
5530MHz	Pass	PK	22.10902G	35.48	74.00	-38.52	3	Vertical	360	1.72	-
5530MHz	Pass	AV	11.0627G	40.82	54.00	-13.18	3	Horizontal	248	2.15	-
5530MHz	Pass	AV	22.12312G	22.16	54.00	-31.84	3	Horizontal	306	2.35	-
5530MHz	Pass	PK	11.0807G	53.88	74.00	-20.12	3	Horizontal	248	2.15	-
5530MHz	Pass	PK	16.5998G	64.47	68.20	-3.73	3	Horizontal	128	1.75	-
5530MHz	Pass	PK	22.12036G	36.11	74.00	-37.89	3	Horizontal	306	2.35	-
5610MHz	Pass	AV	5.444G	47.41	54.00	-6.59	3	Vertical	39	2.97	-
5610MHz	Pass	AV	5.604G	100.40	Inf	-Inf	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.469G	58.84	68.20	-9.36	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.603G	113.27	Inf	-Inf	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.732G	60.94	68.20	-7.26	3	Vertical	39	2.97	-
5610MHz	Pass	AV	5.452G	48.73	54.00	-5.27	3	Horizontal	63	1.96	-
5610MHz	Pass	AV	5.603G	105.65	Inf	-Inf	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.462G	61.05	68.20	-7.15	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.603G	117.56	Inf	-Inf	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.725G	65.52	68.20	-2.68	3	Horizontal	63	1.96	-
5610MHz	Pass	AV	11.21176G	43.24	54.00	-10.76	3	Vertical	52	2.20	-
5610MHz	Pass	AV	22.4472G	22.47	54.00	-31.53	3	Vertical	326	1.44	-
5610MHz	Pass	PK	11.22408G	56.36	74.00	-17.64	3	Vertical	52	2.20	-
5610MHz	Pass	PK	16.82952G	60.00	68.20	-8.20	3	Vertical	269	1.07	-
5610MHz	Pass	PK	22.42668G	36.16	74.00	-37.84	3	Vertical	326	1.44	-
5610MHz	Pass	AV	11.22472G	43.40	54.00	-10.60	3	Horizontal	90	2.29	-
5610MHz	Pass	AV	22.43988G	22.95	54.00	-31.05	3	Horizontal	71	1.84	-
5610MHz	Pass	PK	11.22416G	57.22	74.00	-16.78	3	Horizontal	90	2.29	-
5610MHz	Pass	PK	17.008G	60.87	68.20	-7.33	3	Horizontal	123	1.23	-
5610MHz	Pass	PK	22.43232G	35.64	74.00	-38.36	3	Horizontal	71	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	47.21	54.00	-6.79	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	103.53	Inf	-Inf	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.16	68.20	-9.04	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	114.19	Inf	-Inf	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	61.36	68.20	-6.84	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	48.34	54.00	-5.66	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	108.48	Inf	-Inf	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.18	68.20	-8.02	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	119.05	Inf	-Inf	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	67.66	68.20	-0.54	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3688G	43.26	54.00	-10.74	3	Vertical	317	2.75	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75811G	26.45	54.00	-27.55	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38696G	56.34	74.00	-17.66	3	Vertical	317	2.75	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06256G	61.77	68.20	-6.43	3	Vertical	145	1.60	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76122G	39.63	74.00	-34.37	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39904G	42.96	54.00	-11.04	3	Horizontal	157	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75982G	28.40	54.00	-25.60	3	Horizontal	50	1.60	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39608G	55.88	74.00	-18.12	3	Horizontal	157	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06048G	61.64	68.20	-6.56	3	Horizontal	10	1.08	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76008G	40.26	74.00	-33.74	3	Horizontal	50	1.60	-
5775MHz	Pass	AV	5.7618G	99.30	Inf	-Inf	3	Vertical	39	2.30	-
5775MHz	Pass	PK	5.6418G	65.22	68.20	-2.98	3	Vertical	39	2.30	-
5775MHz	Pass	PK	5.7618G	110.55	Inf	-Inf	3	Vertical	39	2.30	-
5775MHz	Pass	PK	6.0498G	57.83	68.20	-10.37	3	Vertical	39	2.30	-
5775MHz	Pass	AV	5.7582G	105.94	Inf	-Inf	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.6562G	71.97	72.79	-0.82	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.7594G	118.76	Inf	-Inf	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.925G	65.05	68.20	-3.15	3	Horizontal	307	1.97	-
5775MHz	Pass	AV	11.54992G	44.92	54.00	-9.08	3	Vertical	4	1.00	-
5775MHz	Pass	AV	23.09982G	33.18	54.00	-20.82	3	Vertical	12	1.87	-
5775MHz	Pass	PK	11.54996G	57.23	74.00	-16.77	3	Vertical	4	1.00	-
5775MHz	Pass	PK	17.32996G	63.34	68.20	-4.86	3	Vertical	339	1.03	-
5775MHz	Pass	PK	23.10108G	43.20	74.00	-30.80	3	Vertical	12	1.87	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	AV	11.55G	44.82	54.00	-9.18	3	Horizontal	50	1.50	-
5775MHz	Pass	AV	23.09982G	33.04	54.00	-20.96	3	Horizontal	326	1.81	-
5775MHz	Pass	PK	11.573G	56.06	74.00	-17.94	3	Horizontal	50	1.50	-
5775MHz	Pass	PK	17.3744G	62.24	68.20	-5.96	3	Horizontal	336	1.16	-
5775MHz	Pass	PK	23.08602G	43.68	74.00	-30.32	3	Horizontal	326	1.81	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.2116G	95.11	Inf	-Inf	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.35G	49.69	54.00	-4.31	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.15G	62.22	74.00	-11.78	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.2116G	105.87	Inf	-Inf	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.5332G	59.27	68.20	-8.93	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.1444G	51.13	54.00	-2.87	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	5.2872G	100.44	Inf	-Inf	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	5.3664G	53.43	54.00	-0.57	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.136G	66.62	74.00	-7.38	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.2872G	112.28	Inf	-Inf	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.5068G	59.94	68.20	-8.26	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	15.7639G	49.67	54.00	-4.33	3	Vertical	40	1.82	-
#5210MHz,#5290MHz	Pass	AV	20.98506G	24.45	54.00	-29.55	3	Vertical	201	2.02	-
#5210MHz,#5290MHz	Pass	PK	10.4889G	54.07	68.20	-14.13	3	Vertical	5	1.88	-
#5210MHz,#5290MHz	Pass	PK	15.7366G	63.27	74.00	-10.73	3	Vertical	40	1.82	-
#5210MHz,#5290MHz	Pass	PK	20.9958G	37.48	74.00	-36.52	3	Vertical	201	2.02	-
#5210MHz,#5290MHz	Pass	AV	15.7621G	49.78	54.00	-4.22	3	Horizontal	28	1.58	-
#5210MHz,#5290MHz	Pass	AV	20.985G	24.50	54.00	-29.50	3	Horizontal	348	2.02	-
#5210MHz,#5290MHz	Pass	PK	10.494G	54.51	68.20	-13.69	3	Horizontal	278	1.27	-
#5210MHz,#5290MHz	Pass	PK	15.7502G	63.13	74.00	-10.87	3	Horizontal	28	1.58	-
#5210MHz,#5290MHz	Pass	PK	20.99316G	37.91	74.00	-36.09	3	Horizontal	348	2.02	-
#5530MHz,#5610MHz	Pass	AV	5.4464G	49.68	54.00	-4.32	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	AV	5.5268G	95.53	Inf	-Inf	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.4668G	62.44	68.20	-5.76	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.5268G	106.34	Inf	-Inf	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.798G	60.01	68.20	-8.19	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	AV	5.4428G	53.33	54.00	-0.67	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	AV	5.522G	100.97	Inf	-Inf	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.4632G	67.24	68.20	-0.96	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.5448G	112.57	Inf	-Inf	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.7824G	60.89	68.20	-7.31	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	AV	11.21956G	42.18	54.00	-11.82	3	Vertical	162	1.94	-
#5530MHz,#5610MHz	Pass	AV	22.26638G	23.92	54.00	-30.08	3	Vertical	29	2.16	-
#5530MHz,#5610MHz	Pass	PK	11.19712G	55.54	74.00	-18.46	3	Vertical	162	1.94	-
#5530MHz,#5610MHz	Pass	PK	16.7176G	65.28	68.20	-2.92	3	Vertical	40	2.12	-
#5530MHz,#5610MHz	Pass	PK	22.27388G	37.73	74.00	-36.27	3	Vertical	29	2.16	-
#5530MHz,#5610MHz	Pass	AV	11.1603G	41.91	54.00	-12.09	3	Horizontal	22	2.37	-
#5530MHz,#5610MHz	Pass	AV	22.26896G	23.37	54.00	-30.63	3	Horizontal	82	1.50	-
#5530MHz,#5610MHz	Pass	PK	11.1608G	56.13	74.00	-17.87	3	Horizontal	22	2.37	-
#5530MHz,#5610MHz	Pass	PK	16.7094G	65.73	68.20	-2.47	3	Horizontal	123	1.63	-
#5530MHz,#5610MHz	Pass	PK	22.27148G	36.50	74.00	-37.50	3	Horizontal	82	1.50	-

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.42	54.00	-0.58	5.99	3	Vertical	5	1.37	-	47.43	31.70	8.52	34.23
AV	5.1836G	109.78	Inf	-Inf	5.89	3	Vertical	5	1.37	-	103.89	31.57	8.55	34.23
AV	5.3756G	47.23	54.00	-6.77	5.51	3	Vertical	5	1.37	-	41.72	31.15	8.61	34.25
PK	5.15G	67.15	74.00	-6.85	5.99	3	Vertical	5	1.37	-	61.16	31.70	8.52	34.23
PK	5.1836G	117.69	Inf	-Inf	5.89	3	Vertical	5	1.37	-	111.80	31.57	8.55	34.23
PK	5.4668G	58.62	68.20	-9.58	6.08	3	Vertical	5	1.37	-	52.54	31.63	8.71	34.26

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1368G	53.20	54.00	-0.80	5.98	3	Horizontal	299	1.96	-	47.22	31.70	8.51	34.23
AV	5.1776G	115.58	Inf	-Inf	5.91	3	Horizontal	299	1.96	-	109.67	31.59	8.55	34.23
AV	5.3696G	51.61	54.00	-2.39	5.47	3	Horizontal	299	1.96	-	46.14	31.12	8.60	34.25
PK	5.1368G	66.45	74.00	-7.55	5.98	3	Horizontal	299	1.96	-	60.47	31.70	8.51	34.23
PK	5.1788G	123.37	Inf	-Inf	5.90	3	Horizontal	299	1.96	-	117.47	31.58	8.55	34.23
PK	5.4704G	58.59	68.20	-9.61	6.09	3	Horizontal	299	1.96	-	52.50	31.64	8.71	34.26

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.545G	35.09	54.00	-18.91	8.25	3	Vertical	360	1.50	-	26.84	38.10	14.61	44.46
AV	20.7209G	39.57	54.00	-14.43	-3.15	3	Vertical	23	1.70	-	42.72	39.23	16.22	49.06
PK	10.35996G	54.87	68.20	-13.33	13.08	3	Vertical	32	2.84	-	41.79	38.10	12.18	37.20
PK	15.53672G	48.15	74.00	-25.85	8.26	3	Vertical	360	1.50	-	39.89	38.10	14.61	44.45
PK	20.7225G	52.39	74.00	-21.61	-3.15	3	Vertical	23	1.70	-	55.54	39.23	16.22	49.06

802.11a_Nss1,(6Mbps)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53728G	35.87	54.00	-18.13	8.26	3	Horizontal	64	1.65	-	27.61	38.10	14.61	44.45
AV	20.7259G	38.61	54.00	-15.39	-3.13	3	Horizontal	45	1.62	-	41.74	39.23	16.23	49.05
PK	10.35816G	60.37	68.20	-7.83	13.08	3	Horizontal	65	1.68	-	47.29	38.10	12.18	37.20
PK	15.53716G	47.44	74.00	-26.56	8.26	3	Horizontal	64	1.65	-	39.18	38.10	14.61	44.45
PK	20.7276G	52.31	74.00	-21.69	-3.13	3	Horizontal	45	1.62	-	55.44	39.23	16.23	49.05

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	51.66	54.00	-2.34	5.99	3	Vertical	8	2.90	-	45.67	31.70	8.52	34.23
AV	5.1988G	111.58	Inf	-Inf	5.83	3	Vertical	8	2.90	-	105.75	31.50	8.57	34.24
AV	5.3932G	48.01	54.00	-5.99	5.62	3	Vertical	8	2.90	-	42.39	31.26	8.61	34.25
PK	5.1496G	64.39	74.00	-9.61	5.99	3	Vertical	8	2.90	-	58.40	31.70	8.52	34.23
PK	5.2012G	119.63	Inf	-Inf	5.82	3	Vertical	8	2.90	-	113.81	31.49	8.57	34.24
PK	5.4772G	58.07	68.20	-10.13	6.11	3	Vertical	8	2.90	-	51.96	31.65	8.72	34.26

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	52.29	54.00	-1.71	5.99	3	Horizontal	54	1.50	-	46.30	31.70	8.52	34.23
AV	5.1928G	114.30	Inf	-Inf	5.85	3	Horizontal	54	1.50	-	108.45	31.53	8.56	34.24
AV	5.3848G	49.04	54.00	-4.96	5.57	3	Horizontal	54	1.50	-	43.47	31.21	8.61	34.25
PK	5.1496G	62.57	74.00	-11.43	5.99	3	Horizontal	54	1.50	-	56.58	31.70	8.52	34.23
PK	5.1928G	122.14	Inf	-Inf	5.85	3	Horizontal	54	1.50	-	116.29	31.53	8.56	34.24
PK	5.4988G	58.09	68.20	-10.11	6.19	3	Horizontal	54	1.50	-	51.90	31.70	8.75	34.26

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5944G	47.00	54.00	-7.00	18.03	3	Vertical	347	1.50	-	28.97	37.84	14.62	34.43
AV	20.7905G	39.75	54.00	-14.25	-3.17	3	Vertical	357	1.34	-	42.92	39.15	16.26	49.04
PK	10.3962G	63.52	68.20	-4.68	17.04	3	Vertical	29	3.00	-	46.48	39.49	12.20	34.65
PK	15.5942G	59.52	74.00	-14.48	18.03	3	Vertical	347	1.50	-	41.49	37.84	14.62	34.43
PK	20.7904G	52.39	74.00	-21.61	-3.17	3	Vertical	357	1.34	-	55.56	39.15	16.26	49.04

802.11a_Nss1,(6Mbps)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6026G	47.65	54.00	-6.35	18.00	3	Horizontal	0	1.54	-	29.65	37.81	14.62	34.43
AV	20.8048G	40.17	54.00	-13.83	-3.18	3	Horizontal	42	1.70	-	43.35	39.13	16.27	49.04
PK	10.4028G	67.19	68.20	-1.01	17.07	3	Horizontal	76	1.71	-	50.12	39.51	12.20	34.64
PK	15.5988G	60.43	74.00	-13.57	18.00	3	Horizontal	0	1.54	-	42.43	37.81	14.62	34.43
PK	20.8049G	53.12	74.00	-20.88	-3.18	3	Horizontal	42	1.70	-	56.30	39.13	16.27	49.04

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0444G	46.61	54.00	-7.39	5.68	3	Vertical	5	2.71	-	40.93	31.48	8.42	34.22
AV	5.2328G	108.76	Inf	-Inf	5.64	3	Vertical	5	2.71	-	103.12	31.30	8.58	34.24
AV	5.4248G	45.71	54.00	-8.29	5.85	3	Vertical	5	2.71	-	39.86	31.45	8.65	34.25
PK	5.0492G	57.24	74.00	-16.76	5.71	3	Vertical	5	2.71	-	51.53	31.50	8.43	34.22
PK	5.2328G	118.49	Inf	-Inf	5.64	3	Vertical	5	2.71	-	112.85	31.30	8.58	34.24
PK	5.534G	55.99	68.20	-12.21	6.17	3	Vertical	5	2.71	-	49.82	31.63	8.80	34.26

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0528G	48.65	54.00	-5.35	5.72	3	Horizontal	72	1.00	-	42.93	31.51	8.43	34.22
AV	5.246G	112.74	Inf	-Inf	5.56	3	Horizontal	72	1.00	-	107.18	31.22	8.58	34.24
AV	5.426G	48.11	54.00	-5.89	5.86	3	Horizontal	72	1.00	-	42.25	31.46	8.65	34.25
PK	5.12G	62.38	74.00	-11.62	5.96	3	Horizontal	72	1.00	-	56.42	31.70	8.49	34.23
PK	5.246G	123.11	Inf	-Inf	5.56	3	Horizontal	72	1.00	-	117.55	31.22	8.58	34.24
PK	5.5124G	58.09	68.20	-10.11	6.19	3	Horizontal	72	1.00	-	51.90	31.68	8.77	34.26

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72748G	46.31	54.00	-7.69	17.99	3	Vertical	346	1.50	-	28.32	37.89	14.65	34.55
AV	20.9599G	37.68	54.00	-16.32	-3.23	3	Vertical	22	1.39	-	40.91	38.95	16.37	49.01
PK	10.47636G	63.66	68.20	-4.54	17.30	3	Vertical	25	2.96	-	46.36	39.65	12.24	34.59
PK	15.7168G	60.00	74.00	-14.00	18.04	3	Vertical	346	1.50	-	41.96	37.93	14.65	34.54
PK	20.9554G	51.80	74.00	-22.20	-3.24	3	Vertical	22	1.39	-	55.04	38.95	16.36	49.01

802.11a_Nss1,(6Mbps)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7168G	47.45	54.00	-6.55	18.04	3	Horizontal	320	1.74	-	29.41	37.93	14.65	34.54
AV	20.9598G	37.88	54.00	-16.12	-3.23	3	Horizontal	37	1.67	-	41.11	38.95	16.37	49.01
PK	10.47732G	66.53	68.20	-1.67	17.30	3	Horizontal	300	1.79	-	49.23	39.65	12.24	34.59
PK	15.71636G	61.36	74.00	-12.64	18.04	3	Horizontal	320	1.74	-	43.32	37.93	14.65	34.54
PK	20.9598G	51.54	74.00	-22.46	-3.23	3	Horizontal	37	1.67	-	54.77	38.95	16.37	49.01

802.11a_Nss1,(6Mbps)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1478G	47.65	54.00	-6.35	8.84	3	Vertical	12	2.56	-	38.81	34.00	9.07	34.23
AV	5.2552G	104.77	Inf	-Inf	8.80	3	Vertical	12	2.56	-	95.97	33.90	9.14	34.24
AV	5.3602G	48.48	54.00	-5.52	9.05	3	Vertical	12	2.56	-	39.43	34.04	9.26	34.25
PK	5.134G	59.59	74.00	-14.41	8.81	3	Vertical	12	2.56	-	50.78	33.97	9.07	34.23
PK	5.2558G	113.90	Inf	-Inf	8.80	3	Vertical	12	2.56	-	105.10	33.90	9.14	34.24
PK	5.3614G	60.72	74.00	-13.28	9.04	3	Vertical	12	2.56	-	51.68	34.03	9.26	34.25

802.11a_Nss1,(6Mbps)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	47.98	54.00	-6.02	8.84	3	Horizontal	308	1.45	-	39.14	34.00	9.07	34.23
AV	5.2588G	109.02	Inf	-Inf	8.80	3	Horizontal	308	1.45	-	100.22	33.90	9.14	34.24
AV	5.3596G	49.80	54.00	-4.20	9.05	3	Horizontal	308	1.45	-	40.75	34.04	9.26	34.25
PK	5.11G	59.84	74.00	-14.16	8.76	3	Horizontal	308	1.45	-	51.08	33.92	9.07	34.23
PK	5.2588G	118.71	Inf	-Inf	8.80	3	Horizontal	308	1.45	-	109.91	33.90	9.14	34.24
PK	5.3584G	61.35	74.00	-12.65	9.05	3	Horizontal	308	1.45	-	52.30	34.05	9.25	34.25

802.11a_Nss1,(6Mbps)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78512G	50.64	54.00	-3.36	23.24	3	Vertical	231	1.40	-	27.40	42.96	14.88	34.60
AV	21.04042G	35.07	54.00	-18.93	-8.28	3	Vertical	7	1.67	-	43.35	38.60	17.06	54.40
PK	10.5222G	62.20	68.20	-6.00	17.05	3	Vertical	340	1.49	-	45.15	39.17	12.43	34.55
PK	15.78592G	63.70	74.00	-10.30	23.24	3	Vertical	231	1.40	-	40.46	42.96	14.88	34.60
PK	21.04006G	48.84	74.00	-25.16	-8.28	3	Vertical	7	1.67	-	57.12	38.60	17.06	54.40

802.11a_Nss1,(6Mbps)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78648G	50.57	54.00	-3.43	23.24	3	Horizontal	56	1.96	-	27.33	42.96	14.88	34.60
AV	21.03856G	32.63	54.00	-21.37	-8.28	3	Horizontal	39	1.64	-	40.91	38.60	17.06	54.40
PK	10.51752G	66.36	68.20	-1.84	17.02	3	Horizontal	301	1.76	-	49.34	39.15	12.43	34.56
PK	15.7836G	63.90	74.00	-10.10	23.23	3	Horizontal	56	1.96	-	40.67	42.95	14.88	34.60
PK	21.03872G	45.21	74.00	-28.79	-8.28	3	Horizontal	39	1.64	-	53.49	38.60	17.06	54.40

802.11a_Nss1,(6Mbps)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2928G	107.94	Inf	-Inf	8.84	3	Vertical	340	1.50	-	99.10	33.90	9.18	34.24
AV	5.3528G	48.40	54.00	-5.60	9.08	3	Vertical	340	1.50	-	39.32	34.08	9.25	34.25
PK	5.2928G	117.44	Inf	-Inf	8.84	3	Vertical	340	1.50	-	108.60	33.90	9.18	34.24
PK	5.3516G	60.32	74.00	-13.68	9.09	3	Vertical	340	1.50	-	51.23	34.09	9.25	34.25

802.11a_Nss1,(6Mbps)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2968G	113.30	Inf	-Inf	8.85	3	Horizontal	57	1.65	-	104.45	33.90	9.19	34.24
AV	5.3532G	49.37	54.00	-4.63	9.08	3	Horizontal	57	1.65	-	40.29	34.08	9.25	34.25
PK	5.2968G	122.99	Inf	-Inf	8.85	3	Horizontal	57	1.65	-	114.14	33.90	9.19	34.24
PK	5.3556G	61.54	74.00	-12.46	9.07	3	Horizontal	57	1.65	-	52.47	34.07	9.25	34.25

802.11a_Nss1,(6Mbps)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8944G	51.31	54.00	-2.69	22.94	3	Vertical	186	1.32	-	28.37	42.72	14.92	34.70
AV	21.19528G	34.26	54.00	-19.74	-8.20	3	Vertical	311	1.28	-	42.46	38.60	17.14	54.40
PK	10.5952G	61.89	68.20	-6.31	17.35	3	Vertical	340	1.50	-	44.54	39.39	12.46	34.50
PK	15.90252G	64.67	74.00	-9.33	22.91	3	Vertical	186	1.32	-	41.76	42.70	14.92	34.71
PK	21.19352G	47.89	74.00	-26.11	-8.20	3	Vertical	311	1.28	-	56.09	38.60	17.14	54.40

802.11a_Nss1,(6Mbps)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89576G	51.24	54.00	-2.76	22.93	3	Horizontal	327	2.31	-	28.31	42.71	14.92	34.70
AV	21.19664G	32.50	54.00	-21.50	-8.20	3	Horizontal	47	1.77	-	40.70	38.60	17.14	54.40
PK	10.59836G	67.14	68.20	-1.06	17.36	3	Horizontal	302	1.79	-	49.78	39.40	12.46	34.50
PK	15.90388G	64.44	74.00	-9.56	22.91	3	Horizontal	327	2.31	-	41.53	42.70	14.92	34.71
PK	21.196G	46.15	74.00	-27.85	-8.20	3	Horizontal	47	1.77	-	54.35	38.60	17.14	54.40

802.11a_Nss1,(6Mbps)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3176G	108.03	Inf	-Inf	8.93	3	Vertical	331	2.96	-	99.10	33.97	9.21	34.25
AV	5.3524G	51.14	54.00	-2.86	9.09	3	Vertical	331	2.96	-	42.05	34.09	9.25	34.25
PK	5.318G	117.04	Inf	-Inf	8.93	3	Vertical	331	2.96	-	108.11	33.97	9.21	34.25
PK	5.3532G	64.22	74.00	-9.78	9.08	3	Vertical	331	2.96	-	55.14	34.08	9.25	34.25

802.11a_Nss1,(6Mbps)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3184G	115.18	Inf	-Inf	8.93	3	Horizontal	302	1.91	-	106.25	33.97	9.21	34.25
AV	5.3576G	53.02	54.00	-0.98	9.05	3	Horizontal	302	1.91	-	43.97	34.05	9.25	34.25
PK	5.3184G	124.86	Inf	-Inf	8.93	3	Horizontal	302	1.91	-	115.93	33.97	9.21	34.25
PK	5.3584G	67.61	74.00	-6.39	9.05	3	Horizontal	302	1.91	-	58.56	34.05	9.25	34.25

802.11a_Nss1,(6Mbps)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64G	45.73	54.00	-8.27	17.30	3	Vertical	342	1.58	-	28.43	39.28	12.48	34.46
AV	15.95944G	51.41	54.00	-2.59	22.82	3	Vertical	189	1.50	-	28.59	42.64	14.94	34.76
AV	21.28104G	33.35	54.00	-20.65	-8.10	3	Vertical	357	1.80	-	41.45	38.65	17.19	54.40
PK	10.64068G	58.84	74.00	-15.16	17.30	3	Vertical	342	1.58	-	41.54	39.28	12.48	34.46
PK	15.95924G	64.26	74.00	-9.74	22.82	3	Vertical	189	1.50	-	41.44	42.64	14.94	34.76
PK	21.28064G	47.51	74.00	-26.49	-8.10	3	Vertical	357	1.80	-	55.61	38.65	17.19	54.40

802.11a_Nss1,(6Mbps)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63776G	48.99	54.00	-5.01	17.30	3	Horizontal	306	1.82	-	31.69	39.29	12.48	34.47
AV	15.96636G	51.42	54.00	-2.58	22.80	3	Horizontal	113	1.59	-	28.62	42.63	14.94	34.77
AV	21.27656G	31.45	54.00	-22.55	-8.12	3	Horizontal	31	1.81	-	39.57	38.64	17.18	54.40
PK	10.63628G	62.30	74.00	-11.70	17.30	3	Horizontal	306	1.82	-	45.00	39.29	12.48	34.47
PK	15.96672G	65.00	74.00	-9.00	22.80	3	Horizontal	113	1.59	-	42.20	42.63	14.94	34.77
PK	21.2836G	45.61	74.00	-28.39	-8.10	3	Horizontal	31	1.81	-	53.71	38.65	17.19	54.40

802.11a_Nss1,(6Mbps)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.39	54.00	-5.61	8.95	3	Vertical	42	2.92	-	39.44	33.86	9.35	34.26
AV	5.5032G	110.13	Inf	-Inf	8.82	3	Vertical	42	2.92	-	101.31	33.70	9.38	34.26
PK	5.47G	63.39	68.20	-4.81	8.92	3	Vertical	42	2.92	-	54.47	33.82	9.36	34.26
PK	5.5032G	119.78	Inf	-Inf	8.82	3	Vertical	42	2.92	-	110.96	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.98	54.00	-4.02	8.95	3	Horizontal	310	1.96	-	41.03	33.86	9.35	34.26
AV	5.5034G	113.30	Inf	-Inf	8.82	3	Horizontal	310	1.96	-	104.48	33.70	9.38	34.26
PK	5.4698G	66.02	68.20	-2.18	8.92	3	Horizontal	310	1.96	-	57.10	33.82	9.36	34.26
PK	5.5026G	123.32	Inf	-Inf	8.82	3	Horizontal	310	1.96	-	114.50	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00004G	44.90	54.00	-9.10	17.74	3	Vertical	360	1.78	-	27.16	39.30	12.63	34.19
PK	11.00008G	57.69	74.00	-16.31	17.74	3	Vertical	360	1.78	-	39.95	39.30	12.63	34.19
PK	16.49256G	64.23	68.20	-3.97	22.26	3	Vertical	229	1.20	-	41.97	41.30	15.24	34.28
PK	22.00552G	40.98	68.20	-27.22	-8.98	3	Vertical	38	1.71	-	49.96	38.90	17.56	55.90

802.11a_Nss1,(6Mbps)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00376G	50.30	54.00	-3.70	17.74	3	Horizontal	303	1.82	-	32.56	39.30	12.63	34.19
PK	11.00228G	64.27	74.00	-9.73	17.74	3	Horizontal	303	1.82	-	46.53	39.30	12.63	34.19
PK	16.49316G	64.81	68.20	-3.39	22.26	3	Horizontal	36	1.50	-	42.55	41.30	15.24	34.28
PK	21.98744G	37.12	68.20	-31.08	-8.95	3	Horizontal	360	1.49	-	46.07	38.90	17.55	55.86

802.11a_Nss1,(6Mbps)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4312G	47.99	54.00	-6.01	8.93	3	Vertical	360	3.00	-	39.06	33.86	9.32	34.25
AV	5.5728G	108.07	Inf	-Inf	8.78	3	Vertical	360	3.00	-	99.29	33.61	9.44	34.27
PK	5.463G	58.71	68.20	-9.49	8.94	3	Vertical	360	3.00	-	49.77	33.85	9.35	34.26
PK	5.574G	116.94	Inf	-Inf	8.77	3	Vertical	360	3.00	-	108.17	33.60	9.44	34.27
PK	5.727G	59.80	68.20	-8.40	8.87	3	Vertical	360	3.00	-	50.93	33.65	9.50	34.28

802.11a_Nss1,(6Mbps)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	48.46	54.00	-5.54	8.94	3	Horizontal	307	1.71	-	39.52	33.86	9.33	34.25
AV	5.5866G	110.98	Inf	-Inf	8.73	3	Horizontal	307	1.71	-	102.25	33.55	9.45	34.27
PK	5.4684G	59.77	68.20	-8.43	8.92	3	Horizontal	307	1.71	-	50.85	33.83	9.35	34.26
PK	5.586G	120.41	Inf	-Inf	8.74	3	Horizontal	307	1.71	-	111.67	33.56	9.45	34.27
PK	5.7258G	60.03	68.20	-8.17	8.87	3	Horizontal	307	1.71	-	51.16	33.65	9.50	34.28

802.11a_Nss1,(6Mbps)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16G	44.75	54.00	-9.25	18.22	3	Vertical	355	1.20	-	26.53	39.70	12.70	34.18
AV	22.31584G	27.41	54.00	-26.59	-8.66	3	Vertical	320	1.41	-	36.07	38.93	17.66	55.71
PK	11.16056G	58.50	74.00	-15.50	18.22	3	Vertical	355	1.20	-	40.28	39.70	12.70	34.18
PK	16.74696G	67.19	68.20	-1.01	24.99	3	Vertical	20	1.07	-	42.20	43.42	15.39	33.82
PK	22.3172G	41.81	74.00	-32.19	-8.66	3	Vertical	320	1.41	-	50.47	38.93	17.66	55.71

802.11a_Nss1,(6Mbps)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16236G	49.68	54.00	-4.32	18.23	3	Horizontal	82	1.64	-	31.45	39.71	12.70	34.18
AV	22.3144G	27.09	54.00	-26.91	-8.66	3	Horizontal	70	1.65	-	35.75	38.93	17.66	55.71
PK	11.16272G	63.37	74.00	-10.63	18.23	3	Horizontal	82	1.64	-	45.14	39.71	12.70	34.18
PK	16.74928G	66.53	68.20	-1.67	25.01	3	Horizontal	55	1.60	-	41.52	43.44	15.39	33.82
PK	22.3148G	40.46	74.00	-33.54	-8.66	3	Horizontal	70	1.65	-	49.12	38.93	17.66	55.71

802.11a_Nss1,(6Mbps)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6992G	106.73	Inf	-Inf	8.91	3	Vertical	353	1.45	-	97.82	33.70	9.49	34.28
PK	5.6992G	116.07	Inf	-Inf	8.91	3	Vertical	353	1.45	-	107.16	33.70	9.49	34.28
PK	5.7384G	61.74	68.20	-6.46	8.84	3	Vertical	353	1.45	-	52.90	33.62	9.50	34.28

802.11a_Nss1,(6Mbps)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7032G	112.73	Inf	-Inf	8.90	3	Horizontal	69	1.80	-	103.83	33.69	9.49	34.28
PK	5.7032G	122.50	Inf	-Inf	8.90	3	Horizontal	69	1.80	-	113.60	33.69	9.49	34.28
PK	5.7296G	64.62	68.20	-3.58	8.86	3	Horizontal	69	1.80	-	55.76	33.64	9.50	34.28

802.11a_Nss1,(6Mbps)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40164G	38.78	54.00	-15.22	-2.02	3	Vertical	18	1.50	-	40.80	40.50	12.80	55.32
AV	22.7751G	24.94	54.00	-29.06	-8.40	3	Vertical	127	1.50	-	33.34	39.33	17.80	55.99
PK	11.40172G	51.74	74.00	-22.26	-2.02	3	Vertical	18	1.50	-	53.76	40.50	12.80	55.32
PK	17.09084G	56.34	68.20	-11.86	6.96	3	Vertical	359	1.92	-	49.38	44.50	15.59	53.13
PK	22.7806G	38.24	74.00	-35.76	-8.39	3	Vertical	127	1.50	-	46.63	39.34	17.80	55.99

802.11a_Nss1,(6Mbps)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40324G	39.47	54.00	-14.53	-2.01	3	Horizontal	82	1.62	-	41.48	40.51	12.80	55.32
AV	22.775G	25.23	54.00	-28.77	-8.39	3	Horizontal	42	1.50	-	33.62	39.33	17.80	55.98
PK	11.40384G	52.23	74.00	-21.77	-2.01	3	Horizontal	82	1.62	-	54.24	40.51	12.80	55.32
PK	17.0908G	57.55	68.20	-10.65	6.96	3	Horizontal	348	2.83	-	50.59	44.50	15.59	53.13
PK	22.7934G	37.51	74.00	-36.49	-8.40	3	Horizontal	42	1.50	-	45.91	39.35	17.80	56.01

802.11a_Nss1,(6Mbps)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	47.87	54.00	-6.13	8.97	3	Vertical	38	2.97	-	38.90	33.89	9.34	34.26
AV	5.7176G	110.41	Inf	-Inf	8.88	3	Vertical	38	2.97	-	101.53	33.66	9.50	34.28
PK	5.462G	59.38	68.20	-8.82	8.94	3	Vertical	38	2.97	-	50.44	33.85	9.35	34.26
PK	5.7176G	119.77	Inf	-Inf	8.88	3	Vertical	38	2.97	-	110.89	33.66	9.50	34.28
PK	5.8628G	60.02	68.20	-8.18	9.17	3	Vertical	38	2.97	-	50.85	33.90	9.57	34.30

802.11a_Nss1,(6Mbps)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4296G	48.47	54.00	-5.53	8.93	3	Horizontal	72	2.08	-	39.54	33.86	9.32	34.25
AV	5.7176G	115.44	Inf	-Inf	8.88	3	Horizontal	72	2.08	-	106.56	33.66	9.50	34.28
PK	5.4608G	59.63	68.20	-8.57	8.95	3	Horizontal	72	2.08	-	50.68	33.86	9.35	34.26
PK	5.7188G	124.50	Inf	-Inf	8.88	3	Horizontal	72	2.08	-	115.62	33.66	9.50	34.28
PK	5.912G	61.78	68.20	-6.42	9.46	3	Horizontal	72	2.08	-	52.32	34.15	9.61	34.30

802.11a_Nss1,(6Mbps)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43994G	40.26	54.00	-13.74	-1.90	3	Vertical	358	1.00	-	42.16	40.58	12.81	55.29
AV	22.868G	25.07	54.00	-28.93	-8.40	3	Vertical	40	1.32	-	33.47	39.44	17.82	56.12
PK	11.43994G	52.53	74.00	-21.47	-1.90	3	Vertical	358	1.00	-	54.43	40.58	12.81	55.29
PK	17.15418G	64.31	68.20	-3.89	7.31	3	Vertical	335	2.86	-	57.00	44.88	15.63	53.20
PK	22.87G	39.02	74.00	-34.98	-8.39	3	Vertical	40	1.32	-	47.41	39.44	17.83	56.12

802.11a_Nss1,(6Mbps)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44402G	42.18	54.00	-11.82	-1.88	3	Horizontal	288	1.74	-	44.06	40.59	12.82	55.29
AV	22.855G	23.36	54.00	-30.64	-8.39	3	Horizontal	50	1.32	-	31.75	39.43	17.82	56.10
PK	11.44372G	55.92	74.00	-18.08	-1.88	3	Horizontal	288	1.74	-	57.80	40.59	12.82	55.29
PK	17.1543G	66.75	68.20	-1.45	7.31	3	Horizontal	332	2.83	-	59.44	44.88	15.63	53.20
PK	22.8713G	36.91	74.00	-37.09	-8.38	3	Horizontal	50	1.32	-	45.29	39.45	17.83	56.12

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7402G	107.02	Inf	-Inf	6.71	3	Vertical	21	1.68	-	100.31	31.96	9.03	34.28
PK	5.535G	56.73	68.20	-11.47	6.18	3	Vertical	21	1.68	-	50.55	31.63	8.81	34.26
PK	5.7414G	116.57	Inf	-Inf	6.72	3	Vertical	21	1.68	-	109.85	31.97	9.03	34.28
PK	5.9646G	57.78	68.20	-10.42	7.17	3	Vertical	21	1.68	-	50.61	32.33	9.15	34.31

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	112.83	Inf	-Inf	6.69	3	Horizontal	54	2.16	-	106.14	31.95	9.02	34.28
PK	5.625G	59.83	68.20	-8.37	6.30	3	Horizontal	54	2.16	-	53.53	31.65	8.92	34.27
PK	5.7378G	122.66	Inf	-Inf	6.69	3	Horizontal	54	2.16	-	115.97	31.95	9.02	34.28
PK	5.9298G	58.97	68.20	-9.23	7.14	3	Horizontal	54	2.16	-	51.83	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4902G	48.89	54.00	-5.11	18.57	3	Vertical	357	1.50	-	30.32	39.98	12.75	34.16
AV	22.97988G	36.48	54.00	-17.52	-0.98	3	Vertical	223	1.65	-	37.46	39.46	17.41	48.31
PK	11.49056G	62.19	74.00	-11.81	18.57	3	Vertical	357	1.50	-	43.62	39.98	12.75	34.16
PK	17.23176G	65.61	68.20	-2.59	21.35	3	Vertical	38	2.30	-	44.26	39.60	15.03	33.28
PK	22.98G	46.62	74.00	-27.38	-0.98	3	Vertical	223	1.65	-	47.60	39.46	17.41	48.31

802.11a_Nss1,(6Mbps)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4954G	49.76	54.00	-4.24	18.59	3	Horizontal	58	1.68	-	31.17	39.99	12.76	34.16
AV	22.9799G	40.05	54.00	-13.95	-0.98	3	Horizontal	330	1.76	-	41.03	39.46	17.41	48.31
PK	11.49508G	63.29	74.00	-10.71	18.59	3	Horizontal	58	1.68	-	44.70	39.99	12.76	34.16
PK	17.23172G	66.63	68.20	-1.57	21.35	3	Horizontal	332	3.00	-	45.28	39.60	15.03	33.28
PK	22.98G	47.14	74.00	-26.86	-0.98	3	Horizontal	330	1.76	-	48.12	39.46	17.41	48.31

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7778G	106.30	Inf	-Inf	6.77	3	Vertical	360	2.04	-	99.53	32.00	9.06	34.29
PK	5.5858G	56.91	68.20	-11.29	6.21	3	Vertical	360	2.04	-	50.70	31.60	8.88	34.27
PK	5.7778G	115.80	Inf	-Inf	6.77	3	Vertical	360	2.04	-	109.03	32.00	9.06	34.29
PK	5.9758G	57.77	68.20	-10.43	7.20	3	Vertical	360	2.04	-	50.57	32.35	9.16	34.31

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	114.30	Inf	-Inf	6.78	3	Horizontal	70	2.38	-	107.52	32.00	9.07	34.29
PK	5.5942G	61.86	68.20	-6.34	6.22	3	Horizontal	70	2.38	-	55.64	31.60	8.89	34.27
PK	5.7874G	123.68	Inf	-Inf	6.78	3	Horizontal	70	2.38	-	116.90	32.00	9.07	34.29
PK	5.9794G	58.98	68.20	-9.22	7.21	3	Horizontal	70	2.38	-	51.77	32.36	9.16	34.31

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57028G	49.74	54.00	-4.26	18.53	3	Vertical	356	1.50	-	31.21	39.93	12.79	34.19
PK	11.5704G	62.58	74.00	-11.42	18.53	3	Vertical	356	1.50	-	44.05	39.93	12.79	34.19
PK	17.35124G	66.60	68.20	-1.60	22.03	3	Vertical	337	1.11	-	44.57	40.21	15.06	33.24
PK	23.1397G	44.19	68.20	-24.01	-0.66	3	Vertical	13	1.80	-	44.85	39.56	17.48	48.16

802.11a_Nss1,(6Mbps)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57264G	50.57	54.00	-3.43	18.53	3	Horizontal	76	2.22	-	32.04	39.93	12.79	34.19
PK	11.57292G	63.94	74.00	-10.06	18.52	3	Horizontal	76	2.22	-	45.42	39.93	12.79	34.20
PK	17.35652G	67.02	68.20	-1.18	22.08	3	Horizontal	317	2.20	-	44.94	40.25	15.07	33.24
PK	23.14012G	45.33	68.20	-22.87	-0.66	3	Horizontal	50	1.65	-	45.99	39.56	17.48	48.16

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8238G	106.55	Inf	-Inf	6.90	3	Vertical	354	3.00	-	99.65	32.10	9.09	34.29
PK	5.6426G	57.46	68.20	-10.74	6.36	3	Vertical	354	3.00	-	51.10	31.69	8.94	34.27
PK	5.8226G	116.21	Inf	-Inf	6.89	3	Vertical	354	3.00	-	109.32	32.09	9.09	34.29
PK	5.927G	58.59	68.20	-9.61	7.14	3	Vertical	354	3.00	-	51.45	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	112.11	Inf	-Inf	6.89	3	Horizontal	71	1.00	-	105.22	32.09	9.09	34.29
PK	5.6366G	58.95	68.20	-9.25	6.33	3	Horizontal	71	1.00	-	52.62	31.67	8.93	34.27
PK	5.8214G	121.39	Inf	-Inf	6.89	3	Horizontal	71	1.00	-	114.50	32.09	9.09	34.29
PK	6.0194G	59.92	68.20	-8.28	7.24	3	Horizontal	71	1.00	-	52.68	32.36	9.19	34.31

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65004G	48.75	54.00	-5.25	18.15	3	Vertical	356	1.49	-	30.60	39.55	12.83	34.23
PK	11.65052G	61.40	74.00	-12.60	18.15	3	Vertical	356	1.49	-	43.25	39.55	12.83	34.23
PK	17.47012G	66.44	68.20	-1.76	22.91	3	Vertical	337	1.16	-	43.53	41.02	15.09	33.20
PK	23.29964G	43.63	68.20	-24.57	-0.37	3	Vertical	348	1.39	-	44.00	39.62	17.55	48.00

802.11a_Nss1,(6Mbps)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65196G	49.35	54.00	-4.65	18.14	3	Horizontal	73	2.30	-	31.21	39.54	12.83	34.23
PK	11.65172G	62.47	74.00	-11.53	18.14	3	Horizontal	73	2.30	-	44.33	39.54	12.83	34.23
PK	17.481G	66.86	68.20	-1.34	22.99	3	Horizontal	66	1.09	-	43.87	41.09	15.10	33.20
PK	23.29964G	43.22	68.20	-24.98	-0.37	3	Horizontal	0	1.76	-	43.59	39.62	17.55	48.00

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1464G	48.69	54.00	-5.31	5.99	3	Vertical	24	2.97	-	42.70	31.70	8.52	34.23
AV	5.1764G	105.50	Inf	-Inf	5.91	3	Vertical	24	2.97	-	99.59	31.59	8.55	34.23
AV	5.456G	44.41	54.00	-9.59	6.04	3	Vertical	24	2.97	-	38.37	31.61	8.69	34.26
PK	5.1476G	64.46	74.00	-9.54	5.99	3	Vertical	24	2.97	-	58.47	31.70	8.52	34.23
PK	5.1872G	118.99	Inf	-Inf	5.88	3	Vertical	24	2.97	-	113.11	31.55	8.56	34.23
PK	5.4752G	56.74	68.20	-11.46	6.11	3	Vertical	24	2.97	-	50.63	31.65	8.72	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.61	54.00	-1.39	5.99	3	Horizontal	298	1.88	-	46.62	31.70	8.52	34.23
AV	5.1812G	112.17	Inf	-Inf	5.90	3	Horizontal	298	1.88	-	106.27	31.58	8.55	34.23
AV	5.3744G	47.63	54.00	-6.37	5.50	3	Horizontal	298	1.88	-	42.13	31.15	8.60	34.25
PK	5.15G	68.05	74.00	-5.95	5.99	3	Horizontal	298	1.88	-	62.06	31.70	8.52	34.23
PK	5.1824G	124.55	Inf	-Inf	5.89	3	Horizontal	298	1.88	-	118.66	31.57	8.55	34.23
PK	5.4728G	57.39	68.20	-10.81	6.11	3	Horizontal	298	1.88	-	51.28	31.65	8.72	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52656G	47.22	54.00	-6.78	18.55	3	Vertical	253	1.06	-	28.67	38.31	14.60	34.36
AV	20.71984G	42.71	54.00	-11.29	6.40	3	Vertical	73	1.65	-	36.31	39.24	16.22	49.06
PK	10.36G	57.72	68.20	-10.48	16.88	3	Vertical	31	2.61	-	40.84	39.38	12.18	34.68
PK	15.53214G	61.29	74.00	-12.71	18.52	3	Vertical	253	1.06	-	42.77	38.28	14.61	34.37
PK	20.728G	53.48	74.00	-20.52	6.41	3	Vertical	73	1.65	-	47.07	39.23	16.23	49.05

802.11ax HEW20_Nss1,(MCS0)_8TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53112G	47.36	54.00	-6.64	18.52	3	Horizontal	338	2.02	-	28.84	38.28	14.61	34.37
AV	20.71984G	41.31	54.00	-12.69	6.40	3	Horizontal	34	1.64	-	34.91	39.24	16.22	49.06
PK	10.35724G	64.61	68.20	-3.59	16.87	3	Horizontal	69	1.54	-	47.74	39.37	12.18	34.68
PK	15.55278G	60.63	74.00	-13.37	18.35	3	Horizontal	338	2.02	-	42.28	38.13	14.61	34.39
PK	20.7152G	54.33	74.00	-19.67	6.40	3	Horizontal	34	1.64	-	47.93	39.24	16.22	49.06

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	47.14	54.00	-6.86	5.99	3	Vertical	51	2.92	-	41.15	31.70	8.52	34.23
AV	5.1928G	108.45	Inf	-Inf	5.85	3	Vertical	51	2.92	-	102.60	31.53	8.56	34.24
AV	5.386G	45.43	54.00	-8.57	5.58	3	Vertical	51	2.92	-	39.85	31.22	8.61	34.25
PK	5.1496G	59.57	74.00	-14.43	5.99	3	Vertical	51	2.92	-	53.58	31.70	8.52	34.23
PK	5.194G	119.90	Inf	-Inf	5.84	3	Vertical	51	2.92	-	114.06	31.52	8.56	34.24
PK	5.476G	56.71	68.20	-11.49	6.11	3	Vertical	51	2.92	-	50.60	31.65	8.72	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	50.88	54.00	-3.12	5.99	3	Horizontal	304	1.78	-	44.89	31.70	8.52	34.23
AV	5.1928G	112.84	Inf	-Inf	5.85	3	Horizontal	304	1.78	-	106.99	31.53	8.56	34.24
AV	5.3944G	48.50	54.00	-5.50	5.63	3	Horizontal	304	1.78	-	42.87	31.27	8.61	34.25
PK	5.1412G	65.39	74.00	-8.61	5.98	3	Horizontal	304	1.78	-	59.41	31.70	8.51	34.23
PK	5.1952G	125.03	Inf	-Inf	5.85	3	Horizontal	304	1.78	-	119.18	31.52	8.57	34.24
PK	5.4688G	58.29	68.20	-9.91	6.09	3	Horizontal	304	1.78	-	52.20	31.64	8.71	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59868G	47.62	54.00	-6.38	18.00	3	Vertical	26	1.00	-	29.62	37.81	14.62	34.43
AV	20.79396G	47.31	54.00	-6.69	6.38	3	Vertical	44	1.47	-	40.93	39.15	16.27	49.04
PK	10.40612G	63.77	68.20	-4.43	17.08	3	Vertical	344	1.50	-	46.69	39.51	12.21	34.64
PK	15.59784G	61.33	74.00	-12.67	18.01	3	Vertical	26	1.00	-	43.32	37.82	14.62	34.43
PK	20.79188G	63.72	74.00	-10.28	6.38	3	Vertical	44	1.47	-	57.34	39.15	16.27	49.04

802.11ax HEW20_Nss1,(MCS0)_8TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.603G	49.05	54.00	-4.95	18.00	3	Horizontal	337	2.08	-	31.05	37.81	14.62	34.43
AV	20.79668G	47.09	54.00	-6.91	6.37	3	Horizontal	48	1.61	-	40.72	39.14	16.27	49.04
PK	10.39634G	67.07	68.20	-1.13	17.04	3	Horizontal	69	1.67	-	50.03	39.49	12.20	34.65
PK	15.60264G	63.19	74.00	-10.81	18.00	3	Horizontal	337	2.08	-	45.19	37.81	14.62	34.43
PK	20.79516G	63.75	74.00	-10.25	6.38	3	Horizontal	48	1.61	-	57.37	39.15	16.27	49.04

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0468G	45.82	54.00	-8.18	5.69	3	Vertical	22	2.59	-	40.13	31.49	8.42	34.22
AV	5.2412G	109.18	Inf	-Inf	5.59	3	Vertical	22	2.59	-	103.59	31.25	8.58	34.24
AV	5.4344G	46.49	54.00	-7.51	5.92	3	Vertical	22	2.59	-	40.57	31.51	8.66	34.25
PK	5.0468G	57.85	74.00	-16.15	5.69	3	Vertical	22	2.59	-	52.16	31.49	8.42	34.22
PK	5.2412G	121.28	Inf	-Inf	5.59	3	Vertical	22	2.59	-	115.69	31.25	8.58	34.24
PK	5.5232G	56.63	68.20	-11.57	6.18	3	Vertical	22	2.59	-	50.45	31.65	8.79	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0528G	48.76	54.00	-5.24	5.72	3	Horizontal	72	1.79	-	43.04	31.51	8.43	34.22
AV	5.2448G	113.18	Inf	-Inf	5.57	3	Horizontal	72	1.79	-	107.61	31.23	8.58	34.24
AV	5.4368G	49.68	54.00	-4.32	5.93	3	Horizontal	72	1.79	-	43.75	31.52	8.66	34.25
PK	5.0504G	61.09	74.00	-12.91	5.71	3	Horizontal	72	1.79	-	55.38	31.50	8.43	34.22
PK	5.2448G	125.22	Inf	-Inf	5.57	3	Horizontal	72	1.79	-	119.65	31.23	8.58	34.24
PK	5.5052G	59.28	68.20	-8.92	6.19	3	Horizontal	72	1.79	-	53.09	31.69	8.76	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72126G	47.70	54.00	-6.30	18.02	3	Vertical	27	1.00	-	29.68	37.91	14.65	34.54
AV	20.95968G	47.52	54.00	-6.48	6.31	3	Vertical	19	1.38	-	41.21	38.95	16.37	49.01
PK	10.47508G	63.39	68.20	-4.81	17.30	3	Vertical	14	1.02	-	46.09	39.65	12.24	34.59
PK	15.71916G	62.22	74.00	-11.78	18.03	3	Vertical	27	1.00	-	44.19	37.92	14.65	34.54
PK	20.95732G	66.72	74.00	-7.28	6.30	3	Vertical	19	1.38	-	60.42	38.95	16.36	49.01

802.11ax HEW20_Nss1,(MCS0)_8TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7218G	47.27	54.00	-6.73	18.02	3	Horizontal	318	1.79	-	29.25	37.91	14.65	34.54
AV	20.95648G	46.25	54.00	-7.75	6.30	3	Horizontal	42	1.68	-	39.95	38.95	16.36	49.01
PK	10.47676G	66.96	68.20	-1.24	17.30	3	Horizontal	70	1.50	-	49.66	39.65	12.24	34.59
PK	15.72162G	61.88	74.00	-12.12	18.02	3	Horizontal	318	1.79	-	43.86	37.91	14.65	34.54
PK	20.95776G	64.34	74.00	-9.66	6.30	3	Horizontal	42	1.68	-	58.04	38.95	16.36	49.01

802.11ax HEW20_Nss1,(MCS0)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	47.61	54.00	-6.39	8.84	3	Vertical	2	2.53	-	38.77	34.00	9.07	34.23
AV	5.2654G	110.12	Inf	-Inf	8.81	3	Vertical	2	2.53	-	101.31	33.90	9.15	34.24
AV	5.3632G	48.50	54.00	-5.50	9.03	3	Vertical	2	2.53	-	39.47	34.02	9.26	34.25
PK	5.1394G	60.60	74.00	-13.40	8.82	3	Vertical	2	2.53	-	51.78	33.98	9.07	34.23
PK	5.2654G	123.28	Inf	-Inf	8.81	3	Vertical	2	2.53	-	114.47	33.90	9.15	34.24
PK	5.3614G	60.33	74.00	-13.67	9.04	3	Vertical	2	2.53	-	51.29	34.03	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1454G	47.76	54.00	-6.24	8.83	3	Horizontal	317	2.61	-	38.93	33.99	9.07	34.23
AV	5.2672G	113.55	Inf	-Inf	8.81	3	Horizontal	317	2.61	-	104.74	33.90	9.15	34.24
AV	5.362G	49.27	54.00	-4.73	9.04	3	Horizontal	317	2.61	-	40.23	34.03	9.26	34.25
PK	5.1472G	59.99	74.00	-14.01	8.83	3	Horizontal	317	2.61	-	51.16	33.99	9.07	34.23
PK	5.266G	125.65	Inf	-Inf	8.81	3	Horizontal	317	2.61	-	116.84	33.90	9.15	34.24
PK	5.365G	60.70	74.00	-13.30	9.02	3	Horizontal	317	2.61	-	51.68	34.01	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78476G	50.58	54.00	-3.42	23.23	3	Vertical	0	1.00	-	27.35	42.95	14.88	34.60
AV	21.0384G	33.93	54.00	-20.07	-8.28	3	Vertical	340	1.38	-	42.21	38.60	17.06	54.40
PK	10.51516G	61.80	68.20	-6.40	17.02	3	Vertical	10	1.00	-	44.78	39.15	12.43	34.56
PK	15.78704G	63.80	74.00	-10.20	23.24	3	Vertical	0	1.00	-	40.56	42.96	14.88	34.60
PK	21.0384G	47.62	74.00	-26.38	-8.28	3	Vertical	340	1.38	-	55.90	38.60	17.06	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78416G	50.42	54.00	-3.58	23.23	3	Horizontal	333	1.88	-	27.19	42.95	14.88	34.60
AV	21.0379G	32.10	54.00	-21.90	-8.28	3	Horizontal	38	1.66	-	40.38	38.60	17.06	54.40
PK	10.51748G	66.25	68.20	-1.95	17.02	3	Horizontal	72	1.75	-	49.23	39.15	12.43	34.56
PK	15.77136G	63.97	74.00	-10.03	23.20	3	Horizontal	333	1.88	-	40.77	42.91	14.88	34.59
PK	21.0378G	46.21	74.00	-27.79	-8.28	3	Horizontal	38	1.66	-	54.49	38.60	17.06	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3048G	109.55	Inf	-Inf	8.88	3	Vertical	346	1.88	-	100.67	33.92	9.20	34.24
AV	5.35G	49.78	54.00	-4.22	9.10	3	Vertical	346	1.88	-	40.68	34.10	9.25	34.25
PK	5.3052G	122.84	Inf	-Inf	8.88	3	Vertical	346	1.88	-	113.96	33.92	9.20	34.24
PK	5.35G	64.26	74.00	-9.74	9.10	3	Vertical	346	1.88	-	55.16	34.10	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2964G	113.12	Inf	-Inf	8.85	3	Horizontal	67	1.99	-	104.27	33.90	9.19	34.24
AV	5.364G	49.94	54.00	-4.06	9.03	3	Horizontal	67	1.99	-	40.91	34.02	9.26	34.25
PK	5.2964G	124.96	Inf	-Inf	8.85	3	Horizontal	67	1.99	-	116.11	33.90	9.19	34.24
PK	5.3532G	63.56	74.00	-10.44	9.08	3	Horizontal	67	1.99	-	54.48	34.08	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90712G	50.95	54.00	-3.05	22.90	3	Vertical	353	1.50	-	28.05	42.69	14.92	34.71
AV	21.2087G	34.16	54.00	-19.84	-8.19	3	Vertical	10	1.27	-	42.35	38.60	17.15	54.40
PK	10.59384G	63.00	68.20	-5.20	17.34	3	Vertical	31	1.71	-	45.66	39.38	12.46	34.50
PK	15.89544G	64.02	74.00	-9.98	22.93	3	Vertical	353	1.50	-	41.09	42.71	14.92	34.70
PK	21.2089G	49.79	74.00	-24.21	-8.19	3	Vertical	10	1.27	-	57.98	38.60	17.15	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90696G	50.88	54.00	-3.12	22.90	3	Horizontal	349	1.50	-	27.98	42.69	14.92	34.71
AV	21.1966G	31.02	54.00	-22.98	-8.20	3	Horizontal	31	1.71	-	39.22	38.60	17.14	54.40
PK	10.59736G	65.73	68.20	-2.47	17.35	3	Horizontal	74	1.00	-	48.38	39.39	12.46	34.50
PK	15.89344G	64.43	74.00	-9.57	22.94	3	Horizontal	349	1.50	-	41.49	42.72	14.92	34.70
PK	21.1986G	44.79	74.00	-29.21	-8.20	3	Horizontal	31	1.71	-	52.99	38.60	17.14	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3186G	109.38	Inf	-Inf	8.93	3	Vertical	7	2.51	-	100.45	33.97	9.21	34.25
AV	5.3578G	51.24	54.00	-2.76	9.05	3	Vertical	7	2.51	-	42.19	34.05	9.25	34.25
PK	5.319G	122.16	Inf	-Inf	8.94	3	Vertical	7	2.51	-	113.22	33.98	9.21	34.25
PK	5.3604G	66.45	74.00	-7.55	9.05	3	Vertical	7	2.51	-	57.40	34.04	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3192G	110.74	Inf	-Inf	8.94	3	Horizontal	326	2.62	-	101.80	33.98	9.21	34.25
AV	5.35G	53.01	54.00	-0.99	9.10	3	Horizontal	326	2.62	-	43.91	34.10	9.25	34.25
PK	5.3194G	123.43	Inf	-Inf	8.94	3	Horizontal	326	2.62	-	114.49	33.98	9.21	34.25
PK	5.35G	67.87	74.00	-6.13	9.10	3	Horizontal	326	2.62	-	58.77	34.10	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63992G	45.49	54.00	-8.51	17.30	3	Vertical	342	1.50	-	28.19	39.28	12.48	34.46
AV	15.96336G	50.69	54.00	-3.31	22.81	3	Vertical	345	1.50	-	27.88	42.64	14.94	34.77
AV	21.28072G	30.31	54.00	-23.69	-8.10	3	Vertical	360	1.69	-	38.41	38.65	17.19	54.40
PK	10.63996G	58.28	74.00	-15.72	17.30	3	Vertical	342	1.50	-	40.98	39.28	12.48	34.46
PK	15.95416G	64.29	74.00	-9.71	22.83	3	Vertical	345	1.50	-	41.46	42.65	14.94	34.76
PK	21.28054G	43.97	74.00	-30.03	-8.10	3	Vertical	360	1.69	-	52.07	38.65	17.19	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63988G	47.79	54.00	-6.21	17.30	3	Horizontal	73	1.00	-	30.49	39.28	12.48	34.46
AV	15.9534G	50.68	54.00	-3.32	22.83	3	Horizontal	292	1.50	-	27.85	42.65	14.94	34.76
AV	21.276G	28.26	54.00	-25.74	-8.12	3	Horizontal	30	1.82	-	36.38	38.64	17.18	54.40
PK	10.63812G	62.54	74.00	-11.46	17.30	3	Horizontal	73	1.00	-	45.24	39.29	12.48	34.47
PK	15.96504G	64.92	74.00	-9.08	22.80	3	Horizontal	292	1.50	-	42.12	42.63	14.94	34.77
PK	21.276G	43.29	74.00	-30.71	-8.12	3	Horizontal	30	1.82	-	51.41	38.64	17.18	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	49.67	54.00	-4.33	8.96	3	Vertical	35	2.91	-	40.71	33.87	9.35	34.26
AV	5.4976G	109.75	Inf	-Inf	8.83	3	Vertical	35	2.91	-	100.92	33.71	9.38	34.26
PK	5.4642G	63.51	68.20	-4.69	8.93	3	Vertical	35	2.91	-	54.58	33.84	9.35	34.26
PK	5.4972G	122.95	Inf	-Inf	8.83	3	Vertical	35	2.91	-	114.12	33.71	9.38	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	52.72	54.00	-1.28	8.95	3	Horizontal	303	1.00	-	43.77	33.86	9.35	34.26
AV	5.5008G	112.89	Inf	-Inf	8.82	3	Horizontal	303	1.00	-	104.07	33.70	9.38	34.26
PK	5.469G	66.88	68.20	-1.32	8.92	3	Horizontal	303	1.00	-	57.96	33.82	9.36	34.26
PK	5.5016G	125.70	Inf	-Inf	8.82	3	Horizontal	303	1.00	-	116.88	33.70	9.38	34.26

802.11ax HEW20_Nss1,(MCS0)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0066G	45.06	54.00	-8.94	17.75	3	Vertical	13	1.50	-	27.31	39.31	12.63	34.19
PK	10.9946G	60.22	74.00	-13.78	17.73	3	Vertical	13	1.50	-	42.49	39.29	12.63	34.19
PK	16.50532G	64.72	68.20	-3.48	22.34	3	Vertical	27	1.50	-	42.38	41.35	15.25	34.26
PK	21.9952G	37.12	68.20	-31.08	-8.97	3	Vertical	69.6	1.69	-	46.09	38.90	17.56	55.89

802.11ax HEW20_Nss1,(MCS0)_8TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99692G	48.49	54.00	-5.51	17.73	3	Horizontal	58	1.50	-	30.76	39.29	12.63	34.19
PK	10.9988G	63.78	74.00	-10.22	17.74	3	Horizontal	58	1.50	-	46.04	39.30	12.63	34.19
PK	16.50176G	64.37	68.20	-3.83	22.29	3	Horizontal	108	1.50	-	42.08	41.32	15.24	34.27
PK	21.99568G	38.97	68.20	-29.23	-8.97	3	Horizontal	302	1.70	-	47.94	38.90	17.56	55.89

802.11ax HEW20_Nss1,(MCS0)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.433G	47.22	54.00	-6.78	8.95	3	Vertical	19	3.00	-	38.27	33.87	9.33	34.25
AV	5.5782G	108.99	Inf	-Inf	8.76	3	Vertical	19	3.00	-	100.23	33.59	9.44	34.27
PK	5.4612G	58.80	68.20	-9.40	8.95	3	Vertical	19	3.00	-	49.85	33.86	9.35	34.26
PK	5.577G	120.50	Inf	-Inf	8.76	3	Vertical	19	3.00	-	111.74	33.59	9.44	34.27
PK	5.7252G	58.77	68.20	-9.43	8.87	3	Vertical	19	3.00	-	49.90	33.65	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.43G	47.53	54.00	-6.47	8.93	3	Horizontal	306	1.67	-	38.60	33.86	9.32	34.25
AV	5.5842G	111.83	Inf	-Inf	8.74	3	Horizontal	306	1.67	-	103.09	33.56	9.45	34.27
PK	5.4642G	59.55	68.20	-8.65	8.93	3	Horizontal	306	1.67	-	50.62	33.84	9.35	34.26
PK	5.5854G	124.83	Inf	-Inf	8.74	3	Horizontal	306	1.67	-	116.09	33.56	9.45	34.27
PK	5.727G	60.99	68.20	-7.21	8.87	3	Horizontal	306	1.67	-	52.12	33.65	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16392G	43.32	54.00	-10.68	18.24	3	Vertical	10	2.97	-	25.08	39.72	12.70	34.18
AV	22.31982G	24.47	54.00	-29.53	-8.66	3	Vertical	3	1.38	-	33.13	38.93	17.66	55.71
PK	11.1624G	56.62	74.00	-17.38	18.23	3	Vertical	10	2.97	-	38.39	39.71	12.70	34.18
PK	16.74864G	66.28	68.20	-1.92	25.01	3	Vertical	14	2.30	-	41.27	43.44	15.39	33.82
PK	22.33014G	37.60	74.00	-36.40	-8.65	3	Vertical	3	1.38	-	46.25	38.93	17.66	55.70

802.11ax HEW20_Nss1,(MCS0)_8TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.157G	43.82	54.00	-10.18	18.20	3	Horizontal	316	1.50	-	25.62	39.68	12.70	34.18
AV	22.3071G	22.84	54.00	-31.16	-8.69	3	Horizontal	238	1.50	-	31.53	38.92	17.65	55.72
PK	11.15732G	57.60	74.00	-16.40	18.21	3	Horizontal	316	1.50	-	39.39	39.69	12.70	34.18
PK	16.74444G	66.90	68.20	-1.30	24.96	3	Horizontal	348	2.23	-	41.94	43.40	15.39	33.83
PK	22.3119G	36.14	74.00	-37.86	-8.67	3	Horizontal	238	1.50	-	44.81	38.92	17.66	55.71

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7048G	103.97	Inf	-Inf	8.90	3	Vertical	26	1.53	-	95.07	33.69	9.49	34.28
PK	5.7044G	117.12	Inf	-Inf	8.90	3	Vertical	26	1.53	-	108.22	33.69	9.49	34.28
PK	5.7432G	60.12	68.20	-8.08	8.83	3	Vertical	26	1.53	-	51.29	33.61	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.702G	109.70	Inf	-Inf	8.91	3	Horizontal	309	1.77	-	100.79	33.70	9.49	34.28
PK	5.7028G	122.78	Inf	-Inf	8.90	3	Horizontal	309	1.77	-	113.88	33.69	9.49	34.28
PK	5.7288G	66.35	68.20	-1.85	8.86	3	Horizontal	309	1.77	-	57.49	33.64	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39844G	38.74	54.00	-15.26	-2.03	3	Vertical	356	1.00	-	40.77	40.49	12.80	55.32
AV	22.79982G	22.18	54.00	-31.82	-8.40	3	Vertical	0	1.38	-	30.58	39.36	17.80	56.02
PK	11.39792G	52.29	74.00	-21.71	-2.03	3	Vertical	356	1.00	-	54.32	40.49	12.80	55.32
PK	17.09568G	61.09	68.20	-7.11	6.95	3	Vertical	28	1.24	-	54.14	44.50	15.59	53.14
PK	22.78578G	36.20	74.00	-37.80	-8.40	3	Vertical	0	1.38	-	44.60	39.34	17.80	56.00

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4036G	39.28	54.00	-14.72	-2.01	3	Horizontal	294	1.68	-	41.29	40.51	12.80	55.32
AV	22.79106G	22.07	54.00	-31.93	-8.40	3	Horizontal	0	1.38	-	30.47	39.35	17.80	56.01
PK	11.40332G	52.38	74.00	-21.62	-2.01	3	Horizontal	294	1.68	-	54.39	40.51	12.80	55.32
PK	17.10584G	58.06	68.20	-10.14	6.99	3	Horizontal	329	3.00	-	51.07	44.54	15.60	53.15
PK	22.79712G	35.25	74.00	-38.75	-8.40	3	Horizontal	0	1.38	-	43.65	39.36	17.80	56.02

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7024G	109.92	Inf	-Inf	8.91	3	Horizontal	309	1.77	-	101.01	33.70	9.49	34.28
PK	5.7004G	122.62	Inf	-Inf	8.91	3	Horizontal	309	1.77	-	113.71	33.70	9.49	34.28
PK	5.7292G	68.45	68.20	0.25	8.86	3	Horizontal	309	1.77	-	59.59	33.64	9.50	34.28

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4428G	47.16	54.00	-6.84	8.96	3	Vertical	25	2.97	-	38.20	33.89	9.33	34.26
AV	5.7188G	110.34	Inf	-Inf	8.88	3	Vertical	25	2.97	-	101.46	33.66	9.50	34.28
PK	5.4644G	58.51	68.20	-9.69	8.93	3	Vertical	25	2.97	-	49.58	33.84	9.35	34.26
PK	5.7176G	121.02	Inf	-Inf	8.88	3	Vertical	25	2.97	-	112.14	33.66	9.50	34.28
PK	5.8616G	59.87	68.20	-8.33	9.16	3	Vertical	25	2.97	-	50.71	33.89	9.57	34.30

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	47.83	54.00	-6.17	8.98	3	Horizontal	68	2.30	-	38.85	33.90	9.34	34.26
AV	5.7236G	114.32	Inf	-Inf	8.87	3	Horizontal	68	2.30	-	105.45	33.65	9.50	34.28
PK	5.4608G	59.87	68.20	-8.33	8.95	3	Horizontal	68	2.30	-	50.92	33.86	9.35	34.26
PK	5.7236G	127.12	Inf	-Inf	8.87	3	Horizontal	68	2.30	-	118.25	33.65	9.50	34.28
PK	5.9168G	60.70	68.20	-7.50	9.44	3	Horizontal	68	2.30	-	51.26	34.13	9.61	34.30

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43856G	40.38	54.00	-13.62	-1.90	3	Vertical	355	1.00	-	42.28	40.58	12.81	55.29
AV	22.87994G	22.16	54.00	-31.84	-8.38	3	Vertical	351	1.28	-	30.54	39.46	17.83	56.13
PK	11.43886G	53.59	74.00	-20.41	-1.90	3	Vertical	355	1.00	-	55.49	40.58	12.81	55.29
PK	17.1618G	67.17	68.20	-1.03	7.35	3	Vertical	334	2.95	-	59.82	44.93	15.63	53.21
PK	22.89266G	35.17	74.00	-38.83	-8.39	3	Vertical	351	1.28	-	43.56	39.47	17.83	56.15

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4367G	42.52	54.00	-11.48	-1.92	3	Horizontal	58	1.65	-	44.44	40.57	12.81	55.30
AV	22.8648G	21.55	54.00	-32.45	-8.39	3	Horizontal	287	1.50	-	29.94	39.44	17.82	56.11
PK	11.43646G	55.71	74.00	-18.29	-1.92	3	Horizontal	58	1.65	-	57.63	40.57	12.81	55.30
PK	17.16474G	67.18	68.20	-1.02	7.37	3	Horizontal	289	2.81	-	59.81	44.95	15.63	53.21
PK	22.8628G	34.73	74.00	-39.27	-8.39	3	Horizontal	287	1.50	-	43.12	39.44	17.82	56.11

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	108.87	Inf	-Inf	6.72	3	Vertical	25	2.96	-	102.15	31.97	9.03	34.28
PK	5.5554G	57.77	68.20	-10.43	6.17	3	Vertical	25	2.96	-	51.60	31.60	8.84	34.27
PK	5.7414G	120.44	Inf	-Inf	6.72	3	Vertical	25	2.96	-	113.72	31.97	9.03	34.28
PK	6.0342G	57.54	68.20	-10.66	7.22	3	Vertical	25	2.96	-	50.32	32.33	9.20	34.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7402G	112.59	Inf	-Inf	6.71	3	Horizontal	298	2.02	-	105.88	31.96	9.03	34.28
PK	5.6466G	60.28	68.20	-7.92	6.36	3	Horizontal	298	2.02	-	53.92	31.69	8.94	34.27
PK	5.7414G	123.50	Inf	-Inf	6.72	3	Horizontal	298	2.02	-	116.78	31.97	9.03	34.28
PK	5.9358G	60.27	68.20	-7.93	7.14	3	Horizontal	298	2.02	-	53.13	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48946G	49.27	54.00	-4.73	18.57	3	Vertical	354	1.31	-	30.70	39.98	12.75	34.16
AV	22.97972G	42.29	54.00	-11.71	8.56	3	Vertical	5	1.64	-	33.73	39.46	17.41	48.31
PK	11.48988G	63.28	74.00	-10.72	18.57	3	Vertical	354	1.31	-	44.71	39.98	12.75	34.16
PK	17.23254G	66.62	68.20	-1.58	21.35	3	Vertical	348	2.83	-	45.27	39.60	15.03	33.28
PK	22.97984G	53.90	74.00	-20.10	8.56	3	Vertical	5	1.64	-	45.34	39.46	17.41	48.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49294G	50.95	54.00	-3.05	18.58	3	Horizontal	288	1.66	-	32.37	39.99	12.75	34.16
AV	22.97988G	44.45	54.00	-9.55	8.56	3	Horizontal	30	1.65	-	35.89	39.46	17.41	48.31
PK	11.49318G	65.40	74.00	-8.60	18.58	3	Horizontal	288	1.66	-	46.82	39.99	12.75	34.16
PK	17.235G	66.50	68.20	-1.70	21.35	3	Horizontal	346	1.00	-	45.15	39.60	15.03	33.28
PK	22.9796G	54.49	74.00	-19.51	8.56	3	Horizontal	30	1.65	-	45.93	39.46	17.41	48.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	106.90	Inf	-Inf	6.78	3	Vertical	6	2.93	-	100.12	32.00	9.07	34.29
PK	5.5834G	57.39	68.20	-10.81	6.21	3	Vertical	6	2.93	-	51.18	31.60	8.88	34.27
PK	5.7886G	119.04	Inf	-Inf	6.78	3	Vertical	6	2.93	-	112.26	32.00	9.07	34.29
PK	6.0658G	57.90	68.20	-10.30	7.23	3	Vertical	6	2.93	-	50.67	32.33	9.22	34.32

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7802G	110.55	Inf	-Inf	6.77	3	Horizontal	66	2.26	-	103.78	32.00	9.06	34.29
PK	5.5954G	58.16	68.20	-10.04	6.22	3	Horizontal	66	2.26	-	51.94	31.60	8.89	34.27
PK	5.7802G	121.91	Inf	-Inf	6.77	3	Horizontal	66	2.26	-	115.14	32.00	9.06	34.29
PK	5.983G	58.76	68.20	-9.44	7.22	3	Horizontal	66	2.26	-	51.54	32.37	9.16	34.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57012G	47.66	54.00	-6.34	18.53	3	Vertical	353	1.29	-	29.13	39.93	12.79	34.19
PK	11.56916G	61.14	74.00	-12.86	18.53	3	Vertical	353	1.29	-	42.61	39.93	12.79	34.19
PK	17.35332G	67.09	68.20	-1.11	22.06	3	Vertical	16	2.85	-	45.03	40.23	15.07	33.24
PK	23.1416G	55.19	68.20	-13.01	8.88	3	Vertical	0	2.18	-	46.31	39.56	17.48	48.16

802.11ax HEW20_Nss1,(MCS0)_8TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57276G	48.34	54.00	-5.66	18.53	3	Horizontal	286	1.74	-	29.81	39.93	12.79	34.19
PK	11.57282G	62.47	74.00	-11.53	18.53	3	Horizontal	286	1.74	-	43.94	39.93	12.79	34.19
PK	17.35062G	67.03	68.20	-1.17	22.02	3	Horizontal	49	1.00	-	45.01	40.20	15.06	33.24
PK	23.13972G	56.50	68.20	-11.70	8.88	3	Horizontal	51	1.69	-	47.62	39.56	17.48	48.16

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8334G	107.64	Inf	-Inf	6.94	3	Vertical	28	2.91	-	100.70	32.13	9.10	34.29
PK	5.6258G	57.80	68.20	-10.40	6.30	3	Vertical	28	2.91	-	51.50	31.65	8.92	34.27
PK	5.8322G	119.01	Inf	-Inf	6.93	3	Vertical	28	2.91	-	112.08	32.13	9.09	34.29
PK	6.0098G	58.04	68.20	-10.16	7.25	3	Vertical	28	2.91	-	50.79	32.38	9.18	34.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	113.15	Inf	-Inf	6.89	3	Horizontal	66.3	1.11	-	106.26	32.09	9.09	34.29
PK	5.6294G	60.27	68.20	-7.93	6.32	3	Horizontal	66.3	1.11	-	53.95	31.66	8.93	34.27
PK	5.8226G	125.22	Inf	-Inf	6.89	3	Horizontal	66.3	1.11	-	118.33	32.09	9.09	34.29
PK	6.0146G	59.58	68.20	-8.62	7.24	3	Horizontal	66.3	1.11	-	52.34	32.37	9.18	34.31

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64628G	47.80	54.00	-6.20	18.18	3	Vertical	14	1.43	-	29.62	39.58	12.83	34.23
PK	11.64724G	61.44	74.00	-12.56	18.17	3	Vertical	14	1.43	-	43.27	39.57	12.83	34.23
PK	17.47386G	66.87	68.20	-1.33	22.94	3	Vertical	21	2.75	-	43.93	41.04	15.10	33.20
PK	23.29444G	54.01	68.20	-14.19	9.16	3	Vertical	13	1.67	-	44.85	39.62	17.55	48.01

802.11ax HEW20_Nss1,(MCS0)_8TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6557G	49.92	54.00	-4.08	18.12	3	Horizontal	294	3.00	-	31.80	39.51	12.84	34.23
PK	11.65438G	64.59	74.00	-9.41	18.13	3	Horizontal	294	3.00	-	46.46	39.52	12.84	34.23
PK	17.46216G	67.11	68.20	-1.09	22.86	3	Horizontal	55	2.27	-	44.25	40.97	15.09	33.20
PK	23.29976G	55.81	68.20	-12.39	9.17	3	Horizontal	51	1.61	-	46.64	39.62	17.55	48.00

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.12	54.00	-4.88	5.99	3	Vertical	8	2.76	-	43.13	31.70	8.52	34.23
AV	5.1828G	102.33	Inf	-Inf	5.89	3	Vertical	8	2.76	-	96.44	31.57	8.55	34.23
AV	5.3772G	44.34	54.00	-9.66	5.52	3	Vertical	8	2.76	-	38.82	31.16	8.61	34.25
PK	5.1492G	63.27	74.00	-10.73	5.99	3	Vertical	8	2.76	-	57.28	31.70	8.52	34.23
PK	5.1828G	113.48	Inf	-Inf	5.89	3	Vertical	8	2.76	-	107.59	31.57	8.55	34.23
PK	5.4636G	57.17	68.20	-11.03	6.07	3	Vertical	8	2.76	-	51.10	31.63	8.70	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.31	54.00	-1.69	5.99	3	Horizontal	67	1.00	-	46.32	31.70	8.52	34.23
AV	5.2044G	107.58	Inf	-Inf	5.80	3	Horizontal	67	1.00	-	101.78	31.47	8.57	34.24
AV	5.3976G	45.98	54.00	-8.02	5.65	3	Horizontal	67	1.00	-	40.33	31.29	8.61	34.25
PK	5.15G	66.04	74.00	-7.96	5.99	3	Horizontal	67	1.00	-	60.05	31.70	8.52	34.23
PK	5.2032G	118.84	Inf	-Inf	5.81	3	Horizontal	67	1.00	-	113.03	31.48	8.57	34.24
PK	5.4768G	57.80	68.20	-10.40	6.11	3	Horizontal	67	1.00	-	51.69	31.65	8.72	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5602G	46.11	54.00	-7.89	18.29	3	Vertical	107	1.91	-	27.82	38.08	14.61	34.40
AV	20.75984G	33.50	54.00	-20.50	-3.15	3	Vertical	16	1.84	-	36.65	39.19	16.25	49.05
PK	10.3802G	55.44	68.20	-12.76	16.97	3	Vertical	28	2.47	-	38.47	39.44	12.19	34.66
PK	15.57032G	59.83	74.00	-14.17	18.22	3	Vertical	107	1.91	-	41.61	38.01	14.61	34.40
PK	20.75992G	43.64	74.00	-30.36	-3.15	3	Vertical	16	1.84	-	46.79	39.19	16.25	49.05

802.11ax HEW40_Nss1,(MCS0)_8TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5559G	46.28	54.00	-7.72	18.33	3	Horizontal	112	1.50	-	27.95	38.11	14.61	34.39
AV	20.75984G	39.70	54.00	-14.30	-3.15	3	Horizontal	28	1.64	-	42.85	39.19	16.25	49.05
PK	10.3749G	59.58	68.20	-8.62	16.94	3	Horizontal	69	2.14	-	42.64	39.42	12.19	34.67
PK	15.55524G	59.87	74.00	-14.13	18.33	3	Horizontal	112	1.50	-	41.54	38.11	14.61	34.39
PK	20.75992G	46.27	74.00	-27.73	-3.15	3	Horizontal	28	1.64	-	49.42	39.19	16.25	49.05

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1316G	51.43	54.00	-2.57	5.98	3	Vertical	323	2.58	-	45.45	31.70	8.51	34.23
AV	5.2336G	105.44	Inf	-Inf	5.64	3	Vertical	323	2.58	-	99.80	31.30	8.58	34.24
AV	5.3548G	47.87	54.00	-6.13	5.38	3	Vertical	323	2.58	-	42.49	31.03	8.60	34.25
PK	5.1424G	64.94	74.00	-9.06	5.99	3	Vertical	323	2.58	-	58.95	31.70	8.52	34.23
PK	5.2324G	117.61	Inf	-Inf	5.65	3	Vertical	323	2.58	-	111.96	31.31	8.58	34.24
PK	5.476G	57.27	68.20	-10.93	6.11	3	Vertical	323	2.58	-	51.16	31.65	8.72	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1436G	53.32	54.00	-0.68	5.99	3	Horizontal	66	1.68	-	47.33	31.70	8.52	34.23
AV	5.2216G	108.91	Inf	-Inf	5.70	3	Horizontal	66	1.68	-	103.21	31.37	8.57	34.24
AV	5.3596G	48.57	54.00	-5.43	5.41	3	Horizontal	66	1.68	-	43.16	31.06	8.60	34.25
PK	5.1424G	66.55	74.00	-7.45	5.99	3	Horizontal	66	1.68	-	60.56	31.70	8.52	34.23
PK	5.2204G	120.16	Inf	-Inf	5.71	3	Horizontal	66	1.68	-	114.45	31.38	8.57	34.24
PK	5.5192G	58.02	68.20	-10.18	6.18	3	Horizontal	66	1.68	-	51.84	31.66	8.78	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68652G	46.01	54.00	-7.99	18.10	3	Vertical	354	1.18	-	27.91	37.97	14.64	34.51
AV	20.9084G	36.94	54.00	-17.06	-3.21	3	Vertical	338	1.35	-	40.15	39.01	16.34	49.02
PK	10.45528G	61.38	68.20	-6.82	17.24	3	Vertical	13	1.01	-	44.14	39.61	12.23	34.60
PK	15.68776G	59.38	74.00	-14.62	18.11	3	Vertical	354	1.18	-	41.27	37.98	14.64	34.51
PK	20.90976G	51.47	74.00	-22.53	-3.21	3	Vertical	338	1.35	-	54.68	39.01	16.34	49.02

802.11ax HEW40_Nss1,(MCS0)_8TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6834G	46.14	54.00	-7.86	18.10	3	Horizontal	360	1.50	-	28.04	37.97	14.64	34.51
AV	20.91824G	36.49	54.00	-17.51	-3.22	3	Horizontal	43	1.71	-	39.71	39.00	16.34	49.02
PK	10.45804G	62.19	68.20	-6.01	17.25	3	Horizontal	69	1.61	-	44.94	39.62	12.23	34.60
PK	15.68952G	59.56	74.00	-14.44	18.11	3	Horizontal	360	1.50	-	41.45	37.98	14.64	34.51
PK	20.9194G	50.55	74.00	-23.45	-3.22	3	Horizontal	43	1.71	-	53.77	39.00	16.34	49.02

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2844G	106.82	Inf	-Inf	8.83	3	Vertical	360	2.98	-	97.99	33.90	9.17	34.24
AV	5.3572G	49.15	54.00	-4.85	9.06	3	Vertical	360	2.98	-	40.09	34.06	9.25	34.25
PK	5.2836G	118.43	Inf	-Inf	8.83	3	Vertical	360	2.98	-	109.60	33.90	9.17	34.24
PK	5.3564G	62.62	74.00	-11.38	9.06	3	Vertical	360	2.98	-	53.56	34.06	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2716G	110.34	Inf	-Inf	8.82	3	Horizontal	65	2.54	-	101.52	33.90	9.16	34.24
AV	5.354G	50.85	54.00	-3.15	9.08	3	Horizontal	65	2.54	-	41.77	34.08	9.25	34.25
PK	5.2724G	123.27	Inf	-Inf	8.82	3	Horizontal	65	2.54	-	114.45	33.90	9.16	34.24
PK	5.3516G	63.66	74.00	-10.34	9.09	3	Horizontal	65	2.54	-	54.57	34.09	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.807G	50.18	54.00	-3.82	23.25	3	Vertical	0	1.12	-	26.93	42.98	14.89	34.62
AV	21.08G	29.51	54.00	-24.49	-8.26	3	Vertical	340	1.35	-	37.77	38.60	17.08	54.40
PK	10.537G	59.65	68.20	-8.55	17.11	3	Vertical	14	1.00	-	42.54	39.21	12.44	34.54
PK	15.82272G	63.91	74.00	-10.09	23.18	3	Vertical	0	1.12	-	40.73	42.93	14.89	34.64
PK	21.07946G	43.87	74.00	-30.13	-8.26	3	Vertical	340	1.35	-	52.13	38.60	17.08	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.82056G	50.08	54.00	-3.92	23.20	3	Horizontal	0	2.69	-	26.88	42.94	14.89	34.63
AV	21.0875G	27.02	54.00	-26.98	-8.25	3	Horizontal	355	1.67	-	35.27	38.60	17.09	54.40
PK	10.52672G	63.22	68.20	-4.98	17.06	3	Horizontal	80	1.68	-	46.16	39.18	12.43	34.55
PK	15.8145G	63.41	74.00	-10.59	23.22	3	Horizontal	0	2.69	-	40.19	42.96	14.89	34.63
PK	21.08834G	39.85	74.00	-34.15	-8.25	3	Horizontal	355	1.67	-	48.10	38.60	17.09	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3176G	102.14	Inf	-Inf	8.93	3	Vertical	41	1.77	-	93.21	33.97	9.21	34.25
AV	5.3572G	51.67	54.00	-2.33	9.06	3	Vertical	41	1.77	-	42.61	34.06	9.25	34.25
PK	5.3168G	114.03	Inf	-Inf	8.93	3	Vertical	41	1.77	-	105.10	33.97	9.21	34.25
PK	5.3584G	65.52	74.00	-8.48	9.05	3	Vertical	41	1.77	-	56.47	34.05	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.324G	107.39	Inf	-Inf	8.97	3	Horizontal	298	1.82	-	98.42	34.00	9.22	34.25
AV	5.3636G	53.34	54.00	-0.66	9.03	3	Horizontal	298	1.82	-	44.31	34.02	9.26	34.25
PK	5.3232G	119.28	Inf	-Inf	8.96	3	Horizontal	298	1.82	-	110.32	33.99	9.22	34.25
PK	5.35G	67.16	74.00	-6.84	9.10	3	Horizontal	298	1.82	-	58.06	34.10	9.25	34.25

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61995G	44.26	54.00	-9.74	17.33	3	Vertical	340	1.00	-	26.93	39.34	12.47	34.48
AV	15.9268G	50.32	54.00	-3.68	22.87	3	Vertical	360	1.19	-	27.45	42.67	14.93	34.73
AV	21.24096G	25.54	54.00	-28.46	-8.17	3	Vertical	358	1.79	-	33.71	38.60	17.17	54.40
PK	10.61979G	55.77	74.00	-18.23	17.33	3	Vertical	340	1.00	-	38.44	39.34	12.47	34.48
PK	15.929G	64.23	74.00	-9.77	22.87	3	Vertical	360	1.19	-	41.36	42.67	14.93	34.73
PK	21.24102G	39.36	74.00	-34.64	-8.17	3	Vertical	358	1.79	-	47.53	38.60	17.17	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61992G	44.96	54.00	-9.04	17.33	3	Horizontal	21	1.64	-	27.63	39.34	12.47	34.48
AV	15.92706G	50.36	54.00	-3.64	22.87	3	Horizontal	24	1.50	-	27.49	42.67	14.93	34.73
AV	21.23622G	24.16	54.00	-29.84	-8.18	3	Horizontal	31	1.84	-	32.34	38.60	17.16	54.40
PK	10.6199G	56.21	74.00	-17.79	17.33	3	Horizontal	21	1.64	-	38.88	39.34	12.47	34.48
PK	15.93328G	64.39	74.00	-9.61	22.86	3	Horizontal	24	1.50	-	41.53	42.67	14.93	34.74
PK	21.23574G	37.78	74.00	-36.22	-8.18	3	Horizontal	31	1.84	-	45.96	38.60	17.16	54.40

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4516G	48.24	54.00	-5.76	8.97	3	Vertical	39	2.94	-	39.27	33.89	9.34	34.26
AV	5.5036G	101.83	Inf	-Inf	8.82	3	Vertical	39	2.94	-	93.01	33.70	9.38	34.26
PK	5.464G	62.19	68.20	-6.01	8.93	3	Vertical	39	2.94	-	53.26	33.84	9.35	34.26
PK	5.5036G	113.65	Inf	-Inf	8.82	3	Vertical	39	2.94	-	104.83	33.70	9.38	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4516G	49.88	54.00	-4.12	8.97	3	Horizontal	63	1.87	-	40.91	33.89	9.34	34.26
AV	5.5032G	106.32	Inf	-Inf	8.82	3	Horizontal	63	1.87	-	97.50	33.70	9.38	34.26
PK	5.4628G	66.01	68.20	-2.19	8.94	3	Horizontal	63	1.87	-	57.07	33.85	9.35	34.26
PK	5.5036G	118.07	Inf	-Inf	8.82	3	Horizontal	63	1.87	-	109.25	33.70	9.38	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01646G	41.30	54.00	-12.70	17.77	3	Vertical	0	1.90	-	23.53	39.32	12.64	34.19
AV	22.03094G	21.94	54.00	-32.06	-8.95	3	Vertical	26	1.41	-	30.89	38.90	17.57	55.88
PK	11.02244G	55.48	74.00	-18.52	17.77	3	Vertical	0	1.90	-	37.71	39.32	12.64	34.19
PK	16.53G	64.66	68.20	-3.54	22.64	3	Vertical	124	1.50	-	42.02	41.60	15.26	34.22
PK	22.02896G	35.56	74.00	-38.44	-8.95	3	Vertical	26	1.41	-	44.51	38.90	17.57	55.88

802.11ax HEW40_Nss1,(MCS0)_8TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01704G	41.95	54.00	-12.05	17.77	3	Horizontal	55	1.44	-	24.18	39.32	12.64	34.19
AV	22.0337G	21.72	54.00	-32.28	-8.95	3	Horizontal	187	1.50	-	30.67	38.90	17.57	55.88
PK	11.01512G	55.42	74.00	-18.58	17.77	3	Horizontal	55	1.44	-	37.65	39.32	12.64	34.19
PK	16.52908G	64.90	68.20	-3.30	22.63	3	Horizontal	240	1.50	-	42.27	41.59	15.26	34.22
PK	22.0469G	35.43	74.00	-38.57	-8.94	3	Horizontal	187	1.50	-	44.37	38.90	17.57	55.87

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4556G	47.72	54.00	-6.28	8.96	3	Vertical	26	3.00	-	38.76	33.88	9.34	34.26
AV	5.5392G	107.58	Inf	-Inf	8.85	3	Vertical	26	3.00	-	98.73	33.70	9.41	34.26
PK	5.4644G	59.59	68.20	-8.61	8.93	3	Vertical	26	3.00	-	50.66	33.84	9.35	34.26
PK	5.5388G	119.08	Inf	-Inf	8.85	3	Vertical	26	3.00	-	110.23	33.70	9.41	34.26

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	50.28	54.00	-3.72	8.95	3	Horizontal	59	2.07	-	41.33	33.86	9.35	34.26
AV	5.5508G	109.93	Inf	-Inf	8.85	3	Horizontal	59	2.07	-	101.08	33.70	9.42	34.27
PK	5.4696G	66.66	68.20	-1.54	8.92	3	Horizontal	59	2.07	-	57.74	33.82	9.36	34.26
PK	5.5632G	121.83	Inf	-Inf	8.81	3	Horizontal	59	2.07	-	113.02	33.65	9.43	34.27

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10708G	41.84	54.00	-12.16	17.93	3	Vertical	355	1.67	-	23.91	39.44	12.67	34.18
AV	22.19304G	23.48	54.00	-30.52	-8.80	3	Vertical	18	1.50	-	32.28	38.90	17.62	55.78
PK	11.1066G	54.61	74.00	-19.39	17.92	3	Vertical	355	1.67	-	36.69	39.43	12.67	34.18
PK	16.65356G	65.43	68.20	-2.77	24.01	3	Vertical	90	1.96	-	41.42	42.67	15.33	33.99
PK	22.21044G	36.38	74.00	-37.62	-8.79	3	Vertical	18	1.50	-	45.17	38.90	17.62	55.77

802.11ax HEW40_Nss1,(MCS0)_8TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0977G	43.65	54.00	-10.35	17.89	3	Horizontal	55	1.50	-	25.76	39.40	12.67	34.18
AV	22.18752G	23.19	54.00	-30.81	-8.81	3	Horizontal	-0	1.50	-	32.00	38.90	17.62	55.79
PK	11.0971G	56.36	74.00	-17.64	17.89	3	Horizontal	55	1.50	-	38.47	39.40	12.67	34.18
PK	16.6537G	64.99	68.20	-3.21	24.02	3	Horizontal	18	2.96	-	40.97	42.68	15.33	33.99
PK	22.18512G	36.83	74.00	-37.17	-8.81	3	Horizontal	-0	1.50	-	45.64	38.90	17.62	55.79

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6838G	102.78	Inf	-Inf	8.85	3	Vertical	39	3.00	-	93.93	33.64	9.49	34.28
PK	5.6844G	114.86	Inf	-Inf	8.85	3	Vertical	39	3.00	-	106.01	33.64	9.49	34.28
PK	5.7264G	60.82	68.20	-7.38	8.87	3	Vertical	39	3.00	-	51.95	33.65	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6832G	107.47	Inf	-Inf	8.83	3	Horizontal	64	1.97	-	98.64	33.63	9.48	34.28
PK	5.685G	118.98	Inf	-Inf	8.85	3	Horizontal	64	1.97	-	110.13	33.64	9.49	34.28
PK	5.7252G	65.95	68.20	-2.25	8.87	3	Horizontal	64	1.97	-	57.08	33.65	9.50	34.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33608G	41.63	54.00	-12.37	11.93	3	Vertical	158	1.27	-	29.70	40.24	12.77	41.08
AV	22.67982G	22.25	54.00	-31.75	-8.40	3	Vertical	201	1.50	-	30.65	39.22	17.77	55.85
PK	11.3328G	55.12	74.00	-18.88	11.92	3	Vertical	158	1.27	-	43.20	40.23	12.77	41.08
PK	17.01872G	60.49	68.20	-7.71	18.13	3	Vertical	223	1.33	-	42.36	44.50	15.55	41.92
PK	22.6704G	35.13	74.00	-38.87	-8.42	3	Vertical	201	1.50	-	43.55	39.20	17.76	55.84

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33864G	42.90	54.00	-11.10	11.94	3	Horizontal	308	1.80	-	30.96	40.25	12.77	41.08
AV	22.67724G	21.39	54.00	-32.61	-8.41	3	Horizontal	0	1.50	-	29.80	39.21	17.77	55.85
PK	11.34832G	55.73	74.00	-18.27	11.98	3	Horizontal	308	1.80	-	43.75	40.29	12.78	41.09
PK	17.01144G	61.09	68.20	-7.11	18.12	3	Horizontal	64	2.37	-	42.97	44.50	15.54	41.92
PK	22.66914G	35.06	74.00	-38.94	-8.42	3	Horizontal	0	1.50	-	43.48	39.20	17.76	55.84

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4328G	47.41	54.00	-6.59	8.95	3	Vertical	23	2.98	-	38.46	33.87	9.33	34.25
AV	5.6992G	108.45	Inf	-Inf	8.91	3	Vertical	23	2.98	-	99.54	33.70	9.49	34.28
PK	5.4676G	60.32	68.20	-7.88	8.92	3	Vertical	23	2.98	-	51.40	33.83	9.35	34.26
PK	5.6992G	118.88	Inf	-Inf	8.91	3	Vertical	23	2.98	-	109.97	33.70	9.49	34.28
PK	5.8528G	61.17	68.20	-7.03	9.08	3	Vertical	23	2.98	-	52.09	33.82	9.56	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4496G	48.14	54.00	-5.86	8.98	3	Horizontal	310	1.84	-	39.16	33.90	9.34	34.26
AV	5.7124G	113.33	Inf	-Inf	8.89	3	Horizontal	310	1.84	-	104.44	33.68	9.49	34.28
PK	5.46G	58.99	68.20	-9.21	8.95	3	Horizontal	310	1.84	-	50.04	33.86	9.35	34.26
PK	5.7112G	124.85	Inf	-Inf	8.89	3	Horizontal	310	1.84	-	115.96	33.68	9.49	34.28
PK	5.8564G	64.12	68.20	-4.08	9.12	3	Horizontal	310	1.84	-	55.00	33.85	9.57	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.417G	43.91	54.00	-10.09	12.24	3	Vertical	2	1.58	-	31.67	40.53	12.81	41.10
AV	22.83172G	23.98	54.00	-30.02	-8.39	3	Vertical	331	1.32	-	32.37	39.40	17.81	56.06
PK	11.528G	56.17	74.00	-17.83	12.59	3	Vertical	2	1.58	-	43.58	40.84	12.85	41.10
PK	17.1132G	65.56	68.20	-2.64	18.25	3	Vertical	23	2.82	-	47.31	44.59	15.60	41.94
PK	22.83148G	37.44	74.00	-36.56	-8.39	3	Vertical	331	1.32	-	45.83	39.40	17.81	56.06

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41848G	44.70	54.00	-9.30	12.25	3	Horizontal	319	1.50	-	32.45	40.54	12.81	41.10
AV	22.8316G	23.97	54.00	-30.03	-8.39	3	Horizontal	46	1.73	-	32.36	39.40	17.81	56.06
PK	11.4188G	58.35	74.00	-15.65	12.25	3	Horizontal	319	1.50	-	46.10	40.54	12.81	41.10
PK	17.12864G	67.19	68.20	-1.01	18.37	3	Horizontal	13	3.15	-	48.82	44.70	15.61	41.94
PK	22.83142G	36.66	74.00	-37.34	-8.39	3	Horizontal	46	1.73	-	45.05	39.40	17.81	56.06

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7538G	104.85	Inf	-Inf	6.75	3	Vertical	344	2.95	-	98.10	32.00	9.04	34.29
PK	5.623G	59.60	68.20	-8.60	6.30	3	Vertical	344	2.95	-	53.30	31.65	8.92	34.27
PK	5.7538G	117.48	Inf	-Inf	6.75	3	Vertical	344	2.95	-	110.73	32.00	9.04	34.29
PK	5.9962G	57.50	68.20	-10.70	7.25	3	Vertical	344	2.95	-	50.25	32.39	9.17	34.31

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7382G	108.30	Inf	-Inf	6.69	3	Horizontal	307	1.90	-	101.61	31.95	9.02	34.28
PK	5.6482G	64.13	68.20	-4.07	6.37	3	Horizontal	307	1.90	-	57.76	31.70	8.94	34.27
PK	5.7382G	119.47	Inf	-Inf	6.69	3	Horizontal	307	1.90	-	112.78	31.95	9.02	34.28
PK	6.037G	58.24	68.20	-9.96	7.22	3	Horizontal	307	1.90	-	51.02	32.33	9.20	34.31

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5067G	46.71	54.00	-7.29	18.59	3	Vertical	16	1.30	-	28.12	39.99	12.76	34.16
AV	23.0198G	36.43	54.00	-17.57	-0.88	3	Vertical	0	1.28	-	37.31	39.51	17.43	48.28
PK	11.5078G	61.15	74.00	-12.85	18.59	3	Vertical	16	1.30	-	42.56	39.99	12.76	34.16
PK	17.26986G	63.88	68.20	-4.32	21.48	3	Vertical	46	2.10	-	42.40	39.71	15.04	33.27
PK	23.01981G	45.37	74.00	-28.63	-0.88	3	Vertical	0	1.28	-	46.25	39.51	17.43	48.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51582G	47.29	54.00	-6.71	18.58	3	Horizontal	293	2.99	-	28.71	39.98	12.77	34.17
AV	23.0198G	40.80	54.00	-13.20	-0.88	3	Horizontal	31	1.66	-	41.68	39.51	17.43	48.28
PK	11.5148G	60.89	74.00	-13.11	18.58	3	Horizontal	293	2.99	-	42.31	39.99	12.76	34.17
PK	17.27316G	66.76	68.20	-1.44	21.49	3	Horizontal	51	1.00	-	45.27	39.72	15.04	33.27
PK	23.01974G	47.25	74.00	-26.75	-0.88	3	Horizontal	31	1.66	-	48.13	39.51	17.43	48.28

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7854G	105.87	Inf	-Inf	6.78	3	Vertical	10	2.93	-	99.09	32.00	9.07	34.29
PK	5.6414G	57.85	68.20	-10.35	6.35	3	Vertical	10	2.93	-	51.50	31.68	8.94	34.27
PK	5.7854G	117.29	Inf	-Inf	6.78	3	Vertical	10	2.93	-	110.51	32.00	9.07	34.29
PK	5.9354G	58.20	68.20	-10.00	7.14	3	Vertical	10	2.93	-	51.06	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7938G	109.22	Inf	-Inf	6.78	3	Horizontal	307	2.99	-	102.44	32.00	9.07	34.29
PK	5.6366G	58.94	68.20	-9.26	6.33	3	Horizontal	307	2.99	-	52.61	31.67	8.93	34.27
PK	5.7938G	119.72	Inf	-Inf	6.78	3	Horizontal	307	2.99	-	112.94	32.00	9.07	34.29
PK	5.9354G	59.92	68.20	-8.28	7.14	3	Horizontal	307	2.99	-	52.78	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58624G	46.82	54.00	-7.18	18.51	3	Vertical	16	1.33	-	28.31	39.91	12.80	34.20
PK	11.58608G	59.85	74.00	-14.15	18.51	3	Vertical	16	1.33	-	41.34	39.91	12.80	34.20
PK	17.38428G	65.86	68.20	-2.34	22.31	3	Vertical	9	2.38	-	43.55	40.47	15.07	33.23
PK	23.17964G	44.73	68.20	-23.47	-0.59	3	Vertical	5	1.67	-	45.32	39.57	17.50	48.12

802.11ax HEW40_Nss1,(MCS0)_8TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57552G	48.93	54.00	-5.07	18.52	3	Horizontal	76	1.80	-	30.41	39.92	12.80	34.20
PK	11.57544G	62.61	74.00	-11.39	18.52	3	Horizontal	76	1.80	-	44.09	39.92	12.80	34.20
PK	17.37404G	66.83	68.20	-1.37	22.23	3	Horizontal	49	1.00	-	44.60	40.39	15.07	33.23
PK	23.1798G	46.31	68.20	-21.89	-0.59	3	Horizontal	57	1.82	-	46.90	39.57	17.50	48.12

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1344G	49.03	54.00	-4.97	5.98	3	Vertical	0	3.00	-	43.05	31.70	8.51	34.23
AV	5.2256G	99.00	Inf	-Inf	5.69	3	Vertical	0	3.00	-	93.31	31.35	8.58	34.24
AV	5.4068G	44.80	54.00	-9.20	5.71	3	Vertical	0	3.00	-	39.09	31.34	8.62	34.25
PK	5.1452G	65.95	74.00	-8.05	5.99	3	Vertical	0	3.00	-	59.96	31.70	8.52	34.23
PK	5.2268G	111.27	Inf	-Inf	5.68	3	Vertical	0	3.00	-	105.59	31.34	8.58	34.24
PK	5.5088G	56.81	68.20	-11.39	6.19	3	Vertical	0	3.00	-	50.62	31.68	8.77	34.26

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1428G	52.90	54.00	-1.10	5.99	3	Horizontal	311	1.93	-	46.91	31.70	8.52	34.23
AV	5.2232G	103.44	Inf	-Inf	5.69	3	Horizontal	311	1.93	-	97.75	31.36	8.57	34.24
AV	5.3624G	45.72	54.00	-8.28	5.42	3	Horizontal	311	1.93	-	40.30	31.07	8.60	34.25
PK	5.1452G	71.90	74.00	-2.10	5.99	3	Horizontal	311	1.93	-	65.91	31.70	8.52	34.23
PK	5.222G	115.54	Inf	-Inf	5.70	3	Horizontal	311	1.93	-	109.84	31.37	8.57	34.24
PK	5.4956G	56.83	68.20	-11.37	6.18	3	Horizontal	311	1.93	-	50.65	31.69	8.75	34.26

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62456G	45.11	54.00	-8.89	18.03	3	Vertical	158	1.50	-	27.08	37.85	14.63	34.45
AV	20.83982G	32.00	54.00	-22.00	-3.19	3	Vertical	228	1.81	-	35.19	39.09	16.29	49.03
PK	10.41984G	55.27	68.20	-12.93	17.12	3	Vertical	338	2.95	-	38.15	39.54	12.21	34.63
PK	15.62284G	58.81	74.00	-15.19	18.03	3	Vertical	158	1.50	-	40.78	37.85	14.63	34.45
PK	20.83988G	43.69	74.00	-30.31	-3.19	3	Vertical	228	1.81	-	46.88	39.09	16.29	49.03

802.11ax HEW80_Nss1,(MCS0)_8TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6272G	45.33	54.00	-8.67	18.02	3	Horizontal	120	1.01	-	27.31	37.85	14.63	34.46
AV	20.83982G	35.91	54.00	-18.09	-3.19	3	Horizontal	26	2.07	-	39.10	39.09	16.29	49.03
PK	10.42308G	54.66	68.20	-13.54	17.13	3	Horizontal	28	1.50	-	37.53	39.55	12.21	34.63
PK	15.6278G	58.36	74.00	-15.64	18.03	3	Horizontal	120	1.01	-	40.33	37.86	14.63	34.46
PK	20.83982G	44.25	74.00	-29.75	-3.19	3	Horizontal	26	2.07	-	47.44	39.09	16.29	49.03

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	47.52	54.00	-6.48	8.84	3	Vertical	0	3.00	-	38.68	34.00	9.07	34.23
AV	5.289G	99.90	Inf	-Inf	8.84	3	Vertical	0	3.00	-	91.06	33.90	9.18	34.24
AV	5.361G	51.38	54.00	-2.62	9.04	3	Vertical	0	3.00	-	42.34	34.03	9.26	34.25
PK	5.146G	59.57	74.00	-14.43	8.83	3	Vertical	0	3.00	-	50.74	33.99	9.07	34.23
PK	5.287G	111.73	Inf	-Inf	8.84	3	Vertical	0	3.00	-	102.89	33.90	9.18	34.24
PK	5.529G	59.10	68.20	-9.10	8.84	3	Vertical	0	3.00	-	50.26	33.70	9.40	34.26

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.142G	47.64	54.00	-6.36	8.82	3	Horizontal	69	1.73	-	38.82	33.98	9.07	34.23
AV	5.302G	103.03	Inf	-Inf	8.86	3	Horizontal	69	1.73	-	94.17	33.91	9.19	34.24
AV	5.363G	52.86	54.00	-1.14	9.03	3	Horizontal	69	1.73	-	43.83	34.02	9.26	34.25
PK	5.141G	59.74	74.00	-14.26	8.82	3	Horizontal	69	1.73	-	50.92	33.98	9.07	34.23
PK	5.302G	114.55	Inf	-Inf	8.86	3	Horizontal	69	1.73	-	105.69	33.91	9.19	34.24
PK	5.362G	67.46	74.00	-6.54	9.04	3	Horizontal	69	1.73	-	58.42	34.03	9.26	34.25

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8841G	50.03	54.00	-3.97	22.97	3	Vertical	14	2.46	-	27.06	42.75	14.91	34.69
AV	21.14512G	24.92	54.00	-29.08	-8.22	3	Vertical	346	1.72	-	33.14	38.60	17.12	54.40
PK	10.58G	55.26	68.20	-12.94	17.28	3	Vertical	50	2.05	-	37.98	39.34	12.45	34.51
PK	15.8667G	64.10	74.00	-9.90	23.03	3	Vertical	14	2.46	-	41.07	42.80	14.91	34.68
PK	21.14518G	37.95	74.00	-36.05	-8.22	3	Vertical	346	1.72	-	46.17	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_8TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8729G	49.94	54.00	-4.06	23.01	3	Horizontal	235	2.19	-	26.93	42.78	14.91	34.68
AV	21.145G	24.68	54.00	-29.32	-8.22	3	Horizontal	314	1.50	-	32.90	38.60	17.12	54.40
PK	10.57986G	55.72	68.20	-12.48	17.28	3	Horizontal	20	1.67	-	38.44	39.34	12.45	34.51
PK	15.8703G	64.42	74.00	-9.58	23.02	3	Horizontal	235	2.19	-	41.40	42.79	14.91	34.68
PK	21.15028G	38.03	74.00	-35.97	-8.22	3	Horizontal	314	1.50	-	46.25	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	49.12	54.00	-4.88	8.96	3	Vertical	27	3.00	-	40.16	33.87	9.35	34.26
AV	5.559G	98.71	Inf	-Inf	8.82	3	Vertical	27	3.00	-	89.89	33.66	9.43	34.27
PK	5.465G	60.32	68.20	-7.88	8.93	3	Vertical	27	3.00	-	51.39	33.84	9.35	34.26
PK	5.559G	109.91	Inf	-Inf	8.82	3	Vertical	27	3.00	-	101.09	33.66	9.43	34.27
PK	5.729G	58.38	68.20	-9.82	8.86	3	Vertical	27	3.00	-	49.52	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.451G	52.50	54.00	-1.50	8.98	3	Horizontal	64	1.92	-	43.52	33.90	9.34	34.26
AV	5.543G	101.67	Inf	-Inf	8.85	3	Horizontal	64	1.92	-	92.82	33.70	9.41	34.26
PK	5.464G	67.49	68.20	-0.71	8.93	3	Horizontal	64	1.92	-	58.56	33.84	9.35	34.26
PK	5.543G	114.04	Inf	-Inf	8.85	3	Horizontal	64	1.92	-	105.19	33.70	9.41	34.26
PK	5.729G	59.75	68.20	-8.45	8.86	3	Horizontal	64	1.92	-	50.89	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0842G	41.12	54.00	-12.88	17.87	3	Vertical	147	1.93	-	23.25	39.38	12.67	34.18
AV	22.10506G	22.21	54.00	-31.79	-8.89	3	Vertical	360	1.72	-	31.10	38.90	17.59	55.84
PK	11.0812G	54.66	74.00	-19.34	17.85	3	Vertical	147	1.93	-	36.81	39.38	12.66	34.19
PK	16.5755G	64.63	68.20	-3.57	23.21	3	Vertical	227	2.18	-	41.42	42.05	15.29	34.13
PK	22.10902G	35.48	74.00	-38.52	-8.88	3	Vertical	360	1.72	-	44.36	38.90	17.59	55.83

802.11ax HEW80_Nss1,(MCS0)_8TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0627G	40.82	54.00	-13.18	17.83	3	Horizontal	248	2.15	-	22.99	39.36	12.66	34.19
AV	22.12312G	22.16	54.00	-31.84	-8.87	3	Horizontal	306	2.35	-	31.03	38.90	17.60	55.83
PK	11.0807G	53.88	74.00	-20.12	17.85	3	Horizontal	248	2.15	-	36.03	39.38	12.66	34.19
PK	16.5998G	64.47	68.20	-3.73	23.51	3	Horizontal	128	1.75	-	40.96	42.30	15.30	34.09
PK	22.12036G	36.11	74.00	-37.89	-8.87	3	Horizontal	306	2.35	-	44.98	38.90	17.60	55.83

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.444G	47.41	54.00	-6.59	8.97	3	Vertical	39	2.97	-	38.44	33.89	9.34	34.26
AV	5.604G	100.40	Inf	-Inf	8.69	3	Vertical	39	2.97	-	91.71	33.50	9.46	34.27
PK	5.469G	58.84	68.20	-9.36	8.92	3	Vertical	39	2.97	-	49.92	33.82	9.36	34.26
PK	5.603G	113.27	Inf	-Inf	8.69	3	Vertical	39	2.97	-	104.58	33.50	9.46	34.27
PK	5.732G	60.94	68.20	-7.26	8.86	3	Vertical	39	2.97	-	52.08	33.64	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.452G	48.73	54.00	-5.27	8.97	3	Horizontal	63	1.96	-	39.76	33.89	9.34	34.26
AV	5.603G	105.65	Inf	-Inf	8.69	3	Horizontal	63	1.96	-	96.96	33.50	9.46	34.27
PK	5.462G	61.05	68.20	-7.15	8.94	3	Horizontal	63	1.96	-	52.11	33.85	9.35	34.26
PK	5.603G	117.56	Inf	-Inf	8.69	3	Horizontal	63	1.96	-	108.87	33.50	9.46	34.27
PK	5.725G	65.52	68.20	-2.68	8.87	3	Horizontal	63	1.96	-	56.65	33.65	9.50	34.28

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21176G	43.24	54.00	-10.76	11.58	3	Vertical	52	2.20	-	31.66	39.92	12.72	41.06
AV	22.4472G	22.47	54.00	-31.53	-8.49	3	Vertical	326	1.44	-	30.96	38.98	17.70	55.63
PK	11.22408G	56.36	74.00	-17.64	11.60	3	Vertical	52	2.20	-	44.76	39.95	12.72	41.07
PK	16.82952G	60.00	68.20	-8.20	17.57	3	Vertical	269	1.07	-	42.43	43.96	15.44	41.83
PK	22.42668G	36.16	74.00	-37.84	-8.52	3	Vertical	326	1.44	-	44.68	38.97	17.69	55.64

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22472G	43.40	54.00	-10.60	11.60	3	Horizontal	90	2.29	-	31.80	39.95	12.72	41.07
AV	22.43988G	22.95	54.00	-31.05	-8.51	3	Horizontal	71	1.84	-	31.46	38.98	17.69	55.64
PK	11.22416G	57.22	74.00	-16.78	11.60	3	Horizontal	90	2.29	-	45.62	39.95	12.72	41.07
PK	17.008G	60.87	68.20	-7.33	18.12	3	Horizontal	123	1.23	-	42.75	44.50	15.54	41.92
PK	22.43232G	35.64	74.00	-38.36	-8.52	3	Horizontal	71	1.84	-	44.16	38.97	17.69	55.64

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4296G	47.21	54.00	-6.79	8.93	3	Vertical	22	3.00	-	38.28	33.86	9.32	34.25
AV	5.6804G	103.53	Inf	-Inf	8.82	3	Vertical	22	3.00	-	94.71	33.62	9.48	34.28
PK	5.462G	59.16	68.20	-9.04	8.94	3	Vertical	22	3.00	-	50.22	33.85	9.35	34.26
PK	5.6804G	114.19	Inf	-Inf	8.82	3	Vertical	22	3.00	-	105.37	33.62	9.48	34.28
PK	5.8628G	61.36	68.20	-6.84	9.17	3	Vertical	22	3.00	-	52.19	33.90	9.57	34.30

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	48.34	54.00	-5.66	8.94	3	Horizontal	305	1.91	-	39.40	33.86	9.33	34.25
AV	5.6936G	108.48	Inf	-Inf	8.88	3	Horizontal	305	1.91	-	99.60	33.67	9.49	34.28
PK	5.4668G	60.18	68.20	-8.02	8.92	3	Horizontal	305	1.91	-	51.26	33.83	9.35	34.26
PK	5.6936G	119.05	Inf	-Inf	8.88	3	Horizontal	305	1.91	-	110.17	33.67	9.49	34.28
PK	5.8544G	67.66	68.20	-0.54	9.10	3	Horizontal	305	1.91	-	58.56	33.84	9.56	34.30

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3688G	43.26	54.00	-10.74	12.07	3	Vertical	317	2.75	-	31.19	40.38	12.78	41.09
AV	22.75811G	26.45	54.00	-27.55	-8.40	3	Vertical	80	1.50	-	34.85	39.31	17.79	55.96
PK	11.38696G	56.34	74.00	-17.66	12.15	3	Vertical	317	2.75	-	44.19	40.45	12.79	41.09
PK	17.06256G	61.77	68.20	-6.43	18.14	3	Vertical	145	1.60	-	43.63	44.50	15.57	41.93
PK	22.76122G	39.63	74.00	-34.37	-8.41	3	Vertical	80	1.50	-	48.04	39.31	17.79	55.97

802.11ax HEW80_Nss1,(MCS0)_8TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39904G	42.96	54.00	-11.04	12.21	3	Horizontal	157	2.09	-	30.75	40.50	12.80	41.09
AV	22.75982G	28.40	54.00	-25.60	-8.40	3	Horizontal	50	1.60	-	36.80	39.31	17.79	55.96
PK	11.39608G	55.88	74.00	-18.12	12.19	3	Horizontal	157	2.09	-	43.69	40.48	12.80	41.09
PK	17.06048G	61.64	68.20	-6.56	18.14	3	Horizontal	10	1.08	-	43.50	44.50	15.57	41.93
PK	22.76008G	40.26	74.00	-33.74	-8.40	3	Horizontal	50	1.60	-	48.66	39.31	17.79	55.96

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7618G	99.30	Inf	-Inf	6.76	3	Vertical	39	2.30	-	92.54	32.00	9.05	34.29
PK	5.6418G	65.22	68.20	-2.98	6.35	3	Vertical	39	2.30	-	58.87	31.68	8.94	34.27
PK	5.7618G	110.55	Inf	-Inf	6.76	3	Vertical	39	2.30	-	103.79	32.00	9.05	34.29
PK	6.0498G	57.83	68.20	-10.37	7.20	3	Vertical	39	2.30	-	50.63	32.30	9.21	34.31

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7582G	105.94	Inf	-Inf	6.75	3	Horizontal	307	1.97	-	99.19	32.00	9.04	34.29
PK	5.6562G	71.97	72.79	-0.82	6.38	3	Horizontal	307	1.97	-	65.59	31.71	8.95	34.28
PK	5.7594G	118.76	Inf	-Inf	6.75	3	Horizontal	307	1.97	-	112.01	32.00	9.04	34.29
PK	5.925G	65.05	68.20	-3.15	7.14	3	Horizontal	307	1.97	-	57.91	32.30	9.14	34.30

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54992G	44.92	54.00	-9.08	18.55	3	Vertical	4	1.00	-	26.37	39.95	12.78	34.18
AV	23.09982G	33.18	54.00	-20.82	-0.74	3	Vertical	12	1.87	-	33.92	39.54	17.46	48.20
PK	11.54996G	57.23	74.00	-16.77	18.55	3	Vertical	4	1.00	-	38.68	39.95	12.78	34.18
PK	17.32996G	63.34	68.20	-4.86	21.85	3	Vertical	339	1.03	-	41.49	40.04	15.06	33.25
PK	23.10108G	43.20	74.00	-30.80	-0.74	3	Vertical	12	1.87	-	43.94	39.54	17.46	48.20

802.11ax HEW80_Nss1,(MCS0)_8TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55G	44.82	54.00	-9.18	18.55	3	Horizontal	50	1.50	-	26.27	39.95	12.78	34.18
AV	23.09982G	33.04	54.00	-20.96	-0.74	3	Horizontal	326	1.81	-	33.78	39.54	17.46	48.20
PK	11.573G	56.06	74.00	-17.94	18.52	3	Horizontal	50	1.50	-	37.54	39.93	12.79	34.20
PK	17.3744G	62.24	68.20	-5.96	22.24	3	Horizontal	336	1.16	-	40.00	40.40	15.07	33.23
PK	23.08602G	43.68	74.00	-30.32	-0.76	3	Horizontal	326	1.81	-	44.44	39.53	17.46	48.21

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.84	54.00	-5.16	8.84	3	Vertical	342	2.60	-	40.00	34.00	9.07	34.23
AV	5.2116G	95.11	Inf	-Inf	8.67	3	Vertical	342	2.60	-	86.44	33.82	9.09	34.24
AV	5.35G	49.69	54.00	-4.31	9.10	3	Vertical	342	2.60	-	40.59	34.10	9.25	34.25
PK	5.15G	62.22	74.00	-11.78	8.84	3	Vertical	342	2.60	-	53.38	34.00	9.07	34.23
PK	5.2116G	105.87	Inf	-Inf	8.67	3	Vertical	342	2.60	-	97.20	33.82	9.09	34.24
PK	5.5332G	59.27	68.20	-8.93	8.85	3	Vertical	342	2.60	-	50.42	33.70	9.41	34.26

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1444G	51.13	54.00	-2.87	8.83	3	Horizontal	70	1.78	-	42.30	33.99	9.07	34.23
AV	5.2872G	100.44	Inf	-Inf	8.84	3	Horizontal	70	1.78	-	91.60	33.90	9.18	34.24
AV	5.3664G	53.43	54.00	-0.57	9.01	3	Horizontal	70	1.78	-	44.42	34.00	9.26	34.25
PK	5.136G	66.62	74.00	-7.38	8.81	3	Horizontal	70	1.78	-	57.81	33.97	9.07	34.23
PK	5.2872G	112.28	Inf	-Inf	8.84	3	Horizontal	70	1.78	-	103.44	33.90	9.18	34.24
PK	5.5068G	59.94	68.20	-8.26	8.83	3	Horizontal	70	1.78	-	51.11	33.70	9.39	34.26

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7639G	49.67	54.00	-4.33	23.19	3	Vertical	40	1.82	-	26.48	42.89	14.88	34.58
AV	20.98506G	24.45	54.00	-29.55	-8.33	3	Vertical	201	2.02	-	32.78	38.57	17.03	54.39
PK	10.4889G	54.07	68.20	-14.13	16.95	3	Vertical	5	1.88	-	37.12	39.11	12.42	34.58
PK	15.7366G	63.27	74.00	-10.73	23.12	3	Vertical	40	1.82	-	40.15	42.81	14.87	34.56
PK	20.9958G	37.48	74.00	-36.52	-8.31	3	Vertical	201	2.02	-	45.79	38.59	17.04	54.40

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7621G	49.78	54.00	-4.22	23.19	3	Horizontal	28	1.58	-	26.59	42.89	14.88	34.58
AV	20.985G	24.50	54.00	-29.50	-8.32	3	Horizontal	348	2.02	-	32.82	38.57	17.03	54.38
PK	10.494G	54.51	68.20	-13.69	16.96	3	Horizontal	278	1.27	-	37.55	39.11	12.42	34.57
PK	15.7502G	63.13	74.00	-10.87	23.15	3	Horizontal	28	1.58	-	39.98	42.85	14.87	34.57
PK	20.99316G	37.91	74.00	-36.09	-8.30	3	Horizontal	348	2.02	-	46.21	38.59	17.04	54.39

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4464G	49.68	54.00	-4.32	8.97	3	Vertical	336	1.06	-	40.71	33.89	9.34	34.26
AV	5.5268G	95.53	Inf	-Inf	8.84	3	Vertical	336	1.06	-	86.69	33.70	9.40	34.26
PK	5.4668G	62.44	68.20	-5.76	8.92	3	Vertical	336	1.06	-	53.52	33.83	9.35	34.26
PK	5.5268G	106.34	Inf	-Inf	8.84	3	Vertical	336	1.06	-	97.50	33.70	9.40	34.26
PK	5.798G	60.01	68.20	-8.19	9.02	3	Vertical	336	1.06	-	50.99	33.79	9.52	34.29

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4428G	53.33	54.00	-0.67	8.96	3	Horizontal	72	2.47	-	44.37	33.89	9.33	34.26
AV	5.522G	100.97	Inf	-Inf	8.84	3	Horizontal	72	2.47	-	92.13	33.70	9.40	34.26
PK	5.4632G	67.24	68.20	-0.96	8.94	3	Horizontal	72	2.47	-	58.30	33.85	9.35	34.26
PK	5.5448G	112.57	Inf	-Inf	8.86	3	Horizontal	72	2.47	-	103.71	33.70	9.42	34.26
PK	5.7824G	60.89	68.20	-7.31	8.95	3	Horizontal	72	2.47	-	51.94	33.73	9.51	34.29

802.11ax HEW80+80_Nss1,(MCS0)_8TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21956G	42.18	54.00	-11.82	18.48	3	Vertical	162	1.94	-	23.70	39.94	12.72	34.18
AV	22.26638G	23.92	54.00	-30.08	-8.73	3	Vertical	29	2.16	-	32.65	38.91	17.64	55.74
PK	11.19712G	55.54	74.00	-18.46	18.42	3	Vertical	162	1.94	-	37.12	39.89	12.71	34.18
PK	16.7176G	65.28	68.20	-2.92	24.66	3	Vertical	40	2.12	-	40.62	43.16	15.37	33.87
PK	22.27388G	37.73	74.00	-36.27	-8.73	3	Vertical	29	2.16	-	46.46	38.91	17.64	55.74

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1603G	41.91	54.00	-12.09	18.22	3	Horizontal	22	2.37	-	23.69	39.70	12.70	34.18
AV	22.26896G	23.37	54.00	-30.63	-8.73	3	Horizontal	82	1.50	-	32.10	38.91	17.64	55.74
PK	11.1608G	56.13	74.00	-17.87	18.22	3	Horizontal	22	2.37	-	37.91	39.70	12.70	34.18
PK	16.7094G	65.73	68.20	-2.47	24.55	3	Horizontal	123	1.63	-	41.18	43.08	15.36	33.89
PK	22.27148G	36.50	74.00	-37.50	-8.73	3	Horizontal	82	1.50	-	45.23	38.91	17.64	55.74

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	47.46M	36.56	40.00	-3.44	3	Vertical	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	47.46M	36.56	40.00	-3.44	3	Vertical	360	1.00	-
5775MHz	Pass	PK	142.52M	25.96	43.50	-17.54	3	Vertical	360	1.00	-
5775MHz	Pass	PK	218.18M	29.26	46.00	-16.74	3	Vertical	360	1.00	-
5775MHz	Pass	PK	394.72M	27.07	46.00	-18.93	3	Vertical	360	1.00	-
5775MHz	Pass	PK	513.06M	30.05	46.00	-15.95	3	Vertical	360	1.00	-
5775MHz	Pass	PK	643.04M	31.48	46.00	-14.52	3	Vertical	360	1.00	-
5775MHz	Pass	PK	47.46M	34.45	40.00	-5.55	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	132.82M	28.39	43.50	-15.11	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	216.24M	32.22	46.00	-13.78	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	301.6M	27.46	46.00	-18.54	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	472.32M	28.74	46.00	-17.26	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	633.34M	31.45	46.00	-14.55	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	47.46M	35.76	40.00	-4.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	185.2M	26.58	43.50	-16.92	3	Vertical	0	1.00	-
5775MHz	Pass	PK	293.84M	28.38	46.00	-17.62	3	Vertical	0	1.00	-
5775MHz	Pass	PK	412.18M	29.52	46.00	-16.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	513.06M	30.21	46.00	-15.79	3	Vertical	0	1.00	-
5775MHz	Pass	PK	707.06M	31.67	46.00	-14.33	3	Vertical	0	1.00	-
5775MHz	Pass	PK	49.4M	35.47	40.00	-4.53	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	181.32M	26.10	43.50	-17.40	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	295.78M	32.12	46.00	-13.88	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	528.58M	29.43	46.00	-16.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	677.96M	32.02	46.00	-13.98	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	788.54M	33.00	46.00	-13.00	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	36.56	40.00	-3.44	-12.55	3	Vertical	360	1.00	-	49.11	14.05	1.04	27.64
PK	142.52M	25.96	43.50	-17.54	-9.87	3	Vertical	360	1.00	-	35.83	16.06	1.66	27.59
PK	218.18M	29.26	46.00	-16.74	-10.93	3	Vertical	360	1.00	-	40.19	14.25	2.03	27.21
PK	394.72M	27.07	46.00	-18.93	-4.23	3	Vertical	360	1.00	-	31.30	20.78	2.72	27.73
PK	513.06M	30.05	46.00	-15.95	-2.40	3	Vertical	360	1.00	-	32.45	22.83	3.11	28.34
PK	643.04M	31.48	46.00	-14.52	-0.51	3	Vertical	360	1.00	-	31.99	24.28	3.44	28.23

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	34.45	40.00	-5.55	-12.55	3	Horizontal	0	1.00	-	47.00	14.05	1.04	27.64
PK	132.82M	28.39	43.50	-15.11	-9.17	3	Horizontal	0	1.00	-	37.56	16.90	1.60	27.67
PK	216.24M	32.22	46.00	-13.78	-11.07	3	Horizontal	0	1.00	-	43.29	14.13	2.02	27.22
PK	301.6M	27.46	46.00	-18.54	-6.23	3	Horizontal	0	1.00	-	33.69	18.47	2.37	27.07
PK	472.32M	28.74	46.00	-17.26	-2.56	3	Horizontal	0	1.00	-	31.30	22.65	2.98	28.19
PK	633.34M	31.45	46.00	-14.55	-0.50	3	Horizontal	0	1.00	-	31.95	24.36	3.42	28.28

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	35.76	40.00	-4.24	-12.55	3	Vertical	0	1.00	-	48.31	14.05	1.04	27.64
PK	185.2M	26.58	43.50	-16.92	-11.30	3	Vertical	0	1.00	-	37.88	14.23	1.89	27.42
PK	293.84M	28.38	46.00	-17.62	-6.45	3	Vertical	0	1.00	-	34.83	18.28	2.33	27.06
PK	412.18M	29.52	46.00	-16.48	-3.36	3	Vertical	0	1.00	-	32.88	21.71	2.78	27.85
PK	513.06M	30.21	46.00	-15.79	-2.40	3	Vertical	0	1.00	-	32.61	22.83	3.11	28.34
PK	707.06M	31.67	46.00	-14.33	-0.45	3	Vertical	0	1.00	-	32.12	24.16	3.61	28.22

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	49.4M	35.47	40.00	-4.53	-13.24	3	Horizontal	360	1.00	-	48.71	13.40	1.06	27.70
PK	181.32M	26.10	43.50	-17.40	-11.23	3	Horizontal	360	1.00	-	37.33	14.35	1.87	27.45
PK	295.78M	32.12	46.00	-13.88	-6.40	3	Horizontal	360	1.00	-	38.52	18.32	2.34	27.06
PK	528.58M	29.43	46.00	-16.57	-2.26	3	Horizontal	360	1.00	-	31.69	22.93	3.14	28.33
PK	677.96M	32.02	46.00	-13.98	-0.52	3	Horizontal	360	1.00	-	32.54	24.17	3.53	28.22
PK	788.54M	33.00	46.00	-13.00	1.02	3	Horizontal	360	1.00	-	31.98	25.10	3.84	27.92

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.4056G	52.61	54.00	-1.39	3	Horizontal	299	1.87	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	295	1.92	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4408G	53.31	54.00	-0.69	3	Horizontal	296	2.02	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.41	54.00	-0.59	3	Vertical	20	1.13	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.488G	67.45	68.20	-0.75	3	Horizontal	308	2.01	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.4736G	67.58	68.20	-0.62	3	Horizontal	307	2.05	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4404G	53.26	54.00	-0.74	3	Horizontal	70	1.96	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.03	54.00	-0.97	3	Vertical	341	1.21	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.47G	67.65	68.20	-0.55	3	Horizontal	308	2.08	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.4396G	52.81	54.00	-1.19	3	Horizontal	312	1.96	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4396G	53.12	54.00	-0.88	3	Horizontal	309	1.87	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	308	1.95	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.4627G	65.54	68.20	-2.66	3	Horizontal	348	2.27	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	17.47744G	65.58	68.20	-2.62	3	Vertical	20	1.47	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	17.37888G	64.33	68.20	-3.87	3	Horizontal	357	2.12	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.649G	67.46	68.20	-0.74	3	Horizontal	317	1.79	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.61	54.00	-2.39	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.1872G	100.81	Inf	-Inf	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.4404G	48.43	54.00	-5.57	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.1464G	65.91	74.00	-8.09	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.1752G	111.20	Inf	-Inf	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.4644G	60.62	68.20	-7.58	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.15G	52.58	54.00	-1.42	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	5.186G	102.11	Inf	-Inf	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	5.4404G	50.10	54.00	-3.90	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.1476G	65.85	74.00	-8.15	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.1836G	111.96	Inf	-Inf	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.4608G	60.08	68.20	-8.12	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	15.5331G	47.71	54.00	-6.29	3	Vertical	130	2.11	-
5180MHz	Pass	AV	20.7198G	41.28	54.00	-12.72	3	Vertical	13	2.19	-
5180MHz	Pass	PK	10.37044G	55.04	68.20	-13.16	3	Vertical	301	1.31	-
5180MHz	Pass	PK	15.52824G	60.94	74.00	-13.06	3	Vertical	130	2.11	-
5180MHz	Pass	PK	20.7286G	55.29	74.00	-18.71	3	Vertical	13	2.19	-
5180MHz	Pass	AV	15.5307G	47.84	54.00	-6.16	3	Horizontal	245	2.24	-
5180MHz	Pass	AV	20.7172G	41.73	54.00	-12.27	3	Horizontal	330	1.82	-
5180MHz	Pass	PK	10.34656G	54.61	68.20	-13.59	3	Horizontal	104	1.36	-
5180MHz	Pass	PK	15.53016G	60.30	74.00	-13.70	3	Horizontal	245	2.24	-
5180MHz	Pass	PK	20.7206G	57.09	74.00	-16.91	3	Horizontal	330	1.82	-
5200MHz	Pass	AV	5.0368G	45.46	54.00	-8.54	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.194G	100.80	Inf	-Inf	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.368G	50.42	54.00	-3.58	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.1256G	57.93	74.00	-16.07	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.1976G	110.40	Inf	-Inf	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.4916G	60.02	68.20	-8.18	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.1196G	46.09	54.00	-7.91	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	5.206G	102.34	Inf	-Inf	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	5.3668G	50.85	54.00	-3.15	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.0464G	57.55	74.00	-16.45	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.2048G	112.71	Inf	-Inf	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.4976G	61.53	68.20	-6.67	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	15.58932G	46.17	54.00	-7.83	3	Vertical	155	1.02	-
5200MHz	Pass	AV	20.8008G	39.18	54.00	-14.82	3	Vertical	3	1.50	-
5200MHz	Pass	PK	10.4051G	54.55	68.20	-13.65	3	Vertical	57	1.14	-
5200MHz	Pass	PK	15.60786G	59.16	74.00	-14.84	3	Vertical	155	1.02	-
5200MHz	Pass	PK	20.8006G	53.89	74.00	-20.11	3	Vertical	3	1.50	-
5200MHz	Pass	AV	15.59028G	46.18	54.00	-7.82	3	Horizontal	84	1.68	-
5200MHz	Pass	AV	20.7984G	45.48	54.00	-8.52	3	Horizontal	60	1.65	-
5200MHz	Pass	PK	10.4072G	54.44	68.20	-13.76	3	Horizontal	247	1.56	-
5200MHz	Pass	PK	15.60168G	59.38	74.00	-14.62	3	Horizontal	84	1.68	-
5200MHz	Pass	PK	20.801G	60.44	74.00	-13.56	3	Horizontal	60	1.65	-
5240MHz	Pass	AV	5.0768G	46.79	54.00	-7.21	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.2472G	102.03	Inf	-Inf	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.4056G	49.83	54.00	-4.17	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.0804G	58.12	74.00	-15.88	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.246G	111.82	Inf	-Inf	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.54G	60.33	68.20	-7.87	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.078G	46.48	54.00	-7.52	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	5.246G	103.84	Inf	-Inf	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	5.4056G	52.61	54.00	-1.39	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.0876G	58.30	74.00	-15.70	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.2328G	113.50	Inf	-Inf	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.4836G	62.90	68.20	-5.30	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	15.711G	45.76	54.00	-8.24	3	Vertical	234	1.73	-
5240MHz	Pass	AV	20.9594G	42.57	54.00	-11.43	3	Vertical	1	1.62	-
5240MHz	Pass	PK	10.48852G	55.03	68.20	-13.17	3	Vertical	60	2.45	-
5240MHz	Pass	PK	15.71364G	59.21	74.00	-14.79	3	Vertical	234	1.73	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	20.961G	57.49	74.00	-16.51	3	Vertical	1	1.62	-
5240MHz	Pass	AV	15.71346G	46.37	54.00	-7.63	3	Horizontal	40	1.09	-
5240MHz	Pass	AV	20.9608G	45.94	54.00	-8.06	3	Horizontal	45	1.72	-
5240MHz	Pass	PK	10.48714G	55.33	68.20	-12.87	3	Horizontal	197	1.17	-
5240MHz	Pass	PK	15.723G	60.09	74.00	-13.91	3	Horizontal	40	1.09	-
5240MHz	Pass	PK	20.9628G	60.92	74.00	-13.08	3	Horizontal	45	1.72	-
5260MHz	Pass	AV	4.9996G	48.29	54.00	-5.71	3	Vertical	9	1.91	-
5260MHz	Pass	AV	5.2672G	105.34	Inf	-Inf	3	Vertical	9	1.91	-
5260MHz	Pass	AV	5.428G	52.30	54.00	-1.70	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.1028G	58.86	74.00	-15.14	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.266G	115.38	Inf	-Inf	3	Vertical	9	1.91	-
5260MHz	Pass	PK	5.4712G	61.81	68.20	-6.39	3	Vertical	9	1.91	-
5260MHz	Pass	AV	4.9996G	47.32	54.00	-6.68	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	5.266G	103.62	Inf	-Inf	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	5.4268G	52.30	54.00	-1.70	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.0968G	59.22	74.00	-14.78	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.2576G	113.45	Inf	-Inf	3	Horizontal	70	1.80	-
5260MHz	Pass	PK	5.4628G	61.18	68.20	-7.02	3	Horizontal	70	1.80	-
5260MHz	Pass	AV	15.7556G	44.74	54.00	-9.26	3	Vertical	360	1.50	-
5260MHz	Pass	PK	10.5176G	54.93	68.20	-13.27	3	Vertical	219	1.50	-
5260MHz	Pass	PK	15.7933G	58.11	74.00	-15.89	3	Vertical	360	1.50	-
5260MHz	Pass	AV	15.7711G	44.88	54.00	-9.12	3	Horizontal	360	2.12	-
5260MHz	Pass	PK	10.5155G	55.33	68.20	-12.87	3	Horizontal	216	2.31	-
5260MHz	Pass	PK	15.7757G	58.08	74.00	-15.92	3	Horizontal	360	2.12	-
5300MHz	Pass	AV	5G	48.90	54.00	-5.10	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5.306G	105.43	Inf	-Inf	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5.456G	52.70	54.00	-1.30	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.1416G	58.88	74.00	-15.12	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.306G	115.36	Inf	-Inf	3	Vertical	342	1.42	-
5300MHz	Pass	PK	5.4644G	64.31	68.20	-3.89	3	Vertical	342	1.42	-
5300MHz	Pass	AV	5G	47.39	54.00	-6.61	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	5.3048G	104.22	Inf	-Inf	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	5.456G	52.92	54.00	-1.08	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.144G	58.19	74.00	-15.81	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.3048G	113.70	Inf	-Inf	3	Horizontal	69	1.92	-
5300MHz	Pass	PK	5.4632G	64.90	68.20	-3.30	3	Horizontal	69	1.92	-
5300MHz	Pass	AV	10.6185G	42.27	54.00	-11.73	3	Vertical	256	1.50	-
5300MHz	Pass	AV	15.92G	45.49	54.00	-8.51	3	Vertical	85	1.50	-
5300MHz	Pass	PK	10.615G	55.64	74.00	-18.36	3	Vertical	256	1.50	-
5300MHz	Pass	PK	15.9245G	59.03	74.00	-14.97	3	Vertical	85	1.50	-
5300MHz	Pass	AV	10.6081G	42.31	54.00	-11.69	3	Horizontal	240	2.86	-
5300MHz	Pass	AV	15.9018G	45.27	54.00	-8.73	3	Horizontal	360	1.50	-
5300MHz	Pass	PK	10.6214G	55.44	74.00	-18.56	3	Horizontal	240	2.86	-
5300MHz	Pass	PK	15.8915G	58.63	74.00	-15.37	3	Horizontal	360	1.50	-
5320MHz	Pass	AV	5.1256G	46.26	54.00	-7.74	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.326G	102.26	Inf	-Inf	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.44G	51.26	54.00	-2.74	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.0764G	57.66	74.00	-16.34	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.3236G	112.05	Inf	-Inf	3	Vertical	345	1.45	-
5320MHz	Pass	PK	5.4868G	66.64	68.20	-1.56	3	Vertical	345	1.45	-
5320MHz	Pass	AV	5.1484G	46.21	54.00	-7.79	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	5.3248G	102.03	Inf	-Inf	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	5.44G	51.64	54.00	-2.36	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.134G	57.85	74.00	-16.15	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.3272G	111.89	Inf	-Inf	3	Horizontal	308	2.01	-
5320MHz	Pass	PK	5.488G	67.45	68.20	-0.75	3	Horizontal	308	2.01	-
5320MHz	Pass	AV	10.6496G	42.44	54.00	-11.56	3	Vertical	80	1.18	-
5320MHz	Pass	AV	15.95504G	45.45	54.00	-8.55	3	Vertical	190	2.34	-
5320MHz	Pass	PK	10.63976G	55.12	74.00	-18.88	3	Vertical	80	1.18	-
5320MHz	Pass	PK	15.96832G	58.85	74.00	-15.15	3	Vertical	190	2.34	-
5320MHz	Pass	AV	10.64268G	42.36	54.00	-11.64	3	Horizontal	213	2.21	-
5320MHz	Pass	AV	15.95308G	45.28	54.00	-8.72	3	Horizontal	86	1.29	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	10.6322G	55.87	74.00	-18.13	3	Horizontal	213	2.21	-
5320MHz	Pass	PK	15.96576G	59.04	74.00	-14.96	3	Horizontal	86	1.29	-
5500MHz	Pass	AV	5.46G	46.64	54.00	-7.36	3	Vertical	9	1.88	-
5500MHz	Pass	AV	5.494G	102.10	Inf	-Inf	3	Vertical	9	1.88	-
5500MHz	Pass	PK	5.47G	64.95	68.20	-3.25	3	Vertical	9	1.88	-
5500MHz	Pass	PK	5.4952G	112.33	Inf	-Inf	3	Vertical	9	1.88	-
5500MHz	Pass	PK	5.7892G	58.41	68.20	-9.79	3	Vertical	9	1.88	-
5500MHz	Pass	AV	5.4592G	46.96	54.00	-7.04	3	Horizontal	308	2.08	-
5500MHz	Pass	AV	5.506G	103.90	Inf	-Inf	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.47G	67.65	68.20	-0.55	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.5048G	113.77	Inf	-Inf	3	Horizontal	308	2.08	-
5500MHz	Pass	PK	5.7688G	59.49	68.20	-8.71	3	Horizontal	308	2.08	-
5500MHz	Pass	AV	11.00644G	42.87	54.00	-11.13	3	Vertical	196	1.60	-
5500MHz	Pass	PK	11.00248G	56.00	74.00	-18.00	3	Vertical	196	1.60	-
5500MHz	Pass	PK	16.49984G	61.49	68.20	-6.71	3	Vertical	222	1.86	-
5500MHz	Pass	AV	10.99544G	42.87	54.00	-11.13	3	Horizontal	24	1.44	-
5500MHz	Pass	PK	11.006G	56.03	74.00	-17.97	3	Horizontal	24	1.44	-
5500MHz	Pass	PK	16.5036G	62.48	68.20	-5.72	3	Horizontal	206	2.09	-
5580MHz	Pass	AV	5.4396G	52.26	54.00	-1.74	3	Vertical	11	1.85	-
5580MHz	Pass	AV	5.5776G	104.05	Inf	-Inf	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.4636G	61.59	68.20	-6.61	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.5836G	114.43	Inf	-Inf	3	Vertical	11	1.85	-
5580MHz	Pass	PK	5.7252G	59.93	68.20	-8.27	3	Vertical	11	1.85	-
5580MHz	Pass	AV	5.4396G	53.23	54.00	-0.77	3	Horizontal	310	2.05	-
5580MHz	Pass	AV	5.574G	107.61	Inf	-Inf	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.4624G	62.93	68.20	-5.27	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.574G	117.20	Inf	-Inf	3	Horizontal	310	2.05	-
5580MHz	Pass	PK	5.7372G	60.98	68.20	-7.22	3	Horizontal	310	2.05	-
5580MHz	Pass	AV	11.16388G	42.67	54.00	-11.33	3	Vertical	309	1.24	-
5580MHz	Pass	PK	11.16G	55.76	74.00	-18.24	3	Vertical	309	1.24	-
5580MHz	Pass	PK	16.73488G	62.53	68.20	-5.67	3	Vertical	336	1.42	-
5580MHz	Pass	AV	11.16992G	42.56	54.00	-11.44	3	Horizontal	230	1.34	-
5580MHz	Pass	PK	11.1578G	55.59	74.00	-18.41	3	Horizontal	230	1.34	-
5580MHz	Pass	PK	16.74648G	62.68	68.20	-5.52	3	Horizontal	298	2.17	-
5700MHz	Pass	AV	5.4288G	45.34	54.00	-8.66	3	Vertical	348	2.23	-
5700MHz	Pass	AV	5.6952G	100.85	Inf	-Inf	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.466G	57.22	68.20	-10.98	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.694G	110.94	Inf	-Inf	3	Vertical	348	2.23	-
5700MHz	Pass	PK	5.7264G	63.97	68.20	-4.23	3	Vertical	348	2.23	-
5700MHz	Pass	AV	5.4528G	46.30	54.00	-7.70	3	Horizontal	316	1.93	-
5700MHz	Pass	AV	5.694G	103.35	Inf	-Inf	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.4624G	58.37	68.20	-9.83	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.6952G	113.47	Inf	-Inf	3	Horizontal	316	1.93	-
5700MHz	Pass	PK	5.7252G	65.64	68.20	-2.56	3	Horizontal	316	1.93	-
5700MHz	Pass	AV	11.39996G	42.49	54.00	-11.51	3	Vertical	86	2.29	-
5700MHz	Pass	PK	11.4004G	55.80	74.00	-18.20	3	Vertical	86	2.29	-
5700MHz	Pass	PK	17.09004G	64.56	68.20	-3.64	3	Vertical	90	2.47	-
5700MHz	Pass	AV	11.39928G	42.11	54.00	-11.89	3	Horizontal	59	2.24	-
5700MHz	Pass	PK	11.39256G	55.40	74.00	-18.60	3	Horizontal	59	2.24	-
5700MHz	Pass	PK	17.10412G	63.93	68.20	-4.27	3	Horizontal	304	2.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	48.26	54.00	-5.74	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.16	Inf	-Inf	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.39	68.20	-9.81	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	113.11	Inf	-Inf	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	59.79	68.20	-8.41	3	Vertical	346	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	50.65	54.00	-3.35	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	105.18	Inf	-Inf	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.02	68.20	-9.18	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	115.13	Inf	-Inf	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	62.71	68.20	-5.49	3	Horizontal	320	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43164G	42.23	54.00	-11.77	3	Vertical	325	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.443G	55.75	74.00	-18.25	3	Vertical	325	1.68	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15396G	64.10	68.20	-4.10	3	Vertical	78	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4366G	42.15	54.00	-11.85	3	Horizontal	104	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43124G	54.93	74.00	-19.07	3	Horizontal	104	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15176G	64.05	68.20	-4.15	3	Horizontal	15	2.23	-
5745MHz	Pass	AV	5.739G	101.53	Inf	-Inf	3	Vertical	14	1.50	-
5745MHz	Pass	PK	5.6394G	60.90	68.20	-7.30	3	Vertical	14	1.50	-
5745MHz	Pass	PK	5.739G	111.94	Inf	-Inf	3	Vertical	14	1.50	-
5745MHz	Pass	PK	6.0222G	58.02	68.20	-10.18	3	Vertical	14	1.50	-
5745MHz	Pass	AV	5.739G	102.72	Inf	-Inf	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.6322G	62.15	68.20	-6.05	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.7462G	112.80	Inf	-Inf	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.9418G	58.26	68.20	-9.94	3	Horizontal	315	1.80	-
5745MHz	Pass	AV	11.49672G	42.82	54.00	-11.18	3	Vertical	44	2.92	-
5745MHz	Pass	AV	22.9796G	35.58	54.00	-18.42	3	Vertical	196	1.76	-
5745MHz	Pass	PK	11.4939G	55.66	74.00	-18.34	3	Vertical	44	2.92	-
5745MHz	Pass	PK	17.23416G	62.87	68.20	-5.33	3	Vertical	17	1.49	-
5745MHz	Pass	PK	22.9806G	48.58	74.00	-25.42	3	Vertical	196	1.76	-
5745MHz	Pass	AV	11.5002G	42.71	54.00	-11.29	3	Horizontal	0	1.50	-
5745MHz	Pass	AV	22.98G	34.86	54.00	-19.14	3	Horizontal	145	1.50	-
5745MHz	Pass	PK	11.47662G	56.18	74.00	-17.82	3	Horizontal	0	1.50	-
5745MHz	Pass	PK	17.23836G	64.36	68.20	-3.84	3	Horizontal	356	2.41	-
5745MHz	Pass	PK	22.9848G	48.50	74.00	-25.50	3	Horizontal	145	1.50	-
5785MHz	Pass	AV	5.7778G	101.37	Inf	-Inf	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.6266G	62.41	68.20	-5.79	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.7826G	111.60	Inf	-Inf	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.947G	58.33	68.20	-9.87	3	Vertical	346	1.01	-
5785MHz	Pass	AV	5.7778G	102.01	Inf	-Inf	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.6302G	62.40	68.20	-5.80	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.7898G	112.46	Inf	-Inf	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.9302G	58.32	68.20	-9.88	3	Horizontal	317	1.77	-
5785MHz	Pass	AV	11.57696G	42.48	54.00	-11.52	3	Vertical	250	1.40	-
5785MHz	Pass	PK	11.5661G	55.71	74.00	-18.29	3	Vertical	250	1.40	-
5785MHz	Pass	PK	17.36376G	64.46	68.20	-3.74	3	Vertical	20	1.46	-
5785MHz	Pass	PK	23.1418G	52.32	68.20	-15.88	3	Vertical	26	1.81	-
5785MHz	Pass	AV	11.56406G	42.38	54.00	-11.62	3	Horizontal	123	2.01	-
5785MHz	Pass	PK	11.57708G	55.64	74.00	-18.36	3	Horizontal	123	2.01	-
5785MHz	Pass	PK	17.3547G	64.77	68.20	-3.43	3	Horizontal	360	2.28	-
5785MHz	Pass	PK	23.1496G	51.97	68.20	-16.23	3	Horizontal	47	1.68	-
5825MHz	Pass	AV	5.819G	100.00	Inf	-Inf	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.639G	63.91	68.20	-4.29	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.8214G	110.08	Inf	-Inf	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.9546G	58.13	68.20	-10.07	3	Vertical	16	1.00	-
5825MHz	Pass	AV	5.8178G	101.85	Inf	-Inf	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.6378G	64.13	68.20	-4.07	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.8226G	112.02	Inf	-Inf	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.9534G	58.89	68.20	-9.31	3	Horizontal	317	1.95	-
5825MHz	Pass	AV	11.659G	41.85	54.00	-12.15	3	Vertical	114	1.66	-
5825MHz	Pass	PK	11.6401G	54.50	74.00	-19.50	3	Vertical	114	1.66	-
5825MHz	Pass	PK	17.47062G	63.92	68.20	-4.28	3	Vertical	19	1.42	-
5825MHz	Pass	PK	23.301G	50.74	68.20	-17.46	3	Vertical	25	2.01	-
5825MHz	Pass	AV	11.6434G	41.93	54.00	-12.07	3	Horizontal	244	1.78	-
5825MHz	Pass	PK	11.6554G	55.06	74.00	-18.94	3	Horizontal	244	1.78	-
5825MHz	Pass	PK	17.4627G	65.54	68.20	-2.66	3	Horizontal	348	2.27	-
5825MHz	Pass	PK	23.3036G	51.38	68.20	-16.82	3	Horizontal	210	1.76	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.71	54.00	-2.29	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.186G	99.97	Inf	-Inf	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.4404G	49.05	54.00	-4.95	3	Vertical	360	1.90	-
5180MHz	Pass	PK	5.15G	65.72	74.00	-8.28	3	Vertical	360	1.90	-
5180MHz	Pass	PK	5.1824G	109.78	Inf	-Inf	3	Vertical	360	1.90	-
5180MHz	Pass	PK	5.48G	60.68	68.20	-7.52	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	295	1.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	AV	5.186G	101.23	Inf	-Inf	3	Horizontal	295	1.92	-
5180MHz	Pass	AV	5.4404G	50.63	54.00	-3.37	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.1476G	64.71	74.00	-9.29	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.186G	111.34	Inf	-Inf	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.4764G	60.77	68.20	-7.43	3	Horizontal	295	1.92	-
5180MHz	Pass	AV	15.52518G	47.76	54.00	-6.24	3	Vertical	98	1.74	-
5180MHz	Pass	AV	20.715G	49.09	54.00	-4.91	3	Vertical	0	1.64	-
5180MHz	Pass	PK	10.37098G	54.07	68.20	-14.13	3	Vertical	49	1.85	-
5180MHz	Pass	PK	15.53202G	61.58	74.00	-12.42	3	Vertical	98	1.74	-
5180MHz	Pass	PK	20.7146G	62.81	74.00	-11.19	3	Vertical	0	1.64	-
5180MHz	Pass	AV	15.52566G	47.73	54.00	-6.27	3	Horizontal	77	1.63	-
5180MHz	Pass	AV	20.729G	51.04	54.00	-2.96	3	Horizontal	48	2.04	-
5180MHz	Pass	PK	10.34728G	54.34	68.20	-13.86	3	Horizontal	150	1.91	-
5180MHz	Pass	PK	15.53448G	60.51	74.00	-13.49	3	Horizontal	77	1.63	-
5180MHz	Pass	PK	20.7092G	65.28	74.00	-8.72	3	Horizontal	48	2.04	-
5200MHz	Pass	AV	5.0464G	45.91	54.00	-8.09	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.206G	100.99	Inf	-Inf	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.3548G	48.58	54.00	-5.42	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.1484G	58.06	74.00	-15.94	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.2048G	110.76	Inf	-Inf	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.4964G	59.13	68.20	-9.07	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.1196G	46.21	54.00	-7.79	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	5.206G	102.29	Inf	-Inf	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	5.3668G	50.97	54.00	-3.03	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.032G	57.43	74.00	-16.57	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.206G	112.15	Inf	-Inf	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.4676G	61.48	68.20	-6.72	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	15.58602G	46.29	54.00	-7.71	3	Vertical	226	1.79	-
5200MHz	Pass	AV	20.805G	39.41	54.00	-14.59	3	Vertical	2	1.50	-
5200MHz	Pass	PK	10.41146G	54.66	68.20	-13.54	3	Vertical	125	2.26	-
5200MHz	Pass	PK	15.59052G	59.62	74.00	-14.38	3	Vertical	226	1.79	-
5200MHz	Pass	PK	20.81G	54.09	74.00	-19.91	3	Vertical	2	1.50	-
5200MHz	Pass	AV	15.58884G	46.22	54.00	-7.78	3	Horizontal	31	2.37	-
5200MHz	Pass	AV	20.8004G	38.58	54.00	-15.42	3	Horizontal	21	1.50	-
5200MHz	Pass	PK	10.403G	54.70	68.20	-13.50	3	Horizontal	207	2.37	-
5200MHz	Pass	PK	15.59838G	59.02	74.00	-14.98	3	Horizontal	31	2.37	-
5200MHz	Pass	PK	20.7952G	52.04	74.00	-21.96	3	Horizontal	21	1.50	-
5240MHz	Pass	AV	5.0852G	46.91	54.00	-7.09	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.246G	102.18	Inf	-Inf	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.4056G	50.16	54.00	-3.84	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.072G	58.47	74.00	-15.53	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.246G	111.89	Inf	-Inf	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.4812G	59.44	68.20	-8.76	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.0876G	46.60	54.00	-7.40	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	5.246G	103.64	Inf	-Inf	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	5.4056G	51.99	54.00	-2.01	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.0816G	58.08	74.00	-15.92	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.2448G	113.75	Inf	-Inf	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.4824G	62.99	68.20	-5.21	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	15.7053G	45.85	54.00	-8.15	3	Vertical	157	1.96	-
5240MHz	Pass	AV	20.956G	41.10	54.00	-12.90	3	Vertical	0	1.61	-
5240MHz	Pass	PK	10.49164G	55.82	68.20	-12.38	3	Vertical	169	1.07	-
5240MHz	Pass	PK	15.71868G	59.07	74.00	-14.93	3	Vertical	157	1.96	-
5240MHz	Pass	PK	20.9504G	55.34	74.00	-18.66	3	Vertical	0	1.61	-
5240MHz	Pass	AV	15.72738G	45.82	54.00	-8.18	3	Horizontal	12	2.50	-
5240MHz	Pass	AV	20.9588G	45.01	54.00	-8.99	3	Horizontal	44	1.71	-
5240MHz	Pass	PK	10.47346G	54.53	68.20	-13.67	3	Horizontal	332	1.13	-
5240MHz	Pass	PK	15.72204G	58.94	74.00	-15.06	3	Horizontal	12	2.50	-
5240MHz	Pass	PK	20.948G	60.64	74.00	-13.36	3	Horizontal	44	1.71	-
5260MHz	Pass	AV	5.092G	46.78	54.00	-7.22	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.266G	104.88	Inf	-Inf	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.428G	52.21	54.00	-1.79	3	Vertical	9	1.83	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.0968G	59.70	74.00	-14.30	3	Vertical	9	1.83	-
5260MHz	Pass	PK	5.2672G	114.57	Inf	-Inf	3	Vertical	9	1.83	-
5260MHz	Pass	PK	5.4616G	61.57	68.20	-6.63	3	Vertical	9	1.83	-
5260MHz	Pass	AV	5.1004G	46.67	54.00	-7.33	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	5.266G	103.43	Inf	-Inf	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	5.4136G	52.77	54.00	-1.23	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.1052G	58.73	74.00	-15.27	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.2624G	113.50	Inf	-Inf	3	Horizontal	72	1.88	-
5260MHz	Pass	PK	5.4988G	62.14	68.20	-6.06	3	Horizontal	72	1.88	-
5260MHz	Pass	AV	15.78464G	44.96	54.00	-9.04	3	Vertical	165	1.88	-
5260MHz	Pass	PK	10.51772G	55.38	68.20	-12.82	3	Vertical	48	1.14	-
5260MHz	Pass	PK	15.78512G	58.28	74.00	-15.72	3	Vertical	165	1.88	-
5260MHz	Pass	AV	15.77028G	45.12	54.00	-8.88	3	Horizontal	64	2.03	-
5260MHz	Pass	PK	10.5258G	56.13	68.20	-12.07	3	Horizontal	342	1.77	-
5260MHz	Pass	PK	15.77088G	58.45	74.00	-15.55	3	Horizontal	64	2.03	-
5300MHz	Pass	AV	5G	47.57	54.00	-6.43	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5.3084G	105.08	Inf	-Inf	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5.35G	51.98	54.00	-2.02	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.1392G	58.78	74.00	-15.22	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.3072G	115.51	Inf	-Inf	3	Vertical	15	1.89	-
5300MHz	Pass	PK	5.468G	63.16	68.20	-5.04	3	Vertical	15	1.89	-
5300MHz	Pass	AV	5G	47.75	54.00	-6.25	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	5.306G	104.15	Inf	-Inf	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	5.456G	52.98	54.00	-1.02	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.1488G	59.93	74.00	-14.07	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.3036G	114.01	Inf	-Inf	3	Horizontal	66	1.91	-
5300MHz	Pass	PK	5.4644G	65.66	68.20	-2.54	3	Horizontal	66	1.91	-
5300MHz	Pass	AV	15.9064G	45.77	54.00	-8.23	3	Vertical	104	2.38	-
5300MHz	Pass	PK	10.59676G	54.96	68.20	-13.24	3	Vertical	225	2.25	-
5300MHz	Pass	PK	15.9044G	59.22	74.00	-14.78	3	Vertical	104	2.38	-
5300MHz	Pass	AV	15.90116G	45.42	54.00	-8.58	3	Horizontal	267	2.25	-
5300MHz	Pass	PK	10.59528G	55.71	68.20	-12.49	3	Horizontal	274	1.28	-
5300MHz	Pass	PK	15.90072G	59.19	74.00	-14.81	3	Horizontal	267	2.25	-
5320MHz	Pass	AV	5.146G	46.37	54.00	-7.63	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.326G	101.23	Inf	-Inf	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.44G	51.58	54.00	-2.42	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.1124G	57.77	74.00	-16.23	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.3224G	110.66	Inf	-Inf	3	Vertical	347	1.43	-
5320MHz	Pass	PK	5.4784G	66.78	68.20	-1.42	3	Vertical	347	1.43	-
5320MHz	Pass	AV	5.1484G	46.07	54.00	-7.93	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	5.3248G	101.27	Inf	-Inf	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	5.44G	51.85	54.00	-2.15	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.1496G	58.75	74.00	-15.25	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.3224G	110.86	Inf	-Inf	3	Horizontal	307	2.05	-
5320MHz	Pass	PK	5.4736G	67.58	68.20	-0.62	3	Horizontal	307	2.05	-
5320MHz	Pass	AV	10.64912G	42.32	54.00	-11.68	3	Vertical	140	1.36	-
5320MHz	Pass	AV	15.96544G	45.35	54.00	-8.65	3	Vertical	42	1.45	-
5320MHz	Pass	PK	10.64052G	55.62	74.00	-18.38	3	Vertical	140	1.36	-
5320MHz	Pass	PK	15.96668G	58.43	74.00	-15.57	3	Vertical	42	1.45	-
5320MHz	Pass	AV	10.64776G	42.38	54.00	-11.62	3	Horizontal	63	1.22	-
5320MHz	Pass	AV	15.95452G	45.42	54.00	-8.58	3	Horizontal	243	1.07	-
5320MHz	Pass	PK	10.6362G	55.84	74.00	-18.16	3	Horizontal	63	1.22	-
5320MHz	Pass	PK	15.9654G	58.69	74.00	-15.31	3	Horizontal	243	1.07	-
5500MHz	Pass	AV	5.4592G	46.58	54.00	-7.42	3	Vertical	12	1.63	-
5500MHz	Pass	AV	5.4928G	101.61	Inf	-Inf	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.4688G	65.07	68.20	-3.13	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.494G	111.69	Inf	-Inf	3	Vertical	12	1.63	-
5500MHz	Pass	PK	5.7688G	57.75	68.20	-10.45	3	Vertical	12	1.63	-
5500MHz	Pass	AV	5.46G	47.25	54.00	-6.75	3	Horizontal	308	2.10	-
5500MHz	Pass	AV	5.506G	103.28	Inf	-Inf	3	Horizontal	308	2.10	-
5500MHz	Pass	PK	5.47G	66.41	68.20	-1.79	3	Horizontal	308	2.10	-
5500MHz	Pass	PK	5.4964G	113.53	Inf	-Inf	3	Horizontal	308	2.10	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.7796G	58.43	68.20	-9.77	3	Horizontal	308	2.10	-
5500MHz	Pass	AV	11.00304G	42.21	54.00	-11.79	3	Vertical	360	1.87	-
5500MHz	Pass	PK	11.00596G	55.98	74.00	-18.02	3	Vertical	360	1.87	-
5500MHz	Pass	PK	16.49276G	61.46	68.20	-6.74	3	Vertical	360	1.66	-
5500MHz	Pass	AV	11.00064G	42.75	54.00	-11.25	3	Horizontal	249	1.43	-
5500MHz	Pass	PK	10.99504G	56.93	74.00	-17.07	3	Horizontal	249	1.43	-
5500MHz	Pass	PK	16.50204G	62.71	68.20	-5.49	3	Horizontal	359	2.59	-
5580MHz	Pass	AV	5.4396G	52.35	54.00	-1.65	3	Vertical	9	1.85	-
5580MHz	Pass	AV	5.5776G	104.37	Inf	-Inf	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.4612G	62.21	68.20	-5.99	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.5788G	114.81	Inf	-Inf	3	Vertical	9	1.85	-
5580MHz	Pass	PK	5.7336G	59.64	68.20	-8.56	3	Vertical	9	1.85	-
5580MHz	Pass	AV	5.4396G	52.81	54.00	-1.19	3	Horizontal	312	1.96	-
5580MHz	Pass	AV	5.5752G	107.36	Inf	-Inf	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.4636G	62.44	68.20	-5.76	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.574G	117.52	Inf	-Inf	3	Horizontal	312	1.96	-
5580MHz	Pass	PK	5.7276G	60.89	68.20	-7.31	3	Horizontal	312	1.96	-
5580MHz	Pass	AV	11.15924G	42.33	54.00	-11.67	3	Vertical	303	1.87	-
5580MHz	Pass	PK	11.16748G	55.32	74.00	-18.68	3	Vertical	303	1.87	-
5580MHz	Pass	PK	16.73852G	63.27	68.20	-4.93	3	Vertical	261	2.49	-
5580MHz	Pass	AV	11.16388G	42.38	54.00	-11.62	3	Horizontal	262	1.96	-
5580MHz	Pass	PK	11.16372G	56.24	74.00	-17.76	3	Horizontal	262	1.96	-
5580MHz	Pass	PK	16.73548G	62.80	68.20	-5.40	3	Horizontal	291	1.16	-
5700MHz	Pass	AV	5.4588G	45.66	54.00	-8.34	3	Vertical	348	2.07	-
5700MHz	Pass	AV	5.694G	100.63	Inf	-Inf	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.4624G	57.97	68.20	-10.23	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.6964G	110.43	Inf	-Inf	3	Vertical	348	2.07	-
5700MHz	Pass	PK	5.7276G	63.15	68.20	-5.05	3	Vertical	348	2.07	-
5700MHz	Pass	AV	5.4396G	45.95	54.00	-8.05	3	Horizontal	318	1.89	-
5700MHz	Pass	AV	5.694G	102.69	Inf	-Inf	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.4696G	57.87	68.20	-10.33	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.6952G	112.25	Inf	-Inf	3	Horizontal	318	1.89	-
5700MHz	Pass	PK	5.7264G	64.70	68.20	-3.50	3	Horizontal	318	1.89	-
5700MHz	Pass	AV	11.39584G	42.00	54.00	-12.00	3	Vertical	330	1.85	-
5700MHz	Pass	PK	11.39472G	55.53	74.00	-18.47	3	Vertical	330	1.85	-
5700MHz	Pass	PK	17.09628G	63.83	68.20	-4.37	3	Vertical	0	2.98	-
5700MHz	Pass	AV	11.396G	42.31	54.00	-11.69	3	Horizontal	152	1.73	-
5700MHz	Pass	PK	11.41G	55.75	74.00	-18.25	3	Horizontal	152	1.73	-
5700MHz	Pass	PK	17.10476G	64.23	68.20	-3.97	3	Horizontal	0	2.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.30	54.00	-7.70	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.19	Inf	-Inf	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.71	68.20	-10.49	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	111.53	Inf	-Inf	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	59.59	68.20	-8.61	3	Vertical	316	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.62	54.00	-7.38	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	103.85	Inf	-Inf	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.34	68.20	-10.86	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	113.53	Inf	-Inf	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	60.16	68.20	-8.04	3	Horizontal	316	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43732G	42.58	54.00	-11.42	3	Vertical	85	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43088G	55.85	74.00	-18.15	3	Vertical	85	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17G	64.49	68.20	-3.71	3	Vertical	48	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44976G	42.82	54.00	-11.18	3	Horizontal	351	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43768G	56.21	74.00	-17.79	3	Horizontal	351	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15072G	63.87	68.20	-4.33	3	Horizontal	10	2.31	-
5745MHz	Pass	AV	5.7378G	101.50	Inf	-Inf	3	Vertical	12	1.50	-
5745MHz	Pass	PK	5.6406G	60.88	68.20	-7.32	3	Vertical	12	1.50	-
5745MHz	Pass	PK	5.7378G	111.88	Inf	-Inf	3	Vertical	12	1.50	-
5745MHz	Pass	PK	5.973G	57.64	68.20	-10.56	3	Vertical	12	1.50	-
5745MHz	Pass	AV	5.7378G	102.81	Inf	-Inf	3	Horizontal	314	1.84	-
5745MHz	Pass	PK	5.5878G	63.23	68.20	-4.97	3	Horizontal	314	1.84	-
5745MHz	Pass	PK	5.7438G	112.81	Inf	-Inf	3	Horizontal	314	1.84	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9502G	58.22	68.20	-9.98	3	Horizontal	314	1.84	-
5745MHz	Pass	AV	11.5044G	42.74	54.00	-11.26	3	Vertical	298	1.67	-
5745MHz	Pass	AV	22.983G	35.01	54.00	-18.99	3	Vertical	196	1.75	-
5745MHz	Pass	PK	11.50182G	55.89	74.00	-18.11	3	Vertical	298	1.67	-
5745MHz	Pass	PK	17.2311G	62.22	68.20	-5.98	3	Vertical	236	1.31	-
5745MHz	Pass	PK	22.9692G	48.82	74.00	-25.18	3	Vertical	196	1.75	-
5745MHz	Pass	AV	11.47602G	42.78	54.00	-11.22	3	Horizontal	262	2.69	-
5745MHz	Pass	AV	22.9782G	35.87	54.00	-18.13	3	Horizontal	146	1.53	-
5745MHz	Pass	PK	11.48094G	55.91	74.00	-18.09	3	Horizontal	262	2.69	-
5745MHz	Pass	PK	17.24538G	63.83	68.20	-4.37	3	Horizontal	38	1.35	-
5745MHz	Pass	PK	22.9744G	49.39	74.00	-24.61	3	Horizontal	146	1.53	-
5785MHz	Pass	AV	5.779G	101.49	Inf	-Inf	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.623G	62.75	68.20	-5.45	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.7766G	111.46	Inf	-Inf	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.9458G	58.31	68.20	-9.89	3	Vertical	345	1.00	-
5785MHz	Pass	AV	5.779G	102.30	Inf	-Inf	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.6482G	63.49	68.20	-4.71	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.7778G	113.25	Inf	-Inf	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.929G	58.63	68.20	-9.57	3	Horizontal	316	1.86	-
5785MHz	Pass	AV	11.56748G	41.96	54.00	-12.04	3	Vertical	176	1.97	-
5785MHz	Pass	PK	11.56388G	55.33	74.00	-18.67	3	Vertical	176	1.97	-
5785MHz	Pass	PK	17.35172G	65.13	68.20	-3.07	3	Vertical	20	1.50	-
5785MHz	Pass	PK	23.1374G	53.57	68.20	-14.63	3	Vertical	36	1.78	-
5785MHz	Pass	AV	11.5618G	42.73	54.00	-11.27	3	Horizontal	38	2.84	-
5785MHz	Pass	PK	11.57428G	55.99	74.00	-18.01	3	Horizontal	38	2.84	-
5785MHz	Pass	PK	17.36072G	64.59	68.20	-3.61	3	Horizontal	360	1.55	-
5785MHz	Pass	PK	23.1318G	51.86	68.20	-16.34	3	Horizontal	47	1.67	-
5825MHz	Pass	AV	5.8178G	100.59	Inf	-Inf	3	Vertical	2	2.43	-
5825MHz	Pass	PK	5.6402G	63.84	68.20	-4.36	3	Vertical	2	2.43	-
5825MHz	Pass	PK	5.8178G	110.68	Inf	-Inf	3	Vertical	2	2.43	-
5825MHz	Pass	PK	6.107G	58.35	68.20	-9.85	3	Vertical	2	2.43	-
5825MHz	Pass	AV	5.819G	101.78	Inf	-Inf	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	5.6402G	64.49	68.20	-3.71	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	5.819G	112.44	Inf	-Inf	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	6.0818G	60.10	68.20	-8.10	3	Horizontal	317	1.98	-
5825MHz	Pass	AV	11.64156G	42.04	54.00	-11.96	3	Vertical	360	1.50	-
5825MHz	Pass	PK	11.65124G	54.73	74.00	-19.27	3	Vertical	360	1.50	-
5825MHz	Pass	PK	17.47744G	65.58	68.20	-2.62	3	Vertical	20	1.47	-
5825MHz	Pass	PK	23.2906G	51.88	68.20	-16.32	3	Vertical	38	1.77	-
5825MHz	Pass	AV	11.64212G	41.91	54.00	-12.09	3	Horizontal	337	1.50	-
5825MHz	Pass	PK	11.64076G	54.70	74.00	-19.30	3	Horizontal	337	1.50	-
5825MHz	Pass	PK	17.48128G	64.93	68.20	-3.27	3	Horizontal	356	2.00	-
5825MHz	Pass	PK	23.304G	51.45	68.20	-16.75	3	Horizontal	209	1.77	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.90	54.00	-4.10	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.2032G	95.68	Inf	-Inf	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.3604G	50.91	54.00	-3.09	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.15G	60.54	74.00	-13.46	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.196G	105.75	Inf	-Inf	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.4648G	60.15	68.20	-8.05	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.15G	50.49	54.00	-3.51	3	Horizontal	296	2.02	-
5190MHz	Pass	AV	5.2008G	97.19	Inf	-Inf	3	Horizontal	296	2.02	-
5190MHz	Pass	AV	5.4408G	53.31	54.00	-0.69	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.1492G	61.80	74.00	-12.20	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.1948G	106.37	Inf	-Inf	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.4744G	62.04	68.20	-6.16	3	Horizontal	296	2.02	-
5190MHz	Pass	AV	15.56024G	47.71	54.00	-6.29	3	Vertical	165	2.68	-
5190MHz	Pass	AV	20.76402G	41.81	54.00	-12.19	3	Vertical	14	2.23	-
5190MHz	Pass	PK	10.38436G	54.51	68.20	-13.69	3	Vertical	0	2.02	-
5190MHz	Pass	PK	15.56716G	60.16	74.00	-13.84	3	Vertical	165	2.68	-
5190MHz	Pass	PK	20.75522G	54.17	74.00	-19.83	3	Vertical	14	2.23	-
5190MHz	Pass	AV	15.5612G	47.76	54.00	-6.24	3	Horizontal	351	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	AV	20.75736G	41.37	54.00	-12.63	3	Horizontal	21	1.56	-
5190MHz	Pass	PK	10.3882G	55.08	68.20	-13.12	3	Horizontal	309	1.34	-
5190MHz	Pass	PK	15.56748G	60.38	74.00	-13.62	3	Horizontal	351	1.50	-
5190MHz	Pass	PK	20.75794G	53.37	74.00	-20.63	3	Horizontal	21	1.56	-
5230MHz	Pass	AV	5.086G	47.49	54.00	-6.51	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.236G	97.26	Inf	-Inf	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.44G	51.26	54.00	-2.74	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.1436G	59.33	74.00	-14.67	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.236G	106.65	Inf	-Inf	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.464G	60.22	68.20	-7.98	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.1196G	47.21	54.00	-6.79	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	5.2336G	98.64	Inf	-Inf	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	5.44G	53.28	54.00	-0.72	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.086G	58.44	74.00	-15.56	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.2372G	107.99	Inf	-Inf	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.4688G	63.27	68.20	-4.93	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	15.6932G	46.65	54.00	-7.35	3	Vertical	223	1.48	-
5230MHz	Pass	AV	20.9398G	43.35	54.00	-10.65	3	Vertical	2	1.64	-
5230MHz	Pass	PK	10.4596G	55.64	68.20	-12.56	3	Vertical	43	1.50	-
5230MHz	Pass	PK	15.6898G	59.11	74.00	-14.89	3	Vertical	223	1.48	-
5230MHz	Pass	PK	20.9427G	56.23	74.00	-17.77	3	Vertical	2	1.64	-
5230MHz	Pass	AV	15.69468G	46.71	54.00	-7.29	3	Horizontal	136	1.50	-
5230MHz	Pass	AV	20.91956G	45.94	54.00	-8.06	3	Horizontal	52	1.71	-
5230MHz	Pass	PK	10.46744G	55.34	68.20	-12.86	3	Horizontal	340	2.75	-
5230MHz	Pass	PK	15.6984G	59.31	74.00	-14.69	3	Horizontal	136	1.50	-
5230MHz	Pass	PK	20.92568G	58.74	74.00	-15.26	3	Horizontal	52	1.71	-
5270MHz	Pass	AV	5G	50.08	54.00	-3.92	3	Vertical	10	1.91	-
5270MHz	Pass	AV	5.282G	95.05	Inf	-Inf	3	Vertical	10	1.91	-
5270MHz	Pass	AV	5.36G	52.09	54.00	-1.91	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.114G	58.92	74.00	-15.08	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.2796G	104.47	Inf	-Inf	3	Vertical	10	1.91	-
5270MHz	Pass	PK	5.4824G	63.17	68.20	-5.03	3	Vertical	10	1.91	-
5270MHz	Pass	AV	5G	49.90	54.00	-4.10	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	5.2856G	93.90	Inf	-Inf	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	5.4404G	53.26	54.00	-0.74	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.1428G	57.96	74.00	-16.04	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.2796G	103.36	Inf	-Inf	3	Horizontal	70	1.96	-
5270MHz	Pass	PK	5.5292G	64.24	68.20	-3.96	3	Horizontal	70	1.96	-
5270MHz	Pass	AV	15.81824G	46.03	54.00	-7.97	3	Vertical	49	1.72	-
5270MHz	Pass	PK	10.5292G	55.12	68.20	-13.08	3	Vertical	143	2.00	-
5270MHz	Pass	PK	15.81192G	58.68	74.00	-15.32	3	Vertical	49	1.72	-
5270MHz	Pass	AV	15.82856G	45.91	54.00	-8.09	3	Horizontal	173	1.23	-
5270MHz	Pass	PK	10.52544G	55.36	68.20	-12.84	3	Horizontal	100	2.49	-
5270MHz	Pass	PK	15.81344G	58.19	74.00	-15.81	3	Horizontal	173	1.23	-
5310MHz	Pass	AV	5.136G	47.08	54.00	-6.92	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.322G	96.18	Inf	-Inf	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.4588G	50.53	54.00	-3.47	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.1492G	58.53	74.00	-15.47	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.3232G	105.28	Inf	-Inf	3	Vertical	342	1.19	-
5310MHz	Pass	PK	5.4792G	61.22	68.20	-6.98	3	Vertical	342	1.19	-
5310MHz	Pass	AV	5.1384G	47.21	54.00	-6.79	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	5.3232G	95.35	Inf	-Inf	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	5.4564G	50.69	54.00	-3.31	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.1432G	58.13	74.00	-15.87	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.3208G	104.62	Inf	-Inf	3	Horizontal	306	2.00	-
5310MHz	Pass	PK	5.4648G	62.67	68.20	-5.53	3	Horizontal	306	2.00	-
5310MHz	Pass	AV	10.60032G	43.01	54.00	-10.99	3	Vertical	269	1.76	-
5310MHz	Pass	AV	15.92648G	46.29	54.00	-7.71	3	Vertical	71	2.26	-
5310MHz	Pass	PK	10.61944G	55.10	74.00	-18.90	3	Vertical	269	1.76	-
5310MHz	Pass	PK	15.94792G	58.85	74.00	-15.15	3	Vertical	71	2.26	-
5310MHz	Pass	AV	10.6376G	42.96	54.00	-11.04	3	Horizontal	69	1.87	-
5310MHz	Pass	AV	15.9288G	46.23	54.00	-7.77	3	Horizontal	145	2.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	10.61648G	55.07	74.00	-18.93	3	Horizontal	69	1.87	-
5310MHz	Pass	PK	15.94192G	58.64	74.00	-15.36	3	Horizontal	145	2.00	-
5510MHz	Pass	AV	5.4596G	50.47	54.00	-3.53	3	Vertical	12	1.64	-
5510MHz	Pass	AV	5.4956G	98.72	Inf	-Inf	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.4656G	64.39	68.20	-3.81	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.498G	107.34	Inf	-Inf	3	Vertical	12	1.64	-
5510MHz	Pass	PK	5.7524G	57.95	68.20	-10.25	3	Vertical	12	1.64	-
5510MHz	Pass	AV	5.4596G	51.47	54.00	-2.53	3	Horizontal	308	2.00	-
5510MHz	Pass	AV	5.5136G	100.40	Inf	-Inf	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.468G	66.58	68.20	-1.62	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.5028G	110.05	Inf	-Inf	3	Horizontal	308	2.00	-
5510MHz	Pass	PK	5.7956G	57.65	68.20	-10.55	3	Horizontal	308	2.00	-
5510MHz	Pass	AV	11.01728G	43.27	54.00	-10.73	3	Vertical	304	1.43	-
5510MHz	Pass	PK	11.01296G	55.49	74.00	-18.51	3	Vertical	304	1.43	-
5510MHz	Pass	PK	16.5164G	61.02	68.20	-7.18	3	Vertical	221	1.37	-
5510MHz	Pass	AV	11.00792G	42.84	54.00	-11.16	3	Horizontal	177	1.26	-
5510MHz	Pass	PK	11.03312G	55.37	74.00	-18.63	3	Horizontal	177	1.26	-
5510MHz	Pass	PK	16.54816G	61.34	68.20	-6.86	3	Horizontal	358	1.62	-
5550MHz	Pass	AV	5.4396G	52.99	54.00	-1.01	3	Vertical	16	1.63	-
5550MHz	Pass	AV	5.538G	100.71	Inf	-Inf	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.4696G	65.49	68.20	-2.71	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.5392G	110.31	Inf	-Inf	3	Vertical	16	1.63	-
5550MHz	Pass	PK	5.7288G	59.42	68.20	-8.78	3	Vertical	16	1.63	-
5550MHz	Pass	AV	5.4396G	53.12	54.00	-0.88	3	Horizontal	309	1.87	-
5550MHz	Pass	AV	5.562G	103.60	Inf	-Inf	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.4696G	66.72	68.20	-1.48	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.562G	113.35	Inf	-Inf	3	Horizontal	309	1.87	-
5550MHz	Pass	PK	5.8272G	60.48	68.20	-7.72	3	Horizontal	309	1.87	-
5550MHz	Pass	AV	11.09184G	43.10	54.00	-10.90	3	Vertical	5	1.09	-
5550MHz	Pass	PK	11.10296G	56.32	74.00	-17.68	3	Vertical	5	1.09	-
5550MHz	Pass	PK	16.6624G	61.39	68.20	-6.81	3	Vertical	59	1.74	-
5550MHz	Pass	AV	11.09744G	43.01	54.00	-10.99	3	Horizontal	292	1.10	-
5550MHz	Pass	PK	11.08768G	55.33	74.00	-18.67	3	Horizontal	292	1.10	-
5550MHz	Pass	PK	16.66728G	61.27	68.20	-6.93	3	Horizontal	289	1.20	-
5670MHz	Pass	AV	5.4396G	48.59	54.00	-5.41	3	Vertical	15	1.74	-
5670MHz	Pass	AV	5.6568G	98.77	Inf	-Inf	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.4636G	58.67	68.20	-9.53	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.6556G	107.81	Inf	-Inf	3	Vertical	15	1.74	-
5670MHz	Pass	PK	5.7276G	63.14	68.20	-5.06	3	Vertical	15	1.74	-
5670MHz	Pass	AV	5.4132G	46.46	54.00	-7.54	3	Horizontal	318	1.95	-
5670MHz	Pass	AV	5.6604G	102.43	Inf	-Inf	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.4696G	58.93	68.20	-9.27	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.658G	111.31	Inf	-Inf	3	Horizontal	318	1.95	-
5670MHz	Pass	PK	5.7276G	66.30	68.20	-1.90	3	Horizontal	318	1.95	-
5670MHz	Pass	AV	11.35592G	43.29	54.00	-10.71	3	Vertical	149	1.50	-
5670MHz	Pass	PK	11.32224G	55.25	74.00	-18.75	3	Vertical	149	1.50	-
5670MHz	Pass	PK	17.02176G	63.86	68.20	-4.34	3	Vertical	131	1.14	-
5670MHz	Pass	AV	11.35216G	42.98	54.00	-11.02	3	Horizontal	145	2.65	-
5670MHz	Pass	PK	11.34464G	54.95	74.00	-19.05	3	Horizontal	145	2.65	-
5670MHz	Pass	PK	17.00792G	63.67	68.20	-4.53	3	Horizontal	55	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4112G	46.40	54.00	-7.60	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.96	Inf	-Inf	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.94	68.20	-10.26	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	108.05	Inf	-Inf	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8756G	59.08	68.20	-9.12	3	Vertical	344	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	47.58	54.00	-6.42	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	102.21	Inf	-Inf	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.96	68.20	-10.24	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	111.80	Inf	-Inf	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8852G	60.26	68.20	-7.94	3	Horizontal	315	1.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4004G	43.53	54.00	-10.47	3	Vertical	314	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41352G	55.57	74.00	-18.43	3	Vertical	314	1.94	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13752G	63.34	68.20	-4.86	3	Vertical	178	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4048G	43.68	54.00	-10.32	3	Horizontal	141	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.54	74.00	-18.46	3	Horizontal	141	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11648G	64.01	68.20	-4.19	3	Horizontal	120	1.82	-
5755MHz	Pass	AV	5.743G	100.19	Inf	-Inf	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.6494G	63.91	68.20	-4.29	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.7394G	109.57	Inf	-Inf	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.9686G	58.81	68.20	-9.39	3	Vertical	346	1.01	-
5755MHz	Pass	AV	5.743G	100.28	Inf	-Inf	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.6458G	64.23	68.20	-3.97	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.743G	111.13	Inf	-Inf	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.9974G	58.57	68.20	-9.63	3	Horizontal	315	1.82	-
5755MHz	Pass	AV	11.51052G	43.54	54.00	-10.46	3	Vertical	66	1.35	-
5755MHz	Pass	AV	23.01352G	47.29	54.00	-6.71	3	Vertical	205	1.74	-
5755MHz	Pass	PK	11.51524G	56.16	74.00	-17.84	3	Vertical	66	1.35	-
5755MHz	Pass	PK	17.26112G	62.44	68.20	-5.76	3	Vertical	18	1.99	-
5755MHz	Pass	PK	23.01268G	59.52	74.00	-14.48	3	Vertical	205	1.74	-
5755MHz	Pass	AV	11.5112G	43.69	54.00	-10.31	3	Horizontal	319	1.50	-
5755MHz	Pass	AV	23.009G	47.53	54.00	-6.47	3	Horizontal	144	1.94	-
5755MHz	Pass	PK	11.50876G	56.22	74.00	-17.78	3	Horizontal	319	1.50	-
5755MHz	Pass	PK	17.27428G	63.33	68.20	-4.87	3	Horizontal	340	2.88	-
5755MHz	Pass	PK	23.0064G	58.86	74.00	-15.14	3	Horizontal	144	1.94	-
5795MHz	Pass	AV	5.7782G	99.12	Inf	-Inf	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.6402G	62.57	68.20	-5.63	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.7794G	108.56	Inf	-Inf	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.933G	58.23	68.20	-9.97	3	Vertical	345	1.02	-
5795MHz	Pass	AV	5.7842G	99.67	Inf	-Inf	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.6174G	63.87	68.20	-4.33	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.7806G	109.34	Inf	-Inf	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.951G	59.32	68.20	-8.88	3	Horizontal	314	1.83	-
5795MHz	Pass	AV	11.58836G	42.92	54.00	-11.08	3	Vertical	328	1.50	-
5795MHz	Pass	PK	11.58696G	55.50	74.00	-18.50	3	Vertical	328	1.50	-
5795MHz	Pass	PK	17.39332G	63.13	68.20	-5.07	3	Vertical	57	1.32	-
5795MHz	Pass	PK	23.1828G	60.99	68.20	-7.21	3	Vertical	36	1.75	-
5795MHz	Pass	AV	11.59272G	43.37	54.00	-10.63	3	Horizontal	55	1.50	-
5795MHz	Pass	PK	11.595G	56.16	74.00	-17.84	3	Horizontal	55	1.50	-
5795MHz	Pass	PK	17.37888G	64.33	68.20	-3.87	3	Horizontal	357	2.12	-
5795MHz	Pass	PK	23.1788G	60.26	68.20	-7.94	3	Horizontal	218	2.16	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.41	54.00	-0.59	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.2448G	89.02	Inf	-Inf	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.4404G	49.52	54.00	-4.48	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.15G	64.62	74.00	-9.38	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.1992G	99.29	Inf	-Inf	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.5052G	59.96	68.20	-8.24	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.15G	53.31	54.00	-0.69	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	5.2376G	91.14	Inf	-Inf	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	5.4404G	53.31	54.00	-0.69	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.15G	65.67	74.00	-8.33	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.2364G	100.40	Inf	-Inf	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.4992G	63.89	68.20	-4.31	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	15.63544G	46.66	54.00	-7.34	3	Vertical	55	2.78	-
5210MHz	Pass	AV	20.84448G	41.69	54.00	-12.31	3	Vertical	168	1.02	-
5210MHz	Pass	PK	10.41484G	55.10	68.20	-13.10	3	Vertical	310	2.22	-
5210MHz	Pass	PK	15.6354G	58.96	74.00	-15.04	3	Vertical	55	2.78	-
5210MHz	Pass	PK	20.84076G	54.24	74.00	-19.76	3	Vertical	168	1.02	-
5210MHz	Pass	AV	15.63772G	46.68	54.00	-7.32	3	Horizontal	313	1.50	-
5210MHz	Pass	AV	20.8314G	41.50	54.00	-12.50	3	Horizontal	123	1.74	-
5210MHz	Pass	PK	10.41152G	55.12	68.20	-13.08	3	Horizontal	178	1.04	-
5210MHz	Pass	PK	15.63644G	59.52	74.00	-14.48	3	Horizontal	313	1.50	-
5210MHz	Pass	PK	20.83708G	54.50	74.00	-19.50	3	Horizontal	123	1.74	-
5290MHz	Pass	AV	4.9996G	50.91	54.00	-3.09	3	Vertical	341	1.21	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.3236G	85.12	Inf	-Inf	3	Vertical	341	1.21	-
5290MHz	Pass	AV	5.35G	53.03	54.00	-0.97	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.0908G	57.27	74.00	-16.73	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.3248G	93.86	Inf	-Inf	3	Vertical	341	1.21	-
5290MHz	Pass	PK	5.35G	65.09	74.00	-8.91	3	Vertical	341	1.21	-
5290MHz	Pass	AV	4.9996G	48.58	54.00	-5.42	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	5.3188G	83.52	Inf	-Inf	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	5.35G	50.96	54.00	-3.04	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.1496G	57.22	74.00	-16.78	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.3212G	92.54	Inf	-Inf	3	Horizontal	70	1.93	-
5290MHz	Pass	PK	5.5312G	57.92	68.20	-10.28	3	Horizontal	70	1.93	-
5290MHz	Pass	AV	15.89112G	46.18	54.00	-7.82	3	Vertical	278	1.04	-
5290MHz	Pass	PK	10.59536G	54.74	68.20	-13.46	3	Vertical	265	1.35	-
5290MHz	Pass	PK	15.87304G	58.08	74.00	-15.92	3	Vertical	278	1.04	-
5290MHz	Pass	AV	15.86472G	46.36	54.00	-7.64	3	Horizontal	124	1.83	-
5290MHz	Pass	PK	10.59904G	54.76	68.20	-13.44	3	Horizontal	288	1.24	-
5290MHz	Pass	PK	15.88888G	58.43	74.00	-15.57	3	Horizontal	124	1.83	-
5530MHz	Pass	AV	5.46G	49.10	54.00	-4.90	3	Vertical	10	1.79	-
5530MHz	Pass	AV	5.5G	91.01	Inf	-Inf	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.47G	65.32	68.20	-2.88	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.5192G	101.17	Inf	-Inf	3	Vertical	10	1.79	-
5530MHz	Pass	PK	5.8264G	57.52	68.20	-10.68	3	Vertical	10	1.79	-
5530MHz	Pass	AV	5.4592G	50.04	54.00	-3.96	3	Horizontal	308	1.95	-
5530MHz	Pass	AV	5.5516G	92.80	Inf	-Inf	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.5192G	103.80	Inf	-Inf	3	Horizontal	308	1.95	-
5530MHz	Pass	PK	5.8264G	57.65	68.20	-10.55	3	Horizontal	308	1.95	-
5530MHz	Pass	AV	11.02448G	43.47	54.00	-10.53	3	Vertical	72	1.52	-
5530MHz	Pass	PK	11.07744G	55.23	74.00	-18.77	3	Vertical	72	1.52	-
5530MHz	Pass	PK	16.55256G	60.64	68.20	-7.56	3	Vertical	185	2.45	-
5530MHz	Pass	AV	11.02032G	43.82	54.00	-10.18	3	Horizontal	296	1.30	-
5530MHz	Pass	PK	11.0376G	55.14	74.00	-18.86	3	Horizontal	296	1.30	-
5530MHz	Pass	PK	16.55336G	60.97	68.20	-7.23	3	Horizontal	266	2.37	-
5610MHz	Pass	AV	5.4576G	51.01	54.00	-2.99	3	Vertical	9	1.86	-
5610MHz	Pass	AV	5.5776G	96.55	Inf	-Inf	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.4636G	64.38	68.20	-3.82	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.5992G	107.26	Inf	-Inf	3	Vertical	9	1.86	-
5610MHz	Pass	PK	5.7276G	61.75	68.20	-6.45	3	Vertical	9	1.86	-
5610MHz	Pass	AV	5.46G	51.28	54.00	-2.72	3	Horizontal	310	1.94	-
5610MHz	Pass	AV	5.5764G	99.13	Inf	-Inf	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.4648G	65.13	68.20	-3.07	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.5992G	110.88	Inf	-Inf	3	Horizontal	310	1.94	-
5610MHz	Pass	PK	5.7348G	65.28	68.20	-2.92	3	Horizontal	310	1.94	-
5610MHz	Pass	AV	11.22972G	43.52	54.00	-10.48	3	Vertical	232	1.60	-
5610MHz	Pass	PK	11.22024G	55.82	74.00	-18.18	3	Vertical	232	1.60	-
5610MHz	Pass	PK	16.8177G	62.17	68.20	-6.03	3	Vertical	165	1.50	-
5610MHz	Pass	AV	11.22576G	43.48	54.00	-10.52	3	Horizontal	348	1.15	-
5610MHz	Pass	PK	11.22636G	55.83	74.00	-18.17	3	Horizontal	348	1.15	-
5610MHz	Pass	PK	16.82424G	62.26	68.20	-5.94	3	Horizontal	298	2.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	47.75	54.00	-6.25	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.666G	95.86	Inf	-Inf	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.04	68.20	-9.16	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	106.03	Inf	-Inf	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9132G	59.05	68.20	-9.15	3	Vertical	12	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.95	54.00	-7.05	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6684G	99.44	Inf	-Inf	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.60	68.20	-10.60	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	110.45	Inf	-Inf	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	61.65	68.20	-6.55	3	Horizontal	317	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35264G	43.07	54.00	-10.93	3	Vertical	325	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35568G	55.44	74.00	-18.56	3	Vertical	325	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0884G	63.57	68.20	-4.63	3	Vertical	343	1.55	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38784G	43.71	54.00	-10.29	3	Horizontal	282	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34384G	55.51	74.00	-18.49	3	Horizontal	282	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0612G	63.88	68.20	-4.32	3	Horizontal	268	2.25	-
5775MHz	Pass	AV	5.739G	95.34	Inf	-Inf	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.6442G	64.98	68.20	-3.22	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.7642G	104.75	Inf	-Inf	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.9502G	58.72	68.20	-9.48	3	Vertical	345	1.00	-
5775MHz	Pass	AV	5.7426G	95.56	Inf	-Inf	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.649G	67.46	68.20	-0.74	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.7642G	106.41	Inf	-Inf	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.9262G	60.01	68.20	-8.19	3	Horizontal	317	1.79	-
5775MHz	Pass	AV	11.54184G	43.22	54.00	-10.78	3	Vertical	136	1.50	-
5775MHz	Pass	AV	23.09708G	43.05	54.00	-10.95	3	Vertical	194	1.56	-
5775MHz	Pass	PK	11.54896G	55.41	74.00	-18.59	3	Vertical	136	1.50	-
5775MHz	Pass	PK	17.322G	63.75	68.20	-4.45	3	Vertical	168	1.95	-
5775MHz	Pass	PK	23.10552G	55.23	74.00	-18.77	3	Vertical	194	1.56	-
5775MHz	Pass	AV	11.54184G	43.47	54.00	-10.53	3	Horizontal	292	2.38	-
5775MHz	Pass	AV	23.09208G	43.67	54.00	-10.33	3	Horizontal	306	1.65	-
5775MHz	Pass	PK	11.54792G	55.67	74.00	-18.33	3	Horizontal	292	2.38	-
5775MHz	Pass	PK	17.3192G	62.84	68.20	-5.36	3	Horizontal	17	1.50	-
5775MHz	Pass	PK	23.09608G	55.52	74.00	-18.48	3	Horizontal	306	1.65	-

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.61	54.00	-2.39	5.99	3	Vertical	22	1.28	-	45.62	31.70	8.52	34.23
AV	5.1872G	100.81	Inf	-Inf	5.88	3	Vertical	22	1.28	-	94.93	31.55	8.56	34.23
AV	5.4404G	48.43	54.00	-5.57	5.95	3	Vertical	22	1.28	-	42.48	31.54	8.67	34.26
PK	5.1464G	65.91	74.00	-8.09	5.99	3	Vertical	22	1.28	-	59.92	31.70	8.52	34.23
PK	5.1752G	111.20	Inf	-Inf	5.92	3	Vertical	22	1.28	-	105.28	31.60	8.55	34.23
PK	5.4644G	60.62	68.20	-7.58	6.07	3	Vertical	22	1.28	-	54.55	31.63	8.70	34.26

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.58	54.00	-1.42	5.99	3	Horizontal	294	2.01	-	46.59	31.70	8.52	34.23
AV	5.186G	102.11	Inf	-Inf	5.89	3	Horizontal	294	2.01	-	96.22	31.56	8.56	34.23
AV	5.4404G	50.10	54.00	-3.90	5.95	3	Horizontal	294	2.01	-	44.15	31.54	8.67	34.26
PK	5.1476G	65.85	74.00	-8.15	5.99	3	Horizontal	294	2.01	-	59.86	31.70	8.52	34.23
PK	5.1836G	111.96	Inf	-Inf	5.89	3	Horizontal	294	2.01	-	106.07	31.57	8.55	34.23
PK	5.4608G	60.08	68.20	-8.12	6.06	3	Horizontal	294	2.01	-	54.02	31.62	8.70	34.26

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5331G	47.71	54.00	-6.29	18.51	3	Vertical	130	2.11	-	29.20	38.27	14.61	34.37
AV	20.7198G	41.28	54.00	-12.72	-3.14	3	Vertical	13	2.19	-	44.42	39.24	16.22	49.06
PK	10.37044G	55.04	68.20	-13.16	16.93	3	Vertical	301	1.31	-	38.11	39.41	12.19	34.67
PK	15.52824G	60.94	74.00	-13.06	18.53	3	Vertical	130	2.11	-	42.41	38.30	14.60	34.37
PK	20.7286G	55.29	74.00	-18.71	-3.13	3	Vertical	13	2.19	-	58.42	39.23	16.23	49.05

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5307G	47.84	54.00	-6.16	18.53	3	Horizontal	245	2.24	-	29.31	38.29	14.61	34.37
AV	20.7172G	41.73	54.00	-12.27	-3.14	3	Horizontal	330	1.82	-	44.87	39.24	16.22	49.06
PK	10.34656G	54.61	68.20	-13.59	16.83	3	Horizontal	104	1.36	-	37.78	39.34	12.18	34.69
PK	15.53016G	60.30	74.00	-13.70	18.52	3	Horizontal	245	2.24	-	41.78	38.29	14.60	34.37
PK	20.7206G	57.09	74.00	-16.91	-3.14	3	Horizontal	330	1.82	-	60.23	39.24	16.22	49.06

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0368G	45.46	54.00	-8.54	5.64	3	Vertical	0	1.99	-	39.82	31.45	8.41	34.22
AV	5.194G	100.80	Inf	-Inf	5.84	3	Vertical	0	1.99	-	94.96	31.52	8.56	34.24
AV	5.368G	50.42	54.00	-3.58	5.46	3	Vertical	0	1.99	-	44.96	31.11	8.60	34.25
PK	5.1256G	57.93	74.00	-16.07	5.97	3	Vertical	0	1.99	-	51.96	31.70	8.50	34.23
PK	5.1976G	110.40	Inf	-Inf	5.84	3	Vertical	0	1.99	-	104.56	31.51	8.57	34.24
PK	5.4916G	60.02	68.20	-8.18	6.16	3	Vertical	0	1.99	-	53.86	31.68	8.74	34.26

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1196G	46.09	54.00	-7.91	5.96	3	Horizontal	299	2.03	-	40.13	31.70	8.49	34.23
AV	5.206G	102.34	Inf	-Inf	5.79	3	Horizontal	299	2.03	-	96.55	31.46	8.57	34.24
AV	5.3668G	50.85	54.00	-3.15	5.45	3	Horizontal	299	2.03	-	45.40	31.10	8.60	34.25
PK	5.0464G	57.55	74.00	-16.45	5.69	3	Horizontal	299	2.03	-	51.86	31.49	8.42	34.22
PK	5.2048G	112.71	Inf	-Inf	5.80	3	Horizontal	299	2.03	-	106.91	31.47	8.57	34.24
PK	5.4976G	61.53	68.20	-6.67	6.19	3	Horizontal	299	2.03	-	55.34	31.70	8.75	34.26

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58932G	46.17	54.00	-7.83	18.07	3	Vertical	155	1.02	-	28.10	37.87	14.62	34.42
AV	20.8008G	39.18	54.00	-14.82	-3.17	3	Vertical	3	1.50	-	42.35	39.14	16.27	49.04
PK	10.4051G	54.55	68.20	-13.65	17.07	3	Vertical	57	1.14	-	37.48	39.51	12.20	34.64
PK	15.60786G	59.16	74.00	-14.84	18.00	3	Vertical	155	1.02	-	41.16	37.82	14.62	34.44
PK	20.8006G	53.89	74.00	-20.11	-3.17	3	Vertical	3	1.50	-	57.06	39.14	16.27	49.04

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59028G	46.18	54.00	-7.82	18.07	3	Horizontal	84	1.68	-	28.11	37.87	14.62	34.42
AV	20.7984G	45.48	54.00	-8.52	-3.17	3	Horizontal	60	1.65	-	48.65	39.14	16.27	49.04
PK	10.4072G	54.44	68.20	-13.76	17.08	3	Horizontal	247	1.56	-	37.36	39.51	12.21	34.64
PK	15.60168G	59.38	74.00	-14.62	17.99	3	Horizontal	84	1.68	-	41.39	37.80	14.62	34.43
PK	20.801G	60.44	74.00	-13.56	-3.17	3	Horizontal	60	1.65	-	63.61	39.14	16.27	49.04

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0768G	46.79	54.00	-7.21	5.83	3	Vertical	19	1.17	-	40.96	31.61	8.45	34.23
AV	5.2472G	102.03	Inf	-Inf	5.56	3	Vertical	19	1.17	-	96.47	31.22	8.58	34.24
AV	5.4056G	49.83	54.00	-4.17	5.70	3	Vertical	19	1.17	-	44.13	31.33	8.62	34.25
PK	5.0804G	58.12	74.00	-15.88	5.85	3	Vertical	19	1.17	-	52.27	31.62	8.46	34.23
PK	5.246G	111.82	Inf	-Inf	5.56	3	Vertical	19	1.17	-	106.26	31.22	8.58	34.24
PK	5.54G	60.33	68.20	-7.87	6.17	3	Vertical	19	1.17	-	54.16	31.62	8.81	34.26

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.078G	46.48	54.00	-7.52	5.83	3	Horizontal	299	1.87	-	40.65	31.61	8.45	34.23
AV	5.246G	103.84	Inf	-Inf	5.56	3	Horizontal	299	1.87	-	98.28	31.22	8.58	34.24
AV	5.4056G	52.61	54.00	-1.39	5.70	3	Horizontal	299	1.87	-	46.91	31.33	8.62	34.25
PK	5.0876G	58.30	74.00	-15.70	5.88	3	Horizontal	299	1.87	-	52.42	31.65	8.46	34.23
PK	5.2328G	113.50	Inf	-Inf	5.64	3	Horizontal	299	1.87	-	107.86	31.30	8.58	34.24
PK	5.4836G	62.90	68.20	-5.30	6.14	3	Horizontal	299	1.87	-	56.76	31.67	8.73	34.26

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.711G	45.76	54.00	-8.24	18.08	3	Vertical	234	1.73	-	27.68	37.96	14.65	34.53
AV	20.9594G	42.57	54.00	-11.43	-3.23	3	Vertical	1	1.62	-	45.80	38.95	16.37	49.01
PK	10.48852G	55.03	68.20	-13.17	17.35	3	Vertical	60	2.45	-	37.68	39.68	12.25	34.58
PK	15.71364G	59.21	74.00	-14.79	18.06	3	Vertical	234	1.73	-	41.15	37.95	14.65	34.54
PK	20.961G	57.49	74.00	-16.51	-3.23	3	Vertical	1	1.62	-	60.72	38.95	16.37	49.01

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71346G	46.37	54.00	-7.63	18.06	3	Horizontal	40	1.09	-	28.31	37.95	14.65	34.54
AV	20.9608G	45.94	54.00	-8.06	-3.23	3	Horizontal	45	1.72	-	49.17	38.95	16.37	49.01
PK	10.48714G	55.33	68.20	-12.87	17.34	3	Horizontal	197	1.17	-	37.99	39.67	12.25	34.58
PK	15.723G	60.09	74.00	-13.91	18.01	3	Horizontal	40	1.09	-	42.08	37.91	14.65	34.55
PK	20.9628G	60.92	74.00	-13.08	-3.24	3	Horizontal	45	1.72	-	64.16	38.94	16.37	49.01

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	48.29	54.00	-5.71	6.33	3	Vertical	9	1.91	-	41.96	31.50	9.05	34.22
AV	5.2672G	105.34	Inf	-Inf	6.28	3	Vertical	9	1.91	-	99.06	31.37	9.15	34.24
AV	5.428G	52.30	54.00	-1.70	6.77	3	Vertical	9	1.91	-	45.53	31.70	9.32	34.25
PK	5.1028G	58.86	74.00	-15.14	6.74	3	Vertical	9	1.91	-	52.12	31.90	9.07	34.23
PK	5.266G	115.38	Inf	-Inf	6.28	3	Vertical	9	1.91	-	109.10	31.37	9.15	34.24
PK	5.4712G	61.81	68.20	-6.39	6.84	3	Vertical	9	1.91	-	54.97	31.74	9.36	34.26

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	47.32	54.00	-6.68	6.33	3	Horizontal	70	1.80	-	40.99	31.50	9.05	34.22
AV	5.266G	103.62	Inf	-Inf	6.28	3	Horizontal	70	1.80	-	97.34	31.37	9.15	34.24
AV	5.4268G	52.30	54.00	-1.70	6.77	3	Horizontal	70	1.80	-	45.53	31.70	9.32	34.25
PK	5.0968G	59.22	74.00	-14.78	6.72	3	Horizontal	70	1.80	-	52.50	31.89	9.06	34.23
PK	5.2576G	113.45	Inf	-Inf	6.28	3	Horizontal	70	1.80	-	107.17	31.38	9.14	34.24
PK	5.4628G	61.18	68.20	-7.02	6.82	3	Horizontal	70	1.80	-	54.36	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7556G	44.74	54.00	-9.26	17.71	3	Vertical	360	1.50	-	27.03	37.42	14.87	34.58
PK	10.5176G	54.93	68.20	-13.27	17.57	3	Vertical	219	1.50	-	37.36	39.70	12.43	34.56
PK	15.7933G	58.11	74.00	-15.89	17.50	3	Vertical	360	1.50	-	40.61	37.23	14.88	34.61

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7711G	44.88	54.00	-9.12	17.63	3	Horizontal	360	2.12	-	27.25	37.34	14.88	34.59
PK	10.5155G	55.33	68.20	-12.87	17.57	3	Horizontal	216	2.31	-	37.76	39.70	12.43	34.56
PK	15.7757G	58.08	74.00	-15.92	17.61	3	Horizontal	360	2.12	-	40.47	37.32	14.88	34.59

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	48.90	54.00	-5.10	6.33	3	Vertical	342	1.42	-	42.57	31.50	9.05	34.22
AV	5.306G	105.43	Inf	-Inf	6.26	3	Vertical	342	1.42	-	99.17	31.30	9.20	34.24
AV	5.456G	52.70	54.00	-1.30	6.79	3	Vertical	342	1.42	-	45.91	31.71	9.34	34.26
PK	5.1416G	58.88	74.00	-15.12	6.74	3	Vertical	342	1.42	-	52.14	31.90	9.07	34.23
PK	5.306G	115.36	Inf	-Inf	6.26	3	Vertical	342	1.42	-	109.10	31.30	9.20	34.24
PK	5.4644G	64.31	68.20	-3.89	6.82	3	Vertical	342	1.42	-	57.49	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.39	54.00	-6.61	6.33	3	Horizontal	69	1.92	-	41.06	31.50	9.05	34.22
AV	5.3048G	104.22	Inf	-Inf	6.26	3	Horizontal	69	1.92	-	97.96	31.30	9.20	34.24
AV	5.456G	52.92	54.00	-1.08	6.79	3	Horizontal	69	1.92	-	46.13	31.71	9.34	34.26
PK	5.144G	58.19	74.00	-15.81	6.74	3	Horizontal	69	1.92	-	51.45	31.90	9.07	34.23
PK	5.3048G	113.70	Inf	-Inf	6.26	3	Horizontal	69	1.92	-	107.44	31.30	9.20	34.24
PK	5.4632G	64.90	68.20	-3.30	6.82	3	Horizontal	69	1.92	-	58.08	31.73	9.35	34.26

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6185G	42.27	54.00	-11.73	17.69	3	Vertical	256	1.50	-	24.58	39.70	12.47	34.48
AV	15.92G	45.49	54.00	-8.51	17.13	3	Vertical	85	1.50	-	28.36	36.94	14.92	34.73
PK	10.615G	55.64	74.00	-18.36	17.69	3	Vertical	256	1.50	-	37.95	39.70	12.47	34.48
PK	15.9245G	59.03	74.00	-14.97	17.15	3	Vertical	85	1.50	-	41.88	36.95	14.93	34.73

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6081G	42.31	54.00	-11.69	17.68	3	Horizontal	240	2.86	-	24.63	39.70	12.47	34.49
AV	15.9018G	45.27	54.00	-8.73	17.11	3	Horizontal	360	1.50	-	28.16	36.90	14.92	34.71
PK	10.6214G	55.44	74.00	-18.56	17.69	3	Horizontal	240	2.86	-	37.75	39.70	12.47	34.48
PK	15.8915G	58.63	74.00	-15.37	17.15	3	Horizontal	360	1.50	-	41.48	36.93	14.92	34.70

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1256G	46.26	54.00	-7.74	6.74	3	Vertical	345	1.45	-	39.52	31.90	9.07	34.23
AV	5.326G	102.26	Inf	-Inf	6.27	3	Vertical	345	1.45	-	95.99	31.30	9.22	34.25
AV	5.44G	51.26	54.00	-2.74	6.77	3	Vertical	345	1.45	-	44.49	31.70	9.33	34.26
PK	5.0764G	57.66	74.00	-16.34	6.68	3	Vertical	345	1.45	-	50.98	31.85	9.06	34.23
PK	5.3236G	112.05	Inf	-Inf	6.27	3	Vertical	345	1.45	-	105.78	31.30	9.22	34.25
PK	5.4868G	66.64	68.20	-1.56	6.88	3	Vertical	345	1.45	-	59.76	31.77	9.37	34.26

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	46.21	54.00	-7.79	6.74	3	Horizontal	308	2.01	-	39.47	31.90	9.07	34.23
AV	5.3248G	102.03	Inf	-Inf	6.27	3	Horizontal	308	2.01	-	95.76	31.30	9.22	34.25
AV	5.44G	51.64	54.00	-2.36	6.77	3	Horizontal	308	2.01	-	44.87	31.70	9.33	34.26
PK	5.134G	57.85	74.00	-16.15	6.74	3	Horizontal	308	2.01	-	51.11	31.90	9.07	34.23
PK	5.3272G	111.89	Inf	-Inf	6.27	3	Horizontal	308	2.01	-	105.62	31.30	9.22	34.25
PK	5.488G	67.45	68.20	-0.75	6.89	3	Horizontal	308	2.01	-	60.56	31.78	9.37	34.26

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6496G	42.44	54.00	-11.56	17.72	3	Vertical	80	1.18	-	24.72	39.70	12.48	34.46
AV	15.95504G	45.45	54.00	-8.55	17.19	3	Vertical	190	2.34	-	28.26	37.01	14.94	34.76
PK	10.63976G	55.12	74.00	-18.88	17.72	3	Vertical	80	1.18	-	37.40	39.70	12.48	34.46
PK	15.96832G	58.85	74.00	-15.15	17.21	3	Vertical	190	2.34	-	41.64	37.04	14.94	34.77

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64268G	42.36	54.00	-11.64	17.72	3	Horizontal	213	2.21	-	24.64	39.70	12.48	34.46
AV	15.95308G	45.28	54.00	-8.72	17.19	3	Horizontal	86	1.29	-	28.09	37.01	14.94	34.76
PK	10.6322G	55.87	74.00	-18.13	17.71	3	Horizontal	213	2.21	-	38.16	39.70	12.48	34.47
PK	15.96576G	59.04	74.00	-14.96	17.20	3	Horizontal	86	1.29	-	41.84	37.03	14.94	34.77

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.64	54.00	-7.36	6.81	3	Vertical	9	1.88	-	39.83	31.72	9.35	34.26
AV	5.494G	102.10	Inf	-Inf	6.91	3	Vertical	9	1.88	-	95.19	31.79	9.38	34.26
PK	5.47G	64.95	68.20	-3.25	6.84	3	Vertical	9	1.88	-	58.11	31.74	9.36	34.26
PK	5.4952G	112.33	Inf	-Inf	6.91	3	Vertical	9	1.88	-	105.42	31.79	9.38	34.26
PK	5.7892G	58.41	68.20	-9.79	7.31	3	Vertical	9	1.88	-	51.10	32.08	9.52	34.29

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	46.96	54.00	-7.04	6.81	3	Horizontal	308	2.08	-	40.15	31.72	9.35	34.26
AV	5.506G	103.90	Inf	-Inf	6.92	3	Horizontal	308	2.08	-	96.98	31.80	9.38	34.26
PK	5.47G	67.65	68.20	-0.55	6.84	3	Horizontal	308	2.08	-	60.81	31.74	9.36	34.26
PK	5.5048G	113.77	Inf	-Inf	6.92	3	Horizontal	308	2.08	-	106.85	31.80	9.38	34.26
PK	5.7688G	59.49	68.20	-8.71	7.26	3	Horizontal	308	2.08	-	52.23	32.04	9.51	34.29

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00644G	42.87	54.00	-11.13	18.71	3	Vertical	196	1.60	-	24.16	40.27	12.63	34.19
PK	11.00248G	56.00	74.00	-18.00	18.73	3	Vertical	196	1.60	-	37.27	40.29	12.63	34.19
PK	16.49984G	61.49	68.20	-6.71	19.57	3	Vertical	222	1.86	-	41.92	38.60	15.24	34.27

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99544G	42.87	54.00	-11.13	18.73	3	Horizontal	24	1.44	-	24.14	40.29	12.63	34.19
PK	11.006G	56.03	74.00	-17.97	18.72	3	Horizontal	24	1.44	-	37.31	40.28	12.63	34.19
PK	16.5036G	62.48	68.20	-5.72	19.57	3	Horizontal	206	2.09	-	42.91	38.59	15.24	34.26

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	52.26	54.00	-1.74	6.77	3	Vertical	11	1.85	-	45.49	31.70	9.33	34.26
AV	5.5776G	104.05	Inf	-Inf	6.91	3	Vertical	11	1.85	-	97.14	31.74	9.44	34.27
PK	5.4636G	61.59	68.20	-6.61	6.82	3	Vertical	11	1.85	-	54.77	31.73	9.35	34.26
PK	5.5836G	114.43	Inf	-Inf	6.91	3	Vertical	11	1.85	-	107.52	31.73	9.45	34.27
PK	5.7252G	59.93	68.20	-8.27	7.17	3	Vertical	11	1.85	-	52.76	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	53.23	54.00	-0.77	6.77	3	Horizontal	310	2.05	-	46.46	31.70	9.33	34.26
AV	5.574G	107.61	Inf	-Inf	6.92	3	Horizontal	310	2.05	-	100.69	31.75	9.44	34.27
PK	5.4624G	62.93	68.20	-5.27	6.81	3	Horizontal	310	2.05	-	56.12	31.72	9.35	34.26
PK	5.574G	117.20	Inf	-Inf	6.92	3	Horizontal	310	2.05	-	110.28	31.75	9.44	34.27
PK	5.7372G	60.98	68.20	-7.22	7.19	3	Horizontal	310	2.05	-	53.79	31.97	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16388G	42.67	54.00	-11.33	18.16	3	Vertical	309	1.24	-	24.51	39.64	12.70	34.18
PK	11.16G	55.76	74.00	-18.24	18.18	3	Vertical	309	1.24	-	37.58	39.66	12.70	34.18
PK	16.73488G	62.53	68.20	-5.67	20.88	3	Vertical	336	1.42	-	41.65	39.34	15.38	33.84

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16992G	42.56	54.00	-11.44	18.14	3	Horizontal	230	1.34	-	24.42	39.62	12.70	34.18
PK	11.1578G	55.59	74.00	-18.41	18.19	3	Horizontal	230	1.34	-	37.40	39.67	12.70	34.18
PK	16.74648G	62.68	68.20	-5.52	20.96	3	Horizontal	298	2.17	-	41.72	39.39	15.39	33.82

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4288G	45.34	54.00	-8.66	6.77	3	Vertical	348	2.23	-	38.57	31.70	9.32	34.25
AV	5.6952G	100.85	Inf	-Inf	7.08	3	Vertical	348	2.23	-	93.77	31.87	9.49	34.28
PK	5.466G	57.22	68.20	-10.98	6.82	3	Vertical	348	2.23	-	50.40	31.73	9.35	34.26
PK	5.694G	110.94	Inf	-Inf	7.07	3	Vertical	348	2.23	-	103.87	31.86	9.49	34.28
PK	5.7264G	63.97	68.20	-4.23	7.17	3	Vertical	348	2.23	-	56.80	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4528G	46.30	54.00	-7.70	6.79	3	Horizontal	316	1.93	-	39.51	31.71	9.34	34.26
AV	5.694G	103.35	Inf	-Inf	7.07	3	Horizontal	316	1.93	-	96.28	31.86	9.49	34.28
PK	5.4624G	58.37	68.20	-9.83	6.81	3	Horizontal	316	1.93	-	51.56	31.72	9.35	34.26
PK	5.6952G	113.47	Inf	-Inf	7.08	3	Horizontal	316	1.93	-	106.39	31.87	9.49	34.28
PK	5.7252G	65.64	68.20	-2.56	7.17	3	Horizontal	316	1.93	-	58.47	31.95	9.50	34.28

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39996G	42.49	54.00	-11.51	18.53	3	Vertical	86	2.29	-	23.96	39.90	12.80	34.17
PK	11.4004G	55.80	74.00	-18.20	18.53	3	Vertical	86	2.29	-	37.27	39.90	12.80	34.17
PK	17.09004G	64.56	68.20	-3.64	21.95	3	Vertical	90	2.47	-	42.61	39.69	15.59	33.33

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39928G	42.11	54.00	-11.89	18.53	3	Horizontal	59	2.24	-	23.58	39.90	12.80	34.17
PK	11.39256G	55.40	74.00	-18.60	18.50	3	Horizontal	59	2.24	-	36.90	39.88	12.79	34.17
PK	17.10412G	63.93	68.20	-4.27	21.97	3	Horizontal	304	2.09	-	41.96	39.69	15.60	33.32

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	48.26	54.00	-5.74	6.77	3	Vertical	346	2.12	-	41.49	31.70	9.33	34.26
AV	5.7152G	103.16	Inf	-Inf	7.14	3	Vertical	346	2.12	-	96.02	31.93	9.49	34.28
PK	5.4644G	58.39	68.20	-9.81	6.82	3	Vertical	346	2.12	-	51.57	31.73	9.35	34.26
PK	5.714G	113.11	Inf	-Inf	7.14	3	Vertical	346	2.12	-	105.97	31.93	9.49	34.28
PK	5.858G	59.79	68.20	-8.41	7.60	3	Vertical	346	2.12	-	52.19	32.33	9.57	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	50.65	54.00	-3.35	6.77	3	Horizontal	320	1.85	-	43.88	31.70	9.33	34.26
AV	5.7128G	105.18	Inf	-Inf	7.14	3	Horizontal	320	1.85	-	98.04	31.93	9.49	34.28
PK	5.4668G	59.02	68.20	-9.18	6.82	3	Horizontal	320	1.85	-	52.20	31.73	9.35	34.26
PK	5.726G	115.13	Inf	-Inf	7.17	3	Horizontal	320	1.85	-	107.96	31.95	9.50	34.28
PK	5.8664G	62.71	68.20	-5.49	7.64	3	Horizontal	320	1.85	-	55.07	32.37	9.57	34.30

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43164G	42.23	54.00	-11.77	18.61	3	Vertical	325	1.68	-	23.62	39.96	12.81	34.16
PK	11.443G	55.75	74.00	-18.25	18.65	3	Vertical	325	1.68	-	37.10	39.99	12.82	34.16
PK	17.15396G	64.10	68.20	-4.10	21.91	3	Vertical	78	1.90	-	42.19	39.59	15.63	33.31

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4366G	42.15	54.00	-11.85	18.62	3	Horizontal	104	1.52	-	23.53	39.97	12.81	34.16
PK	11.43124G	54.93	74.00	-19.07	18.61	3	Horizontal	104	1.52	-	36.32	39.96	12.81	34.16
PK	17.15176G	64.05	68.20	-4.15	21.91	3	Horizontal	15	2.23	-	42.14	39.60	15.62	33.31

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	101.53	Inf	-Inf	6.71	3	Vertical	14	1.50	-	94.82	31.96	9.03	34.28
PK	5.6394G	60.90	68.20	-7.30	6.35	3	Vertical	14	1.50	-	54.55	31.68	8.94	34.27
PK	5.739G	111.94	Inf	-Inf	6.71	3	Vertical	14	1.50	-	105.23	31.96	9.03	34.28
PK	6.0222G	58.02	68.20	-10.18	7.24	3	Vertical	14	1.50	-	50.78	32.36	9.19	34.31

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	102.72	Inf	-Inf	6.71	3	Horizontal	315	1.80	-	96.01	31.96	9.03	34.28
PK	5.6322G	62.15	68.20	-6.05	6.32	3	Horizontal	315	1.80	-	55.83	31.66	8.93	34.27
PK	5.7462G	112.80	Inf	-Inf	6.73	3	Horizontal	315	1.80	-	106.07	31.98	9.03	34.28
PK	5.9418G	58.26	68.20	-9.94	7.14	3	Horizontal	315	1.80	-	51.12	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49672G	42.82	54.00	-11.18	18.59	3	Vertical	44	2.92	-	24.23	39.99	12.76	34.16
AV	22.9796G	35.58	54.00	-18.42	-0.98	3	Vertical	196	1.76	-	36.56	39.46	17.41	48.31
PK	11.4939G	55.66	74.00	-18.34	18.58	3	Vertical	44	2.92	-	37.08	39.99	12.75	34.16
PK	17.23416G	62.87	68.20	-5.33	21.35	3	Vertical	17	1.49	-	41.52	39.60	15.03	33.28
PK	22.9806G	48.58	74.00	-25.42	-0.97	3	Vertical	196	1.76	-	49.55	39.47	17.41	48.31

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5002G	42.71	54.00	-11.29	18.60	3	Horizontal	0	1.50	-	24.11	40.00	12.76	34.16
AV	22.98G	34.86	54.00	-19.14	-0.98	3	Horizontal	145	1.50	-	35.84	39.46	17.41	48.31
PK	11.47662G	56.18	74.00	-17.82	18.54	3	Horizontal	0	1.50	-	37.64	39.95	12.75	34.16
PK	17.23836G	64.36	68.20	-3.84	21.38	3	Horizontal	356	2.41	-	42.98	39.62	15.04	33.28
PK	22.9848G	48.50	74.00	-25.50	-0.97	3	Horizontal	145	1.50	-	49.47	39.47	17.41	48.31

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7778G	101.37	Inf	-Inf	6.77	3	Vertical	346	1.01	-	94.60	32.00	9.06	34.29
PK	5.6266G	62.41	68.20	-5.79	6.30	3	Vertical	346	1.01	-	56.11	31.65	8.92	34.27
PK	5.7826G	111.60	Inf	-Inf	6.77	3	Vertical	346	1.01	-	104.83	32.00	9.06	34.29
PK	5.947G	58.33	68.20	-9.87	7.15	3	Vertical	346	1.01	-	51.18	32.30	9.15	34.30

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7778G	102.01	Inf	-Inf	6.77	3	Horizontal	317	1.77	-	95.24	32.00	9.06	34.29
PK	5.6302G	62.40	68.20	-5.80	6.32	3	Horizontal	317	1.77	-	56.08	31.66	8.93	34.27
PK	5.7898G	112.46	Inf	-Inf	6.78	3	Horizontal	317	1.77	-	105.68	32.00	9.07	34.29
PK	5.9302G	58.32	68.20	-9.88	7.14	3	Horizontal	317	1.77	-	51.18	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57696G	42.48	54.00	-11.52	18.52	3	Vertical	250	1.40	-	23.96	39.92	12.80	34.20
PK	11.5661G	55.71	74.00	-18.29	18.53	3	Vertical	250	1.40	-	37.18	39.93	12.79	34.19
PK	17.36376G	64.46	68.20	-3.74	22.14	3	Vertical	20	1.46	-	42.32	40.31	15.07	33.24
PK	23.1418G	52.32	68.20	-15.88	-0.66	3	Vertical	26	1.81	-	52.98	39.56	17.48	48.16

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56406G	42.38	54.00	-11.62	18.54	3	Horizontal	123	2.01	-	23.84	39.94	12.79	34.19
PK	11.57708G	55.64	74.00	-18.36	18.52	3	Horizontal	123	2.01	-	37.12	39.92	12.80	34.20
PK	17.3547G	64.77	68.20	-3.43	22.07	3	Horizontal	360	2.28	-	42.70	40.24	15.07	33.24
PK	23.1496G	51.97	68.20	-16.23	-0.65	3	Horizontal	47	1.68	-	52.62	39.56	17.48	48.15

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.819G	100.00	Inf	-Inf	6.88	3	Vertical	16	1.00	-	93.12	32.08	9.09	34.29
PK	5.639G	63.91	68.20	-4.29	6.35	3	Vertical	16	1.00	-	57.56	31.68	8.94	34.27
PK	5.8214G	110.08	Inf	-Inf	6.89	3	Vertical	16	1.00	-	103.19	32.09	9.09	34.29
PK	5.9546G	58.13	68.20	-10.07	7.15	3	Vertical	16	1.00	-	50.98	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8178G	101.85	Inf	-Inf	6.87	3	Horizontal	317	1.95	-	94.98	32.07	9.09	34.29
PK	5.6378G	64.13	68.20	-4.07	6.34	3	Horizontal	317	1.95	-	57.79	31.68	8.93	34.27
PK	5.8226G	112.02	Inf	-Inf	6.89	3	Horizontal	317	1.95	-	105.13	32.09	9.09	34.29
PK	5.9534G	58.89	68.20	-9.31	7.15	3	Horizontal	317	1.95	-	51.74	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.659G	41.85	54.00	-12.15	18.09	3	Vertical	114	1.66	-	23.76	39.49	12.84	34.24
PK	11.6401G	54.50	74.00	-19.50	18.22	3	Vertical	114	1.66	-	36.28	39.62	12.83	34.23
PK	17.47062G	63.92	68.20	-4.28	22.92	3	Vertical	19	1.42	-	41.00	41.02	15.10	33.20
PK	23.301G	50.74	68.20	-17.46	-0.37	3	Vertical	25	2.01	-	51.11	39.62	17.55	48.00

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6434G	41.93	54.00	-12.07	18.20	3	Horizontal	244	1.78	-	23.73	39.60	12.83	34.23
PK	11.6554G	55.06	74.00	-18.94	18.12	3	Horizontal	244	1.78	-	36.94	39.51	12.84	34.23
PK	17.4627G	65.54	68.20	-2.66	22.87	3	Horizontal	348	2.27	-	42.67	40.98	15.09	33.20
PK	23.3036G	51.38	68.20	-16.82	-0.37	3	Horizontal	210	1.76	-	51.75	39.62	17.55	48.00

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.71	54.00	-2.29	5.99	3	Vertical	360	1.90	-	45.72	31.70	8.52	34.23
AV	5.186G	99.97	Inf	-Inf	5.89	3	Vertical	360	1.90	-	94.08	31.56	8.56	34.23
AV	5.4404G	49.05	54.00	-4.95	5.95	3	Vertical	360	1.90	-	43.10	31.54	8.67	34.26
PK	5.15G	65.72	74.00	-8.28	5.99	3	Vertical	360	1.90	-	59.73	31.70	8.52	34.23
PK	5.1824G	109.78	Inf	-Inf	5.89	3	Vertical	360	1.90	-	103.89	31.57	8.55	34.23
PK	5.48G	60.68	68.20	-7.52	6.13	3	Vertical	360	1.90	-	54.55	31.66	8.73	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.61	54.00	-1.39	5.99	3	Horizontal	295	1.92	-	46.62	31.70	8.52	34.23
AV	5.186G	101.23	Inf	-Inf	5.89	3	Horizontal	295	1.92	-	95.34	31.56	8.56	34.23
AV	5.4404G	50.63	54.00	-3.37	5.95	3	Horizontal	295	1.92	-	44.68	31.54	8.67	34.26
PK	5.1476G	64.71	74.00	-9.29	5.99	3	Horizontal	295	1.92	-	58.72	31.70	8.52	34.23
PK	5.186G	111.34	Inf	-Inf	5.89	3	Horizontal	295	1.92	-	105.45	31.56	8.56	34.23
PK	5.4764G	60.77	68.20	-7.43	6.11	3	Horizontal	295	1.92	-	54.66	31.65	8.72	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52518G	47.76	54.00	-6.24	18.56	3	Vertical	98	1.74	-	29.20	38.32	14.60	34.36
AV	20.715G	49.09	54.00	-4.91	6.40	3	Vertical	0	1.64	-	42.69	39.24	16.22	49.06
PK	10.37098G	54.07	68.20	-14.13	16.93	3	Vertical	49	1.85	-	37.14	39.41	12.19	34.67
PK	15.53202G	61.58	74.00	-12.42	18.52	3	Vertical	98	1.74	-	43.06	38.28	14.61	34.37
PK	20.7146G	62.81	74.00	-11.19	6.40	3	Vertical	0	1.64	-	56.41	39.24	16.22	49.06

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52566G	47.73	54.00	-6.27	18.56	3	Horizontal	77	1.63	-	29.17	38.32	14.60	34.36
AV	20.729G	51.04	54.00	-2.96	6.41	3	Horizontal	48	2.04	-	44.63	39.23	16.23	49.05
PK	10.34728G	54.34	68.20	-13.86	16.83	3	Horizontal	150	1.91	-	37.51	39.34	12.18	34.69
PK	15.53448G	60.51	74.00	-13.49	18.50	3	Horizontal	77	1.63	-	42.01	38.26	14.61	34.37
PK	20.7092G	65.28	74.00	-8.72	6.41	3	Horizontal	48	2.04	-	58.87	39.25	16.22	49.06

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0464G	45.91	54.00	-8.09	5.69	3	Vertical	306	2.08	-	40.22	31.49	8.42	34.22
AV	5.206G	100.99	Inf	-Inf	5.79	3	Vertical	306	2.08	-	95.20	31.46	8.57	34.24
AV	5.3548G	48.58	54.00	-5.42	5.38	3	Vertical	306	2.08	-	43.20	31.03	8.60	34.25
PK	5.1484G	58.06	74.00	-15.94	5.99	3	Vertical	306	2.08	-	52.07	31.70	8.52	34.23
PK	5.2048G	110.76	Inf	-Inf	5.80	3	Vertical	306	2.08	-	104.96	31.47	8.57	34.24
PK	5.4964G	59.13	68.20	-9.07	6.18	3	Vertical	306	2.08	-	52.95	31.69	8.75	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1196G	46.21	54.00	-7.79	5.96	3	Horizontal	295	1.97	-	40.25	31.70	8.49	34.23
AV	5.206G	102.29	Inf	-Inf	5.79	3	Horizontal	295	1.97	-	96.50	31.46	8.57	34.24
AV	5.3668G	50.97	54.00	-3.03	5.45	3	Horizontal	295	1.97	-	45.52	31.10	8.60	34.25
PK	5.032G	57.43	74.00	-16.57	5.62	3	Horizontal	295	1.97	-	51.81	31.43	8.41	34.22
PK	5.206G	112.15	Inf	-Inf	5.79	3	Horizontal	295	1.97	-	106.36	31.46	8.57	34.24
PK	5.4676G	61.48	68.20	-6.72	6.09	3	Horizontal	295	1.97	-	55.39	31.64	8.71	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58602G	46.29	54.00	-7.71	18.10	3	Vertical	226	1.79	-	28.19	37.90	14.62	34.42
AV	20.805G	39.41	54.00	-14.59	-3.18	3	Vertical	2	1.50	-	42.59	39.13	16.27	49.04
PK	10.41146G	54.66	68.20	-13.54	17.09	3	Vertical	125	2.26	-	37.57	39.52	12.21	34.64
PK	15.59052G	59.62	74.00	-14.38	18.07	3	Vertical	226	1.79	-	41.55	37.87	14.62	34.42
PK	20.81G	54.09	74.00	-19.91	-3.17	3	Vertical	2	1.50	-	57.26	39.13	16.28	49.04

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58884G	46.22	54.00	-7.78	18.08	3	Horizontal	31	2.37	-	28.14	37.88	14.62	34.42
AV	20.8004G	38.58	54.00	-15.42	-3.17	3	Horizontal	21	1.50	-	41.75	39.14	16.27	49.04
PK	10.403G	54.70	68.20	-13.50	17.07	3	Horizontal	207	2.37	-	37.63	39.51	12.20	34.64
PK	15.59838G	59.02	74.00	-14.98	18.00	3	Horizontal	31	2.37	-	41.02	37.81	14.62	34.43
PK	20.7952G	52.04	74.00	-21.96	-3.16	3	Horizontal	21	1.50	-	55.20	39.15	16.27	49.04

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0852G	46.91	54.00	-7.09	5.87	3	Vertical	19	1.20	-	41.04	31.64	8.46	34.23
AV	5.246G	102.18	Inf	-Inf	5.56	3	Vertical	19	1.20	-	96.62	31.22	8.58	34.24
AV	5.4056G	50.16	54.00	-3.84	5.70	3	Vertical	19	1.20	-	44.46	31.33	8.62	34.25
PK	5.072G	58.47	74.00	-15.53	5.81	3	Vertical	19	1.20	-	52.66	31.59	8.45	34.23
PK	5.246G	111.89	Inf	-Inf	5.56	3	Vertical	19	1.20	-	106.33	31.22	8.58	34.24
PK	5.4812G	59.44	68.20	-8.76	6.13	3	Vertical	19	1.20	-	53.31	31.66	8.73	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.0876G	46.60	54.00	-7.40	5.88	3	Horizontal	300	1.98	-	40.72	31.65	8.46	34.23
AV	5.246G	103.64	Inf	-Inf	5.56	3	Horizontal	300	1.98	-	98.08	31.22	8.58	34.24
AV	5.4056G	51.99	54.00	-2.01	5.70	3	Horizontal	300	1.98	-	46.29	31.33	8.62	34.25
PK	5.0816G	58.08	74.00	-15.92	5.86	3	Horizontal	300	1.98	-	52.22	31.63	8.46	34.23
PK	5.2448G	113.75	Inf	-Inf	5.57	3	Horizontal	300	1.98	-	108.18	31.23	8.58	34.24
PK	5.4824G	62.99	68.20	-5.21	6.13	3	Horizontal	300	1.98	-	56.86	31.66	8.73	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7053G	45.85	54.00	-8.15	18.10	3	Vertical	157	1.96	-	27.75	37.98	14.65	34.53
AV	20.956G	41.10	54.00	-12.90	-3.24	3	Vertical	0	1.61	-	44.34	38.95	16.36	49.01
PK	10.49164G	55.82	68.20	-12.38	17.35	3	Vertical	169	1.07	-	38.47	39.68	12.25	34.58
PK	15.71868G	59.07	74.00	-14.93	18.04	3	Vertical	157	1.96	-	41.03	37.93	14.65	34.54
PK	20.9504G	55.34	74.00	-18.66	-3.23	3	Vertical	0	1.61	-	58.57	38.96	16.36	49.01

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72738G	45.82	54.00	-8.18	17.99	3	Horizontal	12	2.50	-	27.83	37.89	14.65	34.55
AV	20.9588G	45.01	54.00	-8.99	-3.23	3	Horizontal	44	1.71	-	48.24	38.95	16.37	49.01
PK	10.47346G	54.53	68.20	-13.67	17.30	3	Horizontal	332	1.13	-	37.23	39.65	12.24	34.59
PK	15.72204G	58.94	74.00	-15.06	18.02	3	Horizontal	12	2.50	-	40.92	37.91	14.65	34.54
PK	20.948G	60.64	74.00	-13.36	-3.23	3	Horizontal	44	1.71	-	63.87	38.96	16.36	49.01

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.092G	46.78	54.00	-7.22	6.71	3	Vertical	9	1.83	-	40.07	31.88	9.06	34.23
AV	5.266G	104.88	Inf	-Inf	6.28	3	Vertical	9	1.83	-	98.60	31.37	9.15	34.24
AV	5.428G	52.21	54.00	-1.79	6.77	3	Vertical	9	1.83	-	45.44	31.70	9.32	34.25
PK	5.0968G	59.70	74.00	-14.30	6.72	3	Vertical	9	1.83	-	52.98	31.89	9.06	34.23
PK	5.2672G	114.57	Inf	-Inf	6.28	3	Vertical	9	1.83	-	108.29	31.37	9.15	34.24
PK	5.4616G	61.57	68.20	-6.63	6.81	3	Vertical	9	1.83	-	54.76	31.72	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1004G	46.67	54.00	-7.33	6.74	3	Horizontal	72	1.88	-	39.93	31.90	9.07	34.23
AV	5.266G	103.43	Inf	-Inf	6.28	3	Horizontal	72	1.88	-	97.15	31.37	9.15	34.24
AV	5.4136G	52.77	54.00	-1.23	6.76	3	Horizontal	72	1.88	-	46.01	31.70	9.31	34.25
PK	5.1052G	58.73	74.00	-15.27	6.74	3	Horizontal	72	1.88	-	51.99	31.90	9.07	34.23
PK	5.2624G	113.50	Inf	-Inf	6.29	3	Horizontal	72	1.88	-	107.21	31.38	9.15	34.24
PK	5.4988G	62.14	68.20	-6.06	6.92	3	Horizontal	72	1.88	-	55.22	31.80	9.38	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78464G	44.96	54.00	-9.04	17.56	3	Vertical	165	1.88	-	27.40	37.28	14.88	34.60
PK	10.51772G	55.38	68.20	-12.82	17.57	3	Vertical	48	1.14	-	37.81	39.70	12.43	34.56
PK	15.78512G	58.28	74.00	-15.72	17.55	3	Vertical	165	1.88	-	40.73	37.27	14.88	34.60

802.11ac VHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77028G	45.12	54.00	-8.88	17.64	3	Horizontal	64	2.03	-	27.48	37.35	14.88	34.59
PK	10.5258G	56.13	68.20	-12.07	17.58	3	Horizontal	342	1.77	-	38.55	39.70	12.43	34.55
PK	15.77088G	58.45	74.00	-15.55	17.64	3	Horizontal	64	2.03	-	40.81	37.35	14.88	34.59

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.57	54.00	-6.43	6.33	3	Vertical	15	1.89	-	41.24	31.50	9.05	34.22
AV	5.3084G	105.08	Inf	-Inf	6.26	3	Vertical	15	1.89	-	98.82	31.30	9.20	34.24
AV	5.35G	51.98	54.00	-2.02	6.30	3	Vertical	15	1.89	-	45.68	31.30	9.25	34.25
PK	5.1392G	58.78	74.00	-15.22	6.74	3	Vertical	15	1.89	-	52.04	31.90	9.07	34.23
PK	5.3072G	115.51	Inf	-Inf	6.26	3	Vertical	15	1.89	-	109.25	31.30	9.20	34.24
PK	5.468G	63.16	68.20	-5.04	6.83	3	Vertical	15	1.89	-	56.33	31.74	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	47.75	54.00	-6.25	6.33	3	Horizontal	66	1.91	-	41.42	31.50	9.05	34.22
AV	5.306G	104.15	Inf	-Inf	6.26	3	Horizontal	66	1.91	-	97.89	31.30	9.20	34.24
AV	5.456G	52.98	54.00	-1.02	6.79	3	Horizontal	66	1.91	-	46.19	31.71	9.34	34.26
PK	5.1488G	59.93	74.00	-14.07	6.74	3	Horizontal	66	1.91	-	53.19	31.90	9.07	34.23
PK	5.3036G	114.01	Inf	-Inf	6.25	3	Horizontal	66	1.91	-	107.76	31.30	9.19	34.24
PK	5.4644G	65.66	68.20	-2.54	6.82	3	Horizontal	66	1.91	-	58.84	31.73	9.35	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9064G	45.77	54.00	-8.23	17.12	3	Vertical	104	2.38	-	28.65	36.91	14.92	34.71
PK	10.59676G	54.96	68.20	-13.24	17.66	3	Vertical	225	2.25	-	37.30	39.70	12.46	34.50
PK	15.9044G	59.22	74.00	-14.78	17.12	3	Vertical	104	2.38	-	42.10	36.91	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90116G	45.42	54.00	-8.58	17.11	3	Horizontal	267	2.25	-	28.31	36.90	14.92	34.71
PK	10.59528G	55.71	68.20	-12.49	17.66	3	Horizontal	274	1.28	-	38.05	39.70	12.46	34.50
PK	15.90072G	59.19	74.00	-14.81	17.11	3	Horizontal	267	2.25	-	42.08	36.90	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	46.37	54.00	-7.63	6.74	3	Vertical	347	1.43	-	39.63	31.90	9.07	34.23
AV	5.326G	101.23	Inf	-Inf	6.27	3	Vertical	347	1.43	-	94.96	31.30	9.22	34.25
AV	5.44G	51.58	54.00	-2.42	6.77	3	Vertical	347	1.43	-	44.81	31.70	9.33	34.26
PK	5.1124G	57.77	74.00	-16.23	6.74	3	Vertical	347	1.43	-	51.03	31.90	9.07	34.23
PK	5.3224G	110.66	Inf	-Inf	6.26	3	Vertical	347	1.43	-	104.40	31.30	9.21	34.25
PK	5.4784G	66.78	68.20	-1.42	6.86	3	Vertical	347	1.43	-	59.92	31.76	9.36	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	46.07	54.00	-7.93	6.74	3	Horizontal	307	2.05	-	39.33	31.90	9.07	34.23
AV	5.3248G	101.27	Inf	-Inf	6.27	3	Horizontal	307	2.05	-	95.00	31.30	9.22	34.25
AV	5.44G	51.85	54.00	-2.15	6.77	3	Horizontal	307	2.05	-	45.08	31.70	9.33	34.26
PK	5.1496G	58.75	74.00	-15.25	6.74	3	Horizontal	307	2.05	-	52.01	31.90	9.07	34.23
PK	5.3224G	110.86	Inf	-Inf	6.26	3	Horizontal	307	2.05	-	104.60	31.30	9.21	34.25
PK	5.4736G	67.58	68.20	-0.62	6.85	3	Horizontal	307	2.05	-	60.73	31.75	9.36	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64912G	42.32	54.00	-11.68	17.72	3	Vertical	140	1.36	-	24.60	39.70	12.48	34.46
AV	15.96544G	45.35	54.00	-8.65	17.20	3	Vertical	42	1.45	-	28.15	37.03	14.94	34.77
PK	10.64052G	55.62	74.00	-18.38	17.72	3	Vertical	140	1.36	-	37.90	39.70	12.48	34.46
PK	15.96668G	58.43	74.00	-15.57	17.20	3	Vertical	42	1.45	-	41.23	37.03	14.94	34.77

802.11ac VHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64776G	42.38	54.00	-11.62	17.72	3	Horizontal	63	1.22	-	24.66	39.70	12.48	34.46
AV	15.95452G	45.42	54.00	-8.58	17.19	3	Horizontal	243	1.07	-	28.23	37.01	14.94	34.76
PK	10.6362G	55.84	74.00	-18.16	17.71	3	Horizontal	63	1.22	-	38.13	39.70	12.48	34.47
PK	15.9654G	58.69	74.00	-15.31	17.20	3	Horizontal	243	1.07	-	41.49	37.03	14.94	34.77

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	46.58	54.00	-7.42	6.81	3	Vertical	12	1.63	-	39.77	31.72	9.35	34.26
AV	5.4928G	101.61	Inf	-Inf	6.90	3	Vertical	12	1.63	-	94.71	31.79	9.37	34.26
PK	5.4688G	65.07	68.20	-3.13	6.84	3	Vertical	12	1.63	-	58.23	31.74	9.36	34.26
PK	5.494G	111.69	Inf	-Inf	6.91	3	Vertical	12	1.63	-	104.78	31.79	9.38	34.26
PK	5.7688G	57.75	68.20	-10.45	7.26	3	Vertical	12	1.63	-	50.49	32.04	9.51	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.25	54.00	-6.75	6.81	3	Horizontal	308	2.10	-	40.44	31.72	9.35	34.26
AV	5.506G	103.28	Inf	-Inf	6.92	3	Horizontal	308	2.10	-	96.36	31.80	9.38	34.26
PK	5.47G	66.41	68.20	-1.79	6.84	3	Horizontal	308	2.10	-	59.57	31.74	9.36	34.26
PK	5.4964G	113.53	Inf	-Inf	6.91	3	Horizontal	308	2.10	-	106.62	31.79	9.38	34.26
PK	5.7796G	58.43	68.20	-9.77	7.28	3	Horizontal	308	2.10	-	51.15	32.06	9.51	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00304G	42.21	54.00	-11.79	18.73	3	Vertical	360	1.87	-	23.48	40.29	12.63	34.19
PK	11.00596G	55.98	74.00	-18.02	18.72	3	Vertical	360	1.87	-	37.26	40.28	12.63	34.19
PK	16.49276G	61.46	68.20	-6.74	19.52	3	Vertical	360	1.66	-	41.94	38.56	15.24	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00064G	42.75	54.00	-11.25	18.74	3	Horizontal	249	1.43	-	24.01	40.30	12.63	34.19
PK	10.99504G	56.93	74.00	-17.07	18.73	3	Horizontal	249	1.43	-	38.20	40.29	12.63	34.19
PK	16.50204G	62.71	68.20	-5.49	19.56	3	Horizontal	359	2.59	-	43.15	38.59	15.24	34.27

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	52.35	54.00	-1.65	6.77	3	Vertical	9	1.85	-	45.58	31.70	9.33	34.26
AV	5.5776G	104.37	Inf	-Inf	6.91	3	Vertical	9	1.85	-	97.46	31.74	9.44	34.27
PK	5.4612G	62.21	68.20	-5.99	6.81	3	Vertical	9	1.85	-	55.40	31.72	9.35	34.26
PK	5.5788G	114.81	Inf	-Inf	6.91	3	Vertical	9	1.85	-	107.90	31.74	9.44	34.27
PK	5.7336G	59.64	68.20	-8.56	7.19	3	Vertical	9	1.85	-	52.45	31.97	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	52.81	54.00	-1.19	6.77	3	Horizontal	312	1.96	-	46.04	31.70	9.33	34.26
AV	5.5752G	107.36	Inf	-Inf	6.92	3	Horizontal	312	1.96	-	100.44	31.75	9.44	34.27
PK	5.4636G	62.44	68.20	-5.76	6.82	3	Horizontal	312	1.96	-	55.62	31.73	9.35	34.26
PK	5.574G	117.52	Inf	-Inf	6.92	3	Horizontal	312	1.96	-	110.60	31.75	9.44	34.27
PK	5.7276G	60.89	68.20	-7.31	7.18	3	Horizontal	312	1.96	-	53.71	31.96	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15924G	42.33	54.00	-11.67	18.18	3	Vertical	303	1.87	-	24.15	39.66	12.70	34.18
PK	11.16748G	55.32	74.00	-18.68	18.15	3	Vertical	303	1.87	-	37.17	39.63	12.70	34.18
PK	16.73852G	63.27	68.20	-4.93	20.89	3	Vertical	261	2.49	-	42.38	39.35	15.38	33.84

802.11ac VHT20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16388G	42.38	54.00	-11.62	18.16	3	Horizontal	262	1.96	-	24.22	39.64	12.70	34.18
PK	11.16372G	56.24	74.00	-17.76	18.17	3	Horizontal	262	1.96	-	38.07	39.65	12.70	34.18
PK	16.73548G	62.80	68.20	-5.40	20.88	3	Horizontal	291	1.16	-	41.92	39.34	15.38	33.84

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4588G	45.66	54.00	-8.34	6.81	3	Vertical	348	2.07	-	38.85	31.72	9.35	34.26
AV	5.694G	100.63	Inf	-Inf	7.07	3	Vertical	348	2.07	-	93.56	31.86	9.49	34.28
PK	5.4624G	57.97	68.20	-10.23	6.81	3	Vertical	348	2.07	-	51.16	31.72	9.35	34.26
PK	5.6964G	110.43	Inf	-Inf	7.09	3	Vertical	348	2.07	-	103.34	31.88	9.49	34.28
PK	5.7276G	63.15	68.20	-5.05	7.18	3	Vertical	348	2.07	-	55.97	31.96	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	45.95	54.00	-8.05	6.77	3	Horizontal	318	1.89	-	39.18	31.70	9.33	34.26
AV	5.694G	102.69	Inf	-Inf	7.07	3	Horizontal	318	1.89	-	95.62	31.86	9.49	34.28
PK	5.4696G	57.87	68.20	-10.33	6.84	3	Horizontal	318	1.89	-	51.03	31.74	9.36	34.26
PK	5.6952G	112.25	Inf	-Inf	7.08	3	Horizontal	318	1.89	-	105.17	31.87	9.49	34.28
PK	5.7264G	64.70	68.20	-3.50	7.17	3	Horizontal	318	1.89	-	57.53	31.95	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39584G	42.00	54.00	-12.00	18.52	3	Vertical	330	1.85	-	23.48	39.89	12.80	34.17
PK	11.39472G	55.53	74.00	-18.47	18.51	3	Vertical	330	1.85	-	37.02	39.88	12.80	34.17
PK	17.09628G	63.83	68.20	-4.37	21.96	3	Vertical	0	2.98	-	41.87	39.70	15.59	33.33

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.396G	42.31	54.00	-11.69	18.52	3	Horizontal	152	1.73	-	23.79	39.89	12.80	34.17
PK	11.41G	55.75	74.00	-18.25	18.55	3	Horizontal	152	1.73	-	37.20	39.92	12.80	34.17
PK	17.10476G	64.23	68.20	-3.97	21.97	3	Horizontal	0	2.28	-	42.26	39.69	15.60	33.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	46.30	54.00	-7.70	6.77	3	Vertical	316	2.65	-	39.53	31.70	9.33	34.26
AV	5.7152G	101.19	Inf	-Inf	7.14	3	Vertical	316	2.65	-	94.05	31.93	9.49	34.28
PK	5.4608G	57.71	68.20	-10.49	6.81	3	Vertical	316	2.65	-	50.90	31.72	9.35	34.26
PK	5.7176G	111.53	Inf	-Inf	7.16	3	Vertical	316	2.65	-	104.37	31.94	9.50	34.28
PK	5.8736G	59.59	68.20	-8.61	7.67	3	Vertical	316	2.65	-	51.92	32.39	9.58	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	46.62	54.00	-7.38	6.77	3	Horizontal	316	1.85	-	39.85	31.70	9.33	34.26
AV	5.7128G	103.85	Inf	-Inf	7.14	3	Horizontal	316	1.85	-	96.71	31.93	9.49	34.28
PK	5.4692G	57.34	68.20	-10.86	6.84	3	Horizontal	316	1.85	-	50.50	31.74	9.36	34.26
PK	5.7248G	113.53	Inf	-Inf	7.17	3	Horizontal	316	1.85	-	106.36	31.95	9.50	34.28
PK	5.8832G	60.16	68.20	-8.04	7.72	3	Horizontal	316	1.85	-	52.44	32.43	9.59	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43732G	42.58	54.00	-11.42	18.62	3	Vertical	85	1.46	-	23.96	39.97	12.81	34.16
PK	11.43088G	55.85	74.00	-18.15	18.61	3	Vertical	85	1.46	-	37.24	39.96	12.81	34.16
PK	17.17G	64.49	68.20	-3.71	21.89	3	Vertical	48	2.41	-	42.60	39.56	15.63	33.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44976G	42.82	54.00	-11.18	18.66	3	Horizontal	351	1.48	-	24.16	40.00	12.82	34.16
PK	11.43768G	56.21	74.00	-17.79	18.63	3	Horizontal	351	1.48	-	37.58	39.98	12.81	34.16
PK	17.15072G	63.87	68.20	-4.33	21.91	3	Horizontal	10	2.31	-	41.96	39.60	15.62	33.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	101.50	Inf	-Inf	6.69	3	Vertical	12	1.50	-	94.81	31.95	9.02	34.28
PK	5.6406G	60.88	68.20	-7.32	6.35	3	Vertical	12	1.50	-	54.53	31.68	8.94	34.27
PK	5.7378G	111.88	Inf	-Inf	6.69	3	Vertical	12	1.50	-	105.19	31.95	9.02	34.28
PK	5.973G	57.64	68.20	-10.56	7.20	3	Vertical	12	1.50	-	50.44	32.35	9.16	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	102.81	Inf	-Inf	6.69	3	Horizontal	314	1.84	-	96.12	31.95	9.02	34.28
PK	5.5878G	63.23	68.20	-4.97	6.21	3	Horizontal	314	1.84	-	57.02	31.60	8.88	34.27
PK	5.7438G	112.81	Inf	-Inf	6.73	3	Horizontal	314	1.84	-	106.08	31.98	9.03	34.28
PK	5.9502G	58.22	68.20	-9.98	7.14	3	Horizontal	314	1.84	-	51.08	32.30	9.15	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5044G	42.74	54.00	-11.26	18.60	3	Vertical	298	1.67	-	24.14	40.00	12.76	34.16
AV	22.983G	35.01	54.00	-18.99	-0.97	3	Vertical	196	1.75	-	35.98	39.47	17.41	48.31
PK	11.50182G	55.89	74.00	-18.11	18.60	3	Vertical	298	1.67	-	37.29	40.00	12.76	34.16
PK	17.2311G	62.22	68.20	-5.98	21.34	3	Vertical	236	1.31	-	40.88	39.59	15.03	33.28
PK	22.9692G	48.82	74.00	-25.18	-1.01	3	Vertical	196	1.75	-	49.83	39.44	17.41	48.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.47602G	42.78	54.00	-11.22	18.54	3	Horizontal	262	2.69	-	24.24	39.95	12.75	34.16
AV	22.9782G	35.87	54.00	-18.13	-0.98	3	Horizontal	146	1.53	-	36.85	39.46	17.41	48.31
PK	11.48094G	55.91	74.00	-18.09	18.55	3	Horizontal	262	2.69	-	37.36	39.96	12.75	34.16
PK	17.24538G	63.83	68.20	-4.37	21.40	3	Horizontal	38	1.35	-	42.43	39.64	15.04	33.28
PK	22.9744G	49.39	74.00	-24.61	-1.00	3	Horizontal	146	1.53	-	50.39	39.45	17.41	48.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	101.49	Inf	-Inf	6.77	3	Vertical	345	1.00	-	94.72	32.00	9.06	34.29
PK	5.623G	62.75	68.20	-5.45	6.30	3	Vertical	345	1.00	-	56.45	31.65	8.92	34.27
PK	5.7766G	111.46	Inf	-Inf	6.77	3	Vertical	345	1.00	-	104.69	32.00	9.06	34.29
PK	5.9458G	58.31	68.20	-9.89	7.15	3	Vertical	345	1.00	-	51.16	32.30	9.15	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	102.30	Inf	-Inf	6.77	3	Horizontal	316	1.86	-	95.53	32.00	9.06	34.29
PK	5.6482G	63.49	68.20	-4.71	6.37	3	Horizontal	316	1.86	-	57.12	31.70	8.94	34.27
PK	5.7778G	113.25	Inf	-Inf	6.77	3	Horizontal	316	1.86	-	106.48	32.00	9.06	34.29
PK	5.929G	58.63	68.20	-9.57	7.14	3	Horizontal	316	1.86	-	51.49	32.30	9.14	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56748G	41.96	54.00	-12.04	18.53	3	Vertical	176	1.97	-	23.43	39.93	12.79	34.19
PK	11.56388G	55.33	74.00	-18.67	18.54	3	Vertical	176	1.97	-	36.79	39.94	12.79	34.19
PK	17.35172G	65.13	68.20	-3.07	22.03	3	Vertical	20	1.50	-	43.10	40.21	15.06	33.24
PK	23.1374G	53.57	68.20	-14.63	-0.67	3	Vertical	36	1.78	-	54.24	39.55	17.48	48.16

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5618G	42.73	54.00	-11.27	18.54	3	Horizontal	38	2.84	-	24.19	39.94	12.79	34.19
PK	11.57428G	55.99	74.00	-18.01	18.53	3	Horizontal	38	2.84	-	37.46	39.93	12.80	34.20
PK	17.36072G	64.59	68.20	-3.61	22.12	3	Horizontal	360	1.55	-	42.47	40.29	15.07	33.24
PK	23.1318G	51.86	68.20	-16.34	-0.68	3	Horizontal	47	1.67	-	52.54	39.55	17.48	48.17

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8178G	100.59	Inf	-Inf	6.87	3	Vertical	2	2.43	-	93.72	32.07	9.09	34.29
PK	5.6402G	63.84	68.20	-4.36	6.35	3	Vertical	2	2.43	-	57.49	31.68	8.94	34.27
PK	5.8178G	110.68	Inf	-Inf	6.87	3	Vertical	2	2.43	-	103.81	32.07	9.09	34.29
PK	6.107G	58.35	68.20	-9.85	7.35	3	Vertical	2	2.43	-	51.00	32.41	9.26	34.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.819G	101.78	Inf	-Inf	6.88	3	Horizontal	317	1.98	-	94.90	32.08	9.09	34.29
PK	5.6402G	64.49	68.20	-3.71	6.35	3	Horizontal	317	1.98	-	58.14	31.68	8.94	34.27
PK	5.819G	112.44	Inf	-Inf	6.88	3	Horizontal	317	1.98	-	105.56	32.08	9.09	34.29
PK	6.0818G	60.10	68.20	-8.10	7.28	3	Horizontal	317	1.98	-	52.82	32.36	9.24	34.32

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64156G	42.04	54.00	-11.96	18.21	3	Vertical	360	1.50	-	23.83	39.61	12.83	34.23
PK	11.65124G	54.73	74.00	-19.27	18.14	3	Vertical	360	1.50	-	36.59	39.54	12.83	34.23
PK	17.47744G	65.58	68.20	-2.62	22.96	3	Vertical	20	1.47	-	42.62	41.06	15.10	33.20
PK	23.2906G	51.88	68.20	-16.32	-0.39	3	Vertical	38	1.77	-	52.27	39.62	17.54	48.01

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64212G	41.91	54.00	-12.09	18.21	3	Horizontal	337	1.50	-	23.70	39.61	12.83	34.23
PK	11.64076G	54.70	74.00	-19.30	18.21	3	Horizontal	337	1.50	-	36.49	39.61	12.83	34.23
PK	17.48128G	64.93	68.20	-3.27	22.99	3	Horizontal	356	2.00	-	41.94	41.09	15.10	33.20
PK	23.304G	51.45	68.20	-16.75	-0.37	3	Horizontal	209	1.77	-	51.82	39.62	17.55	48.00

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.90	54.00	-4.10	5.99	3	Vertical	22	1.43	-	43.91	31.70	8.52	34.23
AV	5.2032G	95.68	Inf	-Inf	5.81	3	Vertical	22	1.43	-	89.87	31.48	8.57	34.24
AV	5.3604G	50.91	54.00	-3.09	5.41	3	Vertical	22	1.43	-	45.50	31.06	8.60	34.25
PK	5.15G	60.54	74.00	-13.46	5.99	3	Vertical	22	1.43	-	54.55	31.70	8.52	34.23
PK	5.196G	105.75	Inf	-Inf	5.85	3	Vertical	22	1.43	-	99.90	31.52	8.57	34.24
PK	5.4648G	60.15	68.20	-8.05	6.07	3	Vertical	22	1.43	-	54.08	31.63	8.70	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.49	54.00	-3.51	5.99	3	Horizontal	296	2.02	-	44.50	31.70	8.52	34.23
AV	5.2008G	97.19	Inf	-Inf	5.83	3	Horizontal	296	2.02	-	91.36	31.50	8.57	34.24
AV	5.4408G	53.31	54.00	-0.69	5.95	3	Horizontal	296	2.02	-	47.36	31.54	8.67	34.26
PK	5.1492G	61.80	74.00	-12.20	5.99	3	Horizontal	296	2.02	-	55.81	31.70	8.52	34.23
PK	5.1948G	106.37	Inf	-Inf	5.85	3	Horizontal	296	2.02	-	100.52	31.52	8.57	34.24
PK	5.4744G	62.04	68.20	-6.16	6.11	3	Horizontal	296	2.02	-	55.93	31.65	8.72	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56024G	47.71	54.00	-6.29	18.29	3	Vertical	165	2.68	-	29.42	38.08	14.61	34.40
AV	20.76402G	41.81	54.00	-12.19	6.38	3	Vertical	14	2.23	-	35.43	39.18	16.25	49.05
PK	10.38436G	54.51	68.20	-13.69	16.98	3	Vertical	0	2.02	-	37.53	39.45	12.19	34.66
PK	15.56716G	60.16	74.00	-13.84	18.24	3	Vertical	165	2.68	-	41.92	38.03	14.61	34.40
PK	20.75522G	54.17	74.00	-19.83	6.38	3	Vertical	14	2.23	-	47.79	39.19	16.24	49.05

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5612G	47.76	54.00	-6.24	18.28	3	Horizontal	351	1.50	-	29.48	38.07	14.61	34.40
AV	20.75736G	41.37	54.00	-12.63	6.38	3	Horizontal	21	1.56	-	34.99	39.19	16.24	49.05
PK	10.3882G	55.08	68.20	-13.12	17.01	3	Horizontal	309	1.34	-	38.07	39.46	12.20	34.65
PK	15.56748G	60.38	74.00	-13.62	18.24	3	Horizontal	351	1.50	-	42.14	38.03	14.61	34.40
PK	20.75794G	53.37	74.00	-20.63	6.38	3	Horizontal	21	1.56	-	46.99	39.19	16.24	49.05

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.086G	47.49	54.00	-6.51	5.87	3	Vertical	20	1.20	-	41.62	31.64	8.46	34.23
AV	5.236G	97.26	Inf	-Inf	5.62	3	Vertical	20	1.20	-	91.64	31.28	8.58	34.24
AV	5.44G	51.26	54.00	-2.74	5.95	3	Vertical	20	1.20	-	45.31	31.54	8.67	34.26
PK	5.1436G	59.33	74.00	-14.67	5.99	3	Vertical	20	1.20	-	53.34	31.70	8.52	34.23
PK	5.236G	106.65	Inf	-Inf	5.62	3	Vertical	20	1.20	-	101.03	31.28	8.58	34.24
PK	5.464G	60.22	68.20	-7.98	6.07	3	Vertical	20	1.20	-	54.15	31.63	8.70	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1196G	47.21	54.00	-6.79	5.96	3	Horizontal	301	1.97	-	41.25	31.70	8.49	34.23
AV	5.2336G	98.64	Inf	-Inf	5.64	3	Horizontal	301	1.97	-	93.00	31.30	8.58	34.24
AV	5.44G	53.28	54.00	-0.72	5.95	3	Horizontal	301	1.97	-	47.33	31.54	8.67	34.26
PK	5.086G	58.44	74.00	-15.56	5.87	3	Horizontal	301	1.97	-	52.57	31.64	8.46	34.23
PK	5.2372G	107.99	Inf	-Inf	5.62	3	Horizontal	301	1.97	-	102.37	31.28	8.58	34.24
PK	5.4688G	63.27	68.20	-4.93	6.09	3	Horizontal	301	1.97	-	57.18	31.64	8.71	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6932G	46.65	54.00	-7.35	18.11	3	Vertical	223	1.48	-	28.54	37.99	14.64	34.52
AV	20.9398G	43.35	54.00	-10.65	6.31	3	Vertical	2	1.64	-	37.04	38.97	16.35	49.01
PK	10.4596G	55.64	68.20	-12.56	17.25	3	Vertical	43	1.50	-	38.39	39.62	12.23	34.60
PK	15.6898G	59.11	74.00	-14.89	18.11	3	Vertical	223	1.48	-	41.00	37.98	14.64	34.51
PK	20.9427G	56.23	74.00	-17.77	6.32	3	Vertical	2	1.64	-	49.91	38.97	16.36	49.01

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69468G	46.71	54.00	-7.29	18.12	3	Horizontal	136	1.50	-	28.59	37.99	14.65	34.52
AV	20.91956G	45.94	54.00	-8.06	6.32	3	Horizontal	52	1.71	-	39.62	39.00	16.34	49.02
PK	10.46744G	55.34	68.20	-12.86	17.28	3	Horizontal	340	2.75	-	38.06	39.63	12.24	34.59
PK	15.6984G	59.31	74.00	-14.69	18.13	3	Horizontal	136	1.50	-	41.18	38.00	14.65	34.52
PK	20.92568G	58.74	74.00	-15.26	6.33	3	Horizontal	52	1.71	-	52.41	38.99	16.35	49.01

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	50.08	54.00	-3.92	6.33	3	Vertical	10	1.91	-	43.75	31.50	9.05	34.22
AV	5.282G	95.05	Inf	-Inf	6.27	3	Vertical	10	1.91	-	88.78	31.34	9.17	34.24
AV	5.36G	52.09	54.00	-1.91	6.39	3	Vertical	10	1.91	-	45.70	31.38	9.26	34.25
PK	5.114G	58.92	74.00	-15.08	6.74	3	Vertical	10	1.91	-	52.18	31.90	9.07	34.23
PK	5.2796G	104.47	Inf	-Inf	6.27	3	Vertical	10	1.91	-	98.20	31.34	9.17	34.24
PK	5.4824G	63.17	68.20	-5.03	6.87	3	Vertical	10	1.91	-	56.30	31.76	9.37	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	49.90	54.00	-4.10	6.33	3	Horizontal	70	1.96	-	43.57	31.50	9.05	34.22
AV	5.2856G	93.90	Inf	-Inf	6.26	3	Horizontal	70	1.96	-	87.64	31.33	9.17	34.24
AV	5.4404G	53.26	54.00	-0.74	6.77	3	Horizontal	70	1.96	-	46.49	31.70	9.33	34.26
PK	5.1428G	57.96	74.00	-16.04	6.74	3	Horizontal	70	1.96	-	51.22	31.90	9.07	34.23
PK	5.2796G	103.36	Inf	-Inf	6.27	3	Horizontal	70	1.96	-	97.09	31.34	9.17	34.24
PK	5.5292G	64.24	68.20	-3.96	6.94	3	Horizontal	70	1.96	-	57.30	31.80	9.40	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81824G	46.03	54.00	-7.97	17.41	3	Vertical	49	1.72	-	28.62	37.15	14.89	34.63
PK	10.5292G	55.12	68.20	-13.08	17.58	3	Vertical	143	2.00	-	37.54	39.70	12.43	34.55
PK	15.81192G	58.68	74.00	-15.32	17.42	3	Vertical	49	1.72	-	41.26	37.16	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.82856G	45.91	54.00	-8.09	17.37	3	Horizontal	173	1.23	-	28.54	37.11	14.90	34.64
PK	10.52544G	55.36	68.20	-12.84	17.58	3	Horizontal	100	2.49	-	37.78	39.70	12.43	34.55
PK	15.81344G	58.19	74.00	-15.81	17.42	3	Horizontal	173	1.23	-	40.77	37.16	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	47.08	54.00	-6.92	6.74	3	Vertical	342	1.19	-	40.34	31.90	9.07	34.23
AV	5.322G	96.18	Inf	-Inf	6.26	3	Vertical	342	1.19	-	89.92	31.30	9.21	34.25
AV	5.4588G	50.53	54.00	-3.47	6.81	3	Vertical	342	1.19	-	43.72	31.72	9.35	34.26
PK	5.1492G	58.53	74.00	-15.47	6.74	3	Vertical	342	1.19	-	51.79	31.90	9.07	34.23
PK	5.3232G	105.28	Inf	-Inf	6.27	3	Vertical	342	1.19	-	99.01	31.30	9.22	34.25
PK	5.4792G	61.22	68.20	-6.98	6.86	3	Vertical	342	1.19	-	54.36	31.76	9.36	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1384G	47.21	54.00	-6.79	6.74	3	Horizontal	306	2.00	-	40.47	31.90	9.07	34.23
AV	5.3232G	95.35	Inf	-Inf	6.27	3	Horizontal	306	2.00	-	89.08	31.30	9.22	34.25
AV	5.4564G	50.69	54.00	-3.31	6.80	3	Horizontal	306	2.00	-	43.89	31.71	9.35	34.26
PK	5.1432G	58.13	74.00	-15.87	6.74	3	Horizontal	306	2.00	-	51.39	31.90	9.07	34.23
PK	5.3208G	104.62	Inf	-Inf	6.26	3	Horizontal	306	2.00	-	98.36	31.30	9.21	34.25
PK	5.4648G	62.67	68.20	-5.53	6.82	3	Horizontal	306	2.00	-	55.85	31.73	9.35	34.26

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60032G	43.01	54.00	-10.99	17.67	3	Vertical	269	1.76	-	25.34	39.70	12.46	34.49
AV	15.92648G	46.29	54.00	-7.71	17.15	3	Vertical	71	2.26	-	29.14	36.95	14.93	34.73
PK	10.61944G	55.10	74.00	-18.90	17.69	3	Vertical	269	1.76	-	37.41	39.70	12.47	34.48
PK	15.94792G	58.85	74.00	-15.15	17.18	3	Vertical	71	2.26	-	41.67	37.00	14.93	34.75

802.11ac VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6376G	42.96	54.00	-11.04	17.71	3	Horizontal	69	1.87	-	25.25	39.70	12.48	34.47
AV	15.9288G	46.23	54.00	-7.77	17.16	3	Horizontal	145	2.00	-	29.07	36.96	14.93	34.73
PK	10.61648G	55.07	74.00	-18.93	17.69	3	Horizontal	69	1.87	-	37.38	39.70	12.47	34.48
PK	15.94192G	58.64	74.00	-15.36	17.16	3	Horizontal	145	2.00	-	41.48	36.98	14.93	34.75

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	50.47	54.00	-3.53	6.81	3	Vertical	12	1.64	-	43.66	31.72	9.35	34.26
AV	5.4956G	98.72	Inf	-Inf	6.91	3	Vertical	12	1.64	-	91.81	31.79	9.38	34.26
PK	5.4656G	64.39	68.20	-3.81	6.82	3	Vertical	12	1.64	-	57.57	31.73	9.35	34.26
PK	5.498G	107.34	Inf	-Inf	6.92	3	Vertical	12	1.64	-	100.42	31.80	9.38	34.26
PK	5.7524G	57.95	68.20	-10.25	7.22	3	Vertical	12	1.64	-	50.73	32.00	9.51	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	51.47	54.00	-2.53	6.81	3	Horizontal	308	2.00	-	44.66	31.72	9.35	34.26
AV	5.5136G	100.40	Inf	-Inf	6.93	3	Horizontal	308	2.00	-	93.47	31.80	9.39	34.26
PK	5.468G	66.58	68.20	-1.62	6.83	3	Horizontal	308	2.00	-	59.75	31.74	9.35	34.26
PK	5.5028G	110.05	Inf	-Inf	6.92	3	Horizontal	308	2.00	-	103.13	31.80	9.38	34.26
PK	5.7956G	57.65	68.20	-10.55	7.32	3	Horizontal	308	2.00	-	50.33	32.09	9.52	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01728G	43.27	54.00	-10.73	18.68	3	Vertical	304	1.43	-	24.59	40.23	12.64	34.19
PK	11.01296G	55.49	74.00	-18.51	18.70	3	Vertical	304	1.43	-	36.79	40.25	12.64	34.19
PK	16.5164G	61.02	68.20	-7.18	19.54	3	Vertical	221	1.37	-	41.48	38.53	15.25	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00792G	42.84	54.00	-11.16	18.71	3	Horizontal	177	1.26	-	24.13	40.27	12.63	34.19
PK	11.03312G	55.37	74.00	-18.63	18.62	3	Horizontal	177	1.26	-	36.75	40.17	12.64	34.19
PK	16.54816G	61.34	68.20	-6.86	19.50	3	Horizontal	358	1.62	-	41.84	38.41	15.27	34.18

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	52.99	54.00	-1.01	6.77	3	Vertical	16	1.63	-	46.22	31.70	9.33	34.26
AV	5.538G	100.71	Inf	-Inf	6.95	3	Vertical	16	1.63	-	93.76	31.80	9.41	34.26
PK	5.4696G	65.49	68.20	-2.71	6.84	3	Vertical	16	1.63	-	58.65	31.74	9.36	34.26
PK	5.5392G	110.31	Inf	-Inf	6.95	3	Vertical	16	1.63	-	103.36	31.80	9.41	34.26
PK	5.7288G	59.42	68.20	-8.78	7.18	3	Vertical	16	1.63	-	52.24	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	53.12	54.00	-0.88	6.77	3	Horizontal	309	1.87	-	46.35	31.70	9.33	34.26
AV	5.562G	103.60	Inf	-Inf	6.94	3	Horizontal	309	1.87	-	96.66	31.78	9.43	34.27
PK	5.4696G	66.72	68.20	-1.48	6.84	3	Horizontal	309	1.87	-	59.88	31.74	9.36	34.26
PK	5.562G	113.35	Inf	-Inf	6.94	3	Horizontal	309	1.87	-	106.41	31.78	9.43	34.27
PK	5.8272G	60.48	68.20	-7.72	7.46	3	Horizontal	309	1.87	-	53.02	32.21	9.54	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09184G	43.10	54.00	-10.90	18.42	3	Vertical	5	1.09	-	24.68	39.93	12.67	34.18
PK	11.10296G	56.32	74.00	-17.68	18.38	3	Vertical	5	1.09	-	37.94	39.89	12.67	34.18
PK	16.6624G	61.39	68.20	-6.81	20.19	3	Vertical	59	1.74	-	41.20	38.82	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09744G	43.01	54.00	-10.99	18.40	3	Horizontal	292	1.10	-	24.61	39.91	12.67	34.18
PK	11.08768G	55.33	74.00	-18.67	18.44	3	Horizontal	292	1.10	-	36.89	39.95	12.67	34.18
PK	16.66728G	61.27	68.20	-6.93	20.24	3	Horizontal	289	1.20	-	41.03	38.87	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4396G	48.59	54.00	-5.41	6.77	3	Vertical	15	1.74	-	41.82	31.70	9.33	34.26
AV	5.6568G	98.77	Inf	-Inf	6.84	3	Vertical	15	1.74	-	91.93	31.64	9.48	34.28
PK	5.4636G	58.67	68.20	-9.53	6.82	3	Vertical	15	1.74	-	51.85	31.73	9.35	34.26
PK	5.6556G	107.81	Inf	-Inf	6.83	3	Vertical	15	1.74	-	100.98	31.63	9.48	34.28
PK	5.7276G	63.14	68.20	-5.06	7.18	3	Vertical	15	1.74	-	55.96	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4132G	46.46	54.00	-7.54	6.76	3	Horizontal	318	1.95	-	39.70	31.70	9.31	34.25
AV	5.6604G	102.43	Inf	-Inf	6.86	3	Horizontal	318	1.95	-	95.57	31.66	9.48	34.28
PK	5.4696G	58.93	68.20	-9.27	6.84	3	Horizontal	318	1.95	-	52.09	31.74	9.36	34.26
PK	5.658G	111.31	Inf	-Inf	6.85	3	Horizontal	318	1.95	-	104.46	31.65	9.48	34.28
PK	5.7276G	66.30	68.20	-1.90	7.18	3	Horizontal	318	1.95	-	59.12	31.96	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35592G	43.29	54.00	-10.71	18.38	3	Vertical	149	1.50	-	24.91	39.77	12.78	34.17
PK	11.32224G	55.25	74.00	-18.75	18.27	3	Vertical	149	1.50	-	36.98	39.67	12.77	34.17
PK	17.02176G	63.86	68.20	-4.34	21.82	3	Vertical	131	1.14	-	42.04	39.62	15.55	33.35

802.11ac VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35216G	42.98	54.00	-11.02	18.37	3	Horizontal	145	2.65	-	24.61	39.76	12.78	34.17
PK	11.34464G	54.95	74.00	-19.05	18.33	3	Horizontal	145	2.65	-	36.62	39.73	12.77	34.17
PK	17.00792G	63.67	68.20	-4.53	21.79	3	Horizontal	55	1.50	-	41.88	39.61	15.54	33.36

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4112G	46.40	54.00	-7.60	6.76	3	Vertical	344	2.04	-	39.64	31.70	9.31	34.25
AV	5.6944G	98.96	Inf	-Inf	7.08	3	Vertical	344	2.04	-	91.88	31.87	9.49	34.28
PK	5.4664G	57.94	68.20	-10.26	6.82	3	Vertical	344	2.04	-	51.12	31.73	9.35	34.26
PK	5.7076G	108.05	Inf	-Inf	7.13	3	Vertical	344	2.04	-	100.92	31.92	9.49	34.28
PK	5.8756G	59.08	68.20	-9.12	7.68	3	Vertical	344	2.04	-	51.40	32.40	9.58	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4568G	47.58	54.00	-6.42	6.80	3	Horizontal	315	1.95	-	40.78	31.71	9.35	34.26
AV	5.698G	102.21	Inf	-Inf	7.10	3	Horizontal	315	1.95	-	95.11	31.89	9.49	34.28
PK	5.4628G	57.96	68.20	-10.24	6.82	3	Horizontal	315	1.95	-	51.14	31.73	9.35	34.26
PK	5.6968G	111.80	Inf	-Inf	7.09	3	Horizontal	315	1.95	-	104.71	31.88	9.49	34.28
PK	5.8852G	60.26	68.20	-7.94	7.73	3	Horizontal	315	1.95	-	52.53	32.44	9.59	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4004G	43.53	54.00	-10.47	18.53	3	Vertical	314	1.94	-	25.00	39.90	12.80	34.17
PK	11.41352G	55.57	74.00	-18.43	18.56	3	Vertical	314	1.94	-	37.01	39.93	12.80	34.17
PK	17.13752G	63.34	68.20	-4.86	21.93	3	Vertical	178	2.06	-	41.41	39.62	15.62	33.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4048G	43.68	54.00	-10.32	18.54	3	Horizontal	141	1.56	-	25.14	39.91	12.80	34.17
PK	11.44G	55.54	74.00	-18.46	18.63	3	Horizontal	141	1.56	-	36.91	39.98	12.81	34.16
PK	17.11648G	64.01	68.20	-4.19	21.95	3	Horizontal	120	1.82	-	42.06	39.67	15.60	33.32

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.743G	100.19	Inf	-Inf	6.72	3	Vertical	346	1.01	-	93.47	31.97	9.03	34.28
PK	5.6494G	63.91	68.20	-4.29	6.37	3	Vertical	346	1.01	-	57.54	31.70	8.94	34.27
PK	5.7394G	109.57	Inf	-Inf	6.71	3	Vertical	346	1.01	-	102.86	31.96	9.03	34.28
PK	5.9686G	58.81	68.20	-9.39	7.19	3	Vertical	346	1.01	-	51.62	32.34	9.16	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.743G	100.28	Inf	-Inf	6.72	3	Horizontal	315	1.82	-	93.56	31.97	9.03	34.28
PK	5.6458G	64.23	68.20	-3.97	6.36	3	Horizontal	315	1.82	-	57.87	31.69	8.94	34.27
PK	5.743G	111.13	Inf	-Inf	6.72	3	Horizontal	315	1.82	-	104.41	31.97	9.03	34.28
PK	5.9974G	58.57	68.20	-9.63	7.25	3	Horizontal	315	1.82	-	51.32	32.39	9.17	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51052G	43.54	54.00	-10.46	18.58	3	Vertical	66	1.35	-	24.96	39.99	12.76	34.17
AV	23.01352G	47.29	54.00	-6.71	8.65	3	Vertical	205	1.74	-	38.64	39.51	17.43	48.29
PK	11.51524G	56.16	74.00	-17.84	18.58	3	Vertical	66	1.35	-	37.58	39.98	12.77	34.17
PK	17.26112G	62.44	68.20	-5.76	21.45	3	Vertical	18	1.99	-	40.99	39.68	15.04	33.27
PK	23.01268G	59.52	74.00	-14.48	8.65	3	Vertical	205	1.74	-	50.87	39.51	17.43	48.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5112G	43.69	54.00	-10.31	18.58	3	Horizontal	319	1.50	-	25.11	39.99	12.76	34.17
AV	23.009G	47.53	54.00	-6.47	8.63	3	Horizontal	144	1.94	-	38.90	39.50	17.42	48.29
PK	11.50876G	56.22	74.00	-17.78	18.59	3	Horizontal	319	1.50	-	37.63	39.99	12.76	34.16
PK	17.27428G	63.33	68.20	-4.87	21.49	3	Horizontal	340	2.88	-	41.84	39.72	15.04	33.27
PK	23.0064G	58.86	74.00	-15.14	8.63	3	Horizontal	144	1.94	-	50.23	39.50	17.42	48.29

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7782G	99.12	Inf	-Inf	6.77	3	Vertical	345	1.02	-	92.35	32.00	9.06	34.29
PK	5.6402G	62.57	68.20	-5.63	6.35	3	Vertical	345	1.02	-	56.22	31.68	8.94	34.27
PK	5.7794G	108.56	Inf	-Inf	6.77	3	Vertical	345	1.02	-	101.79	32.00	9.06	34.29
PK	5.933G	58.23	68.20	-9.97	7.14	3	Vertical	345	1.02	-	51.09	32.30	9.14	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7842G	99.67	Inf	-Inf	6.78	3	Horizontal	314	1.83	-	92.89	32.00	9.07	34.29
PK	5.6174G	63.87	68.20	-4.33	6.28	3	Horizontal	314	1.83	-	57.59	31.63	8.92	34.27
PK	5.7806G	109.34	Inf	-Inf	6.77	3	Horizontal	314	1.83	-	102.57	32.00	9.06	34.29
PK	5.951G	59.32	68.20	-8.88	7.14	3	Horizontal	314	1.83	-	52.18	32.30	9.15	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58836G	42.92	54.00	-11.08	18.51	3	Vertical	328	1.50	-	24.41	39.91	12.80	34.20
PK	11.58696G	55.50	74.00	-18.50	18.51	3	Vertical	328	1.50	-	36.99	39.91	12.80	34.20
PK	17.39332G	63.13	68.20	-5.07	22.40	3	Vertical	57	1.32	-	40.73	40.55	15.08	33.23
PK	23.1828G	60.99	68.20	-7.21	8.95	3	Vertical	36	1.75	-	52.04	39.57	17.50	48.12

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59272G	43.37	54.00	-10.63	18.51	3	Horizontal	55	1.50	-	24.86	39.91	12.80	34.20
PK	11.595G	56.16	74.00	-17.84	18.51	3	Horizontal	55	1.50	-	37.65	39.91	12.81	34.21
PK	17.37888G	64.33	68.20	-3.87	22.27	3	Horizontal	357	2.12	-	42.06	40.43	15.07	33.23
PK	23.1788G	60.26	68.20	-7.94	8.95	3	Horizontal	218	2.16	-	51.31	39.57	17.50	48.12

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.41	54.00	-0.59	5.99	3	Vertical	20	1.13	-	47.42	31.70	8.52	34.23
AV	5.2448G	89.02	Inf	-Inf	5.57	3	Vertical	20	1.13	-	83.45	31.23	8.58	34.24
AV	5.4404G	49.52	54.00	-4.48	5.95	3	Vertical	20	1.13	-	43.57	31.54	8.67	34.26
PK	5.15G	64.62	74.00	-9.38	5.99	3	Vertical	20	1.13	-	58.63	31.70	8.52	34.23
PK	5.1992G	99.29	Inf	-Inf	5.83	3	Vertical	20	1.13	-	93.46	31.50	8.57	34.24
PK	5.5052G	59.96	68.20	-8.24	6.19	3	Vertical	20	1.13	-	53.77	31.69	8.76	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.31	54.00	-0.69	5.99	3	Horizontal	302	1.93	-	47.32	31.70	8.52	34.23
AV	5.2376G	91.14	Inf	-Inf	5.61	3	Horizontal	302	1.93	-	85.53	31.27	8.58	34.24
AV	5.4404G	53.31	54.00	-0.69	5.95	3	Horizontal	302	1.93	-	47.36	31.54	8.67	34.26
PK	5.15G	65.67	74.00	-8.33	5.99	3	Horizontal	302	1.93	-	59.68	31.70	8.52	34.23
PK	5.2364G	100.40	Inf	-Inf	5.62	3	Horizontal	302	1.93	-	94.78	31.28	8.58	34.24
PK	5.4992G	63.89	68.20	-4.31	6.19	3	Horizontal	302	1.93	-	57.70	31.70	8.75	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63544G	46.66	54.00	-7.34	18.04	3	Vertical	55	2.78	-	28.62	37.87	14.63	34.46
AV	20.84448G	41.69	54.00	-12.31	6.36	3	Vertical	168	1.02	-	35.33	39.09	16.30	49.03
PK	10.41484G	55.10	68.20	-13.10	17.11	3	Vertical	310	2.22	-	37.99	39.53	12.21	34.63
PK	15.6354G	58.96	74.00	-15.04	18.04	3	Vertical	55	2.78	-	40.92	37.87	14.63	34.46
PK	20.84076G	54.24	74.00	-19.76	6.35	3	Vertical	168	1.02	-	47.89	39.09	16.29	49.03

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63772G	46.68	54.00	-7.32	18.04	3	Horizontal	313	1.50	-	28.64	37.88	14.63	34.47
AV	20.8314G	41.50	54.00	-12.50	6.36	3	Horizontal	123	1.74	-	35.14	39.10	16.29	49.03
PK	10.41152G	55.12	68.20	-13.08	17.09	3	Horizontal	178	1.04	-	38.03	39.52	12.21	34.64
PK	15.63644G	59.52	74.00	-14.48	18.03	3	Horizontal	313	1.50	-	41.49	37.87	14.63	34.47
PK	20.83708G	54.50	74.00	-19.50	6.36	3	Horizontal	123	1.74	-	48.14	39.10	16.29	49.03

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	50.91	54.00	-3.09	6.33	3	Vertical	341	1.21	-	44.58	31.50	9.05	34.22
AV	5.3236G	85.12	Inf	-Inf	6.27	3	Vertical	341	1.21	-	78.85	31.30	9.22	34.25
AV	5.35G	53.03	54.00	-0.97	6.30	3	Vertical	341	1.21	-	46.73	31.30	9.25	34.25
PK	5.0908G	57.27	74.00	-16.73	6.71	3	Vertical	341	1.21	-	50.56	31.88	9.06	34.23
PK	5.3248G	93.86	Inf	-Inf	6.27	3	Vertical	341	1.21	-	87.59	31.30	9.22	34.25
PK	5.35G	65.09	74.00	-8.91	6.30	3	Vertical	341	1.21	-	58.79	31.30	9.25	34.25

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	48.58	54.00	-5.42	6.33	3	Horizontal	70	1.93	-	42.25	31.50	9.05	34.22
AV	5.3188G	83.52	Inf	-Inf	6.26	3	Horizontal	70	1.93	-	77.26	31.30	9.21	34.25
AV	5.35G	50.96	54.00	-3.04	6.30	3	Horizontal	70	1.93	-	44.66	31.30	9.25	34.25
PK	5.1496G	57.22	74.00	-16.78	6.74	3	Horizontal	70	1.93	-	50.48	31.90	9.07	34.23
PK	5.3212G	92.54	Inf	-Inf	6.26	3	Horizontal	70	1.93	-	86.28	31.30	9.21	34.25
PK	5.5312G	57.92	68.20	-10.28	6.94	3	Horizontal	70	1.93	-	50.98	31.80	9.40	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89112G	46.18	54.00	-7.82	17.15	3	Vertical	278	1.04	-	29.03	36.93	14.92	34.70
PK	10.59536G	54.74	68.20	-13.46	17.66	3	Vertical	265	1.35	-	37.08	39.70	12.46	34.50
PK	15.87304G	58.08	74.00	-15.92	17.21	3	Vertical	278	1.04	-	40.87	36.98	14.91	34.68

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.86472G	46.36	54.00	-7.64	17.24	3	Horizontal	124	1.83	-	29.12	37.01	14.91	34.68
PK	10.59904G	54.76	68.20	-13.44	17.67	3	Horizontal	288	1.24	-	37.09	39.70	12.46	34.49
PK	15.88888G	58.43	74.00	-15.57	17.14	3	Horizontal	124	1.83	-	41.29	36.93	14.91	34.70

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.10	54.00	-4.90	6.81	3	Vertical	10	1.79	-	42.29	31.72	9.35	34.26
AV	5.5G	91.01	Inf	-Inf	6.92	3	Vertical	10	1.79	-	84.09	31.80	9.38	34.26
PK	5.47G	65.32	68.20	-2.88	6.84	3	Vertical	10	1.79	-	58.48	31.74	9.36	34.26
PK	5.5192G	101.17	Inf	-Inf	6.94	3	Vertical	10	1.79	-	94.23	31.80	9.40	34.26
PK	5.8264G	57.52	68.20	-10.68	7.46	3	Vertical	10	1.79	-	50.06	32.21	9.54	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	50.04	54.00	-3.96	6.81	3	Horizontal	308	1.95	-	43.23	31.72	9.35	34.26
AV	5.5516G	92.80	Inf	-Inf	6.95	3	Horizontal	308	1.95	-	85.85	31.80	9.42	34.27
PK	5.47G	67.44	68.20	-0.76	6.84	3	Horizontal	308	1.95	-	60.60	31.74	9.36	34.26
PK	5.5192G	103.80	Inf	-Inf	6.94	3	Horizontal	308	1.95	-	96.86	31.80	9.40	34.26
PK	5.8264G	57.65	68.20	-10.55	7.46	3	Horizontal	308	1.95	-	50.19	32.21	9.54	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02448G	43.47	54.00	-10.53	18.65	3	Vertical	72	1.52	-	24.82	40.20	12.64	34.19
PK	11.07744G	55.23	74.00	-18.77	18.46	3	Vertical	72	1.52	-	36.77	39.99	12.66	34.19
PK	16.55256G	60.64	68.20	-7.56	19.49	3	Vertical	185	2.45	-	41.15	38.39	15.27	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02032G	43.82	54.00	-10.18	18.67	3	Horizontal	296	1.30	-	25.15	40.22	12.64	34.19
PK	11.0376G	55.14	74.00	-18.86	18.61	3	Horizontal	296	1.30	-	36.53	40.15	12.65	34.19
PK	16.55336G	60.97	68.20	-7.23	19.49	3	Horizontal	266	2.37	-	41.48	38.39	15.27	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4576G	51.01	54.00	-2.99	6.81	3	Vertical	9	1.86	-	44.20	31.72	9.35	34.26
AV	5.5776G	96.55	Inf	-Inf	6.91	3	Vertical	9	1.86	-	89.64	31.74	9.44	34.27
PK	5.4636G	64.38	68.20	-3.82	6.82	3	Vertical	9	1.86	-	57.56	31.73	9.35	34.26
PK	5.5992G	107.26	Inf	-Inf	6.89	3	Vertical	9	1.86	-	100.37	31.70	9.46	34.27
PK	5.7276G	61.75	68.20	-6.45	7.18	3	Vertical	9	1.86	-	54.57	31.96	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.28	54.00	-2.72	6.81	3	Horizontal	310	1.94	-	44.47	31.72	9.35	34.26
AV	5.5764G	99.13	Inf	-Inf	6.92	3	Horizontal	310	1.94	-	92.21	31.75	9.44	34.27
PK	5.4648G	65.13	68.20	-3.07	6.82	3	Horizontal	310	1.94	-	58.31	31.73	9.35	34.26
PK	5.5992G	110.88	Inf	-Inf	6.89	3	Horizontal	310	1.94	-	103.99	31.70	9.46	34.27
PK	5.7348G	65.28	68.20	-2.92	7.19	3	Horizontal	310	1.94	-	58.09	31.97	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22972G	43.52	54.00	-10.48	18.08	3	Vertical	232	1.60	-	25.44	39.53	12.73	34.18
PK	11.22024G	55.82	74.00	-18.18	18.06	3	Vertical	232	1.60	-	37.76	39.52	12.72	34.18
PK	16.8177G	62.17	68.20	-6.03	21.29	3	Vertical	165	1.50	-	40.88	39.55	15.43	33.69

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22576G	43.48	54.00	-10.52	18.07	3	Horizontal	348	1.15	-	25.41	39.53	12.72	34.18
PK	11.22636G	55.83	74.00	-18.17	18.08	3	Horizontal	348	1.15	-	37.75	39.53	12.73	34.18
PK	16.82424G	62.26	68.20	-5.94	21.28	3	Horizontal	298	2.20	-	40.98	39.53	15.43	33.68

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	47.75	54.00	-6.25	6.77	3	Vertical	12	1.92	-	40.98	31.70	9.33	34.26
AV	5.666G	95.86	Inf	-Inf	6.90	3	Vertical	12	1.92	-	88.96	31.70	9.48	34.28
PK	5.4668G	59.04	68.20	-9.16	6.82	3	Vertical	12	1.92	-	52.22	31.73	9.35	34.26
PK	5.678G	106.03	Inf	-Inf	6.97	3	Vertical	12	1.92	-	99.06	31.77	9.48	34.28
PK	5.9132G	59.05	68.20	-9.15	7.81	3	Vertical	12	1.92	-	51.24	32.50	9.61	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4392G	46.95	54.00	-7.05	6.77	3	Horizontal	317	1.81	-	40.18	31.70	9.33	34.26
AV	5.6684G	99.44	Inf	-Inf	6.91	3	Horizontal	317	1.81	-	92.53	31.71	9.48	34.28
PK	5.4656G	57.60	68.20	-10.60	6.82	3	Horizontal	317	1.81	-	50.78	31.73	9.35	34.26
PK	5.6792G	110.45	Inf	-Inf	6.98	3	Horizontal	317	1.81	-	103.47	31.78	9.48	34.28
PK	5.8508G	61.65	68.20	-6.55	7.56	3	Horizontal	317	1.81	-	54.09	32.30	9.56	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35264G	43.07	54.00	-10.93	18.37	3	Vertical	325	1.50	-	24.70	39.76	12.78	34.17
PK	11.35568G	55.44	74.00	-18.56	18.38	3	Vertical	325	1.50	-	37.06	39.77	12.78	34.17
PK	17.0884G	63.57	68.20	-4.63	21.95	3	Vertical	343	1.55	-	41.62	39.69	15.59	33.33

802.11ac VHT80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38784G	43.71	54.00	-10.29	18.48	3	Horizontal	282	1.79	-	25.23	39.86	12.79	34.17
PK	11.34384G	55.51	74.00	-18.49	18.33	3	Horizontal	282	1.79	-	37.18	39.73	12.77	34.17
PK	17.0612G	63.88	68.20	-4.32	21.89	3	Horizontal	268	2.25	-	41.99	39.66	15.57	33.34

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	95.34	Inf	-Inf	6.71	3	Vertical	345	1.00	-	88.63	31.96	9.03	34.28
PK	5.6442G	64.98	68.20	-3.22	6.36	3	Vertical	345	1.00	-	58.62	31.69	8.94	34.27
PK	5.7642G	104.75	Inf	-Inf	6.76	3	Vertical	345	1.00	-	97.99	32.00	9.05	34.29
PK	5.9502G	58.72	68.20	-9.48	7.14	3	Vertical	345	1.00	-	51.58	32.30	9.15	34.31

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	95.56	Inf	-Inf	6.72	3	Horizontal	317	1.79	-	88.84	31.97	9.03	34.28
PK	5.649G	67.46	68.20	-0.74	6.37	3	Horizontal	317	1.79	-	61.09	31.70	8.94	34.27
PK	5.7642G	106.41	Inf	-Inf	6.76	3	Horizontal	317	1.79	-	99.65	32.00	9.05	34.29
PK	5.9262G	60.01	68.20	-8.19	7.14	3	Horizontal	317	1.79	-	52.87	32.30	9.14	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54184G	43.22	54.00	-10.78	18.56	3	Vertical	136	1.50	-	24.66	39.96	12.78	34.18
AV	23.09708G	43.05	54.00	-10.95	8.80	3	Vertical	194	1.56	-	34.25	39.54	17.46	48.20
PK	11.54896G	55.41	74.00	-18.59	18.55	3	Vertical	136	1.50	-	36.86	39.95	12.78	34.18
PK	17.322G	63.75	68.20	-4.45	21.79	3	Vertical	168	1.95	-	41.96	39.98	15.06	33.25
PK	23.10552G	55.23	74.00	-18.77	8.82	3	Vertical	194	1.56	-	46.41	39.54	17.47	48.19

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54184G	43.47	54.00	-10.53	18.56	3	Horizontal	292	2.38	-	24.91	39.96	12.78	34.18
AV	23.09208G	43.67	54.00	-10.33	8.79	3	Horizontal	306	1.65	-	34.88	39.54	17.46	48.21
PK	11.54792G	55.67	74.00	-18.33	18.55	3	Horizontal	292	2.38	-	37.12	39.95	12.78	34.18
PK	17.3192G	62.84	68.20	-5.36	21.76	3	Horizontal	17	1.50	-	41.08	39.95	15.06	33.25
PK	23.09608G	55.52	74.00	-18.48	8.80	3	Horizontal	306	1.65	-	46.72	39.54	17.46	48.20

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	949.56M	42.67	46.00	-3.33	3	Vertical	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	47.46M	34.46	40.00	-5.54	3	Vertical	0	1.00	-
5775MHz	Pass	PK	189.08M	26.43	43.50	-17.07	3	Vertical	0	1.00	-
5775MHz	Pass	PK	243.4M	27.31	46.00	-18.69	3	Vertical	0	1.00	-
5775MHz	Pass	PK	445.16M	29.83	46.00	-16.17	3	Vertical	0	1.00	-
5775MHz	Pass	PK	945.68M	41.23	46.00	-4.77	3	Vertical	0	1.00	-
5775MHz	Pass	PK	960M	41.55	46.00	-4.45	3	Vertical	0	1.00	-
5775MHz	Pass	PK	47.46M	36.16	40.00	-3.84	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	156.1M	24.59	43.50	-18.91	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	260.86M	26.04	46.00	-19.96	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	450.98M	31.17	46.00	-14.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	930.16M	40.28	46.00	-5.72	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	941.8M	40.74	46.00	-5.26	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	41.64M	34.88	40.00	-5.12	3	Vertical	360	1.00	-
5775MHz	Pass	PK	177.44M	25.55	43.50	-17.95	3	Vertical	360	1.00	-
5775MHz	Pass	PK	328.76M	28.65	46.00	-17.35	3	Vertical	360	1.00	-
5775MHz	Pass	PK	450.98M	33.93	46.00	-12.07	3	Vertical	360	1.00	-
5775MHz	Pass	PK	881.66M	41.14	46.00	-4.86	3	Vertical	360	1.00	-
5775MHz	Pass	PK	949.56M	42.67	46.00	-3.33	3	Vertical	360	1.00	-
5775MHz	Pass	PK	49.4M	36.18	40.00	-3.82	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	132.82M	21.84	43.50	-21.66	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	289.96M	27.82	46.00	-18.18	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	408.3M	30.27	46.00	-15.73	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	883.6M	40.15	46.00	-5.85	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	939.86M	39.77	46.00	-6.23	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	34.46	40.00	-5.54	-12.55	3	Vertical	0	1.00	-	47.01	14.05	1.04	27.64
PK	189.08M	26.43	43.50	-17.07	-11.30	3	Vertical	0	1.00	-	37.73	14.19	1.91	27.40
PK	243.4M	27.31	46.00	-18.69	-8.11	3	Vertical	0	1.00	-	35.42	16.83	2.12	27.06
PK	445.16M	29.83	46.00	-16.17	-3.19	3	Vertical	0	1.00	-	33.02	21.97	2.88	28.04
PK	945.68M	41.23	46.00	-4.77	2.81	3	Vertical	0	1.00	-	38.42	25.94	4.17	27.30
PK	960M	41.55	46.00	-4.45	3.09	3	Vertical	0	1.00	-	38.46	26.13	4.21	27.25

802.11ax HEW80_Nss1,(MCS0)_4RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	36.16	40.00	-3.84	-12.55	3	Horizontal	360	1.00	-	48.71	14.05	1.04	27.64
PK	156.1M	24.59	43.50	-18.91	-10.42	3	Horizontal	360	1.00	-	35.01	15.38	1.74	27.54
PK	260.86M	26.04	46.00	-19.96	-6.08	3	Horizontal	360	1.00	-	32.12	18.75	2.20	27.03
PK	450.98M	31.17	46.00	-14.83	-3.10	3	Horizontal	360	1.00	-	34.27	22.08	2.90	28.08
PK	930.16M	40.28	46.00	-5.72	2.60	3	Horizontal	360	1.00	-	37.68	25.82	4.15	27.37
PK	941.8M	40.74	46.00	-5.26	2.73	3	Horizontal	360	1.00	-	38.01	25.88	4.17	27.32

802.11ax HEW80_Nss1,(MCS0)_4RX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	41.64M	34.88	40.00	-5.12	-9.63	3	Vertical	360	1.00	-	44.51	16.83	0.98	27.44
PK	177.44M	25.55	43.50	-17.95	-11.08	3	Vertical	360	1.00	-	36.63	14.54	1.85	27.47
PK	328.76M	28.65	46.00	-17.35	-5.92	3	Vertical	360	1.00	-	34.57	18.83	2.47	27.22
PK	450.98M	33.93	46.00	-12.07	-3.10	3	Vertical	360	1.00	-	37.03	22.08	2.90	28.08
PK	881.66M	41.14	46.00	-4.86	2.10	3	Vertical	360	1.00	-	39.04	25.61	4.07	27.58
PK	949.56M	42.67	46.00	-3.33	2.90	3	Vertical	360	1.00	-	39.77	26.00	4.18	27.28

802.11ax HEW80_Nss1,(MCS0)_4RX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	49.4M	36.18	40.00	-3.82	-13.24	3	Horizontal	0	1.00	-	49.42	13.40	1.06	27.70
PK	132.82M	21.84	43.50	-21.66	-9.17	3	Horizontal	0	1.00	-	31.01	16.90	1.60	27.67
PK	289.96M	27.82	46.00	-18.18	-6.53	3	Horizontal	0	1.00	-	34.35	18.20	2.32	27.05
PK	408.3M	30.27	46.00	-15.73	-3.54	3	Horizontal	0	1.00	-	33.81	21.52	2.77	27.83
PK	883.6M	40.15	46.00	-5.85	2.09	3	Horizontal	0	1.00	-	38.06	25.59	4.07	27.57
PK	939.86M	39.77	46.00	-6.23	2.70	3	Horizontal	0	1.00	-	37.07	25.85	4.17	27.32

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	4.99G	46.59	54.00	-7.41	3	Vertical	126	1.66	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.83G	40.09	54.00	-13.91	3	Vertical	121	1.00	-
5775MHz	Pass	AV	1.99G	39.02	54.00	-14.98	3	Vertical	137	1.00	-
5775MHz	Pass	AV	4.99G	46.59	54.00	-7.41	3	Vertical	126	1.66	-
5775MHz	Pass	PK	1.83G	51.70	74.00	-22.30	3	Vertical	121	1.00	-
5775MHz	Pass	PK	1.99G	52.63	74.00	-21.37	3	Vertical	137	1.00	-
5775MHz	Pass	PK	4.99G	52.35	74.00	-21.65	3	Vertical	126	1.66	-
5775MHz	Pass	AV	1.5G	35.75	54.00	-18.25	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	1.99G	34.81	54.00	-19.19	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	4.99G	40.33	54.00	-13.67	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1.5G	47.69	74.00	-26.31	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1.99G	50.54	74.00	-23.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	4.99G	46.98	74.00	-27.02	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4RX


5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.83G	40.09	54.00	-13.91	-2.23	3	Vertical	121	1.00	-	42.32	25.36	6.66	34.25
AV	1.99G	39.02	54.00	-14.98	-1.16	3	Vertical	137	1.00	-	40.18	26.16	6.90	34.22
AV	4.99G	46.59	54.00	-7.41	6.30	3	Vertical	126	1.66	-	40.29	31.48	9.04	34.22
PK	1.83G	51.70	74.00	-22.30	-2.23	3	Vertical	121	1.00	-	53.93	25.36	6.66	34.25
PK	1.99G	52.63	74.00	-21.37	-1.16	3	Vertical	137	1.00	-	53.79	26.16	6.90	34.22
PK	4.99G	52.35	74.00	-21.65	6.30	3	Vertical	126	1.66	-	46.05	31.48	9.04	34.22

802.11ax HEW80_Nss1,(MCS0)_4RX

5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.5G	35.75	54.00	-18.25	-2.90	3	Horizontal	360	1.00	-	38.65	25.50	5.92	34.32
AV	1.99G	34.81	54.00	-19.19	-1.16	3	Horizontal	360	1.00	-	35.97	26.16	6.90	34.22
AV	4.99G	40.33	54.00	-13.67	6.30	3	Horizontal	360	1.00	-	34.03	31.48	9.04	34.22
PK	1.5G	47.69	74.00	-26.31	-2.90	3	Horizontal	360	1.00	-	50.59	25.50	5.92	34.32
PK	1.99G	50.54	74.00	-23.46	-1.16	3	Horizontal	360	1.00	-	51.70	26.16	6.90	34.22
PK	4.99G	46.98	74.00	-27.02	6.30	3	Horizontal	360	1.00	-	40.68	31.48	9.04	34.22

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	945.68M	42.79	46.00	-3.21	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	47.46M	36.32	40.00	-3.68	3	Vertical	0	1.00	-
5775MHz	Pass	PK	181.32M	25.02	43.50	-18.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	239.52M	26.83	46.00	-19.17	3	Vertical	0	1.00	-
5775MHz	Pass	PK	784.66M	36.29	46.00	-9.71	3	Vertical	0	1.00	-
5775MHz	Pass	PK	934.04M	40.13	46.00	-5.87	3	Vertical	0	1.00	-
5775MHz	Pass	PK	947.62M	41.43	46.00	-4.57	3	Vertical	0	1.00	-
5775MHz	Pass	PK	47.46M	36.28	40.00	-3.72	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	189.08M	24.36	43.50	-19.14	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	276.38M	25.02	46.00	-20.98	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	784.66M	36.65	46.00	-9.35	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	887.48M	39.89	46.00	-6.11	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	955.38M	40.99	46.00	-5.01	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	41.64M	35.14	40.00	-4.86	3	Vertical	0	1.00	-
5775MHz	Pass	PK	148.34M	29.72	43.50	-13.78	3	Vertical	0	1.00	-
5775MHz	Pass	PK	293.84M	26.95	46.00	-19.05	3	Vertical	0	1.00	-
5775MHz	Pass	PK	357.86M	29.82	46.00	-16.18	3	Vertical	0	1.00	-
5775MHz	Pass	PK	879.72M	41.82	46.00	-4.18	3	Vertical	0	1.00	-
5775MHz	Pass	PK	945.68M	42.79	46.00	-3.21	3	Vertical	0	1.00	-
5775MHz	Pass	PK	49.4M	34.95	40.00	-5.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	113.42M	22.80	43.50	-20.70	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	299.66M	28.59	46.00	-17.41	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	408.3M	29.95	46.00	-16.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	879.72M	41.07	46.00	-4.93	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	897.18M	41.25	46.00	-4.75	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_8RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	36.32	40.00	-3.68	-12.55	3	Vertical	0	1.00	-	48.87	14.05	1.04	27.64
PK	181.32M	25.02	43.50	-18.48	-11.23	3	Vertical	0	1.00	-	36.25	14.35	1.87	27.45
PK	239.52M	26.83	46.00	-19.17	-8.55	3	Vertical	0	1.00	-	35.38	16.42	2.11	27.08
PK	784.66M	36.29	46.00	-9.71	0.97	3	Vertical	0	1.00	-	35.32	25.09	3.82	27.94
PK	934.04M	40.13	46.00	-5.87	2.65	3	Vertical	0	1.00	-	37.48	25.84	4.16	27.35
PK	947.62M	41.43	46.00	-4.57	2.86	3	Vertical	0	1.00	-	38.57	25.97	4.18	27.29

802.11ax HEW80_Nss1,(MCS0)_8RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	47.46M	36.28	40.00	-3.72	-12.55	3	Horizontal	360	1.00	-	48.83	14.05	1.04	27.64
PK	189.08M	24.36	43.50	-19.14	-11.30	3	Horizontal	360	1.00	-	35.66	14.19	1.91	27.40
PK	276.38M	25.02	46.00	-20.98	-6.77	3	Horizontal	360	1.00	-	31.79	18.01	2.26	27.04
PK	784.66M	36.65	46.00	-9.35	0.97	3	Horizontal	360	1.00	-	35.68	25.09	3.82	27.94
PK	887.48M	39.89	46.00	-6.11	2.11	3	Horizontal	360	1.00	-	37.78	25.59	4.08	27.56
PK	955.38M	40.99	46.00	-5.01	3.01	3	Horizontal	360	1.00	-	37.98	26.07	4.20	27.26

802.11ax HEW80_Nss1,(MCS0)_8RX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	41.64M	35.14	40.00	-4.86	-9.63	3	Vertical	0	1.00	-	44.77	16.83	0.98	27.44
PK	148.34M	29.72	43.50	-13.78	-10.16	3	Vertical	0	1.00	-	39.88	15.72	1.69	27.57
PK	293.84M	26.95	46.00	-19.05	-6.45	3	Vertical	0	1.00	-	33.40	18.28	2.33	27.06
PK	357.86M	29.82	46.00	-16.18	-5.00	3	Vertical	0	1.00	-	34.82	19.82	2.58	27.40
PK	879.72M	41.82	46.00	-4.18	2.10	3	Vertical	0	1.00	-	39.72	25.63	4.06	27.59
PK	945.68M	42.79	46.00	-3.21	2.81	3	Vertical	0	1.00	-	39.98	25.94	4.17	27.30

802.11ax HEW80_Nss1,(MCS0)_8RX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	49.4M	34.95	40.00	-5.05	-13.24	3	Horizontal	360	1.00	-	48.19	13.40	1.06	27.70
PK	113.42M	22.80	43.50	-20.70	-9.03	3	Horizontal	360	1.00	-	31.83	17.26	1.50	27.79
PK	299.66M	28.59	46.00	-17.41	-6.30	3	Horizontal	360	1.00	-	34.89	18.40	2.36	27.06
PK	408.3M	29.95	46.00	-16.05	-3.54	3	Horizontal	360	1.00	-	33.49	21.52	2.77	27.83
PK	879.72M	41.07	46.00	-4.93	2.10	3	Horizontal	360	1.00	-	38.97	25.63	4.06	27.59
PK	897.18M	41.25	46.00	-4.75	2.23	3	Horizontal	360	1.00	-	39.02	25.64	4.10	27.51

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	4.99G	46.74	54.00	-7.26	3	Vertical	131	2.07	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1G	36.29	54.00	-17.71	3	Vertical	174	1.08	-
5775MHz	Pass	AV	1.74G	39.29	54.00	-14.71	3	Vertical	133	1.08	-
5775MHz	Pass	AV	4.99G	46.74	54.00	-7.26	3	Vertical	131	2.07	-
5775MHz	Pass	PK	1G	51.28	74.00	-22.72	3	Vertical	174	1.08	-
5775MHz	Pass	PK	1.74G	51.97	74.00	-22.03	3	Vertical	133	1.08	-
5775MHz	Pass	PK	4.99G	51.99	74.00	-22.01	3	Vertical	131	2.07	-
5775MHz	Pass	AV	1G	34.49	54.00	-19.51	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	1.42G	30.87	54.00	-23.13	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	4.99G	32.82	54.00	-21.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1G	49.00	74.00	-25.00	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1.42G	48.70	74.00	-25.30	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	4.99G	46.91	74.00	-27.09	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_8RX


5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1G	36.29	54.00	-17.71	-6.23	3	Vertical	174	1.08	-	42.52	24.30	4.57	35.10
AV	1.74G	39.29	54.00	-14.71	-2.72	3	Vertical	133	1.08	-	42.01	25.06	6.49	34.27
AV	4.99G	46.74	54.00	-7.26	6.30	3	Vertical	131	2.07	-	40.44	31.48	9.04	34.22
PK	1G	51.28	74.00	-22.72	-6.23	3	Vertical	174	1.08	-	57.51	24.30	4.57	35.10
PK	1.74G	51.97	74.00	-22.03	-2.72	3	Vertical	133	1.08	-	54.69	25.06	6.49	34.27
PK	4.99G	51.99	74.00	-22.01	6.30	3	Vertical	131	2.07	-	45.69	31.48	9.04	34.22

802.11ax HEW80_Nss1,(MCS0)_8RX

5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1G	34.49	54.00	-19.51	-6.23	3	Horizontal	360	1.00	-	40.72	24.30	4.57	35.10
AV	1.42G	30.87	54.00	-23.13	-2.74	3	Horizontal	360	1.00	-	33.61	26.00	5.70	34.44
AV	4.99G	32.82	54.00	-21.18	6.30	3	Horizontal	360	1.00	-	26.52	31.48	9.04	34.22
PK	1G	49.00	74.00	-25.00	-6.23	3	Horizontal	360	1.00	-	55.23	24.30	4.57	35.10
PK	1.42G	48.70	74.00	-25.30	-2.74	3	Horizontal	360	1.00	-	51.44	26.00	5.70	34.44
PK	4.99G	46.91	74.00	-27.09	6.30	3	Horizontal	360	1.00	-	40.61	31.48	9.04	34.22

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	53.28M	36.75	40.00	-3.25	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	161.92M	27.40	43.50	-16.10	3	Vertical	360	1.00	-
5775MHz	Pass	PK	237.58M	26.78	46.00	-19.22	3	Vertical	360	1.00	-
5775MHz	Pass	PK	371.44M	27.54	46.00	-18.46	3	Vertical	360	1.00	-
5775MHz	Pass	PK	635.28M	31.31	46.00	-14.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	730.34M	34.18	46.00	-11.82	3	Vertical	360	1.00	-
5775MHz	Pass	PK	939.86M	41.31	46.00	-4.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	49.4M	31.25	40.00	-8.75	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	307.42M	27.87	46.00	-18.13	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	410.24M	29.23	46.00	-16.77	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	565.44M	30.61	46.00	-15.39	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	734.22M	35.36	46.00	-10.64	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	939.86M	40.01	46.00	-5.99	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	53.28M	36.75	40.00	-3.25	3	Vertical	0	1.00	-
5775MHz	Pass	PK	177.44M	26.45	43.50	-17.05	3	Vertical	0	1.00	-
5775MHz	Pass	PK	301.6M	27.96	46.00	-18.04	3	Vertical	0	1.00	-
5775MHz	Pass	PK	357.86M	31.73	46.00	-14.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	856.44M	37.29	46.00	-8.71	3	Vertical	0	1.00	-
5775MHz	Pass	PK	951.5M	41.49	46.00	-4.51	3	Vertical	0	1.00	-
5775MHz	Pass	PK	33.88M	32.31	40.00	-7.69	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	355.92M	29.24	46.00	-16.76	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	408.3M	29.38	46.00	-16.62	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	515M	30.16	46.00	-15.84	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	730.34M	39.61	46.00	-6.39	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	945.68M	40.06	46.00	-5.94	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	161.92M	27.40	43.50	-16.10	-10.55	3	Vertical	360	1.00	-	37.95	15.18	1.78	27.51
PK	237.58M	26.78	46.00	-19.22	-8.80	3	Vertical	360	1.00	-	35.58	16.19	2.10	27.09
PK	371.44M	27.54	46.00	-18.46	-4.86	3	Vertical	360	1.00	-	32.40	20.03	2.63	27.52
PK	635.28M	31.31	46.00	-14.69	-0.49	3	Vertical	360	1.00	-	31.80	24.35	3.43	28.27
PK	730.34M	34.18	46.00	-11.82	0.18	3	Vertical	360	1.00	-	34.00	24.66	3.66	28.14
PK	939.86M	41.31	46.00	-4.69	2.70	3	Vertical	360	1.00	-	38.61	25.85	4.17	27.32

802.11ac VHT80_Nss1,(MCS0)_1RX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	49.4M	31.25	40.00	-8.75	-13.24	3	Horizontal	0	1.00	-	44.49	13.40	1.06	27.70
PK	307.42M	27.87	46.00	-18.13	-6.04	3	Horizontal	0	1.00	-	33.91	18.67	2.39	27.10
PK	410.24M	29.23	46.00	-16.77	-3.43	3	Horizontal	0	1.00	-	32.66	21.64	2.77	27.84
PK	565.44M	30.61	46.00	-15.39	-1.06	3	Horizontal	0	1.00	-	31.67	24.04	3.25	28.35
PK	734.22M	35.36	46.00	-10.64	0.30	3	Horizontal	0	1.00	-	35.06	24.75	3.67	28.12
PK	939.86M	40.01	46.00	-5.99	2.70	3	Horizontal	0	1.00	-	37.31	25.85	4.17	27.32

802.11ac VHT80_Nss1,(MCS0)_1RX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	53.28M	36.75	40.00	-3.25	-14.48	3	Vertical	0	1.00	-	51.23	12.16	1.09	27.73
PK	177.44M	26.45	43.50	-17.05	-11.08	3	Vertical	0	1.00	-	37.53	14.54	1.85	27.47
PK	301.6M	27.96	46.00	-18.04	-6.23	3	Vertical	0	1.00	-	34.19	18.47	2.37	27.07
PK	357.86M	31.73	46.00	-14.27	-5.00	3	Vertical	0	1.00	-	36.73	19.82	2.58	27.40
PK	856.44M	37.29	46.00	-8.71	1.86	3	Vertical	0	1.00	-	35.43	25.54	4.01	27.69
PK	951.5M	41.49	46.00	-4.51	2.93	3	Vertical	0	1.00	-	38.56	26.03	4.18	27.28

802.11ac VHT80_Nss1,(MCS0)_1RX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	33.88M	32.31	40.00	-7.69	-4.95	3	Horizontal	360	1.00	-	37.26	21.26	0.90	27.11
PK	355.92M	29.24	46.00	-16.76	-5.04	3	Horizontal	360	1.00	-	34.28	19.77	2.57	27.38
PK	408.3M	29.38	46.00	-16.62	-3.54	3	Horizontal	360	1.00	-	32.92	21.52	2.77	27.83
PK	515M	30.16	46.00	-15.84	-2.40	3	Horizontal	360	1.00	-	32.56	22.83	3.11	28.34
PK	730.34M	39.61	46.00	-6.39	0.18	3	Horizontal	360	1.00	-	39.43	24.66	3.66	28.14
PK	945.68M	40.06	46.00	-5.94	2.81	3	Horizontal	360	1.00	-	37.25	25.94	4.17	27.30

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	1.84G	39.29	54.00	-14.71	3	Horizontal	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.52G	34.61	54.00	-19.39	3	Vertical	360	1.00	-
5775MHz	Pass	AV	1.79G	38.45	54.00	-15.55	3	Vertical	360	1.00	-
5775MHz	Pass	AV	4.99G	37.08	54.00	-16.92	3	Vertical	360	1.00	-
5775MHz	Pass	PK	1.52G	48.05	74.00	-25.95	3	Vertical	360	1.00	-
5775MHz	Pass	PK	1.79G	50.66	74.00	-23.34	3	Vertical	360	1.00	-
5775MHz	Pass	PK	4.99G	49.66	74.00	-24.34	3	Vertical	360	1.00	-
5775MHz	Pass	AV	1.52G	39.24	54.00	-14.76	3	Horizontal	0	1.00	-
5775MHz	Pass	AV	1.84G	39.29	54.00	-14.71	3	Horizontal	0	1.00	-
5775MHz	Pass	AV	4.99G	34.42	54.00	-19.58	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	1.52G	50.64	74.00	-23.36	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	1.84G	50.99	74.00	-23.01	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	4.99G	52.30	74.00	-21.70	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX


5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.52G	34.61	54.00	-19.39	-2.93	3	Vertical	360	1.00	-	37.54	25.42	5.97	34.32
AV	1.79G	38.45	54.00	-15.55	-2.40	3	Vertical	360	1.00	-	40.85	25.26	6.60	34.26
AV	4.99G	37.08	54.00	-16.92	6.30	3	Vertical	360	1.00	-	30.78	31.48	9.04	34.22
PK	1.52G	48.05	74.00	-25.95	-2.93	3	Vertical	360	1.00	-	50.98	25.42	5.97	34.32
PK	1.79G	50.66	74.00	-23.34	-2.40	3	Vertical	360	1.00	-	53.06	25.26	6.60	34.26
PK	4.99G	49.66	74.00	-24.34	6.30	3	Vertical	360	1.00	-	43.36	31.48	9.04	34.22

802.11ac VHT80_Nss1,(MCS0)_1RX

5775MHz_RX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.52G	39.24	54.00	-14.76	-2.93	3	Horizontal	0	1.00	-	42.17	25.42	5.97	34.32
AV	1.84G	39.29	54.00	-14.71	-2.19	3	Horizontal	0	1.00	-	41.48	25.38	6.68	34.25
AV	4.99G	34.42	54.00	-19.58	6.30	3	Horizontal	0	1.00	-	28.12	31.48	9.04	34.22
PK	1.52G	50.64	74.00	-23.36	-2.93	3	Horizontal	0	1.00	-	53.57	25.42	5.97	34.32
PK	1.84G	50.99	74.00	-23.01	-2.19	3	Horizontal	0	1.00	-	53.18	25.38	6.68	34.25
PK	4.99G	52.30	74.00	-21.70	6.30	3	Horizontal	0	1.00	-	46.00	31.48	9.04	34.22


1. Photographs of Conducted Emissions Test Configuration-TX

Adapter mode


Front view



Side view



Under table view



PoE mode


Front view



Side view



Under table view



2. Photographs of Conducted Emissions Test Configuration-RX

Adapter mode


Front view



Side view



Under table view




PoE mode


Front view



Side view



Under table view




3. Photographs of Radiated Emissions Test Configuration-TX


For radiated emissions 30MHz~1GHz

Adapter mode
Radio 1_4T1S

Front view




Rear view




PoE mode
Radio 1_4T1S

Front view




Rear view




Adapter mode
Radio 1_8T1S

Front view




Rear view




PoE mode
Radio 1_8T1S

Front view




Rear view




Adapter mode
Radio 3_1T1S

Front view




Rear view




PoE mode
Radio 3_1T1S

Front view




Rear view




For radiated emissions above 1GHz

Adapter mode
Radio 1_4T1S

Front view




Rear view




Adapter mode
Radio 1_8T1S

Front view



Rear view




Adapter mode
Radio 3_1T1S

Front view



Rear view




4. Photographs of Radiated Emissions Test Configuration-RX


For radiated emissions 30MHz~1GHz

Adapter mode
Radio 1_4T1S

Front view




Rear view




PoE mode
Radio 1_4T1S

Front view




Rear view




Adapter mode
Radio 1_8T1S

Front view




Rear view




PoE mode
Radio 1_8T1S

Front view




Rear view




Adapter mode
Radio 3_1T1S

Front view




Rear view




PoE mode
Radio 3_1T1S

Front view




Rear view




For radiated emissions above 1GHz

Adapter mode
Radio 1_4T1S

Front view




Rear view




Adapter mode
Radio 1_8T1S

Front view




Rear view




Adapter mode
Radio 3_1T1S

Front view



Rear view



————THE END————